

(51) International Patent Classification:
G06F 7/00 (2006.01)(21) International Application Number:
PCT/US2015/012530(22) International Filing Date:
22 January 2015 (22.01.2015)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
14/161,476 22 January 2014 (22.01.2014) US(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier application:
US 14/161,476 (CON)
Filed on 22 January 2014 (22.01.2014)(71) Applicant: **OPENTV, INC.** [US/US]; 275 Sacramento Street, San Francisco, California 94111 (US).(72) Inventor: **MORTEN, Glenn**; 275 Sacramento Street, San Francisco, California 94111 (US).(74) Agents: **SCHEER, Bradley W.** et al.; P.O. Box 2938, Minneapolis, Minnesota 55402 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) Title: PROVIDING AGGREGATED METADATA FOR PROGRAMMING CONTENT




FIG. 3

(57) Abstract: A system and method for providing aggregated metadata for programming content is provided. In example embodiments, data regarding a program is collected from a third party source. The collected data is parsed to identify metadata for the program. The metadata collected from the third party source is merged with official metadata for the program to create aggregated metadata for the program. The aggregated metadata is stored to a metadata warehouse that is searchable.