

Anhang

Tabelle 1: Röntgenreflexe bis $30^\circ 2\theta$ inclusive Intensitäten (normalisiert) der
Verbindung (I)

5

2θ [°]	d_{hkl} [Å]	Intensity I/I _o [%]
5,76	15,34	5
6,20	14,25	12
10,00	8,84	11
10,65	8,30	22
11,52	7,68	15
12,43	7,11	26
13,89	6,37	10
14,41	6,14	4
14,95	5,92	14
15,33	5,77	27
15,68	5,65	8
16,10	5,50	10
16,61	5,33	15
17,09	5,18	14
18,06	4,91	17
18,44	4,81	13
18,92	4,69	100
19,30	4,60	17
19,60	4,53	6
20,37	4,36	51
20,70	4,29	6
21,38	4,15	26
22,41	3,96	17
23,06	3,85	49
23,64	3,76	10
24,19	3,68	7
24,67	3,61	79
25,29	3,52	8
25,68	3,47	3
26,61	3,35	13
26,94	3,31	4
27,40	3,25	21
27,67	3,22	7

28,13	3,17	6
28,68	3,11	13
29,05	3,07	6
29,55	3,02	19
29,79	3,00	7

Abbildung 1: Röntgenpulverdiagramm der Verbindung (I)




Abbildung 2: DSC/TG-Diagramm der Verbindung (I)





Abbildung 3: Sorptionsisothermen der Verbindung (I)

a) Kinetik Plot



b) Isothermer Plot

