

FP17-0775-00_Sequence listing
SEQUENCE LISTING

<110> JCR PHARMACEUTICALS CO., LTD.

<120> ANTI-HUMAN TRANSFERRIN RECEPTOR ANTIBODY PERMEATING
BLOOD-BRAIN BARRIER

<130> FP17-0775-00

<150> P2015-144379

<151> 2015-06-24

<160> 279

<170> PatentIn version 3.5

<210> 1

<211> 760

<212> PRT

<213> Homo sapiens

<400> 1

Met Met Asp Gln Ala Arg Ser Ala Phe Ser Asn Leu Phe Gly Gly Glu
1 5 10 15

Pro Leu Ser Tyr Thr Arg Phe Ser Leu Ala Arg Gln Val Asp Gly Asp
20 25 30

Asn Ser His Val Glu Met Lys Leu Ala Val Asp Glu Glu Glu Asn Ala
35 40 45

Asp Asn Asn Thr Lys Ala Asn Val Thr Lys Pro Lys Arg Cys Ser Gly
50 55 60

Ser Ile Cys Tyr Gly Thr Ile Ala Val Ile Val Phe Phe Leu Ile Gly
65 70 75 80

Phe Met Ile Gly Tyr Leu Gly Tyr Cys Lys Gly Val Glu Pro Lys Thr
85 90 95

Glu Cys Glu Arg Leu Ala Gly Thr Glu Ser Pro Val Arg Glu Glu Pro
100 105 110

Gly Glu Asp Phe Pro Ala Ala Arg Arg Leu Tyr Trp Asp Asp Leu Lys
115 120 125

Arg Lys Leu Ser Glu Lys Leu Asp Ser Thr Asp Phe Thr Gly Thr Ile
130 135 140

Lys Leu Leu Asn Glu Asn Ser Tyr Val Pro Arg Glu Ala Gly Ser Gln
145 150 155 160

Lys Asp Glu Asn Leu Ala Leu Tyr Val Glu Asn Gln Phe Arg Glu Phe
165 170 175

Lys Leu Ser Lys Val Trp Arg Asp Gln His Phe Val Lys Ile Gln Val
Page 1

FP17-0775-00_Sequence listing

180

185

190

Lys Asp Ser Ala Gln Asn Ser Val Ile Ile Val Asp Lys Asn Gly Arg
195 200 205

Leu Val Tyr Leu Val Glu Asn Pro Gly Gly Tyr Val Ala Tyr Ser Lys
210 215 220

Ala Ala Thr Val Thr Gly Lys Leu Val His Ala Asn Phe Gly Thr Lys
225 230 235 240

Lys Asp Phe Glu Asp Leu Tyr Thr Pro Val Asn Gly Ser Ile Val Ile
245 250 255

Val Arg Ala Gly Lys Ile Thr Phe Ala Glu Lys Val Ala Asn Ala Glu
260 265 270

Ser Leu Asn Ala Ile Gly Val Leu Ile Tyr Met Asp Gln Thr Lys Phe
275 280 285

Pro Ile Val Asn Ala Glu Leu Ser Phe Phe Gly His Ala His Leu Gly
290 295 300

Thr Gly Asp Pro Tyr Thr Pro Gly Phe Pro Ser Phe Asn His Thr Gln
305 310 315 320

Phe Pro Pro Ser Arg Ser Ser Gly Leu Pro Asn Ile Pro Val Gln Thr
325 330 335

Ile Ser Arg Ala Ala Ala Glu Lys Leu Phe Gly Asn Met Glu Gly Asp
340 345 350

Cys Pro Ser Asp Trp Lys Thr Asp Ser Thr Cys Arg Met Val Thr Ser
355 360 365

Glu Ser Lys Asn Val Lys Leu Thr Val Ser Asn Val Leu Lys Glu Ile
370 375 380

Lys Ile Leu Asn Ile Phe Gly Val Ile Lys Gly Phe Val Glu Pro Asp
385 390 395 400

His Tyr Val Val Val Gly Ala Gln Arg Asp Ala Trp Gly Pro Gly Ala
405 410 415

Ala Lys Ser Gly Val Gly Thr Ala Leu Leu Lys Leu Ala Gln Met
420 425 430

Phe Ser Asp Met Val Leu Lys Asp Gly Phe Gln Pro Ser Arg Ser Ile
435 440 445

Ile Phe Ala Ser Trp Ser Ala Gly Asp Phe Gly Ser Val Gly Ala Thr
Page 2

FP17-0775-00_Sequence listing

450

455

460

Glu Trp Leu Glu Gly Tyr Leu Ser Ser Leu His Leu Lys Ala Phe Thr
465 470 475 480

Tyr Ile Asn Leu Asp Lys Ala Val Leu Gly Thr Ser Asn Phe Lys Val
485 490 495

Ser Ala Ser Pro Leu Leu Tyr Thr Leu Ile Glu Lys Thr Met Gln Asn
500 505 510

Val Lys His Pro Val Thr Gly Gln Phe Leu Tyr Gln Asp Ser Asn Trp
515 520 525

Ala Ser Lys Val Glu Lys Leu Thr Leu Asp Asn Ala Ala Phe Pro Phe
530 535 540

Leu Ala Tyr Ser Gly Ile Pro Ala Val Ser Phe Cys Phe Cys Glu Asp
545 550 555 560

Thr Asp Tyr Pro Tyr Leu Gly Thr Thr Met Asp Thr Tyr Lys Glu Leu
565 570 575

Ile Glu Arg Ile Pro Glu Leu Asn Lys Val Ala Arg Ala Ala Glu
580 585 590

Val Ala Gly Gln Phe Val Ile Lys Leu Thr His Asp Val Glu Leu Asn
595 600 605

Leu Asp Tyr Glu Arg Tyr Asn Ser Gln Leu Leu Ser Phe Val Arg Asp
610 615 620

Leu Asn Gln Tyr Arg Ala Asp Ile Lys Glu Met Gly Leu Ser Leu Gln
625 630 635 640

Trp Leu Tyr Ser Ala Arg Gly Asp Phe Phe Arg Ala Thr Ser Arg Leu
645 650 655

Thr Thr Asp Phe Gly Asn Ala Glu Lys Thr Asp Arg Phe Val Met Lys
660 665 670

Lys Leu Asn Asp Arg Val Met Arg Val Glu Tyr His Phe Leu Ser Pro
675 680 685

Tyr Val Ser Pro Lys Glu Ser Pro Phe Arg His Val Phe Trp Gly Ser
690 695 700

Gly Ser His Thr Leu Pro Ala Leu Leu Glu Asn Leu Lys Leu Arg Lys
705 710 715 720

Gln Asn Asn Gly Ala Phe Asn Glu Thr Leu Phe Arg Asn Gln Leu Ala
Page 3

FP17-0775-00_Sequence listing

725

730

735

Leu Ala Thr Trp Thr Ile Gln Gly Ala Ala Asn Ala Leu Ser Gly Asp
740 745 750

Val Trp Asp Ile Asp Asn Glu Phe
755 760

<210> 2

<211> 760

<212> PRT

<213> Macaca fascicularis

<400> 2

Met Met Asp Gln Ala Arg Ser Ala Phe Ser Asn Leu Phe Gly Gly Glu
1 5 10 15

Pro Leu Ser Tyr Thr Arg Phe Ser Leu Ala Arg Gln Val Asp Gly Asp
20 25 30

Asn Ser His Val Glu Met Lys Leu Ala Val Asp Asp Glu Glu Asn Ala
35 40 45

Asp Asn Asn Thr Lys Ala Asn Gly Thr Lys Pro Lys Arg Cys Gly Gly
50 55 60

Asn Ile Cys Tyr Gly Thr Ile Ala Val Ile Ile Phe Phe Leu Ile Gly
65 70 75 80

Phe Met Ile Gly Tyr Leu Gly Tyr Cys Lys Gly Val Glu Pro Lys Thr
85 90 95

Glu Cys Glu Arg Leu Ala Gly Thr Glu Ser Pro Ala Arg Glu Glu Pro
100 105 110

Glu Glu Asp Phe Pro Ala Ala Pro Arg Leu Tyr Trp Asp Asp Leu Lys
115 120 125

Arg Lys Leu Ser Glu Lys Leu Asp Thr Thr Asp Phe Thr Ser Thr Ile
130 135 140

Lys Leu Leu Asn Glu Asn Leu Tyr Val Pro Arg Glu Ala Gly Ser Gln
145 150 155 160

Lys Asp Glu Asn Leu Ala Leu Tyr Ile Glu Asn Gln Phe Arg Glu Phe
165 170 175

Lys Leu Ser Lys Val Trp Arg Asp Gln His Phe Val Lys Ile Gln Val
180 185 190

Lys Asp Ser Ala Gln Asn Ser Val Ile Ile Val Asp Lys Asn Gly Gly
195 200 205

FP17-0775-00_Sequence listing

Leu Val Tyr Leu Val Glu Asn Pro Gly Gly Tyr Val Ala Tyr Ser Lys
 210 215 220
 Ala Ala Thr Val Thr Gly Lys Leu Val His Ala Asn Phe Gly Thr Lys
 225 230 235 240
 Lys Asp Phe Glu Asp Leu Asp Ser Pro Val Asn Gly Ser Ile Val Ile
 245 250 255
 Val Arg Ala Gly Lys Ile Thr Phe Ala Glu Lys Val Ala Asn Ala Glu
 260 265 270
 Ser Leu Asn Ala Ile Gly Val Leu Ile Tyr Met Asp Gln Thr Lys Phe
 275 280 285
 Pro Ile Val Lys Ala Asp Leu Ser Phe Phe Gly His Ala His Leu Gly
 290 295 300
 Thr Gly Asp Pro Tyr Thr Pro Gly Phe Pro Ser Phe Asn His Thr Gln
 305 310 315 320
 Phe Pro Pro Ser Gln Ser Ser Gly Leu Pro Asn Ile Pro Val Gln Thr
 325 330 335
 Ile Ser Arg Ala Ala Ala Glu Lys Leu Phe Gly Asn Met Glu Gly Asp
 340 345 350
 Cys Pro Ser Asp Trp Lys Thr Asp Ser Thr Cys Lys Met Val Thr Ser
 355 360 365
 Glu Asn Lys Ser Val Lys Leu Thr Val Ser Asn Val Leu Lys Glu Thr
 370 375 380
 Lys Ile Leu Asn Ile Phe Gly Val Ile Lys Gly Phe Val Glu Pro Asp
 385 390 395 400
 His Tyr Val Val Val Gly Ala Gln Arg Asp Ala Trp Gly Pro Gly Ala
 405 410 415
 Ala Lys Ser Ser Val Gly Thr Ala Leu Leu Lys Leu Ala Gln Met
 420 425 430
 Phe Ser Asp Met Val Leu Lys Asp Gly Phe Gln Pro Ser Arg Ser Ile
 435 440 445
 Ile Phe Ala Ser Trp Ser Ala Gly Asp Phe Gly Ser Val Gly Ala Thr
 450 455 460
 Glu Trp Leu Glu Gly Tyr Leu Ser Ser Leu His Leu Lys Ala Phe Thr
 465 470 475 480

FP17-0775-00_Sequence listing

Tyr Ile Asn Leu Asp 485 Lys Ala Val Leu Gly 490 Thr Ser Asn Phe Lys 495 Val
 Ser Ala Ser Pro 500 Leu Leu Tyr Thr Leu 505 Ile Glu Lys Thr Met 510 Gln Asp
 Val Lys His 515 Pro Val Thr Gly Arg 520 Ser Leu Tyr Gln Asp 525 Ser Asn Trp
 Ala Ser Lys Val Glu Lys Leu 535 Thr Leu Asp Asn Ala 540 Ala Phe Pro Phe
 Leu 545 Ala Tyr Ser Gly Ile 550 Pro Ala Val Ser Phe 555 Cys Phe Cys Glu Asp 560
 Thr Asp Tyr Pro Tyr 565 Leu Gly Thr Thr Met 570 Asp Thr Tyr Lys Glu 575 Leu
 Val Glu Arg Ile 580 Pro Glu Leu Asn Lys 585 Val Ala Arg Ala Ala 590 Ala Glu
 Val Ala Gly 595 Gln Phe Val Ile Lys 600 Leu Thr His Asp Thr 605 Glu Leu Asn
 Leu Asp 610 Tyr Glu Arg Tyr Asn 615 Ser Gln Leu Leu Leu 620 Phe Leu Arg Asp
 Leu Asn Gln Tyr Arg Ala 630 Asp Val Lys Glu Met 635 Gly Leu Ser Leu Gln 640
 Trp Leu Tyr Ser Ala 645 Arg Gly Asp Phe 650 Arg Ala Thr Ser Arg 655 Leu
 Thr Thr Asp Phe 660 Arg Asn Ala Glu Lys 665 Arg Asp Lys Phe Val 670 Met Lys
 Lys Leu Asn 675 Asp Arg Val Met Arg 680 Val Glu Tyr Tyr Phe 685 Leu Ser Pro
 Tyr Val 690 Ser Pro Lys Glu Ser 695 Pro Phe Arg His Val 700 Phe Trp Gly Ser
 Gly 705 Ser His Thr Leu Ser 710 Ala Leu Leu Glu Ser 715 Leu Lys Leu Arg Arg 720
 Gln Asn Asn Ser Ala 725 Phe Asn Glu Thr Leu 730 Phe Arg Asn Gln Leu 735 Ala
 Leu Ala Thr 740 Trp Thr Ile Gln Gly Ala 745 Ala Asn Ala Leu Ser 750 Gly Asp

FP17-0775-00_Sequence listing

Val Trp Asp Ile Asp Asn Glu Phe
755 760

<210> 3
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of exemplified linker 1

<400> 3

Gly Gly Gly Gly Ser
1 5

<210> 4
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of exemplified linker 2

<400> 4

Gly Gly Gly Gly Gly Ser
1 5

<210> 5
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of exemplified linker 3

<400> 5

Ser Gly Gly Gly Gly
1 5

<210> 6
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 1 of CDR 1 in the light chain of mouse anti-hTfR antibody No.1

<400> 6

Gln Asp Val Asn Ser Ala
1 5

<210> 7
<211> 11
<212> PRT
<213> Artificial Sequence

FP17-0775-00_Sequence listing

<220>
 <223> Amino acid sequence 2 of CDR 1 in the light chain of mouse anti-hTfR antibody No.1

<400> 7

Lys Ala Ser Gln Asp Val Asn Ser Ala Val Ala
 1 5 10

<210> 8
 <211> 6
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of CDR 2 in the light chain of mouse anti-hTfR antibody No.1

<400> 8

Trp Thr Ser Thr Arg His
 1 5

<210> 9
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 2 in the light chain of mouse anti-hTfR antibody No.1

<400> 9

Trp Thr Ser Thr Arg His Thr
 1 5

<210> 10
 <211> 9
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence of CDR 3 in the light chain of mouse anti-hTfR antibody No.1

<400> 10

Gln Gln His Tyr Ser Thr Pro Arg Thr
 1 5

<210> 11
 <211> 6
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of CDR 1 in the light chain of mouse anti-hTfR antibody No.2

<400> 11

Gln Ser Ile Ser Asn Asn
 1 5

FP17-0775-00_Sequence listing

<210> 12
 <211> 11
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 1 in the light chain of mouse anti-hTfR antibody No.2

<400> 12

Arg Ala Ser Gln Ser Ile Ser Asn Asn Leu Gln
 1 5 10

<210> 13
 <211> 6
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of CDR 2 in the light chain of mouse anti-hTfR antibody No.2

<400> 13

Tyr Ala Ser Gln Ser Ile
 1 5

<210> 14
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 2 in the light chain of mouse anti-hTfR antibody No.2

<400> 14

Tyr Ala Ser Gln Ser Ile Ser
 1 5

<210> 15
 <211> 9
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence of CDR 3 in the light chain of mouse anti-hTfR antibody No.2

<400> 15

Gln Gln Ser Asn Ser Trp Pro Arg Thr
 1 5

<210> 16
 <211> 11
 <212> PRT
 <213> Artificial Sequence

<220>

FP17-0775-00_Sequence listing

<223> Amino acid sequence 1 of CDR 1 in the light chain of mouse anti-hTfR antibody No.3

<400> 16

Gln Ser Leu Val His Ser Asn Gly Asn Thr Tyr
1 5 10

<210> 17

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 1 in the light chain of mouse anti-hTfR antibody No.3

<400> 17

Arg Ser Ser Gln Ser Leu Val His Ser Asn Gly Asn Thr Tyr Leu His
1 5 10 15

<210> 18

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 1 of CDR 2 in the light chain of mouse anti-hTfR antibody No.3

<400> 18

Lys Val Ser Asn Arg Phe
1 5

<210> 19

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 2 in the light chain of mouse anti-hTfR antibody No.3

<400> 19

Lys Val Ser Asn Arg Phe Ser
1 5

<210> 20

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence of CDR 3 in the light chain of mouse anti-hTfR antibody No.3

<400> 20

Ser Gln Ser Thr His Val Pro Trp Thr
1 5

FP17-0775-00_Sequence listing

<210> 21
 <211> 5
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Amino acid sequence 1 of CDR 1 in the light chain of mouse
 anti-hTfR antibody No.4
 <400> 21

Ser Asn Val Asn Tyr
 1 5

<210> 22
 <211> 10
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Amino acid sequence 2 of CDR 1 in the light chain of mouse
 anti-hTfR antibody No.4
 <400> 22

Ser Ala Ser Ser Asn Val Asn Tyr Met His
 1 5 10

<210> 23
 <211> 6
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Amino acid sequence 1 of CDR 2 in the light chain of mouse
 anti-hTfR antibody No.4
 <400> 23

Asp Thr Ser Lys Leu Ala
 1 5

<210> 24
 <211> 7
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Amino acid sequence 2 of CDR 2 in the light chain of mouse
 anti-hTfR antibody No.4
 <400> 24

Asp Thr Ser Lys Leu Ala Ser
 1 5

<210> 25
 <211> 9
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Amino acid sequence of CDR 3 in the light chain of mouse
 Page 11

FP17-0775-00_Sequence listing
anti-hTfR antibody No.4

<400> 25

Phe Gln Gly Asn Gly Asn Pro Tyr Thr
1 5

<210> 26

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 1 of CDR 1 in the light chain of mouse anti-hTfR antibody No.5

<400> 26

Ser Ser Ile Ser Ser
1 5

<210> 27

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 1 in the light chain of mouse anti-hTfR antibody No.5

<400> 27

Ser Ala Ser Ser Ser Ile Ser Ser Ile His
1 5 10

<210> 28

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 1 of CDR 2 in the light chain of mouse anti-hTfR antibody No.5

<400> 28

Asp Thr Ser Thr Leu Ala
1 5

<210> 29

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 2 in the light chain of mouse anti-hTfR antibody No.5

<400> 29

Asp Thr Ser Thr Leu Ala Ser
1 5

FP17-0775-00_Sequence listing

<210> 30
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence of CDR 3 in the light chain of mouse anti-hTfR antibody No.5

<400> 30

His Gln Arg Ser Ser Tyr Pro Thr
 1 5

<210> 31
 <211> 6
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of CDR 1 in the light chain of mouse anti-hTfR antibody No.6

<400> 31

Gln Glu Ile Ser Gly Tyr
 1 5

<210> 32
 <211> 11
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 1 in the light chain of mouse anti-hTfR antibody No.6

<400> 32

Arg Ala Ser Gln Glu Ile Ser Gly Tyr Leu Ser
 1 5 10

<210> 33
 <211> 6
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of CDR 2 in the light chain of mouse anti-hTfR antibody No.6

<400> 33

Ala Ala Ser Thr Leu Asp
 1 5

<210> 34
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 2 in the light chain of mouse anti-hTfR antibody No.6

FP17-0775-00_Sequence listing

<400> 34

Ala Ala Ser Thr Leu Asp Ser
1 5

<210> 35

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence of CDR 3 in the light chain of mouse anti-hTfR antibody No.6

<400> 35

Leu Gln Tyr Ser Ser Tyr Pro Arg Thr
1 5

<210> 36

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 1 of CDR 1 in the light chain of mouse anti-hTfR antibody No.7

<400> 36

Ser Ser Val Asn Tyr
1 5

<210> 37

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 1 in the light chain of mouse anti-hTfR antibody No.7

<400> 37

Ser Ala Ser Ser Ser Val Asn Tyr Ile His
1 5 10

<210> 38

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 1 of CDR 2 in the light chain of mouse anti-hTfR antibody No.7

<400> 38

Gln Thr Ser Asn Leu Ala
1 5

<210> 39

FP17-0775-00_Sequence listing

<211> 7
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Amino acid sequence 2 of CDR 2 in the light chain of mouse anti-hTfR antibody No.7

 <400> 39
 Gln Thr Ser Asn Leu Ala Ser
 1 5

 <210> 40
 <211> 9
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Amino acid sequence of CDR 3 in the light chain of mouse anti-hTfR antibody No.7

 <400> 40
 His Gln Trp Ser Ser Tyr Pro Trp Thr
 1 5

 <210> 41
 <211> 5
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Amino acid sequence 1 of CDR 1 in the light chain of mouse anti-hTfR antibody No.8

 <400> 41
 Ser Ser Val Ser Tyr
 1 5

 <210> 42
 <211> 10
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Amino acid sequence 2 of CDR 1 in the light chain of mouse anti-hTfR antibody No.8

 <400> 42
 Ser Ala Ser Ser Ser Val Ser Tyr Met His
 1 5 10

 <210> 43
 <211> 6
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Amino acid sequence 1 of CDR 2 in the light chain of mouse anti-hTfR antibody No.8

FP17-0775-00_Sequence listing

<400> 43

Gly Thr Ser Asn Leu Ala
1 5

<210> 44

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 2 in the light chain of mouse anti-hTfR antibody No.8

<400> 44

Gly Thr Ser Asn Leu Ala Ser
1 5

<210> 45

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence of CDR 3 in the light chain of mouse anti-hTfR antibody No.8

<400> 45

His Gln Trp Ser Ser Tyr Pro Trp Thr
1 5

<210> 46

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 1 of CDR 1 in the light chain of mouse anti-hTfR antibody No.9

<400> 46

Ser Ser Val Ser Leu
1 5

<210> 47

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 1 in the light chain of mouse anti-hTfR antibody No.9

<400> 47

Ser Ala Ser Ser Ser Val Ser Leu Met Phe
1 5 10

<210> 48

<211> 6

FP17-0775-00_Sequence listing

<212> PRT
 <213> Artificial Sequence
 <220>
 <223> Amino acid sequence 1 of CDR 2 in the light chain of mouse anti-hTfR antibody No.9

<400> 48

Phe Thr Ser Tyr Arg Ala
 1 5

<210> 49
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 2 in the light chain of mouse anti-hTfR antibody No.9

<400> 49

Phe Thr Ser Tyr Arg Ala Ser
 1 5

<210> 50
 <211> 9
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence of CDR 3 in the light chain of mouse anti-hTfR antibody No.9

<400> 50

Gln Gln Trp Thr Ser Asp Pro Pro Thr
 1 5

<210> 51
 <211> 6
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of CDR 1 in the light chain of mouse anti-hTfR antibody No.10

<400> 51

Gln Glu Ile Ser Gly Tyr
 1 5

<210> 52
 <211> 11
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 1 in the light chain of mouse anti-hTfR antibody No.10

<400> 52

FP17-0775-00_Sequence listing

Arg Pro Ser Gln Glu Ile Ser Gly Tyr Leu Ser
1 5 10

<210> 53
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 1 of CDR 2 in the light chain of mouse anti-hTfR antibody No.10

<400> 53

Ala Ala Ser Thr Leu Asp
1 5

<210> 54
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 2 of CDR 2 in the light chain of mouse anti-hTfR antibody No.10

<400> 54

Ala Ala Ser Thr Leu Asp Ser
1 5

<210> 55
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of CDR 3 in the light chain of mouse anti-hTfR antibody No.10

<400> 55

Leu Gln Tyr Ala Ser Tyr Pro Arg Thr
1 5

<210> 56
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 1 of CDR 1 in the light chain of mouse anti-hTfR antibody No.11

<400> 56

Gln Ser Ile Arg Asn Tyr
1 5

<210> 57
<211> 11
<212> PRT

FP17-0775-00_Sequence listing

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 1 in the light chain of mouse anti-hTfR antibody No.11

<400> 57

Arg Ala Ser Gln Ser Ile Arg Asn Tyr Leu His
1 5 10

<210> 58

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 1 of CDR 2 in the light chain of mouse anti-hTfR antibody No.11

<400> 58

Tyr Ala Ser Gln Ser Ile
1 5

<210> 59

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 2 in the light chain of mouse anti-hTfR antibody No.11

<400> 59

Tyr Ala Ser Gln Ser Ile Ser
1 5

<210> 60

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence of CDR 3 in the light chain of mouse anti-hTfR antibody No.11

<400> 60

Gln Gln Thr Asn Ser Trp Pro Tyr Thr
1 5

<210> 61

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 1 of CDR 1 in the light chain of mouse anti-hTfR antibody No.12

<400> 61

FP17-0775-00_Sequence listing

His Asp Val Lys Thr Ala
1 5

<210> 62
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 2 of CDR 1 in the light chain of mouse anti-hTfR antibody No.12

<400> 62

Lys Ala Ser His Asp Val Lys Thr Ala Val Ala
1 5 10

<210> 63
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 1 of CDR 2 in the light chain of mouse anti-hTfR antibody No.12

<400> 63

Trp Ser Ser Thr Arg His
1 5

<210> 64
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 2 of CDR 2 in the light chain of mouse anti-hTfR antibody No.12

<400> 64

Trp Ser Ser Thr Arg His Thr
1 5

<210> 65
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of CDR 3 in the light chain of mouse anti-hTfR antibody No.12

<400> 65

Gln Gln His Phe Ser Thr Pro Leu Thr
1 5

<210> 66
<211> 6
<212> PRT
<213> Artificial Sequence

FP17-0775-00_Sequence listing

<220>
 <223> Amino acid sequence 1 of CDR 1 in the light chain of mouse anti-hTfR antibody No.13

<400> 66

Gln Ser Ile Arg Asn Tyr
 1 5

<210> 67
 <211> 11
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 1 in the light chain of mouse anti-hTfR antibody No.13

<400> 67

Arg Ala Ser Gln Ser Ile Arg Asn Tyr Leu His
 1 5 10

<210> 68
 <211> 6
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of CDR 2 in the light chain of mouse anti-hTfR antibody No.13

<400> 68

Tyr Ala Ser Gln Ser Ile
 1 5

<210> 69
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 2 in the light chain of mouse anti-hTfR antibody No.13

<400> 69

Tyr Ala Ser Gln Ser Ile Ser
 1 5

<210> 70
 <211> 9
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence of CDR 3 in the light chain of mouse anti-hTfR antibody No.13

<400> 70

Gln Gln Thr Asn Ser Trp Pro Tyr Thr

1

5

<210> 71
 <211> 5
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of CDR 1 in the light chain of mouse anti-hTfR antibody No.14

<400> 71

Ser Asn Ile Asn Ser
 1 5

<210> 72
 <211> 10
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 1 in the light chain of mouse anti-hTfR antibody No.14

<400> 72

Ser Ala Ser Ser Asn Ile Asn Ser Ile His
 1 5 10

<210> 73
 <211> 6
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of CDR 2 in the light chain of mouse anti-hTfR antibody No.14

<400> 73

Asp Thr Ser Asn Leu Ala
 1 5

<210> 74
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 2 in the light chain of mouse anti-hTfR antibody No.14

<400> 74

Asp Thr Ser Asn Leu Ala Ser
 1 5

<210> 75
 <211> 9
 <212> PRT
 <213> Artificial Sequence

FP17-0775-00_Sequence listing

<220>
 <223> Amino acid sequence of CDR 3 in the light chain of mouse anti-hTfR antibody No.14
 <400> 75
 His Gln Arg Ser Gly Tyr Pro Phe Thr
 1 5

<210> 76
 <211> 5
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.1
 <400> 76
 Asn Tyr Gly Met Ser
 1 5

<210> 77
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.1
 <400> 77
 Gly Leu Thr Phe Ser Asn Tyr Gly
 1 5

<210> 78
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.1
 <400> 78
 Ile Asn Thr Asn Gly Gly Ser Thr
 1 5

<210> 79
 <211> 17
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.1
 <400> 79
 Asn Ile Asn Thr Asn Gly Gly Ser Thr Tyr Tyr Pro Asp Ser Val Lys
 1 5 10 15

FP17-0775-00_Sequence listing

Gly

<210> 80
 <211> 7
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Amino acid sequence 1 of CDR 3 in the heavy chain of mouse
 anti-hTfR antibody No.1

 <400> 80

Asn Arg Tyr Asp Glu Asp Tyr
 1 5

<210> 81
 <211> 9
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Amino acid sequence 2 of CDR 3 in the heavy chain of mouse
 anti-hTfR antibody No.1

 <400> 81

Thr Asn Asn Arg Tyr Asp Glu Asp Tyr
 1 5

<210> 82
 <211> 5
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Amino acid sequence 1 of CDR 1 in the heavy chain of mouse
 anti-hTfR antibody No.2

 <400> 82

Asp Tyr Val Met His
 1 5

<210> 83
 <211> 8
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Amino acid sequence 2 of CDR 1 in the heavy chain of mouse
 anti-hTfR antibody No.2

 <400> 83

Gly Tyr Thr Phe Thr Asp Tyr Val
 1 5

<210> 84
 <211> 8

FP17-0775-00_Sequence listing

<212> PRT
 <213> Artificial Sequence
 <220>
 <223> Amino acid sequence 1 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.2

<400> 84

Ile Ser Thr Tyr Tyr Gly His Gly
 1 5

<210> 85
 <211> 17
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.2

<400> 85

Val Ile Ser Thr Tyr Tyr Gly His Gly Ser Tyr Asn Gln Arg Phe Lys
 1 5 10 15

Gly

<210> 86
 <211> 14
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.2

<400> 86

Gly Gly Tyr Gly Ser Ser Ser Leu Ala Gly Asn Phe Asp Val
 1 5 10

<210> 87
 <211> 16
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.2

<400> 87

Val Arg Gly Gly Tyr Gly Ser Ser Ser Leu Ala Gly Asn Phe Asp Val
 1 5 10 15

<210> 88
 <211> 5
 <212> PRT
 <213> Artificial Sequence

<220>

FP17-0775-00_Sequence listing

<223> Amino acid sequence 1 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.3

<400> 88

Asn Tyr Trp Leu Gly
1 5

<210> 89

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.3

<400> 89

Gly Tyr Ser Phe Thr Asn Tyr Trp
1 5

<210> 90

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 1 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.3

<400> 90

Ile Tyr Pro Gly Gly Asp Tyr Pro
1 5

<210> 91

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.3

<400> 91

Asp Ile Tyr Pro Gly Gly Asp Tyr Pro Thr Tyr Ser Glu Lys Phe Lys
1 5 10 15

Val

<210> 92

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 1 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.3

<400> 92

FP17-0775-00_Sequence listing

Ser Gly Asn Tyr Asp Glu Val Ala Tyr
1 5

<210> 93
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 2 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.3

<400> 93

Ala Arg Ser Gly Asn Tyr Asp Glu Val Ala Tyr
1 5 10

<210> 94
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 1 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.4

<400> 94

Asn Tyr Leu Ile Glu
1 5

<210> 95
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 2 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.4

<400> 95

Gly Tyr Ala Phe Thr Asn Tyr Leu
1 5

<210> 96
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 1 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.4

<400> 96

Ile Asn Pro Gly Ser Gly Gly Ile
1 5

<210> 97
<211> 16
<212> PRT

FP17-0775-00_Sequence listing

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.4

<400> 97

Ile Asn Pro Gly Ser Gly Gly Ile Ile Tyr Asn Glu Lys Phe Thr Asp
1 5 10 15

<210> 98

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 1 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.4

<400> 98

Ser Asn Tyr Tyr Gly Thr Thr Tyr Trp His Phe Asp Val
1 5 10

<210> 99

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.4

<400> 99

Ala Arg Ser Asn Tyr Tyr Gly Thr Thr Tyr Trp His Phe Asp Val
1 5 10 15

<210> 100

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 1 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.5

<400> 100

Asn Phe Val Ile His
1 5

<210> 101

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.5

<400> 101

FP17-0775-00_Sequence listing

Gly Tyr Thr Phe Thr Asn Phe Val
1 5

<210> 102
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 1 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.5

<400> 102

Phe Asn Pro His Lys Asn Gly Ala
1 5

<210> 103
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 2 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.5

<400> 103

Phe Asn Pro His Lys Asn Gly Ala Glu Tyr Asn Glu Lys Phe Gln Val
1 5 10 15

<210> 104
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 1 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.5

<400> 104

Ser Phe Tyr Tyr Tyr Ser Met Asp Tyr
1 5

<210> 105
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 2 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.5

<400> 105

Ala Arg Ser Phe Tyr Tyr Tyr Ser Met Asp Tyr
1 5 10

<210> 106
<211> 5
<212> PRT
<213> Artificial Sequence

FP17-0775-00_Sequence listing

<220>
 <223> Amino acid sequence 1 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.6

<400> 106

Thr Tyr Gly Val Tyr
 1 5

<210> 107
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.6

<400> 107

Gly Phe Ser Leu Ser Thr Tyr Gly
 1 5

<210> 108
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.6

<400> 108

Ile Trp Gly Asp Gly Ser Thr
 1 5

<210> 109
 <211> 4
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.6

<400> 109

Pro Asp Asp Val
 1

<210> 110
 <211> 6
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.6

<400> 110

Ala Lys Pro Asp Asp Val

1

5

<210> 111
 <211> 5
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.7

<400> 111

Asn Tyr Phe Met Ser
 1 5

<210> 112
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.7

<400> 112

Gly Ile Thr Phe Arg Asn Tyr Phe
 1 5

<210> 113
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.7

<400> 113

Ile Ser Ser Ala Gly Gly Tyr Thr
 1 5

<210> 114
 <211> 16
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.7

<400> 114

Ile Ser Ser Ala Gly Gly Tyr Thr Tyr Tyr Ala Asp Ser Val Lys Gly
 1 5 10 15

<210> 115
 <211> 11
 <212> PRT
 <213> Artificial Sequence

FP17-0775-00_Sequence listing

<220>
 <223> Amino acid sequence 1 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.7

<400> 115

Gln Glu Val Pro Tyr Pro Tyr Ala Met Asp Tyr
 1 5 10

<210> 116
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.7

<400> 116

Ala Arg Gln Glu Val Pro Tyr Pro Tyr Ala Met Asp Tyr
 1 5 10

<210> 117
 <211> 5
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.8

<400> 117

Thr Tyr Gly Val Ser
 1 5

<210> 118
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.8

<400> 118

Gly Phe Ser Leu Thr Thr Tyr Gly
 1 5

<210> 119
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.8

<400> 119

Ile Trp Gly Asp Gly Ser Thr
 1 5

FP17-0775-00_Sequence listing

<210> 120
 <211> 4
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.8

<400> 120

Pro Asp Asp Tyr
 1

<210> 121
 <211> 6
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.8

<400> 121

Ala Lys Pro Asp Asp Tyr
 1 5

<210> 122
 <211> 5
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.9

<400> 122

Asn Tyr Gly Val Ser
 1 5

<210> 123
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.9

<400> 123

Gly Tyr Thr Phe Thr Asn Tyr Gly
 1 5

<210> 124
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>

FP17-0775-00_Sequence listing

<223> Amino acid sequence 1 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.9

<400> 124

Ile Tyr Thr Phe Thr Gly Glu Ala
1 5

<210> 125

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.9

<400> 125

Ile Tyr Thr Phe Thr Gly Glu Ala Thr Tyr Ile Asp Asp Phe Arg Gly
1 5 10 15

<210> 126

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 1 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.9

<400> 126

Arg Asn Gly Ala Trp Phe Glu Asp
1 5

<210> 127

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.9

<400> 127

Ser Arg Arg Asn Gly Ala Trp Phe Glu Asp
1 5 10

<210> 128

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 1 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.10

<400> 128

Asn Tyr Ala Met Ser
1 5

FP17-0775-00_Sequence listing

<210> 129
 <211> 8
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Amino acid sequence 2 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.10
 <400> 129

Gly Ile Thr Phe Arg Asn Tyr Ala
 1 5

<210> 130
 <211> 8
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Amino acid sequence 1 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.10
 <400> 130

Ile Ser Ser Tyr Gly Gly Tyr Thr
 1 5

<210> 131
 <211> 16
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Amino acid sequence 2 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.10
 <400> 131

Ile Ser Ser Tyr Gly Gly Tyr Thr Tyr Tyr Ala Asp Ser Val Lys Gly
 1 5 10 15

<210> 132
 <211> 11
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Amino acid sequence 1 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.10
 <400> 132

Gln Glu Val Pro Tyr Pro Tyr Pro Met Asp Asn
 1 5 10

<210> 133
 <211> 13
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Amino acid sequence 2 of CDR 3 in the heavy chain of mouse
 Page 35

FP17-0775-00_Sequence listing
anti-hTfR antibody No.10

<400> 133

Ala Arg Gln Glu Val Pro Tyr Pro Tyr Pro Met Asp Asn
1 5 10

<210> 134

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 1 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.11

<400> 134

Ile Tyr Trp Ile Asn
1 5

<210> 135

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.11

<400> 135

Gly Tyr Ala Phe Ser Ile Tyr Trp
1 5

<210> 136

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 1 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.11

<400> 136

Ile Tyr Pro Gly Asn Gly Asp Thr
1 5

<210> 137

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.11

<400> 137

Ile Tyr Pro Gly Asn Gly Asp Thr Asn Tyr Asn Gly Lys Phe Lys Gly
1 5 10 15

FP17-0775-00_Sequence listing

<210> 138
 <211> 9
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Amino acid sequence 1 of CDR 3 in the heavy chain of mouse
 anti-hTfR antibody No.11

 <400> 138
 Trp Gly Asp Asp Tyr Ala Met Asp Phe
 1 5

<210> 139
 <211> 11
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Amino acid sequence 2 of CDR 3 in the heavy chain of mouse
 anti-hTfR antibody No.11

 <400> 139
 Gly Arg Trp Gly Asp Asp Tyr Ala Met Asp Phe
 1 5 10

<210> 140
 <211> 5
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Amino acid sequence 1 of CDR 1 in the heavy chain of mouse
 anti-hTfR antibody No.12

 <400> 140
 Asn Tyr Leu Ile Glu
 1 5

<210> 141
 <211> 8
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Amino acid sequence 2 of CDR 1 in the heavy chain of mouse
 anti-hTfR antibody No.12

 <400> 141
 Gly Tyr Val Phe Ile Asn Tyr Leu
 1 5

<210> 142
 <211> 8
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Amino acid sequence 1 of CDR 2 in the heavy chain of mouse
 anti-hTfR antibody No.12

FP17-0775-00_Sequence listing

<400> 142

Ile His Ser Gly Ser Gly Gly Thr
1 5

<210> 143

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.12

<400> 143

Ile His Ser Gly Ser Gly Gly Thr Asn Tyr Asn Asp Asn Phe Lys Asp
1 5 10 15

<210> 144

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 1 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.12

<400> 144

Arg Asn Phe Gly Asn Tyr Tyr Phe Asp Tyr
1 5 10

<210> 145

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.12

<400> 145

Ala Arg Arg Asn Phe Gly Asn Tyr Tyr Phe Asp Tyr
1 5 10

<210> 146

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 1 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.13

<400> 146

Ile Tyr Trp Ile Asn
1 5

<210> 147

FP17-0775-00_Sequence listing

<211> 8
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Amino acid sequence 2 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.13

 <400> 147
 Gly Tyr Ala Phe Ser Ile Tyr Trp
 1 5

 <210> 148
 <211> 8
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Amino acid sequence 1 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.13

 <400> 148
 Ile Tyr Pro Gly Asn Gly Asp Thr
 1 5

 <210> 149
 <211> 16
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Amino acid sequence 2 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.13

 <400> 149
 Ile Tyr Pro Gly Asn Gly Asp Thr Asn Tyr Asn Gly Lys Phe Lys Gly
 1 5 10 15

 <210> 150
 <211> 9
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Amino acid sequence 1 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.13

 <400> 150
 Trp Gly Asp Asp Tyr Ala Met Asp Phe
 1 5

 <210> 151
 <211> 11
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Amino acid sequence 2 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.13

FP17-0775-00_Sequence listing

<400> 151

Gly Arg Trp Gly Asp Asp Tyr Ala Met Asp Phe
1 5 10

<210> 152

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 1 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.14

<400> 152

Gly Tyr Val Ile His
1 5

<210> 153

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 1 in the heavy chain of mouse anti-hTfR antibody No.14

<400> 153

Gly Tyr Ala Phe Thr Gly Tyr Val
1 5

<210> 154

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 1 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.14

<400> 154

Leu Asn Pro His Lys Asp Asp Ser
1 5

<210> 155

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No.14

<400> 155

Leu Asn Pro His Lys Asp Asp Ser Glu Tyr Asn Glu Lys Phe Arg Gly
1 5 10 15

<210> 156

<211> 9

FP17-0775-00_Sequence listing

<212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.14

<400> 156

Gly Tyr Tyr Tyr Tyr Ser Met Asp Tyr
 1 5

<210> 157
 <211> 11
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of CDR 3 in the heavy chain of mouse anti-hTfR antibody No.14

<400> 157

Ala Arg Gly Tyr Tyr Tyr Tyr Ser Met Asp Tyr
 1 5 10

<210> 158
 <211> 107
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of the variable region of light chain of humanized anti-hTfR antibody No.1

<400> 158

Asp Ile Val Met Thr Gln Ser Pro Asp Ser Leu Ala Val Ser Leu Gly
 1 5 10 15

Glu Arg Ala Thr Ile Asn Cys Lys Ala Ser Gln Asp Val Asn Ser Ala
 20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Gln Pro Pro Lys Leu Leu Ile
 35 40 45

Tyr Trp Thr Ser Thr Arg His Thr Gly Val Pro Asp Arg Phe Ser Gly
 50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Ala
 65 70 75 80

Glu Asp Val Ala Val Tyr Tyr Cys Gln Gln His Tyr Ser Thr Pro Arg
 85 90 95

Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys
 100 105

<210> 159

FP17-0775-00_Sequence listing

<211> 107
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of the variable region of light chain of humanized anti-hTfR antibody No.1

<400> 159

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
 1 5 10 15

Asp Arg Val Thr Ile Thr Cys Lys Ala Ser Gln Asp Val Asn Ser Ala
 20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Leu
 35 40 45

Tyr Trp Thr Ser Thr Arg His Thr Gly Val Pro Ser Arg Phe Ser Gly
 50 55 60

Ser Gly Ser Gly Thr Asp Tyr Thr Leu Thr Ile Ser Ser Leu Gln Pro
 65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr Ser Thr Pro Arg
 85 90 95

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
 100 105

<210> 160
 <211> 107
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 3 of the variable region of light chain of humanized anti-hTfR antibody No.1

<400> 160

Asp Ile Gln Val Thr Gln Ser Pro Ser Phe Leu Ser Ala Ser Val Gly
 1 5 10 15

Asp Arg Val Thr Ile Thr Cys Lys Ala Ser Gln Asp Val Asn Ser Ala
 20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
 35 40 45

Tyr Trp Thr Ser Thr Arg His Thr Gly Val Pro Ser Arg Phe Ser Gly
 50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
 65 70 75 80

FP17-0775-00_Sequence listing

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr Ser Thr Pro Arg
85 90 95

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 161
<211> 107
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 4 of the variable region of light chain of
humanized anti-hTfR antibody No.1

<400> 161

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Lys Ala Ser Gln Asp Val Asn Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Trp Thr Ser Thr Arg His Thr Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr Ser Thr Pro Arg
85 90 95

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 162
<211> 107
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 5 of the variable region of light chain of
humanized anti-hTfR antibody No.1

<400> 162

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Val Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Lys Ala Ser Gln Asp Val Asn Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
Page 43

FP17-0775-00_Sequence listing

35

40

45

Tyr Trp Thr Ser Thr Arg His Thr Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr Ser Thr Pro Arg
85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100 105

<210> 163

<211> 107

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 6 of the variable region of light chain of humanized anti-hTfR antibody No.1

<400> 163

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Val Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Lys Ala Ser Gln Asp Val Asn Ser Ala
20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Trp Thr Ser Thr Arg His Thr Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr Ser Thr Pro Arg
85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100 105

<210> 164

<211> 214

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence of the light chain of humanized anti-hTfR antibody No.1 containing amino acid sequence 6 as the variable region

FP17-0775-00_Sequence listing

<400> 164

Asp Ile Gln Val Thr Gln Ser Pro Ser Phe Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Lys Ala Ser Gln Asp Val Asn Ser Ala
20 25 30

Val Ala Trp Phe Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Trp Thr Ser Thr Arg His Thr Gly Val Pro Asp Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Val Tyr Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln His Tyr Ser Thr Pro Arg
85 90 95

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala Ala
100 105 110

Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly
115 120 125

Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala
130 135 140

Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln
145 150 155 160

Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser
165 170 175

Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr
180 185 190

Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys Ser
195 200 205

Phe Asn Arg Gly Glu Cys
210

<210> 165

<211> 725

<212> DNA

<213> Artificial Sequence

<220>

<223> Nucleotide sequence encoding the amino acid sequence of the light chain of humanized anti-hTfR antibody No.1 containing amino acid sequence 6 as the variable region, synthetic sequence

FP17-0775-00_Sequence listing

<400> 165
 acgcgtgccg ccaccatggg ctggagctgg attctgctgt tcctcctgag cgtgacagca 60
 ggagtgcaca gcgacatcca ggtcacacag tcaccaagtt ttctgagcgc aagcgtgggc 120
 gacaggggtca ctatcacatg caaggcaagc caggacgtga actccgcagt ggcttggttc 180
 cagcagaagc cagggaaagc acccaagctg ctgatctatt ggacctctac aaggcacacc 240
 ggtgtcccag atcggttctc aggttccggc agcggaaacag tgtataactct gaccatttcc 300
 agcctgcagc ctgaagactt cgctacttac tattgccagc agcattactc caccccaaga 360
 acatttggcg gagggactaa agtggagatc aagaggaccg tggccgctcc ctccgtcttc 420
 atttttcccc ctagcgacga acagctgaag agtggcacag cctcagtggg ctgtctgctg 480
 aacaatttct accctagggg ggctaaagtg cagtgggaagg tcgataacgc actgcagtct 540
 ggaaatagtc aggagtcagt gacagaacag gactccaaag atagcactta ttctctgtct 600
 agtacactga ctctgagcaa ggccgattac gaaaagcaca aagtgtatgc ttgcgaagtc 660
 acccatcagg ggctgtcatc accagtcacc aagtcattca atagaggcga gtgctaagcg 720
 gccgc 725

<210> 166
 <211> 116
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of the variable region of the heavy chain
 of humanized anti-hTfR antibody No.1

<400> 166
 Glu Val Gln Leu Leu Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Asn Tyr
 20 25 30
 Gly Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 Ser Asn Ile Asn Thr Asn Gly Gly Ser Thr Tyr Tyr Pro Asp Ser Val
 50 55 60
 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr
 65 70 75 80
 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Lys Asn Arg Tyr Asp Glu Asp Tyr Trp Gly Gln Gly Thr Leu Val
 100 105 110
 Thr Val Ser Ser

FP17-0775-00_Sequence listing

115

<210> 167
<211> 116
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 2 of the variable region of the heavy chain of humanized anti-hTfR antibody No.1

<400> 167

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Asn Tyr
20 25 30

Gly Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ser Asn Ile Asn Thr Asn Gly Gly Ser Thr Tyr Tyr Pro Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Lys Asn Arg Tyr Asp Glu Asp Tyr Trp Gly Gln Gly Thr Leu Val
100 105 110

Thr Val Ser Ser
115

<210> 168
<211> 116
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 3 of the variable region of the heavy chain of humanized anti-hTfR antibody No.1

<400> 168

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ser Ala Ser Gly Phe Thr Phe Ser Asn Tyr
20 25 30

Gly Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Tyr Val
35 40 45

FP17-0775-00_Sequence listing

Ser Asn Ile Asn Thr Asn Gly Gly Ser Thr Tyr Tyr Pro Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr
65 70 75 80

Leu Gln Met Ser Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Val Lys Asn Arg Tyr Asp Glu Asp Tyr Trp Gly Gln Gly Thr Leu Val
100 105 110

Thr Val Ser Ser
115

<210> 169

<211> 116

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 4 of the variable region of the heavy chain of humanized anti-hTfR antibody No.1

<400> 169

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Asn Tyr
20 25 30

Gly Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Asn Ile Asn Thr Asn Gly Gly Ser Thr Tyr Tyr Pro Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Asn Arg Tyr Asp Glu Asp Tyr Trp Gly Gln Gly Thr Leu Val
100 105 110

Thr Val Ser Ser
115

<210> 170

<211> 116

<212> PRT

<213> Artificial Sequence

FP17-0775-00_Sequence listing

<220>

<223> Amino acid sequence 5 of the variable region of the heavy chain of humanized anti-hTfR antibody No.1

<400> 170

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Asn Tyr
20 25 30

Gly Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Val Trp Val
35 40 45

Ser Asn Ile Asn Thr Asn Gly Gly Ser Thr Tyr Tyr Pro Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Thr Leu Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Asn Arg Tyr Asp Glu Asp Tyr Trp Gly Gln Gly Thr Leu Val
100 105 110

Thr Val Ser Ser
115

<210> 171

<211> 116

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 6 of the variable region of the heavy chain of humanized anti-hTfR antibody No.1

<400> 171

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Leu Thr Phe Ser Asn Tyr
20 25 30

Gly Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Leu Val
35 40 45

Ala Asn Ile Asn Thr Asn Gly Gly Ser Thr Tyr Tyr Pro Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
65 70 75 80

FP17-0775-00_Sequence listing

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Thr Asn Asn Arg Tyr Asp Glu Asp Tyr Trp Gly Gln Gly Thr Leu Val
100 105 110

Thr Val Ser Ser
115

<210> 172

<211> 446

<212> PRT

<213> Artificial sequence

<220>

<223> Amino acid sequence of the heavy chain of humanized anti-hTfR antibody No.1 containing amino acid sequence 6 as the variable region

<400> 172

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Leu Thr Phe Ser Asn Tyr
20 25 30

Gly Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Leu Val
35 40 45

Ala Asn Ile Asn Thr Asn Gly Gly Ser Thr Tyr Tyr Pro Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Thr Asn Asn Arg Tyr Asp Glu Asp Tyr Trp Gly Gln Gly Thr Leu Val
100 105 110

Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala
115 120 125

Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu
130 135 140

Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly
145 150 155 160

Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser
165 170 175

FP17-0775-00_Sequence listing

Gly Leu Tyr Ser₁₈₀ Leu Ser Ser Val₁₈₅ Thr Val Pro Ser Ser₁₉₀ Leu
 Gly Thr Gln₁₉₅ Thr Tyr Ile Cys Asn₂₀₀ Val Asn His Lys Pro₂₀₅ Ser Asn Thr
 Lys Val₂₁₀ Asp Lys Lys Val₂₁₅ Glu Pro Lys Ser Cys Asp₂₂₀ Lys Thr His Thr
 Cys₂₂₅ Pro Pro Cys Pro Ala₂₃₀ Pro Glu Leu Leu Gly₂₃₅ Gly Pro Ser Val₂₄₀ Phe
 Leu Phe Pro Pro Lys₂₄₅ Pro Lys Asp Thr Leu₂₅₀ Met Ile Ser Arg Thr₂₅₅ Pro
 Glu Val Thr Cys₂₆₀ Val Val Val Asp Val₂₆₅ Ser His Glu Asp Pro₂₇₀ Glu Val
 Lys Phe Asn₂₇₅ Trp Tyr Val Asp Gly₂₈₀ Val Glu Val His Asn₂₈₅ Ala Lys Thr
 Lys Pro Arg Glu Glu Gln Tyr₂₉₅ Asn Ser Thr Tyr Arg₃₀₀ Val Val Ser Val
 Leu Thr Val Leu His Gln₃₁₀ Asp Trp Leu Asn Gly₃₁₅ Lys Glu Tyr Lys Cys₃₂₀
 Lys Val Ser Asn Lys₃₂₅ Ala Leu Pro Ala Pro₃₃₀ Ile Glu Lys Thr Ile₃₃₅ Ser
 Lys Ala Lys Gly₃₄₀ Gln Pro Arg Glu Pro₃₄₅ Gln Val Tyr Thr Leu₃₅₀ Pro Pro
 Ser Arg Asp₃₅₅ Glu Leu Thr Lys Asn₃₆₀ Gln Val Ser Leu Thr₃₆₅ Cys Leu Val
 Lys Gly₃₇₀ Phe Tyr Pro Ser Asp₃₇₅ Ile Ala Val Glu Trp₃₈₀ Glu Ser Asn Gly
 Gln Pro Glu Asn Asn Tyr₃₉₀ Lys Thr Thr Pro Pro₃₉₅ Val Leu Asp Ser Asp₄₀₀
 Gly Ser Phe Phe Leu₄₀₅ Tyr Ser Lys Leu Thr₄₁₀ Val Asp Lys Ser Arg₄₁₅ Trp
 Gln Gln Gly Asn₄₂₀ Val Phe Ser Cys Ser₄₂₅ Val Met His Glu Ala₄₃₀ Leu His
 Asn His Tyr₄₃₅ Thr Gln Lys Ser Leu₄₄₀ Ser Leu Ser Pro Gly₄₄₅ Lys

FP17-0775-00_Sequence listing

<210> 173
 <211> 1421
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Nucleotide sequence encoding the amino acid sequence of the heavy chain of humanized anti-hTfR antibody No.1 containing amino acid sequence 6 as the variable region, synthetic sequence

<400> 173
 acgcgtgccg ccaccatggg ctggagctgg attctgctgt tcctcctgag cgtgacagca 60
 ggagtgacaca gcgaagtgca gctggtcgaa tcaggggggg ggctggtgca gcctggaggc 120
 agcctgagac tgtcctgctg cgcttctggc ttgaccttta gcaactacgg gatgtcctgg 180
 gtgcggcagg ctcttggaag gggactggag ttggtggcca acatcaatac caacggcgga 240
 agtacatact atcccgattc agtgaagggc cggttcacca tcagcaggga caacgccaa 300
 aacagcctgt atctgcagat gaactctctg agggccgagg atacagccgt gtactattgc 360
 actaacaacc ggtacgacga ggactattgg ggccagggca ccctggtgac agtgtctagc 420
 gcctctacca agggcccaag cgtgtttcct ctggctccat cctctaaatc cacctctggc 480
 ggcacagccg ctctgggctg tctggtgaag gattacttcc cagagcccgt gacagtgtct 540
 tggaacagcg gcgccctgac ctccggcgtg cacacatttc ctgctgtgct gcagagctcc 600
 ggcctgtaca gcctgtctag cgtggtgacc gtgccatcct ctagcctggg caccagaca 660
 tatatctgca acgtgaatca caagcccagc aatacaaaagg tggataagaa ggtggagcca 720
 aagtcctgtg acaagaccca cacatgcccc cttgtcctg ctccagagct gctgggagga 780
 ccaagcgtgt tcctgtttcc acccaagccc aaggataccc tgatgatctc tcggacccca 840
 gaggtgacat gcgtgggtgg ggatgtgagc cacgaggacc ccgaggtgaa gttcaactgg 900
 tatgtggacg gcgtggaggt gcacaatgct aagaccaagc ccaggaggga gcagtacaac 960
 tccacctata gagtgggtgc tgtgctgaca gtgctgcacc aggattggct gaacggcaag 1020
 gagtataagt gcaaggtgtc caataaggcc ctgcccgtc ctatcgagaa gaccatctct 1080
 aaggccaagg gccagcccag agagcctcag gtgtacacac tgcctccatc ccgggatgag 1140
 ctgaccaaga accaggtgtc tctgacatgt ctggtcaagg gcttctatcc ctctgacatc 1200
 gccgtggagt gggagagcaa tggccagcct gagaacaatt acaagaccac accccctgtg 1260
 ctggattccg acggctcttt ctttctgtat agcaagctga ccgtggacaa gtcccgggtg 1320
 cagcagggca acgtgttcag ctgttccgtg atgcacgaag ctctgcataa tcactatact 1380
 cagaaatccc tgtcactgtc acctggtaaa taagcggccg c 1421

<210> 174
 <211> 107
 <212> PRT
 <213> Artificial Sequence

<220>

FP17-0775-00_Sequence listing

<223> Amino acid sequence 1 of the variable region of the light chain of humanized anti-hTfR antibody No.2

<400> 174

Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Ile Ser Asn Asn
20 25 30

Leu Gln Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
35 40 45

Tyr Tyr Ala Ser Gln Ser Ile Ser Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser
65 70 75 80

Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Ser Asn Ser Trp Pro Arg
85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Asp Ile Lys
100 105

<210> 175

<211> 107

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 2 of the variable region of the light chain of humanized anti-hTfR antibody No.2

<400> 175

Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Leu Ser Pro Gly
1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Ile Ser Asn Asn
20 25 30

Leu Gln Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
35 40 45

Tyr Tyr Ala Ser Gln Ser Ile Ser Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Glu Pro
65 70 75 80

Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Ser Asn Ser Trp Pro Arg
85 90 95

FP17-0775-00_Sequence listing

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 176
<211> 107
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 3 of the variable region of the light chain
of humanized anti-hTfR antibody No.2

<400> 176

Glu Ile Val Leu Thr Gln Ser Pro Asp Phe Gln Ser Val Thr Pro Lys
1 5 10 15

Glu Lys Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Asn Asn
20 25 30

Leu Gln Trp Tyr Gln Gln Lys Pro Asp Gln Ser Pro Lys Leu Leu Ile
35 40 45

Lys Tyr Ala Ser Gln Ser Ile Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Asn Ser Leu Glu Ala
65 70 75 80

Glu Asp Ala Ala Thr Tyr Tyr Cys Gln Gln Ser Asn Ser Trp Pro Arg
85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100 105

<210> 177
<211> 107
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 4 of the variable region of the light chain
of humanized anti-hTfR antibody No.2

<400> 177

Glu Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser Leu Ser Pro Gly
1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Ile Ser Asn Asn
20 25 30

Leu Gln Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
35 40 45

Tyr Tyr Ala Ser Gln Ser Ile Ser Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60

FP17-0775-00_Sequence listing

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Glu Pro
65 70 75 80

Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Ser Asn Ser Trp Pro Arg
85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100 105

<210> 178

<211> 107

<212> PRT

<213> Artificial sequence

<220>

<223> Amino acid sequence 5 of the variable region of the light chain
of humanized anti-hTfR antibody No.2

<400> 178

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Asn Asn
20 25 30

Leu Gln Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Tyr Ala Ser Gln Ser Ile Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Asn Ser Trp Pro Arg
85 90 95

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 179

<211> 107

<212> PRT

<213> Artificial sequence

<220>

<223> Amino acid sequence 6 of the variable region of the light chain
of humanized anti-hTfR antibody No.2

<400> 179

Glu Ile Val Leu Thr Gln Ser Pro Asp Phe Gln Ser Val Thr Pro Lys
1 5 10 15

FP17-0775-00_Sequence listing

Glu Lys Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Asn Asn
20 25 30

Leu Gln Trp Tyr Gln Gln Lys Pro Asp Gln Ser Pro Lys Leu Leu Ile
35 40 45

Lys Tyr Ala Ser Gln Ser Ile Ser Gly Ile Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Asn Ser Leu Glu Ala
65 70 75 80

Glu Asp Ala Ala Thr Tyr Leu Cys Gln Gln Ser Asn Ser Trp Pro Arg
85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100 105

<210> 180
<211> 214
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of the light chain of humanized anti-hTfR
antibody No.2 containing amino acid sequence 6 as the variable
region

<400> 180

Glu Ile Val Leu Thr Gln Ser Pro Asp Phe Gln Ser Val Thr Pro Lys
1 5 10 15

Glu Lys Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Asn Asn
20 25 30

Leu Gln Trp Tyr Gln Gln Lys Pro Asp Gln Ser Pro Lys Leu Leu Ile
35 40 45

Lys Tyr Ala Ser Gln Ser Ile Ser Gly Ile Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Asn Ser Leu Glu Ala
65 70 75 80

Glu Asp Ala Ala Thr Tyr Leu Cys Gln Gln Ser Asn Ser Trp Pro Arg
85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala Ala
100 105 110

Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly
115 120 125

FP17-0775-00_Sequence listing

Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala
130 135 140

Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln
145 150 155 160

Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser
165 170 175

Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr
180 185 190

Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys Ser
195 200 205

Phe Asn Arg Gly Glu Cys
210

<210> 181
<211> 725
<212> DNA
<213> Artificial Sequence

<220>
<223> Nucleotide sequence encoding the amino acid sequence of the light chain of humanized anti-hTfR antibody No.2 containing amino acid sequence 6 as the variable region, synthetic sequence

<400> 181
acgcgtgccg ccaccatggg ctggagctgg attctgctgt tcctcctgag cgtgacagca 60
ggagtgcaca gcgaaattgt gctgaccag tctcccgatt tccagtccgt gacccccaag 120
gagaaagtca ccatacatg cagagcatca cagtccatta gcaacaatct gcagtggtag 180
cagcagaagc cagaccagag cccaagctg ctgatcaa atgcctctca gagtatttca 240
ggcatacctt ctaggttctc cggtagcggc tctggaaccg actttactct gaccatcaac 300
agtctggagg ctgaagatgc cgctacatac ttgtgccagc agagtaattc atggcctagg 360
acctttggcc aggggacaaa ggtggagatc aaaaggactg tggcagcccc aagtgtcttc 420
atTTTTCCCC cttcagacga acagctgaag agcggcacag catctgtggt ctgtctgctg 480
aacaatttct acccacggga ggctaagggt cagtggaaag tcgataacgc actgcagtcc 540
ggaaatagcc aggagtctgt gactgaacag gacagtaagg attcaacctt ttccctgtcc 600
agcacactga ctctgagcaa agccgattac gagaagcaca aagtgtatgc ttgcgaagtc 660
acacatcagg ggctgtctag tcccgtgact aagtctttta ataggggtga atgttaagcg 720
gccgc 725

<210> 182
<211> 120
<212> PRT
<213> Artificial Sequence

<220>

FP17-0775-00_Sequence listing

<223> Amino acid sequence 1 of the variable region of the heavy chain of humanized anti-hTfR antibody No.2

<400> 182

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
20 25 30

Val Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Val Ile Ser Thr Tyr Tyr Gly His Gly Ser Tyr Asn Gln Arg Phe
50 55 60

Lys Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Gly Gly Tyr Gly Ser Ser Ser Leu Ala Gly Asn Phe Asp Val
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr
115 120

<210> 183

<211> 120

<212> PRT

<213> Artificial sequence

<220>

<223> Amino acid sequence 2 of the variable region of the heavy chain of humanized anti-hTfR antibody No.2

<400> 183

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
20 25 30

Val Met His Trp Val Arg Gln Ala Pro Gly Gln Arg Leu Glu Trp Met
35 40 45

Gly Val Ile Ser Thr Tyr Tyr Gly His Gly Ser Tyr Asn Gln Arg Phe
50 55 60

Lys Gly Arg Val Thr Ile Thr Arg Asp Thr Ser Ala Ser Thr Ala Tyr
65 70 75 80

FP17-0775-00_Sequence listing

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Gly Gly Tyr Gly Ser Ser Ser Leu Ala Gly Asn Phe Asp Val
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr
115 120

<210> 184

<211> 120

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 3 of the variable region of the heavy chain of humanized anti-hTfR antibody No.2

<400> 184

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
20 25 30

Val Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Val Ile Ser Thr Tyr Tyr Gly His Gly Ser Tyr Asn Gln Arg Phe
50 55 60

Lys Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Ala Ala Tyr
65 70 75 80

Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Ser Gly Gly Tyr Gly Ser Ser Ser Leu Ala Gly Asn Phe Asp Val
100 105 110

Trp Gly Gln Gly Thr Leu Val Thr
115 120

<210> 185

<211> 120

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 4 of the variable region of the heavy chain of humanized anti-hTfR antibody No.2

<400> 185

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
1 5 10 15

FP17-0775-00_Sequence listing

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
20 25 30

Val Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Val Ile Ser Thr Tyr Tyr Gly His Gly Ser Tyr Asn Gln Arg Phe
50 55 60

Lys Gly Arg Val Thr Met Thr Arg Asp Thr Ser Ile Ser Thr Ala Tyr
65 70 75 80

Met Glu Leu Ser Arg Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Gly Gly Tyr Gly Ser Ser Ser Leu Ala Gly Asn Phe Asp Val
100 105 110

Trp Gly Gln Gly Thr Thr Val Thr
115 120

<210> 186

<211> 120

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 5 of the variable region of the heavy chain
of humanized anti-hTfR antibody No.2

<400> 186

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Ser Asp Tyr
20 25 30

Val Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Val Ile Ser Thr Tyr Tyr Gly His Gly Ser Tyr Asn Gln Arg Phe
50 55 60

Lys Gly Arg Val Thr Ile Thr Ala Asp Lys Ser Thr Ser Thr Ala Tyr
65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Gly Gly Tyr Gly Ser Ser Ser Leu Ala Gly Asn Phe Asp Val
100 105 110

FP17-0775-00_Sequence listing

Trp Gly Gln Gly Thr val val Thr
115 120

<210> 187
<211> 120
<212> PRT
<213> Artificial sequence

<220>
<223> Amino acid sequence 6 of the variable region of the heavy chain
of humanized anti-hTfR antibody No.2

<400> 187

Gln val Gln Leu val Gln Ser Gly Ala Glu val Lys Lys Pro Gly Ala
1 5 10 15

Ser val Lys val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
20 25 30

val Met His Trp val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Ile
35 40 45

Gly val Ile Ser Thr Tyr Tyr Gly His Gly Ser Tyr Asn Gln Arg Phe
50 55 60

Lys Gly Arg Ala Thr Met Thr val Asp Lys Ser Ile Ser Thr Ala Tyr
65 70 75 80

Met Glu Leu val Arg Leu Arg Ser Asp Asp Thr Ala val Tyr Tyr Cys
85 90 95

val Arg Gly Gly Tyr Gly Ser Ser Ser Leu Ala Gly Asn Phe Asp val
100 105 110

Trp Gly Gln Gly Thr Thr val Thr
115 120

<210> 188
<211> 453
<212> PRT
<213> Artificial sequence

<220>
<223> Amino acid sequence of the heavy chain of humanized anti-hTfR
antibody No.2 containing amino acid sequence 6 as the variable
region

<400> 188

Gln val Gln Leu val Gln Ser Gly Ala Glu val Lys Lys Pro Gly Ala
1 5 10 15

Ser val Lys val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
20 25 30

FP17-0775-00_Sequence listing

Val Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Ile
35 40 45

Gly Val Ile Ser Thr Tyr Tyr Gly His Gly Ser Tyr Asn Gln Arg Phe
50 55 60

Lys Gly Arg Ala Thr Met Thr Val Asp Lys Ser Ile Ser Thr Ala Tyr
65 70 75 80

Met Glu Leu Val Arg Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Val Arg Gly Gly Tyr Gly Ser Ser Ser Leu Ala Gly Asn Phe Asp Val
100 105 110

Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala Ser Thr Lys Gly
115 120 125

Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly
130 135 140

Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val
145 150 155 160

Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe
165 170 175

Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val
180 185 190

Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val
195 200 205

Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys
210 215 220

Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu
225 230 235 240

Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
245 250 255

Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
260 265 270

Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
275 280 285

Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
290 295 300

FP17-0775-00_Sequence listing

Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
305 310 315 320

Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala
325 330 335

Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
340 345 350

Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln
355 360 365

Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
370 375 380

Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
385 390 395 400

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys
450

<210> 189
<211> 1442
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleotide sequence encoding the amino acid sequence of the heavy chain of humanized anti-hTfR antibody No.2 containing amino acid sequence 6 as the variable region, synthetic sequence

<400> 189
acgcgtgccg ccaccatggg ctggagctgg attctgctgt tcctcctgag cgtgacagca 60
ggagtgcaca gccaggtgca gctggtccag tcaggagccg aagtgaaaaa gcccgagacc 120
tcagtcaaag tgtcttgtaa agcatcaggt tatacattta cagactacgt catgcactgg 180
gtgaggcagg cacctggaca gggctctggaa tggatcggcg tgatctccac ttactatggc 240
catggaagct acaaccagag attcaagggc agggcgacaa tgactgtaga caaatcaatt 300
tccactgctt atatggagct ggtaaggctg cgggtccgacg ataccgctgt gtactattgc 360
gtacgaggag gatacggtc cagctctctg gctggtaatt tcgatgtgtg ggggcagggt 420
accacagtca ccgtgagttc agcaagcaca aagggcccat ctgtgtttcc actggcccc 480
tccagcaaaa gcacctctgg gggtagagcc gctctgggat gtctgggtgaa ggattatttc 540

FP17-0775-00_Sequence listing

```

ccagagccag tcaccgtgtc ctggaacagc ggagccctga catctggagt ccacactttt      600
ccagctgtgc tgcagtctag tgggctgtac tccctgtcat ccgtgggtcac tgtccccagc      660
tctagtctgg gtacccagac atatatctgc aacgtgaatc acaagccatc taataacaaa      720
gtcgacaaga aagtggaacc caagtcctgt gataaaactc atacctgccc cccttgtcct      780
gcaccagagc tgctgggagg accatccgtg ttcctgtttc cacccaagcc taaagacacc      840
ctgatgatta gccgaactcc cgaagtcacc tgcgtgggtcg tggacgtgtc tcacgaggac      900
cctgaagtca agtttaactg gtacgtggat ggcgtcgagg tgcataatgc taagacaaaa      960
ccccgagagg aacagtacaa cagtacatat cgtgtcgtgt cagtgtgac cgtcctgcat     1020
caggactggc tgaacgggaa ggaatataag tgcaaagtgt ccaataaggc actgcccgcc     1080
cctatcgaga aaaccattag caaggccaaa ggacagccta gggaaccaca ggtgtacaca     1140
ctgcctccat cccgggacga gctgactaag aaccagggtc gcctgacctg tctggtgaaa     1200
ggcttctatc cttcagatat cgctgtggag tgggaaagta atggacagcc agagaacaat     1260
tacaagacta cccccctgt gctggactct gatgggagtt tctttctgta ttctaagctg     1320
accgtggata aaagtcggtg gcagcagggt aatgtcttta gttgttcagt gatgcacgaa     1380
gcactgcaca accactacac ccagaaatca ctgtcactgt caccagggaa ataagcggcc     1440
gc                                                                    1442

```

<210> 190
 <211> 112
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino acid sequence 1 of the variable region of the light chain
 of humanized anti-hTfR antibody No.3

<400> 190

Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Leu Gly
 1 5 10 15

Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val His Ser
 20 25 30

Asn Gly Asn Thr Tyr Leu His Trp Phe Gln Gln Arg Pro Gly Gln Ser
 35 40 45

Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Phe Ser Gly Val Pro
 50 55 60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
 65 70 75 80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Ser Gln Ser
 85 90 95

FP17-0775-00_Sequence listing

Thr His Val Pro Trp Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105 110

<210> 191
<211> 112
<212> PRT
<213> Artificial sequence

<220>
<223> Amino acid sequence 2 of the variable region of the light chain
of humanized anti-hTfR antibody No.3

<400> 191

Asp Ile Val Met Thr Gln Thr Pro Leu Ser Leu Ser Val Thr Pro Gly
1 5 10 15

Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val His Ser
20 25 30

Asn Gly Asn Thr Tyr Leu His Trp Tyr Leu Gln Lys Pro Gly Gln Ser
35 40 45

Pro Gln Leu Leu Ile Tyr Lys Val Ser Asn Arg Phe Ser Gly Val Pro
50 55 60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
65 70 75 80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Ser Gln Ser
85 90 95

Thr His Val Pro Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100 105 110

<210> 192
<211> 112
<212> PRT
<213> Artificial sequence

<220>
<223> Amino acid sequence 3 of the variable region of the light chain
of humanized anti-hTfR antibody No.3

<400> 192

Asp Ile Val Met Thr Gln Thr Pro Leu Ser Ser Pro Val Thr Leu Gly
1 5 10 15

Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val His Ser
20 25 30

Asn Gly Asn Thr Tyr Leu His Trp Leu Gln Gln Arg Pro Gly Gln Pro
35 40 45

Pro Arg Leu Leu Ile Tyr Lys Val Ser Asn Arg Phe Ser Gly Val Pro
Page 65

50

FP17-0775-00_Sequence listing

Asp Arg Phe Ser Gly Ser Gly Ala Gly Thr Asp Phe Thr Leu Lys Ile
65 70 75 80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Ser Gln Ser
85 90 95

Thr His Val Pro Trp Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys
100 105 110

<210> 193

<211> 112

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 4 of the variable region of the light chain of humanized anti-hTfR antibody No.3

<400> 193

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly
1 5 10 15

Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val His Ser
20 25 30

Asn Gly Asn Thr Tyr Leu His Trp Tyr Leu Gln Lys Pro Gly Gln Ser
35 40 45

Pro Gln Leu Leu Ile Tyr Lys Val Ser Asn Arg Phe Ser Gly Val Pro
50 55 60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
65 70 75 80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Ser Gln Ser
85 90 95

Thr His Val Pro Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100 105 110

<210> 194

<211> 112

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 5 of the variable region of the light chain of humanized anti-hTfR antibody No.3

<400> 194

Asp Ile Val Met Thr Gln Thr Pro Leu Ser Leu Pro Val Thr Pro Gly
1 5 10 15

FP17-0775-00_Sequence listing

Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val His Ser
20 25 30

Asn Gly Asn Thr Tyr Leu His Trp Tyr Leu Gln Lys Pro Gly Gln Ser
35 40 45

Pro Gln Leu Leu Ile Tyr Lys Val Ser Asn Arg Phe Ser Gly Val Pro
50 55 60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
65 70 75 80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Ser Gln Ser
85 90 95

Thr His Val Pro Trp Thr Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys
100 105 110

<210> 195

<211> 112

<212> PRT

<213> Artificial sequence

<220>

<223> Amino acid sequence 6 of the variable region of the light chain
of humanized anti-hTfR antibody No.3

<400> 195

Asp Ile Val Met Thr Gln Thr Pro Leu Ser Leu Ser Val Thr Pro Gly
1 5 10 15

Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val His Ser
20 25 30

Asn Gly Asn Thr Tyr Leu His Trp Tyr Leu Gln Lys Pro Gly Gln Ser
35 40 45

Pro Gln Leu Leu Ile Tyr Lys Val Ser Asn Arg Phe Ser Gly Val Pro
50 55 60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
65 70 75 80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Phe Phe Cys Ser Gln Ser
85 90 95

Thr His Val Pro Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100 105 110

<210> 196

<211> 219

<212> PRT

<213> Artificial sequence

FP17-0775-00_Sequence listing

<220>

<223> Amino acid sequence of the light chain of humanized anti-hTfR antibody No.3 containing amino acid sequence 2 as the variable region

<400> 196

Asp Ile Val Met Thr Gln Thr Pro Leu Ser Leu Ser Val Thr Pro Gly
1 5 10 15

Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val His Ser
20 25 30

Asn Gly Asn Thr Tyr Leu His Trp Tyr Leu Gln Lys Pro Gly Gln Ser
35 40 45

Pro Gln Leu Leu Ile Tyr Lys Val Ser Asn Arg Phe Ser Gly Val Pro
50 55 60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
65 70 75 80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Ser Gln Ser
85 90 95

Thr His Val Pro Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100 105 110

Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu
115 120 125

Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe
130 135 140

Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln
145 150 155 160

Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser
165 170 175

Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu
180 185 190

Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser
195 200 205

Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 197

<211> 740

<212> DNA

<213> Artificial Sequence

FP17-0775-00_Sequence listing

<220>
 <223> Nucleotide sequence encoding the amino acid sequence of the light chain of humanized anti-hTfR antibody No.3 containing amino acid sequence 2 as the variable region, synthetic sequence

<400> 197
 acgcgtgccg ccaccatggg ctggagctgg attctgctgt tcctcctgag cgtgacagca 60
 ggagtgcaca gcgacatcgt gatgacccag actcccctga gcctgagcgt gacacctggc 120
 cagcctgccca gcatcagctg cagaagctct cagagcctgg tgcacagcaa cggcaacacc 180
 tacctgcact ggtatctgca gaagcccggc cagagccctc agctgctgat ctacaagggtg 240
 tccaacagat tcagcggcgt gcccgcagaga ttctccggca gcggctcttg caccgacttc 300
 accctgaaga tttccagagt ggaagccgag gacgtgggcg tgtactactg cagccagagc 360
 acccacgtgc cctggacatt cggccagggc accaagggtg aaatcaagag aaccgtggcc 420
 gctcccagcg tgttcatctt cccacctagc gacgagcagc tgaagtccgg cacagcctct 480
 gtcgtgtgcc tgctgaacaa cttctacccc cgcgaggcca aggtgcagtg gaaggtggac 540
 aacgccctgc agagcggcaa cagccaggaa agcgtgaccg agcaggactc caaggacagc 600
 acctacagcc tgagcagcac cctgaccctg agcaaggccg actacgagaa gcacaagggtg 660
 tacgcctgcg aagtgaccca ccagggcctg tctagccccg tgaccaagag cttcaacaga 720
 ggcgagtgtc aagcggccgc 740

<210> 198
 <211> 219
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino acid sequence of the light chain of humanized anti-hTfR antibody No.3 containing amino acid sequence 4 as the variable region

<400> 198
 Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly
 1 5 10 15
 Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val His Ser
 20 25 30
 Asn Gly Asn Thr Tyr Leu His Trp Tyr Leu Gln Lys Pro Gly Gln Ser
 35 40 45
 Pro Gln Leu Leu Ile Tyr Lys Val Ser Asn Arg Phe Ser Gly Val Pro
 50 55 60
 Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
 65 70 75 80
 Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Ser Gln Ser
 85 90 95

FP17-0775-00_Sequence listing

Thr His Val Pro Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100 105 110

Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu
115 120 125

Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe
130 135 140

Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln
145 150 155 160

Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser
165 170 175

Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu
180 185 190

Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser
195 200 205

Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 199
<211> 740
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleotide sequence encoding the amino acid sequence of the light chain of humanized anti-hTfR antibody No.3 containing amino acid sequence 4 as the variable region, synthetic sequence

<400> 199
acgcgtgccg ccaccatggg ctggagctgg attctgctgt tcctcctgag cgtgacagca 60
ggagtgcaca gcgacatcgt gatgaccag agccccctga gcctgcctgt gacacctggc 120
gagcctgcca gcatcagctg cagatctagc cagagcctgg tgcacagcaa cggcaacacc 180
tacctgcact ggtatctgca gaagcccggc cagagccctc agctgctgat ctacaaggtg 240
tccaacagat tcagcggcgt gcccagacaga ttctccggca gcggctctgg caccgacttc 300
accctgaaga tctccagagt ggaagccgag gacgtgggcg tgtactactg cagccagagc 360
accacgtgc cctggacatt cggccagggc accaaggtgg aaatcaagag aaccgtggcc 420
gctcccagcg tgttcatctt cccacctagc gacgagcagc tgaagtccgg cacagcctct 480
gtcgtgtgcc tgctgaacaa cttctacccc cgcgaggcca aggtgcagtg gaaggtggac 540
aacgcctgc agagcggcaa cagccaggaa agcgtgaccg agcaggactc caaggacagc 600
acctacagcc tgagcagcac cctgaccctg agcaaggccg actacgagaa gcacaaggtg 660
tacgcctgcg aagtgaccca ccagggcctg tctagccccg tgaccaagag cttcaacaga 720

FP17-0775-00_Sequence listing

ggcgagtgtct aagcggccgc

740

<210> 200
<211> 219
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of the light chain of humanized anti-hTfR antibody No.3 containing amino acid sequence 5 as the variable region

<400> 200

Asp Ile Val Met Thr Gln Thr Pro Leu Ser Leu Pro Val Thr Pro Gly
1 5 10 15

Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val His Ser
20 25 30

Asn Gly Asn Thr Tyr Leu His Trp Tyr Leu Gln Lys Pro Gly Gln Ser
35 40 45

Pro Gln Leu Leu Ile Tyr Lys Val Ser Asn Arg Phe Ser Gly Val Pro
50 55 60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
65 70 75 80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Ser Gln Ser
85 90 95

Thr His Val Pro Trp Thr Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys
100 105 110

Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu
115 120 125

Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe
130 135 140

Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln
145 150 155 160

Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser
165 170 175

Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu
180 185 190

Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser
195 200 205

FP17-0775-00_Sequence listing

Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 201
<211> 740
<212> DNA
<213> Artificial Sequence

<220>
<223> Nucleotide sequence encoding the amino acid sequence of the light chain of humanized anti-hTfR antibody No.3 containing amino acid sequence 5 as the variable region, synthetic sequence

<400> 201
acgcgtgccg ccaccatggg ctggagctgg attctgctgt tcctcctgag cgtgacagca 60
ggagtgcaca gcgacatcgt gatgacccag acaccctga gcctgcctgt gacacctggc 120
gagcctgcc a gcatcagctg cagatctagc cagagcctgg tgcacagcaa cggcaacacc 180
tacctgcact ggtatctgca gaagcccggc cagagccctc agctgctgat ctacaagggtg 240
tccaacagat tcagcggcgt gcccagacaga ttctccggca gcggctctgg caccgacttc 300
accctgaaga tctccagagt ggaagccgag gacgtgggcg tgtactactg cagccagagc 360
accacgtgc cctggacatt cggccagggc accaggctgg aaatcaagag aaccgtggcc 420
gctcccagcg tgttcatctt cccacctagc gacgagcagc tgaagtccgg cacagcctct 480
gtcgtgtgcc tgctgaacaa cttctacccc cgcgaggcca aggtgcagtg gaaggtggac 540
aacgcctgc agagcggcaa cagccaggaa agcgtgaccg agcaggactc caaggacagc 600
acctacagcc tgagcagcac cctgaccctg agcaaggccg actacgagaa gcacaagggtg 660
tacgcctgcg aagtgaccca ccagggcctg tctagccccg tgaccaagag cttcaacaga 720
ggcgagtgt aagcggccgc 740

<210> 202
<211> 219
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of the light chain of humanized anti-hTfR antibody No.3 containing amino acid sequence 6 as the variable region

<400> 202
Asp Ile Val Met Thr Gln Thr Pro Leu Ser Leu Ser Val Thr Pro Gly
1 5 10 15
Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val His Ser
20 25 30
Asn Gly Asn Thr Tyr Leu His Trp Tyr Leu Gln Lys Pro Gly Gln Ser
35 40 45
Pro Gln Leu Leu Ile Tyr Lys Val Ser Asn Arg Phe Ser Gly Val Pro
50 55 60

FP17-0775-00_Sequence listing

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
65 70 75 80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Phe Phe Cys Ser Gln Ser
85 90 95

Thr His Val Pro Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100 105 110

Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp Glu
115 120 125

Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn Phe
130 135 140

Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu Gln
145 150 155 160

Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp Ser
165 170 175

Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr Glu
180 185 190

Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser Ser
195 200 205

Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
210 215

<210> 203
<211> 740
<212> DNA
<213> Artificial Sequence

<220>
<223> Nucleotide sequence encoding the amino acid sequence of the light chain of humanized anti-hTfR antibody No.3 containing amino acid sequence 6 as the variable region, synthetic sequence

<400> 203
acgcgtgccg ccaccatggg ctggagctgg attctgctgt tcctcctgag cgtgacagca 60
ggagtgcaca gcgacatcgt gatgaccag actcccctga gcctgagcgt gacacctggc 120
cagcctgcca gcatcagctg cagatccagc cagagcctgg tgcacagcaa cggcaacacc 180
tacctgcact ggtatctgca gaagcccggc cagagccctc agctgctgat ctacaaggtg 240
tccaacagat tcagcggcgt gcccgcagaga ttctccggca gcggctctgg caccgacttc 300
accctgaaga tttccagagt ggaagccgag gacgtgggag tggttcttctg cagccagagc 360
accacgtgc cctggacatt cggccagggc accaaggtgg aaatcaagag aaccgtggcc 420
gctcccagcg tggtcatctt cccacctagc gacgagcagc tgaagtccgg cacagcctct 480

FP17-0775-00_Sequence listing

```

gtcgtgtgcc tgctgaacaa cttctacccc cgcgaggcca aggtgcagtg gaaggtggac      540
aacgccctgc agagcggcaa cagccaggaa agcgtgaccg agcaggactc caaggacagc      600
acctacagcc tgagcagcac cctgaccctg agcaaggccg actacgagaa gcacaaggtg      660
tacgcctgcg aagtgacca ccagggcctg tctagccccg tgaccaagag cttcaacaga      720
ggcgagtgtc aagcggccgc                                     740

```

<210> 204
 <211> 118
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 1 of the variable region of the heavy chain
 of humanized anti-hTfR antibody No.3

<400> 204

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Tyr
 20 25 30

Trp Leu Gly Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Asp Ile Tyr Pro Gly Gly Asp Tyr Pro Thr Tyr Ser Glu Lys Phe
 50 55 60

Lys Val Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Ser Gly Asn Tyr Asp Glu Val Ala Tyr Trp Gly Gln Gly Thr
 100 105 110

Leu Val Thr Val Ser Ser
 115

<210> 205
 <211> 118
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence 2 of the variable region of the heavy chain
 of humanized anti-hTfR antibody No.3

<400> 205

Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Glu
 1 5 10 15

FP17-0775-00_Sequence listing

Ser Leu Lys Ile Ser Cys Lys Gly Ser Gly Tyr Ser Phe Thr Asn Tyr
20 25 30

Trp Leu Gly Trp Val Arg Gln Met Pro Gly Lys Gly Leu Glu Trp Met
35 40 45

Gly Asp Ile Tyr Pro Gly Gly Asp Tyr Pro Thr Tyr Ser Glu Lys Phe
50 55 60

Lys Val Gln Val Thr Ile Ser Ala Asp Lys Ser Ile Ser Thr Ala Tyr
65 70 75 80

Leu Gln Trp Ser Ser Leu Lys Ala Ser Asp Thr Ala Met Tyr Tyr Cys
85 90 95

Ala Arg Ser Gly Asn Tyr Asp Glu Val Ala Tyr Trp Gly Gln Gly Thr
100 105 110

Leu Val Thr Val Ser Ser
115

<210> 206

<211> 118

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence 3 of the variable region of the heavy chain
of humanized anti-hTfR antibody No.3

<400> 206

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Tyr
20 25 30

Trp Leu Gly Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Asp Ile Tyr Pro Gly Gly Asp Tyr Pro Thr Tyr Ser Glu Lys Phe
50 55 60

Lys Val Arg Val Thr Met Thr Arg Asp Thr Ser Ile Ser Thr Ala Tyr
65 70 75 80

Met Glu Leu Ser Arg Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Gly Asn Tyr Asp Glu Val Ala Tyr Trp Gly Gln Gly Thr
100 105 110

FP17-0775-00_Sequence listing

Thr Val Thr Val Ser Ser
115

<210> 207
<211> 118
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 4 of the variable region of the heavy chain
of humanized anti-hTfR antibody No.3

<400> 207

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Tyr
20 25 30

Trp Leu Gly Trp Val Arg Gln Ala Pro Gly Gln Arg Leu Glu Trp Met
35 40 45

Gly Asp Ile Tyr Pro Gly Gly Asp Tyr Pro Thr Tyr Ser Glu Lys Phe
50 55 60

Lys Val Arg Val Thr Ile Thr Arg Asp Thr Ser Ala Ser Thr Ala Tyr
65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Gly Asn Tyr Asp Glu Val Ala Tyr Trp Gly Gln Gly Thr
100 105 110

Leu Val Thr Val Ser Ser
115

<210> 208
<211> 118
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 5 of the variable region of the heavy chain
of humanized anti-hTfR antibody No.3

<400> 208

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Ser Asn Tyr
20 25 30

Trp Leu Gly Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
Page 76

FP17-0775-00_Sequence listing

35

40

45

Gly Asp Ile Tyr Pro Gly Gly Asp Tyr Pro Thr Tyr Ser Glu Lys Phe
50 55 60

Lys Val Arg Val Thr Ile Thr Ala Asp Lys Ser Thr Ser Thr Ala Tyr
65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Gly Asn Tyr Asp Glu Val Ala Tyr Trp Gly Gln Gly Thr
100 105 110

Val Val Thr Val Ser Ser
115

<210> 209
<211> 118
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 6 of the variable region of the heavy chain
of humanized anti-hTfR antibody No.3

<400> 209

Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Glu
1 5 10 15

Ser Leu Lys Ile Ser Cys Lys Gly Ser Gly Tyr Ser Phe Met Asn Tyr
20 25 30

Trp Leu Gly Trp Val Arg Gln Met Pro Gly Lys Gly Leu Glu Trp Ile
35 40 45

Gly Asp Ile Tyr Pro Gly Gly Asp Tyr Pro Thr Tyr Ser Glu Lys Phe
50 55 60

Lys Val Lys Ala Ile Ile Ser Ala Asp Thr Ser Ile Ser Thr Val Tyr
65 70 75 80

Leu Gln Leu Ser Ser Leu Lys Ala Ser Asp Thr Ala Met Tyr Phe Cys
85 90 95

Ala Arg Ser Gly Asn Tyr Asp Glu Val Ala Tyr Trp Gly Gln Gly Thr
100 105 110

Leu Val Thr Val Ser Ser
115

<210> 210
<211> 448

FP17-0775-00_Sequence listing

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence of the heavy chain of humanized anti-hTfR antibody No.3 containing amino acid sequence 2 as the variable region

<400> 210

Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Glu
1 5 10 15

Ser Leu Lys Ile Ser Cys Lys Gly Ser Gly Tyr Ser Phe Thr Asn Tyr
20 25 30

Trp Leu Gly Trp Val Arg Gln Met Pro Gly Lys Gly Leu Glu Trp Met
35 40 45

Gly Asp Ile Tyr Pro Gly Gly Asp Tyr Pro Thr Tyr Ser Glu Lys Phe
50 55 60

Lys Val Gln Val Thr Ile Ser Ala Asp Lys Ser Ile Ser Thr Ala Tyr
65 70 75 80

Leu Gln Trp Ser Ser Leu Lys Ala Ser Asp Thr Ala Met Tyr Tyr Cys
85 90 95

Ala Arg Ser Gly Asn Tyr Asp Glu Val Ala Tyr Trp Gly Gln Gly Thr
100 105 110

Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro
115 120 125

Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly
130 135 140

Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn
145 150 155 160

Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln
165 170 175

Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser
180 185 190

Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser
195 200 205

Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr
210 215 220

His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser
225 230 235 240

FP17-0775-00_Sequence listing

Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg
245 250 255

Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro
260 265 270

Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala
275 280 285

Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val
290 295 300

Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr
305 310 315 320

Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr
325 330 335

Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu
340 345 350

Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys
355 360 365

Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser
370 375 380

Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp
385 390 395 400

Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser
405 410 415

Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala
420 425 430

Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
435 440 445

<210> 211
<211> 1427
<212> DNA
<213> Artificial Sequence

<220>
<223> Nucleotide sequence encoding the amino acid sequence of the heavy chain of humanized anti-hTfR antibody No.3 containing amino acid sequence 2 as the variable region, synthetic sequence

<400> 211
acgcgtgccg ccaccatggg ctggagctgg attctgctgt tcctcctgag cgtgacagca 60
ggagtgcaca gcgaggtgca actagtgcag tctggagcag aggtgaaaaa gcccggggag 120
Page 79

FP17-0775-00_Sequence listing

tctctgaaga	tttcctgtaa	gggttctgga	tacagcttta	ccaactactg	gctgggatgg	180
gtgcgccaga	tgcccgggaa	aggcctggag	tggatggggg	acatctaccc	cggcggagac	240
taccctacat	acagcgagaa	gttcaagggtc	caggtcacca	tctcagccga	caagtccatc	300
agcaccgcct	acctgcagtg	gagcagcctg	aaggcctcgg	acaccgccat	gtattactgt	360
gcgagatcag	gcaattacga	cgaagtggcc	tactggggcc	aaggaaccct	ggtcaccgtc	420
tcctcagcta	gcaccaaggg	cccacggtc	ttccccctgg	caccctcctc	caagagcacc	480
tctgggggca	cagcggccct	gggctgcctg	gtcaaggact	acttccccga	accggtgacg	540
gtgtcgtgga	actcaggcgc	cctgaccagc	ggcgtgcaca	ccttcccggc	tgtcctacag	600
tcctcaggac	tctactccct	cagcagcgtg	gtgaccgtgc	cctccagcag	cttgggcacc	660
cagacctaca	tctgcaacgt	gaatcacaag	cccagcaaca	ccaagggtga	caagaaagtt	720
gagcccaaat	cttgtgacaa	aactcacacg	tgccccaccgt	gcccagcacc	tgaactcctg	780
ggagggtccgt	cagtcttcct	cttcccccca	aaacccaagg	acaccctcat	gatctcccgg	840
acccttgagg	tcacatgcgt	ggtggtggac	gtgagccacg	aagaccctga	ggtcaagttc	900
aactggtacg	tggacggcgt	ggagggtgcat	aatgccaaaga	caaagccgcg	ggaggagcag	960
tacaacagca	cgtaccgggt	ggtcagcgtc	ctcaccgtcc	tgcaccagga	ctggctgaat	1020
ggcaaggagt	acaagtgcaa	ggtctccaac	aaagccctcc	cagcccccat	cgagaaaacc	1080
atctccaaag	ccaaagggca	gccccgagaa	ccacagggtg	acaccctgcc	cccatcccgg	1140
gatgagctga	ccaagaacca	ggtcagcctg	acctgcctgg	tcaaaggctt	ctatcccagc	1200
gacatcgccg	tggagtggga	gagcaatggg	cagccggaga	acaactacaa	gaccacgcct	1260
cccgtgctgg	actccgacgg	ctccttcttc	ctctacagca	agctcaccgt	ggacaagagc	1320
aggtggcagc	aggggaacgt	cttctcatgc	tccgtgatgc	atgaggctct	gcacaaccac	1380
tacacgcaga	agagcctctc	cctgtctccg	ggtaaataag	cggccgc		1427

<210> 212

<211> 445

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence of the heavy chain (IgG4) of humanized anti-hTfR antibody No.3 containing amino acid sequence 2 as the variable region

<400> 212

Glu	Val	Gln	Leu	Val	Gln	Ser	Gly	Ala	Glu	Val	Lys	Lys	Pro	Gly	Glu
1				5					10					15	

Ser	Leu	Lys	Ile	Ser	Cys	Lys	Gly	Ser	Gly	Tyr	Ser	Phe	Thr	Asn	Tyr
			20					25					30		

Trp	Leu	Gly	Trp	Val	Arg	Gln	Met	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Met
		35					40					45			

FP17-0775-00_Sequence listing

Gly Asp Ile Tyr Pro Gly Gly Asp Tyr Pro Thr Tyr Ser Glu Lys Phe
 50 55 60
 Lys Val Gln Val Thr Ile Ser Ala Asp Lys Ser Ile Ser Thr Ala Tyr
 65 70 75 80
 Leu Gln Trp Ser Ser Leu Lys Ala Ser Asp Thr Ala Met Tyr Tyr Cys
 85 90 95
 Ala Arg Ser Gly Asn Tyr Asp Glu Val Ala Tyr Trp Gly Gln Gly Thr
 100 105 110
 Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro
 115 120 125
 Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser Thr Ala Ala Leu Gly
 130 135 140
 Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn
 145 150 155 160
 Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln
 165 170 175
 Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser
 180 185 190
 Ser Leu Gly Thr Lys Thr Tyr Thr Cys Asn Val Asp His Lys Pro Ser
 195 200 205
 Asn Thr Lys Val Asp Lys Arg Val Glu Ser Lys Tyr Gly Pro Pro Cys
 210 215 220
 Pro Pro Cys Pro Ala Pro Glu Phe Leu Gly Gly Pro Ser Val Phe Leu
 225 230 235 240
 Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu
 245 250 255
 Val Thr Cys Val Val Val Asp Val Ser Gln Glu Asp Pro Glu Val Gln
 260 265 270
 Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys
 275 280 285
 Pro Arg Glu Glu Gln Phe Asn Ser Thr Tyr Arg Val Val Ser Val Leu
 290 295 300
 Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys
 305 310 315 320

FP17-0775-00_Sequence listing

Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys
325 330 335

Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser
340 345 350

Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys
355 360 365

Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln
370 375 380

Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly
385 390 395 400

Ser Phe Phe Leu Tyr Ser Arg Leu Thr Val Asp Lys Ser Arg Trp Gln
405 410 415

Glu Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn
420 425 430

His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
435 440 445

<210> 213
<211> 1418
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleotide sequence encoding the amino acid sequence of the heavy chain (IgG4) of humanized anti-hTFR antibody No.3 containing amino acid sequence 2 as the variable region, synthetic sequence

<400> 213
acgcgtgccg ccaccatggg ctggagctgg attctgctgt tcctcctgag cgtgacagca 60
ggagtgcaca gcgaggtgca actagtgcag tctggagcag aggtgaaaaa gcccggggag 120
tctctgaaga tttcctgtaa gggttctgga tacagcttta ccaactactg gctgggatgg 180
gtgcgccaga tgcccggaagg aggcctggag tggatggggg acatctaccc cggcgagac 240
taccctacat acagcgagaa gttcaagggtc caggtcacca tctcagccga caagtccatc 300
agcaccgcct acctgcagtg gagcagcctg aaggcctcgg acaccgcat gtattactgt 360
gcgagatcag gcaattacga cgaagtggcc tactggggcc aaggaaccct ggtcaccgtc 420
tcctcagcta gcaccaaggg cccatcggtc ttccccctgg cgccctgctc caggagcacc 480
tccgagagca cagccgccct gggctgcctg gtcaaggact acttccccga accggtgacg 540
gtgtcgtgga actcaggcgc cctgaccagc ggcgtgcaca cttccccggc tgtcctacag 600
tcctcaggac tctactccct cagcagcgtg gtgaccgtgc cctccagcag cttgggcacg 660
aagacctaca cctgcaacgt agatcacaag cccagcaaca ccaaggtgga caagagagtt 720

FP17-0775-00_Sequence listing

gagtccaaat atggtccccc atgcccacca tgcccagcac ctgagttcct ggggggtcca	780
tcagtctttcc tgttcccccc aaaacccaag gacactctca tgatctcccg gacccctgag	840
gtcacgtgcg tgggtggtgga cgtgagccag gaagaccccg aggtccagtt caactggtac	900
gtggatggcg tggaggtgca taatgccaag acaaagccgc gggaggagca gttcaacagc	960
acgtaccgtg tggtcagcgt cctcaccgtc ctgcaccagg actggctgaa cggcaaggag	1020
tacaagtgca aggtctccaa caaaggcctc ccgtcctcca tcgagaaaac catctccaaa	1080
gccaaagggc agccccgaga gccacagggtg tacaccctgc ccccatccca ggaggagatg	1140
accaagaacc aggtcagcct gacctgcctg gtcaaaggct tctaccccag cgacatcgcc	1200
gtggagtggg agagcaatgg gcagccggag aacaactaca agaccacgcc tcccgtgctg	1260
gactccgacg gctccttctt cctctacagc aggtcaccg tggacaagag cagggtggcag	1320
gaggggaatg tcttctcatg ctccgtgatg catgaggctc tgcacaacca ctacacacag	1380
aagagcctct ccctgtctcc gggtaaataa gcggccgc	1418

<210> 214
 <211> 43
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Primer hTfR5', synthetic sequence

<400> 214	
ccgacgcgtc gccaccatga tggatcaagc tagatcagca ttc	43

<210> 215
 <211> 59
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Primer hTfR3', synthetic sequence

<400> 215	
ataatgcggc cgcttaatga tgatgatgat gatgaaactc attgtcaatg tcccaaacg	59

<210> 216
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Primer Hyg-Sfi5', synthetic sequence

<400> 216	
gaggccgcct cggcctctga	20

<210> 217
 <211> 29
 <212> DNA
 <213> Artificial Sequence

<220>

FP17-0775-00_Sequence listing
<223> Primer Hyg-BstX3', synthetic sequence

<400> 217
aaccatcgtg atgggtgcta ttcctttgc

29

<210> 218
<211> 108
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of the variable region of the light chain of
anti-hTfR antibody No.1

<400> 218

Asp Ile Val Leu Thr Gln Ser Ser Lys Phe Met Ser Thr Ser Val Gly
1 5 10 15

Asp Arg Val Ser Ile Thr Cys Lys Ala Ser Gln Asp Val Asn Ser Ala
20 25 30

Val Ala Trp Phe Gln Gln Lys Pro Gly Gln Ser Pro Lys Leu Leu Ile
35 40 45

Tyr Trp Thr Ser Thr Arg His Thr Gly Val Pro Asp Arg Phe Thr Gly
50 55 60

Ser Gly Ser Gly Thr Val Tyr Thr Leu Thr Ile Ser Ser Val Gln Ala
65 70 75 80

Glu Asp Leu Ala Leu Tyr Tyr Cys Gln Gln His Tyr Ser Thr Pro Arg
85 90 95

Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys Arg
100 105

<210> 219
<211> 116
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of the variable region of the heavy chain of
anti-hTfR antibody No.1

<400> 219

Glu Val Gln Leu Gln Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Lys Leu Ser Cys Ala Ala Ser Gly Leu Thr Phe Ser Asn Tyr
20 25 30

Gly Met Ser Trp Ile Arg Gln Thr Pro Asp Lys Arg Leu Glu Leu Val
35 40 45

FP17-0775-00_Sequence listing

Ala Asn Ile Asn Thr Asn Gly Gly Ser Thr Tyr Tyr Pro Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Thr Leu Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Lys Ser Glu Asp Thr Ala Ile Tyr Tyr Cys
85 90 95

Thr Asn Asn Arg Tyr Asp Glu Asp Tyr Trp Gly Gln Gly Thr Ser Val
100 105 110

Thr Val Ser Ser
115

<210> 220
<211> 108
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of the variable region of the light chain of
anti-hTfR antibody No.2

<400> 220

Asp Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser Val Thr Pro Gly
1 5 10 15

Asp Ser Val Ser Leu Ser Cys Arg Ala Ser Gln Ser Ile Ser Asn Asn
20 25 30

Leu Gln Trp Tyr Gln Gln Lys Ser His Glu Ser Pro Arg Leu Leu Ile
35 40 45

Lys Tyr Ala Ser Gln Ser Ile Ser Gly Ile Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Ser Ile Asn Ser Val Glu Thr
65 70 75 80

Glu Asp Phe Gly Met Tyr Phe Cys Gln Gln Ser Asn Ser Trp Pro Arg
85 90 95

Thr Phe Gly Ala Gly Thr Lys Leu Glu Leu Lys Arg
100 105

<210> 221
<211> 123
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of the variable region of the heavy chain of
anti-hTfR antibody No.2

FP17-0775-00_Sequence listing

<400> 221

Glu Val Gln Leu Gln Glu Ser Gly Ala Glu Leu Val Arg Pro Gly Val
1 5 10 15

Ser Val Lys Ile Ser Cys Lys Gly Ser Gly Tyr Thr Phe Thr Asp Tyr
20 25 30

Val Met His Trp Val Arg Gln Ser His Ala Lys Ser Leu Glu Trp Ile
35 40 45

Gly Val Ile Ser Thr Tyr Tyr Gly His Gly Ser Tyr Asn Gln Arg Phe
50 55 60

Lys Gly Lys Ala Thr Met Thr Val Asp Lys Ser Ser Ser Thr Ala Tyr
65 70 75 80

Leu Glu Leu Val Arg Leu Thr Ser Glu Asp Ser Ala Ile Tyr Tyr Cys
85 90 95

Val Arg Gly Gly Tyr Gly Ser Ser Ser Leu Ala Gly Asn Phe Asp Val
100 105 110

Trp Gly Ala Gly Thr Thr Val Thr Val Ser Ser
115 120

<210> 222

<211> 113

<212> PRT

<213> Artificial sequence

<220>

<223> Amino acid sequence of the variable region of the light chain of anti-hTfR antibody No.3

<400> 222

Asp Ile Val Met Thr Gln Thr Thr Leu Ser Leu Pro Val Ser Leu Gly
1 5 10 15

Asp Gln Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val His Ser
20 25 30

Asn Gly Asn Thr Tyr Leu His Trp Tyr Leu Gln Lys Pro Gly Gln Ser
35 40 45

Pro Lys Leu Leu Ile Tyr Lys Val Ser Asn Arg Phe Ser Gly Val Pro
50 55 60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
65 70 75 80

Ser Arg Val Glu Ala Glu Asp Leu Gly Val Phe Phe Cys Ser Gln Ser
85 90 95

FP17-0775-00_Sequence listing

Thr His Val Pro Trp Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys
 100 105 110

Arg

<210> 223
 <211> 118
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence of the variable region of the heavy chain of anti-hTfR antibody No.3

<400> 223

Glu Val Gln Leu Gln Glu Ser Gly Ala Glu Leu Val Arg Pro Gly Thr
 1 5 10 15

Ser Val Lys Ile Ser Cys Lys Ala Ser Gly Tyr Thr Phe Met Asn Tyr
 20 25 30

Trp Leu Gly Trp Val Lys Gln Arg Pro Gly His Gly Leu Glu Trp Ile
 35 40 45

Gly Asp Ile Tyr Pro Gly Gly Asp Tyr Pro Thr Tyr Ser Glu Lys Phe
 50 55 60

Lys Val Lys Ala Ile Leu Thr Ala Asp Thr Ser Ser Ser Ser Val Tyr
 65 70 75 80

Leu His Leu Ser Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Phe Cys
 85 90 95

Ala Arg Ser Gly Asn Tyr Asp Glu Val Ala Tyr Trp Gly Gln Gly Thr
 100 105 110

Leu Val Thr Val Ser Thr
 115

<210> 224
 <211> 106
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence of the variable region of the light chain of anti-hTfR antibody No.4

<400> 224

Asp Ile Val Leu Thr Gln Thr Pro Ala Ile Met Ser Ala Ser Pro Gly
 1 5 10 15

Glu Lys Val Thr Met Thr Cys Ser Ala Ser Ser Asn Val Asn Tyr Met
 Page 87

His Trp Tyr Gln Gln Lys Ser Ser Thr Ser Pro Lys Leu Trp Ile Tyr
35 40 45

Asp Thr Ser Lys Leu Ala Ser Gly Val Pro Gly Arg Phe Ser Gly Ser
50 55 60

Gly Ser Gly Asn Ser Tyr Ser Leu Thr Ile Ser Ser Met Glu Ala Glu
65 70 75 80

Asp Val Ala Thr Tyr Tyr Cys Phe Gln Gly Asn Gly Asn Pro Tyr Thr
85 90 95

Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys
100 105

<210> 225
<211> 122
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of the variable region of the heavy chain of anti-hTfR antibody No.4

<400> 225

Glu Val Gln Leu Gln Glu Ser Gly Ala Glu Leu Val Arg Pro Gly Thr
1 5 10 15

Ser Val Arg Val Phe Cys Lys Ala Ser Gly Tyr Ala Phe Thr Asn Tyr
20 25 30

Leu Ile Glu Trp Val Lys Gln Arg Pro Gly Gln Gly Leu Glu Trp Ile
35 40 45

Gly Leu Ile Asn Pro Gly Ser Gly Gly Ile Ile Tyr Asn Glu Lys Phe
50 55 60

Thr Asp Arg Ala Thr Leu Thr Ala Asp Lys Ser Ser Ser Thr Ala Tyr
65 70 75 80

Met Gln Leu Ser Ser Leu Thr Ser Asp Asp Ser Ala Val Tyr Phe Cys
85 90 95

Ala Arg Ser Asn Tyr Tyr Gly Thr Thr Tyr Trp His Phe Asp Val Trp
100 105 110

Gly Ala Gly Thr Thr Val Thr Val Ser Ser
115 120

<210> 226
<211> 105

FP17-0775-00_Sequence listing

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence of the variable region of the light chain of anti-hTfR antibody No.5

<400> 226

Asp Ile Val Met Thr Gln Thr Pro Ala Ile Met Ser Ala Ser Pro Gly
1 5 10 15

Glu Lys Val Thr Met Thr Cys Ser Ala Ser Ser Ser Ile Ser Ser Ile
20 25 30

His Trp Tyr Gln Gln Lys Pro Gly Thr Ser Pro Lys Arg Trp Ile Tyr
35 40 45

Asp Thr Ser Thr Leu Ala Ser Gly Val Pro Val Arg Phe Ser Gly Ser
50 55 60

Gly Ser Gly Thr Ser Tyr Ser Leu Thr Ile Ser Ser Met Glu Ala Glu
65 70 75 80

Asp Ala Ala Thr Tyr Tyr Cys His Gln Arg Ser Ser Tyr Pro Thr Phe
85 90 95

Gly Gly Gly Thr Lys Leu Glu Ile Lys
100 105

<210> 227

<211> 118

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence of the variable region of the heavy chain of anti-hTfR antibody No.5

<400> 227

Glu Val Gln Leu Gln Glu Ser Gly Pro Glu Leu Val Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Phe
20 25 30

Val Ile His Trp Val Lys Gln Arg Pro Gly Gln Gly Leu Glu Trp Ile
35 40 45

Gly Phe Phe Asn Pro His Lys Asn Gly Ala Glu Tyr Asn Glu Lys Phe
50 55 60

Gln Val Lys Ala Thr Leu Thr Ser Asp Lys Ser Ser Thr Thr Ala Tyr
65 70 75 80

FP17-0775-00_Sequence listing

Met Glu Leu Asn Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ser Phe Tyr Tyr Tyr Ser Met Asp Tyr Trp Gly Gln Gly Thr
100 105 110

Ser Val Thr Val Ser Ser
115

<210> 228
<211> 107
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of the variable region of the light chain of
anti-hTfR antibody No.6

<400> 228

Asp Ile Val Leu Thr Gln Thr Pro Ser Ser Leu Ser Ala Ser Leu Gly
1 5 10 15

Glu Arg Val Ser Leu Thr Cys Arg Ala Ser Gln Glu Ile Ser Gly Tyr
20 25 30

Leu Ser Trp Leu Gln Gln Lys Pro Asp Gly Thr Ile Lys Arg Leu Ile
35 40 45

Tyr Ala Ala Ser Thr Leu Asp Ser Gly Val Pro Lys Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Ser Asp Tyr Ser Leu Thr Ile Ser Ser Leu Glu Ser
65 70 75 80

Glu Asp Phe Ala Asp Tyr Tyr Cys Leu Gln Tyr Ser Ser Tyr Pro Arg
85 90 95

Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys
100 105

<210> 229
<211> 112
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of the variable region of the heavy chain of
anti-hTfR antibody No.6

<400> 229

Glu Val Gln Leu Gln Glu Ser Gly Pro Gly Leu Val Ala Pro Ser Gln
1 5 10 15

Ser Leu Ser Ile Thr Cys Ser Val Ser Gly Phe Ser Leu Ser Thr Tyr
20 25 30

FP17-0775-00_Sequence listing

Gly Val Tyr Trp Val Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Leu
35 40 45

Gly Ile Ile Trp Gly Asp Gly Ser Thr Asn Tyr His Ser Ala Leu Ile
50 55 60

Ser Arg Leu Thr Ile Ser Lys Asp Asn Ser Lys Ser Gln Val Phe Leu
65 70 75 80

Lys Leu Asn Ser Leu Gln Thr Ala Asp Thr Ala Thr Tyr Tyr Cys Ala
85 90 95

Lys Pro Asp Asp Val Trp Gly Ala Gly Thr Thr Val Thr Val Ser Ser
100 105 110

<210> 230

<211> 106

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence of the variable region of the light chain of anti-hTfR antibody No.7

<400> 230

Asp Ile Val Leu Thr Gln Ser Pro Val Ile Met Ser Ala Ser Leu Gly
1 5 10 15

Glu Glu Ile Thr Leu Thr Cys Ser Ala Ser Ser Ser Val Asn Tyr Ile
20 25 30

His Trp Tyr Gln Gln Lys Ser Gly Thr Ser Pro Lys Val Leu Ile Tyr
35 40 45

Gln Thr Ser Asn Leu Ala Ser Gly Val Pro Ser Arg Phe Ser Gly Ser
50 55 60

Arg Ser Gly Thr Phe Tyr Ser Leu Lys Ile Ser Ser Val Glu Ala Glu
65 70 75 80

Asp Ala Ala Asp Tyr Tyr Cys His Gln Trp Ser Ser Tyr Pro Trp Thr
85 90 95

Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys
100 105

<210> 231

<211> 120

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence of the variable region of the heavy chain of

FP17-0775-00_Sequence listing
anti-hTfR antibody No.7

<400> 231

Glu Val Gln Leu Gln Glu Ser Gly Gly Ala Leu Val Lys Pro Gly Gly
1 5 10 15

Ser Leu Lys Val Ser Cys Glu Ala Ser Gly Ile Thr Phe Arg Asn Tyr
20 25 30

Phe Met Ser Trp Val Arg Gln Thr Pro Glu Lys Arg Leu Glu Trp Val
35 40 45

Ala Thr Ile Ser Ser Ala Gly Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Gly Asn Thr Leu Tyr
65 70 75 80

Leu Gln Met Ser Ser Leu Arg Ser Glu Asp Thr Ala Met Tyr Phe Cys
85 90 95

Ala Arg Gln Glu Val Pro Tyr Pro Tyr Ala Met Asp Tyr Trp Gly Gln
100 105 110

Gly Thr Ser Val Ile Val Ser Ser
115 120

<210> 232

<211> 106

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence of the variable region of the light chain of
anti-hTfR antibody No.8

<400> 232

Asp Ile Val Leu Thr Gln Ser Pro Ala Ile Met Ser Ala Ser Leu Gly
1 5 10 15

Glu Glu Ile Thr Leu Thr Cys Ser Ala Ser Ser Ser Val Ser Tyr Met
20 25 30

His Trp Tyr Gln Gln Lys Ser Gly Thr Ser Pro Lys Val Leu Ile Tyr
35 40 45

Gly Thr Ser Asn Leu Ala Ser Glu Val Pro Ser Arg Phe Ser Gly Ser
50 55 60

Gly Ser Gly Thr Phe Tyr Ser Leu Thr Ile Ser Ser Val Glu Ala Glu
65 70 75 80

Asp Ala Ala Asp Tyr Tyr Cys His Gln Trp Ser Ser Tyr Pro Trp Thr
Page 92

Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys
100 105

<210> 233
<211> 112
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of the variable region of the heavy chain of anti-hTfR antibody No.8

<400> 233

Glu Val Gln Leu Gln Glu Ser Gly Pro Gly Leu Val Ala Pro Ser Gln
1 5 10 15

Ser Leu Ser Ile Thr Cys Thr Val Ser Gly Phe Ser Leu Thr Thr Tyr
20 25 30

Gly Val Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Leu
35 40 45

Gly Ile Ile Trp Gly Asp Gly Ser Thr Asn Tyr Arg Ser Ala Leu Ile
50 55 60

Ser Arg Leu Ser Ile Ser Lys Asp Asn Ser Lys Asn Gln Val Phe Leu
65 70 75 80

Lys Leu Asn Ser Leu Gln Thr Asp Asp Thr Ala Thr Tyr Tyr Cys Ala
85 90 95

Lys Pro Asp Asp Tyr Trp Gly Gln Gly Thr Ser Val Thr Val Ser Ser
100 105 110

<210> 234
<211> 106
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of the variable region of the light chain of anti-hTfR antibody No.9

<400> 234

Asp Ile Val Leu Thr Gln Ser Pro Ala Leu Met Ser Ala Ser Pro Gly
1 5 10 15

Glu Thr Val Thr Met Thr Cys Ser Ala Ser Ser Ser Val Ser Leu Met
20 25 30

Phe Trp Tyr Gln Gln Lys Pro Arg Ser Ser Pro Lys Pro Trp Ile Tyr
35 40 45

FP17-0775-00_Sequence listing

Phe Thr Ser Tyr Arg Ala Ser Gly Val Pro Ile Arg Phe Ser Gly Ser
50 55 60

Gly Ser Gly Thr Ser Phe Ser Leu Thr Ile Ser Asn Leu Glu Ala Glu
65 70 75 80

Asp Ala Ala Thr Tyr Tyr Cys Gln Gln Trp Thr Ser Asp Pro Pro Thr
85 90 95

Phe Gly Ser Gly Thr Lys Leu Glu Ile Glu
100 105

<210> 235

<211> 117

<212> PRT

<213> Artificial sequence

<220>

<223> Amino acid sequence of the variable region of the heavy chain of anti-hTfR antibody No.9

<400> 235

Glu Val Gln Leu Gln Glu Ser Gly Pro Glu Leu Lys Lys Pro Gly Glu
1 5 10 15

Thr Val Lys Ile Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Tyr
20 25 30

Gly Val Ser Trp Val Lys Gln Ala Pro Gly Lys Asp Leu Lys Trp Met
35 40 45

Gly Trp Ile Tyr Thr Phe Thr Gly Glu Ala Thr Tyr Ile Asp Asp Phe
50 55 60

Arg Gly Arg Phe Ala Phe Ser Leu Glu Thr Ser Ala Asn Thr Ala Tyr
65 70 75 80

Leu Gln Ile Asn Asn Leu Lys Asn Glu Asp Thr Ala Thr Tyr Phe Cys
85 90 95

Ser Arg Arg Asn Gly Ala Trp Phe Glu Asp Trp Gly Gln Gly Thr Leu
100 105 110

Val Thr Val Ser Ala
115

<210> 236

<211> 107

<212> PRT

<213> Artificial sequence

<220>

<223> Amino acid sequence of the variable region of the light chain of anti-hTfR antibody No.10

FP17-0775-00_Sequence listing

<400> 236

Asp Ile Val Met Thr Gln Thr Pro Ser Ser Leu Ser Ala Ser Leu Gly
1 5 10 15

Glu Arg Val Ser Leu Thr Cys Arg Pro Ser Gln Glu Ile Ser Gly Tyr
20 25 30

Leu Ser Trp Leu Gln Gln Lys Pro Asp Gly Thr Ile Lys Arg Leu Ile
35 40 45

Tyr Ala Ala Ser Thr Leu Asp Ser Gly Val Pro Lys Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Ser Asp Tyr Ser Leu Thr Ile Ser Ser Leu Glu Ser
65 70 75 80

Glu Asp Phe Ala Asp Tyr Tyr Cys Leu Gln Tyr Ala Ser Tyr Pro Arg
85 90 95

Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys
100 105

<210> 237

<211> 120

<212> PRT

<213> Artificial sequence

<220>

<223> Amino acid sequence of the variable region of the heavy chain of anti-hTfR antibody No.10

<400> 237

Glu Val Gln Leu Gln Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly
1 5 10 15

Ser Leu Lys Leu Ser Cys Glu Ala Ser Gly Ile Thr Phe Arg Asn Tyr
20 25 30

Ala Met Ser Trp Val Arg Gln Thr Pro Glu Lys Arg Leu Glu Trp Val
35 40 45

Ala Thr Ile Ser Ser Tyr Gly Gly Tyr Thr Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Val Ser Arg Asp Asn Ala Gly Asn Thr Leu Tyr
65 70 75 80

Leu Gln Met Ser Ser Leu Arg Ser Glu Asp Thr Ala Met Tyr His Cys
85 90 95

Ala Arg Gln Glu Val Pro Tyr Pro Tyr Pro Met Asp Asn Trp Gly Gln
100 105 110

FP17-0775-00_Sequence listing

Gly Thr Ser Val Ile Val Ser Ser
115 120

<210> 238
<211> 107
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of the variable region of the light chain of anti-hTfR antibody No.11

<400> 238

Asp Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser Val Thr Pro Gly
1 5 10 15

Asp Arg Val Ser Leu Ser Cys Arg Ala Ser Gln Ser Ile Arg Asn Tyr
20 25 30

Leu His Trp Tyr Gln Gln Lys Ser His Glu Ser Pro Arg Leu Leu Ile
35 40 45

Lys Tyr Ala Ser Gln Ser Ile Ser Gly Ile Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Ser Ile Asn Ser Val Glu Thr
65 70 75 80

Glu Asp Phe Gly Met Tyr Phe Cys Gln Gln Thr Asn Ser Trp Pro Tyr
85 90 95

Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys
100 105

<210> 239
<211> 118
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of the variable region of the heavy chain of anti-hTfR antibody No.11

<400> 239

Glu Val Gln Leu Gln Glu Ser Gly Ala Glu Leu Val Arg Pro Gly Ser
1 5 10 15

Ser Val Lys Ile Ser Cys Lys Ala Ser Gly Tyr Ala Phe Ser Ile Tyr
20 25 30

Trp Ile Asn Trp Leu Lys Gln Arg Pro Gly Gln Gly Leu Glu Trp Ile
35 40 45

FP17-0775-00_Sequence listing

Gly Gln Ile Tyr Pro Gly Asn Gly Asp Thr Asn Tyr Asn Gly Lys Phe
50 55 60

Lys Gly Lys Ala Thr Leu Thr Ala Asp Lys Ser Ser Asn Thr Val Tyr
65 70 75 80

Met Arg Leu Ser Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Phe Cys
85 90 95

Gly Arg Trp Gly Asp Asp Tyr Ala Met Asp Phe Trp Gly Gln Gly Thr
100 105 110

Ser Val Thr Val Ser Ser
115

<210> 240
<211> 107
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of the variable region of the light chain of
anti-hTfR antibody No.12

<400> 240

Asp Ile Val Leu Thr Gln Ser His Lys Phe Met Ser Thr Val Ile Gly
1 5 10 15

Asp Arg Val Ser Ile Thr Cys Lys Ala Ser His Asp Val Lys Thr Ala
20 25 30

Val Ala Trp Tyr Gln Gln Thr Pro Gly Gln Ser Pro Lys Leu Leu Thr
35 40 45

Tyr Trp Ser Ser Thr Arg His Thr Gly Val Pro Asp Arg Phe Thr Gly
50 55 60

Ser Gly Ser Gly Thr Asp Tyr Thr Leu Thr Ile Ser Ser Val Gln Ala
65 70 75 80

Glu Asp Leu Ala Leu Tyr Tyr Cys Gln Gln His Phe Ser Thr Pro Leu
85 90 95

Thr Phe Gly Ala Gly Thr Lys Leu Glu Leu Lys
100 105

<210> 241
<211> 119
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of the variable region of the heavy chain of
anti-hTfR antibody No.12

FP17-0775-00_Sequence listing

<400> 241

```

Glu Val Gln Leu Gln Glu Ser Gly Ala Glu Leu Ala Arg Pro Gly Thr
1          5          10          15
Ser Val Lys Val Ser Cys Lys Ala Ala Gly Tyr Val Phe Ile Asn Tyr
          20          25          30
Leu Ile Glu Trp Val Lys Gln Arg Pro Gly Gln Gly Leu Glu Trp Ile
          35          40          45
Gly Val Ile His Ser Gly Ser Gly Gly Thr Asn Tyr Asn Asp Asn Phe
          50          55          60
Lys Asp Lys Ala Thr Leu Thr Arg Asp Val Ser Ser Ser Thr Ala Tyr
65          70          75          80
Met Gln Leu Ser Ser Leu Thr Ser Asp Asp Ser Ala Val Tyr Phe Cys
          85          90          95
Ala Arg Arg Asn Phe Gly Asn Tyr Tyr Phe Asp Tyr Trp Gly Gln Gly
          100          105          110
Thr Thr Leu Thr Val Ser Ser
          115

```

<210> 242

<211> 107

<212> PRT

<213> Artificial sequence

<220>

<223> Amino acid sequence of the variable region of the light chain of anti-hTfR antibody No.13

<400> 242

```

Asp Ile Val Ile Thr Gln Thr Pro Ala Thr Leu Ser Val Thr Pro Gly
1          5          10          15
Asp Arg Val Ser Leu Ser Cys Arg Ala Ser Gln Ser Ile Arg Asn Tyr
          20          25          30
Leu His Trp Tyr Gln Gln Lys Ser His Glu Ser Pro Arg Leu Leu Ile
          35          40          45
Lys Tyr Ala Ser Gln Ser Ile Ser Gly Ile Pro Ser Arg Phe Ser Gly
          50          55          60
Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Asn Ser Val Glu Thr
65          70          75          80
Glu Asp Phe Gly Met Tyr Phe Cys Gln Gln Thr Asn Ser Trp Pro Tyr
          85          90          95

```

FP17-0775-00_Sequence listing

Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys
100 105

<210> 243
<211> 118
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of the variable region of the heavy chain of anti-hTfR antibody No.13

<400> 243

Glu Val Gln Leu Gln Glu Ser Gly Ala Glu Leu Val Arg Pro Gly Ser
1 5 10 15

Ser Val Lys Ile Ser Cys Lys Ala Ser Gly Tyr Ala Phe Ser Ile Tyr
20 25 30

Trp Ile Asn Trp Leu Lys Gln Arg Pro Gly Gln Gly Leu Glu Trp Ile
35 40 45

Gly Gln Ile Tyr Pro Gly Asn Gly Asp Thr Asn Tyr Asn Gly Lys Phe
50 55 60

Lys Gly Lys Ala Thr Leu Thr Ala Asp Lys Ser Ser Asn Thr Val Tyr
65 70 75 80

Met Arg Leu Ser Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Phe Cys
85 90 95

Gly Arg Trp Gly Asp Asp Tyr Ala Met Asp Phe Trp Gly Gln Gly Thr
100 105 110

Ser Val Thr Val Ser Ser
115

<210> 244
<211> 106
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of the variable region of the light chain of anti-hTfR antibody No.14

<400> 244

Asp Ile Val Leu Thr Gln Thr Pro Val Ile Met Ser Ala Tyr Pro Gly
1 5 10 15

Glu Lys Val Thr Leu Thr Cys Ser Ala Ser Ser Asn Ile Asn Ser Ile
20 25 30

His Trp Tyr Gln Gln Lys Pro Gly Thr Ser Pro Lys Arg Trp Ile Tyr
Page 99

FP17-0775-00_Sequence listing

35

40

45

Asp Thr Ser Asn Leu Ala Ser Gly Val Pro Ala Arg Phe Ser Gly Ser
50 55 60

Gly Ser Gly Thr Ser Tyr Ser Leu Thr Ile Ser Ser Met Glu Ala Glu
65 70 75 80

Asp Ala Ala Ser Tyr Tyr Cys His Gln Arg Ser Gly Tyr Pro Phe Thr
85 90 95

Phe Gly Ser Gly Thr Lys Leu Glu Ile Lys
100 105

<210> 245

<211> 118

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence of the variable region of the heavy chain of anti-hTfR antibody No.14

<400> 245

Glu Val Gln Leu Gln Glu Ser Gly Pro Glu Leu Leu Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Ala Phe Thr Gly Tyr
20 25 30

Val Ile His Trp Val Lys Gln Lys Pro Gly Gln Gly Leu Glu Trp Ile
35 40 45

Gly Phe Leu Asn Pro His Lys Asp Asp Ser Glu Tyr Asn Glu Lys Phe
50 55 60

Arg Gly Lys Ala Thr Leu Thr Ser Asp Lys Ser Ser Ser Thr Ala Tyr
65 70 75 80

Met Asp Leu Ser Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Gly Tyr Tyr Tyr Tyr Ser Met Asp Tyr Trp Gly Gln Gly Thr
100 105 110

Ser Val Thr Val Ser Ser
115

<210> 246

<211> 525

<212> PRT

<213> Homo sapiens

<400> 246

FP17-0775-00_Sequence listing

Ser Glu Thr Gln Ala Asn Ser Thr Thr Asp Ala Leu Asn Val Leu Leu
 1 5 10 15
 Ile Ile Val Asp Asp Leu Arg Pro Ser Leu Gly Cys Tyr Gly Asp Lys
 20 25 30
 Leu Val Arg Ser Pro Asn Ile Asp Gln Leu Ala Ser His Ser Leu Leu
 35 40 45
 Phe Gln Asn Ala Phe Ala Gln Gln Ala Val Cys Ala Pro Ser Arg Val
 50 55 60
 Ser Phe Leu Thr Gly Arg Arg Pro Asp Thr Thr Arg Leu Tyr Asp Phe
 65 70 75 80
 Asn Ser Tyr Trp Arg Val His Ala Gly Asn Phe Ser Thr Ile Pro Gln
 85 90 95
 Tyr Phe Lys Glu Asn Gly Tyr Val Thr Met Ser Val Gly Lys Val Phe
 100 105 110
 His Pro Gly Ile Ser Ser Asn His Thr Asp Asp Ser Pro Tyr Ser Trp
 115 120 125
 Ser Phe Pro Pro Tyr His Pro Ser Ser Glu Lys Tyr Glu Asn Thr Lys
 130 135 140
 Thr Cys Arg Gly Pro Asp Gly Glu Leu His Ala Asn Leu Leu Cys Pro
 145 150 155 160
 Val Asp Val Leu Asp Val Pro Glu Gly Thr Leu Pro Asp Lys Gln Ser
 165 170 175
 Thr Glu Gln Ala Ile Gln Leu Leu Glu Lys Met Lys Thr Ser Ala Ser
 180 185 190
 Pro Phe Phe Leu Ala Val Gly Tyr His Lys Pro His Ile Pro Phe Arg
 195 200 205
 Tyr Pro Lys Glu Phe Gln Lys Leu Tyr Pro Leu Glu Asn Ile Thr Leu
 210 215 220
 Ala Pro Asp Pro Glu Val Pro Asp Gly Leu Pro Pro Val Ala Tyr Asn
 225 230 235 240
 Pro Trp Met Asp Ile Arg Gln Arg Glu Asp Val Gln Ala Leu Asn Ile
 245 250 255
 Ser Val Pro Tyr Gly Pro Ile Pro Val Asp Phe Gln Arg Lys Ile Arg
 260 265 270

FP17-0775-00_Sequence listing

Gln Ser Tyr Phe Ala Ser Val Ser Tyr Leu Asp Thr Gln Val Gly Arg
275 280 285

Leu Leu Ser Ala Leu Asp Asp Leu Gln Leu Ala Asn Ser Thr Ile Ile
290 295 300

Ala Phe Thr Ser Asp His Gly Trp Ala Leu Gly Glu His Gly Glu Trp
305 310 315 320

Ala Lys Tyr Ser Asn Phe Asp Val Ala Thr His Val Pro Leu Ile Phe
325 330 335

Tyr Val Pro Gly Arg Thr Ala Ser Leu Pro Glu Ala Gly Glu Lys Leu
340 345 350

Phe Pro Tyr Leu Asp Pro Phe Asp Ser Ala Ser Gln Leu Met Glu Pro
355 360 365

Gly Arg Gln Ser Met Asp Leu Val Glu Leu Val Ser Leu Phe Pro Thr
370 375 380

Leu Ala Gly Leu Ala Gly Leu Gln Val Pro Pro Arg Cys Pro Val Pro
385 390 395 400

Ser Phe His Val Glu Leu Cys Arg Glu Gly Lys Asn Leu Leu Lys His
405 410 415

Phe Arg Phe Arg Asp Leu Glu Glu Asp Pro Tyr Leu Pro Gly Asn Pro
420 425 430

Arg Glu Leu Ile Ala Tyr Ser Gln Tyr Pro Arg Pro Ser Asp Ile Pro
435 440 445

Gln Trp Asn Ser Asp Lys Pro Ser Leu Lys Asp Ile Lys Ile Met Gly
450 455 460

Tyr Ser Ile Arg Thr Ile Asp Tyr Arg Tyr Thr Val Trp Val Gly Phe
465 470 475 480

Asn Pro Asp Glu Phe Leu Ala Asn Phe Ser Asp Ile His Ala Gly Glu
485 490 495

Leu Tyr Phe Val Asp Ser Asp Pro Leu Gln Asp His Asn Met Tyr Asn
500 505 510

Asp Ser Gln Gly Gly Asp Leu Phe Gln Leu Leu Met Pro
515 520 525

<210> 247
<211> 973
<212> PRT

FP17-0775-00_Sequence listing

<213> Artificial Sequence

<220>

<223> Amino acid sequence of the fusion protein of heavy chain of anti-hTfR antibody No.1 (humanized 6) and hI2S

<400> 247

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Leu Thr Phe Ser Asn Tyr
20 25 30

Gly Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Leu Val
35 40 45

Ala Asn Ile Asn Thr Asn Gly Gly Ser Thr Tyr Tyr Pro Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Thr Asn Asn Arg Tyr Asp Glu Asp Tyr Trp Gly Gln Gly Thr Leu Val
100 105 110

Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala
115 120 125

Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu
130 135 140

Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly
145 150 155 160

Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser
165 170 175

Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu
180 185 190

Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr
195 200 205

Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr
210 215 220

Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe
225 230 235 240

FP17-0775-00_Sequence listing

Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro
245 250 255

Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val
260 265 270

Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr
275 280 285

Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val
290 295 300

Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys
305 310 315 320

Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser
325 330 335

Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro
340 345 350

Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val
355 360 365

Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly
370 375 380

Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp
385 390 395 400

Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp
405 410 415

Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His
420 425 430

Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys Gly Ser
435 440 445

Ser Glu Thr Gln Ala Asn Ser Thr Thr Asp Ala Leu Asn Val Leu Leu
450 455 460

Ile Ile Val Asp Asp Leu Arg Pro Ser Leu Gly Cys Tyr Gly Asp Lys
465 470 475 480

Leu Val Arg Ser Pro Asn Ile Asp Gln Leu Ala Ser His Ser Leu Leu
485 490 495

Phe Gln Asn Ala Phe Ala Gln Gln Ala Val Cys Ala Pro Ser Arg Val
500 505 510

FP17-0775-00_Sequence listing

Ser Phe Leu Thr Gly Arg Arg Pro Asp Thr Thr Arg Leu Tyr Asp Phe
515 520 525

Asn Ser Tyr Trp Arg Val His Ala Gly Asn Phe Ser Thr Ile Pro Gln
530 535 540

Tyr Phe Lys Glu Asn Gly Tyr Val Thr Met Ser Val Gly Lys Val Phe
545 550 555 560

His Pro Gly Ile Ser Ser Asn His Thr Asp Asp Ser Pro Tyr Ser Trp
565 570 575

Ser Phe Pro Pro Tyr His Pro Ser Ser Glu Lys Tyr Glu Asn Thr Lys
580 585 590

Thr Cys Arg Gly Pro Asp Gly Glu Leu His Ala Asn Leu Leu Cys Pro
595 600 605

Val Asp Val Leu Asp Val Pro Glu Gly Thr Leu Pro Asp Lys Gln Ser
610 615 620

Thr Glu Gln Ala Ile Gln Leu Leu Glu Lys Met Lys Thr Ser Ala Ser
625 630 635 640

Pro Phe Phe Leu Ala Val Gly Tyr His Lys Pro His Ile Pro Phe Arg
645 650 655

Tyr Pro Lys Glu Phe Gln Lys Leu Tyr Pro Leu Glu Asn Ile Thr Leu
660 665 670

Ala Pro Asp Pro Glu Val Pro Asp Gly Leu Pro Pro Val Ala Tyr Asn
675 680 685

Pro Trp Met Asp Ile Arg Gln Arg Glu Asp Val Gln Ala Leu Asn Ile
690 695 700

Ser Val Pro Tyr Gly Pro Ile Pro Val Asp Phe Gln Arg Lys Ile Arg
705 710 715 720

Gln Ser Tyr Phe Ala Ser Val Ser Tyr Leu Asp Thr Gln Val Gly Arg
725 730 735

Leu Leu Ser Ala Leu Asp Asp Leu Gln Leu Ala Asn Ser Thr Ile Ile
740 745 750

Ala Phe Thr Ser Asp His Gly Trp Ala Leu Gly Glu His Gly Glu Trp
755 760 765

Ala Lys Tyr Ser Asn Phe Asp Val Ala Thr His Val Pro Leu Ile Phe
770 775 780

FP17-0775-00_Sequence listing

Tyr Val Pro Gly Arg Thr Ala Ser Leu Pro Glu Ala Gly Glu Lys Leu
785 790 795 800

Phe Pro Tyr Leu Asp Pro Phe Asp Ser Ala Ser Gln Leu Met Glu Pro
805 810 815

Gly Arg Gln Ser Met Asp Leu Val Glu Leu Val Ser Leu Phe Pro Thr
820 825 830

Leu Ala Gly Leu Ala Gly Leu Gln Val Pro Pro Arg Cys Pro Val Pro
835 840 845

Ser Phe His Val Glu Leu Cys Arg Glu Gly Lys Asn Leu Leu Lys His
850 855 860

Phe Arg Phe Arg Asp Leu Glu Glu Asp Pro Tyr Leu Pro Gly Asn Pro
865 870 875 880

Arg Glu Leu Ile Ala Tyr Ser Gln Tyr Pro Arg Pro Ser Asp Ile Pro
885 890 895

Gln Trp Asn Ser Asp Lys Pro Ser Leu Lys Asp Ile Lys Ile Met Gly
900 905 910

Tyr Ser Ile Arg Thr Ile Asp Tyr Arg Tyr Thr Val Trp Val Gly Phe
915 920 925

Asn Pro Asp Glu Phe Leu Ala Asn Phe Ser Asp Ile His Ala Gly Glu
930 935 940

Leu Tyr Phe Val Asp Ser Asp Pro Leu Gln Asp His Asn Met Tyr Asn
945 950 955 960

Asp Ser Gln Gly Gly Asp Leu Phe Gln Leu Leu Met Pro
965 970

<210> 248
<211> 3002
<212> DNA
<213> Artificial Sequence

<220>
<223> Nucleotide sequence encoding the amino acid sequence of fusion
protein of heavy chain of anti-hTfR antibody No.1 (humanized 6)
and hI2S, synthetic sequence

<400> 248
acgcgtgccg ccaccatggg ctggagctgg attctgctgt tcctcctgag cgtgacagca 60
ggagtgcaca gcgaagtgca gctggtcgaa tcaggggggg ggctggtgca gcctggaggc 120
agcctgagac tgtcctgcgc cgcttctggc ttgaccttta gcaactacgg gatgtcctgg 180
gtgcggcagg ctcttgga gggactggag ttggtggcca acatcaatac caacggcgga 240
agtacatact atcccgattc agtgaagggc cggttcacca tcagcaggga caacgccaaag 300

FP17-0775-00_Sequence listing

aacagcctgt atctgcagat gaactctctg agggccgagg atacagccgt gtactattgc	360
actaacaacc ggtacgacga ggactattgg ggccagggca ccctggtgac agtgtctagc	420
gcctctacca agggcccaag cgtgtttcct ctggctccat cctctaaatc cacctctggc	480
ggcacagccg ctctgggctg tctggtgaag gattacttcc cagagcccgt gacagtgtct	540
tggaaacagcg gcgccctgac ctccggcgtg cacacatttc ctgctgtgct gcagagctcc	600
ggcctgtaca gcctgtctag cgtggtgacc gtgccatcct ctagcctggg caccagaca	660
tatatctgca acgtgaatca caagcccagc aatacaaagg tggataagaa ggtggagcca	720
aagtcctgtg acaagacca cacaatgccc ccttgtcctg ctccagagct gctgggagga	780
ccaagcgtgt tcctgtttcc acccaagccc aaggataccc tgatgatctc tcggacccca	840
gaggtgacat gcgtgggtgt ggatgtgagc cacgaggacc ccgaggtgaa gttcaactgg	900
tatgtggacg gcgtggaggt gcacaatgct aagaccaagc ccagggagga gcagtacaac	960
tccacctata gagtgggtgtc tgtgtctgaca gtgtctgcacc aggattggct gaacggcaag	1020
gagtataagt gcaaggtgtc caataaggcc ctgcccgtc ctatcgagaa gaccatctct	1080
aaggccaagg gccagcccag agagcctcag gtgtacacac tgcctccatc ccgggatgag	1140
ctgaccaaga accaggtgtc tctgacatgt ctggtcaagg gcttctatcc ctctgacatc	1200
gccgtggagt gggagagcaa tggccagcct gagaacaatt acaagaccac accccctgtg	1260
ctggattccg acggctcttt ctttctgtat agcaagctga ccgtggacaa gtccccgtgg	1320
cagcagggca acgtgttcag ctgttccgtg atgcacgaag ctctgcataa tcactatact	1380
cagaaatccc tgtcactgtc acctggtaaa ggatcttccg aaacgcaggc caactcgacc	1440
acagatgctc tgaacgttct tctcatcatc gtggatgacc tgcgcccctc cctgggctgt	1500
tatggggata agctgggtgag gtccccaat attgaccaac tggcatccca cagcctcctc	1560
ttccagaatg cctttgcgca gcaagcagtg tgcgccccga gccgcgtttc tttcctcact	1620
ggcaggagac ctgacaccac ccgcctgtac gacttcaact cctactggag ggtgcacgt	1680
ggaaacttct ccaccatccc ccagtacttc aaggagaatg gctatgtgac catgtcgggtg	1740
ggaaaagtct ttcaccctgg gatatcttct aaccataccg atgattctcc gtatagctgg	1800
tcttttccac cttatcatcc ttcctctgag aagtatgaaa acactaagac atgtcgaggg	1860
ccagatggag aactccatgc caacctgctt tgccctgtgg atgtgctgga tgttcccag	1920
ggcaccttgc ctgacaaaca gagcactgag caagccatac agttgttggg aaagatgaaa	1980
acgtcagcca gtccttttct cctggccgtt gggatatcata agccacacat ccccttcaga	2040
tacccaagg aatttcagaa gttgtatccc ttggagaaca tcaccctggc ccccgatccc	2100
gaggtccctg atggcctacc ccctgtggcc tacaaccctt ggatggacat caggcaacgg	2160
gaagacgtcc aagccttaaa catcagtgtg ccgtatggtc caattcctgt ggactttcag	2220
cggaaaatcc gccagagcta ctttgccctt gtgtcatatt tggatacaca ggtcggccgc	2280
ctcttgagtg ctttggacga tcttcagctg gccaacagca ccatcattgc atttacctcg	2340

FP17-0775-00_Sequence listing

gatcatgggt gggctctagg tgaacatgga gaatgggcca aatacagcaa ttttgatgtt 2400
gctacccatg ttcccctgat attctatgtt cctggaagga cggcttcact tccggaggca 2460
ggcgagaagc ttttccctta cctcgaccct tttgattccg cctcacagt gatggagcca 2520
ggcaggcaat ccatggacct tgtggaactt gtgtctcttt ttcccacgct ggctggactt 2580
gcaggactgc aggttccacc tcgctgcccc gttccttcat ttcacgttga gctgtgcaga 2640
gaaggcaaga accttctgaa gcattttcga ttccgtgact tggaagaaga tccgtacctc 2700
cctggtaatc cccgtgaact gattgcctat agccagtatc cccggccttc agacatccct 2760
cagtgggaatt ctgacaagcc gagtttaaaa gatataaaga tcatgggcta ttccatacgc 2820
accatagact ataggtatac tgtgtgggtt ggcttcaatc ctgatgaatt tctagctaac 2880
ttttctgaca tccatgcagg ggaactgtat tttgtggatt ctgaccatt gcaggatcac 2940
aatatgtata atgattccca aggtggagac cttttccagt tgttgatgcc ttaagcggcc 3000
gc 3002

<210> 249
<211> 980
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of the fusion protein of heavy chain of anti-hTfR antibody No.2 (humanized 6) and hI2S

<400> 249

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
20 25 30

Val Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Ile
35 40 45

Gly Val Ile Ser Thr Tyr Tyr Gly His Gly Ser Tyr Asn Gln Arg Phe
50 55 60

Lys Gly Arg Ala Thr Met Thr Val Asp Lys Ser Ile Ser Thr Ala Tyr
65 70 75 80

Met Glu Leu Val Arg Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Val Arg Gly Gly Tyr Gly Ser Ser Ser Leu Ala Gly Asn Phe Asp Val
100 105 110

Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala Ser Thr Lys Gly
115 120 125

FP17-0775-00_Sequence listing

Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Ser	Ser	Lys	Ser	Thr	Ser	Gly	Gly
	130					135					140				
Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val
145					150					155					160
Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe
				165					170					175	
Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val
			180					185					190		
Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Ile	Cys	Asn	Val
		195					200					205			
Asn	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Lys	Val	Glu	Pro	Lys
	210					215					220				
Ser	Cys	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Leu
225					230					235					240
Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr
				245					250					255	
Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val
			260					265					270		
Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val
		275					280					285			
Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	Asn	Ser
	290					295					300				
Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu
305					310					315					320
Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu	Pro	Ala
				325					330					335	
Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu	Pro
			340					345					350		
Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Asp	Glu	Leu	Thr	Lys	Asn	Gln
		355					360					365			
Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile	Ala
	370					375					380				
Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr	Thr
385					390					395					400

FP17-0775-00_Sequence listing

Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
405 410 415

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
420 425 430

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
435 440 445

Leu Ser Pro Gly Lys Gly Ser Ser Glu Thr Gln Ala Asn Ser Thr Thr
450 455 460

Asp Ala Leu Asn Val Leu Leu Ile Ile Val Asp Asp Leu Arg Pro Ser
465 470 475 480

Leu Gly Cys Tyr Gly Asp Lys Leu Val Arg Ser Pro Asn Ile Asp Gln
485 490 495

Leu Ala Ser His Ser Leu Leu Phe Gln Asn Ala Phe Ala Gln Gln Ala
500 505 510

Val Cys Ala Pro Ser Arg Val Ser Phe Leu Thr Gly Arg Arg Pro Asp
515 520 525

Thr Thr Arg Leu Tyr Asp Phe Asn Ser Tyr Trp Arg Val His Ala Gly
530 535 540

Asn Phe Ser Thr Ile Pro Gln Tyr Phe Lys Glu Asn Gly Tyr Val Thr
545 550 555 560

Met Ser Val Gly Lys Val Phe His Pro Gly Ile Ser Ser Asn His Thr
565 570 575

Asp Asp Ser Pro Tyr Ser Trp Ser Phe Pro Pro Tyr His Pro Ser Ser
580 585 590

Glu Lys Tyr Glu Asn Thr Lys Thr Cys Arg Gly Pro Asp Gly Glu Leu
595 600 605

His Ala Asn Leu Leu Cys Pro Val Asp Val Leu Asp Val Pro Glu Gly
610 615 620

Thr Leu Pro Asp Lys Gln Ser Thr Glu Gln Ala Ile Gln Leu Leu Glu
625 630 635 640

Lys Met Lys Thr Ser Ala Ser Pro Phe Phe Leu Ala Val Gly Tyr His
645 650 655

Lys Pro His Ile Pro Phe Arg Tyr Pro Lys Glu Phe Gln Lys Leu Tyr
660 665 670

FP17-0775-00_Sequence listing

Pro Leu Glu Asn Ile Thr Leu Ala Pro Asp Pro Glu Val Pro Asp Gly
675 680 685

Leu Pro Pro Val Ala Tyr Asn Pro Trp Met Asp Ile Arg Gln Arg Glu
690 695 700

Asp Val Gln Ala Leu Asn Ile Ser Val Pro Tyr Gly Pro Ile Pro Val
705 710 715 720

Asp Phe Gln Arg Lys Ile Arg Gln Ser Tyr Phe Ala Ser Val Ser Tyr
725 730 735

Leu Asp Thr Gln Val Gly Arg Leu Leu Ser Ala Leu Asp Asp Leu Gln
740 745 750

Leu Ala Asn Ser Thr Ile Ile Ala Phe Thr Ser Asp His Gly Trp Ala
755 760 765

Leu Gly Glu His Gly Glu Trp Ala Lys Tyr Ser Asn Phe Asp Val Ala
770 775 780

Thr His Val Pro Leu Ile Phe Tyr Val Pro Gly Arg Thr Ala Ser Leu
785 790 795 800

Pro Glu Ala Gly Glu Lys Leu Phe Pro Tyr Leu Asp Pro Phe Asp Ser
805 810 815

Ala Ser Gln Leu Met Glu Pro Gly Arg Gln Ser Met Asp Leu Val Glu
820 825 830

Leu Val Ser Leu Phe Pro Thr Leu Ala Gly Leu Ala Gly Leu Gln Val
835 840 845

Pro Pro Arg Cys Pro Val Pro Ser Phe His Val Glu Leu Cys Arg Glu
850 855 860

Gly Lys Asn Leu Leu Lys His Phe Arg Phe Arg Asp Leu Glu Glu Asp
865 870 875 880

Pro Tyr Leu Pro Gly Asn Pro Arg Glu Leu Ile Ala Tyr Ser Gln Tyr
885 890 895

Pro Arg Pro Ser Asp Ile Pro Gln Trp Asn Ser Asp Lys Pro Ser Leu
900 905 910

Lys Asp Ile Lys Ile Met Gly Tyr Ser Ile Arg Thr Ile Asp Tyr Arg
915 920 925

Tyr Thr Val Trp Val Gly Phe Asn Pro Asp Glu Phe Leu Ala Asn Phe
930 935 940

FP17-0775-00_Sequence listing

Ser Asp Ile His Ala Gly Glu Leu Tyr Phe Val Asp Ser Asp Pro Leu
945 950 955 960

Gln Asp His Asn Met Tyr Asn Asp Ser Gln Gly Gly Asp Leu Phe Gln
965 970 975

Leu Leu Met Pro
980

<210> 250
<211> 3023
<212> DNA
<213> Artificial Sequence

<220>
<223> Nucleotide sequence encoding the amino acid sequence of fusion protein of heavy chain of anti-hTfR antibody No.2 (humanized 6) and hI2S, synthetic sequence

```

<400> 250
acgcgtgccg ccaccatggg ctggagctgg attctgctgt tcctcctgag cgtgacagca      60
ggagtgcaca gccagggtgca gctggtccag tcaggagccg aagtgaaaaa gcccggagcc      120
tcagtcaaag tgtcttgtaa agcatcaggt tatacattta cagactacgt catgcactgg      180
gtgaggcagg cacctggaca gggctctggaa tggatcggcg tgatctccac ttactatggc      240
catggaagct acaaccagag attcaagggc agggcgacaa tgactgtaga caaatcaatt      300
tccactgctt atatggagct ggtaaggctg cgggtccgacg ataccgctgt gtactattgc      360
gtacgaggag gatacggtc cagctctctg gctggtaatt tcgatgtgtg ggggcagggt      420
accacagtca ccgtgagttc agcaagcaca aagggcccat ctgtgtttcc actggccccc      480
tccagcaaaa gcacctctgg gggtagagcc gctctgggat gtctggtgaa ggattatttc      540
ccagagccag tcaccgtgtc ctggaacagc ggagccctga catctggagt ccacactttt      600
ccagctgtgc tgcagtctag tgggctgtac tccctgtcat ccgtggtcac tgtccccagc      660
tctagtctgg gtacccagac atatatctgc aacgtgaatc acaagccatc taataccaaa      720
gtcgacaaga aagtggaacc caagtcctgt gataaaactc atacctgccc cccttgcct      780
gcaccagagc tgctgggagg accatccgtg ttcctgtttc cacccaagcc taaagacacc      840
ctgatgatta gccgaactcc cgaagtcacc tgcgtggctg tggacgtgtc tcacgaggac      900
cctgaagtca agtttaactg gtacgtggat ggcgtcgagg tgcataatgc taagacaaaa      960
ccccgagagg aacagtacaa cagtacatat cgtgtcgtgt cagtgtgac cgtcctgcat     1020
caggactggc tgaacgggaa ggaatataag tgcaaagtgt ccaataaggc actgcccgcc     1080
cctatcgaga aaaccattag caaggccaaa ggacagccta gggaaccaca ggtgtacaca     1140
ctgcctccat cccgggacga gctgactaag aaccagggtc gcctgacctg tctggtgaaa     1200
ggcttctatc cttcagatat cgctgtggag tgggaaagta atggacagcc agagaacaat     1260
tacaagacta cccccctgt gctggactct gatgggagtt tctttctgta ttctaagctg     1320

```

FP17-0775-00_Sequence listing

accgtggata aaagtcggtg gcagcagggg aatgtcttta gttgttcagt gatgcacgaa	1380
gcaactgcaca accactacac ccagaaatca ctgtcactgt caccagggaa aggatcttcc	1440
gaaacgcagg ccaactcgac cacagatgct ctgaacgttc ttctcatcat cgtggatgac	1500
ctgcgccccct ccctgggctg ttatggggat aagctgggtga ggtccccaaa tattgaccaa	1560
ctggcatccc acagcctcct cttccagaat gcctttgcgc agcaagcagt gtgcgccccg	1620
agccgcgttt ctttcctcac tggcaggaga cctgacacca cccgcctgta cgacttcaac	1680
tcctactgga ggggtgcacgc tggaaacttc tccaccatcc ccagttactt caaggagaat	1740
ggctatgtga ccatgtcggg gggaaaagtc tttcaccctg ggatatcttc taaccatacc	1800
gatgattctc cgtatagctg gtctttttcca cttatcatc cttcctctga gaagtatgaa	1860
aacactaaga catgtcgagg gccagatgga gaactccatg ccaacctgct ttgccctgtg	1920
gatgtgctgg atgttcccga gggcaccttg cctgacaaac agagcactga gcaagccata	1980
cagttgttgg aaaagatgaa aacgtcagcc agtcctttct tcctggccgt tgggtatcat	2040
aagccacaca tccccctcag ataccccaag gaatttcaga agttgtatcc cttggagaac	2100
atcaccttg ccccgatcc cgaggctcct gatggcctac cccctgtggc ctacaacccc	2160
tggatggaca tcaggcaacg ggaagacgtc caagccttaa acatcagtgt gccgatggg	2220
ccaattcctg tggactttca gcggaaaatc cgccagagct actttgcctc tgtgtcatat	2280
ttggatacac aggtcggccg cctcttgagt gctttggacg atcttcagct ggccaacagc	2340
accatcattg catttacctc ggatcatggg tgggctctag gtgaacatgg agaatgggcc	2400
aaatacagca attttgatgt tgctacccat gttcccctga tattctatgt tcctggaagg	2460
acggcttcac ttccggaggc aggcgagaag cttttccctt acctcgaccc ttttgattcc	2520
gcctcacagt tgatggagcc aggcaggcaa tccatggacc ttgtggaact tgtgtctctt	2580
tttccacgc tggctggact tgcaggactg caggttccac ctcgctgccc cgttccttca	2640
tttcacgttg agctgtgcag agaaggcaag aaccttctga agcattttcg attccgtgac	2700
ttggaagaag atccgtacct ccctggtaat ccccgatgaac tgattgccta tagccagtat	2760
ccccggcctt cagacatccc tcagtggaat tctgacaagc cgagtttaaa agatataaag	2820
atcatgggct attccatacg caccatagac tataggata ctgtgtgggt tggcttcaat	2880
cctgatgaat ttctagctaa cttttctgac atccatgcag gggaaactgta tttgtggat	2940
tctgacccat tgcaggatca caatatgtat aatgattccc aaggaggaga cttttccag	3000
ttgttgatgc ctttaagcggc cgc	3023

<210> 251
 <211> 975
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence of fusion protein of heavy chain of anti-hTfR antibody No.3 (humanized 2) and hI2S, synthetic sequence

FP17-0775-00_Sequence listing

<400> 251

```

Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Glu
1      5      10      15
Ser Leu Lys Ile Ser Cys Lys Gly Ser Gly Tyr Ser Phe Thr Asn Tyr
20      25      30
Trp Leu Gly Trp Val Arg Gln Met Pro Gly Lys Gly Leu Glu Trp Met
35      40      45
Gly Asp Ile Tyr Pro Gly Gly Asp Tyr Pro Thr Tyr Ser Glu Lys Phe
50      55      60
Lys Val Gln Val Thr Ile Ser Ala Asp Lys Ser Ile Ser Thr Ala Tyr
65      70      75      80
Leu Gln Trp Ser Ser Leu Lys Ala Ser Asp Thr Ala Met Tyr Tyr Cys
85      90      95
Ala Arg Ser Gly Asn Tyr Asp Glu Val Ala Tyr Trp Gly Gln Gly Thr
100     105     110
Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro
115     120     125
Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly
130     135     140
Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn
145     150     155     160
Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln
165     170     175
Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser
180     185     190
Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser
195     200     205
Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr
210     215     220
His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser
225     230     235     240
Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg
245     250     255
Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro
260     265     270

```

FP17-0775-00_Sequence listing

Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala
 275 280 285
 Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val
 290 295 300
 Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr
 305 310 315 320
 Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr
 325 330 335
 Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu
 340 345 350
 Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys
 355 360 365
 Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser
 370 375 380
 Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp
 385 390 395 400
 Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser
 405 410 415
 Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala
 420 425 430
 Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
 435 440 445
 Gly Ser Ser Glu Thr Gln Ala Asn Ser Thr Thr Asp Ala Leu Asn Val
 450 455 460
 Leu Leu Ile Ile Val Asp Asp Leu Arg Pro Ser Leu Gly Cys Tyr Gly
 465 470 475 480
 Asp Lys Leu Val Arg Ser Pro Asn Ile Asp Gln Leu Ala Ser His Ser
 485 490 495
 Leu Leu Phe Gln Asn Ala Phe Ala Gln Gln Ala Val Cys Ala Pro Ser
 500 505 510
 Arg Val Ser Phe Leu Thr Gly Arg Arg Pro Asp Thr Thr Arg Leu Tyr
 515 520 525
 Asp Phe Asn Ser Tyr Trp Arg Val His Ala Gly Asn Phe Ser Thr Ile
 530 535 540

FP17-0775-00_Sequence listing

Pro Gln Tyr Phe Lys Glu Asn Gly Tyr Val Thr Met Ser Val Gly Lys
 545 550 555 560
 Val Phe His Pro Gly Ile Ser Ser Asn His Thr Asp Asp Ser Pro Tyr
 565 570 575
 Ser Trp Ser Phe Pro Pro Tyr His Pro Ser Ser Glu Lys Tyr Glu Asn
 580 585 590
 Thr Lys Thr Cys Arg Gly Pro Asp Gly Glu Leu His Ala Asn Leu Leu
 595 600 605
 Cys Pro Val Asp Val Leu Asp Val Pro Glu Gly Thr Leu Pro Asp Lys
 610 615 620
 Gln Ser Thr Glu Gln Ala Ile Gln Leu Leu Glu Lys Met Lys Thr Ser
 625 630 635 640
 Ala Ser Pro Phe Phe Leu Ala Val Gly Tyr His Lys Pro His Ile Pro
 645 650 655
 Phe Arg Tyr Pro Lys Glu Phe Gln Lys Leu Tyr Pro Leu Glu Asn Ile
 660 665 670
 Thr Leu Ala Pro Asp Pro Glu Val Pro Asp Gly Leu Pro Pro Val Ala
 675 680 685
 Tyr Asn Pro Trp Met Asp Ile Arg Gln Arg Glu Asp Val Gln Ala Leu
 690 695 700
 Asn Ile Ser Val Pro Tyr Gly Pro Ile Pro Val Asp Phe Gln Arg Lys
 705 710 715 720
 Ile Arg Gln Ser Tyr Phe Ala Ser Val Ser Tyr Leu Asp Thr Gln Val
 725 730 735
 Gly Arg Leu Leu Ser Ala Leu Asp Asp Leu Gln Leu Ala Asn Ser Thr
 740 745 750
 Ile Ile Ala Phe Thr Ser Asp His Gly Trp Ala Leu Gly Glu His Gly
 755 760 765
 Glu Trp Ala Lys Tyr Ser Asn Phe Asp Val Ala Thr His Val Pro Leu
 770 775 780
 Ile Phe Tyr Val Pro Gly Arg Thr Ala Ser Leu Pro Glu Ala Gly Glu
 785 790 795 800
 Lys Leu Phe Pro Tyr Leu Asp Pro Phe Asp Ser Ala Ser Gln Leu Met
 805 810 815

FP17-0775-00_Sequence listing

Glu Pro Gly Arg Gln Ser Met Asp Leu Val Glu Leu Val Ser Leu Phe
820 825 830

Pro Thr Leu Ala Gly Leu Ala Gly Leu Gln Val Pro Pro Arg Cys Pro
835 840 845

Val Pro Ser Phe His Val Glu Leu Cys Arg Glu Gly Lys Asn Leu Leu
850 855 860

Lys His Phe Arg Phe Arg Asp Leu Glu Glu Asp Pro Tyr Leu Pro Gly
865 870 875 880

Asn Pro Arg Glu Leu Ile Ala Tyr Ser Gln Tyr Pro Arg Pro Ser Asp
885 890 895

Ile Pro Gln Trp Asn Ser Asp Lys Pro Ser Leu Lys Asp Ile Lys Ile
900 905 910

Met Gly Tyr Ser Ile Arg Thr Ile Asp Tyr Arg Tyr Thr Val Trp Val
915 920 925

Gly Phe Asn Pro Asp Glu Phe Leu Ala Asn Phe Ser Asp Ile His Ala
930 935 940

Gly Glu Leu Tyr Phe Val Asp Ser Asp Pro Leu Gln Asp His Asn Met
945 950 955 960

Tyr Asn Asp Ser Gln Gly Gly Asp Leu Phe Gln Leu Leu Met Pro
965 970 975

<210> 252
<211> 3011
<212> DNA
<213> Artificial Sequence

<220>
<223> Nucleotide sequence encoding the amino acid sequence of fusion protein of heavy chain of anti-hTfR antibody No.3 (humanized 2) and hI2S, synthetic sequence

<400> 252
acgcgtgccg ccaccatggg ctggagctgg attctgctgt tcctcctgag cgtgacagca 60
ggagtgcaca gcgaggtgca actagtgcag tctggagcag aggtgaaaaa gcccggggag 120
tctctgaaga tttcctgtaa gggttctgga tacagcttta ccaactactg gctgggatgg 180
gtgcgccaga tgcccgggaa aggctggag tggatggggg acatctaccc cggcggagac 240
taccctacat acagcgagaa gttcaagggtc caggtcacca tctcagccga caagtccatc 300
agcaccgcct acctgcagtg gagcagcctg aaggcctcgg acaccgccat gtattactgt 360
gcgagatcag gcaattacga cgaagtggcc tactggggcc aaggaaccct ggtcaccgtc 420
tcctcagcta gcaccaaggg cccatcggtc ttccccctgg caccctcctc caagagcacc 480

FP17-0775-00_Sequence listing

tctgggggca	cagcggccct	gggctgcctg	gtcaaggact	acttccccga	accggtgacg	540
gtgtcgtgga	actcaggcgc	cctgaccagc	ggcgtgcaca	ccttcccggc	tgtcctacag	600
tcctcaggac	tctactccct	cagcagcgtg	gtgaccgtgc	cctccagcag	cttgggcacc	660
cagacctaca	tctgcaacgt	gaatcacaag	cccagcaaca	ccaaggtgga	caagaaagtt	720
gagcccaaat	cttgtgacaa	aactcacacg	tgccccaccgt	gcccagcacc	tgaactcctg	780
ggaggtccgt	cagtcttcct	cttcccccca	aaacccaagg	acaccctcat	gatctcccgg	840
acccctgagg	tcacatgcgt	ggagggtggac	gtgagccacg	aagaccctga	ggtcaagttc	900
aactggtacg	tggacggcgt	ggaggtgcat	aatgccaaaga	caaagccgcg	ggaggagcag	960
tacaacagca	cgtaccgggt	ggtcagcgtc	ctcaccgtcc	tgcaccagga	ctggctgaat	1020
ggcaaggagt	acaagtgcaa	ggtctccaac	aaagccctcc	cagcccccat	cgagaaaacc	1080
atctccaaag	ccaaagggca	gccccgagaa	ccacaggtgt	acaccctgcc	cccatcccgg	1140
gatgagctga	ccaagaacca	ggtcagcctg	acctgcctgg	tcaaaggctt	ctatcccagc	1200
gacatcgccg	tggagtggga	gagcaatggg	cagccggaga	acaactacaa	gaccacgcct	1260
cccgtgctgg	actccgacgg	ctccttcttc	ctctacagca	agctcaccgt	ggacaagagc	1320
aggtggcagc	aggggaacgt	cttctcatgc	tccgtgatgc	atgaggctct	gcacaaccac	1380
tacacgcaga	agagcctctc	cctgtctccg	ggtaaaggat	cttccgaaac	gcaggccaac	1440
tcgaccacag	atgctctgaa	cgttcttctc	atcatcgtgg	atgacctgcg	cccctccctg	1500
ggctgttatg	gggataagct	ggtgaggtcc	ccaaatattg	accaactggc	atcccacagc	1560
ctcctcttcc	agaatgcctt	tgcgagcaaa	gcagtgtgcg	ccccgagccg	cgtttcttct	1620
ctcactggca	ggagacctga	caccacccgc	ctgtacgact	tcaactccta	ctggaggggtg	1680
cacgctggaa	acttctccac	catccccag	tacttcaagg	agaatggcta	tgtgaccatg	1740
tcggtgggaa	aagtctttca	ccctgggata	tcttctaacc	ataccgatga	ttctccgtat	1800
agctggctct	ttccacctta	tcatccttcc	tctgagaagt	atgaaaacac	taagacatgt	1860
cgagggccag	atggagaact	ccatgccaac	ctgctttgcc	ctgtggatgt	gctggatgtt	1920
cccgagggca	ccttgcctga	caaacagagc	actgagcaag	ccatacagtt	gttggaagaa	1980
atgaaaacgt	cagccagtcc	tttcttcctg	gccgttgggt	atcataagcc	acacatcccc	2040
ttcagatacc	ccaaggaatt	tcagaagttg	tatcccttgg	agaacatcac	cctggcccc	2100
gatcccagag	tccctgatgg	cctaccccct	gtggcctaca	acccctggat	ggacatcagg	2160
caacgggaag	acgtccaagc	cttaaacatc	agtgtgccgt	atggtccaat	tcctgtggac	2220
tttcagcgga	aaatccgcca	gagctacttt	gcctctgtgt	catatttgga	tacacaggtc	2280
ggccgcctct	tgagtgcctt	ggacgatctt	cagctggcca	acagcaccat	cattgcattt	2340
acctcggatc	atgggtgggc	tctaggtgaa	catggagaat	gggcaaata	cagcaatttt	2400
gatgttgcta	cccatgttcc	cctgatattc	tatgttcctg	gaaggacggc	ttcacttccg	2460
gaggcaggcg	agaagctttt	cccttacctc	gacccttttg	attccgcctc	acagttgatg	2520

FP17-0775-00_Sequence listing

gagccaggca ggcaatccat ggaccttggt gaacttgtgt ctctttttcc cacgctggct	2580
ggacttgcag gactgcaggt tccacctcgc tgccccgttc cttcatttca cgttgagctg	2640
tgcagagaag gcaagaacct tctgaagcat tttcgattcc gtgacttggga agaagatccg	2700
tacctccctg gtaatccccg tgaactgatt gcctatagcc agtatccccg gccttcagac	2760
atccctcagt ggaattctga caagccgagt ttaaaaagata taaagatcat gggctattcc	2820
atacgcacca tagactatag gtatactgtg tgggttggct tcaatcctga tgaatttcta	2880
gctaactttt ctgacatcca tgcaggggaa ctgtattttg tggattctga cccattgcag	2940
gatcacataa tgtataatga ttcccaaggt ggagacctt tccagttgtt gatgccttaa	3000
taagcggccg c	3011

<210> 253
 <211> 4460
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Nucleotide sequence of the DNA formed of a cDNA encoding chimeric hTfr and a loxP-flanked neomycin resistance gene placed on the cDNA's 3' side, synthetic sequence

<400> 253	
gtttatcctc ccttgtagca gctgagaatg atggatcaag ccagatcagc attctctaac	60
ttgtttggtg ggggaaccatt gtcatacacc cggttttagcc ttgctcggca agtagatgga	120
gataacagtc atgtggagat gaaactggct gcagatgaag aagaaaaatgc cgacaataac	180
atgaaggcta gtgtcagaaa acccaagagg tttaatggaa gactctgctt tgcagctatt	240
gcactagtca ttttcttctt gattggattc atgagtggct acctgggcta ttgtaaaggg	300
gtagaaccaa aaactgagtg tgagagactg gcaggaaccg agtctccagt gagggaggag	360
ccaggagagg acttccctgc agcacgtcgc ttatattggg atgacctgaa gagaaagttg	420
tcggagaaac tggacagcac agacttcacc ggcaccatca agctgctgaa tgaaaattca	480
tatgtccctc gtgaggctgg atctcaaaaa gatgaaaatc ttgcgttgta tgttgaaaat	540
caatttcgtg aatttaaact cagcaaagtc tggcgtgatc aacattttgt taagattcag	600
gtcaaagaca gcgctcaaaa ctcggtgatc atagttgata agaacggtag acttgtttac	660
ctggttgaga atcctggggg ttatgtggcg tatagtaagg ctgcaacagt tactggtaaa	720
ctggtccatg ctaatttttg tactaaaaaa gattttgagg atttatacac tcctgtgaat	780
ggatctatag tgattgtcag agcaggggaaa atcacctttg cagaaaaggt tgcaaagtct	840
gaaagcttaa atgcaattgg tgtgttgata tacatggacc agactaaatt tcccattgtt	900
aacgcagAAC tttcattctt tggacatgct catctgggga caggtgaccc ttacacacct	960
ggattccctt ccttcaatca cactcagttt ccaccatctc ggtcatcagg attgcctaatt	1020
atacctgtcc agacaatctc cagagctgct gcagaaaagc tgtttgggaa tatggaagga	1080
gactgtccct ctgactggaa aacagactct acatgtagga tggtaacctc agaaagcaag	1140

FP17-0775-00_Sequence listing

aatgtgaagc	tcactgtgag	caatgtgctg	aaagagataa	aaattcttaa	catctttgga	1200
gttattaaag	gctttgtaga	accagatcac	tatgttgtag	ttggggccca	gagagatgca	1260
tggggccctg	gagctgcaaa	atccggtgta	ggcacagctc	tcctattgaa	acttgcccag	1320
atgtttctcag	atatggtctt	aaaagatggg	tttcagccca	gcagaagcat	tatctttgcc	1380
agttggagtg	ctggagactt	tggatcgggt	ggtgccactg	aatggctaga	gggatacctt	1440
tcgtccctgc	atttaaaggc	tttcacttat	attaatctgg	ataaagcgg	tcttgggtacc	1500
agcaacttca	aggtttctgc	cagcccactg	ttgtatacgc	ttattgagaa	aacaatgcaa	1560
aatgtgaagc	atccggttac	tgggcaattt	ctatatcagg	acagcaactg	ggccagcaaa	1620
gttgagaaac	tcactttaga	caatgctgct	ttccctttcc	ttgcatattc	tggaaatccca	1680
gcagtttctt	tctgtttttg	cgaggacaca	gattatcctt	atttgggtac	caccatggac	1740
acctataagg	aactgattga	gaggattcct	gagttgaaca	aagtggcacg	agcagctgca	1800
gaggtcgctg	gtcagttcgt	gattaaacta	acccatgatg	ttgaattgaa	cctggactat	1860
gagaggtaca	acagccaact	gctttcattt	gtgagggatc	tgaaccaata	cagagcagac	1920
ataaaggaaa	tgggcctgag	tttacagtgg	ctgtattctg	ctcgtggaga	cttcttccgt	1980
gctacttcca	gactaacaac	agatttcggg	aatgctgaga	aaacagacag	atttgtcatg	2040
aagaaactca	atgatcgtgt	catgagagtg	gagtatcact	tcctctctcc	ctacgtatct	2100
ccaaaagagt	ctcctttccg	acatgtcttc	tggggctccg	gctctcacac	gctgccagct	2160
ttactggaga	acttgaaact	gcgtaaacia	aataacgggtg	cttttaatga	aacgctgttc	2220
agaaaccagt	tggctctagc	tacttggact	attcagggag	ctgcaaatgc	cctctctggt	2280
gacgtttggg	acattgacaa	tgagttttta	cgtggctcgc	tgatcagcct	cgactgtgcc	2340
ttctagttgc	cagccatctg	ttgtttgccc	ctccccctg	ccttccttga	ccctggaagg	2400
tgccactccc	actgtccttt	cctaataaaa	tgaggaaatt	gcatcgcat	gtctgagtag	2460
gtgtcattct	attctggggg	gtgggggtgg	gcaggacagc	aagggggagg	attgggaaga	2520
caatagcagg	catgctgggg	atgcggtggg	ctctatggct	tctgaggcgg	aaagaaccag	2580
ctggggctcg	atcctctagt	taagcttccc	agcggccgct	atcgaattcc	gatcatattc	2640
aataaccctt	aatataactt	cgtataatgt	atgctatacg	aagttattag	gtctgaagag	2700
gagtttacgt	ccagccaagc	taattctacc	gggtagggga	ggcgcttttc	ccaaggcagt	2760
ctggagcatg	cgcttttagc	gccccgctgg	gcacttggcg	ctacacaagt	ggcctctggc	2820
ctcgcacaca	ttccacatcc	accggtaggc	gccaaccggc	tccgttcttt	ggtggcccct	2880
tcgcgccacc	ttctactcct	cccctagtca	ggaagtcccc	ccccgccccg	cagctcgcgt	2940
cgtgcaggac	gtgacaaatg	gaagtagcac	gtctcactag	tctcgtgcag	atggacagca	3000
ccgctgagca	atggaagcgg	gtaggccttt	ggggcagcgg	ccaatagcag	ctttgtctct	3060
tcgctttctg	ggctcagagg	ctgggaaggg	gtgggtccgg	gggcgggctc	aggggcgggc	3120
tcaggggcgg	ggcgggcgcc	cgaaggctct	ccggaggccc	ggcattctgc	acgcttcaaa	3180

FP17-0775-00_Sequence listing

agcgcacgctc	tgccgcgctg	ttctcctctt	cctcatctcc	gggcctttcg	acctgcagcc	3240
aatatgggat	cggccattga	acaagatgga	ttgcacgcag	gttctccggc	cgcttgggtg	3300
gagaggctat	tcggctatga	ctgggcacaa	cagacaatcg	gctgctctga	tgccgccgtg	3360
ttccggctgt	cagcgcaggg	gcgcccgggt	ctttttgtca	agaccgacct	gtccggtgcc	3420
ctgaatgaac	tgaggagcga	ggcagcgcgg	ctatcggtgg	tggccacgac	gggcgttcct	3480
tgcgcagctg	tgctcgacgt	tgtcactgaa	gcgggaaggg	actggctgct	attgggcgaa	3540
gtgccggggc	aggatctcct	gtcatctcac	cttgctcctg	ccgagaaaagt	atccatcatg	3600
gctgatgcaa	tgcggcggct	gcatacgctt	gatccgggcta	cctgcccatt	cgaccaccaa	3660
gcgaaacatc	gcatcgagcg	agcacgtact	cggatggaag	ccggtcttgt	cgatcaggat	3720
gatctggacg	aagagcatca	ggggctcgcg	ccagccgaac	tgttcgccag	gctcaaggcg	3780
cgcattgccc	acggcgagga	tctcgtcgtg	acccatggcg	atgcctgctt	gccgaatatc	3840
atggttgaaa	atggccgctt	ttctggattc	atcgactgtg	gccggctggg	tgtggcggac	3900
cgctatcagg	acatagcggt	ggctacccgt	gatattgctg	aagagcttgg	cggcgaatgg	3960
gctgaccgct	tcctcgtgct	ttacgggtatc	gccgctcccg	attcgcacgcg	catcgccttc	4020
tatcgccttc	ttgacgagtt	cttctgaggg	gatccgctgt	aagtctgcag	aaattgatga	4080
tctattaaac	aataaagatg	tccactaaaa	tggaagtttt	tcctgtcata	ctttgttaag	4140
aagggtgaga	acagagtacc	tacattttga	atggaaggat	tggagctacg	gggggtggggg	4200
tggggtgagg	ttagataaat	gcctgctctt	tactgaaggc	tctttactat	tgctttatga	4260
taatgtttca	tagttggata	tcataattta	aacaagcaaa	accaaattaa	gggccagctc	4320
attcctccca	ctcatgatct	atagatccct	cgatcgagat	ccggaaccct	taatataact	4380
tcgtataatg	tatgctatac	gaagttatta	ggtccctcga	agaggttcac	tagttctaga	4440
gcatttaaat	acgtgctagc					4460

<210> 254
 <211> 5003
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Nucleotide sequence of the 5'-arm of targeting vector

<400> 254	
aaagacattc	ccaggggtccc taagggctcc atctgggagc gcgctatctg tagtcctgtt 60
gtggtttaag	ataccactct ctttgttatt tgtaaattta ccacaggctg ggagtaaaag 120
tacagatagg	aagaaaagag tgtgaacgtt tgcagtttta acagaactcc ttttatttgc 180
tatgcattgc	aacaaccctc taaaagcaat aatggcgata aacatgcaag ttaatctaca 240
actttatcac	cctagtaaat cattgggtcc tatttccctt ccataggctg aacatagtga 300
gcactggtag	ctctttgctt ggcttaagcg ctgcttggtt aaatctaaaa aaaaaaaaaa 360
aaaagatttg	cagttttgct ttaaagtttt tccttttaaag catctctgag ctgcaaaaac 420

FP17-0775-00_Sequence listing

tcgtcttttag gatatggttt tggcggagac ctaagcctgc aagtaggaat atttttaaaga	480
gtaaaggctg atacttttcga acttgcaccg cagggttggg tgtcgggtcaa ggtaggcgg	540
agggcgacag gccaactcca aagacacggc gggggagggg tgccgtggag aaagcgagcc	600
gcagccaatc gcacgcgctc tcccgcacc tgccgccttg gcgccttttc taggctactc	660
cgcgcacgca ctggctgcgc gcgcagttcg cctccagcgg tcttggggga gcacctcggt	720
aggtgtacgt gcggaaggaa gtgacgtaga tccagagggc cggccggggg gtggggccga	780
gctataagct ttgggtggga ggcagcgctg ccttcagaag gcgtgcggag cgcgggctgc	840
tgcattgcgg actgtagagg cgcttcctag tgagtgactc ccttgtcagc ggcacggccc	900
atcgtggtcc tcgcgtggcg ggcggaccag agcgagacgc cagggcctgg gtggtgcggg	960
cggggaggcg gaggggtgtc gcggagtccg gggctgagga gcgcgggttg cagggtgcagc	1020
gcggtgggtg tggggagccg ctgtaccctg cgccccctcg gtcctccggg ccttcgcagg	1080
ccagtgtctag gccgcggggt cgagagtcac cacgctgagg cgagggttg ttccgccggg	1140
agcacgtggt ggcggctgga ggaagtcgcc ccagggaacg gctgtcgggg tacgtgggtg	1200
accttggggc ccctcgcagg agggcgctac agctgaaaag gacaaagctg ttttctattc	1260
ggttactagt gtcacggaca tttagagggg cggggggagc ttccaataac tgcacgttgg	1320
aacttcggca ccacctggtc ggtttttttg ccagtctctc cctcttggcc cagcgtgtgg	1380
aatctcattt ttctagggca gaataggctt gaacgctgca ggtaatacta agaacgtctc	1440
tagcatctcc taagatggga gaacgtagaa atacgacctc tttgtacgag ctcttttaga	1500
actagctgta gagaaccagc gtgcaccctg gtgttggaca gctctctaaa atggtgtttg	1560
agggtaagaa aactgcattt gcaaatTTTT cagttagcac actttgtccc gagcgtaaaa	1620
tgaaatgata tccttatact taggcagaag actggactgg attgctgttc agtttctgtg	1680
ctatTTTTTTT aaaataggat ttaagtggga aatagtgtg ttacagaaat tctcggctat	1740
tctgtgctat ttttttttaa ataggattta agtgggaaat agttgtgtta cagaaattct	1800
cggctacctg atacttttat tctaagatta gatgagttgg ctctgagctg tgaaatatga	1860
cctctttgac aaagacattt aagctgattc aggatgttat ctacaaagaa aacgggattt	1920
agcttgtgtg ggtccacttg catTTTTTT ctgttaagga ttataataaa ctgctttata	1980
caggaatcca atatcagctg ttttttatat agagagcata atacttttta ctttgagaga	2040
ggatgttgtc aaggaatggg ggctgtgaac ctggcctgtg ttgactgggt agatctgtct	2100
gcctaacccc accctaaggc taagtagtta tatgcttgtg gcaatgtgct tatttataat	2160
agggcaagat tatgggctaa atttgggtta gacaacaatg aaagttaatt aaacgaccct	2220
caggccttgg gtctactatg tgtaagtgat ttccttctct cccagatgag tgctatacaa	2280
aataaacttc agtgacctca agtggTTTT accTTTTggT tgctattcag aaaactatgg	2340
aaatgaaaac ctgctaccta tttcctattg ctttttcaat ttcccaaaga aggtctcccc	2400
tatgaatcca tgggtagcct tgaactcaga tccacctgct tctgtttgga gagtgataag	2460

FP17-0775-00_Sequence listing

attaaaggca	agtgccacca	cacccagcaa	agtaggctct	taaaactaaa	acctttgcag	2520
tcgggcatgg	tgccacacac	ctttgggtccc	agcactgggg	ggtaaggcag	aggcagggtgg	2580
atcactgagt	ttgaggtcag	ctagtgtctga	agagtaagag	cctgtcttta	aaacatctca	2640
acagctgggc	agtcgtggtc	cattccttta	atcccagcac	ttgggaggca	gaggcaagtg	2700
gattttttgag	ttcgaggcca	gcctgggtcta	cagagtgagt	tccaggacag	ccagggatac	2760
acagagaaac	cctgtctcaa	aaaacaaaa	tataataaaa	taaataaaga	ttgggagaga	2820
agtcaaggat	ctcatagggtg	gtcagggagc	tacaactgca	gtagtaaaga	agtaggactt	2880
aaaagaacag	ggccggcact	aattttgagg	atctagatcg	ggccctcaat	taaggaactt	2940
ccttttggtg	gaactcagaa	tttgaaatga	aatgtgcttg	tcagaacat	tgcatggctt	3000
attttttaat	gaaaagtctg	gctagtatct	gcttatcttc	cagcttcag	ctcaaagtta	3060
aggcataga	tcaaaagaac	tatgtcttta	tcttagttgt	atcttaattt	ttattagaat	3120
tgaatggttt	tcctaattgtt	tggtaacatc	aaagggtgtgt	aagtaaaagt	gagaaatcaa	3180
gattaacttt	ctcttgga	agattgttga	cattgggtgac	atcttggacc	aaatgagaat	3240
tgttttactt	ttaaatgtcc	catcaacagc	tctcagttag	gctgttctat	ctggtttgtc	3300
ttgccatgct	tgcaagatat	agatttgaca	atttgaaaat	tcaaaaagct	atataaatag	3360
gtatgttgct	atatgtaaga	ttttaaatga	gtcagttaag	acttaaagaa	taactgggtt	3420
tattttatct	tgtcagggtta	tactgtgtga	gaccagggtg	accttgaaaa	caaattctct	3480
gcttcccaag	tgctgggatt	aaaggcgtgt	gtcactagct	ctgacactgg	ctactttgga	3540
actactatgg	tgttcacaaa	tgcaagattg	agtgttgga	ttaaatggaa	atttcatgtc	3600
ttttttttta	actttccctt	ctacacaggg	cttctctgtg	tagtcctggc	tgctcttgta	3660
gctctagact	aggctgaatt	caaactcaga	tccacccacc	taagtgtctga	gattaaaggc	3720
atgtgccacc	actgcccagt	tctgaattgt	tgggggtttt	ttttgtttgt	tattcttaat	3780
tttagttcga	tgaattaaaa	tcgaaataac	ttgtttctta	gaaaaataag	gtgtaattgg	3840
gttataaagc	caaatttaga	cattaatacc	aacagcctgt	ttaggctcaa	aattgttcaa	3900
tcattttatt	agtattatta	ttaatcatat	caacttgaga	cctgtttggg	aaagcagaat	3960
attttaggga	tagctatttc	agacaagcat	taatgtgtta	gctgtttttt	tccccctaga	4020
atatgattaa	aattggctca	gggtggggcc	ttctagttct	ggctctagcg	attgggtctg	4080
tttctgggtga	gggtggtagtg	ataaactgta	acagaaggga	caagagattg	ggcttctgag	4140
aacatgtatg	atctggtatg	tgactttaat	cattaaagca	tggggattca	aaaataactaa	4200
tgaataggcc	ttagaactag	tcctgagtgt	tttgtaaaat	aacagtctta	attctcctag	4260
tttctggatt	tttttctttg	tctttggata	ctaagttaa	gcattttatt	ggacagagtg	4320
gtgcccacta	gctgttctat	tctagtactt	gggaggcaag	aggcagaacg	aacatggcca	4380
gcttggaaca	cttaagaaaa	ctgaaaggct	tgccatccta	gtttttcttt	tgattaaaca	4440
cacttatatt	ctaactagtt	ttctctatcc	tttgggtttt	gttttgtttt	ttatttgttt	4500

FP17-0775-00_Sequence listing

tgtagctcta gctggctggc ttcggaattg cctgcctccc aagtgctagg attaaaggca	4560
tcacagtcac tacccaattg atatcatgat tcttaattca acttctaaga acaaattatc	4620
acactctgaa tctaacatgg aatagcatta tccatgttca gatattcttg tctcaaggct	4680
caggtttatc cttttagct tttttttgc tatcccacct ctattcagca tccagtcaag	4740
gactactgag ttgggttatca gtaaatataa cattttaatt aatgtctagg agacaggtta	4800
tggtatagtt ctcagtgtg ggaagttgac atggtaggat ctcagttcat ggccagccag	4860
aactttctgg tgagatcctg gttcaagcac tacagagctt ttctagaaaa gtaactatat	4920
ttaggagtaa gtttgatata atgacaatcc catcgtaagc cttcagtaac ctgatgcatt	4980
ggtctctggt ttaatatcag gta	5003

<210> 255
 <211> 2604
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Nucleotide sequence of the 3'-arm of targeting vector

<400> 255	
gcatttctcta acttggttaag gtactttcat ctatctgaaa aaatgttcag taaaaaaca	60
aacaaaaaca tgacttcacc cagtgagtac aagatgatac cccaatttt ttttttttt	120
attatatgta tgtacactgt agctgtcttc agacacacca gaagagggcg tcagatctca	180
tcagatgggt gtgagccacc atgtgggtgc tgggacttga aactggacc tttggaaaag	240
cagttgggta ctcttacc caagctatc acaccagccc caatacccca aattttgacc	300
agcctttttt tttttttttt tttttttttt aaatctgaac taatgggtatt aaggtgaaac	360
agattgcaca aaagaggtag taggtttttc tttgaggcaa ggtctttcta tattgcctca	420
ggttgacctt aaactccaac ttcctttttt tccccaagtg ctggagattg tagacagata	480
tatacaacac ccaaaaaca atatgtttag tttcgattaa gattcattat gtggggctag	540
agggatgact tagagggtta gaacactgcc tgctcttcca gaggtcctga gttcaattcc	600
cagcaaccac gtggtggctc acaaccatct gtaatgggat ccgatgccct ctttctggtg	660
tgtttgaaaga cagctacagt gtcctcatat ataaaaaaaa taaacaaaca gatcttttaa	720
aaaaaaaaaggt acagtgtact tatacattat ataaatgaat gattctttta aaaattaatt	780
atgggaaata cttatgaaga atagggttagc tttggctggt ttggaaacgt tatataacaa	840
ggtagaacta aaatgtatgc cagtaatccc agaggaatca ttagccagtc agggctagtc	900
tgagcaatgt ggcaagataa acccatctct ttaaaaaaaaa aaaaaagtat tataaataga	960
aatgttatag gaaacaggaa atagaaaccc tcgaaaggct gaatgaaaga gtattagtgg	1020
gctggagaga tgggttcagcg gtttaagagca ctatctcctg agttcagttc ccagtaccca	1080
catggtggct cacagccatc tgtaatgaga tctgacgccc tcttctgggg tgtctgaaga	1140
cagcgacagt gtactcacat aaaataaata cataaagact gttagtttagc cttcatctac	1200

FP17-0775-00_Sequence listing

catttacaga actgggcaca gaaaggagtt catcagttat aaagggtaac tttccatatg	1260
aatgtttgtc atattattat gcatatagta taatgaccaa actactgtaa tgtcttaata	1320
tttgtatctc ttttctcttt tttaaaaata tcagtttggt ggggaaccat tgtcatacac	1380
ccggttttagc cttgctcggc aagtagatgg agataacagt catgtggaga tgaaactggc	1440
tgcagatgaa gaagaaaatg ccgacaataa catgaaggct agtgtcagaa aacccaagag	1500
gtttaatgga agactctgct ttgcagctat tgcactagtc attttcttct tgattggtaa	1560
gaatgagtgg ccattcagaa ggatttctta tgactaacta gttcttagac tagctagttc	1620
ttagactagc tagttcttgt ttcttttgga tgaggagatg ctttgtactt taaatggcac	1680
tggggctccc tacctgccgg cagattaggt cctgcaagat gggaaacgtt tacattatgg	1740
atgttttatt agagatatgc aggacatttg gaatagtact aagaaaggct tccagtaaga	1800
caagggtgtgc acccatgtct taaacaggct actgtaaaat atgacttagt tgtggtaatt	1860
taaattccat taaactcagg ttcataattt tctattagat tctcatagtt taattaaaag	1920
ttttcaggga taagttaaaa atgagttctg tgagtttagc tctaaaactt cctgttttta	1980
ggattcatga gtggctacct gggctattgt aagcgtgtag aacaaaaaga ggagtgtgtg	2040
aaactggctg aaacggagga gacagacaag tcagaaacca tggaaacaga ggatgttcct	2100
acatcatctc gcttatattg ggcagacctc aaaacactgt tgtcagagaa gttgaactcc	2160
atagagtttg ctgacaccat caagtaagct caacttccca agttcagtcc tgatggaaac	2220
gtttttgttg ggggggtagg gagacttgaa aggctttcag agggtcctcc tgacaatgtg	2280
gaactatgct gacaggaaat taggacttac ctggagagcc tcatagcctc ctttttcttc	2340
agaatcgttt tatcagttgt agtttagtgt gggatgtcag attttcttct gttctaatat	2400
tccttttaaa aattttttaa aattaaaatt actttttatg tattatgagt atagcctgca	2460
tatatgaatg aatgtgcatt actaattaca cttatctcct agtgcctaca taagccttat	2520
agatggttgt gagccagcat gtgggtgctg gaatccaaaa tggttcttgc aagaccaa	2580
atgttacatc ccagagccat taca	2604

<210> 256
 <211> 166
 <212> PRT
 <213> Homo sapiens

<400> 256

Ala	Pro	Pro	Arg	Leu	Ile	Cys	Asp	Ser	Arg	Val	Leu	Glu	Arg	Tyr	Leu
1				5					10					15	

Leu	Glu	Ala	Lys	Glu	Ala	Glu	Asn	Ile	Thr	Thr	Gly	Cys	Ala	Glu	His
			20					25					30		

Cys	Ser	Leu	Asn	Glu	Asn	Ile	Thr	Val	Pro	Asp	Thr	Lys	Val	Asn	Phe
		35					40					45			

FP17-0775-00_Sequence listing

Tyr Ala Trp Lys Arg Met Glu Val Gly Gln Gln Ala Val Glu Val Trp
50 55 60

Gln Gly Leu Ala Leu Leu Ser Glu Ala Val Leu Arg Gly Gln Ala Leu
65 70 75 80

Leu Val Asn Ser Ser Gln Pro Trp Glu Pro Leu Gln Leu His Val Asp
85 90 95

Lys Ala Val Ser Gly Leu Arg Ser Leu Thr Thr Leu Leu Arg Ala Leu
100 105 110

Gly Ala Gln Lys Glu Ala Ile Ser Pro Pro Asp Ala Ala Ser Ala Ala
115 120 125

Pro Leu Arg Thr Ile Thr Ala Asp Thr Phe Arg Lys Leu Phe Arg Val
130 135 140

Tyr Ser Asn Phe Leu Arg Gly Lys Leu Lys Leu Tyr Thr Gly Glu Ala
145 150 155 160

Cys Arg Thr Gly Asp Arg
165

<210> 257

<211> 616

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence of the fusion protein of heavy chain of anti-hTfR antibody No.3 (humanized 2) and hEPO

<400> 257

Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Glu
1 5 10 15

Ser Leu Lys Ile Ser Cys Lys Gly Ser Gly Tyr Ser Phe Thr Asn Tyr
20 25 30

Trp Leu Gly Trp Val Arg Gln Met Pro Gly Lys Gly Leu Glu Trp Met
35 40 45

Gly Asp Ile Tyr Pro Gly Gly Asp Tyr Pro Thr Tyr Ser Glu Lys Phe
50 55 60

Lys Val Gln Val Thr Ile Ser Ala Asp Lys Ser Ile Ser Thr Ala Tyr
65 70 75 80

Leu Gln Trp Ser Ser Leu Lys Ala Ser Asp Thr Ala Met Tyr Tyr Cys
85 90 95

FP17-0775-00_Sequence listing

Ala Arg Ser Gly Asn Tyr Asp Glu Val Ala Tyr Trp Gly Gln Gly Thr
100 105 110

Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro
115 120 125

Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly
130 135 140

Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn
145 150 155 160

Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln
165 170 175

Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser
180 185 190

Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser
195 200 205

Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr
210 215 220

His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser
225 230 235 240

Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg
245 250 255

Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro
260 265 270

Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala
275 280 285

Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val
290 295 300

Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr
305 310 315 320

Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr
325 330 335

Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu
340 345 350

Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys
355 360 365

FP17-0775-00_Sequence listing

Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser
370 375 380

Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp
385 390 395 400

Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser
405 410 415

Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala
420 425 430

Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
435 440 445

Gly Ser Ala Pro Pro Arg Leu Ile Cys Asp Ser Arg Val Leu Glu Arg
450 455 460

Tyr Leu Leu Glu Ala Lys Glu Ala Glu Asn Ile Thr Thr Gly Cys Ala
465 470 475 480

Glu His Cys Ser Leu Asn Glu Asn Ile Thr Val Pro Asp Thr Lys Val
485 490 495

Asn Phe Tyr Ala Trp Lys Arg Met Glu Val Gly Gln Gln Ala Val Glu
500 505 510

Val Trp Gln Gly Leu Ala Leu Leu Ser Glu Ala Val Leu Arg Gly Gln
515 520 525

Ala Leu Leu Val Asn Ser Ser Gln Pro Trp Glu Pro Leu Gln Leu His
530 535 540

Val Asp Lys Ala Val Ser Gly Leu Arg Ser Leu Thr Thr Leu Leu Arg
545 550 555 560

Ala Leu Gly Ala Gln Lys Glu Ala Ile Ser Pro Pro Asp Ala Ala Ser
565 570 575

Ala Ala Pro Leu Arg Thr Ile Thr Ala Asp Thr Phe Arg Lys Leu Phe
580 585 590

Arg Val Tyr Ser Asn Phe Leu Arg Gly Lys Leu Lys Leu Tyr Thr Gly
595 600 605

Glu Ala Cys Arg Thr Gly Asp Arg
610 615

<210> 258
<211> 1931
<212> DNA
<213> Artificial Sequence

FP17-0775-00_Sequence listing

<220>

<223> Nucleotide sequence encoding the amino acid sequence of fusion protein of heavy chain of anti-hTfR antibody No. 3 (humanized 2) and HEPO, synthetic sequence

<400> 258

acgcgtgccg ccaccatggg ctggagctgg attctgctgt tcctcctgag cgtgacagca	60
ggagtgcaca gcgagggtgca actagtgcag tctggagcag aggtgaaaaa gcccggggag	120
tctctgaaga tttcctgtaa gggttctgga tacagcttta ccaactactg gctgggatgg	180
gtgcgccaga tgcccgggaa aggcctggag tggatggggg acatctaccc cggcggagac	240
tacctacat acagcgagaa gttcaaggct caggtcacca tctcagccga caagtccatc	300
agcaccgcct acctgcagtg gagcagcctg aaggcctcgg acaccgcat gtattactgt	360
gcgagatcag gcaattacga cgaagtggcc tactggggcc aaggaaccct ggtcaccgtc	420
tcctcagcta gcaccaaggg cccatcggtc ttccccctgg caccctcctc caagagcacc	480
tctgggggca cagcggccct gggctgcctg gtcaaggact acttccccga accggtgacg	540
gtgtcgtgga actcaggcgc cctgaccagc ggcgtgcaca cttcccggc tgtcctacag	600
tcctcaggac tctactccct cagcagcgtg gtgaccgtgc cctccagcag cttgggcacc	660
cagacctaca tctgcaacgt gaatcacaag cccagcaaca ccaagggtga caagaaagtt	720
gagcccaaat cttgtgacaa aactcacacg tgcccaccgt gcccagcacc tgaactcctg	780
ggagggtccgt cagtcttcct cttccccca aaacccaagg acaccctcat gatctcccgg	840
acccctgagg tcacatgcgt ggtggtggac gtgagccacg aagaccctga ggtcaagttc	900
aactggtacg tggacggcgt ggagggtgat aatgccaaga caaagccgcg ggaggagcag	960
tacaacagca cgtaccgggt ggtcagcgtc ctaccgtcc tgcaccagga ctggctgaat	1020
ggcaaggagt acaagtgcaa ggtctccaac aaagccctcc cagcccccat cgagaaaacc	1080
atctccaaag ccaaagggca gccccgagaa ccacagggtg acaccctgcc cccatcccgg	1140
gatgagctga ccaagaacca ggtcagcctg acctgcctgg tcaaaggctt ctatcccagc	1200
gacatcgccg tggagtggga gagcaatggg cagccggaga acaactacaa gaccacgcct	1260
cccgtgctgg actccgacgg ctcttcttct ctctacagca agctcaccgt ggacaagagc	1320
aggtggcagc aggggaacgt cttctcatgc tccgtgatgc atgaggctct gcacaaccac	1380
tacacgcaga agagcctctc cctgtctccg ggtaaaggat ctgccccacc acgcctcatc	1440
tgtgacagcc gagtcctgga gaggtacctc ttggaggcca aggaggccga gaatatcacg	1500
acgggctgtg ctgaacactg cagcttgaat gagaatatca ctgtcccaga caccaaagtt	1560
aatttctatg cctggaagag gatggagggtc gggcagcagg ccgtagaagt ctggcagggc	1620
ctggccctgc tgtcggaaagc tgtcctgcgg ggccaggccc tgttggtcaa ctcttcccag	1680
ccgtgggagc ccctgcagct gcatgtggat aaagccgtca gtggccttcg cagcctcacc	1740
actctgcttc gggctctggg agcccagaag gaagccatct cccctccaga tgcggcctca	1800
gctgctccac tccgaacaat cactgctgac actttccgca aactcttccg agtctactcc	1860

FP17-0775-00_Sequence listing

aatttcctcc ggggaaagct gaagctgtac acaggggagg cctgcaggac aggggacaga 1920
taagcggccg c 1931

<210> 259
<211> 489
<212> PRT
<213> Homo sapiens

<400> 259

Arg Pro Pro Asn Ile Val Leu Ile Phe Ala Asp Asp Leu Gly Tyr Gly
1 5 10 15

Asp Leu Gly Cys Tyr Gly His Pro Ser Ser Thr Thr Pro Asn Leu Asp
20 25 30

Gln Leu Ala Ala Gly Gly Leu Arg Phe Thr Asp Phe Tyr Val Pro Val
35 40 45

Ser Leu Cys Thr Pro Ser Arg Ala Ala Leu Leu Thr Gly Arg Leu Pro
50 55 60

Val Arg Met Gly Met Tyr Pro Gly Val Leu Val Pro Ser Ser Arg Gly
65 70 75 80

Gly Leu Pro Leu Glu Glu Val Thr Val Ala Glu Val Leu Ala Ala Arg
85 90 95

Gly Tyr Leu Thr Gly Met Ala Gly Lys Trp His Leu Gly Val Gly Pro
100 105 110

Glu Gly Ala Phe Leu Pro Pro His Gln Gly Phe His Arg Phe Leu Gly
115 120 125

Ile Pro Tyr Ser His Asp Gln Gly Pro Cys Gln Asn Leu Thr Cys Phe
130 135 140

Pro Pro Ala Thr Pro Cys Asp Gly Gly Cys Asp Gln Gly Leu Val Pro
145 150 155 160

Ile Pro Leu Leu Ala Asn Leu Ser Val Glu Ala Gln Pro Pro Trp Leu
165 170 175

Pro Gly Leu Glu Ala Arg Tyr Met Ala Phe Ala His Asp Leu Met Ala
180 185 190

Asp Ala Gln Arg Gln Asp Arg Pro Phe Phe Leu Tyr Tyr Ala Ser His
195 200 205

His Thr His Tyr Pro Gln Phe Ser Gly Gln Ser Phe Ala Glu Arg Ser
210 215 220

FP17-0775-00_Sequence listing

Gly Arg Gly Pro Phe Gly Asp Ser Leu Met Glu Leu Asp Ala Ala Val
 225 230 235 240
 Gly Thr Leu Met Thr Ala Ile Gly Asp Leu Gly Leu Leu Glu Glu Thr
 245 250 255
 Leu Val Ile Phe Thr Ala Asp Asn Gly Pro Glu Thr Met Arg Met Ser
 260 265 270
 Arg Gly Gly Cys Ser Gly Leu Leu Arg Cys Gly Lys Gly Thr Thr Tyr
 275 280 285
 Glu Gly Gly Val Arg Glu Pro Ala Leu Ala Phe Trp Pro Gly His Ile
 290 295 300
 Ala Pro Gly Val Thr His Glu Leu Ala Ser Ser Leu Asp Leu Leu Pro
 305 310 315 320
 Thr Leu Ala Ala Leu Ala Gly Ala Pro Leu Pro Asn Val Thr Leu Asp
 325 330 335
 Gly Phe Asp Leu Ser Pro Leu Leu Leu Gly Thr Gly Lys Ser Pro Arg
 340 345 350
 Gln Ser Leu Phe Phe Tyr Pro Ser Tyr Pro Asp Glu Val Arg Gly Val
 355 360 365
 Phe Ala Val Arg Thr Gly Lys Tyr Lys Ala His Phe Phe Thr Gln Gly
 370 375 380
 Ser Ala His Ser Asp Thr Thr Ala Asp Pro Ala Cys His Ala Ser Ser
 385 390 395 400
 Ser Leu Thr Ala His Glu Pro Pro Leu Leu Tyr Asp Leu Ser Lys Asp
 405 410 415
 Pro Gly Glu Asn Tyr Asn Leu Leu Gly Gly Val Ala Gly Ala Thr Pro
 420 425 430
 Glu Val Leu Gln Ala Leu Lys Gln Leu Gln Leu Leu Lys Ala Gln Leu
 435 440 445
 Asp Ala Ala Val Thr Phe Gly Pro Ser Gln Val Ala Arg Gly Glu Asp
 450 455 460
 Pro Ala Leu Gln Ile Cys Cys His Pro Gly Cys Thr Pro Arg Pro Ala
 465 470 475 480
 Cys Cys His Cys Pro Asp Pro His Ala
 485

FP17-0775-00_Sequence listing

<210> 260
 <211> 939
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Amino acid sequence of the fusion protein of heavy chain of
 anti-hTfR antibody No.3 (humanized 2) and hARSA

 <400> 260

 Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Glu
 1 5 10 15

 Ser Leu Lys Ile Ser Cys Lys Gly Ser Gly Tyr Ser Phe Thr Asn Tyr
 20 25 30

 Trp Leu Gly Trp Val Arg Gln Met Pro Gly Lys Gly Leu Glu Trp Met
 35 40 45

 Gly Asp Ile Tyr Pro Gly Gly Asp Tyr Pro Thr Tyr Ser Glu Lys Phe
 50 55 60

 Lys Val Gln Val Thr Ile Ser Ala Asp Lys Ser Ile Ser Thr Ala Tyr
 65 70 75 80

 Leu Gln Trp Ser Ser Leu Lys Ala Ser Asp Thr Ala Met Tyr Tyr Cys
 85 90 95

 Ala Arg Ser Gly Asn Tyr Asp Glu Val Ala Tyr Trp Gly Gln Gly Thr
 100 105 110

 Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro
 115 120 125

 Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly
 130 135 140

 Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn
 145 150 155 160

 Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln
 165 170 175

 Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser
 180 185 190

 Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser
 195 200 205

 Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr
 210 215 220

FP17-0775-00_Sequence listing

His 225	Thr	Cys	Pro	Pro	Cys 230	Pro	Ala	Pro	Glu	Leu 235	Leu	Gly	Gly	Pro	Ser 240
Val	Phe	Leu	Phe	Pro 245	Pro	Lys	Pro	Lys	Asp 250	Thr	Leu	Met	Ile	Ser 255	Arg
Thr	Pro	Glu	Val 260	Thr	Cys	Val	Val	Val 265	Asp	Val	Ser	His	Glu 270	Asp	Pro
Glu	Val	Lys 275	Phe	Asn	Trp	Tyr	Val 280	Asp	Gly	Val	Glu	Val 285	His	Asn	Ala
Lys	Thr 290	Lys	Pro	Arg	Glu	Glu 295	Gln	Tyr	Asn	Ser	Thr 300	Tyr	Arg	Val	Val
Ser 305	Val	Leu	Thr	Val	Leu 310	His	Gln	Asp	Trp	Leu 315	Asn	Gly	Lys	Glu	Tyr 320
Lys	Cys	Lys	Val	Ser 325	Asn	Lys	Ala	Leu	Pro 330	Ala	Pro	Ile	Glu	Lys 335	Thr
Ile	Ser	Lys	Ala 340	Lys	Gly	Gln	Pro	Arg 345	Glu	Pro	Gln	Val	Tyr 350	Thr	Leu
Pro	Pro	Ser 355	Arg	Asp	Glu	Leu	Thr 360	Lys	Asn	Gln	Val	Ser 365	Leu	Thr	Cys
Leu	Val 370	Lys	Gly	Phe	Tyr	Pro 375	Ser	Asp	Ile	Ala	Val 380	Glu	Trp	Glu	Ser
Asn 385	Gly	Gln	Pro	Glu	Asn 390	Asn	Tyr	Lys	Thr	Thr 395	Pro	Pro	Val	Leu	Asp 400
Ser	Asp	Gly	Ser	Phe 405	Phe	Leu	Tyr	Ser	Lys 410	Leu	Thr	Val	Asp	Lys 415	Ser
Arg	Trp	Gln	Gln 420	Gly	Asn	Val	Phe	Ser 425	Cys	Ser	Val	Met	His 430	Glu	Ala
Leu	His	Asn 435	His	Tyr	Thr	Gln	Lys 440	Ser	Leu	Ser	Leu	Ser 445	Pro	Gly	Lys
Gly	Ser 450	Arg	Pro	Pro	Asn	Ile 455	Val	Leu	Ile	Phe	Ala 460	Asp	Asp	Leu	Gly
Tyr 465	Gly	Asp	Leu	Gly	Cys 470	Tyr	Gly	His	Pro	Ser 475	Ser	Thr	Thr	Pro	Asn 480
Leu	Asp	Gln	Leu	Ala 485	Ala	Gly	Gly	Leu	Arg 490	Phe	Thr	Asp	Phe	Tyr 495	Val

FP17-0775-00_Sequence listing

Pro Val Ser Leu Cys Thr Pro Ser Arg Ala Ala Leu Leu Thr Gly Arg
500 505 510

Leu Pro Val Arg Met Gly Met Tyr Pro Gly Val Leu Val Pro Ser Ser
515 520 525

Arg Gly Gly Leu Pro Leu Glu Glu Val Thr Val Ala Glu Val Leu Ala
530 535 540

Ala Arg Gly Tyr Leu Thr Gly Met Ala Gly Lys Trp His Leu Gly Val
545 550 555 560

Gly Pro Glu Gly Ala Phe Leu Pro Pro His Gln Gly Phe His Arg Phe
565 570 575

Leu Gly Ile Pro Tyr Ser His Asp Gln Gly Pro Cys Gln Asn Leu Thr
580 585 590

Cys Phe Pro Pro Ala Thr Pro Cys Asp Gly Gly Cys Asp Gln Gly Leu
595 600 605

Val Pro Ile Pro Leu Leu Ala Asn Leu Ser Val Glu Ala Gln Pro Pro
610 615 620

Trp Leu Pro Gly Leu Glu Ala Arg Tyr Met Ala Phe Ala His Asp Leu
625 630 635 640

Met Ala Asp Ala Gln Arg Gln Asp Arg Pro Phe Phe Leu Tyr Tyr Ala
645 650 655

Ser His His Thr His Tyr Pro Gln Phe Ser Gly Gln Ser Phe Ala Glu
660 665 670

Arg Ser Gly Arg Gly Pro Phe Gly Asp Ser Leu Met Glu Leu Asp Ala
675 680 685

Ala Val Gly Thr Leu Met Thr Ala Ile Gly Asp Leu Gly Leu Leu Glu
690 695 700

Glu Thr Leu Val Ile Phe Thr Ala Asp Asn Gly Pro Glu Thr Met Arg
705 710 715 720

Met Ser Arg Gly Gly Cys Ser Gly Leu Leu Arg Cys Gly Lys Gly Thr
725 730 735

Thr Tyr Glu Gly Gly Val Arg Glu Pro Ala Leu Ala Phe Trp Pro Gly
740 745 750

His Ile Ala Pro Gly Val Thr His Glu Leu Ala Ser Ser Leu Asp Leu
755 760 765

FP17-0775-00_Sequence listing

Leu Pro Thr Leu Ala Ala Leu Ala Gly Ala Pro Leu Pro Asn Val Thr
770 775 780

Leu Asp Gly Phe Asp Leu Ser Pro Leu Leu Leu Gly Thr Gly Lys Ser
785 790 795 800

Pro Arg Gln Ser Leu Phe Phe Tyr Pro Ser Tyr Pro Asp Glu Val Arg
805 810 815

Gly Val Phe Ala Val Arg Thr Gly Lys Tyr Lys Ala His Phe Phe Thr
820 825 830

Gln Gly Ser Ala His Ser Asp Thr Thr Ala Asp Pro Ala Cys His Ala
835 840 845

Ser Ser Ser Leu Thr Ala His Glu Pro Pro Leu Leu Tyr Asp Leu Ser
850 855 860

Lys Asp Pro Gly Glu Asn Tyr Asn Leu Leu Gly Gly Val Ala Gly Ala
865 870 875 880

Thr Pro Glu Val Leu Gln Ala Leu Lys Gln Leu Gln Leu Leu Lys Ala
885 890 895

Gln Leu Asp Ala Ala Val Thr Phe Gly Pro Ser Gln Val Ala Arg Gly
900 905 910

Glu Asp Pro Ala Leu Gln Ile Cys Cys His Pro Gly Cys Thr Pro Arg
915 920 925

Pro Ala Cys Cys His Cys Pro Asp Pro His Ala
930 935

<210> 261
<211> 2900
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleotide sequence encoding the amino acid sequence of fusion protein of heavy chain of anti-hTfR antibody No.3 (humanized 2) and hARSA, synthetic sequence

<400> 261
acgcgtgccg ccaccatggg ctggagctgg attctgctgt tcctcctgag cgtgacagca 60
ggagtgcaca gcgaggtgca actagtgcag tctggagcag aggtgaaaaa gcccggggag 120
tctctgaaga tttcctgtaa gggttctgga tacagcttta ccaactactg gctgggatgg 180
gtgcgccaga tgcccgggaa aggcctggag tggatggggg acatctaccc cggcggagac 240
taccctacat acagcgagaa gttcaaggct caggcacca tctcagccga caagtccatc 300
agcaccgcct acctgcagtg gagcagcctg aaggcctcgg acaccgcat gtattactgt 360
gcgagatcag gcaattacga cgaagtggcc tactggggcc aaggaaccct ggtcaccgtc 420

FP17-0775-00_Sequence listing

tcctcagcta	gcaccaaggg	cccatcggtc	ttccccctgg	caccctcctc	caagagcacc	480
tctgggggca	cagcggccct	gggctgcctg	gtcaaggact	acttccccga	accggtgacg	540
gtgtcgtgga	actcaggcgc	cctgaccagc	ggcgtgcaca	ccttcccggc	tgtcctacag	600
tcctcaggac	tctactccct	cagcagcgtg	gtgaccgtgc	cctccagcag	cttgggcacc	660
cagacctaca	tctgcaacgt	gaatcacaag	cccagcaaca	ccaagggtgga	caagaaagt	720
gagcccaa	aatcttgacaa	aactcacacg	tgcccaccgt	gcccagcacc	tgaactcctg	780
ggagggtccg	tctcttccct	cttcccccca	aaacccaagg	acaccctcat	gatctcccgg	840
acccttgagg	tcacatgcgt	gggtggtggac	gtgagccacg	aagaccctga	ggtcaagt	900
aactggtacg	tggacggcgt	ggagggtgcat	aatgccaaga	caaagccgcg	ggaggagcag	960
tacaacagca	cgtaccgggt	ggtcagcgtc	ctcaccgtcc	tgcaccagga	ctggctgaat	1020
ggcaaggagt	acaagtgcaa	ggctctcaac	aaagccctcc	cagcccccat	cgagaaaacc	1080
atctccaaag	ccaaagggca	gccccgagaa	ccacaggtgt	acaccctgcc	cccatcccgg	1140
gatgagctga	ccaagaacca	ggtcagcctg	acctgcctgg	tcaaaggctt	ctatcccagc	1200
gacatcgccg	tggagtggga	gagcaatggg	cagccggaga	acaactacaa	gaccacgcct	1260
cccgtgctgg	actccgacgg	ctccttcttc	ctctacagca	agctcaccgt	ggacaagagc	1320
aggtggcagc	aggggaacgt	cttctcatgc	tccgtgatgc	atgaggctct	gcacaaccac	1380
tacacgcaga	agagcctctc	cctgtctccg	ggtaaaggat	ctcgtccgcc	caacatcgtg	1440
ctgatctttg	ccgacgacct	cggctatggg	gacctgggct	gctatgggca	ccccagctct	1500
accactccca	acctggacca	gctggcggcg	ggagggctgc	ggttcacaga	cttctacgtg	1560
cctgtgtctc	tgtgcacacc	ctctagggcc	gccctcctga	ccggccggct	cccggttcgg	1620
atgggcatgt	accctggcgt	cctggtgccc	agctcccggg	ggggcctgcc	cctggaggag	1680
gtgaccgtgg	ccgaagtcct	ggctgcccga	ggctacctca	caggaatggc	cggcaagtgg	1740
caccttgggg	tggggcctga	gggggccttc	ctgccccccc	atcagggctt	ccatcgattt	1800
ctaggcatcc	cgtactccca	cgaccagggc	ccctgccaga	acctgacctg	cttcccgccg	1860
gccactcctt	gcgacgggtg	ctgtgaccag	ggcctgggtc	ccatcccact	gttggccaac	1920
ctgtccgtgg	aggcgcagcc	cccctggctg	cccggactag	aggcccgcta	catggctttc	1980
gcccattgacc	tcatggccga	cgcccagcgc	caggatcgcc	ccttcttcct	gtactatgcc	2040
tctcaccaca	ccactaccc	tcagttcagt	gggcagagct	ttgcagagcg	ttcaggccgc	2100
gggccatttg	gggactccct	gatggagctg	gatgcagctg	tggggaccct	gatgacagcc	2160
ataggggacc	tggggctgct	tgaagagacg	ctggatcatct	tactgcaga	caatggacct	2220
gagaccatgc	gtatgtcccg	aggcggctgc	tccgggtctct	tgcgggtgtg	aaagggaaacg	2280
acctacgagg	gcggtgtccg	agagcctgcc	ttggccttct	ggccagggtca	tatcgctccc	2340
ggcgtgaccc	acgagctggc	cagctccctg	gacctgctgc	ctaccctggc	agccctggct	2400
ggggccccac	tgcccaatgt	caccttggat	ggctttgacc	tcagccccct	gctgctgggc	2460

FP17-0775-00_Sequence listing

acaggcaaga gccctcggca gtctctcttc ttctacccgt cctacccaga cgaggtccgt 2520
 ggggtttttg ctgtgcggac tggaaagtac aaggctcact tcttcaccca gggctctgcc 2580
 cacagtgata cactgcaga ccctgcctgc cacgcctcca gctctctgac tgctcatgag 2640
 cccccgtgc tctatgacct gtccaaggac cctggtgaga actacaacct gctgggggggt 2700
 gtggccgggg ccaccccaga ggtgctgcaa gccctgaaac agcttcagct gctcaaggcc 2760
 cagttagacg cagctgtgac cttcggtccc agccagggtgg cccggggcga ggaccccgcc 2820
 ctgcaaattct gctgtcatcc tggctgcacc cccgcccag cttgctgcca ttgcccagat 2880
 ccccatgcct aagcgccgc 2900

<210> 262
 <211> 279
 <212> PRT
 <213> Homo sapiens

<400> 262

Asp Pro Pro Ala Pro Leu Pro Leu Val Ile Trp His Gly Met Gly Asp
 1 5 10 15

Ser Cys Cys Asn Pro Leu Ser Met Gly Ala Ile Lys Lys Met Val Glu
 20 25 30

Lys Lys Ile Pro Gly Ile Tyr Val Leu Ser Leu Glu Ile Gly Lys Thr
 35 40 45

Leu Met Glu Asp Val Glu Asn Ser Phe Phe Leu Asn Val Asn Ser Gln
 50 55 60

Val Thr Thr Val Cys Gln Ala Leu Ala Lys Asp Pro Lys Leu Gln Gln
 65 70 75 80

Gly Tyr Asn Ala Met Gly Phe Ser Gln Gly Gly Gln Phe Leu Arg Ala
 85 90 95

Val Ala Gln Arg Cys Pro Ser Pro Pro Met Ile Asn Leu Ile Ser Val
 100 105 110

Gly Gly Gln His Gln Gly Val Phe Gly Leu Pro Arg Cys Pro Gly Glu
 115 120 125

Ser Ser His Ile Cys Asp Phe Ile Arg Lys Thr Leu Asn Ala Gly Ala
 130 135 140

Tyr Ser Lys Val Val Gln Glu Arg Leu Val Gln Ala Glu Tyr Trp His
 145 150 155 160

Asp Pro Ile Lys Glu Asp Val Tyr Arg Asn His Ser Ile Phe Leu Ala
 165 170 175

FP17-0775-00_Sequence listing

Asp Ile Asn Gln Glu Arg Gly Ile Asn Glu Ser Tyr Lys Lys Asn Leu
180 185 190

Met Ala Leu Lys Lys Phe Val Met Val Lys Phe Leu Asn Asp Ser Ile
195 200 205

Val Asp Pro Val Asp Ser Glu Trp Phe Gly Phe Tyr Arg Ser Gly Gln
210 215 220

Ala Lys Glu Thr Ile Pro Leu Gln Glu Thr Ser Leu Tyr Thr Gln Asp
225 230 235 240

Arg Leu Gly Leu Lys Glu Met Asp Asn Ala Gly Gln Leu Val Phe Leu
245 250 255

Ala Thr Glu Gly Asp His Leu Gln Leu Ser Glu Glu Trp Phe Tyr Ala
260 265 270

His Ile Ile Pro Phe Leu Gly
275

<210> 263

<211> 729

<212> PRT

<213> Artificial Sequence

<220>

<223> Amino acid sequence of the fusion protein of heavy chain of anti-hTfR antibody No.3 (humanized 2) and hPPT-1

<400> 263

Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Glu
1 5 10 15

Ser Leu Lys Ile Ser Cys Lys Gly Ser Gly Tyr Ser Phe Thr Asn Tyr
20 25 30

Trp Leu Gly Trp Val Arg Gln Met Pro Gly Lys Gly Leu Glu Trp Met
35 40 45

Gly Asp Ile Tyr Pro Gly Gly Asp Tyr Pro Thr Tyr Ser Glu Lys Phe
50 55 60

Lys Val Gln Val Thr Ile Ser Ala Asp Lys Ser Ile Ser Thr Ala Tyr
65 70 75 80

Leu Gln Trp Ser Ser Leu Lys Ala Ser Asp Thr Ala Met Tyr Tyr Cys
85 90 95

Ala Arg Ser Gly Asn Tyr Asp Glu Val Ala Tyr Trp Gly Gln Gly Thr
100 105 110

FP17-0775-00_Sequence listing

Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro
115 120 125

Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly
130 135 140

Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn
145 150 155 160

Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln
165 170 175

Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser
180 185 190

Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser
195 200 205

Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr
210 215 220

His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser
225 230 235 240

Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg
245 250 255

Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro
260 265 270

Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala
275 280 285

Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val
290 295 300

Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr
305 310 315 320

Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr
325 330 335

Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu
340 345 350

Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys
355 360 365

Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser
370 375 380

FP17-0775-00_Sequence listing

Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp
 385 390 395 400
 Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser
 405 410 415
 Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala
 420 425 430
 Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
 435 440 445
 Gly Ser Asp Pro Pro Ala Pro Leu Pro Leu Val Ile Trp His Gly Met
 450 455 460
 Gly Asp Ser Cys Cys Asn Pro Leu Ser Met Gly Ala Ile Lys Lys Met
 465 470 475 480
 Val Glu Lys Lys Ile Pro Gly Ile Tyr Val Leu Ser Leu Glu Ile Gly
 485 490 495
 Lys Thr Leu Met Glu Asp Val Glu Asn Ser Phe Phe Leu Asn Val Asn
 500 505 510
 Ser Gln Val Thr Thr Val Cys Gln Ala Leu Ala Lys Asp Pro Lys Leu
 515 520 525
 Gln Gln Gly Tyr Asn Ala Met Gly Phe Ser Gln Gly Gly Gln Phe Leu
 530 535 540
 Arg Ala Val Ala Gln Arg Cys Pro Ser Pro Pro Met Ile Asn Leu Ile
 545 550 555 560
 Ser Val Gly Gly Gln His Gln Gly Val Phe Gly Leu Pro Arg Cys Pro
 565 570 575
 Gly Glu Ser Ser His Ile Cys Asp Phe Ile Arg Lys Thr Leu Asn Ala
 580 585 590
 Gly Ala Tyr Ser Lys Val Val Gln Glu Arg Leu Val Gln Ala Glu Tyr
 595 600 605
 Trp His Asp Pro Ile Lys Glu Asp Val Tyr Arg Asn His Ser Ile Phe
 610 615 620
 Leu Ala Asp Ile Asn Gln Glu Arg Gly Ile Asn Glu Ser Tyr Lys Lys
 625 630 635 640
 Asn Leu Met Ala Leu Lys Lys Phe Val Met Val Lys Phe Leu Asn Asp
 645 650 655

FP17-0775-00_Sequence listing

Ser Ile Val Asp Pro Val Asp Ser Glu Trp Phe Gly Phe Tyr Arg Ser
660 665 670

Gly Gln Ala Lys Glu Thr Ile Pro Leu Gln Glu Thr Ser Leu Tyr Thr
675 680 685

Gln Asp Arg Leu Gly Leu Lys Glu Met Asp Asn Ala Gly Gln Leu Val
690 695 700

Phe Leu Ala Thr Glu Gly Asp His Leu Gln Leu Ser Glu Glu Trp Phe
705 710 715 720

Tyr Ala His Ile Ile Pro Phe Leu Gly
725

<210> 264
<211> 2270
<212> DNA
<213> Artificial Sequence

<220>
<223> Nucleotide sequence encoding the amino acid sequence of fusion protein of heavy chain of anti-hTfR antibody No.3 (humanized 2) and hPPT-1, synthetic sequence

<400> 264
acgcgtgccg ccaccatggg ctggagctgg attctgctgt tcctcctgag cgtgacagca 60
ggagtgcaca gcgaggtgca actagtgcag tctggagcag aggtgaaaaa gcccggggag 120
tctctgaaga tttcctgtaa gggttctgga tacagcttta ccaactactg gctgggatgg 180
gtgcgccaga tgcccgggaa aggcctggag tggatggggg acatctaccc cggcggagac 240
taccctacat acagcgagaa gttcaagggtc caggtcacca tctcagccga caagtccatc 300
agcaccgcct acctgcagtg gagcagcctg aaggcctcgg acaccgccat gtattactgt 360
gcgagatcag gcaattacga cgaagtggcc tactggggcc aaggaaaccct ggtcaccgtc 420
tcctcagcta gcaccaaggg cccatcggtc ttccccctgg caccctcctc caagagcacc 480
tctgggggca cagcggccct gggctgcctg gtcaaggact acttccccga accggtgacg 540
gtgtcgtgga actcaggcgc cctgaccagc ggcgtgcaca cttcccggc tgtcctacag 600
tcctcaggac tctactccct cagcagcgtg gtgaccgtgc cctccagcag cttgggcacc 660
cagacctaca tctgcaacgt gaatcacaag cccagcaaca ccaaggtgga caagaaagtt 720
gagcccaa at cttgtgacaa aactcacacg tgcccaccgt gccagcacc tgaactcctg 780
ggaggtccgt cagtcttcct cttcccccca aaaccaagg acaccctcat gatctcccgg 840
accctgagg tcacatgcgt ggtggtggac gtgagccacg aagaccctga ggtcaagtgc 900
aactggtacg tggacggcgt ggaggtgcat aatgccaaga caaagccgcg ggaggagcag 960
tacaacagca cgtaccgggt ggtcagcgtc ctaccgtcc tgcaccagga ctggctgaat 1020
ggcaaggagt acaagtgcaa ggtctccaac aaagccctcc cagcccccat cgagaaaacc 1080
atctccaaag ccaaagggca gccccgagaa ccacaggtgt acaccctgcc cccatcccgg 1140

FP17-0775-00_Sequence listing

gatgagctga ccaagaacca ggtcagcctg acctgcctgg tcaaaggctt ctatcccagc 1200
gacatcgccg tggagtggga gagcaatggg cagccggaga acaactacaa gaccacgcct 1260
cccgtgctgg actccgacgg ctcttcttct ctctacagca agctcaccgt ggacaagagc 1320
agggtggcagc aggggaacgt cttctcatgc tccgtgatgc atgaggctct gcacaaccac 1380
tacacgcaga agagcctctc cctgtctccg ggtaaaggat ctgacccgcc ggcgccgctg 1440
ccgttggtga tctggcatgg gatgggagac agctgttgca atcccttaag catgggtgct 1500
attaaaaaaa tgggtggagaa gaaaatacct ggaatttacg tcttatcttt agagattggg 1560
aagaccctga tggaggacgt ggagaacagc ttcttcttga atgtcaattc ccaagtaaca 1620
acagtgtgtc aggcacttgc taaagatcct aaattgcagc aaggctacaa tgctatggga 1680
ttctcccagg gaggccaatt tctgagggca gtggctcaga gatgcccttc acctcccatg 1740
atcaatctga tctcggttgg gggacaacat caagggtgtt ttggactccc tcgatgcccc 1800
ggagagagct ctcacatctg tgacttcatc cgaaaaacac tgaatgctgg ggcgtactcc 1860
aaagttgttc aggaacgcct cgtgcaagcc gaatactggc atgaccccat aaaggaggat 1920
gtgtatcgca accacagcat cttcttggca gatataaatc aggagcgggg tatcaatgag 1980
tcctacaaga aaaacctgat ggccctgaag aagtttgtga tggtgaaatt cctcaatgat 2040
tccattgtgg accctgtaga ttcggagtgg tttggatttt acagaagtgg ccaagccaag 2100
gaaaccattc cttacagga gacctcctg tacacacagg accgcctggg gctaaaggaa 2160
atggacaatg caggacagct agtgtttctg gctacagaag gggaccatct tcagttgtct 2220
gaagaatggt tttatgcca catcatacca ttccttggat aagcggccgc 2270

<210> 265
<211> 544
<212> PRT
<213> Homo sapiens

<400> 265

Ser Tyr Ser Pro Glu Pro Asp Gln Arg Arg Thr Leu Pro Pro Gly Trp
1 5 10 15

Val Ser Leu Gly Arg Ala Asp Pro Glu Glu Glu Leu Ser Leu Thr Phe
20 25 30

Ala Leu Arg Gln Gln Asn Val Glu Arg Leu Ser Glu Leu Val Gln Ala
35 40 45

Val Ser Asp Pro Ser Ser Pro Gln Tyr Gly Lys Tyr Leu Thr Leu Glu
50 55 60

Asn Val Ala Asp Leu Val Arg Pro Ser Pro Leu Thr Leu His Thr Val
65 70 75 80

Gln Lys Trp Leu Leu Ala Ala Gly Ala Gln Lys Cys His Ser Val Ile
Page 142

FP17-0775-00_Sequence listing

85

90

95

Thr Gln Asp Phe Leu Thr Cys Trp Leu Ser Ile Arg Gln Ala Glu Leu
100 105 110

Leu Leu Pro Gly Ala Glu Phe His His Tyr Val Gly Gly Pro Thr Glu
115 120 125

Thr His Val Val Arg Ser Pro His Pro Tyr Gln Leu Pro Gln Ala Leu
130 135 140

Ala Pro His Val Asp Phe Val Gly Gly Leu His His Phe Pro Pro Thr
145 150 155 160

Ser Ser Leu Arg Gln Arg Pro Glu Pro Gln Val Thr Gly Thr Val Gly
165 170 175

Leu His Leu Gly Val Thr Pro Ser Val Ile Arg Lys Arg Tyr Asn Leu
180 185 190

Thr Ser Gln Asp Val Gly Ser Gly Thr Ser Asn Asn Ser Gln Ala Cys
195 200 205

Ala Gln Phe Leu Glu Gln Tyr Phe His Asp Ser Asp Leu Ala Gln Phe
210 215 220

Met Arg Leu Phe Gly Gly Asn Phe Ala His Gln Ala Ser Val Ala Arg
225 230 235 240

Val Val Gly Gln Gln Gly Arg Gly Arg Ala Gly Ile Glu Ala Ser Leu
245 250 255

Asp Val Gln Tyr Leu Met Ser Ala Gly Ala Asn Ile Ser Thr Trp Val
260 265 270

Tyr Ser Ser Pro Gly Arg His Glu Gly Gln Glu Pro Phe Leu Gln Trp
275 280 285

Leu Met Leu Leu Ser Asn Glu Ser Ala Leu Pro His Val His Thr Val
290 295 300

Ser Tyr Gly Asp Asp Glu Asp Ser Leu Ser Ser Ala Tyr Ile Gln Arg
305 310 315 320

Val Asn Thr Glu Leu Met Lys Ala Ala Ala Arg Gly Leu Thr Leu Leu
325 330 335

Phe Ala Ser Gly Asp Ser Gly Ala Gly Cys Trp Ser Val Ser Gly Arg
340 345 350

His Gln Phe Arg Pro Thr Phe Pro Ala Ser Ser Pro Tyr Val Thr Thr
Page 143

355 FP17-0775-00_Sequence listing 365

Val Gly Gly Thr Ser Phe Gln Glu Pro Phe Leu Ile Thr Asn Glu Ile
370 375 380

Val Asp Tyr Ile Ser Gly Gly Gly Phe Ser Asn Val Phe Pro Arg Pro
385 390 395 400

Ser Tyr Gln Glu Glu Ala Val Thr Lys Phe Leu Ser Ser Ser Pro His
405 410 415

Leu Pro Pro Ser Ser Tyr Phe Asn Ala Ser Gly Arg Ala Tyr Pro Asp
420 425 430

Val Ala Ala Leu Ser Asp Gly Tyr Trp Val Val Ser Asn Arg Val Pro
435 440 445

Ile Pro Trp Val Ser Gly Thr Ser Ala Ser Thr Pro Val Phe Gly Gly
450 455 460

Ile Leu Ser Leu Ile Asn Glu His Arg Ile Leu Ser Gly Arg Pro Pro
465 470 475 480

Leu Gly Phe Leu Asn Pro Arg Leu Tyr Gln Gln His Gly Ala Gly Leu
485 490 495

Phe Asp Val Thr Arg Gly Cys His Glu Ser Cys Leu Asp Glu Glu Val
500 505 510

Glu Gly Gln Gly Phe Cys Ser Gly Pro Gly Trp Asp Pro Val Thr Gly
515 520 525

Trp Gly Thr Pro Asn Phe Pro Ala Leu Leu Lys Thr Leu Leu Asn Pro
530 535 540

<210> 266
<211> 994
<212> PRT
<213> Artificial sequence

<220>
<223> Amino acid sequence of the fusion protein of heavy chain of
anti-hTfR antibody No.3 (humanized 2) and hTPP-1

<400> 266

Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Glu
1 5 10 15

Ser Leu Lys Ile Ser Cys Lys Gly Ser Gly Tyr Ser Phe Thr Asn Tyr
20 25 30

Trp Leu Gly Trp Val Arg Gln Met Pro Gly Lys Gly Leu Glu Trp Met
35 40 45

FP17-0775-00_Sequence listing

Gly Asp Ile Tyr Pro Gly Gly Asp Tyr Pro Thr Tyr Ser Glu Lys Phe
50 55 60

Lys Val Gln Val Thr Ile Ser Ala Asp Lys Ser Ile Ser Thr Ala Tyr
65 70 75 80

Leu Gln Trp Ser Ser Leu Lys Ala Ser Asp Thr Ala Met Tyr Tyr Cys
85 90 95

Ala Arg Ser Gly Asn Tyr Asp Glu Val Ala Tyr Trp Gly Gln Gly Thr
100 105 110

Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro
115 120 125

Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly
130 135 140

Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn
145 150 155 160

Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln
165 170 175

Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser
180 185 190

Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser
195 200 205

Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr
210 215 220

His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser
225 230 235 240

Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg
245 250 255

Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro
260 265 270

Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala
275 280 285

Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val
290 295 300

Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr
305 310 315 320

FP17-0775-00_Sequence listing

Lys Cys Lys Val Ser 325 Asn Lys Ala Leu Pro 330 Ala Pro Ile Glu Lys 335 Thr
 Ile Ser Lys Ala 340 Lys Gly Gln Pro Arg 345 Glu Pro Gln Val Tyr 350 Thr Leu
 Pro Pro Ser 355 Arg Asp Glu Leu Thr 360 Lys Asn Gln Val Ser 365 Leu Thr Cys
 Leu Val 370 Lys Gly Phe Tyr Pro 375 Ser Asp Ile Ala Val 380 Glu Trp Glu Ser
 Asn 385 Gly Gln Pro Glu Asn 390 Asn Tyr Lys Thr Thr 395 Pro Pro Val Leu Asp 400
 Ser Asp Gly Ser Phe 405 Phe Leu Tyr Ser Lys 410 Leu Thr Val Asp Lys 415 Ser
 Arg Trp Gln Gln 420 Gly Asn Val Phe Ser 425 Cys Ser Val Met His 430 Glu Ala
 Leu His Asn 435 His Tyr Thr Gln Lys 440 Ser Leu Ser Leu Ser 445 Pro Gly Lys
 Gly Ser 450 Ser Tyr Ser Pro Glu 455 Pro Asp Gln Arg Arg 460 Thr Leu Pro Pro
 Gly Trp Val Ser Leu Gly 470 Arg Ala Asp Pro Glu 475 Glu Glu Leu Ser Leu 480
 Thr Phe Ala Leu Arg 485 Gln Gln Asn Val Glu 490 Arg Leu Ser Glu Leu Val 495
 Gln Ala Val Ser 500 Asp Pro Ser Ser Pro 505 Gln Tyr Gly Lys Tyr 510 Leu Thr
 Leu Glu Asn 515 Val Ala Asp Leu Val 520 Arg Pro Ser Pro Leu 525 Thr Leu His
 Thr Val 530 Gln Lys Trp Leu Leu 535 Ala Ala Gly Ala Gln 540 Lys Cys His Ser
 Val Ile Thr Gln Asp Phe 550 Leu Thr Cys Trp Leu 555 Ser Ile Arg Gln Ala 560
 Glu Leu Leu Leu Pro 565 Gly Ala Glu Phe His 570 His Tyr Val Gly Gly 575 Pro
 Thr Glu Thr His 580 Val Val Arg Ser Pro 585 His Pro Tyr Gln Leu 590 Pro Gln

FP17-0775-00_Sequence listing

Ala Leu Ala Pro His Val Asp Phe Val Gly Gly Leu His His Phe Pro
595 600 605

Pro Thr Ser Ser Leu Arg Gln Arg Pro Glu Pro Gln Val Thr Gly Thr
610 615 620

Val Gly Leu His Leu Gly Val Thr Pro Ser Val Ile Arg Lys Arg Tyr
625 630 635 640

Asn Leu Thr Ser Gln Asp Val Gly Ser Gly Thr Ser Asn Asn Ser Gln
645 650 655

Ala Cys Ala Gln Phe Leu Glu Gln Tyr Phe His Asp Ser Asp Leu Ala
660 665 670

Gln Phe Met Arg Leu Phe Gly Gly Asn Phe Ala His Gln Ala Ser Val
675 680 685

Ala Arg Val Val Gly Gln Gln Gly Arg Gly Arg Ala Gly Ile Glu Ala
690 695 700

Ser Leu Asp Val Gln Tyr Leu Met Ser Ala Gly Ala Asn Ile Ser Thr
705 710 715 720

Trp Val Tyr Ser Ser Pro Gly Arg His Glu Gly Gln Glu Pro Phe Leu
725 730 735

Gln Trp Leu Met Leu Leu Ser Asn Glu Ser Ala Leu Pro His Val His
740 745 750

Thr Val Ser Tyr Gly Asp Asp Glu Asp Ser Leu Ser Ser Ala Tyr Ile
755 760 765

Gln Arg Val Asn Thr Glu Leu Met Lys Ala Ala Ala Arg Gly Leu Thr
770 775 780

Leu Leu Phe Ala Ser Gly Asp Ser Gly Ala Gly Cys Trp Ser Val Ser
785 790 795 800

Gly Arg His Gln Phe Arg Pro Thr Phe Pro Ala Ser Ser Pro Tyr Val
805 810 815

Thr Thr Val Gly Gly Thr Ser Phe Gln Glu Pro Phe Leu Ile Thr Asn
820 825 830

Glu Ile Val Asp Tyr Ile Ser Gly Gly Gly Phe Ser Asn Val Phe Pro
835 840 845

Arg Pro Ser Tyr Gln Glu Glu Ala Val Thr Lys Phe Leu Ser Ser Ser
850 855 860

FP17-0775-00_Sequence listing

Pro His Leu Pro Pro Ser Ser Tyr Phe Asn Ala Ser Gly Arg Ala Tyr
865 870 875 880

Pro Asp Val Ala Ala Leu Ser Asp Gly Tyr Trp Val Val Ser Asn Arg
885 890 895

Val Pro Ile Pro Trp Val Ser Gly Thr Ser Ala Ser Thr Pro Val Phe
900 905 910

Gly Gly Ile Leu Ser Leu Ile Asn Glu His Arg Ile Leu Ser Gly Arg
915 920 925

Pro Pro Leu Gly Phe Leu Asn Pro Arg Leu Tyr Gln Gln His Gly Ala
930 935 940

Gly Leu Phe Asp Val Thr Arg Gly Cys His Glu Ser Cys Leu Asp Glu
945 950 955 960

Glu Val Glu Gly Gln Gly Phe Cys Ser Gly Pro Gly Trp Asp Pro Val
965 970 975

Thr Gly Trp Gly Thr Pro Asn Phe Pro Ala Leu Leu Lys Thr Leu Leu
980 985 990

Asn Pro

<210> 267
<211> 3065
<212> DNA
<213> Artificial Sequence

<220>
<223> Nucleotide sequence encoding the amino acid sequence of fusion protein of heavy chain of anti-hTfR antibody No.3 (humanized 2) and hTPP-1, synthetic sequence

<400> 267
acgcgtgccg ccaccatggg ctggagctgg attctgctgt tcctcctgag cgtgacagca 60
ggagtgcaca gcgaggtgca actagtgcag tctggagcag aggtgaaaaa gcccggggag 120
tctctgaaga tttcctgtaa gggttctgga tacagcttta ccaactactg gctgggatgg 180
gtgcgccaga tgcccgggaa aggcctggag tggatggggg acatctaccc cggcggagac 240
taccctacat acagcgagaa gttcaaggtc caggtcacca tctcagccga caagtccatc 300
agcaccgcct acctgcagtg gagcagcctg aaggcctcgg acaccgcat gtattactgt 360
gcgagatcag gcaattacga cgaagtggcc tactggggcc aaggaaccct ggtcaccgtc 420
tcctcagcta gcaccaaggg cccatcggtc ttccccctgg caccctcctc caagagcacc 480
tctgggggca cagcggccct gggctgcctg gtcaaggact acttccccga accggtgacg 540
gtgtcgtgga actcaggcgc cctgaccagc ggcgtgcaca ctttcccggc tgtcctacag 600

FP17-0775-00_Sequence listing

tcctcaggac	tctactccct	cagcagcgtg	gtgaccgtgc	cctccagcag	cttgggcacc	660
cagacctaca	tctgcaacgt	gaatcacaag	cccagcaaca	ccaaggtgga	caagaaagtt	720
gagcccaaat	cttgtgacaa	aactcacacg	tgcccaccgt	gcccagcacc	tgaactcctg	780
ggaggtccgt	cagtcttcct	cttcccccca	aaaccaagg	acaccctcat	gatctcccgg	840
acccttgagg	tcacatgcgt	ggtggtggac	gtgagccacg	aagaccctga	ggtcaagttc	900
aactggtacg	tggacggcgt	ggaggtgcat	aatgccaaga	caaagccgcg	ggaggagcag	960
tacaacagca	cgtaccgggt	ggtcagcgtc	ctcaccgtcc	tgcaccagga	ctggctgaat	1020
ggcaaggagt	acaagtgcaa	ggtctccaac	aaagccctcc	cagcccccat	cgagaaaacc	1080
atctccaaag	ccaaagggca	gccccgagaa	ccacaggtgt	acaccctgcc	cccatcccgg	1140
gatgagctga	ccaagaacca	ggtcagcctg	acctgcctgg	tcaaaggctt	ctatcccagc	1200
gacatcgccg	tggagtggga	gagcaatggg	cagccggaga	acaactacaa	gaccacgcct	1260
cccgtgctgg	actccgacgg	ctccttcttc	ctctacagca	agctcaccgt	ggacaagagc	1320
aggtggcagc	aggggaacgt	cttctcatgc	tccgtgatgc	atgaggctct	gcacaaccac	1380
tacacgcaga	agagcctctc	cctgtctccg	ggtaaaggat	ctagttacag	cccggagccc	1440
gaccagcgga	ggacgctgcc	cccaggctgg	gtgtccctgg	gccgtgcgga	ccctgaggaa	1500
gagctgagtc	tcacctttgc	cctgagacag	cagaatgtgg	aaagactctc	ggagctgggtg	1560
caggctgtgt	cagatcccag	ctctcctcaa	tacggaaaat	acctgaccct	agagaatgtg	1620
gctgatctgg	tgaggccatc	cccactgacc	ctccacacgg	tgcaaaaatg	gctcttgga	1680
gccggagccc	agaagtgcca	ttctgtgatc	acacaggact	ttctgacttg	ctggctgagc	1740
atccgacaag	cagagctgct	gctccctggg	gctgagtttc	atcactatgt	gggaggacct	1800
acggaaaccc	atgttgtaag	gtccccacat	ccctaccagc	ttccacaggc	cttggccccc	1860
catgtggact	ttgtgggggg	actgcaccat	tttcccccaa	catcatccct	gaggcaacgt	1920
cctgagccgc	aggtgacagg	gactgtaggc	ctgcatctgg	gggtaacccc	ctctgtgatc	1980
cgtaagcgat	acaacttgac	ctcacaagac	gtgggctctg	gcaccagcaa	taacagccaa	2040
gcctgtgccc	agttcctgga	gcagtatttc	catgactcag	acctgggtca	gttcatgcgc	2100
ctcttcgggtg	gcaactttgc	acatcaggca	tcagtagccc	gtgtggttgg	acaacagggc	2160
cggggccggg	ccgggattga	ggccagtcta	gatgtgcagt	acctgatgag	tgctggtgcc	2220
aacatctcca	cctgggtcta	cagtagccct	ggccggcatg	agggacagga	gcccttcctg	2280
cagtggctca	tgctgctcag	taatgagtca	gccctgccac	atgtgcatac	tgtgagctat	2340
ggagatgatg	aggactccct	cagcagcgcc	tacatccagc	gggtcaacac	tgagctcatg	2400
aaggctgctg	ctcgggggtct	caccctgctc	ttcgccctcag	gtgacagtgg	ggccgggtgt	2460
tggtctgtct	ctggaagaca	ccagttccgc	cctaccttcc	ctgcctccag	cccctatgtc	2520
accacagtgg	gaggcacatc	cttccaggaa	cctttcctca	tcacaaatga	aattgttgac	2580
tatatcagtg	gtggtggctt	cagcaatgtg	ttcccacggc	cttcatacca	ggaggaagct	2640

FP17-0775-00_Sequence listing

gtaacgaagt tcttgagctc tagccccac ctgccaccat ccagttactt caatgccagt 2700
ggccgtgcct acccagatgt ggctgcactt tctgatggct actgggtggt cagcaacaga 2760
gtgcccattc catgggtgtc cggaacctcg gcctctactc cagtgtttgg gggtatccta 2820
tccttgatca atgagcacag aatccttagt ggccgcccc ctcttggtt tctcaacca 2880
aggctctacc agcagcatgg ggcaggactc tttgatgtaa cccgtggctg ccatgagtcc 2940
tgtctggatg aagaggtaga gggccagggt ttctgctctg gtcctggctg ggaccctgta 3000
acaggctggg gaacacccaa cttcccagct ttgctgaaga ctctactcaa cccctaagcg 3060
gccgc 3065

<210> 268
<211> 628
<212> PRT
<213> Homo sapiens

<400> 268

Ala Glu Ala Pro His Leu Val His Val Asp Ala Ala Arg Ala Leu Trp
1 5 10 15

Pro Leu Arg Arg Phe Trp Arg Ser Thr Gly Phe Cys Pro Pro Leu Pro
20 25 30

His Ser Gln Ala Asp Gln Tyr Val Leu Ser Trp Asp Gln Gln Leu Asn
35 40 45

Leu Ala Tyr Val Gly Ala Val Pro His Arg Gly Ile Lys Gln Val Arg
50 55 60

Thr His Trp Leu Leu Glu Leu Val Thr Thr Arg Gly Ser Thr Gly Arg
65 70 75 80

Gly Leu Ser Tyr Asn Phe Thr His Leu Asp Gly Tyr Leu Asp Leu Leu
85 90 95

Arg Glu Asn Gln Leu Leu Pro Gly Phe Glu Leu Met Gly Ser Ala Ser
100 105 110

Gly His Phe Thr Asp Phe Glu Asp Lys Gln Gln Val Phe Glu Trp Lys
115 120 125

Asp Leu Val Ser Ser Leu Ala Arg Arg Tyr Ile Gly Arg Tyr Gly Leu
130 135 140

Ala His Val Ser Lys Trp Asn Phe Glu Thr Trp Asn Glu Pro Asp His
145 150 155 160

His Asp Phe Asp Asn Val Ser Met Thr Met Gln Gly Phe Leu Asn Tyr
165 170 175

FP17-0775-00_Sequence listing

Tyr Asp Ala Cys Ser Glu Gly Leu Arg Ala Ala Ser Pro Ala Leu Arg
 180 185 190
 Leu Gly Gly Pro Gly Asp Ser Phe His Thr Pro Pro Arg Ser Pro Leu
 195 200 205
 Ser Trp Gly Leu Leu Arg His Cys His Asp Gly Thr Asn Phe Phe Thr
 210 215 220
 Gly Glu Ala Gly Val Arg Leu Asp Tyr Ile Ser Leu His Arg Lys Gly
 225 230 235 240
 Ala Arg Ser Ser Ile Ser Ile Leu Glu Gln Glu Lys Val Val Ala Gln
 245 250 255
 Gln Ile Arg Gln Leu Phe Pro Lys Phe Ala Asp Thr Pro Ile Tyr Asn
 260 265 270
 Asp Glu Ala Asp Pro Leu Val Gly Trp Ser Leu Pro Gln Pro Trp Arg
 275 280 285
 Ala Asp Val Thr Tyr Ala Ala Met Val Val Lys Val Ile Ala Gln His
 290 295 300
 Gln Asn Leu Leu Leu Ala Asn Thr Thr Ser Ala Phe Pro Tyr Ala Leu
 305 310 315 320
 Leu Ser Asn Asp Asn Ala Phe Leu Ser Tyr His Pro His Pro Phe Ala
 325 330 335
 Gln Arg Thr Leu Thr Ala Arg Phe Gln Val Asn Asn Thr Arg Pro Pro
 340 345 350
 His Val Gln Leu Leu Arg Lys Pro Val Leu Thr Ala Met Gly Leu Leu
 355 360 365
 Ala Leu Leu Asp Glu Glu Gln Leu Trp Ala Glu Val Ser Gln Ala Gly
 370 375 380
 Thr Val Leu Asp Ser Asn His Thr Val Gly Val Leu Ala Ser Ala His
 385 390 395 400
 Arg Pro Gln Gly Pro Ala Asp Ala Trp Arg Ala Ala Val Leu Ile Tyr
 405 410 415
 Ala Ser Asp Asp Thr Arg Ala His Pro Asn Arg Ser Val Ala Val Thr
 420 425 430
 Leu Arg Leu Arg Gly Val Pro Pro Gly Pro Gly Leu Val Tyr Val Thr
 435 440 445

FP17-0775-00_Sequence listing

Arg Tyr Leu Asp Asn Gly Leu Cys Ser Pro Asp Gly Glu Trp Arg Arg
450 455 460

Leu Gly Arg Pro Val Phe Pro Thr Ala Glu Gln Phe Arg Arg Met Arg
465 470 475 480

Ala Ala Glu Asp Pro Val Ala Ala Ala Pro Arg Pro Leu Pro Ala Gly
485 490 495

Gly Arg Leu Thr Leu Arg Pro Ala Leu Arg Leu Pro Ser Leu Leu Leu
500 505 510

Val His Val Cys Ala Arg Pro Glu Lys Pro Pro Gly Gln Val Thr Arg
515 520 525

Leu Arg Ala Leu Pro Leu Thr Gln Gly Gln Leu Val Leu Val Trp Ser
530 535 540

Asp Glu His Val Gly Ser Lys Cys Leu Trp Thr Tyr Glu Ile Gln Phe
545 550 555 560

Ser Gln Asp Gly Lys Ala Tyr Thr Pro Val Ser Arg Lys Pro Ser Thr
565 570 575

Phe Asn Leu Phe Val Phe Ser Pro Asp Thr Gly Ala Val Ser Gly Ser
580 585 590

Tyr Arg Val Arg Ala Leu Asp Tyr Trp Ala Arg Pro Gly Pro Phe Ser
595 600 605

Asp Pro Val Pro Tyr Leu Glu Val Pro Val Pro Arg Gly Pro Pro Ser
610 615 620

Pro Gly Asn Pro
625

<210> 269
<211> 1078
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence of the fusion protein of heavy chain of
anti-hTfR antibody No.3 (humanized 2) and hIDUA

<400> 269

Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Glu
1 5 10 15

Ser Leu Lys Ile Ser Cys Lys Gly Ser Gly Tyr Ser Phe Thr Asn Tyr
20 25 30

FP17-0775-00_Sequence listing

Trp Leu Gly Trp Val Arg Gln Met Pro Gly Lys Gly Leu Glu Trp Met
35 40 45

Gly Asp Ile Tyr Pro Gly Gly Asp Tyr Pro Thr Tyr Ser Glu Lys Phe
50 55 60

Lys Val Gln Val Thr Ile Ser Ala Asp Lys Ser Ile Ser Thr Ala Tyr
65 70 75 80

Leu Gln Trp Ser Ser Leu Lys Ala Ser Asp Thr Ala Met Tyr Tyr Cys
85 90 95

Ala Arg Ser Gly Asn Tyr Asp Glu Val Ala Tyr Trp Gly Gln Gly Thr
100 105 110

Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro
115 120 125

Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly
130 135 140

Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn
145 150 155 160

Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln
165 170 175

Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser
180 185 190

Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser
195 200 205

Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr
210 215 220

His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser
225 230 235 240

Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg
245 250 255

Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro
260 265 270

Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala
275 280 285

Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val
290 295 300

FP17-0775-00_Sequence listing

Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr
305 310 315 320

Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr
325 330 335

Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu
340 345 350

Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys
355 360 365

Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser
370 375 380

Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp
385 390 395 400

Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser
405 410 415

Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala
420 425 430

Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
435 440 445

Gly Ser Ala Glu Ala Pro His Leu Val His Val Asp Ala Ala Arg Ala
450 455 460

Leu Trp Pro Leu Arg Arg Phe Trp Arg Ser Thr Gly Phe Cys Pro Pro
465 470 475 480

Leu Pro His Ser Gln Ala Asp Gln Tyr Val Leu Ser Trp Asp Gln Gln
485 490 495

Leu Asn Leu Ala Tyr Val Gly Ala Val Pro His Arg Gly Ile Lys Gln
500 505 510

Val Arg Thr His Trp Leu Leu Glu Leu Val Thr Thr Arg Gly Ser Thr
515 520 525

Gly Arg Gly Leu Ser Tyr Asn Phe Thr His Leu Asp Gly Tyr Leu Asp
530 535 540

Leu Leu Arg Glu Asn Gln Leu Leu Pro Gly Phe Glu Leu Met Gly Ser
545 550 555 560

Ala Ser Gly His Phe Thr Asp Phe Glu Asp Lys Gln Gln Val Phe Glu
565 570 575

FP17-0775-00_Sequence listing

Trp Lys Asp Leu Val Ser Ser Leu Ala Arg Arg Tyr Ile Gly Arg Tyr
580 585 590

Gly Leu Ala His Val Ser Lys Trp Asn Phe Glu Thr Trp Asn Glu Pro
595 600 605

Asp His His Asp Phe Asp Asn Val Ser Met Thr Met Gln Gly Phe Leu
610 615 620

Asn Tyr Tyr Asp Ala Cys Ser Glu Gly Leu Arg Ala Ala Ser Pro Ala
625 630 635 640

Leu Arg Leu Gly Gly Pro Gly Asp Ser Phe His Thr Pro Pro Arg Ser
645 650 655

Pro Leu Ser Trp Gly Leu Leu Arg His Cys His Asp Gly Thr Asn Phe
660 665 670

Phe Thr Gly Glu Ala Gly Val Arg Leu Asp Tyr Ile Ser Leu His Arg
675 680 685

Lys Gly Ala Arg Ser Ser Ile Ser Ile Leu Glu Gln Glu Lys Val Val
690 695 700

Ala Gln Gln Ile Arg Gln Leu Phe Pro Lys Phe Ala Asp Thr Pro Ile
705 710 715 720

Tyr Asn Asp Glu Ala Asp Pro Leu Val Gly Trp Ser Leu Pro Gln Pro
725 730 735

Trp Arg Ala Asp Val Thr Tyr Ala Ala Met Val Val Lys Val Ile Ala
740 745 750

Gln His Gln Asn Leu Leu Leu Ala Asn Thr Thr Ser Ala Phe Pro Tyr
755 760 765

Ala Leu Leu Ser Asn Asp Asn Ala Phe Leu Ser Tyr His Pro His Pro
770 775 780

Phe Ala Gln Arg Thr Leu Thr Ala Arg Phe Gln Val Asn Asn Thr Arg
785 790 795 800

Pro Pro His Val Gln Leu Leu Arg Lys Pro Val Leu Thr Ala Met Gly
805 810 815

Leu Leu Ala Leu Leu Asp Glu Glu Gln Leu Trp Ala Glu Val Ser Gln
820 825 830

Ala Gly Thr Val Leu Asp Ser Asn His Thr Val Gly Val Leu Ala Ser
835 840 845

FP17-0775-00_Sequence listing

Ala His Arg Pro Gln Gly Pro Ala Asp Ala Trp Arg Ala Ala Val Leu
850 855 860

Ile Tyr Ala Ser Asp Asp Thr Arg Ala His Pro Asn Arg Ser Val Ala
865 870 875 880

Val Thr Leu Arg Leu Arg Gly Val Pro Pro Gly Pro Gly Leu Val Tyr
885 890 895

Val Thr Arg Tyr Leu Asp Asn Gly Leu Cys Ser Pro Asp Gly Glu Trp
900 905 910

Arg Arg Leu Gly Arg Pro Val Phe Pro Thr Ala Glu Gln Phe Arg Arg
915 920 925

Met Arg Ala Ala Glu Asp Pro Val Ala Ala Ala Pro Arg Pro Leu Pro
930 935 940

Ala Gly Gly Arg Leu Thr Leu Arg Pro Ala Leu Arg Leu Pro Ser Leu
945 950 955 960

Leu Leu Val His Val Cys Ala Arg Pro Glu Lys Pro Pro Gly Gln Val
965 970 975

Thr Arg Leu Arg Ala Leu Pro Leu Thr Gln Gly Gln Leu Val Leu Val
980 985 990

Trp Ser Asp Glu His Val Gly Ser Lys Cys Leu Trp Thr Tyr Glu Ile
995 1000 1005

Gln Phe Ser Gln Asp Gly Lys Ala Tyr Thr Pro Val Ser Arg Lys
1010 1015 1020

Pro Ser Thr Phe Asn Leu Phe Val Phe Ser Pro Asp Thr Gly Ala
1025 1030 1035

Val Ser Gly Ser Tyr Arg Val Arg Ala Leu Asp Tyr Trp Ala Arg
1040 1045 1050

Pro Gly Pro Phe Ser Asp Pro Val Pro Tyr Leu Glu Val Pro Val
1055 1060 1065

Pro Arg Gly Pro Pro Ser Pro Gly Asn Pro
1070 1075

<210> 270

<211> 3317

<212> DNA

<213> Artificial sequence

<220>

<223> Nucleotide sequence encoding the amino acid sequence of fusion protein of heavy chain of anti-hTfR antibody No.3 (humanized 2)

FP17-0775-00_Sequence listing
and hIDUA, synthetic sequence

```

<400> 270
acgcgtgccg ccaccatggg ctggagctgg attctgctgt tcctcctgag cgtgacagca      60
ggagtgcaca gcgaggtgca actagtgcag tctggagcag aggtgaaaaa gcccggggag      120
tctctgaaga tttcctgtaa gggttctgga tacagcttta ccaactactg gctgggatgg      180
gtgcgccaga tgcccgggaa aggccctggag tggatggggg acatctaccc cggcgggagac      240
taccctacat acagcgagaa gttcaaggct caggtcacca tctcagccga caagtccatc      300
agcaccgcct acctgcagtg gagcagcctg aaggcctcgg acaccgccat gtattactgt      360
gcgagatcag gcaattacga cgaagtggcc tactggggcc aaggaaccct ggtcaccgtc      420
tcctcagcta gcaccaaggg cccatcggtc ttccccctgg caccctcctc caagagcacc      480
tctgggggca cagcggccct gggctgcctg gtcaaggact acttccccga accggtgacg      540
gtgtcgtgga actcaggcgc cctgaccagc ggcgtgcaca ccttcccggc tgtcctacag      600
tcctcaggac tctactccct cagcagcgtg gtgaccgtgc cctccagcag cttgggcacc      660
cagacctaca tctgcaacgt gaatcacaag cccagcaaca ccaaggtgga caagaaagtt      720
gagcccaaat cttgtgacaa aactcacacg tgcccaccgt gcccgaccac tgaactcctg      780
ggaggtccgt cagtcttcct cttcccccca aaacccaagg acaccctcat gatctcccgg      840
acccttgagg tcacatgcgt ggtggtggac gtgagccacg aagaccctga ggtcaagttc      900
aactggtacg tggacggcgt ggaggtgcat aatgccaaaga caaagccgcg ggaggagcag      960
tacaacagca cgtaccgggt ggtcagcgtc ctcaccgtcc tgcaccagga ctggctgaat     1020
ggcaaggagt acaagtgcaa ggtctccaac aaagccctcc cagcccccat cgagaaaacc     1080
atctccaaag ccaaagggca gccccgagaa ccacagggtg acaccctgcc cccatcccgg     1140
gatgagctga ccaagaacca ggtcagcctg acctgcctgg tcaaaggctt ctatcccagc     1200
gacatcgccg tggagtggga gagcaatggg cagccggaga acaactacaa gaccacgcct     1260
cccgtgctgg actccgacgg ctcttcttct ctctacagca agctcaccgt ggacaagagc     1320
agggtggcagc aggggaacgt cttctcatgc tccgtgatgc atgaggctct gcacaaccac     1380
tacacgcaga agagcctctc cctgtctccg ggtaaaggat ctgccgaggc cccgcacctg     1440
gtgcacgtgg acgcggcccc cgcgctgtgg cccctgcggc gcttctggag gagcacaggc     1500
ttctgcccc cgtgccaca cagccaggct gaccagtacg tcctcagctg ggaccagcag     1560
ctcaacctcg cctatgtggg cgccgtccct caccgcggca tcaagcaggc ccggaccac     1620
tggctgctgg agcttgtcac caccaggggg tccactggac ggggcctgag ctacaacttc     1680
accacctgg acgggtactt ggaccttctc agggagaacc agctcctccc agggtttgag     1740
ctgatgggca ggcctcggg ccacttcact gactttgagg acaagcagca ggtgtttgag     1800
tggaaggact tggctctccag cctggccagg agatacatcg gtaggtacgg actggcgcat     1860
gtttccaagt ggaacttcga gacgtggaat gagccagacc accacgactt tgacaacgtc     1920
tccatgacca tgcaaggctt cctgaactac tacgatgcct gctcggaggg tctgcgcgcc     1980

```

FP17-0775-00_Sequence listing

```

gccagccccg ccctgcggtt gggaggcccc ggcgactcct tccacacccc accgcgatcc      2040
ccgctgagct ggggcctcct gcgccactgc cacgacggta ccaacttctt cactggggag      2100
gcgggcgctgc ggctggacta catctccctc cacaggaagg gtgcgcgcag ctccatctcc      2160
atcctggagc aggagaaggc cgtcgcgcag cagatccggc agctcttccc caagttcgcg      2220
gacaccccca tttaacaaga cgaggcggac ccgctgggtg gctgggtccct gccacagccg      2280
tggagggcgg acgtgacctt cgcggccatg gtggtgaagg tcatcgcgca gcatcagaac      2340
ctgctactgg ccaacaccac ctccgccttc ccctacgcgc tcctgagcaa cgacaatgcc      2400
ttcctgagct accacccgca ccccttcgcg cagcgcacgc tcaccgcgcg cttccaggtc      2460
aacaacaccc gcccgccgca cgtgcagctg ttgcgcaagc cggtgctcac ggccatgggg      2520
ctgctggcgc tgctggatga ggagcagctc tgggccgaag tgtcgcaggc cgggaccgtc      2580
ctggacagca accacacggg gggcgctcctg gccagcgcgc accgccccca gggcccgccc      2640
gacgcctggc gcgccgcggt gctgatctac gcgagcgacg acaccgcgc ccaccccaac      2700
cgcagcgtcg cggtgaccct gcggctgcgc ggggtgcccc ccggcccggg cctggtctac      2760
gtcacgcgct acctggacaa cgggctctgc agccccgacg gcgagtggcg gcgcctgggc      2820
cggcccgctt tccccacggc agagcagttc cggcgcacgc gcgcggctga ggaccgggtg      2880
gccgcggcgc cccgccccctt acccgccggg ggccgcctga ccctgcgccc cgcgctgcgg      2940
ctgccgtcgc ttttgtggtt gcacgtgtgt gcgcgccccg agaagccgcc cgggcaggtc      3000
acgcgggtcc gcgccctgcc cctgacccaa gggcagctgg ttctggtctg gtcggatgaa      3060
cacgtgggct ccaagtgcct gtggacatac gagatccagt tctctcagga cggttaaggcg      3120
tacaccccgg tcagcaggaa gccatcgacc ttcaacctct ttgtgttcag cccagacaca      3180
gggtgctgtt ctggctccta ccgagttcga gccctggact actgggcccc accaggcccc      3240
ttctcggacc ctgtgccgta cctggagggt cctgtgccaa gagggccccc atccccgggc      3300
aatccataag cggccgcg                                     3317

```

<210> 271
 <211> 235
 <212> PRT
 <213> Homo sapiens

<400> 271

Leu Pro Ala Gln Val Ala Phe Thr Pro Tyr Ala Pro Glu Pro Gly Ser
 1 5 10 15

Thr Cys Arg Leu Arg Glu Tyr Tyr Asp Gln Thr Ala Gln Met Cys Cys
 20 25 30

Ser Lys Cys Ser Pro Gly Gln His Ala Lys Val Phe Cys Thr Lys Thr
 35 40 45

Ser Asp Thr Val Cys Asp Ser Cys Glu Asp Ser Thr Tyr Thr Gln Leu
 Page 158

FP17-0775-00_Sequence listing

50

55

60

Trp Asn Trp Val Pro Glu Cys Leu Ser Cys Gly Ser Arg Cys Ser Ser
65 70 75 80

Asp Gln Val Glu Thr Gln Ala Cys Thr Arg Glu Gln Asn Arg Ile Cys
85 90 95

Thr Cys Arg Pro Gly Trp Tyr Cys Ala Leu Ser Lys Gln Glu Gly Cys
100 105 110

Arg Leu Cys Ala Pro Leu Arg Lys Cys Arg Pro Gly Phe Gly Val Ala
115 120 125

Arg Pro Gly Thr Glu Thr Ser Asp Val Val Cys Lys Pro Cys Ala Pro
130 135 140

Gly Thr Phe Ser Asn Thr Thr Ser Ser Thr Asp Ile Cys Arg Pro His
145 150 155 160

Gln Ile Cys Asn Val Val Ala Ile Pro Gly Asn Ala Ser Met Asp Ala
165 170 175

Val Cys Thr Ser Thr Ser Pro Thr Arg Ser Met Ala Pro Gly Ala Val
180 185 190

His Leu Pro Gln Pro Val Ser Thr Arg Ser Gln His Thr Gln Pro Thr
195 200 205

Pro Glu Pro Ser Thr Ala Pro Ser Thr Ser Phe Leu Leu Pro Met Gly
210 215 220

Pro Ser Pro Pro Ala Glu Gly Ser Thr Gly Asp
225 230 235

<210> 272

<211> 685

<212> PRT

<213> Artificial sequence

<220>

<223> Amino acid sequence of the fusion protein of heavy chain of anti-hTfR antibody No.3 (humanized 2) and hTNF-alpha receptor

<400> 272

Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Glu
1 5 10 15

Ser Leu Lys Ile Ser Cys Lys Gly Ser Gly Tyr Ser Phe Thr Asn Tyr
20 25 30

Trp Leu Gly Trp Val Arg Gln Met Pro Gly Lys Gly Leu Glu Trp Met
35 40 45

FP17-0775-00_Sequence listing

Gly Asp Ile Tyr Pro Gly Gly Asp Tyr Pro Thr Tyr Ser Glu Lys Phe
50 55 60

Lys Val Gln Val Thr Ile Ser Ala Asp Lys Ser Ile Ser Thr Ala Tyr
65 70 75 80

Leu Gln Trp Ser Ser Leu Lys Ala Ser Asp Thr Ala Met Tyr Tyr Cys
85 90 95

Ala Arg Ser Gly Asn Tyr Asp Glu Val Ala Tyr Trp Gly Gln Gly Thr
100 105 110

Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro
115 120 125

Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly
130 135 140

Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn
145 150 155 160

Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln
165 170 175

Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser
180 185 190

Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser
195 200 205

Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr
210 215 220

His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser
225 230 235 240

Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg
245 250 255

Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro
260 265 270

Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala
275 280 285

Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val
290 295 300

Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr
305 310 315 320

FP17-0775-00_Sequence listing

Lys Cys Lys Val Ser 325 Asn Lys Ala Leu Pro 330 Ala Pro Ile Glu Lys 335 Thr
 Ile Ser Lys Ala 340 Lys Gly Gln Pro Arg 345 Glu Pro Gln Val Tyr 350 Thr Leu
 Pro Pro Ser 355 Arg Asp Glu Leu Thr 360 Lys Asn Gln Val Ser 365 Leu Thr Cys
 Leu Val 370 Lys Gly Phe Tyr Pro 375 Ser Asp Ile Ala Val 380 Glu Trp Glu Ser
 Asn 385 Gly Gln Pro Glu Asn 390 Asn Tyr Lys Thr Thr 395 Pro Pro Val Leu Asp 400
 Ser Asp Gly Ser Phe 405 Phe Leu Tyr Ser Lys 410 Leu Thr Val Asp Lys 415 Ser
 Arg Trp Gln Gln 420 Gly Asn Val Phe Ser 425 Cys Ser Val Met His 430 Glu Ala
 Leu His Asn 435 His Tyr Thr Gln Lys 440 Ser Leu Ser Leu Ser 445 Pro Gly Lys
 Gly Ser 450 Leu Pro Ala Gln Val 455 Ala Phe Thr Pro Tyr 460 Ala Pro Glu Pro
 Gly 465 Ser Thr Cys Arg Leu 470 Arg Glu Tyr Tyr Asp 475 Gln Thr Ala Gln Met 480
 Cys Cys Ser Lys Cys 485 Ser Pro Gly Gln His 490 Ala Lys Val Phe Cys 495 Thr
 Lys Thr Ser Asp 500 Thr Val Cys Asp Ser 505 Cys Glu Asp Ser Thr 510 Tyr Thr
 Gln Leu Trp 515 Asn Trp Val Pro Glu 520 Cys Leu Ser Cys Gly 525 Ser Arg Cys
 Ser Ser 530 Asp Gln Val Glu Thr 535 Gln Ala Cys Thr Arg 540 Glu Gln Asn Arg
 Ile Cys Thr Cys Arg Pro 550 Gly Trp Tyr Cys Ala 555 Leu Ser Lys Gln Glu 560
 Gly Cys Arg Leu Cys 565 Ala Pro Leu Arg Lys 570 Cys Arg Pro Gly Phe 575 Gly
 Val Ala Arg Pro 580 Gly Thr Glu Thr Ser 585 Asp Val Val Cys Lys 590 Pro Cys

FP17-0775-00_Sequence listing

Ala Pro Gly Thr Phe Ser Asn Thr Thr Ser Ser Thr Asp Ile Cys Arg
595 600 605

Pro His Gln Ile Cys Asn Val Val Ala Ile Pro Gly Asn Ala Ser Met
610 615 620

Asp Ala Val Cys Thr Ser Thr Ser Pro Thr Arg Ser Met Ala Pro Gly
625 630 635 640

Ala Val His Leu Pro Gln Pro Val Ser Thr Arg Ser Gln His Thr Gln
645 650 655

Pro Thr Pro Glu Pro Ser Thr Ala Pro Ser Thr Ser Phe Leu Leu Pro
660 665 670

Met Gly Pro Ser Pro Pro Ala Glu Gly Ser Thr Gly Asp
675 680 685

<210> 273
<211> 2138
<212> DNA
<213> Artificial Sequence

<220>
<223> Nucleotide sequence encoding the amino acid sequence of fusion protein of heavy chain of anti-hTfR antibody No.3 (humanized 2) and hTNF-alpha receptor, synthetic sequence

<400> 273
acgcgtgccg ccaccatggg ctggagctgg attctgctgt tcctcctgag cgtgacagca 60
ggagtgcaca gcgaggtgca actagtgcag tctggagcag aggtgaaaaa gcccggggag 120
tctctgaaga tttcctgtaa gggttctgga tacagcttta ccaactactg gctgggatgg 180
gtgcgccaga tgcccgggaa aggcctggag tggatggggg acatctaccc cggcggagac 240
taccctacat acagcgagaa gttcaagggtc caggtcacca tctcagccga caagtccatc 300
agcaccgcct acctgcagtg gagcagcctg aaggcctcgg acaccgccat gtattactgt 360
gcgagatcag gcaattacga cgaagtggcc tactggggcc aaggaaccct ggtcaccgtc 420
tcctcagcta gcaccaaggg cccatcggtc ttccccctgg caccctcctc caagagcacc 480
tctgggggca cagcggccct gggctgcctg gtcaaggact acttccccga accggtgacg 540
gtgtcgtgga actcaggcgc cctgaccagc ggcgtgcaca ctttcccggc tgtcctacag 600
tcctcaggac tctactccct cagcagcgtg gtgaccgtgc cctccagcag cttgggcacc 660
cagacctaca tctgcaacgt gaatcacaag cccagcaaca ccaagggtgga caagaaagtt 720
gagcccaaatt cttgtgacaa aactcacacg tgcccaccgt gccagcacc tgaactcctg 780
ggaggtccgt cagtcttcct cttcccccca aaacccaagg acaccctcat gatctcccgg 840
acccttgagg tcacatgcgt ggtggtggac gtgagccacg aagaccctga ggtcaagttc 900
aactggtacg tggacggcgt ggaggtgcat aatgccaaaga caaagccgcg ggaggagcag 960

FP17-0775-00_Sequence listing

tacaacagca cgtaccgggt ggtcagcgtc ctcaccgtcc tgcaccagga ctggctgaat	1020
ggcaaggagt acaagtgcaa ggtctccaac aaagccctcc cagcccccat cgagaaaacc	1080
atctccaaag ccaaagggca gccccgagaa ccacaggtgt acaccctgcc cccatcccgg	1140
gatgagctga ccaagaacca ggtcagcctg acctgcctgg tcaaaggctt ctatcccagc	1200
gacatcgccg tggagtggga gagcaatggg cagccggaga acaactacaa gaccacgcct	1260
cccgtgctgg actccgacgg ctcttcttct ctctacagca agctcaccgt ggacaagagc	1320
aggtggcagc aggggaacgt cttctcatgc tccgtgatgc atgaggctct gcacaaccac	1380
tacacgcaga agagcctctc cctgtctccg ggtaaaggat ctttgcccgcc ccagggtggca	1440
tttacaccct acgccccgga gcccgggagc acatgccggc tcagagaata ctatgaccag	1500
acagctcaga tgtgctgcag caagtgctcg ccgggccaac atgcaaaaagt cttctgtacc	1560
aagacctcgg acaccgtgtg tgactcctgt gaggacagca catacaccca gctctggaac	1620
tgggttcccc agtgcttgag ctgtggctcc cgctgtagct ctgaccaggt ggaaactcaa	1680
gcctgcactc gggaaacagaa ccgcatctgc acctgcaggc ccggctggta ctgcgcgctg	1740
agcaagcagg aggggtgccg gctgtgcgcg ccgctgcgca agtgccgccc gggcttcggc	1800
gtggccagac caggaactga aacatcagac gtggtgtgca agccctgtgc cccggggagc	1860
ttctccaaca cgacttcac caccgatatt tgcaggcccc accaaatctg taacgtgggtg	1920
gccatccctg ggaatgcaag catggatgca gtctgcacgt ccacgtcccc caccggaggt	1980
atggccccag gggcagtaca cttaccccag ccagtgtcca cacgatccca acacacgcag	2040
ccaactccag aaccagcac tgctccaagc acctccttcc tgctcccaat gggccccagc	2100
ccccagctg aaggagcac tggcgactaa gcggccgc	2138

<210> 274
 <211> 482
 <212> PRT
 <213> Homo sapiens

<400> 274

Arg	Pro	Arg	Asn	Ala	Leu	Leu	Leu	Leu	Ala	Asp	Asp	Gly	Gly	Phe	Glu
1				5					10					15	

Ser	Gly	Ala	Tyr	Asn	Asn	Ser	Ala	Ile	Ala	Thr	Pro	His	Leu	Asp	Ala
			20					25					30		

Leu	Ala	Arg	Arg	Ser	Leu	Leu	Phe	Arg	Asn	Ala	Phe	Thr	Ser	Val	Ser
		35					40					45			

Ser	Cys	Ser	Pro	Ser	Arg	Ala	Ser	Leu	Leu	Thr	Gly	Leu	Pro	Gln	His
	50					55					60				

Gln	Asn	Gly	Met	Tyr	Gly	Leu	His	Gln	Asp	Val	His	His	Phe	Asn	Ser
65					70					75				80	

FP17-0775-00_Sequence listing

Phe Asp Lys Val Arg Ser Leu Pro Leu Leu Leu Ser Gln Ala Gly Val
 85 90 95
 Arg Thr Gly Ile Ile Gly Lys Lys His Val Gly Pro Glu Thr Val Tyr
 100 105 110
 Pro Phe Asp Phe Ala Tyr Thr Glu Glu Asn Gly Ser Val Leu Gln Val
 115 120 125
 Gly Arg Asn Ile Thr Arg Ile Lys Leu Leu Val Arg Lys Phe Leu Gln
 130 135 140
 Thr Gln Asp Asp Arg Pro Phe Phe Leu Tyr Val Ala Phe His Asp Pro
 145 150 155 160
 His Arg Cys Gly His Ser Gln Pro Gln Tyr Gly Thr Phe Cys Glu Lys
 165 170 175
 Phe Gly Asn Gly Glu Ser Gly Met Gly Arg Ile Pro Asp Trp Thr Pro
 180 185 190
 Gln Ala Tyr Asp Pro Leu Asp Val Leu Val Pro Tyr Phe Val Pro Asn
 195 200 205
 Thr Pro Ala Ala Arg Ala Asp Leu Ala Ala Gln Tyr Thr Thr Val Gly
 210 215 220
 Arg Met Asp Gln Gly Val Gly Leu Val Leu Gln Glu Leu Arg Asp Ala
 225 230 235 240
 Gly Val Leu Asn Asp Thr Leu Val Ile Phe Thr Ser Asp Asn Gly Ile
 245 250 255
 Pro Phe Pro Ser Gly Arg Thr Asn Leu Tyr Trp Pro Gly Thr Ala Glu
 260 265 270
 Pro Leu Leu Val Ser Ser Pro Glu His Pro Lys Arg Trp Gly Gln Val
 275 280 285
 Ser Glu Ala Tyr Val Ser Leu Leu Asp Leu Thr Pro Thr Ile Leu Asp
 290 295 300
 Trp Phe Ser Ile Pro Tyr Pro Ser Tyr Ala Ile Phe Gly Ser Lys Thr
 305 310 315 320
 Ile His Leu Thr Gly Arg Ser Leu Leu Pro Ala Leu Glu Ala Glu Pro
 325 330 335
 Leu Trp Ala Thr Val Phe Gly Ser Gln Ser His His Glu Val Thr Met
 340 345 350

FP17-0775-00_Sequence listing

Ser Tyr Pro Met Arg Ser Val Gln His Arg His Phe Arg Leu Val His
355 360 365

Asn Leu Asn Phe Lys Met Pro Phe Pro Ile Asp Gln Asp Phe Tyr Val
370 375 380

Ser Pro Thr Phe Gln Asp Leu Leu Asn Arg Thr Thr Ala Gly Gln Pro
385 390 395 400

Thr Gly Trp Tyr Lys Asp Leu Arg His Tyr Tyr Tyr Arg Ala Arg Trp
405 410 415

Glu Leu Tyr Asp Arg Ser Arg Asp Pro His Glu Thr Gln Asn Leu Ala
420 425 430

Thr Asp Pro Arg Phe Ala Gln Leu Leu Glu Met Leu Arg Asp Gln Leu
435 440 445

Ala Lys Trp Gln Trp Glu Thr His Asp Pro Trp Val Cys Ala Pro Asp
450 455 460

Gly Val Leu Glu Glu Lys Leu Ser Pro Gln Cys Gln Pro Leu His Asn
465 470 475 480

Glu Leu

<210> 275
<211> 932
<212> PRT
<213> Artificial sequence

<220>
<223> Amino acid sequence of the fusion protein of heavy chain of
anti-hTfR antibody No.3 (humanized 2) and hSGSH

<400> 275

Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Glu
1 5 10 15

Ser Leu Lys Ile Ser Cys Lys Gly Ser Gly Tyr Ser Phe Thr Asn Tyr
20 25 30

Trp Leu Gly Trp Val Arg Gln Met Pro Gly Lys Gly Leu Glu Trp Met
35 40 45

Gly Asp Ile Tyr Pro Gly Gly Asp Tyr Pro Thr Tyr Ser Glu Lys Phe
50 55 60

Lys Val Gln Val Thr Ile Ser Ala Asp Lys Ser Ile Ser Thr Ala Tyr
65 70 75 80

FP17-0775-00_Sequence listing

Leu Gln Trp Ser Ser Leu Lys Ala Ser Asp Thr Ala Met Tyr Tyr Cys
85 90 95

Ala Arg Ser Gly Asn Tyr Asp Glu Val Ala Tyr Trp Gly Gln Gly Thr
100 105 110

Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val Phe Pro
115 120 125

Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly
130 135 140

Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser Trp Asn
145 150 155 160

Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val Leu Gln
165 170 175

Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro Ser Ser
180 185 190

Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys Pro Ser
195 200 205

Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp Lys Thr
210 215 220

His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser
225 230 235 240

Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg
245 250 255

Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro
260 265 270

Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala
275 280 285

Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val
290 295 300

Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr
305 310 315 320

Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr
325 330 335

Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu
340 345 350

FP17-0775-00_Sequence listing

Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys
355 360 365

Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser
370 375 380

Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp
385 390 395 400

Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser
405 410 415

Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala
420 425 430

Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
435 440 445

Gly Ser Arg Pro Arg Asn Ala Leu Leu Leu Leu Ala Asp Asp Gly Gly
450 455 460

Phe Glu Ser Gly Ala Tyr Asn Asn Ser Ala Ile Ala Thr Pro His Leu
465 470 475 480

Asp Ala Leu Ala Arg Arg Ser Leu Leu Phe Arg Asn Ala Phe Thr Ser
485 490 495

Val Ser Ser Cys Ser Pro Ser Arg Ala Ser Leu Leu Thr Gly Leu Pro
500 505 510

Gln His Gln Asn Gly Met Tyr Gly Leu His Gln Asp Val His His Phe
515 520 525

Asn Ser Phe Asp Lys Val Arg Ser Leu Pro Leu Leu Leu Ser Gln Ala
530 535 540

Gly Val Arg Thr Gly Ile Ile Gly Lys Lys His Val Gly Pro Glu Thr
545 550 555 560

Val Tyr Pro Phe Asp Phe Ala Tyr Thr Glu Glu Asn Gly Ser Val Leu
565 570 575

Gln Val Gly Arg Asn Ile Thr Arg Ile Lys Leu Leu Val Arg Lys Phe
580 585 590

Leu Gln Thr Gln Asp Asp Arg Pro Phe Phe Leu Tyr Val Ala Phe His
595 600 605

Asp Pro His Arg Cys Gly His Ser Gln Pro Gln Tyr Gly Thr Phe Cys
610 615 620

FP17-0775-00_Sequence listing

Glu Lys Phe Gly Asn Gly Glu Ser Gly Met Gly Arg Ile Pro Asp Trp
625 630 635 640

Thr Pro Gln Ala Tyr Asp Pro Leu Asp Val Leu Val Pro Tyr Phe Val
645 650 655

Pro Asn Thr Pro Ala Ala Arg Ala Asp Leu Ala Ala Gln Tyr Thr Thr
660 665 670

Val Gly Arg Met Asp Gln Gly Val Gly Leu Val Leu Gln Glu Leu Arg
675 680 685

Asp Ala Gly Val Leu Asn Asp Thr Leu Val Ile Phe Thr Ser Asp Asn
690 695 700

Gly Ile Pro Phe Pro Ser Gly Arg Thr Asn Leu Tyr Trp Pro Gly Thr
705 710 715 720

Ala Glu Pro Leu Leu Val Ser Ser Pro Glu His Pro Lys Arg Trp Gly
725 730 735

Gln Val Ser Glu Ala Tyr Val Ser Leu Leu Asp Leu Thr Pro Thr Ile
740 745 750

Leu Asp Trp Phe Ser Ile Pro Tyr Pro Ser Tyr Ala Ile Phe Gly Ser
755 760 765

Lys Thr Ile His Leu Thr Gly Arg Ser Leu Leu Pro Ala Leu Glu Ala
770 775 780

Glu Pro Leu Trp Ala Thr Val Phe Gly Ser Gln Ser His His Glu Val
785 790 795 800

Thr Met Ser Tyr Pro Met Arg Ser Val Gln His Arg His Phe Arg Leu
805 810 815

Val His Asn Leu Asn Phe Lys Met Pro Phe Pro Ile Asp Gln Asp Phe
820 825 830

Tyr Val Ser Pro Thr Phe Gln Asp Leu Leu Asn Arg Thr Thr Ala Gly
835 840 845

Gln Pro Thr Gly Trp Tyr Lys Asp Leu Arg His Tyr Tyr Tyr Arg Ala
850 855 860

Arg Trp Glu Leu Tyr Asp Arg Ser Arg Asp Pro His Glu Thr Gln Asn
865 870 875 880

Leu Ala Thr Asp Pro Arg Phe Ala Gln Leu Leu Glu Met Leu Arg Asp
885 890 895

FP17-0775-00_Sequence listing

Gln Leu Ala Lys Trp Gln Trp Glu Thr His Asp Pro Trp Val Cys Ala
900 905 910

Pro Asp Gly Val Leu Glu Glu Lys Leu Ser Pro Gln Cys Gln Pro Leu
915 920 925

His Asn Glu Leu
930

<210> 276
<211> 2879
<212> DNA
<213> Artificial Sequence

<220>
<223> Nucleotide sequence encoding the amino acid sequence of fusion protein of heavy chain of anti-hTfR antibody No.3 (humanized 2) and hSGSH, synthetic sequence

<400> 276
acgcgtgccg ccaccatggg ctggagctgg attctgctgt tcctcctgag cgtgacagca 60
ggagtgcaca gcgaggtgca actagtgcag tctggagcag aggtgaaaaa gcccggggag 120
tctctgaaga tttcctgtaa gggttctgga tacagcttta ccaactactg gctgggatgg 180
gtgcgccaga tgcccgggaa aggcctggag tggatggggg acatctaccc cggcggagac 240
taccctacat acagcgagaa gttcaagggtc caggtcacca tctcagccga caagtccatc 300
agcaccgcct acctgcagtg gagcagcctg aaggcctcgg acaccgccat gtattactgt 360
gcgagatcag gcaattacga cgaagtggcc tactggggcc aaggaaccct ggtcaccgtc 420
tcctcagcta gcaccaaggg cccatcggtc ttccccctgg caccctcctc caagagcacc 480
tctgggggca cagcggccct gggctgcctg gtcaaggact acttccccga accggtgacg 540
gtgtcgtgga actcaggcgc cctgaccagc ggcgtgcaca ctttcccggc tgtcctacag 600
tcctcaggac tctactccct cagcagcgtg gtgaccgtgc cctccagcag cttgggcacc 660
cagacctaca tctgcaacgt gaatcacaag ccagcaaca ccaaggtgga caagaaagt 720
gagcccaa at cttgtgacaa aactcacacg tgcccaccgt gccagcacc tgaactcctg 780
ggaggtccgt cagtcttcct cttcccccca aaacccaagg acaccctcat gatctcccgg 840
accctgagg tcacatgcgt ggtggtggac gtgagccagc aagaccctga ggtcaagttc 900
aactggtacg tggacggcgt ggaggtgcat aatgccaaga caaagccgcg ggaggagcag 960
tacaacagca cgtaccgggt ggtcagcgtc ctcaccgtcc tgcaccagga ctggctgaat 1020
ggcaaggagt acaagtgcaa ggtctccaac aaagccctcc cagcccccat cgagaaaacc 1080
atctccaaag ccaaagggca gccccgagaa ccacaggtgt acaccctgcc cccatcccgg 1140
gatgagctga ccaagaacca ggtcagcctg acctgcctgg tcaaaggctt ctatcccagc 1200
gacatcgccg tggagtggga gagcaatggg cagccggaga acaactacaa gaccacgcct 1260
cccgtgctgg actccgacgg ctcttcttct ctctacagca agctcaccgt ggacaagagc 1320
agggtggcagc aggggaacgt cttctcatgc tccgtgatgc atgaggctct gcacaaccac 1380

FP17-0775-00_Sequence listing

tacacgcaga agagcctctc cctgtctccg ggtaaaggat ctcgtccccg gaacgcactg	1440
ctgctcctcg cggatgacgg aggctttgag agtggcgcggt acaacaacag cgccatcgcc	1500
accccgccacc tggacgcctt ggcccgcgcg agcctcctct ttcgcaatgc cttcacctcg	1560
gtcagcagct gctctcccag ccgcgccagc ctcctcactg gcctgcccc a gcatcagaat	1620
gggatgtacg ggctgcacca ggacgtgcac cacttcaact ccttcgacaa ggtgcggagc	1680
ctgccgctgc tgctcagcca agctgggtgtg cgcacaggca tcatcgggaa gaagcacgtg	1740
gggccggaga ccgtgtaccc gtttgacttt gcgtacacgg aggagaatgg ctccgtcctc	1800
caggtggggc ggaacatcac tagaattaag ctgctcgtcc ggaaattcct gcagactcag	1860
gatgaccggc ctttcttcct ctacgtcgcc ttccacgacc cccaccgctg tgggcactcc	1920
cagccccagt acggaacctt ctgtgagaag tttggcaacg gagagagcgg catgggtcgt	1980
atcccagact ggacccccca ggcctacgac ccactggagc tgctgggtgcc ttacttcgtc	2040
cccaacaccc cggcagcccg agccgacctg gccgctcagt acaccaccgt cggccgcatg	2100
gaccaaggag ttggactggt gctccaggag ctgctgtacg ccggtgtcct gaacgacaca	2160
ctggtgatct tcacgtccga caacggtatc cccttcccc a gcggcaggac caacctgtac	2220
tggccgggca ctgctgaacc cttactgggtg tcatccccg agcacccaaa acgctggggc	2280
caagtcagcg aggcctacgt gagcctccta gacctcacgc ccaccatctt ggattggttc	2340
tcgatcccg accccagcta cgccatcttt ggctcgaaga ccatccacct cactggccgg	2400
tccctcctgc cggcgctgga ggccgagccc ctctgggcca ccgtctttgg cagccagagc	2460
caccacgagg tcaccatgtc ctaccccatg cgctccgtgc agcaccggca cttccgcctc	2520
gtgcacaacc tcaacttcaa gatgcccttt cccatcgacc aggacttcta cgtctcacc	2580
accttccagg acctcctgaa ccgcaccaca gctggtcagc ccacgggctg gtacaaggac	2640
ctccgtcatt actactaccg ggcgcgctgg gagctctacg accggagccg ggacccccac	2700
gagaccacga acctggccac cgaccgcgc tttgctcagc ttctggagat gcttcgggac	2760
cagctggcca agtggcagtg ggagaccac gaccctggg tgtgcgcccc cgacggcgtc	2820
ctggaggaga agctctctcc ccagtgccag cccctccaca atgagctgta agcggccgc	2879

<210> 277
 <211> 245
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Amino acid sequence of anti-hTfR single-chain antibody

<400> 277

Glu	Val	Gln	Leu	Val	Gln	Ser	Gly	Ala	Glu	Val	Lys	Lys	Pro	Gly	Glu
1				5					10					15	

Ser	Leu	Lys	Ile	Ser	Cys	Lys	Gly	Ser	Gly	Tyr	Ser	Phe	Thr	Asn	Tyr
			20					25					30		

FP17-0775-00_Sequence listing

Trp Leu Gly Trp Val Arg Gln Met Pro Gly Lys Gly Leu Glu Trp Met
35 40 45

Gly Asp Ile Tyr Pro Gly Gly Asp Tyr Pro Thr Tyr Ser Glu Lys Phe
50 55 60

Lys Val Gln Val Thr Ile Ser Ala Asp Lys Ser Ile Ser Thr Ala Tyr
65 70 75 80

Leu Gln Trp Ser Ser Leu Lys Ala Ser Asp Thr Ala Met Tyr Tyr Cys
85 90 95

Ala Arg Ser Gly Asn Tyr Asp Glu Val Ala Tyr Trp Gly Gln Gly Thr
100 105 110

Leu Val Thr Val Ser Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser
115 120 125

Gly Gly Gly Gly Ser Asp Ile Val Met Thr Gln Thr Pro Leu Ser Leu
130 135 140

Ser Val Thr Pro Gly Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln
145 150 155 160

Ser Leu Val His Ser Asn Gly Asn Thr Tyr Leu His Trp Tyr Leu Gln
165 170 175

Lys Pro Gly Gln Ser Pro Gln Leu Leu Ile Tyr Lys Val Ser Asn Arg
180 185 190

Phe Ser Gly Val Pro Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp
195 200 205

Phe Thr Leu Lys Ile Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr
210 215 220

Tyr Cys Ser Gln Ser Thr His Val Pro Trp Thr Phe Gly Gln Gly Thr
225 230 235 240

Lys Val Glu Ile Lys
245

<210> 278
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Amino acid sequence 2 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No. 6

<400> 278

FP17-0775-00_Sequence listing

Ile Ile Trp Gly Asp Gly Ser Thr Asn Tyr His Ser Ala Leu Ile Ser
 1 5 10 15

<210> 279

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> Amino acid sequence 2 of CDR 2 in the heavy chain of mouse anti-hTfR antibody No. 8

<400> 279

Ile Ile Trp Gly Asp Gly Ser Thr Asn Tyr Arg Ser Ala Leu Ile Ser
 1 5 10 15