

Description

PEPTIDE VACCINES FOR CANCERS EXPRESSING TUMOR-ASSOCIATED ANTIGENS

Technical Field

- [0001] The present application claims the benefit of U.S. Provisional Application No. 60/902,949, filed February 21, 2007, the entire disclosure of which is hereby incorporated herein by reference for all purposes.
- [0002] The present invention relates to the field of biological science, more specifically to the field of cancer therapy. In particular, the present invention relates to novel immunogenic peptides that serve as extremely effective as cancer vaccines, and drugs for treating and preventing tumors containing such peptides.

Background Art

- [0003] It has been demonstrated that CD8⁺ cytotoxic T lymphocytes (CTLs) recognize epitope peptides derived from tumor-associated antigens (TAAs) presented on MHC class I molecules, and subsequently lyse the tumor cells. Since the discovery of the MAGE family as the first example of TAAs, many other TAAs have been discovered using immunological approaches (Boon T. (1993) *Int J Cancer* 54: 177-80.; Boon T. et al., (1996) *J Exp Med* 183: 725-9.; van der Bruggen P et al., (1991) *Science* 254: 1643-7.; Brichard V et al., (1993) *J Exp Med* 178: 489-95.; Kawakami Y et al., (1994) *J Exp Med* 180: 347-52.). Some of them are now in clinical development as targets of immunotherapy. TAAs discovered to date include MAGE (van der Bruggen P et al., (1991) *Science* 254: 1643-7.), gp100 (Kawakami Y et al., (1994) *J Exp Med* 180: 347-52.), SART (Shichijo S et al., (1998) *J Exp Med* 187:277-88.), and NY-ESO-1 (Chen Y.T. et al., (1997) *Proc. Natl. Acad. Sci. USA*, 94: 1914-8.). On the other hand, certain gene products demonstrated to be somewhat specifically over-expressed in tumor cells have been shown to be recognized as targets for inducing cellular immune responses. Such gene products include p53 (Umano Y et al., (2001) *Br J Cancer*, 84:1052-7.), HER2/neu (Tanaka H et al., (2001) *Br J Cancer*, 84: 94-9.), CEA (Nukaya I et al., (1999) *Int. J. Cancer* 80, 92-7.) and the like.
- [0004] Despite significant progress in basic and clinical research concerning TAAs (Rosenberg SA et al., (1998) *Nature Med*, 4: 321-7.; Mukherji B. et al., (1995) *Proc Natl Acad Sci USA*, 92: 8078-82.; Hu X et al., (1996) *Cancer Res*, 56: 2479-83.), only a very limited number of candidate TAAs suitable for treatment of cancers are presently available. TAAs that are abundantly expressed in cancer cells, and whose expression is restricted to cancer cells, would be promising candidates as immunotherapeutic targets.

- [0005] Both HLA-A24 and HLA-A0201 are common HLA alleles in the Japanese and Caucasian populations (Date Y et al., (1996) *Tissue Antigens* 47: 93-101.; Kondo A et al., (1995) *J Immunol* 155: 4307-12.; Kubo RT et al., (1994) *J Immunol* 152: 3913-24.; Imanishi et al., *Proceeding of the eleventh International Histocompatibility Workshop and Conference* Oxford University Press, Oxford, 1065 (1992); Williams F et al., (1997) *Tissue Antigen* 49: 129-33.). Thus, antigenic peptides of cancers presented by these HLA alleles may find particular utility in the treatment of cancers among Japanese and Caucasian patients. Further, it is known that the induction of low-affinity CTL in vitro usually results from exposure to high concentrations of peptides, generating a high level of specific peptide/MHC complexes on antigen-presenting cells (APCs), which will effectively activate these CTL (Alexander-Miller et al., (1996) *Proc Natl Acad Sci USA* 93: 4102-7.).
- [0006] Recently, HLA class I-binding peptide sequence can be expected using algorithms (*Journal of Immunological Methods*, (1995), Vol.185, pp.181-190, *J. Immunol.*, (1994), Vol.152, pp.163-175, *protein science*, (2000), Vol.9, pp.1838-1846). However, it is hard to say that the expected epitope peptide can be cut to the size and expressed on the target cell surface with HLA molecule and recognized by CTL. Moreover, the algorithm, for example BIMAS (http://bimas.dcrt.nih.gov/cgi-bin/molbio/ken_parker_comboform) (Parker KC, et al., (1994) *J Immunol.*;152(1):163-75.; Kuzushima K, et al., (2001) *Blood*;98(6):1872-81.)) can suggest the HLA molecule-binding peptide, but the suggested peptide is not so rigorous (Bachinsky MM, et. al., *Cancer Immun.* 2005 Mar 22;5:6.). Thus TAA screening still remains a lot of challenges and difficulties.
- [0007] Recent developments in cDNA microarray technologies have enabled the construction of comprehensive profiles of gene expression in malignant cells as compared to normal cells (Okabe, H. et al., (2001) *Cancer Res.*, 61, 2129-37.; Lin YM. et al., (2002) *Oncogene*, 21;4120-8.; Hasegawa S. et al., (2002) *Cancer Res* 62:7012-7.). This approach enables a more thorough understanding of the complex nature of cancer cells and the mechanisms of carcinogenesis and facilitates the identification of genes whose expression is deregulated in tumors (Bienz M. et al., (2000) *Cell* 103, 311-20.). Among the transcripts identified as up-regulated in cancers, CDH3 (GenBank Accession No. NM_001793; SEQ ID Nos.1, 2), EPHA4 (GenBank Accession No. L36645; SEQ ID Nos.3, 4), ECT2 (GenBank Accession No. AY376439; SEQ ID Nos.5, 6), HIG2 (GenBank Accession No. NM_013332; SEQ ID Nos.7, 8) INHBB (GenBank Accession No. NM_002193; SEQ ID Nos.9, 10), KIF20A (GenBank Accession No. NM_005733; SEQ ID Nos.11, 12), KNTC2 (GenBank Accession No. AF017790; SEQ ID Nos.13, 14), TTK (GenBank Accession No. NM_003318; SEQ ID Nos.15, 16) and URLC10 (GenBank Accession No. NM_017527; SEQ ID Nos.17, 18) have been

recently discovered. The entire contents of the references are incorporated by reference herein. These genes are of particular interest to the present inventors, being specifically up-regulated in tumor cells of the various cancer tissues of the cases analyzed (see below). Thus, immunogenic peptides derived from CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10 may find utility in selectively killing tumor cells that express such antigens. The present invention addresses these and other needs.

[0008] Since cytotoxic drugs, such as M-VAC, often cause severe adverse reactions, it is clear that thoughtful selection of novel target molecules on the basis of well-characterized mechanisms of action should be very helpful in the development of effective anti-cancer drugs having a minimized risk of side effects. Toward this goal, expression profile analyses were previously performed on various cancers and normal human tissue. Such studies led to the discovery of multiple genes that are specifically over-expressed in cancer (Lin YM, et al., *Oncogene*. 2002 Jun 13;21:4120-8.; Kitahara O, et al., *Cancer Res*. 2001 May 1;61:3544-9.; Suzuki C, et al., *Cancer Res*. 2003 Nov 1;63:7038-41.; Ashida S, *Cancer Res*. 2004 Sep 1;64:5963-72.; Ochi K, et al., *Int J Oncol*. 2004 Mar;24(3):647-55.; Kaneta Y, et al., *Int J Oncol*. 2003 Sep;23:681-91.; Obama K, *Hepatology*. 2005 Jun;41:1339-48.; Kato T, et al., *Cancer Res*. 2005 Jul 1;65:5638-46.; Kitahara O, et al., *Neoplasia*. 2002 Jul-Aug;4:295-303.; Saito-Hisaminato A et al., *DNA Res* 2002, 9: 35-45.). Examples of such genes identified as over-expressed in various cancers include, but are not limited to, CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10. CDH3 has been previously identified as over-expressed in bladder cancer, cervical cancer, cholangiocellular carcinoma, colorectal cancer, endometriosis, gastric cancer, diffuse-type gastric cancer, non-small cell lung cancer (NSCLC), pancreatic cancer, soft tissue tumor and testicular tumor. EPHA4 has been identified in bladder cancer, cervical cancer, cholangiocellular carcinoma, endometriosis, diffuse-type gastric cancer, ovarian cancer, pancreatic cancer, prostate cancer and soft tissue tumor. ECT2 has been identified in bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, chronic myeloid leukemia (CML), colorectal cancer, esophageal cancer, NSCLC, lymphoma, prostate cancer, renal carcinoma and small cell lung cancer (SCLC). HIG2 has been identified in renal carcinoma and SCLC. INHBB has been identified in cholangiocellular carcinoma, esophageal cancer, NSCLC, renal carcinoma, SCLC and soft tissue tumor. KIF20A has been identified in bladder cancer, breast cancer, cholangiocellular carcinoma, esophageal cancer, NSCLC, pancreatic cancer, prostate cancer, renal carcinoma and SCLC. KNTC2 has been identified in bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, esophageal cancer, NSCLC, lymphoma, osteosarcoma, ovarian

cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC and soft tissue tumor. TTK has been identified in bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, esophageal cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, prostate cancer, SCLC and soft tissue tumor. URLC10 has been identified in bladder cancer, cervical cancer, cholangiocellular carcinoma, esophageal cancer, gastric cancer, NSCLC, osteosarcoma, pancreatic cancer and SCLC.

[0009] Summary of the Invention

The present invention is based in part on the discovery of the applicable targets of immunotherapy. Because TAAs have often no immunogenicity, the discovery of appropriate targets is of extreme importance. As noted above, CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10 have been identified as up-regulated in various cancers. More particularly, these genes were identified using gene expression profiling with a genome-wide cDNA microarray. As discussed above, expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10 has been shown to be specifically up-regulated in various tumor cells, from pancreatic cancer cells to renal cell carcinomas. As described in Table 1, CDH3 expression is validly elevated in 26 out of 34 bladder cancer, 17 out of 19 cervical cancer, all of 19 cholangiocellular carcinoma, 30 out of 34 colorectal cancer, 20 out of 21 endometriosis, 13 out of 20 gastric cancer, 7 out of 8 diffuse-type gastric cancer, 36 out of 37 NSCLC, all of 16 pancreatic cancer, all of 21 soft tissue tumor and all of 10 testicular tumor.

[0010] Table 1 further demonstrates that:

EPHA4 expression is validly elevated in 14 out of 34 bladder cancer, 8 out of 14 cervical cancer, 10 out of 25 cholangiocellular carcinoma, 5 out of 15 endometriosis, 5 out of 8 diffuse-type gastric cancer, all of 5 ovarian cancer, all 14 pancreatic cancer, 20 out of 51 prostate cancer and 14 out of 23 soft tissue tumor.

ECT2 expression is validly elevated in 17 out of 19 bladder cancer, 5 out of 12 breast cancer, all of 14 cervical cancer, all of 13 cholangiocellular carcinoma, all of 5 CML, 7 out of 8 colorectal cancer, 12 out of 16 esophageal cancer, 6 out of 16 NSCLC, 8 out of 10 lymphoma, 1 out of 1 pancreatic cancer, 10 out of 13 prostate cancer, 3 out of 6 renal carcinoma and 12 out of 13 SCLC cancer.

HIG2 expression is validly elevated in 19 out of 20 renal cancer and 7 out of 9 soft tissue tumor.

INHBB expression is validly elevated in 10 out of 21 cholangiocellular carcinoma, all of 12 esophageal cancer, 10 out of 13 NSCLC, 22 out of 24 renal carcinoma, 8 out of 14 SCLC cancer and 45 out of 49 soft tissue tumor.

KIF20A expression is validly elevated in all of 31 bladder cancer, 38 out of 61 breast

cancer, 10 out of 11 cholangiocellular carcinoma, 7 out of 19 esophageal cancer, 21 out of 22 NSCLC, all of 6 ovarian cancer, 17 out of 36 prostate cancer, 6 out of 11 renal carcinoma and all of 15 SCLC .

KNTC2 expression is validly elevated in 30 out of 32 bladder cancer, 47 out of 56 breast cancer, all of 10 cervical cancer, 16 out of 22 cholangioncellular carcinoma, 17 out of 37 CML, 3 out of 10 colorectal cancer, 11 out of 46 esophagus cancer, 15 out of 19 NSCLC, 7 out of 8 lymphoma, 20 out of 24 osteosarcoma, 3 out of 5 ovarian cancer, all of 2 pancreatic cancer, 15 out of 37 prostate cancer, 14 out of 19 renal carcinoma, all of 15 SCLC and 40 out of 59 soft tissue tumor.

TTK expression is validly elevated in all of 27 bladder cancer, 25 out of 30 breast cancer, 15 out of 16 cervical cancer, all of 10 cholangiocellular carcinoma, 5 out of 7 CML, 6 out of 10 colorectal cancer, 24 out of 44 esophageal cancer, 8 out of 15 liver cancer, all of 12 NSCLC, all of 6 lymphoma, 13 out of 16 osteoblastoma, 12 out of 17 prostate cancer, all of 15 SCLC and 16 out of 33 soft tissue tumor.

URLC10 expression is validly elevated in all of 29 bladder cancer, 15 out of 16 cervical cancer, all of 7 cholangiocellular carcinoma, 7 out of 19 esophageal cancer, all of 3 gastric cancer, 24 out of 27 NSCLC, 15 out of 19 osteosarcoma, 4 out of 5 pancreatic cancer, 33 out of 43 soft tissue tumor .

[0011] The present invention is based, at least in part, on the identification of specific epitope peptides of the gene products of these genes (CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10) which possess the ability to induce cytotoxic T lymphocytes (CTLs) specific to the corresponding molecules. As discussed in detail below, Peripheral Blood Mononuclear Cells (PBMC) of healthy donor were stimulated using HLA-A*2402 or HLA-A*0201 binding candidate peptides derived from CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK or URLC10. CTL clones and/or lines were then established with specific cytotoxicity against the HLA-A24 or HLA-A2 positive target cells pulsed with each of the candidate peptides. These results demonstrate that these peptides are HLA-A24 or HLA-A2 restricted epitope peptides that can induce potent and specific immune responses against cells expressing CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK or URLC10.

[0012] Accordingly, the present invention provides methods for treating or preventing a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK or URLC10, e.g. cancer. Such methods involve the step of administering to a subject in need thereof a CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10 polypeptides of the invention. Administration of such peptide(s) results in the induction of anti-tumor immunity is induced by the administration of these polypeptides. Thus, the present invention provides methods for inducing anti-tumor immunity in a subject, such methods involving the step of admin-

istering to the subject the CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10 polypeptides, as well as pharmaceutical compositions for treating or preventing a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancer, that include the CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10 polypeptides. Examples of such cancers include, but are not limited to., bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor.

[0013]

The present invention further provides methods for preventing post-surgery recurrence of the disease mentioned above.

Regarding the specific aims and objectives recited above, it will be understood by those skilled in the art that one or more aspects of this invention can meet certain objectives, while one or more other aspects can meet certain other objectives. Each objective may not apply equally, in all its respects, to every aspect of this invention. As such, the objects herein can be viewed in the alternative with respect to any one aspect of this invention.

[0014]

Additional objects and features of the invention will become more fully apparent when the following detailed description is read in conjunction with the accompanying figures and examples. However, it is to be understood that both the foregoing summary of the invention and the following detailed description are of preferred embodiments, and not restrictive of the invention or other alternate embodiments of the invention. In particular, while the invention is described herein with reference to a number of specific embodiments, it will be appreciated that the description is illustrative of the invention and is not constructed as limiting of the invention. Various modifications and applications may occur to those who are skilled in the art, without departing from the spirit and the scope of the invention, as described by the appended claims. Likewise, other objects, features, benefits and advantages of the present invention will be apparent from this summary and certain embodiments described below, and will be readily apparent to those skilled in the art. Such objects, features, benefits and advantages will be apparent from the above in conjunction with the accompanying examples, data, figures and all reasonable inferences to be drawn therefrom, alone or with consideration of the references incorporated herein.

Brief Description of Drawings

[0015]

Various aspects and applications of the present invention will become apparent to the skilled artisan upon consideration of the brief description of the figures and the

detailed description of the present invention and its preferred embodiments which follows:

[fig.1-1]Figure 1 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that CDH3-A24-10-332 (SEQ ID NO: 34), CDH3-A24-10-470 (SEQ ID NO: 358), CDH3-A24-9-513 (SEQ ID NO: 19), CDH3-A24-9-406 (SEQ ID NO: 22), CDH3-A24-10-807 (SEQ ID NO: 30) and CDH3-A24-10-655 (SEQ ID NO: 344) show potent IFN-gamma production. "a" depicts the example of negative peptides which could not be detected CTL-inducing ability despite possible binding activity with HLA-A*2402. "b" depicts the CTL-inducing ability of CDH3-A24-10-332 (SEQ ID NO: 34). CDH3-A24-10-332 (SEQ ID NO: 34) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line that was established from the positive well #4 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "c" depicts the CTL-inducing ability of CDH3-A24-10-470 (SEQ ID NO: 358). CDH3-A24-10-470 (SEQ ID NO: 358) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line that was established from the positive well #4 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "d" depicts the CTL-inducing ability of CDH3-A24-9-513 (SEQ ID NO: 19). CDH3-A24-9-513 (SEQ ID NO: 19) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay. The well #6 shown in boxed wells in left panel demonstrated the specific response against the target cells pulsed with the epitope peptide. Moreover, CTL line that was established from the positive well #5 shown in boxed wells in middle panel, demonstrated the specific response against the target cells pulsed with the epitope peptide. "e" depicts the CTL-inducing ability of CDH3-A24-9-406 (SEQ ID NO: 22). CDH3-A24-9-406 (SEQ ID NO: 22) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line that was established from the positive well #2 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide.

[fig.1-2]Figure 1 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that CDH3-A24-10-332 (SEQ ID NO: 34), CDH3-A24-10-470 (SEQ ID NO: 358), CDH3-A24-9-513 (SEQ ID NO: 19), CDH3-A24-9-406 (SEQ ID NO: 22), CDH3-A24-10-807 (SEQ ID NO: 30) and CDH3-A24-10-655 (SEQ ID NO: 344) show potent IFN-gamma production. "f" depicts the CTL-inducing ability of CDH3-A24-10-807 (SEQ ID NO: 30). CDH3-A24-10-807 (SEQ ID NO: 30) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and the clone were established from the positive

well #5 shown in boxed wells. The established CTL clone raised against the peptide demonstrated the specific CTL activity against COS7 transfected both full length of CDH3 gene and HLA-A24 molecule (lower right graph). On the other hand, COS7 transfected full length of CDH3 but not HLA-A24 and COS7 transfected HLA-A24 but not full length of CDH3 were prepared for the negative control. The CTL clone showed high specific CTL activity against COS7 that transfected both CDH3 and HLA-A24. "g" depicts the CTL-inducing ability of CDH3-A24-10-655 (SEQ ID NO: 344). CDH3-A24-10-655 (SEQ ID NO: 344) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and the clone were established from the positive well #1 shown in boxed wells. The established CTL clone raised against the peptide demonstrated the specific CTL activity against COS7 transfected both full length of CDH3 gene and HLA-A24 molecule (lower right graph). On the other hand, COS7 transfected full length of CDH3 but not HLA-A24 and COS7 transfected HLA-A24 but not full length of CDH3 were prepared for the negative control. The CTL clone showed high specific CTL activity against COS7 that transfected both CDH3 and HLA-A24.

[fig.2]Figure 2 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that Epha4-A24-9-453 (SEQ ID NO: 41), Epha4-A24-9-5 (SEQ ID NO: 44), Epha4-A24-9-420 (SEQ ID NO: 48), Epha4-A24-9-869 (SEQ ID NO: 46), Epha4-A24-10-24 (SEQ ID NO: 78) Epha4-A02-9-501 (SEQ ID NO: 376) and Epha4-A02-9-165 (SEQ ID NO: 379) show potent IFN-gamma production. "a" depicts the example of negative peptides which could not be detected CTL-inducing ability despite possible binding activity with HLA. "b" depicts the CTL-inducing ability of Epha4-A24-9-453 (SEQ ID NO: 41). Epha4-A24-9-453 (SEQ ID NO: 41) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line that was established from the positive well #3 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "c" depicts the CTL-inducing ability of Epha4-A24-9-5 (SEQ ID NO: 44). Epha4-A24-9-5 (SEQ ID NO: 44) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #2 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "d" depicts the CTL-inducing ability of Epha4-A24-9-420 (SEQ ID NO: 48). Epha4-A24-9-420 (SEQ ID NO: 48) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay. The well #6 shown in boxed wells in upper panel demonstrated the specific response against the target cells pulsed with the epitope peptide. Moreover CTL line that was established from the positive well #6 shown in boxed wells in middle panel, demonstrated the

specific response against the target cells pulsed with the epitope peptide. "e" depicts the CTL-inducing ability of Epha4-A24-9-869 (SEQ ID NO: 46). Epha4-A24-9-869 (SEQ ID NO: 46) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line that was established from the positive well #5 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "f" depicts the CTL-inducing ability of Epha4-A24-10-24 (SEQ ID NO: 78). Epha4-A24-10-24 (SEQ ID NO: 78) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line that was established from the positive well #4 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "g" depicts the CTL-inducing ability of Epha4-A02-9-501 (SEQ ID NO: 376). Epha4-A02-9-501 (SEQ ID NO: 376) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clone was established from the positive well #8 shown in boxed wells. Cytotoxic activity of the established CTL line against the target cells pulsed with the peptide was measured by Cr-release assay (CRA) (lower graph), and the CTL line had very potent specific cytotoxic activity against the target cells pulsed with the peptides. "h" depicts the CTL-inducing ability of Epha4-A02-9-165 (SEQ ID NO: 379). Epha4-A02-9-165 (SEQ ID NO: 379) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line was established from the positive well #3 shown in boxed wells. Cytotoxic activity of the established CTL line against target cells pulsed with peptide was measured by Cr-release assay (CRA) (right graph), and the CTL line had very potent specific cytotoxic activity against the target cells pulsed with the peptides.

[fig.3]Figure 3 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that ECT2-A24-9-515 (SEQ ID NO: 80), ECT2-A24-10-40 (SEQ ID NO: 100) and ECT2-A24-10-101 (SEQ ID NO: 101) show potent IFN-gamma production. "a" depicts the example of negative peptides which could not be detected CTL-inducing ability despite possible binding activity with HLA. "b" depicts the CTL-inducing ability of ECT2-A24-9-515 (SEQ ID NO: 80). ECT2-A24-9-515 (SEQ ID NO: 80) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay. The well #5 and #7 shown in boxed wells in left panel demonstrated the specific response against the target cells pulsed with the epitope peptide. Moreover, CTL line that was established from the positive well #7 shown in boxed wells in second panel, demonstrated the specific response against the target cells pulsed with the epitope peptide. Cytotoxic activity of the CTL line against cancer cell line, TE6 endogenously expressing ECT2 and HLA-A24 was measured by Cr-release

assay (CRA), and the CTL clone had very potent cytotoxic activity against TE6. On the other hand, the effector cells did not demonstrate the cytotoxic activity of the CTL line against cancer cell line, TE5 expressing only ECT2 was not detected. "c" depicts the CTL-inducing ability of ECT2-A24-10-40 (SEQ ID NO: 100). ECT2-A24-10-40 (SEQ ID NO: 100) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and the clone were established from the positive well #2 shown in boxed wells. The established CTL clone raised against the peptide demonstrated specific CTL activity against COS7 transfected both full length of ECT2 gene and HLA-A24 molecule. On the other hand, COS7 transfected full length of ECT2 but not HLA-A24, COS7 transfected HLA-A24 and URLC10 gene as a substitute for full length of ECT2 and COS7 transfected HLA-A24 and pulsed with ECT2-10-101 were prepared for the negative control. The CTL clone showed high specific CTL activity against COS7 that transfected both ECT2 and HLA-A24. "d" depicts the CTL-inducing ability of ECT2-A24-10-101 (SEQ ID NO: 101). ECT2-A24-10-101 (SEQ ID NO: 101) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line were established from the positive well #1 shown in boxed wells. The established CTL line raised against the peptide demonstrated specific CTL activity against COS7 transfected both full length of ECT2 gene and HLA-A24 molecule. COS7 transfected full length of ECT2 but not HLA-A24, COS7 transfected HLA-A24 and URLC10 gene as substitute for full length of ECT2 and COS7 transfected HLA-A24 and pulsed with ECT2-10-40 were prepared for the negative control. The CTL clone showed high specific CTL activity against COS7 that transfected both ECT2 and HLA-A24.

[fig.4-1]Figure 4 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that HIG2-A24-9-19 (SEQ ID NO: 110), HIG2-A24-9-22 (SEQ ID NO: 111), HIG2-A24-9-8 (SEQ ID NO: 387), HIG2-A24-10-7 (SEQ ID NO: 112), HIG2-A24-10-18 (SEQ ID NO: 394), HIG2-A02-9-15 (SEQ ID NO: 116), HIG2-A02-9-4 (SEQ ID NO: 117) and HIG2-A02-10-8 (SEQ ID NO: 121) show potent IFN-gamma production. "a" depicts the example of negative peptides which could not be detected CTL-inducing ability despite possible binding activity with HLA. "b" depicts the CTL-inducing ability of HIG2-A24-9-19 (SEQ ID NO: 110). HIG2-A24-9-19 (SEQ ID NO: 110) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #6 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "c" depicts the CTL-inducing ability of HIG2-A24-9-22 (SEQ ID NO: 111). HIG2-A24-9-22 (SEQ ID NO: 111) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clone, that was established from the

positive well #7 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "d" depicts the CTL-inducing ability of HIG2-A24-9-8 (SEQ ID NO: 387). HIG2-A24-9-8 (SEQ ID NO: 387) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clone, that were established from the positive well #5 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "e" depicts the CTL-inducing ability of HIG2-A02-9-8 (SEQ ID NO: 114). HIG2-A02-9-8 (SEQ ID NO: 114) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line was established from the positive well #10 shown in boxed wells. The established CTL line raised against the peptide demonstrate specific CTL activity against 293T transfected both full length of HIG2 gene and HLA-A02 molecule. 293T transfected full length of HIG2 but not HLA-A02, 293Ts transfected HLA-A02 and FoxP3 gene as substitute dor full length of HIG2 and 293Ts transfected HLA-A02 and pulsed with HIG2-9-15 were prepared for the negative control. The CTL line showed high specific CTL activity against 293T that transfected both HIG2 and HLA-A02.

[fig.4-2]Figure 4 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that HIG2-A24-9-19 (SEQ ID NO: 110), HIG2-A24-9-22 (SEQ ID NO: 111), HIG2-A24-9-8 (SEQ ID NO: 387), HIG2-A24-10-7 (SEQ ID NO: 112), HIG2-A24-10-18 (SEQ ID NO: 394), HIG2-A02-9-15 (SEQ ID NO: 116), HIG2-A02-9-4 (SEQ ID NO: 117) and HIG2-A02-10-8 (SEQ ID NO: 121) show potent IFN-gamma production. "f" depicts the CTL-inducing ability of HIG2-A24-10-7 (SEQ ID NO: 112). HIG2-A24-10-7 (SEQ ID NO: 112) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL lines or clone, that were established from the positive well #1 and #7 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "g" depicts the CTL-inducing ability of HIG2-A24-10-18 (SEQ ID NO: 394). HIG2-A24-10-18 (SEQ ID NO: 394) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clone, that were established from the positive well #7 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "h" depicts the CTL-inducing ability of HIG2-A02-9-15 (SEQ ID NO: 116). HIG2-A02-9-15 (SEQ ID NO: 116) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line was established from the positive well #10 shown in boxed wells. The established CTL line raised against the peptide demonstrated specific CTL activity against COS7 transfected both full length of HIG2 gene and HLA-A02 molecule. COS7 transfected full length of HIG2 but not HLA-A02 and COS7s transfected HLA-

A02 and pulsed with HIG2-9-8 peptide were prepared for the negative control. The CTL line showed high specific CTL activity against COS7 that transfected both HIG2 and HLA-A02.

[fig.4-3]Figure 4 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that HIG2-A24-9-19 (SEQ ID NO: 110), HIG2-A24-9-22 (SEQ ID NO: 111), HIG2-A24-9-8 (SEQ ID NO: 387), HIG2-A24-10-7 (SEQ ID NO: 112), HIG2-A24-10-18 (SEQ ID NO: 394), HIG2-A02-9-15 (SEQ ID NO: 116), HIG2-A02-9-4 (SEQ ID NO: 117) and HIG2-A02-10-8 (SEQ ID NO: 121) show potent IFN-gamma production. "i" depicts the CTL-inducing ability of HIG2-A02-9-4 (SEQ ID NO: 117). HIG2-A02-9-4 (SEQ ID NO: 117) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clone were established from the positive well #10 shown in boxed wells. The established CTL line raised against the peptide demonstrated specific CTL activity against COS7 transfected both full length of HIG2 gene and HLA-A02 molecule (middle graph). Also, COS7 transfected full length of HIG2 but not HLA-A02, COS7s transfected HLA-A02 and TTK gene as substitute for full length of HIG2 and COS7s transfected HLA-A02 and pulsed with HIG2-9-8 were prepared for the negative control. Cytotoxic activity of the CTL clone against 293T, transfected both full length of HIG2 gene and HLA-A02 molecule, and cancer cell line, Caki-1 endogenously expressing HIG2 and HLA-A02 was measured by Cr-release assay (CRA) (lower graphs), and the CTL clone had very potent cytotoxic activity against the transfectant with both of HIG2 gene and HLA-A02, and Caki-1. On the other hand, the effector cells did not demonstrate the cytotoxic activity of the CTL line against 293T, transfected only HIG2 or only HLA-A02, and cancer cell line, A498 expressing only HIG2 was not detected. "j" depicts the CTL-inducing ability of HIG2-A02-10-8 (SEQ ID NO: 121). HIG2-A02-10-8 (SEQ ID NO: 121) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #9 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide.

[fig.5-1]Figure 5 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that INHBB-A24-9-180 (SEQ ID NO: 395), INHBB-A24-10-180 (SEQ ID NO: 133), INHBB-A24-10-305 (SEQ ID NO: 135), INHBB-A24-10-7 (SEQ ID NO: 137) and INHBB-A24-10-212 (SEQ ID NO: 426) show potent IFN-gamma production. "a" depicts the example of negative peptides which could not be detected CTL-inducing ability despite possible binding activity with HLA. "b" depicts the CTL-inducing ability of INHBB-A24-9-180 (SEQ ID NO: 395). INHBB-A24-9-180 (SEQ ID NO: 395) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clone was established from the

positive well #7 shown in boxed wells. Cytotoxic activity of the established CTL clone against tumor cells, Miapaca2 expressing both of INHBB and HLA-A02 was measured by Cr-release assay (CRA), and the effector cells showed high specific cytotoxic activity against Miapaca2. On the other hand, it did not show significant specific cytotoxic activity against Caki-1 expressing INHBB but not HLA-A02. "c" depicts the CTL-inducing ability of INHBB-A24-10-180 (SEQ ID NO: 133). INHBB-A24-10-180 (SEQ ID NO: 133) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line was established from the positive well #3 shown in boxed wells. The established CTL line raised against the peptide demonstrated high specific CTL activity against 293T transfected both of full length of INHBB gene and HLA-A24 molecule. Also, 293T transfected full length of INHBB but not HLA-A24 and 293Ts transfected HLA-A24 and pulsed with INHBB-10-305 peptide were prepared for the negative control.

[fig.5-2]Figure 5 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that INHBB-A24-9-180 (SEQ ID NO: 395), INHBB-A24-10-180 (SEQ ID NO: 133), INHBB-A24-10-305 (SEQ ID NO: 135), INHBB-A24-10-7 (SEQ ID NO: 137) and INHBB-A24-10-212 (SEQ ID NO: 426) show potent IFN-gamma production. "d" depicts the CTL-inducing ability of INHBB-A24-10-305 (SEQ ID NO: 135). INHBB-A24-10-305 (SEQ ID NO: 135) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clone were established from the positive well #2 shown in boxed wells. The established CTL clone raised against the peptide demonstrated high specific CTL activity against 293T transfected both full length of INHBB gene and HLA-A24 molecule. Also, 293T transfected full length of INHBB but HLA-A24 and 293Ts transfected HLA-A24 and pulsed with INHBB-10-180 peptide were prepared for the negative control. "e" depicts the CTL-inducing ability of INHBB-A24-10-7 (SEQ ID NO: 137)). INHBB-A24-10-7 (SEQ ID NO: 137) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL lines were established from the positive well #8 shown in boxed wells in upper panel and #2 shown in boxed wells in lower panel. The CTL line from #8 well demonstrated specific CTL activity against 293T transfected both full length of INHBB gene and HLA-A24 molecule. Also, 293T transfected full length of INHBB but not HLA-A24 and 293Ts transfected HLA-A24 and pulsed with INHBB-10-40 peptide were prepared for the negative control. "f" depicts the CTL-inducing ability of INHBB-A24-10-212 (SEQ ID NO: 426). INHBB-A24-10-212 (SEQ ID NO: 426) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #1 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide.

[fig.6-1]Figure 6 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that KIF20A-A24-10-304 (SEQ ID NO: 186), KIF20A-A24-9-383 (SEQ ID NO: 178), KIF20A-A24-10-66 (SEQ ID NO: 194) and KIF20A-A24-9-305 (SEQ ID NO: 174) show potent IFN-gamma production. "a" depicts the example of negative peptides which could not be detected CTL-inducing ability despite possible binding activity with HLA. "b" depicts the CTL-inducing ability of KIF20A-A24-10-304 (SEQ ID NO: 186). KIF20A-A24-10-304 (SEQ ID NO: 186) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay. The well #5 shown in boxed wells in lower right panel demonstrated the specific response against the target cells pulsed with the epitope peptide. Moreover, CTL line and clone, that were established from the positive well #5 shown in boxed wells in upper left panel, also demonstrated the specific response against the target cells pulsed with the epitope peptide. The established CTL clone raised against the peptide demonstrated specific CTL activity against 24-LCL transfected full length of KIF20A gene. Also, A24-LCL transfected mock vector was prepared for the negative control. Cytotoxic activity of the CTL clone against tumor cells, Miapaca2 expressing both of KIF20A and HLA-A24 was measured by Cr-release assay (CRA), and the CTL clone had very potent specific cytotoxic activity against Miapaca2 (lower right graph). On the other hand, it did not show significant specific cytotoxic activity against PK59 expressing KIF20A but not HLA-A24. "c" depicts the CTL-inducing ability of KIF20A-A24-9-383 (SEQ ID NO: 178). KIF20A-A24-9-383 (SEQ ID NO: 178) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay. The well #3 and 4 shown in boxed wells in right panel demonstrated the specific response against the target cells pulsed with the epitope peptide. Moreover, CTL line, that was established from the positive well #3 shown in boxed wells in left panel, also demonstrated the specific response against the target cells pulsed with the epitope peptide. The established CTL line demonstrated high specific CTL activity against COS7 transfected both full length of KIF20A gene and HLA-A24 molecule. Also, COS7 transfected full length of KIF20A but not HLA-A24 and COS7s transfected HLA-A24 and pulsed with KIF20A-9-621 peptide were prepared for the negative control.

[fig.6-2]Figure 6 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that KIF20A-A24-10-304 (SEQ ID NO: 186), KIF20A-A24-9-383 (SEQ ID NO: 178), KIF20A-A24-10-66 (SEQ ID NO: 194) and KIF20A-A24-9-305 (SEQ ID NO: 174) show potent IFN-gamma production. "d" depicts the CTL-inducing ability of KIF20A-A24-10-66 (SEQ ID NO: 194). KIF20A-A24-10-66 (SEQ ID NO: 194) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL lines, that were established from the positive well

#6 shown in boxed wells in upper left panel and #3 shown in boxed wells in lower middle panel demonstrated the specific response against the target cells pulsed with the epitope peptide. Moreover, CTL clone selected from CTL line from #6 well by limiting dilution demonstrated specific CTL activity against the target cells. The established CTL clone showed specific CTL activity against COS7 transfected both full length of KIF20A gene and HLA-A24 molecule. Also, COS7 transfected full length of KIF20A but not HLA-A24, COS7s transfected HLA-A24 and URLC10 gene as substitute for full length of KIF20A and COS7 transfected HLA-A24 and pulsed with KIF20A-10-308 peptide were prepared for the negative control. "e" depicts the CTL-inducing ability of KIF20A-A24-9-305 (SEQ ID NO: 174). KIF20A-A24-9-305 (SEQ ID NO: 174) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL lines, that were established from the positive well #2 shown in boxed wells in upper left panel and #6 shown in boxed wells in lower middle panel, demonstrated the specific response against the target cells pulsed with the epitope peptide. Moreover, CTL clone selected from CTL line from #2 well by limiting dilution demonstrated specific CTL activity against the target cells. Cytotoxic activity of the CTL clone against tumor cells, PK45P expressing both of KIF20A and HLA-A24 was measured by Cr-release assay (CRA), and the CTL clone had very potent cytotoxic activity against PK45P. On the other hand, it did not show significant specific cytotoxic activity against PK59 expressing KIF20A but not HLA-A24.

[Fig. 7-1]

Figure 7 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that KNTC2-A24-9-309 (SEQ ID NO: 196), KNTC2-A24-9-124 (SEQ ID NO: 202), KNTC2-A24-9-154 (SEQ ID NO: 210) KNTC2-A24-9-150 (SEQ ID NO: 213), KNTC2-A24-10-452 (SEQ ID NO: 214), KNTC2-A24-10-227 (SEQ ID NO: 217) and KNTC2-A24-10-273 (SEQ ID NO: 223) show potent IFN-gamma production. "a" depicts the example of negative peptides which could not be detected CTL-inducing ability despite possible binding activity with HLA. "b" depicts the CTL-inducing ability of KNTC2-A24-9-309 (SEQ ID NO: 196). KNTC2-A24-9-309 (SEQ ID NO: 196) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #8 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide.. "c" depicts the CTL-inducing ability of KNTC2-A24-9-124 (SEQ ID NO: 202). KNTC2-A24-9-124 (SEQ ID NO: 202) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #5 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "d" depicts the CTL-inducing ability of

KNTC2-A24-9-154 (SEQ ID NO: 210). KNTC2-A24-9-154 (SEQ ID NO: 210) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clone, that were established from the positive well #5 shown in boxed wells demonstrated the specific response against the target cells pulsed with the epitope peptide. "e" depicts the CTL-inducing ability of KNTC2-A24-9-150 (SEQ ID NO: 213). KNTC2-A24-9-150 (SEQ ID NO: 213) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #7 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide.

[Fig. 7-2]

Figure 7 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that KNTC2-A24-9-309 (SEQ ID NO: 196), KNTC2-A24-9-124 (SEQ ID NO: 202), KNTC2-A24-9-154 (SEQ ID NO: 210) KNTC2-A24-9-150 (SEQ ID NO: 213), KNTC2-A24-10-452 (SEQ ID NO: 214), KNTC2-A24-10-227 (SEQ ID NO: 217) and KNTC2-A24-10-273 (SEQ ID NO: 223) show potent IFN-gamma production. "f" depicts the CTL-inducing ability of KNTC2-A24-10-452 (SEQ ID NO: 214). KNTC2-A24-10-452 (SEQ ID NO: 214) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL lines and clone, that were established from the positive well #4 shown in boxed wells in upper left panel and #5 shown in boxed wells in middle panel, demonstrated the specific response against the target cells pulsed with the epitope peptide. Moreover, CTL clone selected from CTL line from #5 well by limiting dilution demonstrated specific CTL activity against the target cells. The established CTL line from #4 well showed specific CTL activity against HEK293 transfected both full length of KNTC2 gene and HLA-A24 molecule. Also, HEK293 transfected full length of KNTC2 but not HLA-A24, HEK293 transfected HLA-A24 but full length of KNTC2 and HEK293 transfected HLA-A24 pulsed with KNTC-9-309 peptide were prepared for the negative control. "g" depicts the CTL-inducing ability of KNTC2-A24-10-227 (SEQ ID NO: 217). KNTC2-A24-10-227 (SEQ ID NO: 217) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #1 shown in boxed well s, demonstrated the specific response against the target cells pulsed with the epitope peptide. "h" depicts the CTL-inducing ability of KNTC2-A24-10-273 (SEQ ID NO: 223). KNTC2-A24-10-273 (SEQ ID NO: 223) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #8 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide.

[Fig. 8-1]

Figure 8 depicts the results of the screening of epitope peptides, which, in turn,

demonstrate that TTK-A02-9-462 (SEQ ID NO: 227), TTK-A02-9-719 (SEQ ID NO: 233), TTK-A02-9-547 (SEQ ID NO: 228) and TTK-A02-10-462 (SEQ ID NO: 254), show potent IFN-gamma production. "a" depicts the example of negative peptides which could not be detected CTL-inducing ability despite possible binding activity with HLA. "b" depicts the CTL-inducing ability of TTK-A02-9-462 (SEQ ID NO: 227). TTK-A02-9-462 (SEQ ID NO: 227) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and two clones, that were established from the positive well #4 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. The established CTL clone showed high specific CTL activity against COS7 transfected both full length of TTK gene and HLA-A02 molecule. Also, COS7 transfected full length of TTK but not HLA-A02, COS7s transfected HLA-A02 but not full length of TTK and COS7s transfected HLA-A02 pulsed with TTK-9-547 peptide were prepared for the negative control. "c" depicts the CTL-inducing ability of TTK-A02-9-719 (SEQ ID NO: 233). TTK-A02-9-719 (SEQ ID NO: 233) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clones were established from the positive well #1 shown in boxed wells. The established CTL line showed high specific CTL activity against COS7 transfected both full length of TTK gene and HLA-A02 molecule. Also, COS7 transfected full length of TTK but not HLA-A02 and COS7s transfected HLA-A02 and HIG2 gene as substitute for full length of TTK were prepared for the negative control. [fig.8-2]Figure 8 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that TTK-A02-9-462 (SEQ ID NO: 227), TTK-A02-9-719 (SEQ ID NO: 233), TTK-A02-9-547 (SEQ ID NO: 228) and TTK-A02-10-462 (SEQ ID NO: 254), show potent IFN-gamma production. "d" depicts the CTL-inducing ability of TTK-A02-9-547 (SEQ ID NO: 228). TTK-A02-9-547 (SEQ ID NO: 228) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clones were established from the positive well #2 shown in boxed wells. The established CTL line showed specific CTL activity against COS7 transfected both full length of TTK gene and HLA-A02 molecule. Also, COS7 transfected full length of TTK but not HLA-A02, COS7s transfected HLA-A02 but not full length of TTK and COS7s transfected HLA-A02 and pulsed with TTK-10-462 were prepared for the negative control.

[fig.8-3]Figure 8 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that TTK-A02-9-462 (SEQ ID NO: 227), TTK-A02-9-719 (SEQ ID NO: 233), TTK-A02-9-547 (SEQ ID NO: 228) and TTK-A02-10-462 (SEQ ID NO: 254), show potent IFN-gamma production. "e" depicts the CTL-inducing ability of TTK-A02-10-462 (SEQ ID NO: 254). TTK-A02-10-462 (SEQ ID NO: 254) demonstrated

potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and three clones were established from the positive well #8 shown in boxed wells. The established CTL clone showed specific CTL activity against COS7 transfected both full length of TTK gene and HLA-A02 molecule. Also, COS7 transfected full length of TTK but not HLA-A02, COS7s transfected HLA-A02 but not full length of TTK and COS7s transfected HLA-A02 and pulsed with TTK-9-547 peptide were prepared for the negative control.

[fig.9-1]Figure 9 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that URLC10-A02-9-206 (SEQ ID NO: 271), URLC10-A02-9-212 (SEQ ID NO: 272) and URLC10-A02-10-211 (SEQ ID NO: 288) show potent IFN-gamma production. "a" depicts the example of negative peptides which could not be detected CTL-inducing ability despite possible binding activity with HLA. "b" depicts the CTL-inducing ability of URLC10-A02-9-206 (SEQ ID NO: 271). URLC10-A02-9-206 (SEQ ID NO: 271) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #7 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "c" depicts the CTL-inducing ability of URLC10-A02-9-212 (SEQ ID NO: 272). URLC10-A02-9-212 (SEQ ID NO: 272) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line, that was established from the positive well #3 shown in boxed wells, demonstrated the specific response against the target cells pulsed with the epitope peptide. "d" depicts the CTL-inducing ability of URLC10-A02-10-211 (SEQ ID NO: 288). URLC10-A02-10-211 (SEQ ID NO: 288) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and CTL line and clones, that were established from the positive well #5 shown in boxed wells.

[fig.9-2]Figure 9 depicts the results of the screening of epitope peptides, which, in turn, demonstrate that URLC10-A02-9-206 (SEQ ID NO: 271), URLC10-A02-9-212 (SEQ ID NO: 272) and URLC10-A02-10-211 (SEQ ID NO: 288) show potent IFN-gamma production. " Continuation of d" The established CTL clone showed high specific CTL activity against COS7, Hek293 and 293T which were transfected both full length of URLC10 gene and HLA-A02 molecule. Also, COS7, Hek293 or 293T which were transfected full length of URLC10 but not HLA-A02 and COS7s, Hek293s or 293Ts, which were transfected HLA-A02 and pulsed with URLC10-10-64, were prepared for the negative control. In this drawings, "+" means the peptide pulsed target, "-" means the no peptide pulsed target, "R" means Responder, "S" means Stimulator, "E" means Effector, and "T" means Target.

The words "a", "an", and "the" as used herein mean "at least one" unless otherwise specifically indicated.

Unless otherwise defined, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs.

[0017] The present invention is based in part on the discovery of applicable targets of immunotherapy. Identification of new TAAs, particularly those that induce potent and specific anti-tumor immune responses, warrants further development of the clinical application of the peptide vaccination strategy in various types of cancer (Boon T et al., (1996) J Exp Med 183: 725-9.; van der Bruggen P et al., (1991) Science 254: 1643-7.; Brichard V et al., (1993) J Exp Med 178: 489-95.; Kawakami Y et al., (1994) J Exp Med 180: 347-52.; Shichijo S et al., (1998) J Exp Med 187:277-88.; Chen YT et al., (1997) Proc.Natl.Acad. Sci.USA, 94: 1914-8.; Harris CC, (1996) J Natl Cancer Inst 88:1442-55.; Butterfield LH et al., (1999) Cancer Res 59:3134-42.; Vissers JL et al., (1999) Cancer Res 59: 5554-9.; van der Burg SH et al., (1996) J. Immunol 156:3308-14.; Tanaka F et al., (1997) Cancer Res 57:4465-8.; Fujie T et al., (1999) Int J Cancer 80:169-72.; Kikuchi M et al., (1999) Int J Cancer 81 : 459-66.; Oiso M et al., (1999) Int J Cancer 81:387-94.). Because TAAs have often no immunogenicity, discovery of fitting targets is extremely important issue.

[0018] As noted above,
 CDH3 (GenBank Accession No. NM_001793; SEQ ID Nos.1, 2),
 EPHA4 (GenBank Accession No. L36645; SEQ ID Nos.3, 4),
 ECT2 (GenBank Accession No. AY376439; SEQ ID Nos.5, 6),
 HIG2 (GenBank Accession No. NM_013332; SEQ ID Nos.7, 8)
 INHBB (GenBank Accession No. NM_002193; SEQ ID Nos.9, 10),
 KIF20A (GenBank Accession No. NM_005733; SEQ ID Nos.11, 12),
 KNTC2 (GenBank Accession No. AF017790; SEQ ID Nos.13, 14),
 TTK (GenBank Accession No. NM_003318; SEQ ID Nos.15, 16) and
 URLC10 (GenBank Accession No. NM_017527; SEQ ID Nos.17, 18) were
 previously identified as over-expressed in various cancers using cDNA microarray technologies.

[0019] In the present invention, peptides derived from CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK or URLC10 are shown to be TAA epitopes restricted by HLA-A24 and HLA-A2, an HLA allele commonly found in the Japanese and Caucasian populations. Specifically, using their binding affinities to HLA-A24 or HLA-A2, candidates of HLA-A24 or HLA-A2 binding peptides derived from CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK or URLC10 were identified. After the in vitro stimulation of T-cells by dendritic cells (DCs) loaded with these

peptides, CTLs were successfully established using the following peptides.

CDH3-A24-9-513 (SEQ ID NO: 19),
CDH3-A24-9-406 (SEQ ID NO: 22),
CDH3-A24-10-807 (SEQ ID NO: 30),
CDH3-A24-10-332 (SEQ ID NO: 34),
CDH3-A24-10-655 (SEQ ID NO: 344),
CDH3-A24-10-470 (SEQ ID NO: 358),
EphA4-A24-9-453 (SEQ ID NO: 41),
EphA4-A24-9-5 (SEQ ID NO: 44),
EphA4-A24-9-869 (SEQ ID NO: 46),
EphA4-A24-9-420 (SEQ ID NO: 48),
EphA4-A24-10-24 (SEQ ID NO: 78),
EphA4-A02-9-501 (SEQ ID NO: 376),
EphA4-A02-9-165 (SEQ ID NO: 379),
ECT2-A24-9-515 (SEQ ID NO: 80),
ECT2-A24-10-40 (SEQ ID NO: 100),
ECT2-A24-10-101 (SEQ ID NO: 101),
HIG2-A24-9-19 (SEQ ID NO: 110),
HIG2-A24-9-22 (SEQ ID NO: 111),
HIG2-A24-9-8 (SEQ ID NO: 387),
HIG2-A24-10-7 (SEQ ID NO: 112),
HIG2-A24-10-18 (SEQ ID NO: 394),
HIG2-A02-9-8 (SEQ ID NO: 114),
HIG2-A02-9-15 (SEQ ID NO: 116),
HIG2-A02-9-4 (SEQ ID NO: 117),
HIG2-A02-10-8 (SEQ ID NO: 121),
INHBB-A24-9-180 (SEQ ID NO: 395),
INHBB-A24-10-180 (SEQ ID NO: 133),
INHBB-A24-10-305 (SEQ ID NO: 135),
INHBB-A24-10-7 (SEQ ID NO: 137),
INHBB-A24-10-212 (SEQ ID NO: 426),
KIF20A-A24-9-305 (SEQ ID NO: 174),
KIF20A-A24-9-383 (SEQ ID NO: 178),
KIF20A-A24-10-304 (SEQ ID NO: 186),
KIF20A-A24-10-66 (SEQ ID NO: 194),
KNTC2-A24-9-309 (SEQ ID NO: 196),
KNTC2-A24-9-124 (SEQ ID NO: 202),
KNTC2-A24-9-154 (SEQ ID NO: 210),

KNTC2-A24-9-150 (SEQ ID NO: 213),
 KNTC2-A24-10-452 (SEQ ID NO: 214),
 KNTC2-A24-10-227 (SEQ ID NO: 217),
 KNTC2-A24-10-273 (SEQ ID NO: 223),
 TTK-A02-9-462 (SEQ ID NO: 227),
 TTK-A02-9-547 (SEQ ID NO: 228),
 TTK-A02-9-719 (SEQ ID NO: 233),
 TTK-A02-10-462 (SEQ ID NO: 254),
 URLC-A02-9-206 (SEQ ID NO: 271),
 URLC-A02-9-212 (SEQ ID NO: 272) and
 URLC-A02-10-211 (SEQ ID NO: 288)

[0020]

These peptides are epitope peptides of each TAA restricted by HLA-A24 or HLA-A2. Since these antigens are over-expressed in most cancers and are associated with tumor cell proliferation, they find utility as immunotherapeutic targets against cancers. Exemplary cancers include, but are not limited to, bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor.

[0021]

Accordingly, the present invention further provides methods of treating or preventing a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers in a subject, such methods including the steps of administering to the subject an immunogenic peptide of less than about 40 amino acids, often less than about 20 amino acids, usually less than about 15 amino acids and having the amino acid sequence of SEQ ID NOs: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 376, 379, 80, 100, 101, 110, 111, 387, 112, 394, 114, 116, 117, 121, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217, 223, 227, 228, 233, 254, 271, 272 or 288.

[0022]

Alternatively, the immunogenic peptide may have an amino acid sequence as set forth in SEQ ID NOs: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 376, 379, 80, 100, 101, 110, 111, 387, 112, 394, 114, 116, 117, 121, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217, 223, 227, 228, 233, 254, 271, 272 or 288 in which 1, 2, or several (e.g., up to 5) amino acids are substituted, deleted or added, provided the resulting variant peptide retains the immunogenic activity (i.e., the ability to induce CTLs specific to cells expressing CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers).

[0023]

The number of residues to be substituted, deleted, or added is generally 5 amino acids or less, preferably 4 amino acids or less, more preferably 3 amino acids or less,

even more preferably one or two amino acids. The cancers contemplated include, but are not limited to, bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor. Furthermore the present invention provides methods for preventing post-surgery recurrence of these diseases mentioned above.

[0024]

Variant peptides (i.e., peptides having an amino acid sequence modified by substituting, deleting, or adding one, two or several amino acid residues to an original amino acid sequence) are known to retain the original biological activity (Mark DF et al., (1984) Proc Natl Acad Sci USA 81: 5662-6.; Zoller MJ and Smith M, (1982) Nucleic Acids Res 10:6487-500.; Dalbadie-McFarland G et al., (1982) Proc Natl Acad Sci USA 79: 6409-13.). In the context of the present invention, it is preferable that the amino acid modification results in conservation of the properties of the original amino acid side-chain (a process known as conservative amino acid substitution). Examples of properties of amino acid side chains include hydrophobic amino acids (A, I, L, M, F, P, W, Y, V), hydrophilic amino acids (R, D, N, C, E, Q, G, H, K, S, T), and side chains having the following functional groups or characteristics in common: an aliphatic side-chain (G, A, V, L, I, P); a hydroxyl group containing side-chain (S, T, Y); a sulfur atom containing side-chain (C, M); a carboxylic acid and amide containing side-chain (D, N, E, Q); a base containing side-chain (R, K, H); and an aromatic containing side-chain (H, F, Y, W). Note, the parenthetic letters indicate the one-letter codes of amino acids.

[0025]

In preferred embodiments, the immunogenic peptide is a nonapeptide (9-mer) or a decapeptide (10-mer).

The present invention further provides a method of inducing anti-tumor immunity for a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers, in a subject, such a method including the steps of administering to the subject an immunogenic peptide of the present invention, namely one having the amino acid sequence of SEQ ID NOs: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 376, 379, 80, 100, 101, 110, 111, 387, 112, 394, 114, 116, 117, 121, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217, 223, 227, 228, 233, 254, 271, 272 or 288, or a variant thereof (i.e., including 1, 2, or several (e.g., up to 5) amino acid substitutions, deletions, or additions) to the subject in need thereof. The cancers contemplated include, but are not limited to, bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer,

pancreatic cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor.

[0026]

In the context of the present invention, the subject is preferably a mammal. Exemplary mammals include, but are not limited to, e.g., a human, non-human primate, mouse, rat, dog, cat, horse, or cow.

In the present invention, the peptide can be administered to a subject via an in vivo or ex vivo protocol. Furthermore, the present invention also provides use of nonapeptide or decapeptide selected from peptides having the amino acid sequence of SEQ ID NOs: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 376, 379, 80, 100, 101, 110, 111, 387, 112, 394, 114, 116, 117, 121, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217, 223, 227, 228, 233, 254, 271, 272 or 288 (and variants thereof) for manufacturing an immunogenic composition for treating or preventing a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers. The cancers contemplated include, but are not limited to, bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor.

[0027]

Homology analyses of the following peptides demonstrate that they do not have significant homology with the peptides derived from any known human gene products.

CDH3-A24-9-513 (SEQ ID NO: 19),
 CDH3-A24-9-406 (SEQ ID NO: 22),
 CDH3-A24-10-807 (SEQ ID NO: 30),
 CDH3-A24-10-332 (SEQ ID NO: 34),
 CDH3-A24-10-655 (SEQ ID NO: 344),
 CDH3-A24-10-470 (SEQ ID NO: 358),
 EphA4-A24-9-453 (SEQ ID NO: 41),
 EphA4-A24-9-5 (SEQ ID NO: 44),
 EphA4-A24-9-869 (SEQ ID NO: 46),
 EphA4-A24-9-420 (SEQ ID NO: 48),
 EphA4-A24-10-24 (SEQ ID NO: 78),
 EphA4-A02-9-501 (SEQ ID NO: 376),
 EphA4-A02-9-165 (SEQ ID NO: 379),
 ECT2-A24-9-515 (SEQ ID NO: 80),
 ECT2-A24-10-40 (SEQ ID NO: 100),
 ECT2-A24-10-101 (SEQ ID NO: 101),
 HIG2-A24-9-19 (SEQ ID NO: 110),

HIG2-A24-9-22 (SEQ ID NO: 111),
 HIG2-A24-9-8 (SEQ ID NO: 387),
 HIG2-A24-10-7 (SEQ ID NO: 112),
 HIG2-A24-10-18 (SEQ ID NO: 394),
 HIG2-A02-9-8 (SEQ ID NO: 114),
 HIG2-A02-9-15 (SEQ ID NO: 116),
 HIG2-A02-9-4 (SEQ ID NO: 117),
 HIG2-A02-10-8 (SEQ ID NO: 121),
 INHBB-A24-9-180 (SEQ ID NO: 395),
 INHBB-A24-10-180 (SEQ ID NO: 133),
 INHBB-A24-10-305 (SEQ ID NO: 135),
 INHBB-A24-10-7 (SEQ ID NO: 137),
 INHBB-A24-10-212 (SEQ ID NO: 426),
 KIF20A-A24-9-305 (SEQ ID NO: 174),
 KIF20A-A24-9-383 (SEQ ID NO: 178),
 KIF20A-A24-10-304 (SEQ ID NO: 186),
 KIF20A-A24-10-66 (SEQ ID NO: 194),
 KNTC2-A24-9-309 (SEQ ID NO: 196),
 KNTC2-A24-9-124 (SEQ ID NO: 202),
 KNTC2-A24-9-154 (SEQ ID NO: 210),
 KNTC2-A24-9-150 (SEQ ID NO: 213),
 KNTC2-A24-10-452 (SEQ ID NO: 214),
 KNTC2-A24-10-227 (SEQ ID NO: 217),
 KNTC2-A24-10-273 (SEQ ID NO: 223),
 TTK-A02-9-462 (SEQ ID NO: 227),
 TTK-A02-9-547 (SEQ ID NO: 228),
 TTK-A02-9-719 (SEQ ID NO: 233),
 TTK-A02-10-462 (SEQ ID NO: 254),
 URLC-A02-9-206 (SEQ ID NO: 271),
 URLC-A02-9-212 (SEQ ID NO: 272) and
 URLC-A02-10-211 (SEQ ID NO: 288)

[0028] Accordingly, the possibility of unknown or undesirable immune responses with immunotherapy against these molecules is significantly reduced.

[0029] Regarding HLA antigens, the data presented here demonstrate that the uses of A-24 type or A-2 type antigens (which are said to be highly expressed among the Japanese) are favorable for obtaining effective results. The uses of subtypes such as A-2402 and A-0201 are even more preferable. Typically, in the clinic, the type of HLA antigen of the patient requiring treatment is investigated in advance, which, in turn, enables the

selection of appropriate peptides having high levels of binding affinity to the patient antigen, or having cytotoxic T cell (CTL) inducibility by antigen presentation. Furthermore, in order to obtain peptides having high binding affinity and CTL inducibility, substitution, deletion, or addition of 1, 2, or several (e.g., up to 5) amino acids may be performed based on the amino acid sequence of the naturally occurring CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10 partial peptide. Herein, the term "several" means refers to 5 or less, more preferably 3 or less. Furthermore, in addition to peptides that are naturally displayed, since the regularity of the sequences of peptides displayed by binding to HLA antigens is already known (Kubo RT, et al., (1994) *J. Immunol.*, 152, 3913-24.; Rammensee HG, et al., (1995) *Immunogenetics*. 41:178-228.; Kondo A, et al., (1995) *J. Immunol.* 155:4307-12.), modifications based on such regularity can be performed on the immunogenic peptides of the invention. For example, peptides possessing high HLA-24 binding affinity in which the second amino acid from the N terminus substituted with phenylalanine, tyrosine, methionine, or tryptophan may be favorably used. Likewise, peptides whose C-terminal amino acid is substituted with phenylalanine, leucine, isoleucine, tryptophan, or methionine may also be used favorably. On the other hand, peptides possessing high HLA-A2 binding affinity in which the second amino acid from the N terminus substituted with leucine or methionine, and peptides whose C-terminal amino acid is substituted with valine or leucine may be used favorably. The substitution is performed not only at the terminus amino acids but also at the position of potential TCR recognition of peptides. Several studies have demonstrated that amino acid substitutions in a peptide can be equal to or better than the original, for example CAP1, p53₍₂₆₄₋₂₇₂₎, Her-2/neu₍₃₆₉₋₃₇₇₎ or gp100₍₂₀₉₋₂₁₇₎ (Zaremba et al. *Cancer Res.* 57, 4570-4577, 1997, T. K. Hoffmann et al. *J Immunol.* (2002) Feb 1;168(3):1338-47., S. O. Dionne et al. *Cancer Immunol immunother.* (2003) 52: 199-206 and S. O. Dionne et al. *Cancer Immunology, Immunotherapy* (2004) 53, 307-314). Furthermore, 1 to 2 amino acids may be added to the N terminus and/or C terminus of the peptide.

[0030] However, when the peptide sequence is identical to a portion of the amino acid sequence of an endogenous or exogenous protein having a different function, side effects such as autoimmune disorders or allergic symptoms against specific substances may be induced. Therefore, it is preferable to avoid the situation wherein the immunogenic sequence matches the amino acid sequence of a known protein. This situation may be avoided by performing a homology search using available databases. If homology searches confirm that peptides in which 1, 2 or several different amino acids do not exist in nature, then the danger that modifications of the above-mentioned amino acid sequence that, for example, increase the binding affinity with HLA antigens, and/or increase the CTL inducibility can be avoided.

[0031] Although peptides having high binding affinity to the HLA antigens as described above are expected to be highly effective as cancer vaccines, the candidate peptides, which are selected according to the presence of high binding affinity as an indicator, must be examined for the actual presence of CTL inducibility. CTL inducibility may be routinely confirmed by inducing antigen-presenting cells carrying human MHC antigens (for example, B-lymphocytes, macrophages, and dendritic cells), or more specifically dendritic cells derived from human peripheral blood mononuclear leukocytes, and, after stimulation with the peptide of interest, mixing with CD8-positive cells and measuring the cytotoxic activity against the target cells. As the reaction system, transgenic animals produced to express a human HLA antigen (for example, those described in BenMohamed L, et al., (2000) *Hum. Immunol.*; 61(8):764-79 Related Articles, Books, Linkout.) may be used. For example, the target cells can be radio-labeled with ^{51}Cr and such, and cytotoxic activity can be calculated from radioactivity released from the target cells. Alternatively, it can be examined by measuring IFN-gamma produced and released by CTL in the presence of antigen-presenting cells that carry immobilized peptides, and visualizing the inhibition zone on the media using anti-IFN-gamma monoclonal antibodies.

[0032] As a result of examining the CTL inducibility of peptides as described above, it was discovered that those peptides having high binding affinity to an HLA antigen did not necessarily have high inducibility. However, nonapeptides or decapeptides selected from the group of peptides having the amino acid sequences indicated by the following peptides showed particularly high CTL inducibility.

CDH3-A24-9-513 (SEQ ID NO: 19),
 CDH3-A24-9-406 (SEQ ID NO: 22),
 CDH3-A24-10-807 (SEQ ID NO: 30),
 CDH3-A24-10-332 (SEQ ID NO: 34),
 CDH3-A24-10-655 (SEQ ID NO: 344),
 CDH3-A24-10-470 (SEQ ID NO: 358),
 EphA4-A24-9-453 (SEQ ID NO: 41),
 EphA4-A24-9-5 (SEQ ID NO: 44),
 EphA4-A24-9-869 (SEQ ID NO: 46),
 EphA4-A24-9-420 (SEQ ID NO: 48),
 EphA4-A24-10-24 (SEQ ID NO: 78),
 EphA4-A02-9-501 (SEQ ID NO: 376),
 EphA4-A02-9-165 (SEQ ID NO: 379),
 ECT2-A24-9-515 (SEQ ID NO: 80),
 ECT2-A24-10-40 (SEQ ID NO: 100),
 ECT2-A24-10-101 (SEQ ID NO: 101),

HIG2-A24-9-19 (SEQ ID NO: 110),
 HIG2-A24-9-22 (SEQ ID NO: 111),
 HIG2-A24-9-8 (SEQ ID NO: 387),
 HIG2-A24-10-7 (SEQ ID NO: 112),
 HIG2-A24-10-18 (SEQ ID NO: 394),
 HIG2-A02-9-8 (SEQ ID NO: 114),
 HIG2-A02-9-15 (SEQ ID NO: 116),
 HIG2-A02-9-4 (SEQ ID NO: 117),
 HIG2-A02-10-8 (SEQ ID NO: 121),
 INHBB-A24-9-180 (SEQ ID NO: 395),
 INHBB-A24-10-180 (SEQ ID NO: 133),
 INHBB-A24-10-305 (SEQ ID NO: 135),
 INHBB-A24-10-7 (SEQ ID NO: 137),
 INHBB-A24-10-212 (SEQ ID NO: 426),
 KIF20A-A24-9-305 (SEQ ID NO: 174),
 KIF20A-A24-9-383 (SEQ ID NO: 178),
 KIF20A-A24-10-304 (SEQ ID NO: 186),
 KIF20A-A24-10-66 (SEQ ID NO: 194),
 KNTC2-A24-9-309 (SEQ ID NO: 196),
 KNTC2-A24-9-124 (SEQ ID NO: 202),
 KNTC2-A24-9-154 (SEQ ID NO: 210),
 KNTC2-A24-9-150 (SEQ ID NO: 213),
 KNTC2-A24-10-452 (SEQ ID NO: 214),
 KNTC2-A24-10-227 (SEQ ID NO: 217),
 KNTC2-A24-10-273 (SEQ ID NO: 223),
 TTK-A02-9-462 (SEQ ID NO: 227),
 TTK-A02-9-547 (SEQ ID NO: 228),
 TTK-A02-9-719 (SEQ ID NO: 233),
 TTK-A02-10-462 (SEQ ID NO: 254),
 URLC-A02-9-206 (SEQ ID NO: 271),
 URLC-A02-9-212 (SEQ ID NO: 272) and
 URLC-A02-10-211 (SEQ ID NO: 288)

[0033] As noted above, the present invention provides peptides having cytotoxic T cell inducibility, namely those having the amino acid sequence of SEQ ID NOs: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 376, 379, 80, 100, 101, 110, 111, 387, 112, 394, 114, 116, 117, 121, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217, 223, 227, 228, 233, 254, 271, 272 or 288 or a variant thereof (i.e., those in which 1, 2, or several amino acids are substituted, deleted, or added).

- [0034] It is preferable that the amino acid sequences composed of 9 or 10 amino acids indicated in SEQ ID NOs: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 376, 379, 80, 100, 101, 110, 111, 387, 112, 394, 114, 116, 117, 121, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217, 223, 227, 228, 233, 254, 271, 272 or 288 or a variant thereof do not match an amino acid sequence associated with another endogenous protein.
- [0035] In particular, amino acid substitution to leucine or methionine at the second amino acid from the N terminus, amino acid substitution to valine or leucine at the C-terminal amino acid, and amino acid addition of 1 to 2 amino acids at the N terminus and/or C terminus are examples of preferred variants.
- [0036] One of skill in the art will recognize that in addition to amino acid substitutions and additions, immunologically active fragments of the peptides may also be used in the methods of the invention. Methods for determining active fragments are well known in the art. CTL clones obtained by stimulation by these modified peptides can recognize the original peptides and cause damage for cells expressing the original peptides.
- [0037] Peptides of the present invention can be prepared using well known techniques. For example, the peptides can be prepared synthetically, using either recombinant DNA technology or chemical synthesis. Peptides of the present invention may be synthesized individually or as longer polypeptides composed of two or more peptides. The peptides of the present invention are preferably isolated, i.e., substantially free of other naturally occurring host cell proteins and fragments thereof.
- [0038] The peptides of the present invention may contain modifications, such as glycosylation, side chain oxidation, or phosphorylation; so long as the modifications do not destroy the biological activity of the peptides as described herein, namely the ability to binding to an HLA antigen and induce CTL. Other modifications include incorporation of D-amino acids or other amino acid mimetics that can be used, for example, to increase the serum half life of the peptides.
- [0039] Moreover, this invention may contain a method of screening for a peptide which 1, 2, or several amino acids are substituted, wherein said peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NO: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 80, 100, 101, 110, 111, 387, 112, 394, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217 or 223, said method comprising the steps of:
- (a) conforming no significant sequence homology to the entire sequence of 1, 2 or several amino acids substitute;
 - (b) measuring the CTL inducibility of the candidate substitute peptide; and
 - (c) selecting the peptide which CTL inducibility is same to or higher than the original peptide.

[0040]

For example, in preferred embodiments, the present invention provides a method of identifying for a peptide having an ability to induce CTL against cells expressing at least one tumor-associated antigen, wherein the tumor-associated antigen is antigen selected from the group consisting of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10, said method comprising the steps of:

- (i) providing or generating at least one candidate sequence which consists of an amino acid sequence modified by substituting, deleting, or adding one, two or several amino acid residues to an original amino acid sequence, wherein the original amino acid sequence is selected from the group consisting of SEQ ID NO: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 80, 100, 101, 110, 111, 387, 112, 394, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217 or 223;
- (ii) selecting the candidate sequence that does not have substantial significant homology with the peptides derived from any known human gene products other than said tumor-associated antigens;
- (iii) contacting a peptide consisting of the candidate sequence selected in step (ii) with antigen presenting cells;
- (iv) contacting the antigen presenting cells of step (iii) with T-cells to evaluate the ability of the peptide to stimulate the T-cells; and
- (v) identifying the peptide of which CTL inducibility is same to or higher than a peptide consisting of the original amino acid sequence.

[0041]

Preferably, the amino acid is substituted for a different amino acid in which the properties of the amino acid side-chain are conserved (a process known as conservative amino acid substitution). Examples of properties of amino acid side chains are hydrophobic amino acids (A, I, L, M, F, P, W, Y, V), hydrophilic amino acids (R, D, N, C, E, Q, G, H, K, S, T), and side chains having the following functional groups or characteristics in common: an aliphatic side-chain (G, A, V, L, I, P); a hydroxyl group containing side-chain (S, T, Y); a sulfur atom containing side-chain (C, M); a carboxylic acid and amide containing side-chain (D, N, E, Q); a base containing side-chain (R, K, H); and an aromatic containing side-chain (H, F, Y, W). Note, the parenthetic letters indicate the one-letter codes of amino acids. In the present invention, substantial significant homology is, for example, more than 90%, preferably 95%, more preferably 99% or 100% identity with a known human gene product to be compared.

[0042]

The peptides of this invention can be prepared as a combination, which includes two or more of peptides of the invention, for use as a vaccine for a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers, such a vaccine inducing CTL in vivo. The cancers contemplated include, but are not limited to, bladder cancer, breast cancer, cervical cancer,

cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor. The peptides may be in a cocktail or may be conjugated to each other using standard techniques. For example, the peptides can be expressed as a single polypeptide sequence. The peptides in the combination may be the same or different.

[0043]

By administering the peptides of this invention, the peptides are presented at a high density on the HLA antigens of antigen-presenting cells, which, in turn, induces CTLs that specifically react toward the complex formed between the displayed peptide and the HLA antigen. Alternatively, antigen-presenting cells having immobilized the peptides of this invention on their cell surface, obtained by removing dendritic cells from the subjects, may be stimulated by the peptides of this invention. Re-administration of these cells to the respective subjects induces CTL, and, as a result, aggressiveness towards the target cells can be increased.

[0044]

More specifically, the present invention provides drugs for treating and/or preventing proliferation, metastasis, and such of a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. *cancers, which include one or more of peptides of the present invention, or a polynucleotide encoding the peptides.* The peptides or polynucleotides of the present invention find particular utility in the treatment of a disease associating CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers. The cancers contemplated include, but are not limited to, bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor.

[0045]

The peptides of this invention can be administered to a subject directly, as a pharmaceutical composition that has been formulated by conventional formulation methods. In such cases, in addition to the peptides of this invention, carriers, excipients, and such that are ordinarily used for drugs can be included as appropriate, without particular limitations. The immunogenic compositions of this invention may be used for treatment and prevention of a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers. The cancers contemplated include, but are not limited to, bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer,

renal carcinoma, SCLC, soft tissue tumor and testicular tumor.

[0046]

The immunogenic compositions for treatment and/or prevention of a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers, which include as the active ingredient one or more peptides of the present invention, can further include an adjuvant so that cellular immunity will be established effectively. Alternatively, they may be administered with other active ingredients, such as anti-cancer agents.

[0047]

The cancers contemplated include, but are not limited to, bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor. Suitable formulations include granules. Suitable adjuvants are described in the literature (Johnson AG. (1994) Clin. Microbiol. Rev., 7:277-89.).

[0048]

Exemplary adjuvants include, but are not limited to, aluminum phosphate, aluminum hydroxide, and alum. Furthermore, liposome formulations, granular formulations in which the drug is bound to few-micron diameter beads, and formulations in which a lipid is bound to the peptide may be conveniently used. The method of administration may be oral, intradermal, subcutaneous, intravenous injection, or such, and may include systemic administration or local administration to the vicinity of the targeted tumor.

[0049]

The dose of the peptide(s) of this invention can be adjusted appropriately according to the disease to be treated, age of the patient, weight, method of administration, and such. Though the dosage is ordinarily 0.001 mg to 1000 mg, preferably 0.01 mg to 100 mg, more preferably 0.1 mg to 10 mg, preferably administered once in a few days to few months, one skilled in the art can readily select the appropriate dose and method of administration, as, the selection and optimization of these parameters is well within routine skill.

[0050]

The present invention further provides intracellular vesicles called exosomes, which present complexes formed between the peptides of this invention and HLA antigens on their surface. Exosomes can be prepared, for example, by using the methods described in detail in Published Japanese Translation of International Publication Nos. Hei 11-510507 and 2000-512161, and are preferably prepared using antigen-presenting cells obtained from subjects who are targets of treatment and/or prevention. The exosomes of this invention can be inoculated as cancer vaccines, similarly to the peptides of this invention.

[0051]

The type of HLA antigens used must match that of the subject requiring treatment and/or prevention. For example, in the Japanese population, HLA-A24 or HLA-A2,

particularly HLA-A2402 or HLA-A0201, is often appropriate.

- [0052] In some embodiments, the vaccine compositions of the present invention include a component which primes cytotoxic T lymphocytes. Lipids have been identified as agents capable of priming CTL in vivo against viral antigens. For example, palmitic acid residues can be attached to the epsilon- and alpha-amino groups of a lysine residue and then linked to an immunogenic peptide of the invention. The lipidated peptide can then be administered either directly, in a micelle or particle, incorporated into a liposome, or emulsified in an adjuvant. As another example of a lipid priming of CTL responses, *E. coli* lipoproteins, such as tripalmitoyl-S-glycerylcysteinylserine (P3CSS), can be used to prime CTL when covalently attached to an appropriate peptide (see, e.g., Deres K, et al., (1989) *Nature* 342:561-4.).
- [0053] The immunogenic compositions of the present invention may also include nucleic acids encoding one or more of the immunogenic peptides disclosed here. See, e.g., Wolff JA et al., (1990) *Science* 247:1465-8; U.S. Patent Nos. 5,580,859; 5,589,466; 5,804,566; 5,739,118; 5,736,524; 5,679,647; and WO 98/04720. Examples of DNA-based delivery technologies include "naked DNA", facilitated (bupivacaine, polymers, peptide-mediated) delivery, cationic lipid complexes, and particle-mediated ("gene gun") or pressure-mediated delivery (see, e.g., U.S. Patent No. 5,922,687).
- [0054] The immunogenic peptides of the invention can also be expressed by viral or bacterial vectors. Examples of suitable expression vectors include attenuated viral hosts, such as vaccinia or fowlpox. This approach involves the use of vaccinia virus, e.g., as a vector to express nucleotide sequences that encode the peptide. Upon introduction into a host, the recombinant vaccinia virus expresses the immunogenic peptide, and thereby elicits an immune response. Vaccinia vectors and methods useful in immunization protocols are described in, e.g., U.S. Patent No. 4,722,848. Another suitable vector is BCG (*Bacille Calmette Guérin*). BCG vectors are described in Stover CK, et al., (1991) *Nature* 351:456-60. A wide variety of other vectors useful for therapeutic administration or immunization e.g., adeno and adeno-associated virus vectors, retroviral vectors, *Salmonella typhi* vectors, detoxified anthrax toxin vectors, and the like, are known in the art. See, e.g., Shata MT, et al., (2000) *Mol. Med. Today* 6:66-71; Shedlock DJ and Weiner DB., et al., (2000) *J. Leukoc. Biol.* 68:793-806; and Hipp JD, et al., (2000) *In Vivo* 14:571-85.
- [0055] The present invention also provides methods of inducing antigen-presenting cells using one or more peptides of this invention. The antigen-presenting cells can be induced by inducing dendritic cells from the peripheral blood monocytes and then contacting (stimulating) them with one or more peptides of this invention in vitro, ex vivo or in vivo. When peptides of the present invention are administered to the subjects, antigen-presenting cells that have the peptides of this invention immobilized

to them are induced in the body of the subject. Alternatively, after immobilizing the peptides of this invention to the antigen-presenting cells, the cells can be administered to the subject as a vaccine. For example, the ex vivo administration may include the steps of:

a: collecting antigen-presenting cells from a subject, and

b: contacting the antigen-presenting cells of step a with a peptide of the present invention.

[0056]

Alternatively, according to the present invention, use of the peptides of this invention for manufacturing a pharmaceutical composition inducing antigen-presenting cells is provided. Further, the present invention also provides the peptide of the present invention for inducing antigen-presenting cells. The antigen-presenting cells obtained by step b can be administered to the subject as a vaccine.

[0057]

This invention also provides a method for inducing antigen-presenting cells having a high level of cytotoxic T cell inducibility, in which the method includes the step of transferring genes composed of polynucleotide(s) encoding one or more peptides of this invention to antigen-presenting cells in vitro. The introduced genes may be in the form of DNAs or RNAs. For the method of introduction, without particular limitations, various methods conventionally performed in this field, such as lipofection, electroporation, and calcium phosphate method may be suitably used. More specifically, transfection may be performed as described in Reeves ME, et al., (1996) *Cancer Res.*, 56:5672-7.; Butterfield LH, et al., (1998) *J. Immunol.*, 161:5607-13.; Boczkowski D, et al., (1996) *J. Exp. Med.*, 184:465-72.; Published Japanese Translation of International Publication No. 2000-509281. By transferring the gene into antigen-presenting cells, the gene undergoes transcription, translation, and such in the cell, and then the obtained protein is processed by MHC Class I or Class II, and proceeds through a presentation pathway to present partial peptides.

[0058]

The present invention further provides methods for inducing CTL using one or more peptides of this invention. When the peptides of this invention are administered to a subject, CTL are induced in the body of the subject, and the strength of the immune system targeting the cells expressing CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancer cells in the tumor tissues is thereby enhanced.

[0059]

The cancers contemplated include, but are not limited to bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor. Alternatively, the peptides of the present invention may be used in the context of an ex vivo therapeutic

method, in which subject-derived antigen-presenting cells and CD8-positive cells or peripheral blood mononuclear leukocytes are contacted (stimulated) with one or more peptides of this invention in vitro, and, after inducing CTL, the cells are returned to the subject. For example, the method may include the steps of:

- a: collecting antigen-presenting cells from a subject,
- b: contacting the antigen-presenting cells of step a with a peptide of the present invention,
- c: mixing the antigen-presenting cells of step b with CD8⁺ T cells and co-culturing so as to induce cytotoxic T-cells; and
- d: collecting CD8⁺ T cells from the co-culture of step c.

[0060] Alternatively, according to the present invention, use of the peptides of this invention for manufacturing a pharmaceutical composition inducing CTLs is provided. Further, the present invention also provides the peptide of the present invention for inducing CTLs. The CD8⁺ T cells having cytotoxic activity obtained by step d can be administered to the subject as a vaccine.

[0061] The present invention further provides isolated cytotoxic T cells induced using the peptides of this invention. The cytotoxic T cells, induced by stimulation with an antigen-presenting cell presenting one or more peptides of this invention, are preferably derived from subjects who are the target of treatment and/or prevention, and can be administered alone or in combination with other drugs, including one or more peptides of this invention or exosomes having anti-tumor activity. The obtained cytotoxic T cells act specifically against target cells presenting the peptides of this invention, or preferably the same peptide(s) used for induction. The target cells may be cells that express CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10 endogenously, or cells that are transfected with CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10 genes. Cells that present the peptides of this invention on the cell surface, due to stimulation with these peptides, can also become targets of attack.

[0062] The present invention also provides antigen-presenting cells presenting complexes formed between HLA antigens and one or more peptides of this invention. The antigen-presenting cells, obtained through contact with the peptides of this invention or the nucleotides encoding such peptides, are preferably derived from subjects who are the target of treatment and/or prevention, and can be administered as vaccines, alone or in combination with other drugs, including the peptides, exosomes, or cytotoxic T cells of the present invention.

[0063] The present invention also provides a composition composed of nucleic acids encoding polypeptides that are capable of forming a subunit of a T cell receptor (TCR), and methods of using the same. The TCR subunits have the ability to form TCRs that

confer specificity to T cells for tumor cells presenting CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK or URLC10. By using the known method in the art, the nucleic acids of alpha- and beta-chain as the TCR subunits of the CTL induced with one or more peptides of this invention may be identified (WO2007/032255 and Morgan et al., J Immunol, 171, 3288 (2003)). The derivative TCRs preferably bind target cells displaying the CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK or URLC10 peptide with high avidity, and optionally mediate efficient killing of target cells presenting the CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK or URLC10 peptide in vivo and in vitro.

[0064] The nucleic acids encoding the TCR subunits can be incorporated into suitable vectors e.g. retroviral vectors. These vectors are well known in the art. The nucleic acids or the vectors containing them usefully can be transferred into a T cell, which T cell is preferably from a patient. Advantageously, the invention provides an off-the-shelf composition allowing rapid modification of a patient's own T cells (or those of another mammal) to rapidly and easily produce modified T cells having excellent cancer cell killing properties.

[0065] Also, the present invention provides CTLs which are prepared by transduction with the nucleic acids encoding the TCR subunits polypeptides binding with CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK or URLC10 peptide e.g. SEQ ID NOs: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 376, 379, 80, 100, 101, 110, 111, 387, 112, 394, 114, 116, 117, 121, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217, 223, 227, 228, 233, 254, 271, 272 or 288 in the context of HLA-A24 or HLA-A2. The transduced CTLs are capable of homing to cancer cells in vivo, and expanded by well known culturing method in vitro (e.g., Kawakami et al., J Immunol., 142, 3452-3461 (1989)). The T cells of the invention can be used to form an immunogenic composition useful in treating or preventing cancer in a patient in need of therapy or protection (WO2006/031221).

[0066] In the context of the present invention, the term "vaccine" (also referred to as an immunogenic composition) refers to a substance that induces anti-tumor immunity or suppresses cancers upon inoculation into animals. According to the present invention, polypeptides having the amino acid sequence of SEQ ID NO: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 80, 100, 101, 110, 111, 387, 112, 394, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217 or 223 were suggested to be HLA-A24 restricted epitope peptides and those of SEQ ID NO: 376, 379, 114, 116, 117, 121, 227, 228, 233, 254, 271, 272 or 288 were suggested to be HLA-A2 restricted epitope peptides that may induce potent and specific immune response against cells expressing CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancer cells expressing CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK

and/or URLC10. The cancers contemplated include, but are not limited to bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor.

[0067]

Thus, the present invention also encompasses a method of inducing anti-tumor immunity using polypeptides having the amino acid sequence of SEQ ID NO: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 376, 379, 80, 100, 101, 110, 111, 387, 112, 394, 114, 116, 117, 121, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217, 223, 227, 228, 233, 254, 271, 272 or 288 or a variant thereof (i.e., including 1, 2, or several (e.g., up to 5) amino acid substitutions, deletions, or additions). In general, anti-tumor immunity includes immune responses such as follows:

- an induction of cytotoxic lymphocytes against tumors containing cells expressing CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10,
- an induction of antibodies that recognize tumors containing cells expressing CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, and
- an induction of anti-tumor cytokine production.

[0068]

Therefore, when a certain peptide induces any one of these immune responses upon inoculation into an animal, the peptide is decided to have anti-tumor immunity inducing effect. The induction of the anti-tumor immunity by a peptide can be detected by observing in vivo or in vitro the response of the immune system in the host against the peptide.

[0069]

For example, a method for detecting the induction of cytotoxic T lymphocytes is well known. A foreign substance that enters the living body is presented to T cells and B cells by the action of antigen-presenting cells (APCs). T cells that respond to the antigen presented by APC in antigen specific manner differentiate into cytotoxic T cells (also referred to as cytotoxic T lymphocytes or CTLs) due to stimulation by the antigen, and then proliferate; this process is referred to herein as "activation" of T cells. Therefore, CTL induction by a certain peptide can be evaluated by presenting the peptide to a T cell by APC, and detecting the induction of CTL. Furthermore, APCs have the effect of activating CD4+ T cells, CD8+ T cells, macrophages, eosinophils and NK cells. Since CD4+ T cells are also important in anti-tumor immunity, the anti-tumor immunity inducing action of the peptide can be evaluated using the activation effect of these cells as indicators.

[0070]

A method for evaluating the inducing action of CTL using dendritic cells (DCs) as APC is well known in the art. DC is a representative APC having the strongest CTL inducing action among APCs. In this method, the test polypeptide is initially contacted with DC and then this DC is contacted with T cells. Detection of T cells having

cytotoxic effects against the cells of interest after the contact with DC shows that the test polypeptide has an activity of inducing the cytotoxic T cells. Activity of CTL against tumors can be detected, for example, using the lysis of ^{51}Cr -labeled tumor cells as the indicator. Alternatively, it is well known to evaluate the degree of tumor cell damage using ^3H -thymidine uptake activity or LDH (lactose dehydrogenase)-release as the indicator. Furthermore, it can be also examined by measuring IFN-gamma produced and released by CTL in the presence of antigen-presenting cells that carry immobilized peptides by visualizing using anti-IFN-gamma antibodies, such as an ELISPOT assay. [0071]

Apart from DC, peripheral blood mononuclear cells (PBMCs) may also be used as the APC. The induction of CTL is reported to be enhanced by culturing PBMC in the presence of GM-CSF and IL-4. Similarly, CTL has been shown to be induced by culturing PBMC in the presence of keyhole limpet hemocyanin (KLH) and IL-7. [0072]

The test polypeptides confirmed to possess CTL inducing activity by these methods are polypeptides having DC activation effect and subsequent CTL inducing activity. Therefore, polypeptides that induce CTL against cells expressed CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10 are useful as vaccines against diseases associating CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers. Furthermore, APC that have acquired the ability to induce CTL against a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers, by contacting with the polypeptides are useful as vaccines against the disease. Furthermore, CTL that have acquired cytotoxicity due to presentation of the polypeptide antigens by APC can be also used as vaccines against a disease associating CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers. Such therapeutic methods for a disease associating CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers, using anti-tumor immunity due to APC and CTL, are referred to as cellular immunotherapy. The cancers contemplated include, but are not limited to, bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor.

[0073]

Generally, when using a polypeptide for cellular immunotherapy, efficiency of the CTL-induction can be increased by combining a plurality of polypeptides having different structures and contacting them with DC. Therefore, when stimulating DC with protein fragments, it is advantageous to use a mixture of multiple types of fragments.

- [0074] The induction of anti-tumor immunity by a polypeptide can be further confirmed by observing the induction of antibody production against tumors. For example, when antibodies against a polypeptide are induced in a laboratory animal immunized with the polypeptide, and when growth, proliferation and/or metastasis of tumor cells is suppressed by those antibodies, the polypeptide is determined to induce anti-tumor immunity.
- [0075] Anti-tumor immunity can be induced by administering a vaccine of this invention, and the induction of anti-tumor immunity enables treatment and prevention of a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers. Therapy against or prevention of the onset of a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers, may include inhibition of the growth of cells expressing CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancer cells, involution of these cells and suppression of occurrence of these cells, e.g. cancer cells. Decrease in mortality of individuals having a disease associating CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers, decrease of the disease markers in the blood, alleviation of detectable symptoms accompanying the disease and such are also included in the therapy or prevention of the disease, e.g. cancers. Such therapeutic and preventive effects are preferably statistically significant, for example, observed at a significance level of 5% or less, wherein the therapeutic or preventive effect of a vaccine against a disease associating CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers, is compared to a control without vaccine administration. For example, Student's t-test, the Mann-Whitney U-test or ANOVA may be used for determining statistical significance.
- [0076] In that the present invention provides a method for treating, or preventing a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers, the therapeutic compounds or compositions may be administered prophylactically or therapeutically to subjects suffering from or at risk of (or susceptible to) developing the disease. Such subjects may be identified using standard clinical methods. In the context of the present invention, prophylactic administration occurs prior to the manifestation of overt clinical symptoms of disease, such that a disease or disorder is prevented or alternatively delayed in its progression. In the context of the field of medicine, the term "prevent" encompasses any activity which reduces the burden of mortality or morbidity from disease. Prevention can occur at primary, secondary and tertiary prevention levels. While primary prevention avoids the development of a disease, secondary and tertiary levels of prevention encompass activities aimed at preventing the progression

of a disease and the emergence of symptoms as well as reducing the negative impact of an already established disease by restoring function and reducing disease-related complications.

[0077] In the context of cancer treatment, the term "efficacious" refers to a treatment that leads to a decrease in size, prevalence or metastatic potential of cancer in a subject. When a treatment is applied prophylactically, "efficacious" means that the treatment retards or prevents occurrence of non cancer or alleviates a clinical symptom of cancer. The assessment of cancer can be made using standard clinical protocols. Furthermore, the efficaciousness of a treatment may be determined in association with any known method for diagnosing or treating cancer. For example, cancer can be diagnosed histopathologically or by identifying symptomatic anomalies.

[0078] The above-mentioned peptide, having immunological activity, or a polynucleotide or vector encoding such a peptide, may be combined with an adjuvant. An adjuvant refers to a compound that enhances the immune response against the peptide when administered together (or successively) with the peptide having immunological activity. Examples of suitable adjuvants include cholera toxin, salmonella toxin, alum and such, but are not limited thereto. Furthermore, a vaccine of this invention may be combined appropriately with a pharmaceutically acceptable carrier. Examples of such carriers are sterilized water, physiological saline, phosphate buffer, culture fluid and such. Furthermore, the vaccine may contain as necessary, stabilizers, suspensions, preservatives, surfactants and such. The vaccine is administered systemically or locally. Vaccine administration may be performed by single administration or boosted by multiple administrations.

[0079] When using APC or CTL as the vaccine of this invention, a disease associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10, e.g. cancers, can be treated or prevented, for example, by the ex vivo method. More specifically, PBMCs of the subject receiving treatment or prevention are collected, contacted ex vivo with a peptide of the present invention. Following the induction of APC or CTL, the cells may be administered to the subject. APC can be also induced by introducing a vector encoding the peptide into PBMCs ex vivo. APC or CTL induced in vitro can be cloned prior to administration. By cloning and growing cells having high activity of damaging target cells, cellular immunotherapy can be performed more effectively. Furthermore, APC and CTL isolated in this manner may be used for cellular immunotherapy not only against individuals from whom the cells are derived, but also against similar types of diseases in other individuals.

[0080] Aspects of the present invention are described in the following examples, which are presented only to illustrate the present invention and to assist one of ordinary skill in making and using the same. The examples are not intended in any way to otherwise

limit the scope of the invention.

[0081] Although methods and materials similar or equivalent to those described herein can be used in the practice or testing of the present invention, suitable methods and materials are described below.

[0082] EXAMPLES

Hereinafter, the present invention is exemplified, but not restricted, by the following Examples. However, materials, methods and such described herein only illustrate aspects of the invention and in no way are intended to limit the scope of the present invention. As such, materials, methods and such similar or equivalent to those described therein may be used in the practice or testing of the present invention.

[0083] MATERIALS AND METHODS

Cell lines

A24-LCL cells (HLA-A24), human B-lymphoblastoid cell line, was established by transforming with Epstein-Barr virus. T2 cell, COS7, A498, Caki-2 and HEK 293 were purchased from ATCC. Caki-1 and MIA-Paca-2 were purchased from JCRB. PK-45P, PK-59, TE-5 and TE-6 were purchased from TKG. 293 T was purchased from GenHunter.

[0084] Candidate selection of peptide derived from CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10

9-mer and 10-mer peptides derived from CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK or URLC10 that bind to HLA-A*2402 or HLA-A*0201 molecule were predicted using the binding prediction software "BIMAS" (http://bimas.dcrt.nih.gov/cgi-bin/molbio/ken_parker_comboform) (Parker KC, et al., (1994) J Immunol.;152(1):163-75.; Kuzushima K, et al., (2001) Blood.;98(6):1872-81.). These peptides were synthesized by Sigma (Sapporo, Japan) according to the standard solid phase synthesis method and purified by reversed phase HPLC. The purity (>90%) and the identity of the peptides were determined by analytical HPLC and mass spectrometry analysis, respectively. Peptides were dissolved in dimethylsulfoxide (DMSO) at 20 mg/ml and stored at -80 degrees C.

[0085] In vitro CTL Induction

Monocyte-derived dendritic cells (DCs) were used as antigen-presenting cells (APCs) to induce CTL responses against peptides presented on HLA. DCs were generated in vitro as described elsewhere (Nukaya I et al., (1999) Int. J. Cancer 80, 92-7., Tsai V et al., (1997) J. Immunol 158:1796-802.). Briefly, peripheral blood mononuclear cells (PBMCs) isolated from a normal volunteer (HLA-A*2402 and/or HLA-A*0201) by Ficoll-Paque (Pharmacia) solution were separated by adherence to a plastic tissue culture flask (Becton Dickinson) so as to enrich them for the monocyte fraction. The monocyte-enriched population was cultured in the presence of 1000 U/ml

of GM-CSF (Genzyme) and 1000 U/ml of IL-4 (Genzyme) in AIM-V (Invitrogen) containing 2% heat-inactivated autologous serum (AS). After 7 days in the culture, the cytokine-generated DCs were pulsed with 20 micro g/ml of the synthesized peptides in the presence of 3 micro g/ml of beta 2-microglobulin for 4 hrs at 20 degrees C in AIM-V. These peptide-pulsed DCs were then inactivated by MMC (30 micro g/ml for 30 mins) and mixed at a 1:20 ratio with autologous CD8⁺ T cells, obtained by positive selection with Dynabeads M-450 CD8 (Dyna) and DETACHa BEAD™ (Dyna). These cultures were set up in 48-well plates (Corning); each well contained 1.5×10^4 peptide-pulsed DCs, 3×10^5 CD8⁺ T cells and 10 ng/ml of IL-7 (Genzyme) in 0.5 ml of AIM-V/2% AS. Three days later, these cultures were supplemented with IL-2 (CHIRON) to a final concentration of 20 IU/ml. On day 7 and 14, the T cells were further restimulated with the autologous peptide-pulsed DCs. The DCs were prepared each time by the same way described above. CTL was tested against peptide-pulsed A24-LCL cells or T2 cells after the 3rd round of peptide stimulation on day 21.

[0086] CTL Expansion Procedure

CTLs were expanded in culture using the method similar to that described by Riddell SR, et al., (Walter EA et al., (1995) N Engl J Med 333:1038-44.; Riddell SR, et al., (1996) Nature Med. 2:216-23.). A total 5×10^4 of CTLs were resuspended in 25 ml of AIM-V/5% AS with 2 kinds of human B-lymphoblastoid cell lines, inactivated by MMC, in the presence of 40 ng/ml of anti-CD3 monoclonal antibody (Pharmingen). One day after initiating the cultures, 120 IU/ml of IL-2 were added to the cultures. The cultures were fed with fresh AIM-V/5% AS containing 30 IU/ml of IL-2 on days 5, 8 and 11.

[0087] Establishment of CTL clones

The dilutions were made to have 0.3, 1, and 3 CTLs/well in 96 round-bottomed micro titer plate (Nalge Nunc International). CTLs were cultured with 7×10^4 cells/well of 2 kinds of human B-lymphoblastoid cell lines, 30 ng/ml of anti-CD3 antibody, and 125 U/ml of IL-2 in total of 150 micro l/well of AIM-V containing 5% AS. 50 micro l / well of IL-2 was added to the medium 10 days later so that IL-2 became 125 U/ml in the final concentration. CTL activity of CTLs was tested on the 14th day, and CTL clones were expanded using the same method above.

[0088] Specific CTL activity

To examine the specific CTL activity, IFN-gamma ELISPOT assay and IFN-gamma ELISA assay were performed.

Briefly, peptide-pulsed A24-LCL or T2 cell (1×10^4 /well) was prepared as stimulator cells. Cultured Cells in 48 wells or CTL clones after limiting dilution were used as responder cells. IFN-gamma ELISPOT assay and ELISA assay were performed under

manufacture procedure.

[0089]

Establishment of the cells forcibly expressing either or both of the target gene and HLA-A02 or HLA-A24

The cDNA encoding an open reading frame of target genes or HLA-A02 or HLA-A24 was amplified by PCR. The PCR-amplified product was cloned into pcDNA3.1 myc-His vector (Invitrogen). The plasmids were transfected into the target cells, HLA-A02 and HLA-A24-null normal human cell line COS7 or 293T using lipofectamine (Invitrogen) according to the manufacturer's recommended procedures. Alternatively, the plasmid containing the target genes were transfected into A24-LCL by electroporation using GenePulserII (Biorad). Briefly, 2.5×10^6 A24-LCL cells were pulsed with 10 mcg plasmid at 140V and 1000 micro F. After 2 days from transfection, the transfected cells were treated with Cell dissociation solution and used as the target cells for CTL activity assay.

[0090]

Cytotoxicity Assay

Cytotoxic activity was evaluated by a four-hour ^{51}Cr release assay. The target cells were pulsed with a 20 micro g/mL concentration of peptide overnight. The target cells were labeled with 100 micro Ci of $\text{Na}_2^{51}\text{CrO}_4$ at 37 degrees C for one hour, and then washed three times with RPMI1640. The target cells (1×10^4 /100 micro L) and 100 micro L of effector cells at various numbers with a total volume of 200 micro L were placed into a round-bottomed 96-well microtiter plate (Corning), and cultured at 37 degrees C in a CO_2 incubator for four hours. After culturing, 100 micro L of the supernatant was collected from each well, and measured the radioactivity using a gamma counter. Spontaneous release was the radioactivity from the target cells with medium in the absence of effector cells, and maximum release was the radioactivity from the target cells with 1 M HCl.

The Percentage of specific cytotoxicity was determined by calculating as following formula:

% Specific lysis = [(experimental release - spontaneous release) / (maximum release - spontaneous release)] x 100.

[0091]

RESULTS

Enhanced CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10 expression in cancers

The global gene expression profile data obtained from various cancers using cDNA-microarray revealed that the expression of the following genes was elevated.

CDH3 (GenBank Accession No. NM_001793; SEQ ID Nos.1, 2),

EPHA4 (GenBank Accession No. L36645; SEQ ID Nos.3, 4),

ECT2 (GenBank Accession No. AY376439; SEQ ID Nos.5, 6),

HIG2 (GenBank Accession No. NM_013332; SEQ ID Nos.7, 8),

INHBB (GenBank Accession No. NM_002193; SEQ ID Nos.9, 10),
 KIF20A (GenBank Accession No. NM_005733; SEQ ID Nos.11, 12),
 KNTC2 (GenBank Accession No. AF017790; SEQ ID Nos.13, 14),
 TTK (GenBank Accession No. NM_003318; SEQ ID Nos.15, 16) and
 URLC10 (GenBank Accession No. NM_017527; SEQ ID Nos.17, 18)

CDH3 expression was validly elevated in the following cancers in comparison with corresponding normal tissue.

26 out of 34 bladder cancer,
 17 out of 19 cervical cancer,
 19 out of 19 cholangiocellular carcinoma,
 30 out of 34 colorectal cancer,
 20 out of 21 endometriosis,
 13 out of 20 gastric cancer,
 7 out of 8 diffuse-type gastric cancer,
 36 out of 37 NSCLC,
 16 out of 16 pancreatic cancer,
 21 out of 21 soft tissue tumor and
 10 out of 10 testicular tumor

[0092] EPHA4 expression was validly elevated in the following cancers in comparison with corresponding normal tissue.

14 out of 34 bladder cancer,
 8 out of 14 cervical cancer,
 10 out of 25 cholangiocellular carcinoma,
 5 out of 15 endometriosis,
 5 out of 8 diffuse-type gastric cancer,
 5 out of 5 ovarian cancer,
 14 out of 14 pancreatic cancer,
 20 out of 51 prostate cancer and
 14 out of 23 soft tissue tumor

[0093] ECT2 expression was validly elevated in the following cancers in comparing with corresponding normal tissue.

17 out of 19 bladder cancer,
 5 out of 12 breast cancer,
 14 out of 14 cervical cancer,
 13 out of 13 cholangiocellular carcinoma,
 5 out of 5 CML,
 7 out of 8 colorectal cancer,
 12 out of 16 esophageal cancer,

6 out of 16 NSCLC,
 8 out of 10 lymphoma,
 1 out of 1 pancreatic cancer,
 10 out of 13 prostate cancer,
 3 out of 6 renal carcinoma and
 12 out of 13 SCLC cancer

HIG2 expression was validly elevated in 19 out of 20 renal cancer and 7 out of 9 soft tissue tumor in comparing with corresponding normal tissue.

INHBB expression was validly elevated in the following cancers in comparing with corresponding normal tissue.

10 out of 21 cholangiocellular carcinoma,
 12 out of 12 esophageal cancer,
 10 out of 13 NSCLC,
 22 out of 24 renal carcinoma,
 8 out of 14 SCLC cancer and
 45 out of 49 soft tissue tumor

[0094] KIF20A expression was validly elevated in the following cancers in comparing with corresponding normal tissue.

31 out of 31 bladder cancer,
 38 out of 61 breast cancer,
 10 out of 11 cholangiocellular carcinoma,
 7 out of 19 esophageal cancer,
 21 out of 22 NSCLC,
 6 out of 6 ovarian cancer,
 17 out of 36 prostate cancer,
 6 out of 11 renal carcinoma and
 15 out of 15 SCLC

[0095] KNTC2 expression was validly elevated in the following cancers in comparing with corresponding normal tissue.

30 out of 32 bladder cancer,
 47 out of 56 breast cancer,
 10 out of 10 cervical cancer,
 16 out of 22 cholangiocellular carcinoma,
 17 out of 37 CML,
 3 out of 10 colorectal cancer,
 11 out of 46 esophagus cancer,
 15 out of 19 NSCLC,
 7 out of 8 lymphoma,

20 out of 24 osteosarcoma,
 3 out of 5 ovarian cancer,
 2 out of 2 pancreatic cancer,
 15 out of 37 prostate cancer,
 14 out of 19 renal carcinoma,
 15 out of 15 SCLC and
 40 out of 59 soft tissue tumor

[0096] TTK expression was validly elevated in the following cancers in comparing with corresponding normal tissue.

27 out of 27 bladder cancer,
 25 out of 30 breast cancer,
 15 out of 16 cervical cancer,
 10 out of 10 cholangiocellular carcinoma,
 5 out of 7 CML,
 6 out of 10 colorectal cancer,
 24 out of 44 esophageal cancer,
 8 out of 15 liver cancer,
 12 out of 12 NSCLC,
 6 out of 6 lymphoma,
 13 out of 16 osteoblastoma,
 12 out of 17 prostate cancer,
 15 out of 15 SCLC and
 16 out of 33 soft tissue tumor

[0097] URLC10 expression was validly elevated in the following cancers in comparing with corresponding normal tissue

29 out of 29 bladder cancer,
 15 out of 16 cervical cancer,
 7 out of 7 cholangiocellular carcinoma,
 7 out of 19 esophageal cancer,
 3 out of 3 gastric cancer, 24 out of 27 NSCLC,
 15 out of 19 osteosarcoma,
 4 out of 5 pancreatic cancer,
 33 out of 43 soft tissue tumor.

[0098]

[Table 1]

Ratio of cases observed up-regulation of *CDH3*, *EPHA4*, *ECT2*, *HIG2*, *INHBB*, *KIF20A*, *KNTC2*, *TTK* or *URLC10* in cancerous tissue as compared to normal corresponding tissue

	CDH3	EPHA4	ECT2	HIG2	INHBB
Bladder cancer	26/34	14/34	17/19	-	-
Breast cancer	-	-	5/12	-	-
Cervical cancer	17/19	8/14	14/14	-	-
Cholangiocellularcarcinoma	19/19	10/25	13/13	-	10/21
CML	-	-	5/5	-	-
Colectal cancer	30/34	-	7/8	-	-
Endometriosis	20/21	5/15	-	-	-
Esophageal cancer	-	-	12/16	-	12/12
Gastric cancer	13/20	-	-	-	-
Diffuse-type Gastric cancer	7/8	5/8	-	-	-
Liver cancer	-	-	-	-	-
non-small cell lung cancer	36/37	-	6/16	-	10/13
Lymphoma	-	-	8/10	-	-
Osteosarcoma	-	-	-	-	-
Ovarian cancer	-	5/5	-	-	-
Pancreatic cancer	16/16	14/14	1/1	-	-
Prostate cancer	-	20/51	10/13	-	-
Renal carcinoma	-	-	3/6	19/20	22/24
Small cell lung cancer	-	-	12/13	-	8/14
Soft tissue tumor	21/21	14/23	-	7/9	45/49
Testicular tumor	10/10	-	-	-	-

	KIF20A	KNTC2	TTK	URLC10
Bladder cancer	31/31	30/32	27/27	29/29
Breast cancer	38/61	47/56	25/30	-
Cervical cancer	-	10/10	15/16	15/16
Cholangiocellularcarcinoma	10/11	16/22	10/10	7/7
CML	-	17/37	5/7	-
Colectal cancer	-	3/10	6/10	-
Endometriosis	-	-	-	-
Esophageal cancer	7/19	11/46	24/44	7/19
Gastric cancer	-	-	-	3/3
Diffuse-type Gastric cancer	-	-	-	-
Liver cancer	-	-	8/15	-
non-small cell lung cancer	21/22	15/19	12/12	24/27
Lymphoma	-	7/8	6/6	-
Osteosarcoma	-	20/24	13/16	15/19
Ovarian cancer	-	3/5	-	-
Pancreatic cancer	6/6	2/2	-	4/5
Prostate cancer	17/36	15/37	12/17	-
Renal carcinoma	6/11	14/19	-	-
Small cell lung cancer	15/15	15/15	15/15	-
Soft tissue tumor	-	40/59	16/33	33/43
Testicular tumor	-	-	-	-

[0099] Prediction of HLA-A24 or HLA-A2 binding peptides derived from CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK or URLC10

Table 2 sets forth the HLA-A*2402 binding peptides for CDH3 in order of binding affinity. Table 2A sets forth 9-mer peptides derived from CDH3 and Table 2B sets forth 10-mer peptides derived from CDH3.

Table 3 sets forth the HLA-A*2402 and HLA-A*0201 binding peptides for EPHA4 in order of binding affinity. Table 3A sets forth the HLA-A*2402 binding 9-mer peptides derived from EPHA4, Table 3B shows the HLA-A*2402 binding 10-mer peptides derived from EPHA4 and Table 3C sets forth the HLA-A*0201 binding 9-mer peptides derived from EPHA4.

Table 4 sets forth the HLA-A*2402 binding peptides for ECT2 in order of binding affinity. Table 4A sets forth 9-mer peptides derived from ECT2 and Table 4B shows 10-mer peptides derived from ECT2.

Table 5 sets forth the HLA-A*2402 and HLA-A*0201 binding peptides for HIG2, Table 5A sets forth the HLA-A*2402 binding 9-mer peptides derived from HIG2, Table 5B sets forth the HLA-A*2402 binding 10-mer peptides derived from HIG2, Table 5C sets forth the HLA-A*0201 binding 9-mer peptides derived from HIG2, and Table 5D sets forth HLA-A*0201 binding 10-mer peptides derived from HIG2.

Table 6 sets forth the HLA-A*2402 and HLA-A*0201 binding peptides for INHBB, Table 6A shows the HLA-A*2402 binding 9-mer peptides derived from INHBB, Table 6B sets forth the HLA-A*2402 binding 10-mer peptides derived from INHBB, Table 6C sets forth the HLA-A*0201 binding 9-mer peptides derived from INHBB, and Table 6D sets forth HLA-A*0201 binding 10-mer peptides derived from INHBB.

Table 7 sets forth the HLA-A*2402 binding peptides for KIF20A in order of binding affinity. Table 7A sets forth 9-mer peptides derived from KIF20A and Table 7B sets forth 10-mer peptides derived from KIF20A.

Table 8 sets forth the HLA-A*2402 binding peptides for KNTC2 in order of binding affinity. Table 8A sets forth 9-mer peptides derived from KNTC2 and Table 8B sets forth 10-mer peptides derived from KNTC2.

Table 9 sets forth the HLA-A*0201 binding peptides for TTK in order of binding affinity. Table 9A sets forth 9-mer peptides derived from TTK and Table 9B sets forth 10-mer peptides derived from TTK.

Table 10 sets forth the HLA-A*0201 binding peptides for URLC10 in order of binding affinity. Table 10A sets forth 9-mer peptides derived from URLC10 and Table 10B sets forth 10-mer peptides derived from URLC10.

[0100] Explanation and definition about the terms in tables

Start position indicates the number of amino acid from N-terminal.

Binding score is derived from "BIMAS" described in Materials and Methods.

Positive donor number indicates the number of donor whoes CD8+T-cells can be induced to the specific CTL by the ex vivo stimulation with antigen-presenting cells. This is shown as (positive donor number / hole donor number).

Positive well number indicates the number of wells where specific IFN-gamma production can be detected by IFN-gamma ELISPOT assay. 4 to 8 wells can be prepared from one donor. This is shown as (positive wells number / the number of hole wells tested by IFN-gamma ELISPOT assay).

Positve CTL line indicates the number of CTL line established from positive wells. The generation of CTL line is determined by ELISA. This is shown as (established CTL line number / the number of positive wells tested by IFN-gamma ELISPOT assay).

No positive donor is not defined by no detectable positive wells, but by no established CTL line.

The peptides showed by bold character in tables possesses the stimulation activity of the T cells.

No data at positive donor number, positive well nember and positive CTL line indicating "-" means that the peptides can't be synthesized for any reason.

[0101]

[Table 2A-1]

HLA-A*2402 binding 9-mer peptides derived from *CDH3*

Strat position	Amino acid sequence	Binding Score	Positive donor number	Positive well number	Positive CTL line	SEQ ID NO.
513	IYEVMLAM	37.5	1/3			19
667	LFLLVLL	36	-	-	-	20
30	VFREAETL	24	0/3	1/22	0/1	21
406	LYVEVTNEA	16.632	1/3			22
332	KYEAHPEN	16.5	0/3	1/22	0/1	23
180	KYELFGHAV	15	0/3	1/22	0/1	24
85	RSLKERNPL	14.4	0/3	1/22	0/1	25
5	RGPLASLL	12	0/3	2/22	0/2	26
652	KGGFILPVL	11.2	0/3	0/22	-	27
248	TYNGVVAYS	10.5	0/3	2/22	0/2	28
65	LFSTDNDDF	10	0/3	0/22	-	29
94	KIFPSKRIL	9.6	0/1	0/8	-	306
221	RGSVLEGVL	9.6	0/1	0/8	-	307
668	FLLVLLLL	8.4	-	-	-	308
754	IGNFIENL	8.4	-	-	-	309
311	TAVAVVEIL	8.4	0/1	0/8	-	310
557	NQSPVRQVL	8.064	0/1	0/8	-	311
611	KQDTYDVHL	8	0/1	0/8	-	312
781	DYEGSGSDA	7.5	0/1	0/8	-	313
165	GWLLLNKPL	7.2	0/1	0/8	-	314

[Table 2A-2]

656	ILPVLGAVL	7.2	0/1	0/8	-	315
770	TAPPYDTLL	7.2	0/1	0/8	-	316
602	VVLSLKKFL	7.2	0/1	0/8	-	317
665	ALLFLLVL	7.2	-	-	-	318
410	VTNEAPFVL	7.2	0/1	0/8	-	319
662	AVLALLFLL	7.2	-	-	-	320
613	DTYDVHLSL	6.72	0/1	0/8	-	321
6	GPLASLLLL	6	0/1	0/8	-	322
564	VLNITDKDL	6	0/1	0/8	-	323
159	AVEKETGWL	6	0/1	0/8	-	324
511	NNIYEVML	6	0/1	0/8	-	325
11	LLLQVCWL	6	-	-	-	326
57	GCPGQEPAL	6	0/1	0/8	-	327
293	EYTLTIQAT	6	0/1	0/8	-	328
79	ETVQERRSL	6	0/1	0/8	-	329
475	SYRILRDPAL	6	0/1	0/8	-	330
493	GQVTAVGTL	6	0/1	0/8	-	331
661	GAVLALLFL	6	0/1	0/8	-	332
388	GILTRKGL	6	0/1	0/8	-	333
382	HPESNQGL	6	0/1	0/8	-	334
663	VLALLFLLL	5.76	-	-	-	335
598	EGDTVVLSSL	5.6	0/1	0/8	-	336
278	TISVISSGL	5.6	0/1	2/8	0/2	337
659	VLGAVLALL	5.6	0/1	0/8	-	338
811	EWGSRFKKL	5.28	0/1	0/8	-	339
445	KVVEVQEGI	5.04	0/1	0/8	-	340
614	TYDVHLSLS	5	0/1	0/8	-	341
142	FYSITGPGA	5	0/1	0/8	-	342
246	IYTYNGVVA	5	0/1	0/8	-	343

[0102]

[Table 2B-1]

HLA-A*2402 binding 10-mer peptides derived from *CDH3*

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
807	DYLNcWGSRF	150	1/3			30
248	TYNGvVAYSI	105	0/3	4/22	0/4	31
667	LFLlIVLLLL	42	-	-	-	32
397	DFEAKNQHTL	30	0/3	2/22	0/2	33
332	KYEAbVPENA	21	1/3			34
180	KYELFGHAVS	15	0/3	2/22	0/2	35
510	RNNIYEVML	12	0/3	4/22	0/4	36
5	RGPLASLLLL	12	0/3	1/22	0/1	37
477	RILRDPAGWL	12	0/3	1/22	0/1	38
556	CNQSPVRQVL	10.08	0/3	2/22	0/2	39
655	FILPvLGAVL	8.64	1/3			344
662	AVLAILFLLL	8.64	-	-	-	345

[Table 2B-2]

277	GTISvISSGL	8.4	0/3	0/20	-	346
781	DYEGsGSDAA	7.5	0/3	0/20	-	347
601	TVVLsLKKFL	7.2	0/3	3/20	0/3	348
158	FAVEKETGWL	7.2	0/3	0/20	-	349
665	ALLFILLVLL	7.2	-	-	-	350
259	SQEPkDPHDL	7.2	0/3	0/20	-	351
664	LALLfLLLVL	7.2	-	-	-	352
42	GABQePGQAL	7.2	0/3	1/20	0/1	353
661	GAVLaLLFLL	7.2	-	-	-	354
595	VNEEgDTVVL	7.2	0/2	0/12	-	355
340	NAVGHVQRL	7.2	0/2	0/12	-	356
411	TNEApFVLKL	6.6	0/2	0/12	-	357
470	ENQKISYRIL	6	1/2			358
10	SLLLIQVCWL	6	0/2	1/12	0/1	359
721	GLEArPEVVL	6	0/2	2/12	0/2	360
345	EVQRITVTDL	6	0/2	4/12	0/4	361
2	GLPRgPLASL	6	0/2	3/12	0/3	362
657	LPVLgAVLAL	6	-	-	-	363
563	QVLNITDKDL	6	0/2	1/12	0/1	364
159	AVEKeTGWLL	6	0/2	2/12	0/2	365
492	SGQVtAVGTL	6	0/2	-	-	366
387	QGILtTRKGL	6	0/2	-	-	367
525	SPPTtGTGTL	6	0/2	2/12	0/2	368
358	NSPAwRATYL	6	0/2	2/12	0/2	369
122	GPFPqRLNQL	5.76	0/2	3/12	0/3	370
753	EIGNfIENL	5.6	0/2	1/12	0/1	371
310	TTAVaVVEIL	5.6	-	-	-	372
246	IYTYnGVVAY	5	0/2	2/12	0/2	373
805	DYDYINEWGS	5	0/2	0/12	-	374

[0103]

[Table 3A]

HLA-A*2402 binding 9-mer peptides derived from *EPHA4*

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
97	VYIEIKFTL	504	0/2	1/16	0/1	40
453	RYSVALAWL	400	2/3			41
25	VYPANEVTL	300	0/3	0/22	-	42
384	HYTPQQNGL	288	0/3	1/22	0/1	43
5	FYFALFSCSL	288	1/2			44
519	GYGDFSEPL	240	0/3	3/22	0/3	45
869	KFGQIVNML	67.2	1/3			46
777	AYTTRGGKI	55	0/3	1/22	0/1	47
420	KYNPNPDQS	18	1/3			48
749	RNILVNSNL	16.8	0/3	1/22	0/1	49
734	KYLSDMSYV	15	0/3	0/22	-	50
879	KLIRNPNSL	14.4	0/3	0/22	-	51
926	RYKDNFTAA	14.4	0/3	0/22	-	52
834	KAIEBGYRL	14.4	0/3	0/22	-	53
574	KYSKAKQEA	13.2	0/3	0/22	-	54
184	AFQDVGACI	12.6	0/3	1/22	0/1	55
252	WLVPIGNCL	12.096	0/3	0/22	-	56
326	RPPSAPLNL	12	0/3	0/22	-	57
203	KCPLTVRNL	12	0/3	0/22	-	58
360	SYNVVCKKC	11.55	0/3	0/22	-	59

[0104]

[Table 3B]

HLA-A*2402 binding 10-mer peptides derived from *EPHA4*

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
25	VYPANEVTLL	300	0/3	0/22	-	60
244	MYCGADGEWL	200	0/3	1/22	0/1	61
657	GYTDKQRRDF	120	0/3	1/22	0/1	62
5	FYFAIFSCLF	100	-	-	-	63
102	KFTLRDCNSL	48	0/3	1/22	0/1	64
818	SYGERPYWDM	30	0/3	2/22	0/2	65
4	IFYFALFSCL	28.8	-	-	-	66
808	SYGIVMWEVM	25	-	-	-	67
630	EFGEVCSGRL	24	0/3	0/22	-	68
420	KYNPNPDQSV	21.6	0/3	0/22	-	69
930	NFTAAGYTTL	20	0/2	0/16	-	70
675	QFDHPNIIHL	20	0/3	0/22	-	71
708	AFLRKNDGRF	15	0/3	0/22	-	72
579	KQEADBEKHL	12	0/3	1/22	0/1	73
727	RGIGSGMKYL	12	0/3	0/22	-	74
96	RVYIEKFTL	11.2	0/2	1/16	0/1	75
507	SYVFHVRART	10.5	0/3	1/22	0/1	76
251	EWLVPIGNCL	10.08	0/3	0/22	-	77
24	RVYPANEVTLL	9.6	1/3			78
699	EYMENGSLDA	9	0/3	0/22	-	79

[0105] [Table 3C]

HLA-A*0201 binding 9-mer peptides derived from *EPHA4*

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
8	ALFSCLFGI	514.942	-	-	-	375
501	GLNPLTSYV	382.536	1/1			376
12	CLFGICDAV	126.098	0/1	1/5	0/1	377
977	QMHGRMVPV	115.534	0/1	1/5	0/1	378
165	KLNTEIRDV	111.979	1/1			379
252	WLVPIGNCL	98.267	0/1	1/5	0/1	380
879	KLIRNPNSL	74.768	0/1	1/5	0/1	381
559	VVILIAAFV	56.902	-	-	-	382
812	VMWEVMSYG	39.386	0/1	0/5	-	383
728	GIGSGMKYL	37.157	0/1	0/5	-	384
750	NILVNSNLV	35.385	0/1	1/5	0/1	385
937	TTLEAVVHV	33.705	0/1	1/5	0/1	386

[0106]

[Table 4A]

HLA-A*2402 binding 9-mer peptides derived from ECT2

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
515	TYPPFVNFF	216	1/1			80
140	LYCTSMNLL	200	0/1	0/8	-	81
298	LYVVKQEF	150	0/1	0/8	-	82
435	NYVNILATI	105	0/1	0/8	-	83
773	IYTADPESF	100	0/1	0/8	-	84
110	LYKADCRVI	50	0/1	0/8	-	85
739	SFQMTSDEL	33	0/1	0/8	-	86
504	IFLKYSKDL	30	0/1	0/8	-	87
867	FFERRSHTL	30	0/1	0/8	-	88
178	DFNSKVTHL	30	0/1	0/8	-	89
61	KQEELIKAL	17.28	0/1	0/8	-	90
657	RGEQVTLFL	16.8	0/1	2/8	0/2	91
568	RLPSVALLL	16.8	0/1	0/8	-	92
550	KPECGRQSL	14.4	0/1	0/8	-	93
470	IFGSIPDIF	14	0/1	0/8	-	94
116	RVIGPPVVL	12	0/1	0/8	-	95
507	KYSKDLVKT	11	0/1	0/8	-	96
223	DFYAAVDDF	10	0/1	0/8	-	97

[0107] [Table 4B]

HLA-A*2402 binding 10-mer peptides derived from ECT2

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
322	LYEKaNTPEL	330	0/1	0/8	-	98
435	NYVNILATII	90	0/1	0/8	-	99
40	SYVEcEMPQI	90	1/1			100
101	DFQD _s VFNDL	72.576	1/1			101
866	SFFe _r RSHTL	24	0/1	0/8	-	102
811	SFSK _f PKRAL	20	0/1	1/8	0/1	103
268	KYLPIGDERC	18	0/1	0/8	-	104
84	EFEGIDSPEF	16.5	0/1	1/8	0/1	105
236	KVPP _f QDCIL	14.4	0/1	0/8	-	106
728	RPPT _e QANVL	14.4	0/1	0/8	-	107
507	KYSK _d LVKTY	12	0/1	0/8	-	108
281	VVEE _n IVKDL	10.08	0/1	0/8	-	109

[0108]

[Table 5A]

HLA-A*2402 binding 9-mer peptides derived from *HIG2*

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
19	IFVRVMESL	42	1/3			110
22	RVMESLEGL	14.4	1/3			111
8	YLLGVVLTLL	8.4	1/3			387
7	LYLLGVVLT	7.5	0/2	3/15	0/3	388
23	VMESLEGLL	7.2	0/2	0/16	-	389
9	LLGVVLTLL	5.6	-	-	-	390

[0109] [Table 5B]

Table 5B HLA-A*2402 binding 10-mer peptides derived from *HIG2*

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
7	LYLLGVVLTLL	420	1/3			112
22	RVMESLEGLL	17.28	0/3	4/24	0/4	113
8	YLLGVVLTLL	8.4	-	-	-	391
5	LNLYLLGVVL	7.2	0/2	0/12	-	392
46	LANTEPTKGL	6	0/2	0/14	-	393
18	SIFVRVMESL	5.6	1/2			394

[0110] [Table 5C]

HLA-A*0201 binding 9-mer peptides derived from *HIG2*

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
8	YLLGVVLTLL	836.253	1/1			114
13	VTLLSIFV	650.311	0/1	0/12	-	115
15	TLLSIFVRV	488.951	1/1			116
4	VLNLYLLGV	271.948	1/1			117
9	LLGVVLTLL	83.527	0/1	0/12	-	118
22	RVMESLEGL	31.957	0/1	0/12	-	119
6	NLYLLGVVL	28.027	0/1	0/12	-	120

[0111]

[Table 5D]

HLA-A*0201 binding 10-mer peptides derived from *HIG2*

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
8	YLLGvVLTL	836.253	1/1			121
12	VVLTLISIFV	210.538	-	-	-	122
29	GLLEsPSPGT	113.047	0/1	0/12	-	123
6	NLYLIGVVLT	54.847	-	-	-	124
4	VLNlyLLGVV	14.495	0/1	0/12	-	125
15	TLLSiFVRVM	13.174	0/1	0/12	-	126
18	SIFVrVMESL	12.248	0/1	0/12	-	127
14	LTLlSiFVRV	11.545	-	-	-	128

[0112] [Table 6A]

HLA-A*2402 binding 9-mer peptides derived from *INHBB*

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
383	LYFDDEYNI	60	0/3	0/20	-	129
238	LFERGERRL	30	0/3	1/19	0/1	130
7	RALGAACLL	12	0/3	0/21	-	131
388	EYNIVKRDV	10.5	0/3	0/18	-	132
180	LYLKLLPYV	9	1/2			395
163	ISNEGNQNL	8.64	0/1	0/8	-	396
223	RSGWHTFPL	8	0/1	0/6	-	397
176	ASLWLYLKL	7.92	0/1	0/7	-	398
338	AYLAGVPGS	7.5	0/1	1/7	0/1	399
213	NMVEKRVDL	7.2	0/1	0/8	-	400
102	AMVTALRKL	6.6	0/1	0/8	-	401
250	VQCDSCQEL	6.336	0/1	0/8	-	402
369	NSCCIPTKL	6.16	0/1	0/8	-	403
330	NYCEGSCPA	6	0/1	0/7	-	404
172	FVVQASLWL	6	0/1	0/8	-	405
355	VNQYRMRL	6	0/1	0/8	-	406
307	QFFIDFRLI	6	0/1	0/7	-	407
14	LLLLAAGWL	6	-	-	-	408
306	QQFFIDFRL	5.6	0/1	0/6	-	409
170	NLFVVQASL	5.6	0/1	0/7	-	410
327	YYGNYCEGS	5	0/1	1/8	0/1	411

[0113]

[Table 6B]

HLA-A*2402 binding 10-mer peptides derived from *INHBB*

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
180	LYLKLLPYVL	360	1/3			133
171	LFVVQASLWL	30	-	-	-	134
305	RQQFFIDFRL	16.8	1/3			135
73	DFLEAVKRHI	12.6	0/3	4/20	0/4	136
7	RALGAACLLL	12	1/3			137
273	RPFVVVQARL	11.2	0/3	1/20	0/1	138
338	AYLAGVPGSA	10	0/3	2/20	0/2	139
169	QNLfvVQASL	8.4	0/1	1/6	0/1	412
249	DVQCdSCQEL	7.92	0/1	4/6	0/4	413
173	VVQAsLWLYL	7.2	0/1	0/6	-	414
383	LYFDdEYNIV	7.2	0/1	0/6	-	415
229	FPLTeAIQAL	7.2	0/1	1/6	0/1	416
299	RTNLcCRQQF	7.2	0/1	5/6	0/5	417
101	AAMVtALRKL	6.6	0/1	2/6	0/2	418
368	VNSCcIPTKL	6.16	0/1	2/6	0/2	419
13	CLLLIAAGWL	6	-	-	-	420
354	VVNQyRMRGL	6	0/1	0/6	-	421
150	DGLAsSRVRL	6	0/1	2/6	0/2	422
293	GLECdgRTNL	6	0/1	0/6		423
330	NYCEgSCPAY	6	0/1	1/6	0/1	424
176	ASLWIYLKLL	6	0/1	1/6	0/1	425
212	WNMVeKRVDL	6	1/1			426
74	FLEAvKRHIL	6	0/1	2/6	0/2	427
331	YCEGsCPAYL	6	0/1	1/6	0/1	428
77	AVKRhILSRL	5.6	0/1	1/6	0/1	429
175	QASLwLYLKL	5.28	0/1	2/6	0/2	430
326	GYYGnYCEGS	5	0/1	1/6	0/1	431
159	LYFFISNEGN	5	0/1	4/6	0/4	432
327	YYGNyCEGSC	5	0/1	1/6	0/1	433

[0114]

[Table 6C]

HLA-A*0201 binding 9-mer peptides derived from *INHBB*

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
177	SLWLYLKLL	407.808	0/1	0/8		140
14	LLLLAAGWL	96.074	-	-	-	141
170	NLFVVQASL	79.041	0/1	0/8		142
213	NMVEKRVDL	63.256	0/1	0/8		143
172	FVVQASLWL	47.291	0/1	0/8		144
306	QQFFIDFRL	46.48	0/1	0/8		145
281	RLGDSRHRI	42.774	0/1	0/8		146
174	VQASLWLYL	34.427	0/1	0/8		147
257	ELAVVPVFFV	28.69	0/1	1/8	0/1	148
313	RLIGWNDWI	28.116	0/1	1/8	0/1	149
139	RVSEHSFA	22.546	0/1	3/8	0/3	150
151	GLASSRVRL	21.362	0/1	0/8		151
8	ALGAACLLL	21.362	0/1	1/8	0/1	152
250	VQCDSCQEL	15.096	0/1	1/8	0/1	153

[0115] [Table 6D]

HLA-A*0201 binding 10-mer peptides derived from *INHBB*

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
179	WLYLKLLPYV	12951.1	0/1	1/8	0/1	154
301	NLCCRQQFFI	332.806	0/1	0/8		155
237	ALFERGERRL	64.814	0/1	0/8		156
382	MLYFDDEYNI	56.754	0/1	0/8		157
13	LLLLLAAGWL	56.514	-	-	-	158
8	ALGAACLLL	49.134	-	-	-	159
313	RLIGWNDWII	32.081	0/1	0/8		160
173	VVQASLWLYL	29.711	0/1	2/8	0/2	161
256	QELAVVPVFFV	27.521	0/1	0/8		162
162	FISNEGNQNL	13.512	0/1	1/8	0/1	163
305	RQQFFIDFRL	12.562	0/1	0/8		164
362	GLNPGTVNSC	11.426	0/1	0/7		165
85	RLQMRGRPNI	10.433	0/1	1/8	0/1	166
69	RVDGDFLEAV	10.425	0/1	0/8		167

[0116]

[Table 7A]

HLA-A*2402 binding 9-mer peptides derived from *KIF20A*

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
308	IYNELLYDL	432	0/2	0/14	-	168
621	MYEEKLNIL	432	0/2	0/14	-	169
67	VYLRVRPLL	420	0/2	0/14	-	170
499	KFSAIASQL	56	0/2	0/14	-	171
304	SFFEIYNEL	44.352	0/2	0/14	-	172
187	IFNSLQGQL	36	0/2	0/14	-	173
305	FFEIYNELL	30	1/2			174
23	MFESTAADL	30	0/2	0/14	-	175
256	SFDSGIAGL	20	0/2	0/14	-	176
298	RFSIWISFF	20	-	-	-	177
383	IFSIRILHL	20	1/2			178
647	KIEELEALL	17.28	0/2	0/14	-	179
625	KLNILKESL	14.4	0/2	0/14	-	180
695	KLQQCKAEL	13.2	0/2	0/14	-	181
726	FTIDVDKKL	11.088	0/2	0/14	-	182
688	QLQEVKAKL	11.088	0/2	0/14	-	183

[0117] [Table 7B]

HLA-A*2402 binding 10-mer peptides derived from *KIF20A*

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
308	IYNELLYDLL	432	0/2	0/14	-	184
182	RSLAIFNSL	24.192	0/2	1/14	0/1	185
304	SFFEIYNELL	24	1/2			186
742	RLRLQLQKL	15.84	0/2	0/14	-	187
739	KNIRILRTEL	15.84	0/2	0/14	-	188
218	RQEE _m KKLSL	14.4	0/2	2/14	0/2	189
70	RVRPILPSEL	12.672	0/2	0/14	-	190
871	RILRsRRSPL	12	0/2	0/14	-	191
89	RIENvETLVL	12	0/2	1/14	0/1	192
364	KNQSfASTHL	12	0/2	0/14	-	193
66	KVYLrVRPLL	11.2	1/2			194
60	DSMEkVKVYL	10.08	0/2	0/14	-	195

[0118]

[Table 8A]

HLA-A*2402 binding 9-mer peptides derived from *KNTC2*

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
309	KYQAYMSNL	600	1/3			196
457	VYVPLKELL	432	0/3	0/18	-	197
414	EYHKLARKL	264	0/3	0/18	-	198
139	SYELPDTKF	165	0/3	0/18	-	199
629	KYEKKATLI	150	0/3	0/18	-	200
400	KYARGKEAI	100	0/3	1/18	0/1	201
124	DFLKIFTFL	50.4	1/3			202
134	GFLCPSYEL	33	0/3	0/18	-	203
257	LFNVDAFKL	33	0/3	0/18	-	204
242	SFDEMNAEL	26.4	0/3	0/18	-	205
128	IFTFLYGFL	24	0/3	0/18	-	206
146	KFEEVPRI	18	0/3	1/18	0/1	207
368	RINHERNEL	15.84	0/3	1/18	0/1	208
235	SFMSGADSF	15	0/3	0/18	-	209
154	IFKDLGYPF	14.4	1/3			210
563	EYQLVVQTT	12.6	0/3	0/18	-	211
474	KALNKKMGL	12	0/3	1/18	0/1	212
150	EVPRIFKDL	10.08	1/3			213

[0119] [Table 8B]

HLA-A*2402 binding 10-mer peptides derived from *KNTC2*

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
452	KYRAQVYVPL	560	2/3			214
610	EYEECMSIDL	360	0/3	1/18	0/1	215
360	KYSVADIERI	100	0/3	0/18	-	216
227	DYTIKCYESF	100	1/3			217
146	KFEEVPRI	50.4	0/3	0/18	-	218
90	AFIQQCIRQL	30	0/3	0/18	-	219
20	RSQDVNKQGL	17.28	0/3	1/18	0/1	220
501	RTLKEEVQKL	15.84	0/3	0/18	-	221
403	RGKEAETQL	13.44	0/3	1/18	0/1	222
273	RALNEQIARL	12	1/3			223
563	EYQLVVQTTT	10.5	0/3	3/22	0/3	224
467	ETEEEINKAL	10.08	0/3	1/22	0/1	225
541	LLESTVNQGL	10.08	0/3	1/22	0/1	226

[0120]

[Table 9A]

HLA-A*0201 binding 9-mer peptides derived from *TTK*

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
462	YMSCFRTPV	878.055	1/1			227
547	KQIYAIKYV	312.218	1/1			228
630	NMLEAVHTI	262.897	0/1	1/8	0/1	229
278	LLNSPDCDV	118.238	0/1	1/8	0/1	230
498	ILATPLQNL	83.527	0/1	0/8	-	231
811	YVLGQLVGL	73.172	0/1	0/8	-	232
719	SLGCILYYM	62.845	1/2			233
670	QMOPDTTSV	50.232	0/1	0/8	-	234
804	GTTEEMKYV	50.102	0/1	0/8	-	235
654	LIVDGMLKL	47.088	0/1	1/8	0/1	236
363	SLLAKLEET	31.074	0/1	0/8	-	237
790	YVQIQTHPV	27.995	0/1	0/8	-	238
785	LLAHPYVQI	26.604	0/1	0/8	-	239
86	KLIGRYSQA	26.082	0/1	0/8	-	240
186	NLNLQKKQL	21.362	0/1	0/8	-	241
671	MQPDTTSVV	20.152	0/1	0/8	-	242
577	KLQQHSDKI	17.892	0/1	0/8	-	243
142	FAFVHISFA	14.856	0/1	0/8	-	244
322	CELRNLKSV	11.509	0/1	0/8	-	245
824	SILKAAKTL	10.868	0/1	0/8	-	246

[0121]

[Table 9B]

HLA-A*0201 binding 10-mer peptides derived from *TTK*

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
68	LLKLEKNSV	437.482	0/1	0/8	-	247
277	NLLNSPDCDV	257.342	0/1	0/8	-	248
653	FLIVDGMLKL	226.014	0/1	0/8	-	249
423	TTFEQPVFSV	195.487	0/1	0/8	-	250
542	VLNEKKQIYA	190.448	0/1	0/8	-	251
658	GMLKLIDFGI	161.697	0/1	0/8	-	252
194	LLSEEEKKNL	148.896	0/1	0/8	-	253
462	YMSCFRTPVV	94.738	1/1			254
57	MMANNPEDWL	70.685	0/1	0/8	-	255
600	MVMECGNIDL	48.205	0/1	0/8	-	256
689	YMPPEAIKDM	37.961	0/1	0/8	-	257
86	KLIGRYSQAI	36.515	0/1	0/8	-	258
669	NMQPDTTSV	26.092	0/1	1/8	0/1	259
497	QILATPLQNL	24.997	0/1	0/8	-	260
654	LIVDGMLKLI	22.997	0/1	0/8	-	261
186	NLNLQKKQLL	21.362	0/1	1/8	0/1	262
670	QMOPDTTSVV	20.595	0/1	0/8	-	263
803	KGTEEMKYV	20.102	0/1	0/8	-	264
11	LTIDSIMNKV	15.486	0/1	0/8	-	265
577	KLQQHSDKII	14.971	0/1	0/8	-	266

[0122]

[Table 10A]

HLA-A*0201 binding 9-mer peptides derived from *URLC10*

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
131	KIFPRFFMV	1364.78	0/1	0/8	-	267
204	GLWLAILLL	407.808	0/1	0/8	-	268
65	LLVVALPRV	271.948	0/1	0/8	-	269
60	ALLALLLVV	242.674	-	-	-	270
206	WLAILLLLA	52.561	1/1			271
212	LLASIAAGL	36.316	1/1			272
210	LLLLASIAA	31.249	0/1	0/8	-	273
137	FMVAKQCSA	16.505	0/1	2/8	0/2	274
58	TMALLALLL	15.428	0/1	2/8	0/2	275
59	MALLALLLV	13.975	0/1	2/8	0/2	276
209	ILLLASIA	12.812	0/1	0/8	-	434
208	AILLLLASI	12.208	-	-	-	277
69	ALPRVWTD	8.446	0/1	0/8	-	278
197	SMGESCGGL	8.223	0/1	0/8	-	279
61	LLALLLVVA	7.964	-	-	-	280
67	VVALPRVWT	6.097	0/1	0/8	-	281
72	RVWTDANLT	5.412	0/1	0/8	-	282
160	FLLEPMPPF	5.2	0/1	1/8	0/1	283
62	LALLLVVAL	4.292	0/1	0/8	-	284
57	GTMALLALL	2.525	0/1	1/8	0/1	285

[0123]

[Table 10B]

HLA-A*0201 binding 10-mer peptides derived from *URLC10*

strat position	sequence	Binding Score	positive donor number	positive well number	positive CTL line	SEQ ID NO
64	LLVVVALPRV	1006.21	0/1	0/8	-	286
204	GLWLAILLLL	407.808	0/1	1/8	0/1	287
211	LLASIAAGL	134.369	1/1			288
258	TMALLALLV	115.534	-	-	-	289
61	LLALLLVVAL	83.527	-	-	-	290
160	FLLEPMPPF	65.782	0/1	0/8	-	291
209	ILLLLASIAA	31.249	0/1	0/8	-	292
131	KIFPRFFMVA	26.186	0/1	0/8	-	293
60	ALLALLLVVA	17.334	-	-	-	294
66	LVVALPRVWT	6.097	0/1	0/8	-	295
59	MALLALLLVV	5.73	-	-	-	296
2	RLQRPRQAPA	4.968	0/1	1/8	0/1	297
112	CQNPRRCKWT	4.156	0/1	0/8	-	298
72	RVWTDANLTA	3.608	0/1	0/8	-	299
53	WAPLGTMALL	3.139	0/1	0/8	-	300
121	TEPYCVIAAV	3.111	0/1	0/8	-	301
162	LEPMPPFFYL	2.739	0/1	1/8	0/1	302
181	LEPPINSSV	2.299	0/1	2/8	0/2	303
170	YKCKKIRYC	2.024	0/1	0/8	-	304
130	VKIFPRFFMV	1.81	0/1	0/8	-	305

[0124] Stimulation of the T cells using the predicted peptides from CDH3 restricted with HLA-A*2402 and establishment for CTL lines stimulated with CDH3 derived peptides

CTLs for those peptides derived from CDH3 were generated according to the protocols set forth in "Materials and Methods" section above. Resulting that CTLs having detectable specific CTL activity, as determined by IFN-gamma ELISPOT assay, are shown in Figure 1. In particular, CDH3-A24-9-513 (SEQ ID NO: 19), CDH3-A24-9-406 (SEQ ID NO: 22), CDH3-A24-10-807 (SEQ ID NO: 30), CDH3-A24-10-332 (SEQ ID NO: 34), CDH3-A24-10-655 (SEQ ID NO: 344) and CDH3-A24-10-470 (SEQ ID NO: 358) demonstrated potent IFN-gamma production as compared to the control by IFN-gamma ELISPOT assay, and the cells in the positive well number #5 stimulated with SEQ ID NO: 19, #2 with SEQ ID NO: 22, #5 with SEQ ID NO: 30, #4 with SEQ ID NO: 34, #1 with SEQ ID NO: 344 and #4 with SEQ ID NO: 358 were expanded and CTL lines were established. Those CTL lines having higher specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse were determined by ELISA. Results are shown in Figure 1. While, other peptides shown in table 2 could not establish the CTL

lines despite possible binding activity with HLA-A*2402. For example, the typical negative peptide (CDH3-A24-10-248) were shown in Figure 1a. In this invention, the peptides which could establish CTL line were selected as potent CTL stimulation peptide.

[0125] Establishment for CTL clones stimulated with CDH3 derived peptides

Furthermore, the limiting dilution from these CTL lines was performed according to the protocols set forth in the "Materials and Methods" section above. The establishment of CTL clones from CDH3-A24-10-807 (SEQ ID NO: 30) #5 and CDH3-A24-10-655 (SEQ ID NO: 344) #1 CTL line are shown in Figure 1f and g. CTL clones had potent and specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse.

[0126] Specific CTL activity against the target cells expressing CDH3 and HLA-A*2402

The established CTL line raised against these peptides were examined for their ability to recognize the target cells expressing CDH3 and HLA-A*2402. Specific CTL activity against COS7 transfected with both full length CDH3 gene and the HLA-A*2402 molecule, which serves as a specific model for the target cells endogenously express CDH3 and HLA-A*2402, was tested using as effector cells the CTL lines raised by CDH3-A24-10-807 (SEQ ID NO: 30) and CDH3-A24-10-655 (SEQ ID NO: 344). COS7 transfected with full length CDH3 but not HLA-A*2402 and COS7 transfected with HLA-A*2402 but not full length CDH3 were prepared as controls. The CTL clones demonstrating the highest specific CTL activity against COS7 was that transfected with both CDH3 and HLA-A2402 (Figure 1f and g).

These results clearly demonstrate that CDH3-A24-10-807 (SEQ ID NO: 30) and CDH3-A24-10-655 (SEQ ID NO: 344) are naturally expressed on the target cell surface with HLA-A2402 molecule and recognize CTL. Furthermore, these peptides are epitope peptides, which may serve as cancer vaccines targeting CDH3 expressed tumors.

[0127] Stimulation of the T cells using the predicted peptides from EPHA4 restricted with HLA-A*2402 or HLA-A*0201, and establishment for CTL lines stimulated with EPHA4 derived peptides

CTLs for those peptides derived from EphA4 were generated by IFN-gamma ELISPOT assay. Resulting that CTLs having detectable specific CTL activity, as determined by IFN-gamma ELISPOT assay, are shown in Figure 2. In particular, EphA4-A24-9-453 (SEQ ID NO: 41), EphA4-A24-9-5 (SEQ ID NO: 44), EphA4-A24-9-869 (SEQ ID NO: 46), EphA4-A24-9-420 (SEQ ID NO: 48), EphA4-A24-10-24 (SEQ ID NO: 78), EphA4-A02-9-501 (SEQ ID NO: 376) and EphA4-A02-9-165 (SEQ ID NO: 379) demonstrated potent IFN-gamma production by IFN-gamma ELISPOT assay, and the cells in the positive well number #3 stimulated

with EphA4-A24-9-453 (SEQ ID NO: 41), #2 with EphA4-A24-9-5 (SEQ ID NO: 44), #5 with EphA4-A24-9-869 (SEQ ID NO: 46), #6 with EphA4-A24-9-420 (SEQ ID NO: 48), #4 with EphA4-A24-10-24 (SEQ ID NO: 78), #8 with EphA4-A02-9-501 (SEQ ID NO: 376) and #3 with EphA4-A02-9-165 (SEQ ID NO: 379) were expanded and CTL lines were established. Those CTL lines having higher specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse were determined by ELISA. Especially, CTL lines stimulated with EphA4-A02-9-501 (SEQ ID NO: 376) and EphA4-A02-9-165 (SEQ ID NO: 379) were tested by ⁵¹Cr-release assay according to the protocols set forth in the "Materials and Methods" section above. Results are shown in Figure 2a-h. While, other peptides shown in table 3 could not establish the CTL lines despite possible binding activity with HLA-A*2402 or HLA-A*0201. For example, the typical negative peptide (EphA4-A24-9-384) were shown in Figure 2a. In this invention, the peptides which could establish CTL line were selected as potent CTL stimulation peptides.

[0128]

Stimulation of the T cells using the predicted peptides from ECT2 restricted with HLA-A*2402, and establishment for CTL lines stimulated with ECT2 derived peptides

CTLs for those peptides derived from ECT2 were generated according to the protocols set forth in the "Materials and Methods" section above. Resulting CTLs having detectable specific CTL activity as determined by an IFN-gamma ELISPOT assay are shown in Figure 3. In particular, ECT2-A24-9-515 (SEQ ID NO: 80), ECT2-A24-10-40 (SEQ ID NO: 100) and ECT2-A24-10-101 (SEQ ID NO: 101) showed potent IFN-gamma production, and the cells in the positive well number #7 stimulated with ECT2-A24-9-515 (SEQ ID NO: 80), #2 with ECT2-A24-10-40 (SEQ ID NO: 100) and #1 with ECT2-A24-10-101 (SEQ ID NO: 101) were expanded and CTL lines were established. Those CTL lines having higher specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse were determined by ELISA. Results are shown in Figure 3a-d. While, other peptides shown in table 4 could not establish the CTL lines despite possible binding activity with HLA-A*2402. For example, the typical negative peptide (ECT2-A24-10-322, ECT2-A24-9-657 and ECT2-A24-10-811) were shown in Figure 3a. In this invention, the peptides which could establish CTL line were selected as potent CTL stimulation peptide.

[0129]

Establishment for CTL clones stimulated with ECT2 derived peptides

Furthermore, the limiting dilution from these CTL lines was performed according to the protocols set forth in the "Materials and Methods" section above. The establishment of CTL clones from ECT2-A24-10-40 (SEQ ID NO: 100) #2 CTL line are shown in Figure 3c. CTL clones had potent and specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse.

[0130] Specific CTL activity against the target cells expressing ECT2 and HLA-A*2402

The established CTL line raised against these peptides were examined for their ability to recognize the target cells expressing ECT2 and HLA-A*2402. Specific CTL activity against COS7 transfected with both full length ECT2 gene and the HLA-A*2402 molecule, which serves as a specific model for the target cells endogenously express ECT2 and HLA-A*2402, was tested using as effector cells the CTL clone raised by ECT2-A24-10-40 (SEQ ID NO: 100) and the CTL line raised by ECT2-A24-10-101 (SEQ ID NO: 101). COS7 transfected with full length ECT2 but not HLA-A*2402 and COS7 transfected with HLA-A*2402 but not full length ECT2 (replaced other gene e.g. URLC10 or INHBB) were prepared as controls. The CTL line demonstrating the highest specific CTL activity against COS7 was that transfected with both ECT2 and HLA-A2402 (Figure 3c and d).

These results clearly demonstrate that ECT2-A24-10-40 (SEQ ID NO: 100) and ECT2-A24-10-101 (SEQ ID NO: 101) are naturally expressed on the target cell surface with HLA-A2402 molecule and recognize CTL. Furthermore, these peptides are epitope peptides, which may serve as cancer vaccines targeting ECT2 expressed tumors.

[0131] Cytotoxic activity against cancer cell line endogenously expressing HLA-A*2402 and ECT2

Furthermore, Cytotoxic activity was performed by cytotoxicity assay according to the protocols set forth in the "Materials and Methods" section above. As a result, as shown in Fig. 3b, CTL clone stimulated with ECT2-A24-9-515 (SEQ ID NO: 80) showed remarkably high cytotoxic effect towards HLA-A24-positive and ECT-positive cancer cell lines TE6, compared to that towards HLA-A24-negative and ECT-positive cancer cell lines TE5.

[0132] Stimulation of the T cells using the predicted peptides from HIG2 restricted with HLA-A*2402 or HLA-A*0201, and establishment for CTL lines stimulated with HIG2 derived peptides

CTLs for those peptides derived from HIG2 were generated according to the protocols set forth in the "Materials and Methods" section above. Resulting CTLs having detectable specific CTL activity as determined by an IFN-gamma ELISPOT assay are shown in Figure 4. In particular, HIG2-A24-9-19 (SEQ ID NO: 110), HIG2-A24-9-22 (SEQ ID NO: 111), HIG2-A24-9-8 (SEQ ID NO: 387), HIG2-A24-10-7 (SEQ ID NO: 112), HIG2-A24-10-18 (SEQ ID NO: 394), HIG2-A02-9-8 (SEQ ID NO: 114), HIG2-A02-9-15 (SEQ ID NO: 116), HIG2-A02-9-4 (SEQ ID NO: 117) and HIG2-A02-10-8 (SEQ ID NO: 121) demonstrated potent IFN-gamma production by IFN-gamma ELISPOT assay, and the cells in the positive well number #6 stimulated with HIG2-A24-9-19 (SEQ ID NO:

110), #7 with HIG2-A24-9-22 (SEQ ID NO: 111), #5 with HIG2-A24-9-8 (SEQ ID NO: 387), #1 with HIG2-A24-10-7 (SEQ ID NO: 112), #7 with HIG2-A24-10-18 (SEQ ID NO: 394), #10 with HIG2-A02-9-8 (SEQ ID NO: 114), #10 with HIG2-A02-9-15 (SEQ ID NO: 116), #10 with HIG2-A02-9-4 (SEQ ID NO: 117) and #9 with HIG2-A02-10-8 (SEQ ID NO: 121) were expanded and CTL lines were established. Those CTL lines having higher specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse were determined by ELISA. Results are shown in Figure 4a-j. While, other peptides shown in table 5 could not establish the CTL lines despite possible binding activity with HLA-A*2402. For example, the typical negative peptide (HIG2-A24-9-7) were shown in Figure 4a. In this invention, the peptides which could establish CTL line were selected as potent CTL stimulation peptide.

[0133] Establishment for CTL clones stimulated with HIG2 derived peptides

Furthermore, the limiting dilution from these CTL lines was performed according to the protocols set forth in the "Materials and Methods" section above. The establishment of CTL clones from HIG2-A24-9-22 (SEQ ID NO: 111) #7 CTL line, HIG2-A24-9-8 (SEQ ID NO: 387) #5 CTL line, HIG2-A24-10-7 (SEQ ID NO: 112) #1 CTL line, HIG2-A24-10-18 (SEQ ID NO: 394) #7 CTL line and HIG2-A02-9-4 (SEQ ID NO: 117) #10 CTL line are shown in Figure 4c, e, f, g and i. CTL clones had potent and specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse.

[0134] Specific CTL activity against the target cells expressing HIG2 and HLA-A*0201

The established CTL line raised against these peptides were examined for their ability to recognize the target cells expressing HIG2 and HLA-A*0201. Specific CTL activity against 293T or COS7 transfected with both full length HIG2 gene and the HLA-A*0201 molecule, which serves as a specific model for the target cells endogenously express HIG2 and HLA-A*0201, was tested using as effector cells the CTL lines raised by HIG2-A02-9-8 (SEQ ID NO: 114), HIG2-A02-9-15 (SEQ ID NO: 116) and the CTL clone raised by HIG2-A02-9-4 (SEQ ID NO: 117). 293T or COS7 transfected with full length ECT2 but not HLA-A*0201 and 293T or COS7 transfected with HLA-A*0201 but not full length ECT2 (or replaced other gene e.g. FoxP3 or TTK) were prepared as controls. The CTL line demonstrating the highest specific CTL activity against 293T or COS7 was that transfected with both ECT2 and HLA-A*0201 (Figure 4e, h and i).

[0135] These results clearly demonstrate that HIG2-A02-9-8 (SEQ ID NO: 114), HIG2-A02-9-15 (SEQ ID NO: 116) and HIG2-A02-9-4 (SEQ ID NO: 117) are naturally expressed on the target cell surface with HLA-A2402 or HLA-A0201 molecule and recognize CTL. Furthermore, these peptides are epitope peptides, which

may serve as cancer vaccines targeting HIG2 expressed tumors.

[0136]

Cytotoxic activity against cancer cell line endogenously expressing HLA-A*0201 and HIG2

Furthermore, Cytotoxic activity was performed by cytotoxicity assay according to the protocols set forth in the "Materials and Methods" section above. As a result, as shown in Fig. 4i, CTL clone stimulated with HIG2-A02-9-4 (SEQ ID NO: 117) showed remarkably high cytotoxic effect towards HLA-A02-positive and HIG2-positive cancer cell lines CAki-1, compared to that towards HLA-A02-negative and HIG2-positive cancer cell lines A498.

[0137]

Stimulation of the T cells using the predicted peptides from INHBB restricted with HLA-A*2402 or HLA-A*0201, and establishment for CTL lines stimulated with INHBB derived peptides

CTLs for those peptides derived from INHBB were generated according to the protocols set forth in the "Materials and Methods" section above. Resulting CTLs having detectable specific CTL activity as determined by an IFN-gamma ELISPOT assay are shown in Figure 5. In particular, INHBB-A24-9-180 (SEQ ID NO: 395), INHBB-A24-10-180 (SEQ ID NO: 133), INHBB-A24-10-305 (SEQ ID NO: 135), INHBB-A24-10-7 (SEQ ID NO: 137) and INHBB-A24-10-212 (SEQ ID NO: 426) demonstrated potent IFN-gamma production by IFN-gamma ELISPOT assay, and the cells in the positive well number #7 stimulated with INHBB-A24-9-180 (SEQ ID NO: 395), #3 with INHBB-A24-10-180 (SEQ ID NO: 133), #2 with INHBB-A24-10-305 (SEQ ID NO: 135), #8 and #2 with INHBB-A24-10-7 (SEQ ID NO: 137) and #1 with INHBB-A24-10-212 (SEQ ID NO: 426) were expanded and CTL lines were established. Those CTL lines having higher specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse were determined by ELISA. Results are shown in Figure 5b-e. While, other peptides shown in table 6 could not establish the CTL lines despite possible binding activity with HLA-A*2402 and HLA*0201. For example, the typical negative peptide (INHBB-A24-9-238) were shown in Figure 5a. In this invention, the peptides which could establish CTL line were selected as potent CTL stimulation peptide.

[0138]

Establishment for CTL clones stimulated with INHBB derived peptides

Furthermore, the limiting dilution from these CTL lines was performed according to the protocols set forth in the "Materials and Methods" section above. The establishment of CTL clones from INHBB-A24-9-180 (SEQ ID NO: 395) #7 CTL line, and INHBB-A24-10-305 (SEQ ID NO: 135) #2 CTL line are shown in Figure 5b and d. CTL clones had potent and specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse.

[0139]

Specific CTL activity against the target cells expressing INHBB and HLA-A*2402

The established CTL line raised against these peptides were examined for their ability to recognize the target cells expressing INHBB and HLA-A*2402. Specific CTL activity against 293T transfected with both full length INHBB gene and the HLA-A*2402 molecule, which serves as a specific model for the target cells endogenously express INHBB and HLA-A*2402, was tested using as effector cells the CTL lines raised by INHBB-A24-10-180 (SEQ ID NO: 133) and INHBB-A24-10-7 (SEQ ID NO: 137) and the CTL clone raised by INHBB-A24-10-305 (SEQ ID NO: 135). 293T transfected with full length INHBB but not HLA-A*2402 and 293T transfected with HLA-A*2402 but not full length INHBB were prepared as controls. The CTL line demonstrating the highest specific CTL activity against 293T was that transfected with both INHBB and HLA-A*2402 (Figure 5c, d and e).

[0140] These results clearly demonstrate that INHBB-A24-10-305 (SEQ ID NO: 135), INHBB-A24-10-180 (SEQ ID NO: 133) and INHBB-A24-10-7 (SEQ ID NO: 137) are naturally expressed on the target cell surface with HLA-A2402 molecule and recognize CTL. Furthermore, these peptides are epitope peptides, which may serve as cancer vaccines targeting INHBB expressed tumors.

[0141] Cytotoxic activity against cancer cell line endogenously expressing HLA-A*2402 and INHBB

Furthermore, Cytotoxic activity was performed by cytotoxicity assay according to the protocols set forth in the "Materials and Methods" section above. As a result, as shown in Fig. 5b, CTL clone stimulated with INHBB-A24-9-180 (SEQ ID NO: 395) showed remarkably high cytotoxic effect towards HLA-A24-positive and INHBB - positive cancer cell lines MIA-Paca2, compared to that towards HLA-A24-negative and INHBB -positive cancer cell lines CAki-2.

[0142] Stimulation of the T cells using the predicted peptides from KIF20A restricted with HLA-A*2402. and establishment for CTL lines stimulated with KIF20A derived peptides

CTLs for those peptides derived from KIF20A were generated according to the protocols set forth in the "Materials and Methods" section above. Resulting CTLs having detectable specific CTL activity as determined by an IFN-gamma ELISPOT assay are shown in Figure 6. In particular, KIF20A-A24-9-305 (SEQ ID NO: 174), KIF20A-A24-9-383 (SEQ ID NO: 178), KIF20A-A24-10-304 (SEQ ID NO: 186) and KIF20A-A24-10-66 (SEQ ID NO: 194) demonstrated potent IFN-gamma production by IFN-gamma ELISPOT assay, and the cells in the positive well number #2 stimulated with KIF20A-A24-9-305 (SEQ ID NO: 174), #3 with KIF20A-A24-9-383 (SEQ ID NO: 178), #5 with KIF20A-A24-10-304 (SEQ ID NO: 186) and #6 with KIF20A-A24-10-66 (SEQ ID NO: 194) were expanded and CTL lines were established. Those CTL lines having higher specific CTL activities against the peptide-

pulsed target as compared to the activities against target without peptide pulse were determined by ELISA. Results are shown in Figure 6a-e. While, other peptides shown in table 7 could not establish the CTL lines despite possible binding activity with HLA-A*2402. For example, the typical negative peptide (KIF20A -A24-9-647 and KIF20A -A24-10-182) were shown in Figure 6a. In this invention, the peptides which could establish CTL line were selected as potent CTL stimulation peptide.

[0143] Establishment for CTL clones stimulated with KIF20A derived peptides

Furthermore, the limiting dilution from these CTL lines was performed according to the protocols set forth in the "Materials and Methods" section above. The establishment of CTL clones from KIF20A-A24-9-305 (SEQ ID NO: 174) #2 CTL line, KIF20A-A24-10-304 (SEQ ID NO: 186) #5 CTL line and KIF20A-A24-10-66 (SEQ ID NO: 194) #6 CTL line are shown in Figure 6b, d and e. CTL clones had potent and specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse.

[0144] Specific CTL activity against the target cells expressing KIF20A and HLA-A*2402

The established CTL line raised against these peptides were examined for their ability to recognize the target cells expressing KIF20A and HLA-A*2402. Specific CTL activity against COS7 transfected with both full length KIF20A gene and the HLA-A*2402 molecule and A24-LCL transfected by electroporation with full length KIF20A gene, which serve as a specific model for the target cells endogenously express KIF20A and HLA-A*2402, was tested using as effector cells the CTL lines raised by KIF20A-A24-9-383 (SEQ ID NO: 178) and KIF20A-A24-10-304 (SEQ ID NO: 186) and the CTL clone raised by KIF20A-A24-10-66 (SEQ ID NO: 194). COS7 transfected with full length KIF20A but not HLA-A*2402 and COS7 transfected with HLA-A*2402 but not full length KIF20A (or replaced full length URLC10 gene), COS7 transfected with HLA-A*2402 and pulsed with KIF20A-10-308, and A24-LCL transfected with mock vector were prepared as controls. The CTL line demonstrating the highest specific CTL activity against COS7 was that transfected with both KIF20A and HLA-A*2402 (Figure 6b, c and d). Alternatively, the CTL line stimulated with KIF20A-A24-10-304 (SEQ ID NO: 186) demonstrated against A24-LCL transfected with KIF20A.

[0145] These results clearly demonstrate that KIF20A-A24-9-383 (SEQ ID NO: 178), KIF20A-A24-10-304 (SEQ ID NO: 186) and KIF20A-A24-10-66 (SEQ ID NO: 194) is naturally expressed on the target cell surface with HLA-A2402 molecule and recognize CTL. Furthermore, these peptides are epitope peptides, which may serve as cancer vaccines targeting KIF20A expressed tumors.

[0146] Cytotoxic activity against cancer cell line endogenously expressing HLA-A*2402 and KIF20A

Furthermore, Cytotoxic activity was performed by cytotoxicity assay according to the protocols set forth in the "Materials and Methods" section above. As a result, as shown in Fig. 6b and e, CTL clone stimulated with KIF20A-A24-9-305 (SEQ ID NO: 174) or KIF20A-A24-10-304 (SEQ ID NO: 186) showed remarkably high cytotoxic effect towards HLA-A24-positive and KIF20A-positive cancer cell lines PK45P or MIA-Paca2 respectively, compared to that towards HLA-A24-negative and KIF20A-positive cancer cell lines PK59.

[0147] Stimulation of the T cells using the predicted peptides from KNTC2 restricted with HLA-A*2402, and establishment for CTL lines stimulated with KNTC2 derived peptides

CTLs for those peptides derived from KNTC2 were generated according to the protocols set forth in the "Materials and Methods" section above. Resulting CTLs having detectable specific CTL activity as determined by an IFN-gamma ELISPOT assay are shown in Figure 7. In particular, KNTC2-A24-9-309 (SEQ ID NO: 196), KNTC2-A24-9-124 (SEQ ID NO: 202), KNTC2-A24-9-154 (SEQ ID NO: 210), KNTC2-A24-9-150 (SEQ ID NO: 213), KNTC2-A24-10-452 (SEQ ID NO: 214), KNTC2-A24-10-227 (SEQ ID NO: 217) and KNTC2-A24-10-273 (SEQ ID NO: 223) demonstrated potent IFN-gamma production by IFN-gamma ELISPOT assay, and the cells in the positive well number #8 stimulated with KNTC2-A24-9-309 (SEQ ID NO: 196), #5 with KNTC2-A24-9-124 (SEQ ID NO: 202), #5 with KNTC2-A24-9-154 (SEQ ID NO: 210), #7 with KNTC2-A24-9-150 (SEQ ID NO: 213), #4 and #5 with KNTC2-A24-10-452 (SEQ ID NO: 214), #1 with KNTC2-A24-10-227 (SEQ ID NO: 217) and #8 with KNTC2-A24-10-273 (SEQ ID NO: 223) were expanded and CTL lines were established. Those CTL lines having higher specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse were determined by ELISA. Results are shown in Figure 7a-h. While, other peptides shown in table 8 could not establish the CTL lines despite possible binding activity with HLA-A*2402. For example, the typical negative peptide (KNTC2-A24-10-610) were shown in Figure 7a. In this invention, the peptides which could establish CTL line were selected as potent CTL stimulation peptide.

[0148] Establishment for CTL clones stimulated with KNTC2 derived peptides

Furthermore, the limiting dilution from these CTL lines was performed according to the protocols set forth in the "Materials and Methods" section above. The establishment of CTL clones from KNTC2-A24-9-154 (SEQ ID NO: 210) #5 CTL line and KNTC2-A24-10-452 (SEQ ID NO: 214) #5 CTL line are shown in Figure 7d and f. CTL clones had potent and specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse.

[0149] Specific CTL activity against the target cells expressing KNTC2 and HLA-A*2402

The established CTL line raised against these peptides were examined for their ability to recognize the target cells expressing KNTC2 and HLA-A*2402. Specific CTL activity against HEK293 transfected with both full length KNTC2 gene and the HLA-A*2402 molecule which serves as a specific model for the target cells endogenously express KNTC2 and HLA-A*2402, was tested using as effector cells the CTL clones raised by KNTC2-A24-10-452 (SEQ ID NO: 214). HEK293 transfected with full length KNTC2 but not HLA-A*2402, HEK293 transfected with HLA-A*2402 but not full length KNTC2 and HEK293 transfected with HLA-A*2402 and pulsed with KNTC2-9-309 were prepared as controls. The CTL line demonstrating the highest specific CTL activity against HEK293 was that transfected with both KNTC2 and HLA-A*2402 (Figure 7f).

[0150] These results clearly demonstrate that KNTC2-A24-10-452 (SEQ ID NO: 214) is naturally expressed on the target cell surface with HLA-A2402 molecule and recognize CTL. Furthermore, these peptides are epitope peptides, which may serve as cancer vaccines targeting KNTC2 expressed tumors.

[0151] Stimulation of the T cells using the predicted peptides from TTK restricted with HLA-A*0201, and establishment for CTL lines stimulated with TTK derived peptides

CTLs for those peptides derived from TTK were generated according to the protocols set forth in the "Materials and Methods" section above. Resulting CTLs having detectable specific CTL activity as determined by an IFN-gamma ELISPOT assay are shown in Figure 8. As depicted in Figure 8b-d, TTK-A2-9-462 (SEQ ID NO: 227), TTK-A2-9-547 (SEQ ID NO: 228), TTK-A2-9-719 (SEQ ID NO: 233) and TTK-A2-10-462 (SEQ ID NO: 254) demonstrated potent IFN-gamma production by IFN-gamma ELISPOT assay, and the cells in the positive well number #4 stimulated with TTK-A2-9-462 (SEQ ID NO: 227), #2 with TTK-A2-9-547 (SEQ ID NO: 228), #1 with TTK-A2-9-719 (SEQ ID NO: 233) and #8 with TTK-A2-10-462 (SEQ ID NO: 254) were expanded. Those CTL lines having higher specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse were determined by ELISA. While, other peptides shown in table 9 could not establish the CTL lines despite possible binding activity with HLA-A*0201. For example, the typical negative peptide (TTK-A2-9-278) were shown in Figure 8a. In this invention, the peptides which could establish CTL line were selected as potent CTL stimulation peptide.

[0152] Establishment for CTL clones stimulated with TTK derived peptides

Furthermore, the limiting dilution from these CTL lines was performed according to the protocols set forth in the "Materials and Methods" section above. The establishment of CTL clones from TTK-A2-9-462 (SEQ ID NO: 227) #4 CTL line, TTK-A2-9-547 (SEQ ID NO: 228) #2 CTL line, TTK-A2-9-719 (SEQ ID NO: 233) #1 CTL

line and TTK-A2-10-462 (SEQ ID NO: 254) #8 CTL line were shown in Figure 8d, c, d and e. CTL clones had potent and specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse.

[0153] Specific CTL activity against the target cells expressing TTK and HLA-A*0201

The established CTL clone raised against these peptides were examined for their ability to recognize the target cells endogenously expressing TTK and HLA-A*0201. Specific CTL activity against COS7 transfected with both the full length TTK gene and the HLA-A*0201 molecule, which is a specific model for the target cells endogenously express TTK and HLA-A*0201, was tested using as effector cells the CTL clones raised by TTK-A2-9-462 (SEQ ID NO: 227), TTK-A02-9-547 (SEQ ID NO: 228), TTK-A2-9-719 (SEQ ID NO: 233) and TTK-A2-10-462 (SEQ ID NO: 254). COS7 transfected with full length TTK but HLA-A*0201, COS7 transfected HLA-A*0201 but not full length of TTK (or replaced full length HIG2 gene) and COS7 transfected with HLA-A*0201 and pulsed with different target epitope peptide, were prepared as controls. The CTL Clone having the highest specific CTL activity against COS7 was that transfected with both TTK and HLA-A*0201 (Figure 8b, c, d and e).

[0154] These results clearly demonstrate that TTK-A2-9-462 (SEQ ID NO: 227), TTK-A02-9-547 (SEQ ID NO: 228), TTK-A2-9-719 (SEQ ID NO: 233) and TTK-A02-10-462 (SEQ ID NO: 254) are naturally expressed on the target cell surface with HLA-A2 molecule and recognize CTL. Furthermore, these peptides are epitope peptides, which may serve as cancer vaccines targeting TTK expressed tumors.

[0155] Stimulation of the T cells using the predicted peptides from URLC10 restricted with HLA-A*0201. and establishment for CTL lines stimulated with URLC10 derived peptides

CTLs for those peptides derived from URLC10 were generated according to the protocols set forth in the "Materials and Methods" section above. Resulting CTLs having detectable specific CTL activity as determined by IFN-gamma ELISPOT assay are shown in Figure 9. As shown in Figure 9b-d, URLC-A2-9-206 (SEQ ID NO: 271), URLC-A2-9-212 (SEQ ID NO: 272) and URLC-A2-10-211 (SEQ ID NO: 288) demonstrated potent IFN-gamma production by IFN-gamma ELISPOT assay, and the cells in the positive well number #7 stimulated with URLC-A2-9-206 (SEQ ID NO: 271), #3 with URLC-A2-9-212 (SEQ ID NO: 272) and #5 with URLC-A2-10-211 (SEQ ID NO: 288) were expanded. Those CTL lines having higher specific CTL activities against the peptide-pulsed target as compared to the activities against target without peptide pulse were determined by ELISA. While, other peptides shown in table 10 could not establish the CTL lines despite possible binding activity with HLA-A*0201. For example, the typical negative peptide (URLC-A2-9-58) were shown in Figure 9a. In this invention, the peptide which could establish CTL line were selected

as potent CTL stimulation peptide.

[0156] Specific CTL activity against the target cells expressing URLC10 and HLA-A*0201

The established CTL line raised against these peptides were examined for their ability to recognize the target cells endogenously expressing URLC10 and HLA-A*0201. Specific CTL activity against COS7, Hek293 and 293T transfected with both full length URLC10 gene and the HLA-A*0201 molecule, which serves as a specific model for the target cells endogenously express URLC10 and HLA-A*0201, was tested using as effector cells the CTL line raised by URLC10-A02-10-211. COS7, Hek293 or 293T transfected with full length URLC10 but not HLA-A*0201 (replaced HLA-A*2402), COS7, Hek293 or 293T transfected with HLA-A*0201 but not full length URLC10 and COS7 transfected with HLA-A*0201 and pulsed with different target epitope peptide (URLC10-A02-10-64) were prepared as controls. The CTL line demonstrating the highest specific CTL activity against COS7, Hek293 or 293T was that transfected with both URLC10 and HLA-A*0201 (Figure 9-2).

[0157] These results clearly demonstrate that URLC10-A02-10-211 is naturally expressed on the target cell surface with HLA-A*0201 molecule and recognizes CTL. Furthermore, this peptide was epitope peptides, which may utilize cancer vaccine targeting URLC10 expressed tumors.

[0158] Homology analysis of the antigen peptides

The CTL clones established against the following peptides showed potent specific CTL activity.

CDH3-A24-9-513 (SEQ ID NO: 19),
 CDH3-A24-9-406 (SEQ ID NO: 22),
 CDH3-A24-10-807 (SEQ ID NO: 30),
 CDH3-A24-10-332 (SEQ ID NO: 34),
 CDH3-A24-10-655 (SEQ ID NO: 344),
 CDH3-A24-10-470 (SEQ ID NO: 358),
 EphA4-A24-9-453 (SEQ ID NO: 41),
 EphA4-A24-9-5 (SEQ ID NO: 44),
 EphA4-A24-9-869 (SEQ ID NO: 46),
 EphA4-A24-9-420 (SEQ ID NO: 48),
 EphA4-A24-10-24 (SEQ ID NO: 78),
 EphA4-A02-9-501 (SEQ ID NO: 376),
 EphA4-A02-9-165 (SEQ ID NO: 379),
 ECT2-A24-9-515 (SEQ ID NO: 80),
 ECT2-A24-10-40 (SEQ ID NO: 100),
 ECT2-A24-10-101 (SEQ ID NO: 101),
 HIG2-A24-9-19 (SEQ ID NO: 110),

HIG2-A24-9-22 (SEQ ID NO: 111),
 HIG2-A24-9-8 (SEQ ID NO: 387),
 HIG2-A24-10-7 (SEQ ID NO: 112),
 HIG2-A24-10-18 (SEQ ID NO: 394),
 HIG2-A02-9-8 (SEQ ID NO: 114),
 HIG2-A02-9-15 (SEQ ID NO: 116),
 HIG2-A02-9-4 (SEQ ID NO: 117),
 HIG2-A02-10-8 (SEQ ID NO: 121),
 INHBB-A24-9-180 (SEQ ID NO: 395),
 INHBB-A24-10-180 (SEQ ID NO: 133),
 INHBB-A24-10-305 (SEQ ID NO: 135),
 INHBB-A24-10-7 (SEQ ID NO: 137),
 INHBB-A24-10-212 (SEQ ID NO: 426),
 KIF20A-A24-9-305 (SEQ ID NO: 174),
 KIF20A-A24-9-383 (SEQ ID NO: 178),
 KIF20A-A24-10-304 (SEQ ID NO: 186),
 KIF20A-A24-10-66 (SEQ ID NO: 194),
 KNTC2-A24-9-309 (SEQ ID NO: 196),
 KNTC2-A24-9-124 (SEQ ID NO: 202),
 KNTC2-A24-9-154 (SEQ ID NO: 210),
 KNTC2-A24-9-150 (SEQ ID NO: 213),
 KNTC2-A24-10-452 (SEQ ID NO: 214),
 KNTC2-A24-10-227 (SEQ ID NO: 217),
 KNTC2-A24-10-273 (SEQ ID NO: 223),
 TTK-A02-9-462 (SEQ ID NO: 227),
 TTK-A02-9-547 (SEQ ID NO: 228),
 TTK-A02-9-719 (SEQ ID NO: 233),
 TTK-A02-10-462 (SEQ ID NO: 254),
 URLC-A02-9-206 (SEQ ID NO: 271),
 URLC-A02-9-212 (SEQ ID NO: 272) and
 URLC-A02-10-211 (SEQ ID NO: 288)

- [0159] This suggests that the sequences of SEQ ID NO: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 376, 379, 80, 100, 101, 110, 111, 387, 112, 394, 114, 116, 117, 121, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217, 223, 227, 228, 233, 254, 271, 272 or 288 are homologous to the peptides derived from other molecules, which are known to sensitize human immune system.
- [0160] To exclude this possibility, homology analysis was performed with the peptide sequences as queries using BLAST algorithm

(<http://www.ncbi.nlm.nih.gov/blast/blast.cgi>). No significant sequence homology was revealed.

These results suggest that the sequences of SEQ ID NO: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 376, 379, 80, 100, 101, 110, 111, 387, 112, 394, 114, 116, 117, 121, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217, 223, 227, 228, 233, 254, 271, 272 or 288 are unique and thus possess a low risk of raising unintended immunologic response to any unrelated molecule.

[0161] DISCUSSION

Identification of new TAAs, particularly those that induce potent and specific anti-tumor immune responses, warrants further development of the clinical application of peptide vaccination strategies in various types of cancer (Boon T. et al., (1996) *J Exp Med* 183: 725-9.; van der Bruggen P et al., (1991) *Science* 254: 1643-7.; Brichard V et al., (1993) *J Exp Med* 178: 489-95.; Kawakami Y et al., (1994) *J Exp Med* 180: 347-52.; Shichijo S et al., (1998) *J Exp Med* 187:277-88.; Chen YT et al., (1997) *Proc.Natl.Acad. Sci. USA*, 94: 1914-8.; Harris CC., (1996) *J Natl Cancer Inst* 88:1442-5.; Butterfield LH et al., (1999) *Cancer Res* 59:3134-42.; Vissers JL et al., (1999) *Cancer Res* 59: 5554-9.; van der Burg SH et al., (1996) *J. Immunol* 156:3308-14.; Tanaka F et al., (1997) *Cancer Res* 57:4465-8.; Fujie T et al., (1999) *Int J Cancer* 80:169-72.; Kikuchi M et al., (1999) *Int J Cancer* 81 : 459-66.; Oiso M et al., (1999) *Int J Cancer* 81:387-94.).

[0162] cDNA microarray technologies can disclose comprehensive profiles of gene expression of malignant cells (Lin YM, et al., *Oncogene*. 2002 Jun 13;21:4120-8.; Kitahara O, et al., *Cancer Res*. 2001 May 1;61:3544-9.; Suzuki C, et al., *Cancer Res*. 2003 Nov 1;63:7038-41.; Ashida S, *Cancer Res*. 2004 Sep 1;64:5963-72.; Ochi K, et al., *Int J Oncol*. 2004 Mar;24(3):647-55.; Kaneta Y, et al., *Int J Oncol*. 2003 Sep;23:681-91.; Obama K, *Hepatology*. 2005 Jun;41:1339-48.; Kato T, et al., *Cancer Res*. 2005 Jul 1;65:5638-46.; Kitahara O, et al., *Neoplasia*. 2002 Jul-Aug;4:295-303.; Saito-Hisaminato A et al., *DNA Res* 2002, 9: 35-45.) and, find utility in the identification of potential TAAs. Among the transcripts that are up-regulated in various cancers, novel human genes, termed CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10, were identified using these technologies.

[0163] As demonstrated above, CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10, are over-expressed in various cancers but show minimal expression in normal tissues. In addition, these genes have been shown to have a significant function related to cell proliferation. Thus, peptides derived from CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10 can serve as TAA epitopes, which, in turn, can be used to induce significant and specific immune responses against cancer cells.

Thus, as CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and URLC10 are novel TAAs, vaccines using these epitope peptides find utility as immuno-therapeutics against various carcinomas or other disease expressing these molecules.

Industrial Applicability

- [0164] The present invention identifies new TAAs, particularly those which induce potent and specific anti-tumor immune responses. Such TAAs warrants further development as peptide vaccines against diseases associated with the over-expression of CDH3, EPHA4, ECT2, HIG2, INHBB, KIF20A, KNTC2, TTK and/or URLC10 e.g. cancers.

All patents, patent applications, and publications cited herein are incorporated by reference.

- [0165] While the invention has been described in detail and with reference to specific embodiments thereof, it is to be understood that the foregoing description is exemplary and explanatory in nature and is intended to illustrate the invention and its preferred embodiments. Through routine experimentation, one skilled in the art will readily recognize that various changes and modifications can be made therein without departing from the spirit and scope of the invention. Thus, the invention is intended to be defined not by the above description, but by the following claims and their equivalents.

CLAIMS

[Claim 1]

An isolated peptide of less than about 15 amino acids selected from the group consisting of peptides comprising the amino acid sequences of SEQ ID NO: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 80, 100, 101, 110, 111, 387, 112, 394, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217 or 223.

[Claim 2]

A peptide having cytotoxic T cell inducibility, wherein said peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NO: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 80, 100, 101, 110, 111, 387, 112, 394, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217 or 223, wherein 1, 2, or several amino acids are substituted, deleted, or added.

[Claim 3]

The peptide of claim 2, wherein the second amino acid from the N-terminus is phenylalanine, tyrosine, methionine, or tryptophan.

[Claim 4]

The peptide of claim 2 or 3, wherein the C-terminal amino acid is phenylalanine, leucine, isoleucine, tryptophan, or methionine.

[Claim 5]

An isolated peptide of less than about 15 amino acids selected from the group consisting of peptides comprising the amino acid sequences of SEQ ID NO: 376, 379, 114, 116, 117, 121, 227, 228, 233, 254, 271, 272 or 288.

[Claim 6]

A peptide having cytotoxic T cell inducibility, wherein said peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NO: 376, 379, 114, 116, 117, 121, 227, 228, 233, 254, 271, 272 or 288, wherein 1, 2, or several amino acids are substituted, deleted, or added.

[Claim 7]

The peptide of claim 6, wherein the second amino acid from the N-terminus is leucine or methionine.

[Claim 8]

The peptide of claim 6 or 7, wherein the C-terminal amino acid is valine or leucine.

[Claim 9]

A pharmaceutical composition for treating or preventing a disease associated with over-expression of the genes of SEQ ID NO: 1, 3, 5, 7, 9, 11, 13, 15 and/or 17 said composition comprising one or more peptides of claim 1 to 8 or a polynucleotide encoding the peptides.

[Claim 10]

A pharmaceutical composition of claim 9, wherein the disease associating genes of SEQ ID NO: 1, 3, 5, 7, 9, 11, 13, 15 and/or 17 include cancers.

[Claim 11]

A pharmaceutical composition of claim 10, wherein the cancers include bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and

testicular tumor.

[Claim 12]

An exosome that presents on its surface a complex comprising a peptide of claim 1-4 and an HLA antigen.

[Claim 13]

The exosome of claim 12, wherein the HLA antigen is HLA-A24.

[Claim 14]

The exosome of claim 13, wherein the HLA antigen is HLA-A2402.

[Claim 15]

An exosome that presents on its surface a complex comprising a peptide of claim 5-8 and an HLA antigen.

[Claim 16]

The exosome of claim 15, wherein the HLA antigen is HLA-A2.

[Claim 17]

The exosome of claim 16, wherein the HLA antigen is HLA-A0201.

[Claim 18]

A method of inducing antigen-presenting cells having a high cytotoxic T cell inducibility comprising the step of contacting an antigen-presenting cell with a peptide of claim 1-8.

[Claim 19]

A method of inducing cytotoxic T cells by contacting a T cell with a peptide of claim 1-8.

[Claim 20]

A method of inducing antigen-presenting cells having high cytotoxic T cell inducibility, said method comprising the step of transferring a gene comprising a polynucleotide encoding a peptide of claim 1 to 8 to an antigen-presenting cell.

[Claim 21]

An isolated cytotoxic T cell, which is induced by contacting a T cell with a peptide of claim 1-8 or which is transduced with the nucleic acids encoding the TCR subunits polypeptides binding with a peptide of any one claims 1 to 8 in the context of HLA-A24 or HLA-A2.

[Claim 22]

An antigen-presenting cell, which comprises a complex formed between an HLA antigen and a peptide of claim 1 to 8.

[Claim 23]

An antigen-presenting cell, induced by the method of claim 18-20.

[Claim 24]

A vaccine for inhibiting proliferation of cells expressing genes of SEQ ID NO: 1, 3, 5, 7, 9, 11, 13, 15 and/or 17 wherein the vaccine comprises a peptide of claim 1-8 as the active ingredient.

[Claim 25]

The vaccine of claim 24, wherein the cells expressing genes of SEQ ID NO: 1, 3, 5, 7, 9, 11, 13, 15 and/or 17 include cancers.

[Claim 26]

The vaccine of claim 25, wherein the cancers include bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor.

[Claim 27]

The vaccine of claim 26, formulated for administration to a subject whose HLA antigen is HLA-A24 or HLA-A2.

[Claim 28]

A method of treating or preventing a disease associated with over-expression of the genes of SEQ ID NO: 1, 3, 5, 7, 9, 11, 13, 15 and/or 17 in a subject comprising admin-

istering to said subject a vaccine comprising a peptide of claim 1-8, an immunologically active fragment thereof, or a polynucleotide encoding said peptide or immunologically active fragment.

[Claim 29]

The method of claim 28, wherein the disease associating genes of SEQ ID NO: 1, 3, 5, 7, 9, 11, 13, 15 and/or 17 include cancers.

[Claim 30]

A method of treating or preventing cancers of claim 29, wherein the cancer cells include bladder cancer, breast cancer, cervical cancer, cholangiocellular carcinoma, CML, colorectal cancer, endometriosis, esophageal cancer, gastric cancer, diffused type gastric cancer, liver cancer, NSCLC, lymphoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, renal carcinoma, SCLC, soft tissue tumor and testicular tumor.

[Claim 31]

A method of screening for a peptide which 1, 2, or several amino acids are substituted, wherein said peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NO: 19, 22, 30, 34, 344, 358, 41, 44, 46, 48, 78, 80, 100, 101, 110, 111, 387, 112, 394, 395, 133, 135, 137, 426, 174, 178, 186, 194, 196, 202, 210, 213, 214, 217 or 223, said method comprising the steps of:

- (a) conforming no significant sequence homology to the entire sequence of 1, 2 or several amino acids substitute;
- (b) measuring the CTL inducibility of the candidate substitute peptide; and
- (c) selecting the peptide which CTL inducibility is same to or higher than the original peptide.

SEQUENCE LISTING

<110> ONCOTHERAPY SCIENCE, INC

<120> PEPTIDE VACCINES FOR CANCERS EXPRESSING TUMOR-ASSOCIATED ANTIGENS

<130> ONC-A0704P

<150> US 60/902,949

<151> 2007-02-21

<160> 434

<170> PatentIn version 3.4

<210> 1

<211> 3649

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (508)..(2997)

<400> 1

cccgcgtgtag ccgcgtgtgg gaggacgcac gggcctgctt caaagctttg ggataacagc 60

gcctccgggg gataatgaat gcggagcctc cgttttcagt cgacttcaga tgtgtctcca 120

cttttttccg ctgtagccgc aaggcaagga aacatttctc ttcccgtact gaggaggctg 180

aggagtgcac tgggtgttct tttctcctct aaccacagaac tgcgagacag aggctgagtc 240

cctgtaaaga acagctccag aaaagccagg agagcgcagg agggcatccg ggaggccagg 300

aggggttcgc tggggcctca accgcaccca catcggtccc acctgcgagg gggcgggacc 360

tcgtggcgct ggaccaatca gcaccacct gcgctcacct ggcctcctcc cgctggctcc 420

cgggggctgc ggtgctcaaa ggggcaagag ctgagcggaa caccggcccg ccgtcgcggc 480

agctgcttca cccctctctc tgcagcc atg ggg ctc cct cgt gga cct ctc gcg 534

Met Gly Leu Pro Arg Gly Pro Leu Ala

1 5

tct ctc ctc ctt ctc cag gtt tgc tgg ctg cag tgc gcg gcc tcc gag 582

Ser Leu Leu Leu Leu Gln Val Cys Trp Leu Gln Cys Ala Ala Ser Glu

10 15 20 25

ccg tgc cgg gcg gtc ttc agg gag gct gaa gtg acc ttg gag gcg gga 630

Pro Cys Arg Ala Val Phe Arg Glu Ala Glu Val Thr Leu Glu Ala Gly

30 35 40

ggc gcg gag cag gag ccc ggc cag gcg ctg ggg aaa gta ttc atg ggc 678

Gly Ala Glu Gln Glu Pro Gly Gln Ala Leu Gly Lys Val Phe Met Gly

45 50 55

tgc cct ggg caa gag cca gct ctg ttt agc act gat aat gat gac ttc 726

Cys Pro Gly Gln Glu Pro Ala Leu Phe Ser Thr Asp Asn Asp Asp Phe

60 65 70

act gtg cgg aat ggc gag aca gtc cag gaa aga agg tca ctg aag gaa	774
Thr Val Arg Asn Gly Glu Thr Val Gln Glu Arg Arg Ser Leu Lys Glu	
75 80 85	
agg aat cca ttg aag atc ttc cca tcc aaa cgt atc tta cga aga cac	822
Arg Asn Pro Leu Lys Ile Phe Pro Ser Lys Arg Ile Leu Arg Arg His	
90 95 100 105	
aag aga gat tgg gtg gtt gct cca ata tct gtc cct gaa aat ggc aag	870
Lys Arg Asp Trp Val Val Ala Pro Ile Ser Val Pro Glu Asn Gly Lys	
110 115 120	
ggt ccc ttc ccc cag aga ctg aat cag ctc aag tct aat aaa gat aga	918
Gly Pro Phe Pro Gln Arg Leu Asn Gln Leu Lys Ser Asn Lys Asp Arg	
125 130 135	
gac acc aag att ttc tac agc atc acg ggg ccg ggg gca gac agc ccc	966
Asp Thr Lys Ile Phe Tyr Ser Ile Thr Gly Pro Gly Ala Asp Ser Pro	
140 145 150	
cct gag ggt gtc ttc gct gta gag aag gag aca ggc tgg ttg ttg ttg	1014
Pro Glu Gly Val Phe Ala Val Glu Lys Glu Thr Gly Trp Leu Leu Leu	
155 160 165	
aat aag cca ctg gac cgg gag gag att gcc aag tat gag ctc ttt ggc	1062
Asn Lys Pro Leu Asp Arg Glu Glu Ile Ala Lys Tyr Glu Leu Phe Gly	
170 175 180 185	
cac gct gtg tca gag aat ggt gcc tca gtg gag gac ccc atg aac atc	1110
His Ala Val Ser Glu Asn Gly Ala Ser Val Glu Asp Pro Met Asn Ile	
190 195 200	
tcc atc atc gtg acc gac cag aat gac cac aag ccc aag ttt acc cag	1158
Ser Ile Ile Val Thr Asp Gln Asn Asp His Lys Pro Lys Phe Thr Gln	
205 210 215	
gac acc ttc cga ggg agt gtc tta gag gga gtc cta cca ggt act tct	1206
Asp Thr Phe Arg Gly Ser Val Leu Glu Gly Val Leu Pro Gly Thr Ser	
220 225 230	
gtg atg cag gtg aca gcc acg gat gag gat gat gcc atc tac acc tac	1254
Val Met Gln Val Thr Ala Thr Asp Glu Asp Asp Ala Ile Tyr Thr Tyr	
235 240 245	
aat ggg gtg gtt gct tac tcc atc cat agc caa gaa cca aag gac cca	1302
Asn Gly Val Val Ala Tyr Ser Ile His Ser Gln Glu Pro Lys Asp Pro	
250 255 260 265	
cac gac ctc atg ttc acc att cac cgg agc aca ggc acc atc agc gtc	1350
His Asp Leu Met Phe Thr Ile His Arg Ser Thr Gly Thr Ile Ser Val	
270 275 280	
atc tcc agt ggc ctg gac cgg gaa aaa gtc cct gag tac aca ctg acc	1398
Ile Ser Ser Gly Leu Asp Arg Glu Lys Val Pro Glu Tyr Thr Leu Thr	
285 290 295	
atc cag gcc aca gac atg gat ggg gac ggc tcc acc acc acg gca gtg	1446
Ile Gln Ala Thr Asp Met Asp Gly Asp Gly Ser Thr Thr Thr Ala Val	
300 305 310	

gca gta gtg gag atc ctt gat gcc aat gac aat gct ccc atg ttt gac	1494
Ala Val Val Glu Ile Leu Asp Ala Asn Asp Asn Ala Pro Met Phe Asp	
315 320 325	
ccc cag aag tac gag gcc cat gtg cct gag aat gca gtg ggc cat gag	1542
Pro Gln Lys Tyr Glu Ala His Val Pro Glu Asn Ala Val Gly His Glu	
330 335 340 345	
gtg cag agg ctg acg gtc act gat ctg gac gcc ccc aac tca cca gcg	1590
Val Gln Arg Leu Thr Val Thr Asp Leu Asp Ala Pro Asn Ser Pro Ala	
350 355 360	
tgg cgt gcc acc tac ctt atc atg ggc ggt gac gac ggg gac cat ttt	1638
Trp Arg Ala Thr Tyr Leu Ile Met Gly Gly Asp Asp Gly Asp His Phe	
365 370 375	
acc atc acc acc cac cct gag agc aac cag ggc atc ctg aca acc agg	1686
Thr Ile Thr Thr His Pro Glu Ser Asn Gln Gly Ile Leu Thr Thr Arg	
380 385 390	
aag ggt ttg gat ttt gag gcc aaa aac cag cac acc ctg tac gtt gaa	1734
Lys Gly Leu Asp Phe Glu Ala Lys Asn Gln His Thr Leu Tyr Val Glu	
395 400 405	
gtg acc aac gag gcc cct ttt gtg ctg aag ctc cca acc tcc aca gcc	1782
Val Thr Asn Glu Ala Pro Phe Val Leu Lys Leu Pro Thr Ser Thr Ala	
410 415 420 425	
acc ata gtg gtc cac gtg gag gat gtg aat gag gca cct gtg ttt gtc	1830
Thr Ile Val Val His Val Glu Asp Val Asn Glu Ala Pro Val Phe Val	
430 435 440	
cca ccc tcc aaa gtc gtt gag gtc cag gag ggc atc ccc act ggg gag	1878
Pro Pro Ser Lys Val Val Glu Val Gln Glu Gly Ile Pro Thr Gly Glu	
445 450 455	
cct gtg tgt gtc tac act gca gaa gac cct gac aag gag aat caa aag	1926
Pro Val Cys Val Tyr Thr Ala Glu Asp Pro Asp Lys Glu Asn Gln Lys	
460 465 470	
atc agc tac cgc atc ctg aga gac cca gca ggg tgg cta gcc atg gac	1974
Ile Ser Tyr Arg Ile Leu Arg Asp Pro Ala Gly Trp Leu Ala Met Asp	
475 480 485	
cca gac agt ggg cag gtc aca gct gtg ggc acc ctc gac cgt gag gat	2022
Pro Asp Ser Gly Gln Val Thr Ala Val Gly Thr Leu Asp Arg Glu Asp	
490 495 500 505	
gag cag ttt gtg agg aac aac atc tat gaa gtc atg gtc ttg gcc atg	2070
Glu Gln Phe Val Arg Asn Asn Ile Tyr Glu Val Met Val Leu Ala Met	
510 515 520	
gac aat gga agc cct ccc acc act ggc acg gga acc ctt ctg cta aca	2118
Asp Asn Gly Ser Pro Pro Thr Thr Gly Thr Gly Thr Leu Leu Leu Thr	
525 530 535	
ctg att gat gtc aat gac cat ggc cca gtc cct gag ccc cgt cag atc	2166
Leu Ile Asp Val Asn Asp His Gly Pro Val Pro Glu Pro Arg Gln Ile	
540 545 550	
acc atc tgc aac caa agc cct gtg cgc cag gtg ctg aac atc acg gac	2214

Thr	Ile	Cys	Asn	Gln	Ser	Pro	Val	Arg	Gln	Val	Leu	Asn	Ile	Thr	Asp		
555						560					565						
aag	gac	ctg	tct	ccc	cac	acc	tcc	cct	ttc	cag	gcc	cag	ctc	aca	gat	2262	
Lys	Asp	Leu	Ser	Pro	His	Thr	Ser	Pro	Phe	Gln	Ala	Gln	Leu	Thr	Asp		
570					575					580					585		
gac	tca	gac	atc	tac	tgg	acg	gca	gag	gtc	aac	gag	gaa	ggg	gac	aca	2310	
Asp	Ser	Asp	Ile	Tyr	Trp	Thr	Ala	Glu	Val	Asn	Glu	Glu	Gly	Asp	Thr		
				590					595					600			
gtg	gtc	ttg	tcc	ctg	aag	aag	ttc	ctg	aag	cag	gat	aca	tat	gac	gtg	2358	
Val	Val	Leu	Ser	Leu	Lys	Lys	Phe	Leu	Lys	Gln	Asp	Thr	Tyr	Asp	Val		
			605					610						615			
cac	ctt	tct	ctg	tct	gac	cat	ggc	aac	aaa	gag	cag	ctg	acg	gtg	atc	2406	
His	Leu	Ser	Leu	Ser	Asp	His	Gly	Asn	Lys	Glu	Gln	Leu	Thr	Val	Ile		
			620				625						630				
agg	gcc	act	gtg	tgc	gac	tgc	cat	ggc	cat	gtc	gaa	acc	tgc	cct	gga	2454	
Arg	Ala	Thr	Val	Cys	Asp	Cys	His	Gly	His	Val	Glu	Thr	Cys	Pro	Gly		
			635			640						645					
ccc	tgg	aag	gga	ggg	ttc	atc	ctc	cct	gtg	ctg	ggg	gct	gtc	ctg	gct	2502	
Pro	Trp	Lys	Gly	Gly	Phe	Ile	Leu	Pro	Val	Leu	Gly	Ala	Val	Leu	Ala		
			650		655					660					665		
ctg	ctg	ttc	ctc	ctg	ctg	gtg	ctg	ctt	ttg	ttg	gtg	aga	aag	aag	cgg	2550	
Leu	Leu	Phe	Leu	Leu	Leu	Val	Leu	Leu	Leu	Leu	Val	Arg	Lys	Lys	Arg		
				670					675						680		
aag	atc	aag	gag	ccc	ctc	cta	ctc	cca	gaa	gat	gac	acc	cgt	gac	aac	2598	
Lys	Ile	Lys	Glu	Pro	Leu	Leu	Leu	Pro	Glu	Asp	Asp	Thr	Arg	Asp	Asn		
			685					690					695				
gtc	ttc	tac	tat	ggc	gaa	gag	ggg	ggg	ggc	gaa	gag	gac	cag	gac	tat	2646	
Val	Phe	Tyr	Tyr	Gly	Glu	Glu	Gly	Gly	Gly	Glu	Glu	Asp	Gln	Asp	Tyr		
			700				705						710				
gac	atc	acc	cag	ctc	cac	cga	ggg	ctg	gag	gcc	agg	cgg	gag	gtg	gtt	2694	
Asp	Ile	Thr	Gln	Leu	His	Arg	Gly	Leu	Glu	Ala	Arg	Pro	Glu	Val	Val		
			715			720					725						
ctc	cgc	aat	gac	gtg	gca	cca	acc	atc	atc	cgg	aca	ccc	atg	tac	cgt	2742	
Leu	Arg	Asn	Asp	Val	Ala	Pro	Thr	Ile	Ile	Pro	Thr	Pro	Met	Tyr	Arg		
					735					740					745		
cct	cgg	cca	gcc	aac	cca	gat	gaa	atc	ggc	aac	ttt	ata	att	gag	aac	2790	
Pro	Arg	Pro	Ala	Asn	Pro	Asp	Glu	Ile	Gly	Asn	Phe	Ile	Ile	Glu	Asn		
				750					755					760			
ctg	aag	gcg	gct	aac	aca	gac	ccc	aca	gcc	cgg	ccc	tac	gac	acc	ctc	2838	
Leu	Lys	Ala	Ala	Asn	Thr	Asp	Pro	Thr	Ala	Pro	Pro	Tyr	Asp	Thr	Leu		
				765				770						775			
ttg	gtg	ttc	gac	tat	gag	ggc	agc	ggc	tcc	gac	gcc	gcg	tcc	ctg	agc	2886	
Leu	Val	Phe	Asp	Tyr	Glu	Gly	Ser	Gly	Ser	Asp	Ala	Ala	Ser	Leu	Ser		
				780			785					790					
tcc	ctc	acc	tcc	tcc	gcc	tcc	gac	caa	gac	caa	gat	tac	gat	tat	ctg	2934	
Ser	Leu	Thr	Ser	Ser	Ala	Ser	Asp	Gln	Asp	Gln	Asp	Tyr	Asp	Tyr	Leu		

795	800	805	
aac gag tgg ggc agc cgc ttc aag aag ctg gca gac atg tac ggt ggc			2982
Asn Glu Trp Gly Ser Arg Phe Lys Lys Leu Ala Asp Met Tyr Gly Gly			
810	815	820	825
ggg gag gac gac tag gcggcctgcc tgcagggctg gggaccaaac gtcaggccac			3037
Gly Glu Asp Asp			
agagcatctc caaggggtct cagttccccc ttcagctgag gacttcggag cttgtcagga			3097
agtggccgta gcaacttggc ggagacaggc tatgagtctg acgttagagt ggtggcttcc			3157
ttagcctttc aggatggagg aatgtgggca gtttgacttc agcactgaaa acctctccac			3217
ctgggcccagg gttgcctcag aggccaaagt tccagaagcc tcttacctgc cgtaaaatgc			3277
tcaacctgt gtcttgggccc tgggcctgct gtgactgacc tacagtggac tttctctctg			3337
gaatggaacc ttcttaggcc tcttggtgca acttaatttt tttttttaat gctatcttca			3397
aaacgttaga gaaagttctt caaaagtgca gccagagct gctgggcca ctggccgtcc			3457
tgcatttctg gtttccagac cccaatgcct cccattcgga tggatctctg cgtttttata			3517
ctgagtgtgc ctaggttgcc ccttattttt tattttccct gttgcgttgc tatagatgaa			3577
gggtgaggac aatcgtgtat atgtactaga acttttttat taaagaaact tttcccagaa			3637
aaaaaaaaaa aa			3649
<210> 2			
<211> 829			
<212> PRT			
<213> Homo sapiens			
<400> 2			
Met Gly Leu Pro Arg Gly Pro Leu Ala Ser Leu Leu Leu Leu Gln Val			
1 5 10 15			
Cys Trp Leu Gln Cys Ala Ala Ser Glu Pro Cys Arg Ala Val Phe Arg			
20 25 30			
Glu Ala Glu Val Thr Leu Glu Ala Gly Gly Ala Glu Gln Glu Pro Gly			
35 40 45			
Gln Ala Leu Gly Lys Val Phe Met Gly Cys Pro Gly Gln Glu Pro Ala			
50 55 60			
Leu Phe Ser Thr Asp Asn Asp Asp Phe Thr Val Arg Asn Gly Glu Thr			
65 70 75 80			
Val Gln Glu Arg Arg Ser Leu Lys Glu Arg Asn Pro Leu Lys Ile Phe			

				85						90					95
Pro	Ser	Lys	Arg	Ile	Leu	Arg	Arg	His	Lys	Arg	Asp	Trp	Val	Val	Ala
			100					105					110		
Pro	Ile	Ser	Val	Pro	Glu	Asn	Gly	Lys	Gly	Pro	Phe	Pro	Gln	Arg	Leu
		115					120					125			
Asn	Gln	Leu	Lys	Ser	Asn	Lys	Asp	Arg	Asp	Thr	Lys	Ile	Phe	Tyr	Ser
	130					135					140				
Ile	Thr	Gly	Pro	Gly	Ala	Asp	Ser	Pro	Pro	Glu	Gly	Val	Phe	Ala	Val
145					150					155					160
Glu	Lys	Glu	Thr	Gly	Trp	Leu	Leu	Leu	Asn	Lys	Pro	Leu	Asp	Arg	Glu
				165					170					175	
Glu	Ile	Ala	Lys	Tyr	Glu	Leu	Phe	Gly	His	Ala	Val	Ser	Glu	Asn	Gly
			180					185						190	
Ala	Ser	Val	Glu	Asp	Pro	Met	Asn	Ile	Ser	Ile	Ile	Val	Thr	Asp	Gln
		195					200					205			
Asn	Asp	His	Lys	Pro	Lys	Phe	Thr	Gln	Asp	Thr	Phe	Arg	Gly	Ser	Val
	210					215					220				
Leu	Glu	Gly	Val	Leu	Pro	Gly	Thr	Ser	Val	Met	Gln	Val	Thr	Ala	Thr
225					230					235					240
Asp	Glu	Asp	Asp	Ala	Ile	Tyr	Thr	Tyr	Asn	Gly	Val	Val	Ala	Tyr	Ser
				245					250					255	
Ile	His	Ser	Gln	Glu	Pro	Lys	Asp	Pro	His	Asp	Leu	Met	Phe	Thr	Ile
			260					265					270		
His	Arg	Ser	Thr	Gly	Thr	Ile	Ser	Val	Ile	Ser	Ser	Gly	Leu	Asp	Arg
		275					280					285			
Glu	Lys	Val	Pro	Glu	Tyr	Thr	Leu	Thr	Ile	Gln	Ala	Thr	Asp	Met	Asp
	290					295					300				
Gly	Asp	Gly	Ser	Thr	Thr	Thr	Ala	Val	Ala	Val	Val	Glu	Ile	Leu	Asp
305					310				315						320
Ala	Asn	Asp	Asn	Ala	Pro	Met	Phe	Asp	Pro	Gln	Lys	Tyr	Glu	Ala	His
			325						330					335	

Val Pro Glu Asn Ala Val Gly His Glu Val Gln Arg Leu Thr Val Thr
 340 345 350

Asp Leu Asp Ala Pro Asn Ser Pro Ala Trp Arg Ala Thr Tyr Leu Ile
 355 360 365

Met Gly Gly Asp Asp Gly Asp His Phe Thr Ile Thr Thr His Pro Glu
 370 375 380

Ser Asn Gln Gly Ile Leu Thr Thr Arg Lys Gly Leu Asp Phe Glu Ala
 385 390 395 400

Lys Asn Gln His Thr Leu Tyr Val Glu Val Thr Asn Glu Ala Pro Phe
 405 410 415

Val Leu Lys Leu Pro Thr Ser Thr Ala Thr Ile Val Val His Val Glu
 420 425 430

Asp Val Asn Glu Ala Pro Val Phe Val Pro Pro Ser Lys Val Val Glu
 435 440 445

Val Gln Glu Gly Ile Pro Thr Gly Glu Pro Val Cys Val Tyr Thr Ala
 450 455 460

Glu Asp Pro Asp Lys Glu Asn Gln Lys Ile Ser Tyr Arg Ile Leu Arg
 465 470 475 480

Asp Pro Ala Gly Trp Leu Ala Met Asp Pro Asp Ser Gly Gln Val Thr
 485 490 495

Ala Val Gly Thr Leu Asp Arg Glu Asp Glu Gln Phe Val Arg Asn Asn
 500 505 510

Ile Tyr Glu Val Met Val Leu Ala Met Asp Asn Gly Ser Pro Pro Thr
 515 520 525

Thr Gly Thr Gly Thr Leu Leu Leu Thr Leu Ile Asp Val Asn Asp His
 530 535 540

Gly Pro Val Pro Glu Pro Arg Gln Ile Thr Ile Cys Asn Gln Ser Pro
 545 550 555 560

Val Arg Gln Val Leu Asn Ile Thr Asp Lys Asp Leu Ser Pro His Thr
 565 570 575

Ser Pro Phe Gln Ala Gln Leu Thr Asp Asp Ser Asp Ile Tyr Trp Thr
580 585 590

Ala Glu Val Asn Glu Glu Gly Asp Thr Val Val Leu Ser Leu Lys Lys
595 600 605

Phe Leu Lys Gln Asp Thr Tyr Asp Val His Leu Ser Leu Ser Asp His
610 615 620

Gly Asn Lys Glu Gln Leu Thr Val Ile Arg Ala Thr Val Cys Asp Cys
625 630 635 640

His Gly His Val Glu Thr Cys Pro Gly Pro Trp Lys Gly Gly Phe Ile
645 650 655

Leu Pro Val Leu Gly Ala Val Leu Ala Leu Leu Phe Leu Leu Leu Val
660 665 670

Leu Leu Leu Leu Val Arg Lys Lys Arg Lys Ile Lys Glu Pro Leu Leu
675 680 685

Leu Pro Glu Asp Asp Thr Arg Asp Asn Val Phe Tyr Tyr Gly Glu Glu
690 695 700

Gly Gly Gly Glu Glu Asp Gln Asp Tyr Asp Ile Thr Gln Leu His Arg
705 710 715 720

Gly Leu Glu Ala Arg Pro Glu Val Val Leu Arg Asn Asp Val Ala Pro
725 730 735

Thr Ile Ile Pro Thr Pro Met Tyr Arg Pro Arg Pro Ala Asn Pro Asp
740 745 750

Glu Ile Gly Asn Phe Ile Ile Glu Asn Leu Lys Ala Ala Asn Thr Asp
755 760 765

Pro Thr Ala Pro Pro Tyr Asp Thr Leu Leu Val Phe Asp Tyr Glu Gly
770 775 780

Ser Gly Ser Asp Ala Ala Ser Leu Ser Ser Leu Thr Ser Ser Ala Ser
785 790 795 800

Asp Gln Asp Gln Asp Tyr Asp Tyr Leu Asn Glu Trp Gly Ser Arg Phe
805 810 815

Lys Lys Leu Ala Asp Met Tyr Gly Gly Gly Glu Asp Asp
820 825

<210> 3
<211> 3107
<212> DNA
<213> Homo sapiens

<220>
<221> CDS
<222> (34)..(2994)

<400> 3
aagcggcagg agcagcgttg gcaccggcga acc atg gct ggg att ttc tat ttc 54
Met Ala Gly Ile Phe Tyr Phe
1 5
gcc cta ttt tgc tgt ctc ttc ggg att tgc gac gct gtc aca ggt tcc 102
Ala Leu Phe Ser Cys Leu Phe Gly Ile Cys Asp Ala Val Thr Gly Ser
10 15 20
agg gta tac ccc gcg aat gaa gtt acc tta ttg gat tcc aga tct gtt 150
Arg Val Tyr Pro Ala Asn Glu Val Thr Leu Leu Asp Ser Arg Ser Val
25 30 35
cag gga gaa ctt ggg tgg ata gca agc cct ctg gaa gga ggg tgg gag 198
Gln Gly Glu Leu Gly Trp Ile Ala Ser Pro Leu Glu Gly Gly Trp Glu
40 45 50 55
gaa gtg agt atc atg gat gaa aaa aat aca cca atc cga acc tac caa 246
Glu Val Ser Ile Met Asp Glu Lys Asn Thr Pro Ile Arg Thr Tyr Gln
60 65 70
gtg tgc aat gtg atg gaa ccc agc cag aat aac tgg cta cga act gat 294
Val Cys Asn Val Met Glu Pro Ser Gln Asn Asn Trp Leu Arg Thr Asp
75 80 85
tgg atc acc cga gaa ggg gct cag agg gtg tat att gag att aaa ttc 342
Trp Ile Thr Arg Glu Gly Ala Gln Arg Val Tyr Ile Glu Ile Lys Phe
90 95 100
acc ttg agg gac tgc aat agt ctt ccg ggc gtc atg ggg act tgc aag 390
Thr Leu Arg Asp Cys Asn Ser Leu Pro Gly Val Met Gly Thr Cys Lys
105 110 115
gag acg ttt aac ctg tac tac tat gaa tca gac aac gac aaa gag cgt 438
Glu Thr Phe Asn Leu Tyr Tyr Tyr Glu Ser Asp Asn Asp Lys Glu Arg
120 125 130 135
ttc atc aga gag aac cag ttt gtc aaa att gac acc att gct gct gat 486
Phe Ile Arg Glu Asn Gln Phe Val Lys Ile Asp Thr Ile Ala Ala Asp
140 145 150
gag agc ttc acc caa gtg gac att ggt gac aga atc atg aag ctg aac 534
Glu Ser Phe Thr Gln Val Asp Ile Gly Asp Arg Ile Met Lys Leu Asn
155 160 165
acc gag atc cgg gat gta ggg cca tta agc aaa aag ggg ttt tac ctg 582
Thr Glu Ile Arg Asp Val Gly Pro Leu Ser Lys Lys Gly Phe Tyr Leu

170	175	180	
gct ttt cag gat gtg ggg gcc tgc atc gcc ctg gta tca gtc cgt gtg Ala Phe Gln Asp Val Gly Ala Cys Ile Ala Leu Val Ser Val Arg Val 185 190 195			630
ttc tat aaa aag tgt cca ctc aca gtc cgc aat ctg gcc cag ttt cct Phe Tyr Lys Lys Cys Pro Leu Thr Val Arg Asn Leu Ala Gln Phe Pro 200 205 210 215			678
gac acc atc aca ggg gct gat acg tct tcc ctg gtg gaa gtt cga ggc Asp Thr Ile Thr Gly Ala Asp Thr Ser Ser Leu Val Glu Val Arg Gly 220 225 230			726
tcc tgt gtc aac aac tca gaa gag aaa gat gtg cca aaa atg tac tgt Ser Cys Val Asn Asn Ser Glu Glu Lys Asp Val Pro Lys Met Tyr Cys 235 240 245			774
ggg gca gat ggt gaa tgg ctg gta ccc att ggc aac tgc cta tgc aac Gly Ala Asp Gly Glu Trp Leu Val Pro Ile Gly Asn Cys Leu Cys Asn 250 255 260			822
gct ggg cat gag gag cgg agc gga gaa tgc caa gct tgc aaa att gga Ala Gly His Glu Glu Arg Ser Gly Glu Cys Gln Ala Cys Lys Ile Gly 265 270 275			870
tat tac aag gct ctc tcc acg gat gcc acc tgt gcc aag tgc cca ccc Tyr Tyr Lys Ala Leu Ser Thr Asp Ala Thr Cys Ala Lys Cys Pro Pro 280 285 290 295			918
cac agc tac tct gtc tgg gaa gga gcc acc tcg tgc acc tgt gac cga His Ser Tyr Ser Val Trp Glu Gly Ala Thr Ser Cys Thr Cys Asp Arg 300 305 310			966
ggc ttt ttc aga gct gac aac gat gct gcc tct atg ccc tgc acc cgt Gly Phe Phe Arg Ala Asp Asn Asp Ala Ala Ser Met Pro Cys Thr Arg 315 320 325			1014
cca cca tct gct ccc ctg aac ttg att tca aat gtc aac gag aca tct Pro Pro Ser Ala Pro Leu Asn Leu Ile Ser Asn Val Asn Glu Thr Ser 330 335 340			1062
gtg aac ttg gaa tgg agt agc cct cag aat aca ggt ggc cgc cag gac Val Asn Leu Glu Trp Ser Ser Pro Gln Asn Thr Gly Gly Arg Gln Asp 345 350 355			1110
att tcc tat aat gtg gta tgc aag aaa tgt gga gct ggt gac ccc agc Ile Ser Tyr Asn Val Val Cys Lys Lys Cys Gly Ala Gly Asp Pro Ser 360 365 370 375			1158
aag tgc cga ccc tgt gga agt ggg gtc cac tac acc cca cag cag aat Lys Cys Arg Pro Cys Gly Ser Gly Val His Tyr Thr Pro Gln Gln Asn 380 385 390			1206
ggc ttg aag acc acc aaa gtc tcc atc act gac ctc cta gct cat acc Gly Leu Lys Thr Thr Lys Val Ser Ile Thr Asp Leu Leu Ala His Thr 395 400 405			1254
aat tac acc ttt gaa atc tgg gct gtg aat gga gtg tcc aaa tat aac Asn Tyr Thr Phe Glu Ile Trp Ala Val Asn Gly Val Ser Lys Tyr Asn 410 415 420			1302

cct aac cca gac caa tca gtt tct gtc act gtg acc acc aac caa gca Pro Asn Pro Asp Gln Ser Val Ser Val Thr Val Thr Thr Asn Gln Ala 425 430 435	1350
gca cca tca tcc att gct ttg gtc cag gct aaa gaa gtc aca aga tac Ala Pro Ser Ser Ile Ala Leu Val Gln Ala Lys Glu Val Thr Arg Tyr 440 445 450 455	1398
agt gtg gca ctg gct tgg ctg gaa cca gat cgg ccc aat ggg gta atc Ser Val Ala Leu Ala Trp Leu Glu Pro Asp Arg Pro Asn Gly Val Ile 460 465 470	1446
ctg gaa tat gaa gtc aag tat tat gag aag gat cag aat gag cga agc Leu Glu Tyr Glu Val Lys Tyr Tyr Glu Lys Asp Gln Asn Glu Arg Ser 475 480 485	1494
tat cgt ata gtt cgg aca gct gcc agg aac aca gat atc aaa ggc ctg Tyr Arg Ile Val Arg Thr Ala Ala Arg Asn Thr Asp Ile Lys Gly Leu 490 495 500	1542
aac cct ctc act tcc tat gtt ttc cac gtg cga gcc agg aca gca gct Asn Pro Leu Thr Ser Tyr Val Phe His Val Arg Ala Arg Thr Ala Ala 505 510 515	1590
ggc tat gga gac ttc agt gag ccc ttg gag gtt aca acc aac aca gtg Gly Tyr Gly Asp Phe Ser Glu Pro Leu Glu Val Thr Thr Asn Thr Val 520 525 530 535	1638
cct tcc cgg atc att gga gat ggg gct aac tcc aca gtc ctt ctg gtc Pro Ser Arg Ile Ile Gly Asp Gly Ala Asn Ser Thr Val Leu Leu Val 540 545 550	1686
tct gtc tcg ggc agt gtg gtg ctg gtg gta att ctc att gca gct ttt Ser Val Ser Gly Ser Val Val Leu Val Val Ile Leu Ile Ala Ala Phe 555 560 565	1734
gtc atc agc cgg aga cgg agt aaa tac agt aaa gcc aaa caa gaa gcg Val Ile Ser Arg Arg Arg Ser Lys Tyr Ser Lys Ala Lys Gln Glu Ala 570 575 580	1782
gat gaa gag aaa cat ttg aat caa ggt gta aga aca tat gtg gac ccc Asp Glu Glu Lys His Leu Asn Gln Gly Val Arg Thr Tyr Val Asp Pro 585 590 595	1830
ttt acg tac gaa gat ccc aac caa gca gtg cga gag ttt gcc aaa gaa Phe Thr Tyr Glu Asp Pro Asn Gln Ala Val Arg Glu Phe Ala Lys Glu 600 605 610 615	1878
att gac gca tcc tgc att aag att gaa aaa gtt ata gga gtt ggt gaa Ile Asp Ala Ser Cys Ile Lys Ile Glu Lys Val Ile Gly Val Gly Glu 620 625 630	1926
ttt ggt gag gta tgc agt ggg cgt ctc aaa gtg cct ggc aag aga gag Phe Gly Glu Val Cys Ser Gly Arg Leu Lys Val Pro Gly Lys Arg Glu 635 640 645	1974
atc tgt gtg gct atc aag act ctg aaa gct ggt tat aca gac aaa cag Ile Cys Val Ala Ile Lys Thr Leu Lys Ala Gly Tyr Thr Asp Lys Gln 650 655 660	2022

agg aga gac ttc ctg agt gag gcc agc atc atg gga cag ttt gac cat	2070
Arg Arg Asp Phe Leu Ser Glu Ala Ser Ile Met Gly Gln Phe Asp His	
665 670 675	
ccg aac atc att cac ttg gaa ggc gtg gtc act aaa tgt aaa cca gta	2118
Pro Asn Ile Ile His Leu Glu Gly Val Val Thr Lys Cys Lys Pro Val	
680 685 690 695	
atg atc ata aca gag tac atg gag aat ggc tcc ttg gat gca ttc ctc	2166
Met Ile Ile Thr Glu Tyr Met Glu Asn Gly Ser Leu Asp Ala Phe Leu	
700 705 710	
agg aaa aat gat ggc aga ttt aca gtc att cag ctg gtg ggc atg ctt	2214
Arg Lys Asn Asp Gly Arg Phe Thr Val Ile Gln Leu Val Gly Met Leu	
715 720 725	
cgt ggc att ggg tct ggg atg aag tat tta tct gat atg agc tat gtg	2262
Arg Gly Ile Gly Ser Gly Met Lys Tyr Leu Ser Asp Met Ser Tyr Val	
730 735 740	
cat cgt gat ctg gcc gca cgg aac atc ctg gtg aac agc aac ttg gtc	2310
His Arg Asp Leu Ala Ala Arg Asn Ile Leu Val Asn Ser Asn Leu Val	
745 750 755	
tgc aaa gtg tct gat ttt ggc atg tcc cga gtg ctt gag gat gat ccg	2358
Cys Lys Val Ser Asp Phe Gly Met Ser Arg Val Leu Glu Asp Asp Pro	
760 765 770 775	
gaa gca gct tac acc agg ggt ggc aag att cct atc cgg tgg act	2406
Glu Ala Ala Tyr Thr Arg Gly Gly Lys Ile Pro Ile Arg Trp Thr	
780 785 790	
gcg cca gaa gca att gcc tat cgt aaa ttc aca tca gca agt gat gta	2454
Ala Pro Glu Ala Ile Ala Tyr Arg Lys Phe Thr Ser Ala Ser Asp Val	
795 800 805	
tgg agc tat gga atc gtt atg tgg gaa gtg atg tcg tac ggg gag agg	2502
Trp Ser Tyr Gly Ile Val Met Trp Glu Val Met Ser Tyr Gly Glu Arg	
810 815 820	
ccc tat tgg gat atg tcc aat caa gat gtg att aaa gcc att gag gaa	2550
Pro Tyr Trp Asp Met Ser Asn Gln Asp Val Ile Lys Ala Ile Glu Glu	
825 830 835	
ggc tat cgg tta ccc cct cca atg gac tgc ccc att gcg ctc cac cag	2598
Gly Tyr Arg Leu Pro Pro Pro Met Asp Cys Pro Ile Ala Leu His Gln	
840 845 850 855	
ctg atg cta gac tgc tgg cag aag gag agg agc gac agg cct aaa ttt	2646
Leu Met Leu Asp Cys Trp Gln Lys Glu Arg Ser Asp Arg Pro Lys Phe	
860 865 870	
ggg cag att gtc aac atg ttg gac aaa ctc atc cgc aac ccc aac agc	2694
Gly Gln Ile Val Asn Met Leu Asp Lys Leu Ile Arg Asn Pro Asn Ser	
875 880 885	
ttg aag agg aca ggg acg gag agc tcc aga cct aac act gcc ttg ttg	2742
Leu Lys Arg Thr Gly Thr Glu Ser Ser Arg Pro Asn Thr Ala Leu Leu	
890 895 900	
gat cca agc tcc cct gaa ttc tct gct gtg gta tca gtg ggc gat tgg	2790

Asp Pro Ser Ser Pro Glu Phe Ser Ala Val Val Ser Val Gly Asp Trp
 905 910 915

ctc cag gcc att aaa atg gac cgg tat aag gat aac ttc aca gct gct 2838
 Leu Gln Ala Ile Lys Met Asp Arg Tyr Lys Asp Asn Phe Thr Ala Ala
 920 925 930 935

ggt tat acc aca cta gag gct gtg gtg cac gtg aac cag gag gac ctg 2886
 Gly Tyr Thr Thr Leu Glu Ala Val Val His Val Asn Gln Glu Asp Leu
 940 945 950

gca aga att ggt atc aca gcc atc acg cac cag aat aag att ttg agc 2934
 Ala Arg Ile Gly Ile Thr Ala Ile Thr His Gln Asn Lys Ile Leu Ser
 955 960 965

agt gtc cag gca atg cga acc caa atg cag cag atg cac ggc aga atg 2982
 Ser Val Gln Ala Met Arg Thr Gln Met Gln Gln Met His Gly Arg Met
 970 975 980

gtt ccc gtc tga gccagtactg aataaactca aaactcttga aattagttta 3034
 Val Pro Val
 985

cctcatccat gcactttaat tgaagaactg cacttttttt acttcgtctt cgccctctga 3094
 aattaaagaa atg 3107

<210> 4
 <211> 986
 <212> PRT
 <213> Homo. sapiens
 <400> 4

Met Ala Gly Ile Phe Tyr Phe Ala Leu Phe Ser Cys Leu Phe Gly Ile
 1 5 10 15

Cys Asp Ala Val Thr Gly Ser Arg Val Tyr Pro Ala Asn Glu Val Thr
 20 25 30

Leu Leu Asp Ser Arg Ser Val Gln Gly Glu Leu Gly Trp Ile Ala Ser
 35 40 45

Pro Leu Glu Gly Gly Trp Glu Glu Val Ser Ile Met Asp Glu Lys Asn
 50 55 60

Thr Pro Ile Arg Thr Tyr Gln Val Cys Asn Val Met Glu Pro Ser Gln
 65 70 75 80

Asn Asn Trp Leu Arg Thr Asp Trp Ile Thr Arg Glu Gly Ala Gln Arg
 85 90 95

Val Tyr Ile Glu Ile Lys Phe Thr Leu Arg Asp Cys Asn Ser Leu Pro
 100 105 110

Gly Val Met Gly Thr Cys Lys Glu Thr Phe Asn Leu Tyr Tyr Tyr Glu
 115 120 125

Ser Asp Asn Asp Lys Glu Arg Phe Ile Arg Glu Asn Gln Phe Val Lys
 130 135 140

Ile Asp Thr Ile Ala Ala Asp Glu Ser Phe Thr Gln Val Asp Ile Gly
 145 150 155 160

Asp Arg Ile Met Lys Leu Asn Thr Glu Ile Arg Asp Val Gly Pro Leu
 165 170 175

Ser Lys Lys Gly Phe Tyr Leu Ala Phe Gln Asp Val Gly Ala Cys Ile
 180 185 190

Ala Leu Val Ser Val Arg Val Phe Tyr Lys Lys Cys Pro Leu Thr Val
 195 200 205

Arg Asn Leu Ala Gln Phe Pro Asp Thr Ile Thr Gly Ala Asp Thr Ser
 210 215 220

Ser Leu Val Glu Val Arg Gly Ser Cys Val Asn Asn Ser Glu Glu Lys
 225 230 235 240

Asp Val Pro Lys Met Tyr Cys Gly Ala Asp Gly Glu Trp Leu Val Pro
 245 250 255

Ile Gly Asn Cys Leu Cys Asn Ala Gly His Glu Glu Arg Ser Gly Glu
 260 265 270

Cys Gln Ala Cys Lys Ile Gly Tyr Tyr Lys Ala Leu Ser Thr Asp Ala
 275 280 285

Thr Cys Ala Lys Cys Pro Pro His Ser Tyr Ser Val Trp Glu Gly Ala
 290 295 300

Thr Ser Cys Thr Cys Asp Arg Gly Phe Phe Arg Ala Asp Asn Asp Ala
 305 310 315 320

Ala Ser Met Pro Cys Thr Arg Pro Pro Ser Ala Pro Leu Asn Leu Ile
 325 330 335

Ser Asn Val Asn Glu Thr Ser Val Asn Leu Glu Trp Ser Ser Pro Gln
 340 345 350

Asn Thr Gly Gly Arg Gln Asp Ile Ser Tyr Asn Val Val Cys Lys Lys
 355 360 365

Cys Gly Ala Gly Asp Pro Ser Lys Cys Arg Pro Cys Gly Ser Gly Val
 370 375 380

His Tyr Thr Pro Gln Gln Asn Gly Leu Lys Thr Thr Lys Val Ser Ile
 385 390 395 400

Thr Asp Leu Leu Ala His Thr Asn Tyr Thr Phe Glu Ile Trp Ala Val
 405 410 415

Asn Gly Val Ser Lys Tyr Asn Pro Asn Pro Asp Gln Ser Val Ser Val
 420 425 430

Thr Val Thr Thr Asn Gln Ala Ala Pro Ser Ser Ile Ala Leu Val Gln
 435 440 445

Ala Lys Glu Val Thr Arg Tyr Ser Val Ala Leu Ala Trp Leu Glu Pro
 450 455 460

Asp Arg Pro Asn Gly Val Ile Leu Glu Tyr Glu Val Lys Tyr Tyr Glu
 465 470 475 480

Lys Asp Gln Asn Glu Arg Ser Tyr Arg Ile Val Arg Thr Ala Ala Arg
 485 490 495

Asn Thr Asp Ile Lys Gly Leu Asn Pro Leu Thr Ser Tyr Val Phe His
 500 505 510

Val Arg Ala Arg Thr Ala Ala Gly Tyr Gly Asp Phe Ser Glu Pro Leu
 515 520 525

Glu Val Thr Thr Asn Thr Val Pro Ser Arg Ile Ile Gly Asp Gly Ala
 530 535 540

Asn Ser Thr Val Leu Leu Val Ser Val Ser Gly Ser Val Val Leu Val
 545 550 555 560

Val Ile Leu Ile Ala Ala Phe Val Ile Ser Arg Arg Arg Ser Lys Tyr
 565 570 575

Ser Lys Ala Lys Gln Glu Ala Asp Glu Glu Lys His Leu Asn Gln Gly
 580 585 590

Val Arg Thr Tyr Val Asp Pro Phe Thr Tyr Glu Asp Pro Asn Gln Ala
 595 600 605

Val Arg Glu Phe Ala Lys Glu Ile Asp Ala Ser Cys Ile Lys Ile Glu
 610 615 620

Lys Val Ile Gly Val Gly Glu Phe Gly Glu Val Cys Ser Gly Arg Leu
 625 630 635 640

Lys Val Pro Gly Lys Arg Glu Ile Cys Val Ala Ile Lys Thr Leu Lys
 645 650 655

Ala Gly Tyr Thr Asp Lys Gln Arg Arg Asp Phe Leu Ser Glu Ala Ser
 660 665 670

Ile Met Gly Gln Phe Asp His Pro Asn Ile Ile His Leu Glu Gly Val
 675 680 685

Val Thr Lys Cys Lys Pro Val Met Ile Ile Thr Glu Tyr Met Glu Asn
 690 695 700

Gly Ser Leu Asp Ala Phe Leu Arg Lys Asn Asp Gly Arg Phe Thr Val
 705 710 715 720

Ile Gln Leu Val Gly Met Leu Arg Gly Ile Gly Ser Gly Met Lys Tyr
 725 730 735

Leu Ser Asp Met Ser Tyr Val His Arg Asp Leu Ala Ala Arg Asn Ile
 740 745 750

Leu Val Asn Ser Asn Leu Val Cys Lys Val Ser Asp Phe Gly Met Ser
 755 760 765

Arg Val Leu Glu Asp Asp Pro Glu Ala Ala Tyr Thr Thr Arg Gly Gly
 770 775 780

Lys Ile Pro Ile Arg Trp Thr Ala Pro Glu Ala Ile Ala Tyr Arg Lys
 785 790 795 800

Phe Thr Ser Ala Ser Asp Val Trp Ser Tyr Gly Ile Val Met Trp Glu
 805 810 815

Val Met Ser Tyr Gly Glu Arg Pro Tyr Trp Asp Met Ser Asn Gln Asp
 820 825 830

Val Ile Lys Ala Ile Glu Glu Gly Tyr Arg Leu Pro Pro Pro Met Asp

835 840 845
 Cys Pro Ile Ala Leu His Gln Leu Met Leu Asp Cys Trp Gln Lys Glu
 850 855 860
 Arg Ser Asp Arg Pro Lys Phe Gly Gln Ile Val Asn Met Leu Asp Lys
 865 870 875 880
 Leu Ile Arg Asn Pro Asn Ser Leu Lys Arg Thr Gly Thr Glu Ser Ser
 885 890 895
 Arg Pro Asn Thr Ala Leu Leu Asp Pro Ser Ser Pro Glu Phe Ser Ala
 900 905 910
 Val Val Ser Val Gly Asp Trp Leu Gln Ala Ile Lys Met Asp Arg Tyr
 915 920 925
 Lys Asp Asn Phe Thr Ala Ala Gly Tyr Thr Thr Leu Glu Ala Val Val
 930 935 940
 His Val Asn Gln Glu Asp Leu Ala Arg Ile Gly Ile Thr Ala Ile Thr
 945 950 955 960
 His Gln Asn Lys Ile Leu Ser Ser Val Gln Ala Met Arg Thr Gln Met
 965 970 975
 Gln Gln Met His Gly Arg Met Val Pro Val
 980 985

<210> 5
 <211> 4349
 <212> DNA
 <213> Homo sapiens

<220>
 <221> CDS
 <222> (445)..(3093)

<400> 5
 tttttgaatc gggtgtggcg gccgcggcga ggaatggcgg tatttgtgag aggagtcggc 60
 gtttgaagag gtggaactcc tagggctttt ttgagagtga cggagtctac ctcttggtac 120
 ctagactgga gtgcagtggc acgatctcgg ctactgcaa cctctgcctc ccgggttcaa 180
 gcgattctcc tgcctcagcc tcttgagtag ctgggattac aggtgcctgc caccaagccc 240
 agctaatttt tgtattttta gtagagatgg ggtttcattg tgttgccag gctggtctcg 300
 aactcctgac ctcgatgatcc gccgccttg gctcccaaa gtgctaggat tacaagtgtg 360

agccacgcgcg tccggccttt caaatggtat ttttgatttt cctcttccag tccttaaagc	420
agctgattta gaagaatata aatc atg gct gaa aat agt gta tta aca tcc	471
Met Ala Glu Asn Ser Val Leu Thr Ser	
1 5	
act act ggg agg act agc ttg gca gac tct tcc att ttt gat tct aaa	519
Thr Thr Gly Arg Thr Ser Leu Ala Asp Ser Ser Ile Phe Asp Ser Lys	
10 15 20 25	
gtt act gag att tcc aag gaa aac tta ctt att gga tct act tca tat	567
Val Thr Glu Ile Ser Lys Glu Asn Leu Leu Ile Gly Ser Thr Ser Tyr	
30 35 40	
gta gaa gag atg cct cag att gaa aca aga gtg ata ttg gtt caa gaa	615
Val Glu Glu Met Pro Gln Ile Glu Thr Arg Val Ile Leu Val Gln Glu	
45 50 55	
gct gga aaa caa gaa gaa ctt ata aaa gcc tta aag gac att aaa gtg	663
Ala Gly Lys Gln Glu Glu Leu Ile Lys Ala Leu Lys Asp Ile Lys Val	
60 65 70	
ggc ttt gta aag atg gag tca gtg gaa gaa ttt gaa ggt ttg gat tct	711
Gly Phe Val Lys Met Glu Ser Val Glu Glu Phe Glu Gly Leu Asp Ser	
75 80 85	
cgc gaa ttt gaa aat gta ttt gta gtc acg gac ttt cag gat tct gtc	759
Pro Glu Phe Glu Asn Val Phe Val Val Thr Asp Phe Gln Asp Ser Val	
90 95 100 105	
ttt aat gac ctc tac aag gct gat tgt aga gtt att gga cca cca gtt	807
Phe Asn Asp Leu Tyr Lys Ala Asp Cys Arg Val Ile Gly Pro Pro Val	
110 115 120	
gta tta aat tgt tca caa aaa gga gag cct ttg cca ttt tca tgt cgc	855
Val Leu Asn Cys Ser Gln Lys Gly Glu Pro Leu Pro Phe Ser Cys Arg	
125 130 135	
cgc ttg tat tgt aca agt atg atg aat cta gta cta tgc ttt act gga	903
Pro Leu Tyr Cys Thr Ser Met Met Asn Leu Val Leu Cys Phe Thr Gly	
140 145 150	
ttt agg aaa aaa gaa gaa cta gtc agg ttg gtg aca ttg gtc cat cac	951
Phe Arg Lys Lys Glu Glu Leu Val Arg Leu Val Thr Leu Val His His	
155 160 165	
atg ggt gga gtt att cga aaa gac ttt aat tca aaa gtt aca cat ttg	999
Met Gly Gly Val Ile Arg Lys Asp Phe Asn Ser Lys Val Thr His Leu	
170 175 180 185	
gtg gca aat tgt aca caa gga gaa aaa ttc agg gtt gct gtg agt cta	1047
Val Ala Asn Cys Thr Gln Gly Glu Lys Phe Arg Val Ala Val Ser Leu	
190 195 200	
ggt act cca att atg aag cca gaa tgg att tat aaa gct tgg gaa agg	1095
Gly Thr Pro Ile Met Lys Pro Glu Trp Ile Tyr Lys Ala Trp Glu Arg	
205 210 215	
cgg aat gaa cag gat ttc tat gca gca gtt gat gac ttt aga aat gaa	1143
Arg Asn Glu Gln Asp Phe Tyr Ala Ala Val Asp Asp Phe Arg Asn Glu	

220	225	230	
ttt aaa gtt cct cca ttt caa gat tgt att tta agt ttc ctg gga ttt Phe Lys Val Pro Pro Phe Gln Asp Cys Ile Leu Ser Phe Leu Gly Phe 235 240 245			1191
tca gat gaa gag aaa acc aat atg gaa gaa atg act gaa atg caa gga Ser Asp Glu Glu Lys Thr Asn Met Glu Glu Met Thr Glu Met Gln Gly 250 255 260 265			1239
ggt aaa tat tta ccg ctt gga gat gaa aga tgc act cac ctt gta gtt Gly Lys Tyr Leu Leu Gly Asp Glu Arg Cys Thr His Leu Val Val 270 275 280			1287
gaa gag aat ata gta aaa gat ctt ccc ttt gaa cct tca aag aaa ctt Glu Glu Asn Ile Val Lys Asp Leu Pro Phe Glu Pro Ser Lys Lys Leu 285 290 295			1335
tat gtt gtc aag caa gag tgg ttc tgg gga agc att caa atg gat gcc Tyr Val Val Lys Gln Glu Trp Phe Trp Gly Ser Ile Gln Met Asp Ala 300 305 310			1383
cga gct gga gaa act atg tat tta tat gaa aag gca aat act cct gag Arg Ala Gly Glu Thr Met Tyr Leu Tyr Glu Lys Ala Asn Thr Pro Glu 315 320 325			1431
ctc aag aaa tca gtg tca atg ctt tct cta aat acc cct aac agc aat Leu Lys Lys Ser Val Ser Met Leu Ser Leu Asn Thr Pro Asn Ser Asn 330 335 340 345			1479
cgc aaa cga cgt cgt tta aaa gaa aca ctt gct cag ctt tca aga gag Arg Lys Arg Arg Arg Leu Lys Glu Thr Leu Ala Gln Leu Ser Arg Glu 350 355 360			1527
aca gac gtg tca cca ttt cca ccc cgt aag cgc cca tca gct gag cat Thr Asp Val Ser Pro Phe Pro Pro Arg Lys Arg Pro Ser Ala Glu His 365 370 375			1575
tcc ctt tcc ata ggg tca ctc cta gat atc tcc aac aca cca gag tct Ser Leu Ser Ile Gly Ser Leu Leu Asp Ile Ser Asn Thr Pro Glu Ser 380 385 390			1623
agc att aac tat gga gac acc cca aag tct tgt act aag tct tct aaa Ser Ile Asn Tyr Gly Asp Thr Pro Lys Ser Cys Thr Lys Ser Ser Lys 395 400 405			1671
agc tcc act cca gtt cct tca aag cag tca gca agg tgg caa gtt gca Ser Ser Thr Pro Val Pro Ser Lys Gln Ser Ala Arg Trp Gln Val Ala 410 415 420 425			1719
aaa gag ctt tat caa act gaa agt aat tat gtt aat ata ttg gca aca Lys Glu Leu Tyr Gln Thr Glu Ser Asn Tyr Val Asn Ile Leu Ala Thr 430 435 440			1767
att att cag tta ttt caa gta cca ttg gaa gag gaa gga caa cgt ggt Ile Ile Gln Leu Phe Gln Val Pro Leu Glu Glu Glu Gly Gln Arg Gly 445 450 455			1815
gga cct atc ctt gca cca gag gag att aag act att ttt ggt agc atc Gly Pro Ile Leu Ala Pro Glu Glu Ile Lys Thr Ile Phe Gly Ser Ile 460 465 470			1863

cca gat atc ttt gat gta cac act aag ata aag gat gat ctt gaa gac Pro Asp Ile Phe Asp Val His Thr Lys Ile Lys Asp Asp Leu Glu Asp 475 480 485	1911
ctt ata gtt aat tgg gat gag agc aaa agc att ggt gac att ttt ctg Leu Ile Val Asn Trp Asp Glu Ser Lys Ser Ile Gly Asp Ile Phe Leu 490 495 500 505	1959
aaa tat tca aaa gat ttg gta aaa acc tac cct ccc ttt gta aac ttc Lys Tyr Ser Lys Asp Leu Val Lys Thr Tyr Pro Pro Phe Val Asn Phe 510 515 520	2007
ttt gaa atg agc aag gaa aca att att aaa tgt gaa aaa cag aaa cca Phe Glu Met Ser Lys Glu Thr Ile Ile Lys Cys Glu Lys Gln Lys Pro 525 530 535	2055
aga ttt cat gct ttt ctc aag ata aac caa gca aaa cca gaa tgt gga Arg Phe His Ala Phe Leu Lys Ile Asn Gln Ala Lys Pro Glu Cys Gly 540 545 550	2103
cgg cag agc ctt gtt gaa ctt ctt atc cga cca gta cag agg tta ccc Arg Gln Ser Leu Val Glu Leu Leu Ile Arg Pro Val Gln Arg Leu Pro 555 560 565	2151
agt gtt gca tta ctt tta aat gat ctt aag aag cat aca gct gat gaa Ser Val Ala Leu Leu Leu Asn Asp Leu Lys Lys His Thr Ala Asp Glu 570 575 580 585	2199
aat cca gac aaa agc act tta gaa aaa gct att gga tca ctg aag gaa Asn Pro Asp Lys Ser Thr Leu Glu Lys Ala Ile Gly Ser Leu Lys Glu 590 595 600	2247
gta atg acg cat att aat gag gat aag aga aaa aca gaa gct caa aag Val Met Thr His Ile Asn Glu Asp Lys Arg Lys Thr Glu Ala Gln Lys 605 610 615	2295
caa att ttt gat gtt gtt tat gaa gta gat gga tgc cca gct aat ctt Gln Ile Phe Asp Val Val Tyr Glu Val Asp Gly Cys Pro Ala Asn Leu 620 625 630	2343
tta tct tct cac cga agc tta gta cag cgg gtt gaa aca att tct cta Leu Ser Ser His Arg Ser Leu Val Gln Arg Val Glu Thr Ile Ser Leu 635 640 645	2391
ggt gag cac ccc tgt gac aga gga gaa caa gta act ctc ttc ctc ttc Gly Glu His Pro Cys Asp Arg Gly Glu Gln Val Thr Leu Phe Leu Phe 650 655 660 665	2439
aat gat tgc cta gag ata gca aga aaa cgg cac aag gtt att ggc act Asn Asp Cys Leu Glu Ile Ala Arg Lys Arg His Lys Val Ile Gly Thr 670 675 680	2487
ttt agg agt cct cat ggc caa acc cga ccc cca gct tct ctt aag cat Phe Arg Ser Pro His Gly Gln Thr Arg Pro Pro Ala Ser Leu Lys His 685 690 695	2535
att cac cta atg cct ctt tct cag att aag aag gta ttg gac ata aga Ile His Leu Met Pro Leu Ser Gln Ile Lys Lys Val Leu Asp Ile Arg 700 705 710	2583

gag aca gaa gat tgc cat aat gct ttt gcc ttg ctt gtg agg cca cca Glu Thr Glu Asp Cys His Asn Ala Phe Ala Leu Leu Val Arg Pro Pro 715 720 725	2631
aca gag cag gca aat gtg cta ctc agt ttc cag atg aca tca gat gaa Thr Glu Gln Ala Asn Val Leu Leu Ser Phe Gln Met Thr Ser Asp Glu 730 735 740 745	2679
ctt cca aaa gaa aac tgg cta aag atg ctg tgt cga cat gta gct aac Leu Pro Lys Glu Asn Trp Leu Lys Met Leu Cys Arg His Val Ala Asn 750 755 760	2727
acc att tgt aaa gca gat gct gag aat ctt att tat act gct gat cca Thr Ile Cys Lys Ala Asp Ala Glu Asn Leu Ile Tyr Thr Ala Asp Pro 765 770 775	2775
gaa tcc ttt gaa gta aat aca aaa gat atg gac agt aca ttg agt aga Glu Ser Phe Glu Val Asn Thr Lys Asp Met Asp Ser Thr Leu Ser Arg 780 785 790	2823
gca tca aga gca ata aaa aag act tca aaa aag gtt aca aga gca ttc Ala Ser Arg Ala Ile Lys Lys Thr Ser Lys Lys Val Thr Arg Ala Phe 795 800 805	2871
tct ttc tcc aaa act cca aaa aga gct ctt cga agg gct ctt atg aca Ser Phe Ser Lys Thr Pro Lys Arg Ala Leu Arg Arg Ala Leu Met Thr 810 815 820 825	2919
tcc cac ggc tca gtg gag gga aga agt cct tcc agc aat gat aag cat Ser His Gly Ser Val Glu Gly Arg Ser Pro Ser Ser Asn Asp Lys His 830 835 840	2967
gta atg agt cgt ctt tct agc aca tca tca tta gca ggt atc cct tct Val Met Ser Arg Leu Ser Ser Thr Ser Ser Leu Ala Gly Ile Pro Ser 845 850 855	3015
ccc tcc ctt gtc agc ctt cct tcc ttc ttt gaa agg aga agt cat acg Pro Ser Leu Val Ser Leu Pro Ser Phe Phe Glu Arg Arg Ser His Thr 860 865 870	3063
tta agt aga tct aca act cat ttg ata tga agcgttacca aaatcttaaa Leu Ser Arg Ser Thr Thr His Leu Ile 875 880	3113
ttatagaaat gtatagacac ctcatactca aataagaaac tgacttaaata ggtacttgta	3173
attagcacgt tggtgaaagc tggaaggaag ataaataaca ctaaactatg ctatttgatt	3233
tttcttcttg aaagagtaag gtttacctgt tacattttca agttaattca tgtaaaaaat	3293
gatagtgatt ttgatgtaat ttatctcttg tttgaatctg tcattcaaag gccataatt	3353
taagttgcta tcagctgata ttagtagctt tgcaaccctg atagagtaaa taaattttat	3413
gggtgggtgc caaatactgc tgtgaatcta tttgtatagt atccatgaat gaatttatgg	3473
aaatagatat ttgtgcagct caatttatgc agagattaaa tgacatcata atactggatg	3533
aaaacttgca tagaattctg attaaatagt gggctctgtt cacatgtgca gtttgaagta	3593
tttaaataac cactcctttc acagtttatt ttctttctcaa gcgttttcaa gatctagcat	3653

```

gtggatttta aaagatttgc cctcattaac aagaataaca tttaaaggag attgtttcaa 3713
aatatTTTTG caaattgaga taaggacaga aagattgaga aacattgtat atTTTgcaaa 3773
aacaagatgt ttgtagctgt ttcagagaga gtacggtata tttatggtaa ttttatccac 3833
tagcaaatct tgatttagtt tgatagtcgt cgtcggaatt ttattttgaa ggataagacc 3893
atgggaaaat tgtggtaaag actgtttgta cccttcatga aataattctg aagttgccat 3953
cagttttact aatcttctgt gaaatgcata gatatgcgca tgttcaactt tttattgtgg 4013
tcttataatt aaatgtaaaa ttgaaaattc atttgcgtgt tcaaagtgtg atatctttca 4073
caatagcctt tttatagtca gtaattcaga ataatacaagt tcatatggat aaatgcattt 4133
ttattttccta tttcttttagg gagtgctaca aatgtttgtc acttaaattt caagtttctg 4193
ttttaatagt taactgacta tagattgttt tctatgccat gtatgtgcca cttctgagag 4253
tagtaaatga ctctttgcta catttttaaaa gcaattgtat tagtaagaac tttgtaaata 4313
aatacctaaa acccaagtgt aaaaaaaaaa aaaaaa 4349

```

```

<210> 6
<211> 882
<212> PRI
<213> Homo sapiens

```

```

<400> 6

```

```

Met Ala Glu Asn Ser Val Leu Thr Ser Thr Thr Gly Arg Thr Ser Leu
1          5          10          15

```

```

Ala Asp Ser Ser Ile Phe Asp Ser Lys Val Thr Glu Ile Ser Lys Glu
          20          25          30

```

```

Asn Leu Leu Ile Gly Ser Thr Ser Tyr Val Glu Glu Met Pro Gln Ile
          35          40          45

```

```

Glu Thr Arg Val Ile Leu Val Gln Glu Ala Gly Lys Gln Glu Glu Leu
          50          55          60

```

```

Ile Lys Ala Leu Lys Asp Ile Lys Val Gly Phe Val Lys Met Glu Ser
65          70          75          80

```

```

Val Glu Glu Phe Glu Gly Leu Asp Ser Pro Glu Phe Glu Asn Val Phe
          85          90          95

```

```

Val Val Thr Asp Phe Gln Asp Ser Val Phe Asn Asp Leu Tyr Lys Ala
          100          105          110

```

Asp Cys Arg Val Ile Gly Pro Pro Val Val Leu Asn Cys Ser Gln Lys
115 120 125

Gly Glu Pro Leu Pro Phe Ser Cys Arg Pro Leu Tyr Cys Thr Ser Met
130 135 140

Met Asn Leu Val Leu Cys Phe Thr Gly Phe Arg Lys Lys Glu Glu Leu
145 150 155 160

Val Arg Leu Val Thr Leu Val His His Met Gly Gly Val Ile Arg Lys
165 170 175

Asp Phe Asn Ser Lys Val Thr His Leu Val Ala Asn Cys Thr Gln Gly
180 185 190

Glu Lys Phe Arg Val Ala Val Ser Leu Gly Thr Pro Ile Met Lys Pro
195 200 205

Glu Trp Ile Tyr Lys Ala Trp Glu Arg Arg Asn Glu Gln Asp Phe Tyr
210 215 220

Ala Ala Val Asp Asp Phe Arg Asn Glu Phe Lys Val Pro Pro Phe Gln
225 230 235 240

Asp Cys Ile Leu Ser Phe Leu Gly Phe Ser Asp Glu Glu Lys Thr Asn
245 250 255

Met Glu Glu Met Thr Glu Met Gln Gly Gly Lys Tyr Leu Pro Leu Gly
260 265 270

Asp Glu Arg Cys Thr His Leu Val Val Glu Glu Asn Ile Val Lys Asp
275 280 285

Leu Pro Phe Glu Pro Ser Lys Lys Leu Tyr Val Val Lys Gln Glu Trp
290 295 300

Phe Trp Gly Ser Ile Gln Met Asp Ala Arg Ala Gly Glu Thr Met Tyr
305 310 315 320

Leu Tyr Glu Lys Ala Asn Thr Pro Glu Leu Lys Lys Ser Val Ser Met
325 330 335

Leu Ser Leu Asn Thr Pro Asn Ser Asn Arg Lys Arg Arg Arg Leu Lys
340 345 350

Glu Thr Leu Ala Gln Leu Ser Arg Glu Thr Asp Val Ser Pro Phe Pro

355	360	365
Pro Arg Lys Arg Pro Ser Ala Glu His Ser Leu Ser Ile Gly Ser Leu		
370	375	380
Leu Asp Ile Ser Asn Thr Pro Glu Ser Ser Ile Asn Tyr Gly Asp Thr		
385	390	395
Pro Lys Ser Cys Thr Lys Ser Ser Lys Ser Ser Thr Pro Val Pro Ser		
405	410	415
Lys Gln Ser Ala Arg Trp Gln Val Ala Lys Glu Leu Tyr Gln Thr Glu		
420	425	430
Ser Asn Tyr Val Asn Ile Leu Ala Thr Ile Ile Gln Leu Phe Gln Val		
435	440	445
Pro Leu Glu Glu Glu Gly Gln Arg Gly Gly Pro Ile Leu Ala Pro Glu		
450	455	460
Glu Ile Lys Thr Ile Phe Gly Ser Ile Pro Asp Ile Phe Asp Val His		
465	470	475
Thr Lys Ile Lys Asp Asp Leu Glu Asp Leu Ile Val Asn Trp Asp Glu		
485	490	495
Ser Lys Ser Ile Gly Asp Ile Phe Leu Lys Tyr Ser Lys Asp Leu Val		
500	505	510
Lys Thr Tyr Pro Pro Phe Val Asn Phe Phe Glu Met Ser Lys Glu Thr		
515	520	525
Ile Ile Lys Cys Glu Lys Gln Lys Pro Arg Phe His Ala Phe Leu Lys		
530	535	540
Ile Asn Gln Ala Lys Pro Glu Cys Gly Arg Gln Ser Leu Val Glu Leu		
545	550	555
Leu Ile Arg Pro Val Gln Arg Leu Pro Ser Val Ala Leu Leu Leu Asn		
565	570	575
Asp Leu Lys Lys His Thr Ala Asp Glu Asn Pro Asp Lys Ser Thr Leu		
580	585	590
Glu Lys Ala Ile Gly Ser Leu Lys Glu Val Met Thr His Ile Asn Glu		
595	600	605

Asp Lys Arg Lys Thr Glu Ala Gln Lys Gln Ile Phe Asp Val Val Tyr
610 615 620

Glu Val Asp Gly Cys Pro Ala Asn Leu Leu Ser Ser His Arg Ser Leu
625 630 635 640

Val Gln Arg Val Glu Thr Ile Ser Leu Gly Glu His Pro Cys Asp Arg
645 650 655

Gly Glu Gln Val Thr Leu Phe Leu Phe Asn Asp Cys Leu Glu Ile Ala
660 665 670

Arg Lys Arg His Lys Val Ile Gly Thr Phe Arg Ser Pro His Gly Gln
675 680 685

Thr Arg Pro Pro Ala Ser Leu Lys His Ile His Leu Met Pro Leu Ser
690 695 700

Gln Ile Lys Lys Val Leu Asp Ile Arg Glu Thr Glu Asp Cys His Asn
705 710 715 720

Ala Phe Ala Leu Leu Val Arg Pro Pro Thr Glu Gln Ala Asn Val Leu
725 730 735

Leu Ser Phe Gln Met Thr Ser Asp Glu Leu Pro Lys Glu Asn Trp Leu
740 745 750

Lys Met Leu Cys Arg His Val Ala Asn Thr Ile Cys Lys Ala Asp Ala
755 760 765

Glu Asn Leu Ile Tyr Thr Ala Asp Pro Glu Ser Phe Glu Val Asn Thr
770 775 780

Lys Asp Met Asp Ser Thr Leu Ser Arg Ala Ser Arg Ala Ile Lys Lys
785 790 795 800

Thr Ser Lys Lys Val Thr Arg Ala Phe Ser Phe Ser Lys Thr Pro Lys
805 810 815

Arg Ala Leu Arg Arg Ala Leu Met Thr Ser His Gly Ser Val Glu Gly
820 825 830

Arg Ser Pro Ser Ser Asn Asp Lys His Val Met Ser Arg Leu Ser Ser
835 840 845

Thr Ser Ser Leu Ala Gly Ile Pro Ser Pro Ser Leu Val Ser Leu Pro
850 855 860

Ser Phe Phe Glu Arg Arg Ser His Thr Leu Ser Arg Ser Thr Thr His
865 870 875 880

Leu Ile

<210> 7
<211> 1372
<212> DNA
<213> Homo sapiens

<220>
<221> CDS
<222> (206)..(397)

<400> 7
gcacgagggc gcttttgtct ccggtgagtt ttgtggcggg aagcttctgc gctggtgctt 60
agtaaccgac tttcctccgg actcctgcac gacctgctcc tacagccggc gatccactcc 120
cggtctgttc ccgggagggc ccagaggcct ttcagaagga gaaggcagct ctgtttctct 180
gcagaggagt agggtccttt cagcc atg aag cat gtg ttg aac ctc tac ctg 232
Met Lys His Val Leu Asn Leu Tyr Leu
1 5
tta ggt gtg gta ctg acc cta ctc tcc atc ttc gtt aga gtg atg gag 280
Leu Gly Val Val Leu Thr Leu Leu Ser Ile Phe Val Arg Val Met Glu
10 15 20 25
tcc cta gaa ggc tta cta gag agc cca tcg cct ggg acc tcc tgg acc 328
Ser Leu Glu Gly Leu Leu Glu Ser Pro Ser Pro Gly Thr Ser Trp Thr
30 35 40
acc aga agc caa cta gcc aac aca gag ccc acc aag ggc ctt cca gac 376
Thr Arg Ser Gln Leu Ala Asn Thr Glu Pro Thr Lys Gly Leu Pro Asp
45 50 55
cat cca tcc aga agc atg tga taagacctcc ttccatactg gccatatttt 427
His Pro Ser Arg Ser Met
60
ggaacactga cctagacatg tccagatggg agtcccatc ctagcagaca agctgagcac 487
cgttgtaacc agagaactat tactaggcct tgaagaacct gtctaactgg atgctcattg 547
cctgggcaag gcctgtttag gccggttgcg gtggctcatg cctgtaatcc tagcactttg 607
ggaggctgag gtgggtggat cacctgaggt caggagttcg agaccagcct cgccaacatg 667
gcgaaacccc atctctacta aaaatacaaa agtttagctgg gtgtggtggc agaggcctgt 727
aatcccagtt ccttgggagg ctgaggcggg agaattgctt gaaccggggg acggaggttg 787

```

cagtgaaccg agatcgcaact gctgtaccca gcctgggcca cagtgaaga ctccatctca      847
aaaaaaaaa gaaaagaaaa agcctgttta atgcacaggt gtgagtggat tgcttatggc      907
tatgagatag gttgatctcg cccttaccoc ggggtctggg gtatgctgtg ctttctcag      967
cagtatggct ctgacatctc ttagatgtcc caacttcagc tgttgggaga tggatgatatt    1027
ttcaacccta cttctaaac atctgtctgg ggttccttta gtcttgaatg tcttatgctc    1087
aattatttgg tgttgagcct ctcttcaca agagctctc catgtttgga tagcagttga      1147
agaggttgtg tgggtgggct gttgggagtg aggatggagt gttcagtgcc catttctcat    1207
tttacatttt aaagtcgttc ctccaacata gtgtgtattg gtctgaaggg ggtgggtggga    1267
tgccaaagcc tgetcaagtt atggacattg tggccaccat gtggcttaaa tgattttttc    1327
taactaataa agtggaatat atatttcaaa aaaaaaaaaa aaaaaa                    1372

```

```

<210> 8
<211> 63
<212> PRT
<213> Homo sapiens

<400> 8

```

```

Met Lys His Val Leu Asn Leu Tyr Leu Leu Gly Val Val Leu Thr Leu
1           5           10          15

Leu Ser Ile Phe Val Arg Val Met Glu Ser Leu Glu Gly Leu Leu Glu
          20          25          30

Ser Pro Ser Pro Gly Thr Ser Trp Thr Thr Arg Ser Gln Leu Ala Asn
          35          40          45

Thr Glu Pro Thr Lys Gly Leu Pro Asp His Pro Ser Arg Ser Met
          50          55          60

```

```

<210> 9
<211> 3516
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> CDS
<222> (767)..(1990)

```

```

<400> 9
ggatcctgga gacaactttg ccgtgtgacg cgccgggagg actgcagggc ccgcggccga      60
gggctcggcg ccgcctgtga gcgggcccgc gcggccggct ctccgggca ccaagcttgc    120
tccgcgccac tgcccgcgg ccgcggcgga ggaagacctg ccgtctccg ccgcggcggg      180

```

cccttctctgg cgcgagggcag tgagggcgag gcgctcaggt gcgagcgcg ggccccgcgcg	240
cagcgccccgc cgcagcgccg cgccaagccg cgcccggtc cgctccgggg ggctccagcg	300
ccttcgcttc cgtctcagcc aagttgctg gaccgcgtct ttcgccacct tccccagccg	360
cgggccgaac cgccgctccc actgacgctg ctttcgcttc acccgaaacg gggctgcggg	420
gcccccgacg cggaaggat ggggagaagg ctgcagatgc cgaggcgccc cgagacgccc	480
gtgcggcagt gaccgcgac ctccgccccg ccggcgcggc ccctcgggccc ccgggggccc	540
tcggcgcccc ttcctgccc cgcggaacc ccgaggccc ggccggcccc ctccccctgc	600
gagccggcg cgccctccc ggcgggcggg cgggcgagg ccggggcggg cgcgggcgcg	660
ggcgggggcg gggcgggggc gcgcgcccg agcccgagc ccggccctgc gctcggtcg	720
actcggtcg cctcgcgggc ggccgctcg tcgccagcg cgacc atg gac ggg	775
Met Asp Gly	
1	
ctg ccc ggt cgg gcg ctg ggg gcc gcc tgc ctt ctg ctg ctg gcg gcc	823
Leu Pro Gly Arg Ala Leu Gly Ala Ala Cys Leu Leu Leu Ala Ala	
5 10 15	
ggc tgg ctg ggg cct gag gcc tgg ggc tca ccc acg ccc ccg ccg acg	871
Gly Trp Leu Gly Pro Glu Ala Trp Gly Ser Pro Thr Pro Pro Pro Thr	
20 25 30 35	
cct gcc gcg ccg ccg cca ccc ccg cca ccc gga gcc ccg ggt ggc tcg	919
Pro Ala Ala Pro Pro Pro Pro Pro Pro Pro Gly Ala Pro Gly Gly Ser	
40 45 50	
cag gac acc tgt acg tcg tgc ggc ggc ttc cgg cgg cca gag gag ctc	967
Gln Asp Thr Cys Thr Ser Cys Gly Gly Phe Arg Arg Pro Glu Glu Leu	
55 60 65	
ggc cga gtg gac ggc gac ttc ctg gag gcg gtg aag cgg cac atc ttg	1015
Gly Arg Val Asp Gly Asp Phe Leu Glu Ala Val Lys Arg His Ile Leu	
70 75 80	
agc cgc ctg cag atg cgg ggc cgg ccc aac atc acg cac gcc gtg cct	1063
Ser Arg Leu Gln Met Arg Gly Arg Pro Asn Ile Thr His Ala Val Pro	
85 90 95	
aag gcc gcc atg gtc acg gcc ctg cgc aag ctg cac gcg ggc aag gtg	1111
Lys Ala Ala Met Val Thr Ala Leu Arg Lys Leu His Ala Gly Lys Val	
100 105 110 115	
cgc gag gac ggc cgc gtg gag atc ccg cac ctc gac ggc cac gcc agc	1159
Arg Glu Asp Gly Arg Val Glu Ile Pro His Leu Asp Gly His Ala Ser	
120 125 130	
ccg gcc gcc gac ggc cag gag cgc gtt tcc gaa atc atc agc ttc gcc	1207
Pro Gly Ala Asp Gly Gln Glu Arg Val Ser Glu Ile Ile Ser Phe Ala	
135 140 145	
gag aca gat ggc ctc gcc tcc tcc cgg gtc cgc cta tac ttc ttc atc	1255
Glu Thr Asp Gly Leu Ala Ser Ser Arg Val Arg Leu Tyr Phe Phe Ile	

150	155	160	
tcc aac gaa ggc aac cag aac ctg ttt gtg gtc cag gcc agc ctg tgg Ser Asn Glu Gly Asn Gln Asn Leu Phe Val Val Gln Ala Ser Leu Trp 165 170 175			1303
ctt tac ctg aaa ctc ctg ccc tac gtc ctg gag aag ggc agc cgg cgg Leu Tyr Leu Lys Leu Leu Pro Tyr Val Leu Glu Lys Gly Ser Arg Arg 180 185 190 195			1351
aag gtg cgg gtc aaa gtg tac ttc cag gag cag ggc cac ggt gac agg Lys Val Arg Val Lys Val Tyr Phe Gln Glu Gln Gly His Gly Asp Arg 200 205 210			1399
tgg aac atg gtg gag aag agg gtg gac ctc aag cgc agc ggc tgg cat Trp Asn Met Val Glu Lys Arg Val Asp Leu Lys Arg Ser Gly Trp His 215 220 225			1447
acc ttc cca ctc acg gag gcc atc cag gcc ttg ttt gag cgg ggc gag Thr Phe Pro Leu Thr Glu Ala Ile Gln Ala Leu Phe Glu Arg Gly Glu 230 235 240			1495
cgg cga ctc aac cta gac gtg cag tgt gac agc tgc cag gag ctg gcc Arg Arg Leu Asn Leu Asp Val Gln Cys Asp Ser Cys Gln Glu Leu Ala 245 250 255			1543
gtg gtg ccg gtg ttc gtg gac cca ggc gaa gag tcg cac cga ccc ttt Val Val Pro Val Phe Val Asp Pro Gly Glu Glu Ser His Arg Pro Phe 260 265 270 275			1591
gtg gtg gtg cag gct cgg ctg ggc gac agc agg cac cgc att cgc aag Val Val Val Gln Ala Arg Leu Gly Asp Ser Arg His Arg Ile Arg Lys 280 285 290			1639
cga ggc ctg gag tgc gat ggc cgg acc aac ctc tgt tgc agg caa cag Arg Gly Leu Glu Cys Asp Gly Arg Thr Asn Leu Cys Cys Arg Gln Gln 295 300 305			1687
ttc ttc att gac ttc cgc ctc atc ggc tgg aac gac tgg atc ata gca Phe Phe Ile Asp Phe Arg Leu Ile Gly Trp Asn Asp Trp Ile Ile Ala 310 315 320			1735
ccc acc ggc tac tac ggc aac tac tgt gag ggc agc tgc cca gcc tac Pro Thr Gly Tyr Tyr Gly Asn Tyr Cys Glu Gly Ser Cys Pro Ala Tyr 325 330 335			1783
ctg gca ggg gtc ccc ggc tct gcc tcc tcc ttc cac acg gct gtg gtg Leu Ala Gly Val Pro Gly Ser Ala Ser Ser Phe His Thr Ala Val Val 340 345 350 355			1831
aac cag tac cgc atg cgg ggt ctg aac ccc ggc acg gtg aac tcc tgc Asn Gln Tyr Arg Met Arg Gly Leu Asn Pro Gly Thr Val Asn Ser Cys 360 365 370			1879
tgc att ccc acc aag ctg agc acc atg tcc atg ctg tac ttc gat gat Cys Ile Pro Thr Lys Leu Ser Thr Met Ser Met Leu Tyr Phe Asp Asp 375 380 385			1927
gag tac aac atc gtc aag cgg gac gtg ccc aac atg att gtg gag gag Glu Tyr Asn Ile Val Lys Arg Asp Val Pro Asn Met Ile Val Glu Glu 390 395 400			1975

tgc ggc tgc gcc tga cagtgcgaagg caggggcacg gtggtggggc acggagggca 2030
 Cys Gly Cys Ala
 405

gtccccgggtg ggctttcttcc agccccccgc gggaacgggg tacacgggtg gctgagtaca 2090
 gtcatttctgt tgggctgtgg agatagtgcc aggggtgcggc ctgagatatt tttctacagc 2150
 ttcatagagc aaccagtcaa aaccagagcg agaaccctca actgacatga aatactttaa 2210
 aatgcacacg tagccacgca cagccagacg catcctgcca cccacacagc agcctccagg 2270
 ataccagcaa atggatgcgg tgacaaatgg cagcttagct acaaatgcct gtcagtcgga 2330
 gagaatgggg tgagcagcca ccattccacc agctggcccg gccacgtctc gaagttgcgc 2390
 cttcccgagc acacataaaa gcacaaagac agagacgcag agagagagag agagccacgg 2450
 agaggaaaag cagatgcagg ggtggggagc gcagctcggc ggaggctgcg tgtgccccgt 2510
 ggcttttacc aggcctgctc tgcttggtc gatgtctgct tcttccagc ctgggatacct 2570
 tcgtgcttca aggcctgggg agcctgtcct tccatgcct tgtcgaggga aagagaccca 2630
 gaaaggacac aaccgcgcag agacctggga gcaggggcaa tgaccgtttg actgtttgtg 2690
 gcttgggcct ctgacatgac ttatgtgtgt gtgtgttttt ggggtgggga gggagggaga 2750
 gaagaggggg ctaaatttga tgctttaact gatctccaac agttgacagg tcatccttgc 2810
 cagttgtata actgaaaaag gacttttcta ccaggtatga ctttttaagt gaaaatctga 2870
 attgttctaa atggaaagaa aaaaagttgc aatctgtgcc cttcattggg gacattcctc 2930
 taggactggt ttggggacgg gtgggaatga cccctaggca aggggatgag accgcaggag 2990
 gaaatggcgg ggagggtggca ttcttgaact gctgaggatg gggggtgtcc cctcagcgga 3050
 ggccaaggga ggggagcagc ctagttggtc ttggagagat ggggaaggct ttcagctgat 3110
 ttgcagaagt tgcccatgtg ggcccaacca tcagggtg cgtggacgt ggccccctgcc 3170
 cactcacctg ccgcctgcc cgcccgcccg catagcactt gcagacctgc ctgaacgcac 3230
 atgacatagc acttgccgat ctgcgtgtgc ccagaagtgg cccttggccg agcgccgaac 3290
 tcgctcgccc tctagatgtc caagtgccac gtgaactatg caatttaaag ggttgacca 3350
 cactagacga aactggactc gtacgactct tttatatatt tttatacttg aaatgaaatc 3410
 ctttgcttct tttttaagcg aatgattgct tttaatgttt gcactgattt agttgcatga 3470
 ttagtcagaa actgccattt gaaaaaaaaag ttatttttat agcagc 3516

<210> 10
 <211> 407
 <212> PRT
 <213> Homo sapiens

<400> 10

Met Asp Gly Leu Pro Gly Arg Ala Leu Gly Ala Ala Cys Leu Leu Leu
1 5 10 15

Leu Ala Ala Gly Trp Leu Gly Pro Glu Ala Trp Gly Ser Pro Thr Pro
20 25 30

Pro Pro Thr Pro Ala Ala Pro Pro Pro Pro Pro Pro Gly Ala Pro
35 40 45

Gly Gly Ser Gln Asp Thr Cys Thr Ser Cys Gly Gly Phe Arg Arg Pro
50 55 60

Glu Glu Leu Gly Arg Val Asp Gly Asp Phe Leu Glu Ala Val Lys Arg
65 70 75 80

His Ile Leu Ser Arg Leu Gln Met Arg Gly Arg Pro Asn Ile Thr His
85 90 95

Ala Val Pro Lys Ala Ala Met Val Thr Ala Leu Arg Lys Leu His Ala
100 105 110

Gly Lys Val Arg Glu Asp Gly Arg Val Glu Ile Pro His Leu Asp Gly
115 120 125

His Ala Ser Pro Gly Ala Asp Gly Gln Glu Arg Val Ser Glu Ile Ile
130 135 140

Ser Phe Ala Glu Thr Asp Gly Leu Ala Ser Ser Arg Val Arg Leu Tyr
145 150 155 160

Phe Phe Ile Ser Asn Glu Gly Asn Gln Asn Leu Phe Val Val Gln Ala
165 170 175

Ser Leu Trp Leu Tyr Leu Lys Leu Leu Pro Tyr Val Leu Glu Lys Gly
180 185 190

Ser Arg Arg Lys Val Arg Val Lys Val Tyr Phe Gln Glu Gln Gly His
195 200 205

Gly Asp Arg Trp Asn Met Val Glu Lys Arg Val Asp Leu Lys Arg Ser
210 215 220

Gly Trp His Thr Phe Pro Leu Thr Glu Ala Ile Gln Ala Leu Phe Glu
225 230 235 240

Arg Gly Glu Arg Arg Leu Asn Leu Asp Val Gln Cys Asp Ser Cys Gln
 245 250 255

Glu Leu Ala Val Val Pro Val Phe Val Asp Pro Gly Glu Glu Ser His
 260 265 270

Arg Pro Phe Val Val Val Gln Ala Arg Leu Gly Asp Ser Arg His Arg
 275 280 285

Ile Arg Lys Arg Gly Leu Glu Cys Asp Gly Arg Thr Asn Leu Cys Cys
 290 295 300

Arg Gln Gln Phe Phe Ile Asp Phe Arg Leu Ile Gly Trp Asn Asp Trp
 305 310 315 320

Ile Ile Ala Pro Thr Gly Tyr Tyr Gly Asn Tyr Cys Glu Gly Ser Cys
 325 330 335

Pro Ala Tyr Leu Ala Gly Val Pro Gly Ser Ala Ser Ser Phe His Thr
 340 345 350

Ala Val Val Asn Gln Tyr Arg Met Arg Gly Leu Asn Pro Gly Thr Val
 355 360 365

Asn Ser Cys Cys Ile Pro Thr Lys Leu Ser Thr Met Ser Met Leu Tyr
 370 375 380

Phe Asp Asp Glu Tyr Asn Ile Val Lys Arg Asp Val Pro Asn Met Ile
 385 390 395 400

Val Glu Glu Cys Gly Cys Ala
 405

<210> 11
 <211> 2972
 <212> DNA
 <213> Homo sapiens

<220>
 <221> CDS
 <222> (28)..(2700)

<400> 11
 tcttcggacc taggctgccc tgccgtc atg tcg caa ggg atc ctt tct ccg cca 54
 Met Ser Gln Gly Ile Leu Ser Pro Pro
 1 5

gcg ggc ttg ctg tcc gat gac gat gtc gta gtt tct ccc atg ttt gag 102

Ala Gly Leu Leu Ser Asp Asp Asp Val Val Val Ser Pro Met Phe Glu	
10 15 20 25	
tcc aca gct gca gat ttg ggg tct gtg gta cgc aag aac ctg cta tca	150
Ser Thr Ala Ala Asp Leu Gly Ser Val Val Arg Lys Asn Leu Leu Ser	
30 35 40	
gac tgc tct gtc gtc tct acc tcc cta gag gac aag cag cag gtt cca	198
Asp Cys Ser Val Val Ser Thr Ser Leu Glu Asp Lys Gln Gln Val Pro	
45 50 55	
tct gag gac agt atg gag aag gtg aaa gta tac ttg agg gtt agg ccc	246
Ser Glu Asp Ser Met Glu Lys Val Lys Val Tyr Leu Arg Val Arg Pro	
60 65 70	
ttg tta cct tca gag ttg gaa cga cag gaa gat cag ggt tgt gtc cgt	294
Leu Leu Pro Ser Glu Leu Glu Arg Gln Glu Asp Gln Gly Cys Val Arg	
75 80 85	
att gag aat gtg gag acc ctt gtt cta caa gca ccc aag gac tcg ttt	342
Ile Glu Asn Val Glu Thr Leu Val Leu Gln Ala Pro Lys Asp Ser Phe	
90 95 100 105	
gcc ctg aag agc aat gaa cgg gga att ggc caa gcc aca cac agg ttc	390
Ala Leu Lys Ser Asn Glu Arg Gly Ile Gly Gln Ala Thr His Arg Phe	
110 115 120	
acc ttt tcc cag atc ttt ggg cca gaa gtg gga cag gca tcc ttc ttc	438
Thr Phe Ser Gln Ile Phe Gly Pro Glu Val Gly Gln Ala Ser Phe Phe	
125 130 135	
aac cta act gtg aag gag atg gta aag gat gta ctc aaa ggg cag aac	486
Asn Leu Thr Val Lys Glu Met Val Lys Asp Val Leu Lys Gly Gln Asn	
140 145 150	
tgg ctc atc tat aca tat gga gtc act aac tca ggg aaa acc cac acg	534
Trp Leu Ile Tyr Thr Tyr Gly Val Thr Asn Ser Gly Lys Thr His Thr	
155 160 165	
att caa ggt acc atc aag gat gga ggg att ctc ccc cgg tcc ctg gcg	582
Ile Gln Gly Thr Ile Lys Asp Gly Gly Ile Leu Pro Arg Ser Leu Ala	
170 175 180 185	
ctg atc ttc aat agc ctc caa ggc caa ctt cat cca aca cct gat ctg	630
Leu Ile Phe Asn Ser Leu Gln Gly Gln Leu His Pro Thr Pro Asp Leu	
190 195 200	
aag ccc ttg ctc tcc aat gag gta atc tgg cta gac agc aag cag atc	678
Lys Pro Leu Leu Ser Asn Glu Val Ile Trp Leu Asp Ser Lys Gln Ile	
205 210 215	
cga cag gag gaa atg aag aag ctg tcc ctg cta aat gga ggc ctc caa	726
Arg Gln Glu Glu Met Lys Lys Leu Ser Leu Leu Asn Gly Gly Leu Gln	
220 225 230	
gag gag gag ctg tcc act tcc ttg aag agg agt gtc tac atc gaa agt	774
Glu Glu Glu Leu Ser Thr Ser Leu Lys Arg Ser Val Tyr Ile Glu Ser	
235 240 245	
cgg ata ggt acc agc acc agc ttc gac agt ggc att gct ggg ctc tct	822
Arg Ile Gly Thr Ser Thr Ser Phe Asp Ser Gly Ile Ala Gly Leu Ser	

250	255	260	265	
tct atc agt cag tgt acc agc agt agc cag ctg gat gaa aca agt cat				870
Ser Ile Ser Gln Cys Thr Ser Ser Ser Gln Leu Asp Glu Thr Ser His				
	270	275	280	
cga tgg gca cag cca gac act gcc cca cta cct gtc ccg gca aac att				918
Arg Trp Ala Gln Pro Asp Thr Ala Pro Leu Pro Val Pro Ala Asn Ile				
	285	290	295	
cgc ttc tcc atc tgg atc tca ttc ttt gag atc tac aac gaa ctg ctt				966
Arg Phe Ser Ile Trp Ile Ser Phe Phe Glu Ile Tyr Asn Glu Leu Leu				
	300	305	310	
tat gac cta tta gaa ccg cct agc caa cag cgc aag agg cag act ttg				1014
Tyr Asp Leu Leu Glu Pro Pro Ser Gln Gln Arg Lys Arg Gln Thr Leu				
	315	320	325	
cgg cta tgc gag gat caa aat ggc aat ccc tat gtg aaa gat ctc aac				1062
Arg Leu Cys Glu Asp Gln Asn Gly Asn Pro Tyr Val Lys Asp Leu Asn				
	330	335	340	345
tgg att cat gtg caa gat gct gag gag gcc tgg aag ctc cta aaa gtg				1110
Trp Ile His Val Gln Asp Ala Glu Glu Ala Trp Lys Leu Leu Lys Val				
	350	355	360	
ggt cgt aag aac cag agc ttt gcc agc acc cac ctc aac cag aac tcc				1158
Gly Arg Lys Asn Gln Ser Phe Ala Ser Thr His Leu Asn Gln Asn Ser				
	365	370	375	
agc cgc agt cac agc atc ttc tca atc agg atc cta cac ctt cag ggg				1206
Ser Arg Ser His Ser Ile Phe Ser Ile Arg Ile Leu His Leu Gln Gly				
	380	385	390	
gaa gga gat ata gtc ccc aag atc agc gag ctg tca ctc tgt gat ctg				1254
Glu Gly Asp Ile Val Pro Lys Ile Ser Glu Leu Ser Leu Cys Asp Leu				
	395	400	405	
gct gcc tca gag cgc tgc aaa gat cag aag agt ggt gaa cgg ttg aag				1302
Ala Gly Ser Glu Arg Cys Lys Asp Gln Lys Ser Gly Glu Arg Leu Lys				
	410	415	420	425
gaa gca gga aac att aac acc tct cta cac acc ctg ggc cgc tgt att				1350
Glu Ala Gly Asn Ile Asn Thr Ser Leu His Thr Leu Gly Arg Cys Ile				
	430	435	440	
gct gcc ctt cgt caa aac cag cag aac cgg tca aag cag aac ctg gtt				1398
Ala Ala Leu Arg Gln Asn Gln Gln Asn Arg Ser Lys Gln Asn Leu Val				
	445	450	455	
ccc ttc cgt gac agc aag ttg act cga gtg ttc caa ggt ttc ttc aca				1446
Pro Phe Arg Asp Ser Lys Leu Thr Arg Val Phe Gln Gly Phe Phe Thr				
	460	465	470	
ggc cga ggc cgt tcc tgc atg att gtc aat gtg aat ccc tgt gca tct				1494
Gly Arg Gly Arg Ser Cys Met Ile Val Asn Val Asn Pro Cys Ala Ser				
	475	480	485	
acc tat gat gaa act ctt cat gtg gcc aag ttc tca gcc att gct agc				1542
Thr Tyr Asp Glu Thr Leu His Val Ala Lys Phe Ser Ala Ile Ala Ser				
	490	495	500	505

cag ctt gtg cat gcc cca cct atg caa ctg gga ttc cca tcc ctg cac Gln Leu Val His Ala Pro Pro Met Gln Leu Gly Phe Pro Ser Leu His 510 515 520	1590
tcg ttc atc aag gaa cat agt ctt cag gta tcc ccc agc tta gag aaa Ser Phe Ile Lys Glu His Ser Leu Gln Val Ser Pro Ser Leu Glu Lys 525 530 535	1638
ggg gct aag gca gac aca ggc ctt gat gat gat att gaa aat gaa gct Gly Ala Lys Ala Asp Thr Gly Leu Asp Asp Asp Ile Glu Asn Glu Ala 540 545 550	1686
gac atc tcc atg tat ggc aaa gag gag ctc cta caa gtt gtg gaa gcc Asp Ile Ser Met Tyr Gly Lys Glu Glu Leu Leu Gln Val Val Glu Ala 555 560 565	1734
atg aag aca ctg ctt ttg aag gaa cga cag gaa aag cta cag ctg gag Met Lys Thr Leu Leu Lys Lys Glu Arg Gln Glu Lys Leu Gln Leu Glu 570 575 580 585	1782
atg cat ctc cga gat gaa att tgc aat gag atg gta gaa cag atg caa Met His Leu Arg Asp Glu Ile Cys Asn Glu Met Val Glu Gln Met Gln 590 595 600	1830
cag cgg gaa cag tgg tgc agt gaa cat ttg gac acc caa aag gaa cta Gln Arg Glu Gln Trp Cys Ser Glu His Leu Asp Thr Gln Lys Glu Leu 605 610 615	1878
ttg gag gaa atg tat gaa gaa aaa cta aat atc ctc aag gag tca ctg Leu Glu Glu Met Tyr Glu Glu Lys Leu Asn Ile Leu Lys Glu Ser Leu 620 625 630	1926
aca agt ttt tac caa gaa gag att cag gag cgg gat gaa aag att gaa Thr Ser Phe Tyr Gln Glu Glu Ile Gln Glu Arg Asp Glu Lys Ile Glu 635 640 645	1974
gag cta gaa gct ctc ttg cag gaa gcc aga caa cag tca gtg gcc cat Glu Leu Glu Ala Leu Leu Gln Glu Ala Arg Gln Gln Ser Val Ala His 650 655 660 665	2022
cag caa tca ggg tct gaa ttg gcc cta cgg cgg tca caa agg ttg gca Gln Gln Ser Gly Ser Glu Leu Ala Leu Arg Arg Ser Gln Arg Leu Ala 670 675 680	2070
gct tct gcc tcc acc cag cag ctt cag gag gtt aaa got aaa tta cag Ala Ser Ala Ser Thr Gln Gln Leu Gln Glu Val Lys Ala Lys Leu Gln 685 690 695	2118
cag tgc aaa gca gag cta aac tct acc act gaa gag ttg cat aag tat Gln Cys Lys Ala Glu Leu Asn Ser Thr Thr Glu Glu Leu His Lys Tyr 700 705 710	2166
cag aaa atg tta gaa cca cca ccc tca gcc aag ccc ttc acc att gat Gln Lys Met Leu Glu Pro Pro Ser Ala Lys Pro Phe Thr Ile Asp 715 720 725	2214
gtg gac aag aag tta gaa gag ggc cag aag aat ata agg ctg ttg cgg Val Asp Lys Lys Leu Glu Glu Gly Gln Lys Asn Ile Arg Leu Leu Arg 730 735 740 745	2262

aca gag ctt cag aaa ctt ggt gag tct ctc caa tca gca gag aga gct Thr Glu Leu Gln Lys Leu Gly Glu Ser Leu Gln Ser Ala Glu Arg Ala 750 755 760	2310
tgt tgc cac agc act ggg gca gga aaa ctt cgt caa gcc ttg acc act Cys Cys His Ser Thr Gly Ala Gly Lys Leu Arg Gln Ala Leu Thr Thr 765 770 775	2358
tgt gat gac atc tta atc aaa cag gac cag act ctg gct gaa ctg cag Cys Asp Asp Ile Leu Ile Lys Gln Asp Gln Thr Leu Ala Glu Leu Gln 780 785 790	2406
aac aac atg gtg cta gtg aaa ctg gac ctt cgg aag aag gca gca tgt Asn Asn Met Val Leu Val Lys Leu Asp Leu Arg Lys Lys Ala Ala Cys 795 800 805	2454
att gct gag cag tat cat act gtg ttg aaa ctc caa ggc cag gtt tct Ile Ala Glu Gln Tyr His Thr Val Leu Lys Leu Gln Gly Gln Val Ser 810 815 820 825	2502
gcc aaa aag cgc ctt ggt acc aac cag gaa aat cag caa cca aac caa Ala Lys Lys Arg Leu Gly Thr Asn Gln Glu Asn Gln Gln Pro Asn Gln 830 835 840	2550
caa cca cca ggg aag aaa cca ttc ctt cga aat tta ctt ccc cga aca Gln Pro Pro Gly Lys Lys Pro Phe Leu Arg Asn Leu Leu Pro Arg Thr 845 850 855	2598
cca acc tgc caa agc tca aca gac tgc agc cct tat gcc cgg atc cta Pro Thr Cys Gln Ser Ser Thr Asp Cys Ser Pro Tyr Ala Arg Ile Leu 860 865 870	2646
cgc tca cgg cgt tcc cct tta ctc aaa tct ggg cct ttt ggc aaa aag Arg Ser Arg Arg Ser Pro Leu Leu Lys Ser Gly Pro Phe Gly Lys Lys 875 880 885	2694
tac taa ggctgtgggg aaagagaaga gcagtcattgg cccctgaggtg ggtcagctac Tyr 890	2750
tctcctgaag aaataggtct cttttatgct ttaccatata tcaggaatta tatccaggat	2810
gcaataactca gacactagct tttttctcac ttttgtatta taaccaccta tgtaatctca	2870
tggttgtgtt tttttttatt tacttatatg atttctatgc acacaaaaaac agttatatta	2930
aagatattat tggtcacatt ttttattgaa aaaaaaaaaa aa	2972
<210> 12	
<211> 890	
<212> PRT	
<213> Homo sapiens	
<400> 12	
Met Ser Gln Gly Ile Leu Ser Pro Pro Ala Gly Leu Leu Ser Asp Asp 1 5 10 15	
Asp Val Val Val Ser Pro Met Phe Glu Ser Thr Ala Ala Asp Leu Gly	

[illegible]

Ser Ser Gln Leu Asp Glu Thr Ser His Arg Trp Ala Gln Pro Asp Thr
275 280 285

Ala Pro Leu Pro Val Pro Ala Asn Ile Arg Phe Ser Ile Trp Ile Ser
290 295 300

Phe Phe Glu Ile Tyr Asn Glu Leu Leu Tyr Asp Leu Leu Glu Pro Pro
305 310 315 320

Ser Gln Gln Arg Lys Arg Gln Thr Leu Arg Leu Cys Glu Asp Gln Asn
325 330 335

Gly Asn Pro Tyr Val Lys Asp Leu Asn Trp Ile His Val Gln Asp Ala
340 345 350

Glu Glu Ala Trp Lys Leu Leu Lys Val Gly Arg Lys Asn Gln Ser Phe
355 360 365

Ala Ser Thr His Leu Asn Gln Asn Ser Ser Arg Ser His Ser Ile Phe
370 375 380

Ser Ile Arg Ile Leu His Leu Gln Gly Glu Gly Asp Ile Val Pro Lys
385 390 395 400

Ile Ser Glu Leu Ser Leu Cys Asp Leu Ala Gly Ser Glu Arg Cys Lys
405 410 415

Asp Gln Lys Ser Gly Glu Arg Leu Lys Glu Ala Gly Asn Ile Asn Thr
420 425 430

Ser Leu His Thr Leu Gly Arg Cys Ile Ala Ala Leu Arg Gln Asn Gln
435 440 445

Gln Asn Arg Ser Lys Gln Asn Leu Val Pro Phe Arg Asp Ser Lys Leu
450 455 460

Thr Arg Val Phe Gln Gly Phe Phe Thr Gly Arg Gly Arg Ser Cys Met
465 470 475 480

Ile Val Asn Val Asn Pro Cys Ala Ser Thr Tyr Asp Glu Thr Leu His
485 490 495

Val Ala Lys Phe Ser Ala Ile Ala Ser Gln Leu Val His Ala Pro Pro
500 505 510

Met Gln Leu Gly Phe Pro Ser Leu His Ser Phe Ile Lys Glu His Ser
515 520 525

Leu Gln Val Ser Pro Ser Leu Glu Lys Gly Ala Lys Ala Asp Thr Gly
530 535 540

Leu Asp Asp Asp Ile Glu Asn Glu Ala Asp Ile Ser Met Tyr Gly Lys
545 550 555 560

Glu Glu Leu Leu Gln Val Val Glu Ala Met Lys Thr Leu Leu Leu Lys
565 570 575

Glu Arg Gln Glu Lys Leu Gln Leu Glu Met His Leu Arg Asp Glu Ile
580 585 590

Cys Asn Glu Met Val Glu Gln Met Gln Gln Arg Glu Gln Trp Cys Ser
595 600 605

Glu His Leu Asp Thr Gln Lys Glu Leu Leu Glu Glu Met Tyr Glu Glu
610 615 620

Lys Leu Asn Ile Leu Lys Glu Ser Leu Thr Ser Phe Tyr Gln Glu Glu
625 630 635 640

Ile Gln Glu Arg Asp Glu Lys Ile Glu Glu Leu Glu Ala Leu Leu Gln
645 650 655

Glu Ala Arg Gln Gln Ser Val Ala His Gln Gln Ser Gly Ser Glu Leu
660 665 670

Ala Leu Arg Arg Ser Gln Arg Leu Ala Ala Ser Ala Ser Thr Gln Gln
675 680 685

Leu Gln Glu Val Lys Ala Lys Leu Gln Gln Cys Lys Ala Glu Leu Asn
690 695 700

Ser Thr Thr Glu Glu Leu His Lys Tyr Gln Lys Met Leu Glu Pro Pro
705 710 715 720

Pro Ser Ala Lys Pro Phe Thr Ile Asp Val Asp Lys Lys Leu Glu Glu
725 730 735

Gly Gln Lys Asn Ile Arg Leu Leu Arg Thr Glu Leu Gln Lys Leu Gly
740 745 750

Glu Ser Leu Gln Ser Ala Glu Arg Ala Cys Cys His Ser Thr Gly Ala	
755	760 765
Gly Lys Leu Arg Gln Ala Leu Thr Thr Cys Asp Asp Ile Leu Ile Lys	
770	775 780
Gln Asp Gln Thr Leu Ala Glu Leu Gln Asn Asn Met Val Leu Val Lys	
785	790 795 800
Leu Asp Leu Arg Lys Lys Ala Ala Cys Ile Ala Glu Gln Tyr His Thr	
	805 810 815
Val Leu Lys Leu Gln Gly Gln Val Ser Ala Lys Lys Arg Leu Gly Thr	
	820 825 830
Asn Gln Glu Asn Gln Gln Pro Asn Gln Gln Pro Pro Gly Lys Lys Pro	
	835 840 845
Phe Leu Arg Asn Leu Leu Pro Arg Thr Pro Thr Cys Gln Ser Ser Thr	
	850 855 860
Asp Cys Ser Pro Tyr Ala Arg Ile Leu Arg Ser Arg Arg Ser Pro Leu	
865	870 875 880
Leu Lys Ser Gly Pro Phe Gly Lys Lys Tyr	
	885 890
<210> 13	
<211> 2150	
<212> DNA	
<213> Homo sapiens	
<220>	
<221> CDS	
<222> (105)..(2033)	
<400> 13	
ctcgagccac gaaggccccg ctgtctgtc tagcagatac ttgcaagggt tacagaaatt	60
cgggccctgg gtcgtgtcag gaaactggaa aaaaggtcat aagc atg aag cgc agt	116
	Met Lys Arg Ser
	1
tca gtt tcc agc ggt ggt gct ggc cgc ctc tcc atg cag gag tta aga	164
Ser Val Ser Ser Gly Gly Ala Gly Arg Leu Ser Met Gln Glu Leu Arg	
5	10 15 20
tcc cag gat gta aat aaa caa ggc ctc tat acc cct caa acc aaa gag	212
Ser Gln Asp Val Asn Lys Gln Gly Leu Tyr Thr Pro Gln Thr Lys Glu	
	25 30 35

aaa cca acc ttt gga aag ttg agt ata aac aaa ccg aca tct gaa aga	260
Lys Pro Thr Phe Gly Lys Leu Ser Ile Asn Lys Pro Thr Ser Glu Arg	
40 45 50	
aaa gtc tcg cta ttt ggc aaa aga act agt gga cat gga tcc cgg aat	308
Lys Val Ser Leu Phe Gly Lys Arg Thr Ser Gly His Gly Ser Arg Asn	
55 60 65	
agt caa ctt ggt ata ttt tcc agt tct gag aaa atc aag gac ccg aga	356
Ser Gln Leu Gly Ile Phe Ser Ser Ser Glu Lys Ile Lys Asp Pro Arg	
70 75 80	
cca ctt aat gac aaa gca ttc att cag cag tgt att cga caa ctc tgt	404
Pro Leu Asn Asp Lys Ala Phe Ile Gln Gln Cys Ile Arg Gln Leu Cys	
85 90 95 100	
gag ttt ctt aca gaa aat ggt tat gca cat aat gtg tcc atg aaa tct	452
Glu Phe Leu Thr Glu Asn Gly Tyr Ala His Asn Val Ser Met Lys Ser	
105 110 115	
cta caa gct ccc tct gtt aaa gac ttc ctg aag atc ttc aca ttt ctt	500
Leu Gln Ala Pro Ser Val Lys Asp Phe Leu Lys Ile Phe Thr Phe Leu	
120 125 130	
tat ggc ttc ctg tgc ccc tca tac gaa ctt cct gac aca aag ttt gaa	548
Tyr Gly Phe Leu Cys Pro Ser Tyr Glu Leu Pro Asp Thr Lys Phe Glu	
135 140 145	
gaa gag gtt cca aga atc ttt aaa gac ctt ggg tat cct ttt gca cta	596
Glu Glu Val Pro Arg Ile Phe Lys Asp Leu Gly Tyr Pro Phe Ala Leu	
150 155 160	
tcc aaa agc tcc atg tac aca gtg ggg gct cct cat aca tgg cct cac	644
Ser Lys Ser Ser Met Tyr Thr Val Gly Ala Pro His Thr Trp Pro His	
165 170 175 180	
att gtg gca gcc tta gtt tgg cta ata gac tgc atc aag ata cat act	692
Ile Val Ala Ala Leu Val Trp Leu Ile Asp Cys Ile Lys Ile His Thr	
185 190 195	
gcc atg aaa gaa agc tca cct tta ttt gat gat ggg cag cct tgg gga	740
Ala Met Lys Glu Ser Ser Pro Leu Phe Asp Asp Gly Gln Pro Trp Gly	
200 205 210	
gaa gaa act gaa gat gga att atg cat aat aag ttg ttt ttg gac tac	788
Glu Glu Thr Glu Asp Gly Ile Met His Asn Lys Leu Phe Leu Asp Tyr	
215 220 225	
acc ata aaa tgc tat gag agt ttt atg agt ggt gcc gac agc ttt gat	836
Thr Ile Lys Cys Tyr Glu Ser Phe Met Ser Gly Ala Asp Ser Phe Asp	
230 235 240	
gag atg aat gca gag ctg cag tca aaa ctg aag gat tta ttt aat gtg	884
Glu Met Asn Ala Glu Leu Gln Ser Lys Leu Lys Asp Leu Phe Asn Val	
245 250 255 260	
gat gct ttt aag ctg gaa tca tta gaa gca aaa aac aga gca ttg aat	932
Asp Ala Phe Lys Leu Glu Ser Leu Glu Ala Lys Asn Arg Ala Leu Asn	
265 270 275	
gaa cag att gca aga ttg gaa caa gaa aga gaa aaa gaa ccg aat cgt	980

Glu Gln Ile Ala Arg Leu Glu Gln Glu Arg Glu Lys Glu Pro Asn Arg	
280 285 290	
cta gag tcg ttg aga aaa ctg aag gct tcc tta caa gga gat gtt caa	1028
Leu Glu Ser Leu Arg Lys Leu Lys Ala Ser Leu Gln Gly Asp Val Gln	
295 300 305	
aag tat cag gca tac atg agc aat ttg gag tct cat tca gcc att ctt	1076
Lys Tyr Gln Ala Tyr Met Ser Asn Leu Glu Ser His Ser Ala Ile Leu	
310 315 320	
gac cag aaa tta aat ggt ctc aat gag gaa att gct aga gta gaa cta	1124
Asp Gln Lys Leu Asn Gly Leu Asn Glu Glu Ile Ala Arg Val Glu Leu	
325 330 335 340	
gaa tgt gaa aca ata aaa cag gag aac act cga cta cag aat atc att	1172
Glu Cys Glu Thr Ile Lys Gln Glu Asn Thr Arg Leu Gln Asn Ile Ile	
345 350 355	
gac aac cag aag tac tca gtt gca gac att gag cga ata aat cat gaa	1220
Asp Asn Gln Lys Tyr Ser Val Ala Asp Ile Glu Arg Ile Asn His Glu	
360 365 370	
aga aat gaa ttg cag cag act att aat aaa tta acc aag gac ctg gaa	1268
Arg Asn Glu Leu Gln Gln Thr Ile Asn Lys Leu Thr Lys Asp Leu Glu	
375 380 385	
gct gaa caa cag aag ttg tgg aat gag gag tta aaa tat gcc aga ggc	1316
Ala Glu Gln Gln Lys Leu Trp Asn Glu Glu Leu Lys Tyr Ala Arg Gly	
390 395 400	
aaa gaa gcg att gaa aca caa tta gca gag tat cac aaa ttg gct aga	1364
Lys Glu Ala Ile Glu Thr Gln Leu Ala Glu Tyr His Lys Leu Ala Arg	
405 410 415 420	
aaa tta aaa ctt att cct aaa ggt gct gag aat tcc aaa ggt tat gac	1412
Lys Leu Lys Leu Ile Pro Lys Gly Ala Glu Asn Ser Lys Gly Tyr Asp	
425 430 435	
ttt gaa att aag ttt aat ccc gag gct ggt gcc aac tgc ctt gtc aaa	1460
Phe Glu Ile Lys Phe Asn Pro Glu Ala Gly Ala Asn Cys Leu Val Lys	
440 445 450	
tac agg gct caa gtt tat gta cct ctt aag gaa ctc ctg aat gaa act	1508
Tyr Arg Ala Gln Val Tyr Val Pro Leu Lys Glu Leu Leu Asn Glu Thr	
455 460 465	
gaa gaa gaa att aat aaa gcc cta aat aaa aaa atg ggt ttg gag gat	1556
Glu Glu Glu Ile Asn Lys Ala Leu Asn Lys Lys Met Gly Leu Glu Asp	
470 475 480	
act tta gaa caa ttg aat gca atg ata aca gaa agc aag aga agt gtg	1604
Thr Leu Glu Gln Leu Asn Ala Met Ile Thr Glu Ser Lys Arg Ser Val	
485 490 495 500	
aga act ctg aaa gaa gaa gtt caa aag ctg gat gat ctt tac caa caa	1652
Arg Thr Leu Lys Glu Glu Val Gln Lys Leu Asp Asp Leu Tyr Gln Gln	
505 510 515	
aaa att aag gaa gca gag gaa gag gat gaa aaa tgt gcc agt gag ctt	1700
Lys Ile Lys Glu Ala Glu Glu Glu Asp Glu Lys Cys Ala Ser Glu Leu	

520	525	530	
gag tcc ttg gag aaa cac aag cac ctg cta gaa agt act gtt aac cag			1748
Glu Ser Leu Glu Lys His Lys His Leu Leu Glu Ser Thr Val Asn Gln			
535	540	545	
ggg ctc agt gaa gct atg aat gaa tta gat gct gtt cag cgg gaa tac			1796
Gly Leu Ser Glu Ala Met Asn Glu Leu Asp Ala Val Gln Arg Glu Tyr			
550	555	560	
caa cta gtt gtg caa acc acg act gaa gaa aga cga aaa gtg gga aat			1844
Gln Leu Val Val Gln Thr Thr Thr Glu Glu Arg Arg Lys Val Gly Asn			
565	570	575	580
aac ttg caa cgt ctg tta gag atg gtt gct aca cat gtt ggg tct gta			1892
Asn Leu Gln Arg Leu Leu Glu Met Val Ala Thr His Val Gly Ser Val			
585	590	595	
gag aaa cat ctt gag gag cag att gct aaa gtt gat aga gaa tat gaa			1940
Glu Lys His Leu Glu Glu Gln Ile Ala Lys Val Asp Arg Glu Tyr Glu			
600	605	610	
gaa tgc atg tca gaa gat ctc tcg gaa aat att aaa gag att aga gat			1988
Glu Cys Met Ser Glu Asp Leu Ser Glu Asn Ile Lys Glu Ile Arg Asp			
615	620	625	
aag tat gag aag aaa gct act cta att aag tct tct gaa gaa tga			2033
Lys Tyr Glu Lys Lys Ala Thr Leu Ile Lys Ser Ser Glu Glu			
630	635	640	
agataaaatg ttgatcatgt atatatatcc atagtgaata aaattgtctc agtaaaaaaa			2093
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaa			2150
<210> 14 <211> 642 <212> PRT <213> Homo sapiens <400> 14			
Met Lys Arg Ser Ser Val Ser Ser Gly Gly Ala Gly Arg Leu Ser Met			
1	5	10	15
Gln Glu Leu Arg Ser Gln Asp Val Asn Lys Gln Gly Leu Tyr Thr Pro			
20	25	30	
Gln Thr Lys Glu Lys Pro Thr Phe Gly Lys Leu Ser Ile Asn Lys Pro			
35	40	45	
Thr Ser Glu Arg Lys Val Ser Leu Phe Gly Lys Arg Thr Ser Gly His			
50	55	60	
Gly Ser Arg Asn Ser Gln Leu Gly Ile Phe Ser Ser Ser Glu Lys Ile			
65	70	75	80

Lys Asp Pro Arg Pro Leu Asn Asp Lys Ala Phe Ile Gln Gln Cys Ile
 85 90 95

Arg Gln Leu Cys Glu Phe Leu Thr Glu Asn Gly Tyr Ala His Asn Val
 100 105 110

Ser Met Lys Ser Leu Gln Ala Pro Ser Val Lys Asp Phe Leu Lys Ile
 115 120 125

Phe Thr Phe Leu Tyr Gly Phe Leu Cys Pro Ser Tyr Glu Leu Pro Asp
 130 135 140

Thr Lys Phe Glu Glu Glu Val Pro Arg Ile Phe Lys Asp Leu Gly Tyr
 145 150 155 160

Pro Phe Ala Leu Ser Lys Ser Ser Met Tyr Thr Val Gly Ala Pro His
 165 170 175

Thr Trp Pro His Ile Val Ala Ala Leu Val Trp Leu Ile Asp Cys Ile
 180 185 190

Lys Ile His Thr Ala Met Lys Glu Ser Ser Pro Leu Phe Asp Asp Gly
 195 200 205

Gln Pro Trp Gly Glu Glu Thr Glu Asp Gly Ile Met His Asn Lys Leu
 210 215 220

Phe Leu Asp Tyr Thr Ile Lys Cys Tyr Glu Ser Phe Met Ser Gly Ala
 225 230 235 240

Asp Ser Phe Asp Glu Met Asn Ala Glu Leu Gln Ser Lys Leu Lys Asp
 245 250 255

Leu Phe Asn Val Asp Ala Phe Lys Leu Glu Ser Leu Glu Ala Lys Asn
 260 265 270

Arg Ala Leu Asn Glu Gln Ile Ala Arg Leu Glu Gln Glu Arg Glu Lys
 275 280 285

Glu Pro Asn Arg Leu Glu Ser Leu Arg Lys Leu Lys Ala Ser Leu Gln
 290 295 300

Gly Asp Val Gln Lys Tyr Gln Ala Tyr Met Ser Asn Leu Glu Ser His
 305 310 315 320

Ser Ala Ile Leu Asp Gln Lys Leu Asn Gly Leu Asn Glu Glu Ile Ala
325 330 335

Arg Val Glu Leu Glu Cys Glu Thr Ile Lys Gln Glu Asn Thr Arg Leu
340 345 350

Gln Asn Ile Ile Asp Asn Gln Lys Tyr Ser Val Ala Asp Ile Glu Arg
355 360 365

Ile Asn His Glu Arg Asn Glu Leu Gln Gln Thr Ile Asn Lys Leu Thr
370 375 380

Lys Asp Leu Glu Ala Glu Gln Gln Lys Leu Trp Asn Glu Glu Leu Lys
385 390 395 400

Tyr Ala Arg Gly Lys Glu Ala Ile Glu Thr Gln Leu Ala Glu Tyr His
405 410 415

Lys Leu Ala Arg Lys Leu Lys Leu Ile Pro Lys Gly Ala Glu Asn Ser
420 425 430

Lys Gly Tyr Asp Phe Glu Ile Lys Phe Asn Pro Glu Ala Gly Ala Asn
435 440 445

Cys Leu Val Lys Tyr Arg Ala Gln Val Tyr Val Pro Leu Lys Glu Leu
450 455 460

Leu Asn Glu Thr Glu Glu Glu Ile Asn Lys Ala Leu Asn Lys Lys Met
465 470 475 480

Gly Leu Glu Asp Thr Leu Glu Gln Leu Asn Ala Met Ile Thr Glu Ser
485 490 495

Lys Arg Ser Val Arg Thr Leu Lys Glu Glu Val Gln Lys Leu Asp Asp
500 505 510

Leu Tyr Gln Gln Lys Ile Lys Glu Ala Glu Glu Glu Asp Glu Lys Cys
515 520 525

Ala Ser Glu Leu Glu Ser Leu Glu Lys His Lys His Leu Leu Glu Ser
530 535 540

Thr Val Asn Gln Gly Leu Ser Glu Ala Met Asn Glu Leu Asp Ala Val
545 550 555 560

Gln Arg Glu Tyr Gln Leu Val Val Gln Thr Thr Thr Glu Glu Arg Arg

```

                    565                      570                      575

Lys Val Gly Asn Asn Leu Gln Arg Leu Leu Glu Met Val Ala Thr His
                    580                      585                      590

Val Gly Ser Val Glu Lys His Leu Glu Glu Gln Ile Ala Lys Val Asp
                    595                      600                      605

Arg Glu Tyr Glu Glu Cys Met Ser Glu Asp Leu Ser Glu Asn Ile Lys
                    610                      615                      620

Glu Ile Arg Asp Lys Tyr Glu Lys Lys Ala Thr Leu Ile Lys Ser Ser
625                      630                      635                      640

Glu Glu

<210> 15
<211> 2984
<212> DNA
<213> Homo sapiens

<220>
<221> CDS
<222> (75)..(2648)

<400> 15
ggaaattcaa acgtgtttgc ggaaaggagt ttgggttcca tcttttcatt tccccagcgc 60

agcttttctgt agaa atg gaa tcc gag gat tta agt ggc aga gaa ttg aca 110
                Met Glu Ser Glu Asp Leu Ser Gly Arg Glu Leu Thr
                1                      5                      10

att gat tcc ata atg aac aaa gtg aga gac att aaa aat aag ttt aaa 158
Ile Asp Ser Ile Met Asn Lys Val Arg Asp Ile Lys Asn Lys Phe Lys
15                      20                      25

aat gaa gac ctt act gat gaa cta agc ttg aat aaa att tct gct gat 206
Asn Glu Asp Leu Thr Asp Glu Leu Ser Leu Asn Lys Ile Ser Ala Asp
30                      35                      40

act aca gat aac tcg gga act gtt aac caa att atg atg atg gca aac 254
Thr Thr Asp Asn Ser Gly Thr Val Asn Gln Ile Met Met Met Ala Asn
45                      50                      55                      60

aac cca gag gac tgg ttg agt ttg ttg ctc aaa cta gag aaa aac agt 302
Asn Pro Glu Asp Trp Leu Ser Leu Leu Leu Lys Leu Glu Lys Asn Ser
65                      70                      75

gtt ccg cta agt gat gct ctt tta aat aaa ttg att ggt cgt tac agt 350
Val Pro Leu Ser Asp Ala Leu Leu Asn Lys Leu Ile Gly Arg Tyr Ser
80                      85                      90

caa gca att gaa gcg ctt ccc cca gat aaa tat ggc caa aat gag agt 398

```

Gln	Ala	Ile	Glu	Ala	Leu	Pro	Pro	Asp	Lys	Tyr	Gly	Gln	Asn	Glu	Ser		
	95						100					105					
ttt	gct	aga	att	caa	gtg	aga	ttt	gct	gaa	tta	aaa	gct	att	caa	gag	446	
Phe	Ala	Arg	Ile	Gln	Val	Arg	Phe	Ala	Glu	Leu	Lys	Ala	Ile	Gln	Glu		
	110						115				120						
cca	gat	gat	gca	cgt	gac	tac	ttt	caa	atg	gcc	aga	gca	aac	tgc	aag	494	
Pro	Asp	Asp	Ala	Arg	Asp	Tyr	Phe	Gln	Met	Ala	Arg	Ala	Asn	Cys	Lys		
	125					130				135					140		
aaa	ttt	gct	ttt	gtt	cat	ata	tct	ttt	gca	caa	ttt	gaa	ctg	tca	caa	542	
Lys	Phe	Ala	Phe	Val	His	Ile	Ser	Phe	Ala	Gln	Phe	Glu	Leu	Ser	Gln		
				145					150					155			
ggg	aat	gtc	aaa	aaa	agt	aaa	caa	ctt	ctt	caa	aaa	gct	gta	gaa	cgt	590	
Gly	Asn	Val	Lys	Lys	Ser	Lys	Gln	Leu	Leu	Gln	Lys	Ala	Val	Glu	Arg		
			160					165						170			
gga	gca	gta	cca	cta	gaa	atg	ctg	gaa	att	gcc	ctg	cgg	aat	tta	aac	638	
Gly	Ala	Val	Pro	Leu	Glu	Met	Leu	Glu	Ile	Ala	Leu	Arg	Asn	Leu	Asn		
			175				180					185					
ctc	caa	aaa	aag	cag	ctg	ctt	tca	gag	gag	gaa	aag	aag	aat	tta	tca	686	
Leu	Gln	Lys	Lys	Gln	Leu	Leu	Ser	Glu	Glu	Glu	Lys	Lys	Asn	Leu	Ser		
			190				195				200						
gca	tct	acg	gta	tta	act	gcc	caa	gaa	tca	ttt	tcc	ggg	tca	ctt	ggg	734	
Ala	Ser	Thr	Val	Leu	Thr	Ala	Gln	Glu	Ser	Phe	Ser	Gly	Ser	Leu	Gly		
	205				210					215					220		
cat	tta	cag	aat	agg	aac	aac	agt	tgt	gat	tcc	aga	gga	cag	act	act	782	
His	Leu	Gln	Asn	Arg	Asn	Asn	Ser	Cys	Asp	Ser	Arg	Gly	Gln	Thr	Thr		
				225					230					235			
aaa	gcc	agg	ttt	tta	tat	gga	gag	aac	atg	cca	cca	caa	gat	gca	gaa	830	
Lys	Ala	Arg	Phe	Leu	Tyr	Gly	Glu	Asn	Met	Pro	Pro	Gln	Asp	Ala	Glu		
			240					245					250				
ata	ggg	tac	cgg	aat	tca	ttg	aga	caa	act	aac	aaa	act	aaa	cag	tca	878	
Ile	Gly	Tyr	Arg	Asn	Ser	Leu	Arg	Gln	Thr	Asn	Lys	Thr	Lys	Gln	Ser		
			255				260					265					
tgc	cca	ttt	gga	aga	gtc	cca	gtt	aac	ctt	cta	aat	agc	cca	gat	tgt	926	
Cys	Pro	Phe	Gly	Arg	Val	Pro	Val	Asn	Leu	Leu	Asn	Ser	Pro	Asp	Cys		
			270				275					280					
gat	gtg	aag	aca	gat	gat	tca	gtt	gta	cct	tgt	ttt	atg	aaa	aga	caa	974	
Asp	Val	Lys	Thr	Asp	Asp	Ser	Val	Val	Pro	Cys	Phe	Met	Lys	Arg	Gln		
			285			290				295					300		
acc	tct	aga	tca	gaa	tgc	cga	gat	ttg	gtt	gtg	cct	gga	tct	aaa	cca	1022	
Thr	Ser	Arg	Ser	Glu	Cys	Arg	Asp	Leu	Val	Val	Pro	Gly	Ser	Lys	Pro		
				305					310					315			
agt	gga	aat	gat	tcc	tgt	gaa	tta	aga	aat	tta	aag	tct	gtt	caa	aat	1070	
Ser	Gly	Asn	Asp	Ser	Cys	Glu	Leu	Arg	Asn	Leu	Lys	Ser	Val	Gln	Asn		
			320					325					330				
agt	cat	ttc	aag	gaa	cct	ctg	gtg	tca	gat	gaa	aag	agt	tct	gaa	ctt	1118	
Ser	His	Phe	Lys	Glu	Pro	Leu	Val	Ser	Asp	Glu	Lys	Ser	Ser	Glu	Leu		

335	340	345	
att att act gat tca ata acc ctg aag aat aaa acg gaa tca agt ctt Ile Ile Thr Asp Ser Ile Thr Leu Lys Asn Lys Thr Glu Ser Ser Leu 350 355 360			1166
cta gct aaa tta gaa gaa act aaa gag tat caa gaa cca gag gtt cca Leu Ala Lys Leu Glu Glu Thr Lys Glu Tyr Gln Glu Pro Glu Val Pro 365 370 375 380			1214
gag agt aac cag aaa cag tgg caa tct aag aga aag tca gag tgt att Glu Ser Asn Gln Lys Gln Trp Gln Ser Lys Arg Lys Ser Glu Cys Ile 385 390 395			1262
aac cag aat cct gct gca tct tca aat cac tgg cag att ccg gag tta Asn Gln Asn Pro Ala Ala Ser Ser Asn His Trp Gln Ile Pro Glu Leu 400 405 410			1310
gcc cga aaa gtt aat aca gag cag aaa cat acc act ttt gag caa cct Ala Arg Lys Val Asn Thr Glu Gln Lys His Thr Thr Phe Glu Gln Pro 415 420 425			1358
gtc ttt tca gtt tca aaa cag tca cca cca ata tca aca tct aaa tgg Val Phe Ser Val Ser Lys Gln Ser Pro Pro Ile Ser Thr Ser Lys Trp 430 435 440			1406
ttt gac cca aaa tct att tgt aag aca cca agc agc aat acc ttg gat Phe Asp Pro Lys Ser Ile Cys Lys Thr Pro Ser Ser Asn Thr Leu Asp 445 450 455 460			1454
gat tac atg agc tgt ttt aga act cca gtt gta aag aat gac ttt cca Asp Tyr Met Ser Cys Phe Arg Thr Pro Val Val Lys Asn Asp Phe Pro 465 470 475			1502
cct gct tgt cag ttg tca aca cct tat ggc caa cct gcc tgt ttc cag Pro Ala Cys Gln Leu Ser Thr Pro Tyr Gly Gln Pro Ala Cys Phe Gln 480 485 490			1550
cag caa cag cat caa ata ctt gcc act cca ctt caa aat tta cag gtt Gln Gln Gln His Gln Ile Leu Ala Thr Pro Leu Gln Asn Leu Gln Val 495 500 505			1598
tta gca tct tct tca gca aat gaa tgc att tcg gtt aaa gga aga att Leu Ala Ser Ser Ser Ala Asn Glu Cys Ile Ser Val Lys Gly Arg Ile 510 515 520			1646
tat tcc att tta aag cag ata gga agt gga ggt tca agc aag gta ttt Tyr Ser Ile Leu Lys Gln Ile Gly Ser Gly Gly Ser Ser Lys Val Phe 525 530 535 540			1694
cag gtg tta aat gaa aag aaa cag ata tat gct ata aaa tat gtg aac Gln Val Leu Asn Glu Lys Lys Gln Ile Tyr Ala Ile Lys Tyr Val Asn 545 550 555			1742
tta gaa gaa gca gat aac caa act ctt gat agt tac cgg aac gaa ata Leu Glu Glu Ala Asp Asn Gln Thr Leu Asp Ser Tyr Arg Asn Glu Ile 560 565 570			1790
gct tat ttg aat aaa cta caa caa cac agt gat aag atc atc cga ctt Ala Tyr Leu Asn Lys Leu Gln Gln His Ser Asp Lys Ile Ile Arg Leu 575 580 585			1838

tat gat tat gaa atc acg gac cag tac atc tac atg gta atg gag tgt	1886
Tyr Asp Tyr Glu Ile Thr Asp Gln Tyr Ile Tyr Met Val Met Glu Cys	
590 595 600	
gga aat att gat ctt aat agt tgg ctt aaa aag aaa aaa tcc att gat	1934
Gly Asn Ile Asp Leu Asn Ser Trp Leu Lys Lys Lys Ser Ile Asp	
605 610 615 620	
cca tgg gaa cgc aag agt tac tgg aaa aat atg tta gag gca gtt cac	1982
Pro Trp Glu Arg Lys Ser Tyr Trp Lys Asn Met Leu Glu Ala Val His	
625 630 635	
aca atc cat caa cat ggc att gtt cac agt gat ctt aaa cca gct aac	2030
Thr Ile His Gln His Gly Ile Val His Ser Asp Leu Lys Pro Ala Asn	
640 645 650	
ttt ctg ata gtt gat gga atg cta aag cta att gat ttt ggg att gca	2078
Phe Leu Ile Val Asp Gly Met Leu Lys Leu Ile Asp Phe Gly Ile Ala	
655 660 665	
aac caa atg caa cca gat aca aca agt gtt gtt aaa gat tct cag gtt	2126
Asn Gln Met Gln Pro Asp Thr Thr Ser Val Val Lys Asp Ser Gln Val	
670 675 680	
ggc aca gtt aat tat atg cca cca gaa gca atc aaa gat atg tct tcc	2174
Gly Thr Val Asn Tyr Met Pro Pro Glu Ala Ile Lys Asp Met Ser Ser	
685 690 695 700	
tcc aga gag aat ggg aaa tct aag tca aag ata agc ccc aaa agt gat	2222
Ser Arg Glu Asn Gly Lys Ser Lys Ser Lys Ile Ser Pro Lys Ser Asp	
705 710 715	
gtt tgg tcc tta gga tgt att ttg tac tat atg act tac ggg aaa aca	2270
Val Trp Ser Leu Gly Cys Ile Leu Tyr Tyr Met Thr Tyr Gly Lys Thr	
720 725 730	
cca ttt cag cag ata att aat cag att tct aaa tta cat gcc ata att	2318
Pro Phe Gln Gln Ile Ile Asn Gln Ile Ser Lys Leu His Ala Ile Ile	
735 740 745	
gat cct aat cat gaa att gaa ttt ccc gat att cca gag aaa gat ctt	2366
Asp Pro Asn His Glu Ile Glu Phe Pro Asp Ile Pro Glu Lys Asp Leu	
750 755 760	
caa gat gtg tta aag tgt tgt tta aaa agg gac cca aaa cag agg ata	2414
Gln Asp Val Leu Lys Cys Cys Leu Lys Arg Asp Pro Lys Gln Arg Ile	
765 770 775 780	
tcc att cct gag ctg ctg gct cat ccc tat gtt caa att caa act cat	2462
Ser Ile Pro Glu Leu Leu Ala His Pro Tyr Val Gln Ile Gln Thr His	
785 790 795	
cca gtt aac caa atg gcc aag gga acc act gaa gaa atg aaa tat gtt	2510
Pro Val Asn Gln Met Ala Lys Gly Thr Thr Glu Glu Met Lys Tyr Val	
800 805 810	
ctg ggc caa ctt gtt ggt ctg aat tct cct aac tcc att ttg aaa gct	2558
Leu Gly Gln Leu Val Gly Leu Asn Ser Pro Asn Ser Ile Leu Lys Ala	
815 820 825	

gct aaa act tta tat gaa cac tat agt ggt ggt gaa agt cat aat tct 2606
Ala Lys Thr Leu Tyr Glu His Tyr Ser Gly Gly Glu Ser His Asn Ser
830 835 840

tca tcc tcc aag act ttt gaa aaa aaa agg gga aaa aaa tga 2648
Ser Ser Ser Lys Thr Phe Glu Lys Lys Arg Gly Lys Lys
845 850 855

tttgcagtta ttcgtaatgt caaataccac ctataaaaata tattggactg ttataactctt 2708

gaatccctgt ggaaatctac atttgaagac aacatcactc tgaagtgtta tcagcaaaaa 2768

aaattcagta gattatcttt aaaagaaaac tgtaaaaata gcaaccactt atggtactgt 2828

atatattgta gacttggttt ctctgtttta tgctctgtg taatctactt gacatcattt 2888

tactcttgga atagtgggtg gatagcaagt atattctaaa aaactttgta aataaagttt 2948

tgtggctaaa atgacactaa aaaaaaaaaa aaaaaa 2984

<210> 16
<211> 857
<212> PRT
<213> Homo sapiens

<400> 16

Met Glu Ser Glu Asp Leu Ser Gly Arg Glu Leu Thr Ile Asp Ser Ile
1 5 10 15

Met Asn Lys Val Arg Asp Ile Lys Asn Lys Phe Lys Asn Glu Asp Leu
20 25 30

Thr Asp Glu Leu Ser Leu Asn Lys Ile Ser Ala Asp Thr Thr Asp Asn
35 40 45

Ser Gly Thr Val Asn Gln Ile Met Met Met Ala Asn Asn Pro Glu Asp
50 55 60

Trp Leu Ser Leu Leu Lys Leu Glu Lys Asn Ser Val Pro Leu Ser
65 70 75 80

Asp Ala Leu Leu Asn Lys Leu Ile Gly Arg Tyr Ser Gln Ala Ile Glu
85 90 95

Ala Leu Pro Pro Asp Lys Tyr Gly Gln Asn Glu Ser Phe Ala Arg Ile
100 105 110

Gln Val Arg Phe Ala Glu Leu Lys Ala Ile Gln Glu Pro Asp Asp Ala
115 120 125

Arg Asp Tyr Phe Gln Met Ala Arg Ala Asn Cys Lys Lys Phe Ala Phe

130		135		140
Val His Ile Ser Phe Ala Gln Phe Glu Leu Ser Gln Gly Asn Val Lys				
145		150		155
				160
Lys Ser Lys Gln Leu Leu Gln Lys Ala Val Glu Arg Gly Ala Val Pro				
		165		170
				175
Leu Glu Met Leu Glu Ile Ala Leu Arg Asn Leu Asn Leu Gln Lys Lys				
		180		185
				190
Gln Leu Leu Ser Glu Glu Glu Lys Lys Asn Leu Ser Ala Ser Thr Val				
		195		200
				205
Leu Thr Ala Gln Glu Ser Phe Ser Gly Ser Leu Gly His Leu Gln Asn				
		210		215
				220
Arg Asn Asn Ser Cys Asp Ser Arg Gly Gln Thr Thr Lys Ala Arg Phe				
		225		230
				235
Leu Tyr Gly Glu Asn Met Pro Pro Gln Asp Ala Glu Ile Gly Tyr Arg				
		245		250
				255
Asn Ser Leu Arg Gln Thr Asn Lys Thr Lys Gln Ser Cys Pro Phe Gly				
		260		265
				270
Arg Val Pro Val Asn Leu Leu Asn Ser Pro Asp Cys Asp Val Lys Thr				
		275		280
				285
Asp Asp Ser Val Val Pro Cys Phe Met Lys Arg Gln Thr Ser Arg Ser				
		290		295
				300
Glu Cys Arg Asp Leu Val Val Pro Gly Ser Lys Pro Ser Gly Asn Asp				
		305		310
				315
				320
Ser Cys Glu Leu Arg Asn Leu Lys Ser Val Gln Asn Ser His Phe Lys				
		325		330
				335
Glu Pro Leu Val Ser Asp Glu Lys Ser Ser Glu Leu Ile Ile Thr Asp				
		340		345
				350
Ser Ile Thr Leu Lys Asn Lys Thr Glu Ser Ser Leu Leu Ala Lys Leu				
		355		360
				365
Glu Glu Thr Lys Glu Tyr Gln Glu Pro Glu Val Pro Glu Ser Asn Gln				
		370		375
				380

Lys Gln Trp Gln Ser Lys Arg Lys Ser Glu Cys Ile Asn Gln Asn Pro
 385 390 395 400

Ala Ala Ser Ser Asn His Trp Gln Ile Pro Glu Leu Ala Arg Lys Val
 405 410 415

Asn Thr Glu Gln Lys His Thr Thr Phe Glu Gln Pro Val Phe Ser Val
 420 425 430

Ser Lys Gln Ser Pro Pro Ile Ser Thr Ser Lys Trp Phe Asp Pro Lys
 435 440 445

Ser Ile Cys Lys Thr Pro Ser Ser Asn Thr Leu Asp Asp Tyr Met Ser
 450 455 460

Cys Phe Arg Thr Pro Val Val Lys Asn Asp Phe Pro Pro Ala Cys Gln
 465 470 475 480

Leu Ser Thr Pro Tyr Gly Gln Pro Ala Cys Phe Gln Gln Gln Gln His
 485 490 495

Gln Ile Leu Ala Thr Pro Leu Gln Asn Leu Gln Val Leu Ala Ser Ser
 500 505 510

Ser Ala Asn Glu Cys Ile Ser Val Lys Gly Arg Ile Tyr Ser Ile Leu
 515 520 525

Lys Gln Ile Gly Ser Gly Gly Ser Ser Lys Val Phe Gln Val Leu Asn
 530 535 540

Glu Lys Lys Gln Ile Tyr Ala Ile Lys Tyr Val Asn Leu Glu Glu Ala
 545 550 555 560

Asp Asn Gln Thr Leu Asp Ser Tyr Arg Asn Glu Ile Ala Tyr Leu Asn
 565 570 575

Lys Leu Gln Gln His Ser Asp Lys Ile Ile Arg Leu Tyr Asp Tyr Glu
 580 585 590

Ile Thr Asp Gln Tyr Ile Tyr Met Val Met Glu Cys Gly Asn Ile Asp
 595 600 605

Leu Asn Ser Trp Leu Lys Lys Lys Lys Ser Ile Asp Pro Trp Glu Arg
 610 615 620

Lys Ser Tyr Trp Lys Asn Met Leu Glu Ala Val His Thr Ile His Gln
625 630 635 640

His Gly Ile Val His Ser Asp Leu Lys Pro Ala Asn Phe Leu Ile Val
645 650 655

Asp Gly Met Leu Lys Leu Ile Asp Phe Gly Ile Ala Asn Gln Met Gln
660 665 670

Pro Asp Thr Thr Ser Val Val Lys Asp Ser Gln Val Gly Thr Val Asn
675 680 685

Tyr Met Pro Pro Glu Ala Ile Lys Asp Met Ser Ser Ser Arg Glu Asn
690 695 700

Gly Lys Ser Lys Ser Lys Ile Ser Pro Lys Ser Asp Val Trp Ser Leu
705 710 715 720

Gly Cys Ile Leu Tyr Tyr Met Thr Tyr Gly Lys Thr Pro Phe Gln Gln
725 730 735

Ile Ile Asn Gln Ile Ser Lys Leu His Ala Ile Ile Asp Pro Asn His
740 745 750

Glu Ile Glu Phe Pro Asp Ile Pro Glu Lys Asp Leu Gln Asp Val Leu
755 760 765

Lys Cys Cys Leu Lys Arg Asp Pro Lys Gln Arg Ile Ser Ile Pro Glu
770 775 780

Leu Leu Ala His Pro Tyr Val Gln Ile Gln Thr His Pro Val Asn Gln
785 790 795 800

Met Ala Lys Gly Thr Thr Glu Glu Met Lys Tyr Val Leu Gly Gln Leu
805 810 815

Val Gly Leu Asn Ser Pro Asn Ser Ile Leu Lys Ala Ala Lys Thr Leu
820 825 830

Tyr Glu His Tyr Ser Gly Gly Glu Ser His Asn Ser Ser Ser Ser Lys
835 840 845

Thr Phe Glu Lys Lys Arg Gly Lys Lys
850 855

<210> 17
 <211> 1735
 <212> DNA
 <213> Homo sapiens

<220>
 <221> CDS
 <222> (242)..(913)

```

<400> 17
gttatcagag gtgagcccggt gctcttcagc ggagaagatc ccctacctgg ccgccggcca      60

ctttctgtgg gccgtgggggt cctcaaggag acggcccttg ggctcagggg ctgcgtttcc      120

acacgcgcct tccccagggc tcccgcgccc gttcctgcct ggccgccggc cgctccaaca      180

gcagcacaag gcgggactca gaaccggcgt tcagggccgc cagcggccgc gaggcctga      240

g atg agg ctc caa aga ccc cga cag gcc ccg gcg ggt ggg agg cgc gcg      289
Met Arg Leu Gln Arg Pro Arg Gln Ala Pro Ala Gly Gly Arg Arg Ala
  1          5          10          15

ccc cgg ggc ggg cgg ggc tcc ccc tac cgg cca gac ccg ggg aga ggc      337
Pro Arg Gly Gly Arg Gly Ser Pro Tyr Arg Pro Asp Pro Gly Arg Gly
          20          25          30

gcg cgg agg ctg cga agg ttc cag aag gcc ggg gag ggg gcg ccg cgc      385
Ala Arg Arg Leu Arg Arg Phe Gln Lys Gly Gly Glu Gly Ala Pro Arg
          35          40          45

gct gac cct ccc tgg gca ccg ctg ggg acg atg gcg ctg ctc gcc ttg      433
Ala Asp Pro Pro Trp Ala Pro Leu Gly Thr Met Ala Leu Leu Ala Leu
          50          55          60

ctg ctg gtc gtg gcc cta ccg cgg gtg tgg aca gac gcc aac ctg act      481
Leu Leu Val Val Ala Leu Pro Arg Val Trp Thr Asp Ala Asn Leu Thr
          65          70          75          80

gcg aga caa cga gat cca gag gac tcc cag cga acg gac gag ggt gac      529
Ala Arg Gln Arg Asp Pro Glu Asp Ser Gln Arg Thr Asp Glu Gly Asp
          85          90          95

aat aga gtg tgg tgt cat gtt tgt gag aga gaa aac act ttc gag tgc      577
Asn Arg Val Trp Cys His Val Cys Glu Arg Glu Asn Thr Phe Glu Cys
          100          105          110

cag aac cca agg agg tgc aaa tgg aca gag cca tac tgc gtt ata gcg      625
Gln Asn Pro Arg Arg Cys Lys Trp Thr Glu Pro Tyr Cys Val Ile Ala
          115          120          125

gcc gtg aaa ata ttt cca cgt ttt ttc atg gtt gcg aag cag tgc tcc      673
Ala Val Lys Ile Phe Pro Arg Phe Phe Met Val Ala Lys Gln Cys Ser
          130          135          140

gct ggt tgt gca gcg atg gag aga ccc aag cca gag gag aag cgg ttt      721
Ala Gly Cys Ala Ala Met Glu Arg Pro Lys Pro Glu Glu Lys Arg Phe
          145          150          155          160

ctc ctg gaa gag ccc atg ccc ttc ttt tac ctc aag tgt tgt aaa att      769
Leu Leu Glu Glu Pro Met Pro Phe Phe Tyr Leu Lys Cys Cys Lys Ile
  
```

165	170	175	
cgc tac tgc aat tta gag ggg cca cct atc aac tca tca gtg ttc aaa			817
Arg Tyr Cys Asn Leu Glu Gly Pro Pro Ile Asn Ser Ser Val Phe Lys			
180	185	190	
gaa tat gct ggg agc atg ggt gag agc tgt ggt ggg ctg tgg ctg gcc			865
Glu Tyr Ala Gly Ser Met Gly Glu Ser Cys Gly Gly Leu Trp Leu Ala			
195	200	205	
atc ctc ctg ctg ctg gcc tcc att gca gcc ggc ctc agc ctg tct tga			913
Ile Leu Leu Leu Leu Ala Ser Ile Ala Ala Gly Leu Ser Leu Ser			
210	215	220	
gccacgggac tgccacagac tgagccttcc ggagcatgga ctgcctccag accgttgtca			973
cctgttgcat taaacttggt ttctgttgat tacctcttgg ttgacttcc cagggctcttg			1033
ggatgggaga gtggggatca ggtgcagttg gctcttaacc ctcaagggtt ctttaactca			1093
cattcagagg aagtccagat ctcttgagta gtgattttgg tgacaagttt ttctctttga			1153
aatcaaacct tgtaactcat ttattgctga tggccactct ttctcttgac tcccctctgc			1213
ctctgagggc ttcagtattg atggggaggg aggcctaagt accactcatg gagagtatgt			1273
gctgagatgc ttccgacctt tcaggtgacg caggaacact gggggagtct gaatgattgg			1333
ggtgaagaca tccctggagt gaaggactcc tcagcatggg gggcagtggg gcacacgtta			1393
gggctgcccc cattocagtg gtggaggcgc tgtggatggc tgcttttctt caacctttcc			1453
taccagattc caggaggcag aagataacta attgtgttga agaaacttag acttcacca			1513
ccagctggca caggtgcaca gattcataaa ttcccacacg tgtgtgttca acatctgaaa			1573
cttaggccaa gtagagagca tcagggtaaa tggcgttcat ttctctgtta agatgcagcc			1633
atccatgggg agctgagaaa tcagactcaa agttccacca aaaacaaata caaggggact			1693
tcaaaagttc acgaaaaaat tgaattaaaa gataaaaaatt aa			1735

<210> 18
 <211> 223
 <212> PRT
 <213> Homo sapiens

<400> 18

Met Arg Leu Gln Arg Pro Arg Gln Ala Pro Ala Gly Gly Arg Arg Ala
1 5 10 15

Pro Arg Gly Gly Arg Gly Ser Pro Tyr Arg Pro Asp Pro Gly Arg Gly
20 25 30

Ala Arg Arg Leu Arg Arg Phe Gln Lys Gly Gly Glu Gly Ala Pro Arg
35 40 45

Ala Asp Pro Pro Trp Ala Pro Leu Gly Thr Met Ala Leu Leu Ala Leu
 50 55 60

Leu Leu Val Val Ala Leu Pro Arg Val Trp Thr Asp Ala Asn Leu Thr
 65 70 75 80

Ala Arg Gln Arg Asp Pro Glu Asp Ser Gln Arg Thr Asp Glu Gly Asp
 85 90 95

Asn Arg Val Trp Cys His Val Cys Glu Arg Glu Asn Thr Phe Glu Cys
 100 105 110

Gln Asn Pro Arg Arg Cys Lys Trp Thr Glu Pro Tyr Cys Val Ile Ala
 115 120 125

Ala Val Lys Ile Phe Pro Arg Phe Phe Met Val Ala Lys Gln Cys Ser
 130 135 140

Ala Gly Cys Ala Ala Met Glu Arg Pro Lys Pro Glu Glu Lys Arg Phe
 145 150 155 160

Leu Leu Glu Glu Pro Met Pro Phe Phe Tyr Leu Lys Cys Cys Lys Ile
 165 170 175

Arg Tyr Cys Asn Leu Glu Gly Pro Pro Ile Asn Ser Ser Val Phe Lys
 180 185 190

Glu Tyr Ala Gly Ser Met Gly Glu Ser Cys Gly Gly Leu Trp Leu Ala
 195 200 205

Ile Leu Leu Leu Leu Ala Ser Ile Ala Ala Gly Leu Ser Leu Ser
 210 215 220

<210> 19
 <211> 9
 <212> PRT
 <213> artificial

<220>
 <223> An artificially synthesized peptide sequence

<400> 19

Ile Tyr Glu Val Met Val Leu Ala Met
 1 5

<210> 20
 <211> 9

<212> PRT
 <213> artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 20

 Leu Phe Leu Leu Leu Val Leu Leu Leu
 1 5

<210> 21
 <211> 9
 <212> PRT
 <213> artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 21

 Val Phe Arg Glu Ala Glu Val Thr Leu
 1 5

<210> 22
 <211> 9
 <212> PRT
 <213> artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 22

 Leu Tyr Val Glu Val Thr Asn Glu Ala
 1 5

<210> 23
 <211> 9
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 23

 Lys Tyr Glu Ala His Val Pro Glu Asn
 1 5

<210> 24
 <211> 9
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

<400> 24

Lys Tyr Glu Leu Phe Gly His Ala Val
1 5

<210> 25

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 25

Arg Ser Leu Lys Glu Arg Asn Pro Leu
1 5

<210> 26

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 26

Arg Gly Pro Leu Ala Ser Leu Leu Leu
1 5

<210> 27

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 27

Lys Gly Gly Phe Ile Leu Pro Val Leu
1 5

<210> 28

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 28

Thr Tyr Asn Gly Val Val Ala Tyr Ser
1 5

<210> 29
 <211> 9
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 29

Leu Phe Ser Thr Asp Asn Asp Asp Phe
 1 5

<210> 30
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 30

Asp Tyr Leu Asn Glu Trp Gly Ser Arg Phe
 1 5 10

<210> 31
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 31

Thr Tyr Asn Gly Val Val Ala Tyr Ser Ile
 1 5 10

<210> 32
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 32

Leu Phe Leu Leu Leu Val Leu Leu Leu Leu
 1 5 10

<210> 33
 <211> 10
 <212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 33

Asp Phe Glu Ala Lys Asn Gln His Thr Leu
1 5 10

<210> 34

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 34

Lys Tyr Glu Ala His Val Pro Glu Asn Ala
1 5 10

<210> 35

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 35

Lys Tyr Glu Leu Phe Gly His Ala Val Ser
1 5 10

<210> 36

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 36

Arg Asn Asn Ile Tyr Glu Val Met Val Leu
1 5 10

<210> 37

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 37

Arg Gly Pro Leu Ala Ser Leu Leu Leu Leu
1 5 10

<210> 38

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 38

Arg Ile Leu Arg Asp Pro Ala Gly Trp Leu
1 5 10

<210> 39

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 39

Cys Asn Gln Ser Pro Val Arg Gln Val Leu
1 5 10

<210> 40

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 40

Val Tyr Ile Glu Ile Lys Phe Thr Leu
1 5

<210> 41

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 41

Arg Tyr Ser Val Ala Leu Ala Trp Leu
1 5

<210> 42
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 42

Val Tyr Pro Ala Asn Glu Val Thr Leu
1 5

<210> 43
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 43

His Tyr Thr Pro Gln Gln Asn Gly Leu
1 5

<210> 44
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 44

Phe Tyr Phe Ala Leu Phe Ser Cys Leu
1 5

<210> 45
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 45

Gly Tyr Gly Asp Phe Ser Glu Pro Leu
1 5

<210> 46
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 46

Lys Phe Gly Gln Ile Val Asn Met Leu
1 5

<210> 47
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 47

Ala Tyr Thr Thr Arg Gly Gly Lys Ile
1 5

<210> 48
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 48

Lys Tyr Asn Pro Asn Pro Asp Gln Ser
1 5

<210> 49
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 49

Arg Asn Ile Leu Val Asn Ser Asn Leu
1 5

<210> 50
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 50

Lys Tyr Leu Ser Asp Met Ser Tyr Val
1 5

<210> 51
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 51

Lys Leu Ile Arg Asn Pro Asn Ser Leu
1 5

<210> 52
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 52

Arg Tyr Lys Asp Asn Phe Thr Ala Ala
1 5

<210> 53
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 53

Lys Ala Ile Glu Glu Gly Tyr Arg Leu
1 5

<210> 54
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 54

Lys Tyr Ser Lys Ala Lys Gln Glu Ala
1 5

<210> 55
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 55

Ala Phe Gln Asp Val Gly Ala Cys Ile
1 5

<210> 56
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 56

Trp Leu Val Pro Ile Gly Asn Cys Leu
1 5

<210> 57
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 57

Arg Pro Pro Ser Ala Pro Leu Asn Leu
1 5

<210> 58
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 58

Lys Cys Pro Leu Thr Val Arg Asn Leu
1 5

<210> 59
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 59

Ser Tyr Asn Val Val Cys Lys Lys Cys
1 5

<210> 60
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 60

Val Tyr Pro Ala Asn Glu Val Thr Leu Leu
1 5 10

<210> 61
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 61

Met Tyr Cys Gly Ala Asp Gly Glu Trp Leu
1 5 10

<210> 62
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 62

Gly Tyr Thr Asp Lys Gln Arg Arg Asp Phe
1 5 10

<210> 63
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 63

Phe Tyr Phe Ala Leu Phe Ser Cys Leu Phe
1 5 10

<210> 64
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence
<400> 64

Lys Phe Thr Leu Arg Asp Cys Asn Ser Leu
1 5 10

<210> 65
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence
<400> 65

Ser Tyr Gly Glu Arg Pro Tyr Trp Asp Met
1 5 10

<210> 66
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence
<400> 66

Ile Phe Tyr Phe Ala Leu Phe Ser Cys Leu
1 5 10

<210> 67
<211> 10
<212> PRT
<213> Artificial

<220>
<223> SYGIVMWEVM

<400> 67

Ser Tyr Gly Ile Val Met Trp Glu Val Met
1 5 10

<210> 68

<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 68

Glu Phe Gly Glu Val Cys Ser Gly Arg Leu
1 5 10

<210> 69
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 69

Lys Tyr Asn Pro Asn Pro Asp Gln Ser Val
1 5 10

<210> 70
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 70

Asn Phe Thr Ala Ala Gly Tyr Thr Thr Leu
1 5 10

<210> 71
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 71

Gln Phe Asp His Pro Asn Ile Ile His Leu
1 5 10

<210> 72
<211> 10
<212> PRT
<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 72

Ala Phe Leu Arg Lys Asn Asp Gly Arg Phe
1 5 10

<210> 73

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 73

Lys Gln Glu Ala Asp Glu Glu Lys His Leu
1 5 10

<210> 74

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 74

Arg Gly Ile Gly Ser Gly Met Lys Tyr Leu
1 5 10

<210> 75

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 75

Arg Val Tyr Ile Glu Ile Lys Phe Thr Leu
1 5 10

<210> 76

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 76

Ser Tyr Val Phe His Val Arg Ala Arg Thr

1 5 10

<210> 77
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 77

Glu Trp Leu Val Pro Ile Gly Asn Cys Leu
1 5 10

<210> 78
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 78

Arg Val Tyr Pro Ala Asn Glu Val Thr Leu
1 5 10

<210> 79
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 79

Glu Tyr Met Glu Asn Gly Ser Leu Asp Ala
1 5 10

<210> 80
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 80

Thr Tyr Pro Pro Phe Val Asn Phe Phe
1 5

<210> 81
<211> 9

<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 81

Leu Tyr Cys Thr Ser Met Met Asn Leu
1 5

<210> 82
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide seque

<400> 82

Leu Tyr Val Val Lys Gln Glu Trp Phe
1 5

<210> 83
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 83

Asn Tyr Val Asn Ile Leu Ala Thr Ile
1 5

<210> 84
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 84

Ile Tyr Thr Ala Asp Pro Glu Ser Phe
1 5

<210> 85
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 85

Leu Tyr Lys Ala Asp Cys Arg Val Ile
1 5

<210> 86

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 86

Ser Phe Gln Met Thr Ser Asp Glu Leu
1 5

<210> 87

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 87

Ile Phe Leu Lys Tyr Ser Lys Asp Leu
1 5

<210> 88

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 88

Phe Phe Glu Arg Arg Ser His Thr Leu
1 5

<210> 89

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 89

Asp Phe Asn Ser Lys Val Thr His Leu
1 5

<210> 90
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 90

Lys Gln Glu Glu Leu Ile Lys Ala Leu
1 5

<210> 91
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 91

Arg Gly Glu Gln Val Thr Leu Phe Leu
1 5

<210> 92
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 92

Arg Leu Pro Ser Val Ala Leu Leu Leu
1 5

<210> 93
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 93

Lys Pro Glu Cys Gly Arg Gln Ser Leu
1 5

<210> 94
<211> 9
<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 94

Ile Phe Gly Ser Ile Pro Asp Ile Phe
1 5

<210> 95

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 95

Arg Val Ile Gly Pro Pro Val Val Leu
1 5

<210> 96

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 96

Lys Tyr Ser Lys Asp Leu Val Lys Thr
1 5

<210> 97

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 97

Asp Phe Tyr Ala Ala Val Asp Asp Phe
1 5

<210> 98

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 98

Leu Tyr Glu Lys Ala Asn Thr Pro Glu Leu
1 5 10

<210> 99

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 99

Asn Tyr Val Asn Ile Leu Ala Thr Ile Ile
1 5 10

<210> 100

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 100

Ser Tyr Val Glu Glu Glu Met Pro Gln Ile
1 5 10

<210> 101

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 101

Asp Phe Gln Asp Ser Val Phe Asn Asp Leu
1 5 10

<210> 102

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 102

Ser Phe Phe Glu Arg Arg Ser His Thr Leu
1 5 10

<210> 103
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 103

Ser Phe Ser Lys Thr Pro Lys Arg Ala Leu
 1 5 10

<210> 104
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 104

Lys Tyr Leu Pro Leu Gly Asp Glu Arg Cys
 1 5 10

<210> 105
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 105

Glu Phe Glu Gly Leu Asp Ser Pro Glu Phe
 1 5 10

<210> 106
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 106

Lys Val Pro Pro Phe Gln Asp Cys Ile Leu
 1 5 10

<210> 107
 <211> 10
 <212> PRT
 <213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 107

Arg Pro Pro Thr Glu Gln Ala Asn Val Leu
1 5 10

<210> 108
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 108

Lys Tyr Ser Lys Asp Leu Val Lys Thr Tyr
1 5 10

<210> 109
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 109

Val Val Glu Glu Asn Ile Val Lys Asp Leu
1 5 10

<210> 110
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 110

Ile Phe Val Arg Val Met Glu Ser Leu
1 5

<210> 111
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 111

Arg Val Met Glu Ser Leu Glu Gly Leu
1 5

<210> 112
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 112

Leu Tyr Leu Leu Gly Val Val Leu Thr Leu
1 5 10

<210> 113
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 113

Arg Val Met Glu Ser Leu Glu Gly Leu Leu
1 5 10

<210> 114
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 114

Tyr Leu Leu Gly Val Val Leu Thr Leu
1 5

<210> 115
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 115

Val Leu Thr Leu Leu Ser Ile Phe Val
1 5

<210> 116
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 116

Thr Leu Leu Ser Ile Phe Val Arg Val
1 5

<210> 117
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 117

Val Leu Asn Leu Tyr Leu Leu Gly Val
1 5

<210> 118
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 118

Leu Leu Gly Val Val Leu Thr Leu Leu
1 5

<210> 119
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 119

Arg Val Met Glu Ser Leu Glu Gly Leu
1 5

<210> 120
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 120

Asn Leu Tyr Leu Leu Gly Val Val Leu
1 5

<210> 121
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 121

Tyr Leu Leu Gly Val Val Leu Thr Leu Leu
1 5 10

<210> 122
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 122

Val Val Leu Thr Leu Leu Ser Ile Phe Val
1 5 10

<210> 123
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 123

Gly Leu Leu Glu Ser Pro Ser Pro Gly Thr
1 5 10

<210> 124
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 124

Asn Leu Tyr Leu Leu Gly Val Val Leu Thr
1 5 10

<210> 125
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 125

Val Leu Asn Leu Tyr Leu Leu Gly Val Val
1 5 10

<210> 126
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 126

Thr Leu Leu Ser Ile Phe Val Arg Val Met
1 5 10

<210> 127
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 127

Ser Ile Phe Val Arg Val Met Glu Ser Leu
1 5 10

<210> 128
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 128

Leu Thr Leu Leu Ser Ile Phe Val Arg Val
1 5 10

<210> 129

<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 129

Leu Tyr Phe Asp Asp Glu Tyr Asn Ile
1 5

<210> 130
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 130

Leu Phe Glu Arg Gly Glu Arg Arg Leu
1 5

<210> 131
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 131

Arg Ala Leu Gly Ala Ala Cys Leu Leu
1 5

<210> 132
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 132

Glu Tyr Asn Ile Val Lys Arg Asp Val
1 5

<210> 133
<211> 10
<212> PRT
<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 133

Leu Tyr Leu Lys Leu Leu Pro Tyr Val Leu
1 5 10

<210> 134

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 134

Leu Phe Val Val Gln Ala Ser Leu Trp Leu
1 5 10

<210> 135

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 135

Arg Gln Gln Phe Phe Ile Asp Phe Arg Leu
1 5 10

<210> 136

<211> 10

<212> PRT

<213> Artificial

<220>

<223> DFLEAVKRHI

<400> 136

Asp Phe Leu Glu Ala Val Lys Arg His Ile
1 5 10

<210> 137

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 137

Arg Ala Leu Gly Ala Ala Cys Leu Leu Leu

1 5 10

<210> 138
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 138

Arg Pro Phe Val Val Val Gln Ala Arg Leu
1 5 10

<210> 139
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 139

Ala Tyr Leu Ala Gly Val Pro Gly Ser Ala
1 5 10

<210> 140
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 140

Ser Leu Trp Leu Tyr Leu Lys Leu Leu
1 5

<210> 141
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 141

Leu Leu Leu Leu Ala Ala Gly Trp Leu
1 5

<210> 142
<211> 9

<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 142

Asn Leu Phe Val Val Gln Ala Ser Leu
1 5

<210> 143
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 143

Asn Met Val Glu Lys Arg Val Asp Leu
1 5

<210> 144
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 144

Phe Val Val Gln Ala Ser Leu Trp Leu
1 5

<210> 145
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 145

Gln Gln Phe Phe Ile Asp Phe Arg Leu
1 5

<210> 146
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 146

Arg Leu Gly Asp Ser Arg His Arg Ile
1 5

<210> 147

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 147

Val Gln Ala Ser Leu Trp Leu Tyr Leu
1 5

<210> 148

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 148

Glu Leu Ala Val Val Pro Val Phe Val
1 5

<210> 149

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 149

Arg Leu Ile Gly Trp Asn Asp Trp Ile
1 5

<210> 150

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 150

Arg Val Ser Glu Ile Ile Ser Phe Ala
1 5

<210> 151
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 151

Gly Leu Ala Ser Ser Arg Val Arg Leu
1 5

<210> 152
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 152

Ala Leu Gly Ala Ala Cys Leu Leu Leu
1 5

<210> 153
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 153

Val Gln Cys Asp Ser Cys Gln Glu Leu
1 5

<210> 154
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 154

Trp Leu Tyr Leu Lys Leu Leu Pro Tyr Val
1 5 10

<210> 155
<211> 10
<212> PRT

<213> Artificial
<220>
<223> An artificially synthesized peptide sequence
<400> 155

Asn Leu Cys Cys Arg Gln Gln Phe Phe Ile
1 5 10

<210> 156
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence
<400> 156

Ala Leu Phe Glu Arg Gly Glu Arg Arg Leu
1 5 10

<210> 157
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence
<400> 157

Met Leu Tyr Phe Asp Asp Glu Tyr Asn Ile
1 5 10

<210> 158
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence
<400> 158

Cys Leu Leu Leu Leu Ala Ala Gly Trp Leu
1 5 10

<210> 159
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 159

Ala Leu Gly Ala Ala Cys Leu Leu Leu Leu
1 5 10

<210> 160

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 160

Val Val Gln Ala Ser Leu Trp Leu Tyr Leu
1 5 10

<210> 161

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 161

Arg Leu Ile Gly Trp Asn Asp Trp Ile Ile
1 5 10

<210> 162

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 162

Gln Glu Leu Ala Val Val Pro Val Phe Val
1 5 10

<210> 163

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 163

Phe Ile Ser Asn Glu Gly Asn Gln Asn Leu
1 5 10

<210> 164
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 164

Arg Gln Gln Phe Phe Ile Asp Phe Arg Leu
 1 5 10

<210> 165
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 165

Gly Leu Asn Pro Gly Thr Val Asn Ser Cys
 1 5 10

<210> 166
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 166

Arg Leu Gln Met Arg Gly Arg Pro Asn Ile
 1 5 10

<210> 167
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 167

Arg Val Asp Gly Asp Phe Leu Glu Ala Val
 1 5 10

<210> 168
 <211> 9
 <212> PRT
 <213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 168

Ile Tyr Asn Glu Leu Leu Tyr Asp Leu
1 5

<210> 169
<211> 9
<212> PRT
<213> Artificial

<220>
<223> MYEEKLNIL

<400> 169

Met Tyr Glu Glu Lys Leu Asn Ile Leu
1 5

<210> 170
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 170

Val Tyr Leu Arg Val Arg Pro Leu Leu
1 5

<210> 171
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 171

Lys Phe Ser Ala Ile Ala Ser Gln Leu
1 5

<210> 172
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 172

Ser Phe Phe Glu Ile Tyr Asn Glu Leu
1 5

<210> 173
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 173

Ile Phe Asn Ser Leu Gln Gly Gln Leu
1 5

<210> 174
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 174

Phe Phe Glu Ile Tyr Asn Glu Leu Leu
1 5

<210> 175
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 175

Met Phe Glu Ser Thr Ala Ala Asp Leu
1 5

<210> 176
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 176

Ser Phe Asp Ser Gly Ile Ala Gly Leu
1 5

<210> 177
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 177

Arg Phe Ser Ile Trp Ile Ser Phe Phe
1 5

<210> 178
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 178

Ile Phe Ser Ile Arg Ile Leu His Leu
1 5

<210> 179
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 179

Lys Ile Glu Glu Leu Glu Ala Leu Leu
1 5

<210> 180
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 180

Lys Leu Asn Ile Leu Lys Glu Ser Leu
1 5

<210> 181
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 181

Lys Leu Gln Gln Cys Lys Ala Glu Leu
1 5

<210> 182
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 182

Phe Thr Ile Asp Val Asp Lys Lys Leu
1 5

<210> 183
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 183

Gln Leu Gln Glu Val Lys Ala Lys Leu
1 5

<210> 184
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 184

Ile Tyr Asn Glu Leu Leu Tyr Asp Leu Leu
1 5 10

<210> 185
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 185

Arg Ser Leu Ala Leu Ile Phe Asn Ser Leu
1 5 10

<210> 186
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 186

Ser Phe Phe Glu Ile Tyr Asn Glu Leu Leu
1 5 10

<210> 187
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 187

Arg Leu Leu Arg Thr Glu Leu Gln Lys Leu
1 5 10

<210> 188
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 188

Lys Asn Ile Arg Leu Leu Arg Thr Glu Leu
1 5 10

<210> 189
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 189

Arg Gln Glu Glu Met Lys Lys Leu Ser Leu
1 5 10

<210> 190

<211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 190

Arg Val Arg Pro Leu Leu Pro Ser Glu Leu
 1 5 10

<210> 191
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 191

Arg Ile Leu Arg Ser Arg Arg Ser Pro Leu
 1 5 10

<210> 192
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 192

Arg Ile Glu Asn Val Glu Thr Leu Val Leu
 1 5 10

<210> 193
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 193

Lys Asn Gln Ser Phe Ala Ser Thr His Leu
 1 5 10

<210> 194
 <211> 10
 <212> PRT
 <213> Artificial

 <220>

<223> An artificially synthesized peptide sequence

<400> 194

Lys Val Tyr Leu Arg Val Arg Pro Leu Leu
1 5 10

<210> 195

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 195

Asp Ser Met Glu Lys Val Lys Val Tyr Leu
1 5 10

<210> 196

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 196

Lys Tyr Gln Ala Tyr Met Ser Asn Leu
1 5

<210> 197

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 197

Val Tyr Val Pro Leu Lys Glu Leu Leu
1 5

<210> 198

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 198

Glu Tyr His Lys Leu Ala Arg Lys Leu

1 5

<210> 199
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

<400> 199

Ser Tyr Glu Leu Pro Asp Thr Lys Phe
 1 5

<210> 200
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

<400> 200

Lys Tyr Glu Lys Lys Ala Thr Leu Ile
 1 5

<210> 201
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

<400> 201

Lys Tyr Ala Arg Gly Lys Glu Ala Ile
 1 5

<210> 202
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

<400> 202

Asp Phe Leu Lys Ile Phe Thr Phe Leu
 1 5

<210> 203
 <211> 9

<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 203

Gly Phe Leu Cys Pro Ser Tyr Glu Leu
1 5

<210> 204
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 204

Leu Phe Asn Val Asp Ala Phe Lys Leu
1 5

<210> 205
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 205

Ser Phe Asp Glu Met Asn Ala Glu Leu
1 5

<210> 206
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 206

Ile Phe Thr Phe Leu Tyr Gly Phe Leu
1 5

<210> 207
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 207

Lys Phe Glu Glu Glu Val Pro Arg Ile
1 5

<210> 208

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 208

Arg Ile Asn His Glu Arg Asn Glu Leu
1 5

<210> 209

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 209

Ser Phe Met Ser Gly Ala Asp Ser Phe
1 5

<210> 210

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 210

Ile Phe Lys Asp Leu Gly Tyr Pro Phe
1 5

<210> 211

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 211

Glu Tyr Gln Leu Val Val Gln Thr Thr
1 5

<210> 212
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 212

Lys Ala Leu Asn Lys Lys Met Gly Leu
1 5

<210> 213
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 213

Glu Val Pro Arg Ile Phe Lys Asp Leu
1 5

<210> 214
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 214

Lys Tyr Arg Ala Gln Val Tyr Val Pro Leu
1 5 10

<210> 215
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 215

Glu Tyr Glu Glu Cys Met Ser Glu Asp Leu
1 5 10

<210> 216
<211> 10
<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 216

Lys Tyr Ser Val Ala Asp Ile Glu Arg Ile
1 5 10

<210> 217

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 217

Asp Tyr Thr Ile Lys Cys Tyr Glu Ser Phe
1 5 10

<210> 218

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 218

Lys Phe Glu Glu Glu Val Pro Arg Ile Phe
1 5 10

<210> 219

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 219

Ala Phe Ile Gln Gln Cys Ile Arg Gln Leu
1 5 10

<210> 220

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 220

Arg Ser Gln Asp Val Asn Lys Gln Gly Leu
1 5 10

<210> 221

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 221

Arg Thr Leu Lys Glu Glu Val Gln Lys Leu
1 5 10

<210> 222

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 222

Arg Gly Lys Glu Ala Ile Glu Thr Gln Leu
1 5 10

<210> 223

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 223

Arg Ala Leu Asn Glu Gln Ile Ala Arg Leu
1 5 10

<210> 224

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 224

Glu Tyr Gln Leu Val Val Gln Thr Thr Thr
1 5 10

<210> 225
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 225

Glu Thr Glu Glu Ile Asn Lys Ala Leu
1 5 10

<210> 226
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 226

Leu Leu Glu Ser Thr Val Asn Gln Gly Leu
1 5 10

<210> 227
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 227

Tyr Met Ser Cys Phe Arg Thr Pro Val
1 5

<210> 228
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 228

Lys Gln Ile Tyr Ala Ile Lys Tyr Val
1 5

<210> 229
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 229

Asn Met Leu Glu Ala Val His Thr Ile
1 5

<210> 230
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 230

Leu Leu Asn Ser Pro Asp Cys Asp Val
1 5

<210> 231
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 231

Ile Leu Ala Thr Pro Leu Gln Asn Leu
1 5

<210> 232
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 232

Tyr Val Leu Gly Gln Leu Val Gly Leu
1 5

<210> 233
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 233

Ser Leu Gly Cys Ile Leu Tyr Tyr Met
1 5

<210> 234
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 234

Gln Met Gln Pro Asp Thr Thr Ser Val
1 5

<210> 235
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 235

Gly Thr Thr Glu Glu Met Lys Tyr Val
1 5

<210> 236
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 236

Leu Ile Val Asp Gly Met Leu Lys Leu
1 5

<210> 237
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 237

Ser Leu Leu Ala Lys Leu Glu Glu Thr
1 5

<210> 238
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 238

Leu Phe Glu Arg Gly Glu Arg Arg Leu
1 5

<210> 239
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 239

Leu Leu Ala His Pro Tyr Val Gln Ile
1 5

<210> 240
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 240

Lys Leu Ile Gly Arg Tyr Ser Gln Ala
1 5

<210> 241
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 241

Asn Leu Asn Leu Gln Lys Lys Gln Leu
1 5

<210> 242
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 242

Met Gln Pro Asp Thr Thr Ser Val Val
1 5

<210> 243
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 243

Lys Leu Gln Gln His Ser Asp Lys Ile
1 5

<210> 244
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 244

Phe Ala Phe Val His Ile Ser Phe Ala
1 5

<210> 245
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 245

Cys Glu Leu Arg Asn Leu Lys Ser Val
1 5

<210> 246
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 246

Ser Ile Leu Lys Ala Ala Lys Thr Leu
1 5

<210> 247
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 247

Leu Leu Leu Lys Leu Glu Lys Asn Ser Val
1 5 10

<210> 248
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 248

Asn Leu Leu Asn Ser Pro Asp Cys Asp Val
1 5 10

<210> 249
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 249

Phe Leu Ile Val Asp Gly Met Leu Lys Leu
1 5 10

<210> 250
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 250

Thr Thr Phe Glu Gln Pro Val Phe Ser Val
1 5 10

<210> 251

<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 251

Val Leu Asn Glu Lys Lys Gln Ile Tyr Ala
1 5 10

<210> 252
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 252

Gly Met Leu Lys Leu Ile Asp Phe Gly Ile
1 5 10

<210> 253
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 253

Leu Leu Ser Glu Glu Glu Lys Lys Asn Leu
1 5 10

<210> 254
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 254

Tyr Met Ser Cys Phe Arg Thr Pro Val Val
1 5 10

<210> 255
<211> 10
<212> PRT
<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 255

Met Met Ala Asn Asn Pro Glu Asp Trp Leu
1 5 10

<210> 256

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 256

Met Val Met Glu Cys Gly Asn Ile Asp Leu
1 5 10

<210> 257

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 257

Tyr Met Pro Pro Glu Ala Ile Lys Asp Met
1 5 10

<210> 258

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 258

Lys Leu Ile Gly Arg Tyr Ser Gln Ala Ile
1 5 10

<210> 259

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 259

Asn Gln Met Gln Pro Asp Thr Thr Ser Val

1 5 10

<210> 260
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 260

Gln Ile Leu Ala Thr Pro Leu Gln Asn Leu
1 5 10

<210> 261
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 261

Leu Ile Val Asp Gly Met Leu Lys Leu Ile
1 5 10

<210> 262
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 262

Asn Leu Asn Leu Gln Lys Lys Gln Leu Leu
1 5 10

<210> 263
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 263

Gln Met Gln Pro Asp Thr Thr Ser Val Val
1 5 10

<210> 264
<211> 10

<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 264

Lys Gly Thr Thr Glu Glu Met Lys Tyr Val
1 5 10

<210> 265
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequenc

<400> 265

Leu Thr Ile Asp Ser Ile Met Asn Lys Val
1 5 10

<210> 266
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 266

Lys Leu Gln Gln His Ser Asp Lys Ile Ile
1 5 10

<210> 267
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 267

Lys Ile Phe Pro Arg Phe Phe Met Val
1 5

<210> 268
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 268

Gly Leu Trp Leu Ala Ile Leu Leu Leu
1 5

<210> 269

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 269

Leu Leu Val Val Ala Leu Pro Arg Val
1 5

<210> 270

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 270

Ala Leu Leu Ala Leu Leu Leu Val Val
1 5

<210> 271

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 271

Trp Leu Ala Ile Leu Leu Leu Leu Ala
1 5

<210> 272

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 272

Leu Leu Ala Ser Ile Ala Ala Gly Leu
1 5

<210> 273
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 273

Leu Leu Leu Leu Ala Ser Ile Ala Ala
1 5

<210> 274
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 274

Phe Met Val Ala Lys Gln Cys Ser Ala
1 5

<210> 275
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 275

Thr Met Ala Leu Leu Ala Leu Leu Leu
1 5

<210> 276
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 276

Met Ala Leu Leu Ala Leu Leu Leu Val
1 5

<210> 277
<211> 9
<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 277

Ala Ile Leu Leu Leu Leu Ala Ser Ile

1 5

<210> 278

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 278

Ala Leu Pro Arg Val Trp Thr Asp Ala

1 5

<210> 279

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 279

Ser Met Gly Glu Ser Cys Gly Gly Leu

1 5

<210> 280

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 280

Leu Leu Ala Leu Leu Leu Val Val Ala

1 5

<210> 281

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 281

Val Val Ala Leu Pro Arg Val Trp Thr
1 5

<210> 282

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 282

Arg Val Trp Thr Asp Ala Asn Leu Thr
1 5

<210> 283

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 283

Phe Leu Leu Glu Glu Pro Met Pro Phe
1 5

<210> 284

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 284

Leu Ala Leu Leu Leu Val Val Ala Leu
1 5

<210> 285

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 285

Gly Thr Met Ala Leu Leu Ala Leu Leu
1 5

<210> 286
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 286

Leu Leu Leu Val Val Ala Leu Pro Arg Val
 1 5 10

<210> 287
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 287

Gly Leu Trp Leu Ala Ile Leu Leu Leu Leu
 1 5 10

<210> 288
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 288

Leu Leu Leu Ala Ser Ile Ala Ala Gly Leu
 1 5 10

<210> 289
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 289

Thr Met Ala Leu Leu Ala Leu Leu Leu Val
 1 5 10

<210> 290
 <211> 10
 <212> PRT
 <213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 290

Leu Leu Ala Leu Leu Leu Val Val Ala Leu
1 5 10

<210> 291
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 291

Phe Leu Leu Glu Glu Pro Met Pro Phe Phe
1 5 10

<210> 292
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 292

Ile Leu Leu Leu Leu Ala Ser Ile Ala Ala
1 5 10

<210> 293
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 293

Lys Ile Phe Pro Arg Phe Phe Met Val Ala
1 5 10

<210> 294
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 294

Ala Leu Leu Ala Leu Leu Leu Val Val Ala
1 5 10

<210> 295
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 295

Leu Val Val Ala Leu Pro Arg Val Trp Thr
1 5 10

<210> 296
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 296

Met Ala Leu Leu Ala Leu Leu Leu Val Val
1 5 10

<210> 297
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 297

Arg Leu Gln Arg Pro Arg Gln Ala Pro Ala
1 5 10

<210> 298
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 298

Cys Gln Asn Pro Arg Arg Cys Lys Trp Thr
1 5 10

<210> 299
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 299

Arg Val Trp Thr Asp Ala Asn Leu Thr Ala
1 5 10

<210> 300
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 300

Trp Ala Pro Leu Gly Thr Met Ala Leu Leu
1 5 10

<210> 301
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 301

Thr Glu Pro Tyr Cys Val Ile Ala Ala Val
1 5 10

<210> 302
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 302

Leu Glu Glu Pro Met Pro Phe Phe Tyr Leu
1 5 10

<210> 303
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 303

Leu Glu Gly Pro Pro Ile Asn Ser Ser Val
1 5 10

<210> 304
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 304

Tyr Leu Lys Cys Cys Lys Ile Arg Tyr Cys
1 5 10

<210> 305
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 305

Val Lys Ile Phe Pro Arg Phe Phe Met Val
1 5 10

<210> 306
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 306

Lys Ile Phe Pro Ser Lys Arg Ile Leu
1 5

<210> 307
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 307

Arg Gly Ser Val Leu Glu Gly Val Leu
1 5

<210> 308
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 308

Phe Leu Leu Leu Val Leu Leu Leu Leu
1 5

<210> 309
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 309

Ile Gly Asn Phe Ile Ile Glu Asn Leu
1 5

<210> 310
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 310

Thr Ala Val Ala Val Val Glu Ile Leu
1 5

<210> 311
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 311

Asn Gln Ser Pro Val Arg Gln Val Leu
1 5

<210> 312

<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 312

Lys Gln Asp Thr Tyr Asp Val His Leu
1 5

<210> 313
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 313

Asp Tyr Glu Gly Ser Gly Ser Asp Ala
1 5

<210> 314
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 314

Gly Trp Leu Leu Leu Asn Lys Pro Leu
1 5

<210> 315
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 315

Ile Leu Pro Val Leu Gly Ala Val Leu
1 5

<210> 316
<211> 9
<212> PRT
<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 316

Thr Ala Pro Pro Tyr Asp Thr Leu Leu
1 5

<210> 317

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 317

Val Val Leu Ser Leu Lys Lys Phe Leu
1 5

<210> 318

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 318

Ala Leu Leu Phe Leu Leu Leu Val Leu
1 5

<210> 319

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 319

Val Thr Asn Glu Ala Pro Phe Val Leu
1 5

<210> 320

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 320

Ala Val Leu Ala Leu Leu Phe Leu Leu

1 5

<210> 321
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

<400> 321

Asp Thr Tyr Asp Val His Leu Ser Leu
 1 5

<210> 322
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

<400> 322

Gly Pro Leu Ala Ser Leu Leu Leu Leu
 1 5

<210> 323
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

<400> 323

Val Leu Asn Ile Thr Asp Lys Asp Leu
 1 5

<210> 324
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

<400> 324

Ala Val Glu Lys Glu Thr Gly Trp Leu
 1 5

<210> 325
 <211> 9

<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 325

Asn Asn Ile Tyr Glu Val Met Val Leu
1 5

<210> 326
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 326

Leu Leu Leu Leu Gln Val Cys Trp Leu
1 5

<210> 327
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 327

Gly Cys Pro Gly Gln Glu Pro Ala Leu
1 5

<210> 328
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 328

Glu Tyr Thr Leu Thr Ile Gln Ala Thr
1 5

<210> 329
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 329

Glu Thr Val Gln Glu Arg Arg Ser Leu
1 5

<210> 330

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 330

Ser Tyr Arg Ile Leu Arg Asp Pro Ala
1 5

<210> 331

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 331

Gly Gln Val Thr Ala Val Gly Thr Leu
1 5

<210> 332

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 332

Gly Ala Val Leu Ala Leu Leu Phe Leu
1 5

<210> 333

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 333

Gly Ile Leu Thr Thr Arg Lys Gly Leu
1 5

<210> 334
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 334

His Pro Glu Ser Asn Gln Gly Ile Leu
1 5

<210> 335
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 335

Val Leu Ala Leu Leu Phe Leu Leu Leu
1 5

<210> 336
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 336

Glu Gly Asp Thr Val Val Leu Ser Leu
1 5

<210> 337
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 337

Thr Ile Ser Val Ile Ser Ser Gly Leu
1 5

<210> 338
<211> 9
<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 338

Val Leu Gly Ala Val Leu Ala Leu Leu
1 5

<210> 339

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 339

Glu Trp Gly Ser Arg Phe Lys Lys Leu
1 5

<210> 340

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 340

Lys Val Val Glu Val Gln Glu Gly Ile
1 5

<210> 341

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 341

Thr Tyr Asp Val His Leu Ser Leu Ser
1 5

<210> 342

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 342

Phe Tyr Ser Ile Thr Gly Pro Gly Ala
1 5

<210> 343

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 343

Ile Tyr Thr Tyr Asn Gly Val Val Ala
1 5

<210> 344

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 344

Phe Ile Leu Pro Val Leu Gly Ala Val Leu
1 5 10

<210> 345

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 345

Ala Val Leu Ala Leu Leu Phe Leu Leu Leu
1 5 10

<210> 346

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 346

Gly Thr Ile Ser Val Ile Ser Ser Gly Leu
1 5 10

<210> 347
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 347

Asp Tyr Glu Gly Ser Gly Ser Asp Ala Ala
 1 5 10

<210> 348
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 348

Thr Val Val Leu Ser Leu Lys Lys Phe Leu
 1 5 10

<210> 349
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 349

Phe Ala Val Glu Lys Glu Thr Gly Trp Leu
 1 5 10

<210> 350
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 350

Ala Leu Leu Phe Leu Leu Leu Val Leu Leu
 1 5 10

<210> 351
 <211> 10
 <212> PRT
 <213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 351

Ser Gln Glu Pro Lys Asp Pro His Asp Leu
1 5 10

<210> 352
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 352

Leu Ala Leu Leu Phe Leu Leu Leu Val Leu
1 5 10

<210> 353
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 353

Gly Ala Glu Gln Glu Pro Gly Gln Ala Leu
1 5 10

<210> 354
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 354

Gly Ala Val Leu Ala Leu Leu Phe Leu Leu
1 5 10

<210> 355
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 355

Val Asn Glu Glu Gly Asp Thr Val Val Leu
1 5 10

<210> 356
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 356

Asn Ala Val Gly His Glu Val Gln Arg Leu
1 5 10

<210> 357
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 357

Thr Asn Glu Ala Pro Phe Val Leu Lys Leu
1 5 10

<210> 358
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 358

Glu Asn Gln Lys Ile Ser Tyr Arg Ile Leu
1 5 10

<210> 359
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 359

Ser Leu Leu Leu Leu Gln Val Cys Trp Leu
1 5 10

<210> 360
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 360

Gly Leu Glu Ala Arg Pro Glu Val Val Leu
 1 5 10

<210> 361
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 361

Glu Val Gln Arg Leu Thr Val Thr Asp Leu
 1 5 10

<210> 362
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 362

Gly Leu Pro Arg Gly Pro Leu Ala Ser Leu
 1 5 10

<210> 363
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 363

Leu Pro Val Leu Gly Ala Val Leu Ala Leu
 1 5 10

<210> 364
 <211> 10
 <212> PRT
 <213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 364

Gln Val Leu Asn Ile Thr Asp Lys Asp Leu
1 5 10

<210> 365
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 365

Ala Val Glu Lys Glu Thr Gly Trp Leu Leu
1 5 10

<210> 366
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 366

Ser Gly Gln Val Thr Ala Val Gly Thr Leu
1 5 10

<210> 367
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 367

Gln Gly Ile Leu Thr Thr Arg Lys Gly Leu
1 5 10

<210> 368
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 368

Ser Pro Pro Thr Thr Gly Thr Gly Thr Leu
1 5 10

<210> 369
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 369

Asn Ser Pro Ala Trp Arg Ala Thr Tyr Leu
1 5 10

<210> 370
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 370

Gly Pro Phe Pro Gln Arg Leu Asn Gln Leu
1 5 10

<210> 371
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 371

Glu Ile Gly Asn Phe Ile Ile Glu Asn Leu
1 5 10

<210> 372
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 372

Thr Thr Ala Val Ala Val Val Glu Ile Leu
1 5 10

<210> 373

<211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 373

Ile Tyr Thr Tyr Asn Gly Val Val Ala Tyr
 1 5 10

<210> 374
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 374

Asp Tyr Asp Tyr Leu Asn Glu Trp Gly Ser
 1 5 10

<210> 375
 <211> 9
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 375

Ala Leu Phe Ser Cys Leu Phe Gly Ile
 1 5

<210> 376
 <211> 9
 <212> PRT
 <213> Artificial

 <220>
 <223> An artificially synthesized peptide sequence

 <400> 376

Gly Leu Asn Pro Leu Thr Ser Tyr Val
 1 5

<210> 377
 <211> 9
 <212> PRT
 <213> Artificial

 <220>

<223> An artificially synthesized peptide sequence

<400> 377

Cys Leu Phe Gly Ile Cys Asp Ala Val
1 5

<210> 378

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 378

Gln Met His Gly Arg Met Val Pro Val
1 5

<210> 379

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 379

Lys Leu Asn Thr Glu Ile Arg Asp Val
1 5

<210> 380

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 380

Trp Leu Val Pro Ile Gly Asn Cys Leu
1 5

<210> 381

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 381

Lys Leu Ile Arg Asn Pro Asn Ser Leu

1 5

<210> 382
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

<400> 382

Val Val Ile Leu Ile Ala Ala Phe Val
 1 5

<210> 383
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

<400> 383

Val Met Trp Glu Val Met Ser Tyr Gly
 1 5

<210> 384
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

<400> 384

Gly Ile Gly Ser Gly Met Lys Tyr Leu
 1 5

<210> 385
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> An artificially synthesized peptide sequence

<400> 385

Asn Ile Leu Val Asn Ser Asn Leu Val
 1 5

<210> 386
 <211> 9

<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 386

Thr Thr Leu Glu Ala Val Val His Val
1 5

<210> 387
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 387

Tyr Leu Leu Gly Val Val Leu Thr Leu
1 5

<210> 388
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 388

Leu Tyr Leu Leu Gly Val Val Leu Thr
1 5

<210> 389
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 389

Val Met Glu Ser Leu Glu Gly Leu Leu
1 5

<210> 390
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 390

Leu Leu Gly Val Val Leu Thr Leu Leu
1 5

<210> 391

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 391

Tyr Leu Leu Gly Val Val Leu Thr Leu Leu
1 5 10

<210> 392

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 392

Leu Asn Leu Tyr Leu Leu Gly Val Val Leu
1 5 10

<210> 393

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 393

Leu Ala Asn Thr Glu Pro Thr Lys Gly Leu
1 5 10

<210> 394

<211> 10

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 394

Ser Ile Phe Val Arg Val Met Glu Ser Leu
1 5 10

<210> 395
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 395

Leu Tyr Leu Lys Leu Leu Pro Tyr Val
1 5

<210> 396
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 396

Ile Ser Asn Glu Gly Asn Gln Asn Leu
1 5

<210> 397
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 397

Arg Ser Gly Trp His Thr Phe Pro Leu
1 5

<210> 398
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 398

Ala Ser Leu Trp Leu Tyr Leu Lys Leu
1 5

<210> 399
<211> 9
<212> PRT

<213> Artificial
<220>
<223> An artificially synthesized peptide sequence
<400> 399

Ala Tyr Leu Ala Gly Val Pro Gly Ser
1 5

<210> 400
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence
<400> 400

Asn Met Val Glu Lys Arg Val Asp Leu
1 5

<210> 401
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence
<400> 401

Ala Met Val Thr Ala Leu Arg Lys Leu
1 5

<210> 402
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence
<400> 402

Val Gln Cys Asp Ser Cys Gln Glu Leu
1 5

<210> 403
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 403

Asn Ser Cys Cys Ile Pro Thr Lys Leu
1 5

<210> 404

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 404

Asn Tyr Cys Glu Gly Ser Cys Pro Ala
1 5

<210> 405

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 405

Phe Val Val Gln Ala Ser Leu Trp Leu
1 5

<210> 406

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 406

Val Asn Gln Tyr Arg Met Arg Gly Leu
1 5

<210> 407

<211> 9

<212> PRT

<213> Artificial

<220>

<223> An artificially synthesized peptide sequence

<400> 407

Gln Phe Phe Ile Asp Phe Arg Leu Ile
1 5

<210> 408
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 408

Leu Leu Leu Leu Ala Ala Gly Trp Leu
1 5

<210> 409
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 409

Gln Gln Phe Phe Ile Asp Phe Arg Leu
1 5

<210> 410
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 410

Asn Leu Phe Val Val Gln Ala Ser Leu
1 5

<210> 411
<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 411

Tyr Tyr Gly Asn Tyr Cys Glu Gly Ser
1 5

<210> 412
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 412

Gln Asn Leu Phe Val Val Gln Ala Ser Leu
1 5 10

<210> 413
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 413

Asp Val Gln Cys Asp Ser Cys Gln Glu Leu
1 5 10

<210> 414
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 414

Val Val Gln Ala Ser Leu Trp Leu Tyr Leu
1 5 10

<210> 415
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 415

Leu Tyr Phe Asp Asp Glu Tyr Asn Ile Val
1 5 10

<210> 416
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 416

Phe Pro Leu Thr Glu Ala Ile Gln Ala Leu
1 5 10

<210> 417
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 417

Arg Thr Asn Leu Cys Cys Arg Gln Gln Phe
1 5 10

<210> 418
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 418

Ala Ala Met Val Thr Ala Leu Arg Lys Leu
1 5 10

<210> 419
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 419

Val Asn Ser Cys Cys Ile Pro Thr Lys Leu
1 5 10

<210> 420
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 420

Cys Leu Leu Leu Ala Ala Gly Trp Leu
1 5 10

<210> 421
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 421

Val Val Asn Gln Tyr Arg Met Arg Gly Leu
1 5 10

<210> 422
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 422

Asp Gly Leu Ala Ser Ser Arg Val Arg Leu
1 5 10

<210> 423
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 423

Gly Leu Glu Cys Asp Gly Arg Thr Asn Leu
1 5 10

<210> 424
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 424

Asn Tyr Cys Glu Gly Ser Cys Pro Ala Tyr
1 5 10

<210> 425
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 425

Ala Ser Leu Trp Leu Tyr Leu Lys Leu Leu
1 5 10

<210> 426
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 426

Trp Asn Met Val Glu Lys Arg Val Asp Leu
1 5 10

<210> 427
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 427

Phe Leu Glu Ala Val Lys Arg His Ile Leu
1 5 10

<210> 428
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 428

Tyr Cys Glu Gly Ser Cys Pro Ala Tyr Leu
1 5 10

<210> 429
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 429

Ala Val Lys Arg His Ile Leu Ser Arg Leu
1 5 10

<210> 430
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 430

Gln Ala Ser Leu Trp Leu Tyr Leu Lys Leu
1 5 10

<210> 431
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 431

Gly Tyr Tyr Gly Asn Tyr Cys Glu Gly Ser
1 5 10

<210> 432
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 432

Leu Tyr Phe Phe Ile Ser Asn Glu Gly Asn
1 5 10

<210> 433
<211> 10
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 433

Tyr Tyr Gly Asn Tyr Cys Glu Gly Ser Cys
1 5 10

<210> 434

<211> 9
<212> PRT
<213> Artificial

<220>
<223> An artificially synthesized peptide sequence

<400> 434
-
Ile Leu Leu Leu Leu Ala Ser Ile Ala
1 5