




Fig. 1


Temperature (°C)	Formulation				
	80 mg S60				
	-	10 mg S80	20 mg S80	30 mg S80	40 mg S80
25					
30					
35					
40					

Fig. 2

3/19

Fig. 3A




Fig. 3B





Fig. 3C




Fig. 3D




Fig. 3E

4/19

Fig. 4A





Fig. 4B




Fig. 5

Fig. 6B




Fig. 6A




Fig. 6D





Fig. 6C






Fig. 7E




Fig. 7D

Fig. 8A




Fig. 8B





Fig. 8C




Fig. 8D

9/19

Fig. 9A(I)




Fig. 9A(II)




Fig. 9A(III)







Fig. 9B



11/19

Fig. 10A






Fig. 10B






Fig. 12B





Fig. 12A









Formula	Ingredient	Mass (mg)	Upright	Invert
A	Span® 60	80		
B	Span® 60 Span® 80	80 40		
C	Span® 60 Span® 80 Tween® 20	80 40 11		

Fig. 13






Formula	Ingredient	Mass (mg)	Upright	Invert
S1	Span® 80	80		
S2	Span® 80 Tween® 20	80 11		
S3	Span® 60 Tween® 20	80 11		

Fig. 14









Temperature (°C)	Formulation		
	80 mg Span® 60		
	-	40 mg Span® 80	40 mg Tween® 20
25			
30			
35			
40			

Fig. 15




Fig. 16




Fig. 17A




Fig. 17B