1. A composition for cosmetics and therapeutic treatment wherein it comprises different concentration of Lactobacillus Ferment Lysate, Lactobacillus Ferment, and Smithsonite Extract.
2. The composition as in claim 1, wherein Lactobacillus Ferment Lysate enriched in postbiotics is 10-90%.
3. The composition as in claim 1, wherein Lactobacillus Ferment enriched in exosomes is 10-90%.
4. The composition as in claim 1, wherein Smithsonite Extract enriched in trace elements and zinc is 10-90%.
5. The composition as in claim 1, wherein the composition is in a form of selected the groups consisting of: a cream, a gel, a lotion, a serum, a powder, a spray, a mousse, an essence, an ointment, and a stick.
6. The composition as in claim 1, wherein it can be used for prevention and treatment of inflammatory skin disorders such as atopic dermatitis (eczema), hives, or psoriasis.
7. The composition as in claim 1, wherein it can be used in cosmetics.
8. The mechanism of action, wherein the composition exhibits anti-inflammatory property by inhibiting the inflammatory response genes.
9. The mechanism of action as in claim 8, wherein the composition suppresses Lipopolysaccharides (LPS)-induced inflammatory Tumor Necrosis Factor-alpha (TNF-a) expression as in Figure 1.
10. The mechanism of action as in claim 8, wherein the composition suppresses Lipopolysaccharides (LPS)-induced inflammatory Interleukin-6 (IL-6) expression as in Figure 2.
11. The mechanism of action as in claim 8, wherein the composition suppresses Lipopolysaccharides (LPS)-induced inflammatory Interleukin-1 Beta (IL-1B) expression as in Figure 3.
12. The mechanism of action, wherein the composition promotes cell viability and proliferation as in Figure 4.
13. The mechanism of action, wherein the composition has an antioxidant property as in Figure 5.
14. The composition provides moisturization.
15. The mechanism of action as in claim 14, wherein the composition prevents water loss and maintains water retention for hours as in Figure 6.
16. The mechanism of action as in claim 14, wherein the composition prevents hyaluronic acid breakdown by inhibiting the activity of hyaluronidase as Figure 7.
17. A method for improving the condition of the skin, wherein the method comprising externally applying the composition on the affected area of the skin.
18. The method of claim 17, wherein the composition is applied once a day.
19. The method of claim 17, wherein the composition is applied twice a day.