

FIG. 1B





FIG. 2A

T(kK183+290)-vc0101

**FIG. 2B**

T(K334C+K392C)-vc0101





FIG. 2C

T(LCQ05+K222R)-AcLysvc0101

**FIG. 2D**

T-vc0101




FIG. 2E

T-DM1




FIG. 3A




FIG. 3B




FIG. 4

B T 474 (NK 92)
E:T ratio=10:1




FIG. 5

ADC	Cell Line (with HER2 expression level)									
	3+	3+	3+	3+	2+	2+	2+	1+	-	-
	N87	BT474	HCC 1954	SKBR3	MDA-MB-361-DYT2	JIMT1	MDA-MB-453	MDA-MB-175-VII	MDA-MB-468	HT29
T-DM1	1.66 +/- 1.53 (37)	4.82 +/- 3.74 (26)	0.4 +/- 0.28 (11)	0.16 +/- 0.06 (8)	0.99 +/- 1.33 (37)	29 +/- 12 (16)	1.02 +/- 0.47 (6)	87 +/- 67 (10)	80 +/- 36 (25)	152 +/- 70 (17)
T-vc0101	0.44 +/- 0.15 (79)	0.31 +/- 0.12 (47)	0.27 +/- 0.08 (28)	0.13 +/- 0.04 (4)	0.28 +/- 0.09 (75)	8 +/- 9 (40)	0.66 +/- 0.13 (7)	19 +/- 8 (10)	460 +/- 141 (47)	325 +/- 160 (37)
T(LCQ05+K222R)- AcLysvc0101	0.67 +/- 0.29 (14)	0.25 +/- 0.07 (8)	0.24 +/- 0.1 (2)	0.13 +/- 0.01 (2)	0.97 +/- 1.3 (17)	72 +/- 79 (7)	3.1 +/- 3 (5)	75 +/- 23 (5)	434 +/- 226 (8)	318 +/- 159 (14)
T(N297Q+K222R)- AcLysvc0101	0.49 +/- 0.08 (8)	0.21 +/- 0.06 (4)	0.23 +/- 0.04 (3)	0.13 +/- 0.02 (2)	0.29 +/- 0.08 (6)	19 +/- 14 (3)	0.38 +/- 0.04 (4)	4.9 +/- 1.7 (3)	526 +/- 157 (4)	637 +/- 240 (3)
T(N297A+K222R+ LCQ05)- AcLysvc0101	0.51 +/- 0.03 (2)	0.29 +/- 0.08 (3)	0.24 +/- 0.07 (2)	0.15 +/- 0 (2)	0.31 +/- 0.09 (2)	61 +/- 76 (2)	0.42 +/- 0.03 (3)	7.8 +/- 0.2 (2)	493 +/- 94 (3)	827 (1)
T(N297Q)- AcLysvc0101	0.46 +/- 0.07 (4)	0.27 +/- 0.11 (6)	0.25 +/- 0.07 (3)	0.14 +/- 0 (2)	0.23 +/- 0.09 (5)	21 +/- 37 (6)	0.39 +/- 0.04 (4)	9.1 +/- 7.3 (5)	542 +/- 93 (5)	716 +/- 137 (5)
T(KK183C+K290C)- vc0101	0.43 +/- 0.01 (2)	0.37 +/- 0.11 (3)	0.21 +/- 0.03 (2)	0.14 +/- 0.01 (2)	0.33 +/- 0.09 (2)	16 +/- 9 (2)	0.54 +/- 0.1 (3)	9.6 +/- 2.8 (2)	385 +/- 22 (3)	382 +/- 24 (2)
T(KK183C+K334C)- vc0101	0.71 +/- 0.29 (3)	0.29 +/- 0.19 (2)	0.22 (1)	0.15 +/- 0.01 (2)	0.45 +/- 0.21 (3)	18 (1)	0.44 +/- 0.03 (2)	16 (1)	455 +/- 39 (2)	564 +/- 357 (2)

continued

FIG. 5 continued

T(K183C+K392C)- vc0101	0.57 +/- 0.14 (2)	0.27 +/- 0.09 (2)	0.22 +/- 0.01 (2)	0.15 +/- 0.01 (2)	0.35 +/- 0.03 (2)	8.1 +/- 3.9 (2)	0.41 +/- 0.04 (2)	9.5 +/- 3.4 (2)	483 +/- 168 (2)	528 +/- 245 (2)
T(K183C+L443C)- vc0101	0.42 +/- 0.22 (4)	0.28 +/- 0.05 (4)	0.37 +/- 0.07 (4)	(0)	0.33 +/- 0.23 (8)	5.2 +/- 2.7 (8)	0.62 (1)	10.7 +/- 1.9 (2)	461 +/- 94 (7)	240 +/- 35 (3)
T(K290C+K334C)- vc0101	0.61 +/- 0.13 (6)	0.34 +/- 0.11 (3)	0.21 +/- 0.01 (2)	0.16 +/- 0.01 (2)	0.32 +/- 0.08 (6)	8.8 +/- 6.8 (2)	0.46 +/- 0.02 (3)	18 (1)	662 +/- 383 (3)	658 +/- 169 (3)
T(K290C+K392C)- vc0101	0.53 +/- 0.01 (2)	0.35 +/- 0.14 (3)	0.22 +/- 0.03 (2)	0.14 +/- 0.03 (2)	0.36 +/- 0.08 (2)	9.7 +/- 4.9 (2)	0.47 +/- 0.08 (3)	9.5 +/- 2.2 (2)	774 +/- 85 (3)	(0)
T(K334C+K392C)- vc0101	0.59 +/- 0.15 (5)	0.36 +/- 0.25 (2)	0.21 +/- 0.02 (2)	0.16 +/- 0.02 (2)	0.25 +/- 0.06 (5)	6.4 +/- 1.4 (2)	0.45 +/- 0.06 (2)	11 +/- 8 (2)	884 (1)	885 +/- 111 (3)
T(K183C)-vc0101	0.34 +/- 0.12 (4)	0.31 +/- 0.07 (3)	0.29 +/- 0.08 (2)	(0)	0.64 +/- 0.47 (4)	133 +/- 174 (3)	1.26 (1)	115 (1)	414 +/- 226 (3)	459 +/- 114 (3)
T(K290C)-vc0101	0.57 +/- 0.28 (5)	0.28 +/- 0.16 (2)	0.23 (1)	0.14 +/- 0.05 (2)	0.68 +/- 0.58 (6)	235 (1)	1.45 +/- 0.05 (2)	147 (1)	499 +/- 151 (2)	575 +/- 199 (4)
T(K334C)-vc0101	0.47 +/- 0.13 (5)	0.28 +/- 0.16 (2)	0.17 (1)	0.11 +/- 0.02 (2)	3.57 +/- 7.91 (6)	289 (1)	1.14 +/- 0.24 (2)	123 (1)	588 +/- 73 (2)	775 +/- 49 (2)
T(K392C)-vc0101	0.41 +/- 0.09 (5)	0.29 +/- 0.11 (3)	0.19 (1)	0.13 +/- 0.03 (2)	1 +/- 1.43 (5)	172 +/- 180 (2)	1.24 +/- 0.13 (2)	164 (1)	645 +/- 229 (3)	423 +/- 9 (2)
T(L443C)-vc0101	0.4 +/- 0.27 (5)	0.23 +/- 0.08 (3)	0.32 +/- 0.06 (3)	(0)	0.48 +/- 0.28 (5)	41 +/- 34 (3)	4.4 (1)	118 (1)	457 +/- 207 (4)	88 (1)

FIG. 6

ADC	Cell Line (with HER2 expression level)									
	3+	3+	3+	3+	3+	2+	2+	2+	1+	-
	N87	BT474	HCC 1954	SKBR 3	MDA-MB-361-DYT2	JMT1	MDA-MB-453	MDA-MB-175-VII	MDA-MB-468	HT29
T-DM1	62 +/- 54 (37)	190 +/- 143 (26)	16 +/- 12 (11)	6 +/- 2 (8)	40 +/- 59 (37)	1073 +/- 484 (16)	38 +/- 15 (6)	3626 +/- 2750 (10)	3140 +/- 1211 (25)	5488 +/- 2415 (17)
T-vc0101	17 +/- 6 (79)	12 +/- 4 (47)	10 +/- 3 (28)	5 +/- 2 (4)	10 +/- 4 (75)	294 +/- 308 (40)	24 +/- 5 (7)	718 +/- 295 (10)	17141 +/- 5658 (47)	11908 +/- 6136 (37)
T(LCQ05+K222R)- AcLysvc0101	50 +/- 21 (14)	19 +/- 6 (8)	18 +/- 7 (2)	10 +/- 1 (2)	73 +/- 97 (17)	5379 +/- 5938 (7)	233 +/- 225 (5)	5644 +/- 1743 (5)	32560 +/- 16978 (8)	23766 +/- 11898 (14)
T(N297Q+K222R)- AcLysvc0101	18 +/- 3 (8)	8 +/- 2 (4)	9 +/- 2 (3)	5 +/- 1 (2)	11 +/- 3 (6)	700 +/- 515 (3)	14 +/- 2 (4)	185 +/- 63 (3)	19737 +/- 5885 (4)	23886 +/- 8990 (3)
T(N297A+K222R +LCQ05)- AcLysvc0101	19 +/- 1 (2)	11 +/- 3 (3)	9 +/- 3 (2)	6 +/- 0 (2)	12 +/- 4 (2)	2280 +/- 2851 (2)	16 +/- 1 (3)	291 +/- 9 (2)	18489 +/- 3511 (3)	31002 (1)
T(N297Q)- AcLysvc0101	17 +/- 3 (4)	10 +/- 4 (6)	9 +/- 2 (3)	5 +/- 0 (2)	9 +/- 3 (5)	770 +/- 1362 (6)	15 +/- 1 (4)	333 +/- 262 (5)	20532 +/- 3846 (5)	26609 +/- 5265 (5)
T(KK183C+K290C)- vc0101	16 +/- 0 (2)	14 +/- 4 (3)	8 +/- 1 (2)	5 +/- 0 (2)	12 +/- 3 (2)	603 +/- 327 (2)	20 +/- 4 (3)	351 +/- 94 (2)	14134 +/- 1027 (3)	14305 +/- 912 (2)
T(KK183C+K334C)- vc0101	29 +/- 11 (3)	12 +/- 8 (2)	9 (1)	6 +/- 0 (2)	18 +/- 8 (3)	717 (1)	18 +/- 1 (2)	660 (1)	18375 +/- 1564 (2)	23284 +/- 15156 (2)
T(KK183C+K392C)- vc0101	20 +/- 5 (2)	9 +/- 3 (2)	8 +/- 0 (2)	5 +/- 0 (2)	12 +/- 1 (2)	280 +/- 133 (2)	14 +/- 1 (2)	328 +/- 118 (2)	16685 +/- 5787 (2)	18645 +/- 9043 (2)
T(KK183C+L443C)- vc0101	16 +/- 8 (4)	11 +/- 2 (4)	15 +/- 3 (4)	(0)	13 +/- 9 (8)	204 +/- 109 (8)	23 (1)	255 +/- 128 (2)	18005 +/- 3005 (7)	8900 +/- 1269 (3)

continued

FIG. 6 continued

T(K290C+K334C)- vc0101	22 +/- 5 (6)	13 +/- 4 (3)	8 +/- 1 (2)	6 +/- 0 (2)	12 +/- 3 (6)	317 +/- 246 (2)	17 +/- 1 (3)	640 (1)	24104 +/- 13727 (3)	23859 +/- 6116 (3)
T(K290C+K392C)- vc0101	20 +/- 0 (2)	13 +/- 5 (3)	8 +/- 1 (2)	5 +/- 1 (2)	13 +/- 3 (2)	354 +/- 178 (2)	17 +/- 3 (3)	345 +/- 78 (2)	28372 +/- 2664 (3)	(0)
T(K334C+K392C)- vc0101	22 +/- 5 (5)	13 +/- 9 (2)	8 +/- 1 (2)	6 +/- 1 (2)	9 +/- 2 (5)	231 +/- 51 (2)	16 +/- 2 (2)	417 +/- 274 (2)	32063 (1)	32519 +/- 4670 (3)
T(KK183C)-vc0101	26 +/- 8 (4)	23 +/- 5 (3)	22 +/- 7 (2)	(0)	49 +/- 37 (4)	9743 +/- 12536 (3)	91 (1)	8364 (1)	31205 +/- 16416 (3)	34516 +/- 7772 (3)
T(K290C)-vc0101	47 +/- 18 (5)	20 +/- 12 (2)	17 (1)	10 +/- 4 (2)	71 +/- 94 (6)	17052 (1)	105 +/- 4 (2)	10682 (1)	36261 +/- 10973 (2)	42511 +/- 15090 (4)
T(K334C)-vc0101	41 +/- 5 (5)	20 +/- 12 (2)	13 (1)	8 +/- 1 (2)	552 +/- 1290 (6)	21025 (1)	83 +/- 17 (2)	8956 (1)	42743 +/- 5313 (2)	57272 +/- 4844 (2)
T(K392C)-vc0101	36 +/- 9 (5)	21 +/- 9 (3)	14 (1)	10 +/- 2 (2)	129 +/- 226 (5)	12847 +/- 13493 (2)	93 +/- 9 (2)	12330 (1)	48108 +/- 16750 (3)	31531 +/- 931 (2)
T(L443C)-vc0101	30 +/- 20 (5)	17 +/- 6 (3)	24 +/- 5 (3)	(0)	36 +/- 21 (5)	3015 +/- 2485 (3)	326 (1)	8744 (1)	34157 +/- 15675 (4)	6520 (1)



FIG. 7A**T(kK183C+K290C)-vc0101****FIG. 7B****T(kK183C)-vc0101**



FIG. 7C**T(K290C)-vc0101****FIG. 7D****T(LCQ05+K222R)-AcLysvc0101**



FIG. 7E**T(K290C+K334C)-vc0101****FIG. 7F****T(K334C+K392C)-vc0101**



FIG. 7G**T(N297Q+K222R)-AcLysvc0101****FIG. 7H****T-vc0101**


FIG. 7I**T-DM1**



FIG. 8A**T(LCQ05+K222R)-AcLysvc0101****FIG. 8B****T(K 290 C + K 334 C)-vc0101**

FIG. 8C
T(K334C+K392C)-vc0101




FIG. 8D
T(N297Q+K222R)-AcLysvc0101




FIG. 8E






FIG. 9A**T(kK183C+K290C)-vc0101****FIG. 9B****T(LCQ05+K222R)-AcLysvc0101**

FIG. 9C

T(K290C+K334C)-vc0101




FIG. 9D

T(K334C+K392C)-vc0101




FIG. 9E




FIG. 9F

T-vc0101




FIG. 9G

T-DM1




FIG. 10A




FIG. 10B





FIG. 10C

T-vc0101

**FIG. 10D**

T-DM1






FIG. 11A**T(kK183C+K290C)-vc0101****FIG. 11B****T(LCQ05+K222R)-AcLysvc0101**

FIG. 11C

T(N297Q+K222R)-AcLysvc0101




FIG. 11D

T-vc0101




FIG. 11E

T-DM1







FIG. 12A**T(kK183C+K290C)-vc0101****FIG. 12B****T(N297Q+K222R)-AcLysvc0101**

FIG. 12C

T(K290C+K334C)-vc0101

**FIG. 12D**

T-DM1




FIG. 13A



FIG. 13B



FIG. 14

In vitro resistance profile of N87 parental vs. N87-TM resistant cell lines.													Relative Resistance		
ADC	Linker Type	N87				N87-TM-1			N87-TM-2				N87-TM-1	N87-TM-2	Avg IC50 (nM) Payload Fold Change compared to N87
		Avg $\pm$ SD IC50 (nM) Payload	Avg $\pm$ SD IC50 (ng/mL) Antibody	n	Avg $\pm$ SD IC50 (ng/mL) Antibody	Avg $\pm$ SD IC50 (nM) Payload	Avg $\pm$ SD IC50 (ng/mL) Antibody	n	Avg $\pm$ SD IC50 (nM) Payload	Avg $\pm$ SD IC50 (ng/mL) Antibody	n				
T-DM1	N	1.3 $\pm$ 0.6	51.9 $\pm$ 32.6	25	150 $\pm$ 58	5335 $\pm$ 1815	12	191 $\pm$ 109	6806 $\pm$ 3835	24	114	146			
T-mc8261	N	3.0 $\pm$ 1.8	107 $\pm$ 61	9	>1000 $\pm$ ND	>35247 $\pm$ ND	9	>1000 $\pm$ ND	>35247 $\pm$ ND	9	>330	>330			
T-m(H20)c8261	N	39.9 $\pm$ 75.9	1639 $\pm$ 3123	4	>1000 $\pm$ ND	>41127 $\pm$ ND	5	>1000 $\pm$ ND	20781 $\pm$ ND	4	>25.1	>25.1			
T-MalPeg8261	N	3.7 $\pm$ 2.6	176 $\pm$ 123	3	>1000 $\pm$ ND	>47767 $\pm$ ND	4	>1000 $\pm$ ND	>47767 $\pm$ ND	2	>272	>272			
T-mc6121	N	0.41 $\pm$ ND	17.4 $\pm$ ND	1	3.9 $\pm$ 2.2	166 $\pm$ 93	2	1.5 $\pm$ ND	64.8 $\pm$ ND	1	9.5	3.70			
T-MalPeg6121	N	0.45 $\pm$ ND	18.8 $\pm$ ND	1	ND $\pm$ ND	ND $\pm$ ND	ND	>1000 $\pm$ ND	>42133 $\pm$ ND	1	ND	>2242			
T-MalPegMMAD	N	4.3 $\pm$ 1.6	143 $\pm$ 53	8	>1000 $\pm$ ND	>33649 $\pm$ ND	7	>1000 $\pm$ ND	>33649 $\pm$ ND	4	>235	>235			
T-mc0101	N	50.61 $\pm$ 14	1536.2 $\pm$ 370	2	ND $\pm$ ND	ND $\pm$ ND	0	>1000 $\pm$ ND	>31260 $\pm$ ND	2	ND	>19			
T-vc0101	C	0.64 $\pm$ 0.28	23.4 $\pm$ 10.7	17	0.60 $\pm$ 0.20	21.9 $\pm$ 7.2	7	0.73 $\pm$ 0.27	26.7 $\pm$ 9.9	14	0.94	1.1			
T-vc8261	C	0.43 $\pm$ 0.1	15 $\pm$ 3.4	8	0.5 $\pm$ 0.2	17.1 $\pm$ 7.0	6	0.5 $\pm$ 0.2	18.2 $\pm$ 6.8	8	1.1	1.2			
T-vc8254	C	0.44 $\pm$ ND	16.6 $\pm$ ND	1	ND $\pm$ ND	ND $\pm$ ND	0	0.58 $\pm$ ND	21.7 $\pm$ ND	1	ND	1.31			
T-vc6780	C	0.73 $\pm$ ND	25.8 $\pm$ ND	1	ND $\pm$ ND	ND $\pm$ ND	0	0.56 $\pm$ ND	19.8 $\pm$ ND	1	ND	0.77			
T-vc0131	C	0.61 $\pm$ ND	20.2 $\pm$ ND	1	ND $\pm$ ND	ND $\pm$ ND	0	0.59 $\pm$ ND	19.8 $\pm$ ND	1	ND	0.98			

continued

FIG. 14 continued

T-vcMMAE	C	0.54 ± 0.1	21.0 ± 3.2	2	0.8 ± ND	32.2 ± ND	1	0.9 ± ND	36.8 ± ND	1	1.5	1.8
T(LCQ05+K222R)-AcLysvc0101	C	0.63 ± 0.23	46.9 ± 17.0	8	0.58 ± 0.25	43.4 ± 18.9	7	0.60 ± 0.24	45.2 ± 18.2	8	0.93	0.96
T(N297Q+K222R)-AcLysvc0101	C	0.57 ± 0.09	21.5 ± 3.6	4	0.49 ± 0.01	18.5 ± 0.5	2	0.46 ± 0.06	17.2 ± 2.4	5	0.86	0.80
T(N297A+K222R+LCQ05)-AcLysvc0101	C	0.62 ± 0.10	23.2 ± 3.7	2	0.57 ± ND	21.4 ± ND	1	0.57 ± 0.07	21.4 ± 2.7	2	0.92	0.92
T(N297Q)-AcLysvc0101	C	0.56 ± 0.12	20.3 ± 4.3	5	0.58 ± 0.15	21.3 ± 5.5	5	0.64 ± 0.09	23.4 ± 3.6	5	1.0	1.20
T(K290C+K334C)-vc0101	C	0.62 ± 0.21	22.7 ± 7.3	3	0.51 ± 0.17	18.8 ± 5.9	2	0.47 ± 0.08	17.3 ± 2.9	3	0.82	0.76
T(K334C+K392C)-vc0101	C	0.71 ± 0.11	25.8 ± 4	3	0.63 ± ND	22.9 ± ND	1	0.59 ± 0.21	21.4 ± 7.5	3	0.89	0.83
T(kK183C+K392C)-vc0101	C	0.66 ± 0.04	22.7 ± 1.4	3	0.54 ± ND	18.8 ± ND	1	0.49 ± 0.05	17.0 ± 1.8	4	0.83	0.75
T(kK183C+K290C)-vc0101	C	0.72 ± 0.17	26.6 ± 5.6	2	0.63 ± ND	23.7 ± ND	1	0.71 ± 0.23	26.2 ± 8	2	0.88	0.99
T(kK183C+K334C)-vc0101	C	1.59 ± ND	62.4 ± ND	1	ND ± ND	ND ± ND	0	1.4 ± ND	56 ± ND	1	ND	0.90
T(K290C+K392C)-vc0101	C	0.65 ± 0.01	23.4 ± 0.2	2	0.67 ± ND	24.5 ± ND	1	0.65 ± 0.1	23.7 ± 3.6	2	1.0	1.0
T(K290C)-vc0101	C	0.59 ± ND	43.0 ± ND	1	ND ± ND	ND ± ND	0	0.42 ± ND	30.4 ± ND	1	ND	0.71
T(K334C)-vc0101	C	0.56 ± 0.02	40.5 ± 1.7	2	ND ± ND	ND ± ND	N D	0.51 ± 0.17	37.2 ± 12.3	2	ND	0.92
T(K392C)-vc0101	C	0.55 ± 0.01	41.3 ± 0.2	2	ND ± ND	ND ± ND	N D	0.45 ± 0.17	33.6 ± 12.7	2	ND	0.81
T(kK183C)-vc0101	C	0.62 ± ND	45.1 ± ND	1	ND ± ND	ND ± ND	0	0.6 ± ND	46.6 ± ND	1	ND	1.03
DM1	--	15.1 ± 8.5	--	1	38.4 ± 17.53	--	8	33.4 ± 8.9	--	1	2.5	2.2
0101	--	0.36 ± 0.09	--	7	0.50 ± 0.11	--	4	0.49 ± 0.12	--	7	1.4	1.4

continued

FIG. 14 continued

8254	--	0.59 ± 0.12	--	4	1.1 ± 0.3	--	3	1.0 ± 0.3	--	4	1.9	1.7
6121	--	0.15 ± 0.03	--	2	$0.32 \pm$ ND	--	1	$0.41 \pm$ 0.11	--	2	2.1	2.7
Vinblastine	--	3.6 ± 0.1	--	2	$5.3 \pm$ ND	--	1	$5.7 \pm$ 1.1	--	2	1.5	1.6
Paclitaxel	--	8.2 ± 4.0	--	2	$12.8 \pm$ 9.0	--	2	$11.7 \pm$ 6.5	--	2	1.6	1.4
Docetaxel	--	2.9 ± 1.4	--	2	$2.8 \pm$ ND	--	1	$4.1 \pm$ 1.2	--	2	0.95	1.4
5-fluorouracil	--	1611 ± 203	--	2	$3129 \pm$ ND	--	1	$3135 \pm$ 1014	--	2	1.9	1.9
Gemcitabine	--	7.3 ± 2.2	--	2	$8.3 \pm$ ND	--	1	$8.4 \pm$ 1.1	--	2	1.1	1.1
Doxorubicin	--	38.2 ± 13.5	--	5	$60.0 \pm$ 18.5	--	5	$38.5 \pm$ 7.5	--	5	1.6	1.0
Oxaliplatin	--	623 ± 471	--	2	$681 \pm$ ND	--	1	$1511 \pm$ 1462	--	2	1.1	2.4
Camptothecin	--	20.6 ± 2.3	--	2	$11.0 \pm$ ND	--	1	$9.8 \pm$ 3.3	--	2	0.53	0.48

FIG. 15A

T-DM1




FIG. 15B

T-mc8261




FIG. 15C

T(N297Q+K222R)-AcLysvc0101




FIG. 15D

T(LCQ05+K222R)-AcLysvc0101




FIG. 15E




FIG. 15F




FIG. 15G




FIG. 16A




FIG. 16B




FIG. 17A




FIG. 17B




FIG. 18A




FIG. 18B




FIG. 18C




FIG. 18D




FIG. 19A

N87 model			Tumor Volume - Average ± Standard Deviation (Day)																
ADC Name	Dose (mg/kg)	n	-2	4	7	11	14	18	21	25	28	32	35	39	42	48	55	62	69
PBS	0	10	286 ± 39	507 ± 61	642 ± 121	946 ± 102	922 ± 101	1118 ± 200	1262 ± 212	1512 ± 195	1712 ± 219								
trastuzumab	13, 4.5	10	294 ± 22	435 ± 59	590 ± 73	669 ± 100	713 ± 106	732 ± 111	874 ± 118	977 ± 168	1144 ± 201	1295 ± 199	1419 ± 228	1525 ± 276	1732 ± 190				
T-vc0101	1	10	282 ± 38	383 ± 47	398 ± 61	375 ± 70	323 ± 75	254 ± 47	215 ± 56	255 ± 94	289 ± 109	351 ± 149	358 ± 146	413 ± 152	435 ± 163	528 ± 193	631 ± 191	780 ± 241	773 ± 340
T-vc0101	3	10	292 ± 42	298 ± 57	247 ± 51	205 ± 47	127 ± 29	92 ± 21	96 ± 22	92 ± 22	88 ± 26	76 ± 22	76 ± 14	82 ± 26	69 ± 28	22 ± 29	21 ± 47	32 ± 44	0 ± 0
Neg-8.8-DM1	3	10	291 ± 35	456 ± 77	492 ± 75	598 ± 93	551 ± 104	497 ± 121	515 ± 126	533 ± 111	605 ± 129	794 ± 204	826 ± 220	952 ± 239	943 ± 223	925 ± 196	1137 ± 235	1262 ± 245	1266 ± 250
T(N297Q+K222R)-AdLysvc0101	3	10	483 ± 42	483 ± 42	512 ± 101	477 ± 66	359 ± 71	203 ± 34	158 ± 29	122 ± 36	113 ± 23	120 ± 29	94 ± 33	95 ± 21	79 ± 22	57 ± 60	13 ± 29	0 ± 0	8 ± 25
T-DM1	6	10	289 ± 28	436 ± 72	426 ± 101	437 ± 125	343 ± 95	253 ± 86	219 ± 60	178 ± 53	173 ± 52	204 ± 68	211 ± 87	231 ± 104	293 ± 138	331 ± 149	458 ± 176	536 ± 217	577 ± 263
T-DM1	10	10	288 ± 23	379 ± 45	338 ± 64	306 ± 78	248 ± 56	166 ± 50	153 ± 29	158 ± 21	120 ± 21	141 ± 32	120 ± 28	112 ± 49	83 ± 52	76 ± 87	67 ± 94	89 ± 120	100 ± 213

FIG. 19B

N87-TM model: Study #1			Tumor Volume - Average ± Standard Deviation (Day)																	
ADC Name	Dose (mg/kg)	n	-1	3	7	10	14	17	21	24	28	31	35	38	43	49	58	65	72	78
PBS	0	10	256 ± 28	369 ± 49	503 ± 77	574 ± 70	610 ± 104	841 ± 110	1046 ± 119	1238 ± 101	1593 ± 208	1715 ± 259	1881 ± 284							
trastuzumab	13, 4.5	10	251 ± 20	278 ± 57	341 ± 92	411 ± 97	468 ± 112	640 ± 225	845 ± 201	997 ± 283	1150 ± 334	1404 ± 313	1589 ± 322							
T-vc0101	1	10	255 ± 34	230 ± 47	333 ± 54	299 ± 58	297 ± 43	371 ± 90	493 ± 125	576 ± 93	692 ± 119	835 ± 179	1034 ± 214	1121 ± 190	1399 ± 278					
T-vc0101	3	10	253 ± 21	240 ± 44	227 ± 53	152 ± 48	118 ± 38	104 ± 49	145 ± 41	125 ± 35	97 ± 35	103 ± 35	121 ± 48	84 ± 54	93 ± 58	123 ± 86	108 ± 154	81 ± 130		
Neg-8-8-DM1	3	10	252 ± 50	319 ± 62	341 ± 68	371 ± 85	406 ± 56	536 ± 89	628 ± 113	694 ± 164	822 ± 185	1055 ± 258	1125 ± 271	1168 ± 269	1455 ± 327					
T(N297Q+K222R)- AcLysvc0101	3	10	254 ± 34	273 ± 38	268 ± 30	214 ± 33	176 ± 38	164 ± 33	194 ± 33	155 ± 26	154 ± 25	143 ± 33	134 ± 30	109 ± 41	106 ± 32	127 ± 39	114 ± 64	58 ± 44	147 ± 78	99 ± 69
T-DM1	6	10	253 ± 33	294 ± 50	368 ± 69	435 ± 133	465 ± 116	570 ± 150	638 ± 149	783 ± 201	902 ± 326	1137 ± 312	1278 ± 291	1401 ± 327	1505 ± 336					
T-DM1	10	15	243 ± 32	287 ± 41	343 ± 39	326 ± 65	315 ± 64	417 ± 92	530 ± 143	577 ± 135	706 ± 156	859 ± 187	978 ± 303	957 ± 251	1157 ± 341	1571 ± 339				
T-DM1, T(N297Q+K222R)- AcLysvc0101	10, 3	8	233 ± 32	302 ± 38	339 ± 27	312 ± 55	316 ± 66	422 ± 68	559 ± 163	593 ± 119	699 ± 155	856 ± 166	1079 ± 236	992 ± 202	966 ± 177	820 ± 129	590 ± 138	388 ± 82	510 ± 88	452 ± 160

FIG. 19C

N87-TM model: Study #2			Tumor Volume - Average $\pm$ Standard Deviation (Day)																			
ADC Name	Dose (mg/kg)	n	-1	4	7	11	14	18	21	25	28	32	35	42	49	56	63	71	77	85	91	99
PBS	0	10	249 $\pm$ 24	353 $\pm$ 42	394 $\pm$ 62	522 $\pm$ 89	645 $\pm$ 112	811 $\pm$ 111	919 $\pm$ 113	1102 $\pm$ 180	1280 $\pm$ 187	1490 $\pm$ 240	1569 $\pm$ 248	1874 $\pm$ 292	2110 $\pm$ 196	2329 $\pm$ 314						
T(K290C+K334C)-vc0101	1	9	251 $\pm$ 36	301 $\pm$ 44	257 $\pm$ 55	240 $\pm$ 45	264 $\pm$ 31	249 $\pm$ 49	234 $\pm$ 50	268 $\pm$ 80	285 $\pm$ 111	322 $\pm$ 114	345 $\pm$ 132	528 $\pm$ 204	689 $\pm$ 281	892 $\pm$ 359	1340 $\pm$ 472	1437 $\pm$ 350	1696 $\pm$ 320	2337 $\pm$ 236		
T(K334C+K392C)-vc0101	1	9	248 $\pm$ 42	253 $\pm$ 32	252 $\pm$ 56	271 $\pm$ 41	300 $\pm$ 56	341 $\pm$ 97	304 $\pm$ 79	395 $\pm$ 123	464 $\pm$ 206	484 $\pm$ 197	519 $\pm$ 213	747 $\pm$ 290	1028 $\pm$ 337	1307 $\pm$ 384	1544 $\pm$ 349	1828 $\pm$ 326	2046 $\pm$ 288	2461 $\pm$ 439		
T(K290C+K334C)-vc0101	3	9	246 $\pm$ 33	246 $\pm$ 36	188 $\pm$ 24	141 $\pm$ 37	163 $\pm$ 42	170 $\pm$ 66	136 $\pm$ 17	148 $\pm$ 35	96 $\pm$ 17	123 $\pm$ 45	111 $\pm$ 24	98 $\pm$ 30	60 $\pm$ 21	76 $\pm$ 30	55 $\pm$ 18	102 $\pm$ 23	86 $\pm$ 32	84 $\pm$ 30	75 $\pm$ 24	92 $\pm$ 29
T(K334C+K392C)-vc0101	3	9	250 $\pm$ 30	265 $\pm$ 55	210 $\pm$ 45	175 $\pm$ 30	171 $\pm$ 38	211 $\pm$ 42	160 $\pm$ 24	209 $\pm$ 59	137 $\pm$ 18	130 $\pm$ 27	83 $\pm$ 16	132 $\pm$ 25	96 $\pm$ 21	94 $\pm$ 30	67 $\pm$ 21	99 $\pm$ 11	91 $\pm$ 20	86 $\pm$ 16	84 $\pm$ 26	91 $\pm$ 24
T(K392C)-vc0101	3	9	249 $\pm$ 40	233 $\pm$ 46	195 $\pm$ 27	172 $\pm$ 20	155 $\pm$ 21	166 $\pm$ 34	125 $\pm$ 37	143 $\pm$ 23	122 $\pm$ 32	133 $\pm$ 36	101 $\pm$ 48	151 $\pm$ 84	125 $\pm$ 93	95 $\pm$ 27	142 $\pm$ 163	272 $\pm$ 254	269 $\pm$ 333	441 $\pm$ 568	506 $\pm$ 693	438 $\pm$ 599
T(K290C)-vc0101	3	9	248 $\pm$ 25	259 $\pm$ 32	216 $\pm$ 28	198 $\pm$ 41	172 $\pm$ 42	174 $\pm$ 39	127 $\pm$ 24	154 $\pm$ 29	147 $\pm$ 35	129 $\pm$ 43	127 $\pm$ 51	177 $\pm$ 101	204 $\pm$ 175	272 $\pm$ 258	342 $\pm$ 350	514 $\pm$ 498	557 $\pm$ 568	928 $\pm$ 903	403 $\pm$ 479	590 $\pm$ 633
T(K334C)-vc0101	3	9	247 $\pm$ 19	238 $\pm$ 32	224 $\pm$ 59	173 $\pm$ 34	174 $\pm$ 17	177 $\pm$ 21	120 $\pm$ 20	161 $\pm$ 35	135 $\pm$ 22	123 $\pm$ 23	112 $\pm$ 33	135 $\pm$ 34	104 $\pm$ 44	122 $\pm$ 59	136 $\pm$ 120	202 $\pm$ 251	203 $\pm$ 273	274 $\pm$ 522	327 $\pm$ 703	105 $\pm$ 17

continued

FIG. 19C continued

T(LCQ05+K222R)- AcLysvc0101	3	9	251 ± 41	271 ± 42	245 ± 65	238 ± 66	224 ± 57	209 ± 49	200 ± 51	197 ± 65	192 ± 74	215 ± 99	213 ± 153	326 ± 246	368 ± 331	547 ± 468	597 ± 512	999 ± 824	968 ± 900	548 ± 410	602 ± 375	962 ± 636
T(K290C)-vc0101	6	9	252 ± 55	263 ± 39	195 ± 48	164 ± 27	156 ± 49	163 ± 48	114 ± 38	150 ± 24	119 ± 15	116 ± 30	94 ± 28	123 ± 52	89 ± 22	92 ± 29	81 ± 9	129 ± 35	98 ± 24	85 ± 25	80 ± 19	95 ± 23
T(K290C)-vc0101	6	9	245 ± 32	241 ± 30	191 ± 41	148 ± 26	147 ± 32	147 ± 36	112 ± 15	143 ± 42	123 ± 28	97 ± 22	106 ± 24	109 ± 36	85 ± 20	98 ± 22	75 ± 20	100 ± 25	91 ± 29	102 ± 26	76 ± 16	107 ± 32
T(K334C)-vc0101	6	9	247 ± 46	262 ± 49	201 ± 37	162 ± 17	172 ± 30	163 ± 26	145 ± 13	168 ± 25	122 ± 16	117 ± 26	107 ± 23	135 ± 24	85 ± 14	108 ± 19	94 ± 19	120 ± 20	91 ± 19	106 ± 21	81 ± 18	125 ± 23
T(LCQ05+K222R)- AcLysvc0101	6	9	248 ± 33	225 ± 38	197 ± 41	168 ± 22	145 ± 26	156 ± 28	134 ± 20	145 ± 21	125 ± 17	109 ± 10	101 ± 27	129 ± 30	87 ± 17	92 ± 21	76 ± 28	105 ± 21	82 ± 24	88 ± 20	91 ± 15	86 ± 15
T-DM1	6	9	247 ± 33	312 ± 32	331 ± 63	448 ± 44	520 ± 67	685 ± 127	704 ± 166	978 ± 176	1097 ± 177	1294 ± 249	1249 ± 246	1644 ± 371	1964 ± 341	1887 ± 307	2046 ± 1					
Neg-8-8-DM1	6	9	246 ± 34	328 ± 40	411 ± 43	535 ± 75	720 ± 154	869 ± 121	854 ± 114	1117 ± 138	1290 ± 125	1546 ± 272	1483 ± 241	1844 ± 382	1927 ± 287	1888 ± 337						



FIG. 20A**N87****FIG. 20B****N87-TM-2**



FIG. 20C**N87****FIG. 20D****N87-TM-2**

FIG. 20E




FIG. 20F




FIG. 21A




FIG. 21B




FIG. 21C




FIG. 21D




FIG. 21E




FIG. 22A




FIG. 22B




FIG. 22C




FIG. 22D






FIG. 23A**FIG. 23B**





FIG. 24C**FIG. 24D**

FIG. 25A

Cyno Profiles
5/6 mg/kg

**FIG. 25B**

Cyno Profiles
5/6 mg/kg






FIG. 26

FIG. 27






FIG. 28A

one CH2 adopts different conformations so X-ray scattering does not sum to yield consensus electron density



Resulting final model:
chain A: 238-444
chain B: 341-444



High degree of disorder in one of CH2 and glycan attached to it

Linker-payload is disordered at both sites

FIG. 28C





Figure 1 is a line graph showing the tumor volume (mm³) over time (Days) for various treatment groups. The y-axis represents Tumor Volume (mm³) ranging from 0 to 1200. The x-axis represents Days, ranging from -1 to 59. The legend identifies the following groups:

- Vehicle Control (dashed line with 'x' markers)
- 443C-vc0101 (solid line with solid squares)
- 183C-vc0101 (solid line with '+' markers)
- 334C-vc0101 (solid line with open diamonds)
- 388C-vc0101 (solid line with 'x' markers)
- 347C-vc0101 (solid line with '*' markers)
- 392C-vc0101 (solid line with open circles)
- 290C-vc0101 (solid line)

The graph illustrates that the Vehicle Control group shows the highest tumor growth, reaching approximately 1200 mm³ by day 59. The 443C-vc0101 group shows the lowest tumor growth, remaining below 400 mm³ throughout the study. Other groups show intermediate levels of tumor growth, with varying degrees of response to the treatment.

FIG. 30



continued

FIG. 30 continued




FIG. 31




FIG. 32




FIG. 33




FIG. 34A




FIG. 34B




FIG. 34C




FIG. 34D




FIG. 34E




FIG. 34F





FIG. 35A



- ◇ VEHICLE
- * 3 mg/kg Neg-vc-0101
- 0.3 mg/kg EDB-L19-vc-0101 (ADC1)
- △ 0.75 mg/kg EDB-L19-vc-0101 (ADC1)
- × 1.5 mg/kg EDB-L19-vc-0101 (ADC1)
- 3 mg/kg EDB-L19-vc-0101 (ADC1)

FIG. 35B




FIG. 35C





FIG. 35D



- ◇ VEHICLE
- ★ 0.5 mg/kg EDB-(κK183C-K290C)-vc-0101 (ADC2)
- ⊗ 1.5 mg/kg EDB-(κK183C-K290C)-vc-0101 (ADC2)
- ◊ 3 mg/kg EDB-(κK183C-K290C)-vc-0101 (ADC2)
- △ 0.5 mg/kg EDB-L19-vc-0101 (ADC1)
- ✕ 1.5 mg/kg EDB-L19-vc-0101 (ADC1)
- 3 mg/kg EDB-L19-vc-0101 (ADC1)

FIG. 35E




FIG. 35F




FIG. 36




FIG. 37A




FIG. 37B




FIG. 38







FIG. 39A**FIG. 39B**

FIG. 40**FIG. 41**

**Competitive binding of
antibody X hlgG1 wt and its Cys mutant
to target antigen**




FIG. 42

