

(12) 按照专利合作条约所公布的国际申请

(19) 世界知识产权组织
国际局



(43) 国际公布日
2011 年 7 月 21 日 (21.07.2011)

PCT

(10) 国际公布号
WO 2011/085627 A1

(51) 国际专利分类号:
H04L 12/28 (2006.01)

(21) 国际申请号: PCT/CN2010/080018

(22) 国际申请日: 2010 年 12 月 20 日 (20.12.2010)

(25) 申请语言: 中文

(26) 公布语言: 中文

(30) 优先权:
201010042792.0 2010 年 1 月 14 日 (14.01.2010) CN

(71) 申请人 (对除美国外的所有指定国): 腾讯科技 (深圳) 有限公司 (TENCENT TECHNOLOGY (SHENZHEN) COMPANY LIMITED) [CN/CN]; 中国广东省深圳市福田区振兴路赛格科技园 2 栋东 403 室, Guangdong 518044 (CN)。

(72) 发明人: 及

(75) 发明人/申请人 (仅对美国): 夏天 (XIA, Tian) [CN/CN]; 中国广东省深圳市福田区振兴路赛格科技园 2 栋东 403 室, Guangdong 518044 (CN)。

(74) 代理人: 北京派特恩知识产权代理事务所 (普通合伙) (CHINA PAT INTELLECTUAL PROPER-

TY OFFICE); 中国北京市海淀区知春路 113 号 0717 室, Beijing 100086 (CN)。

(81) 指定国 (除另有指明, 要求每一种可提供的国家保护): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW。

(84) 指定国 (除另有指明, 要求每一种可提供的地区保护): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), 欧亚 (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), 欧洲 (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)。

[见续页]

(54) Title: METHOD AND SYSTEM FOR RELATING NETWORK APPLICATION

(54) 发明名称: 网络应用关联方法和系统




图 1 / FIG. 1

110 PERFORMING CORRESPONDING OPERATION TO AN APPLICATION BASED ON A USER'S INSTRUCTION
120 TRANSMITTING THE RELATING INFORMATION BASED ON A USER RELATION CHAIN OF SAID USER AND THE RELATIONSHIP BETWEEN THE APPLICATIONS
130 DOES THE USER RESPOND THE RELATING INFORMATION?
140 UPDATING THE USER RELATION CHAIN OR PERFORMING CORRESPONDING OPERATION TO THE APPLICATION BASED ON THE OPERATION WITH WHICH THE USER RESPONDS TO THE RELATING INFORMATION
1 START
2 END

(57) Abstract: A method for relating network application is provided by this invention. The method includes the following steps: performing corresponding operation to an application based on a user's instruction (110); transmitting the relating information based on a user relation chain of said user and a relationship between the applications (120); judging whether the user responds the relating information or not (130); if the user responds the relating information, updating the user relation chain or performing corresponding operation to the application based on the operation with which the user responds to the relating information (140). Furthermore, a system for relating network application is provided by this invention. In the above scheme of the method for relating network application, the latent relations between the users in different applications are found by analyzing the user relation chain of user and the relationship between the applications, so that the relation between different applications is established by using the relating information, and the user is informed. The different applications is associated and become an organism. It is solved the problem that multiple applications are isolating each other, and the network service is enriched.

[见续页]

WO 2011/085627 A1