


FIGURE 2

Enhancement of the AntiCancer Drug Effect by LFMAU on Colon 38 Growth in BDF1 Females



m arm bea m mouse #1 m mouse #2 m mouse #3 m mouse #4 m mouse #5 M mouse #6 M mouse #7 M mouse #8 M mouse #9 M mouse

FIGURE 3

Effect of LFMAU on Oxaplatin

NCR Nu/Nu males Exp # 8




FIGURE 4

Enhancement of 5-Fluorouracil by LFM AU

against cohn 38 in B1F1 Females (Exp # 7)

Number of mice above 200 % of tumor weight at day 5





FIGURE 5

Effect of LFMAU on Anticancer Compounds

C57BL6 Females Exp # 9




Cheng5

• mouse #1 • mouse #2 • mouse #3 • mouse #4 • mouse #5

FIGURE 6

Effect of LFMAU on Anticancer Compounds

NCR Nu/Nu males Exp # 10



Cheng6

FIGURE 7
Effect of L-Thymidine Nucleosides on the Anticancer Activity
of 5-FU/LV in C57BL/6 females Bearing Colon 38




FIGURE 8
Effect of L-Thymidine Nucleoside Analogs on the Anticancer
Activity of Oxaliplatin in C57BL6 Females Bearing Colon 38




FIGURE 9
 Effect of L-Thymidine on the Anticancer Activity of Oxaliplatin
 in Nu/Nu males Bearing HepG2
 Number of mice below 300 on day 6




FIGURE 10

Effect of L-FMAU on Gemcitabine
Females Bearing Colon 38 (Exp # 17)




FIGURE 11
Effect of L-FMAU on Gemcibine
Females Bearing Colon 38 (Exp # 17)




FIGURE 12
Effect of L-FMAU on Gemcibine
Females Bearing Colon 38 (Exp # 17)

C57Bl F Mice

