


CLAIMS


1. A compound of general formula (I)



(I)

in which:

R^1 represents a group selected from:



wherein * indicates the point of attachment of said group with the rest of the molecule;

R^2 represents hydrogen, halogen, $-NR^7R^8$, CN, C_1 - C_6 -alkyl, C_1 - C_6 -alkoxy, 3- to 10-membered heterocycloalkoxy, C_2 - C_6 -alkenyl, C_3 - C_6 -cycloalkyl, 3- to 10-membered heterocycloalkyl, 4- to 10-membered heterocycloalkenyl, phenyl, heteroaryl, $-(CO)OR^7$, $-(CO)NR^7R^8$, $-(SO_2)R^9$, $-(SO)R^9$, $-SR^9$, $-(SO_2)NR^7R^8$, $-NR^7(SO_2)R^9$, $-((SO)=NR^{11})R^{10}$, $-N=(SO)R^9R^{10}$, $-SiR^{10}R^{11}R^{12}$, $-(PO)(OR^7)_2$, $-(PO)(OR^7)R^{10}$ or $-(PO)(R^{10})_2$,

wherein each C_1 - C_6 -alkyl, C_1 - C_6 -alkoxy, 3- to 10-membered heterocycloalkoxy, C_2 - C_6 -alkenyl, C_3 - C_6 -cycloalkyl, 3- to 10-membered heterocycloalkyl, phenyl or heteroaryl is optionally substituted, one or more times, independently from each other, with halogen, OH, $-NR^7R^8$, C_1 - C_6 -alkyl optionally substituted with hydroxyl or phenyl, C_1 - C_6 -haloalkyl, C_1 - C_6 -alkoxy, C_3 - C_6 -cycloalkyl, 3- to 6-membered heterocycloalkyl, phenyl, $-(CO)OR^7$, $-(CO)NR^7R^8$, $-NR^7(CO)R^{10}$, $NR^8(CO)OR^7$, $-NR^8(CO)NR^7R^8$, $-(SO_2)R^9$, $-(SO)R^9$, $-SR^9$, $-(SO_2)NR^7R^8$, $-NR^7(SO_2)R^9$, $-((SO)=NR^{11})R^{10}$, $-N=(SO)R^9R^{10}$, $-(PO)(OR^7)_2$, $-(PO)(OR^7)R^{10}$, $-(PO)(R^{10})_2$ or with a heteroaryl group which is optionally substituted, one or more times, with C_1 - C_4 -alkyl;

wherein each 4- to 10-membered heterocycloalkenyl is optionally substituted, one or more times, indepently from each other, with C₁-C₄-alkyl;

R³, R⁴ represent, independently from each other, hydrogen or methyl;

R⁷, R⁸ represent, independently from each other, hydrogen, C₁-C₆-alkyl, C₃-C₆-cycloalkyl or phenyl, which phenyl is optionally substituted, one or more times, with halogen; or

R⁷ and R⁸ together represent a 4-, 5-, 6- or 7-membered cyclic amine group, which is optionally substituted, one or more times, independently from each other, with a substituent selected from C₁-C₆-alkyl, C₁-C₆-haloalkyl, said 4-, 5-, 6- or 7-membered cyclic amine group optionally containing one further heteroatom selected from the group consisting of O, N and S;

R⁹ represents C₁-C₄-alkyl or phenyl, wherein each C₁-C₄-alkyl or phenyl is optionally substituted, one or more times, independently from each other, with R¹³;

R¹⁰ represents C₁-C₄-alkyl; or

R⁹ and R¹⁰ together, in case of -N=(SO)R⁹R¹⁰ group, represent a 5- to 8-membered heterocycloalkyl group;

R¹¹ represents hydrogen, C₁-C₄-alkyl, -(CO)OR⁷, -(CO)NR⁷R⁸ or CN;




R¹² represents hydrogen or C₁-C₄-alkyl;

R¹³ represents halogen, OH, -NR⁷R⁸, CN, NO₂, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₂-C₆-alkenyl, C₃-C₆-cycloalkyl, -(CO)OR⁷ or -(CO)NR⁷R⁸;

or a stereoisomer, a tautomer, an N-oxide, a hydrate, a solvate, or a salt thereof, or a mixture of same.

2. The compound according to claim 1, in which

R¹ represents a group selected from:



wherein * indicates the point of attachment of said group with the rest of the molecule;

R^2 represents hydrogen, halogen, $-NR^7R^8$, CN, C_1 - C_6 -alkyl, C_1 - C_6 -alkoxy, 3- to 10-membered heterocycloalkoxy, C_2 - C_6 -alkenyl, C_3 - C_6 -cycloalkyl, 3- to 10-membered heterocycloalkyl, 4- to 10-membered heterocycloalkenyl, phenyl, heteroaryl, $-(CO)OR^7$, $-(CO)NR^7R^8$, $-(SO_2)R^9$, $-(SO)R^9$, $-SR^9$, $-(SO_2)NR^7R^8$, $-NR^7(SO_2)R^9$, $-((SO)=NR^{11})R^{10}$, $-N=(SO)R^9R^{10}$, $-SiR^{10}R^{11}R^{12}$, $-(PO)(OR^7)_2$, $-(PO)(OR^7)R^{10}$ or $-(PO)(R^{10})_2$,

wherein each C_1 - C_6 -alkyl, C_1 - C_6 -alkoxy, 3- to 10-membered heterocycloalkoxy, C_2 - C_6 -alkenyl, C_3 - C_6 -cycloalkyl, 3- to 10-membered heterocycloalkyl, phenyl or heteroaryl is optionally substituted, one or more times, independently from each other, with halogen, OH, $-NR^7R^8$, C_1 - C_6 -alkyl, 3- to 6-membered heterocycloalkyl, 4- to 6-membered heterocycloalkenyl, phenyl, $-(CO)OR^7$, $-(CO)NR^7R^8$, $-NR^7(CO)R^{10}$, $-NR^8(CO)OR^7$, $-NR^8(CO)NR^7R^8$, $-(SO_2)R^9$, $-(SO)R^9$, $-SR^9$, $-(SO_2)NR^7R^8$, $-NR^7(SO_2)R^9$, $-((SO)=NR^{11})R^{10}$, $-N=(SO)R^9R^{10}$, $-(PO)(OR^7)_2$, $-(PO)(OR^7)R^{10}$, $-(PO)(R^{10})_2$ or with a heteroaryl group which is optionally substituted, one or more times, with C_1 - C_4 -alkyl;

wherein each 4- to 10-membered heterocycloalkenyl is optionally substituted, one or more times, independently from each other, with C_1 - C_4 -alkyl;

R^3 , R^4 represent, independently from each other, hydrogen or methyl;

R^7 , R^8 represent, independently from each other, hydrogen or C_1 - C_6 -alkyl; or

R^7 and R^8 together represent a 4-, 5-, 6- or 7-membered cyclic amine group, which is optionally substituted, one or more times, independently from each other, with a substituent selected from C_1 - C_6 -alkyl, C_1 - C_6 -haloalkyl, said 4-, 5-, 6- or 7-membered cyclic amine group optionally containing one further heteroatom selected from the group consisting of O, N and S;

R^9 represents C_1 - C_4 -alkyl or phenyl, wherein each C_1 - C_4 -alkyl or phenyl is optionally substituted, one or more times, independently from each other, with R^{13} ;

R^{10} represents C_1 - C_4 -alkyl; or

R^9 and R^{10} together, in case of $-N=(SO)R^9R^{10}$ group, represent a 5- to 8-membered heterocycloalkyl group;

R^{11} represents hydrogen, C_1 - C_4 -alkyl, $-(CO)OR^7$, $-(CO)NR^7R^8$ or CN;

R¹² represents hydrogen or C₁-C₄-alkyl;

R¹³ represents halogen, OH, -NR⁷R⁸, CN, NO₂, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, C₂-C₆-alkenyl, C₃-C₆-cycloalkyl, -(CO)OR⁷ or -(CO)NR⁷R⁸.

3. The compound according to claim 1, which is selected from the group of:

4-[(2-(morpholin-4-yl)-8-[2H-pyrazol-3-yl]-[1,7]-naphthyridine-4-yl)phenyl-N-ethoxycarbonyl-S-methylsulphoximide

4-[(2-(morpholin-4-yl)-8-(2H-pyrazol-3-yl)-[1,7]naphthyridine-4-yl)phenyl-S-methylsulphoximide

4-[6-(methylsulfonyl)pyridin-3-yl]-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(3,6-dihydro-2H-pyran-4-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-3-yl)-[1,7]naphthyridine

4-[4-(N,S-dimethylsulfonimidoyl)phenyl]-2-[morpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[4-methyl-6-(methylsulfonyl)pyridin-3-yl]-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(4-methanesulphonylphenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-3-yl)-[1,7]-naphthyridine

4-(2-methanesulphonylphenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-3-yl)-[1,7]naphthyridine
hydrochloride

dimethyl 4-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]phenyl]phosphonate

4-isopropenyl-2-(morpholin-4-yl)-8-(1H-pyrazol-3-yl)-[1,7]naphthyridine

2-(morpholin-4-yl)-4-phenyl-8-(1H-pyrazol-3-yl)-[1,7]naphthyridine

4-[4-(S-ethylsulfonimidoyl)phenyl]-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

3-[(2-(morpholin-4-yl)-8-[2H-pyrazol-3-yl]-[1,7]naphthyridine-4-yl)phenyl-N-ethoxycarbonyl-S-methylsulphoximide

4-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(3-methanesulphonylphenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-3-yl)-[1,7]naphthyridine

4-[5-methyl-6-(methylsulfonyl)pyridin-3-yl]-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-(1,2,3,6-tetrahydropyridin-4-yl)-1,7-naphthyridine

4-cyclopropyl-2-(morpholin-4-yl)-8-(1H-pyrazol-3-yl)-[1,7]naphthyridine

3-[(2-(morpholin-4-yl)-8-(2H-pyrazol-3-yl)-[1,7]naphthyridine-4-yl)phenyl-S-methylsulphoximide

4-methyl-2-(morpholin-4-yl)-8-(1H-pyrazol-3-yl)-[1,7]naphthyridine hydrochloride

4-[2-(methanesulfonyl)-1,3-thiazol-4-yl]-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]pyridin-2(1H)-one

5-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]pyridin-2(1H)-one

4-[2-fluoro-4-(methanesulfonyl)phenyl]-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-4-{4-[S-(propan-2-yl)sulfonimidoyl]phenyl}-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(4-methanesulphonylphenyl)-2-((R)-3-methylmorpholin-4-yl)-8-(2H-pyrazol-3-yl)-[1,7]naphthyridine

2-((R)-3-methylmorpholin-4-yl)-4-phenyl-8-(2H-pyrazol-3-yl)-[1,7]naphthyridine

4-(3-methanesulphonylphenyl)-2-((R)-3-methylmorpholin-4-yl)-8-(2H-pyrazol-3-yl)-[1,7]naphthyridine

4-cyclopropyl-2-((R)-3-methylmorpholin-4-yl)-8-(1H-pyrazol-3-yl)-[1,7]naphthyridine

4-[2-((R)-3-methylmorpholin-4-yl)-8-(2H-pyrazol-3-yl)-[1,7]naphthyridine-4-yl]phenyl-S-methylsulphoximide

3-[2-((R)-3-methylmorpholin-4-yl)-8-(2H-pyrazol-3-yl)-[1,7]naphthyridine-4-yl]phenyl-S-methylsulphoximide

4-methanesulphonyl-2-(morpholin-4-yl)-8-[2-(tetrahydropyran-2-yl)-2H-pyrazol-3-yl]-[1,7]naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(methanesulfonyl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-8-(1H-pyrazol-3-yl)-[1,7]naphthyridine-4-carbonitrile

2-((R)-3-methylmorpholin-4-yl)-8-(2H-pyrazol-3-yl)-[1,7]naphthyridine-4-carbonitrile

2-morpholin-4-yl-8-(1H-pyrazol-3-yl)-[1,7]naphthyridine-4-carboxamide

4-methanesulphonylmethyl-2-morpholin-4-yl-8-(2H-pyrazol-3-yl)-[1,7]naphthyridine

[2-(morpholin-4-yl)-8-(2H-pyrazol-3-yl)-[1,7]naphthyridine-4-yl]methanol
 4-(1-methanesulphonylcyclopropyl)-2-(morpholin-4-yl)-8-(2H-pyrazol-3-yl)-[1,7]naphthyridine
 4-isopropoxy-2-(morpholin-4-yl)-8-(1H-pyrazol-3-yl)-[1,7]naphthyridine
 2-(morpholin-4-yl)-4-(propan-2-yloxy)-8-(1H-pyrrol-2-yl)-1,7-naphthyridine
 4-[3-(S-methylsulfonimidoyl)propoxy]-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-ethoxy-2-(morpholin-4-yl)-8-(1H-pyrazol-3-yl)-[1,7]naphthyridine
 4-methoxy-2-(morpholin-4-yl)-8-(1H-pyrazol-3-yl)-[1,7]naphthyridine
 2-methyl-1-[[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]oxy]propan-2-ol
 2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-(tetrahydrofuran-2-ylmethoxy)-1,7-naphthyridine
 3-[[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]oxy]dihydrofuran-2(3H)-one
 4-[(3-methyl-1,2-oxazol-5-yl)methoxy]-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-[(5-methyl-1,2-oxazol-3-yl)methoxy]-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-benzyloxy-2-(morpholin-4-yl)-8-(1H-pyrazol-3-yl)-[1,7]naphthyridine
 4-isopropoxy-2-((R)-3-methylmorpholin-4-yl)-8-(1H-pyrazol-3-yl)-[1,7]naphthyridine
 tert-butyl [4-({2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}oxy)butyl]carbamate
 4-methoxy-2-((R)-3-methylmorpholin-4-yl)-8-(1H-pyrazol-3-yl)-[1,7]naphthyridine
 tert-butyl [3-({2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}oxy)propyl]carbamate
 2-({2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}oxy)ethanamine
 tert-butyl [2-({2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}oxy)ethyl]carbamate
 4-({2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}oxy)butan-1-amine
 2-[(3R,5S)-3,5-dimethylmorpholin-4-yl]-4-isopropoxy-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 2-[(3R,5R)-3,5-dimethylmorpholin-4-yl]-4-isopropoxy-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-(tetrahydro-2H-pyran-4-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-8-(1H-pyrazol-3-yl)-[1,7]naphthyridine hydrochloride

4-chloro-2-morpholin-4-yl-8-(1H-pyrazol-3-yl)-[1,7]naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(methylsulfonyl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

N-{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}-1,4 λ^4 -oxathian-4-imine
4-oxide

4-{[dimethyl(oxido)- λ^6 -sulfanylidene]amino}-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(piperazin-1-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-isopropoxy-2-[(S)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-3-yl)-[1,7]naphthyridine

2-(morpholin-4-yl)-4-(propan-2-yloxy)-8-(1H-pyrrol-3-yl)-1,7-naphthyridine

4-(1-ethyl-1H-pyrazol-5-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(1-methyl-1H-imidazol-5-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}aniline

4-(2,3-difluorophenyl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[2-methyl-6-(methylsulfonyl)pyridin-3-yl]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[2-fluoro-4-(methylsulfonyl)phenyl]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-fluoro-2-[2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]aniline

4-(1-benzyl-1H-imidazol-5-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(2-fluorophenyl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(2-methyl-1,3-thiazol-5-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[4-methyl-6-(methylsulfonyl)pyridin-3-yl]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-

yl)-1,7-naphthyridine

4-(1-cyclopropyl-1H-pyrazol-5-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[2-fluoro-4-(piperazin-1-yl)phenyl]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-[4-(methylsulfonyl)piperazin-1-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

N-(2,2-dimethylpropyl)-N-methyl-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-amine

(1-{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}piperidin-4-yl)methanol

N-cyclopropyl-N-methyl-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-amine

4-(5,6-dihydroimidazo[1,2-a]pyrazin-7(8H)-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

N-(4-fluorophenyl)-N-methyl-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-amine

2-[(3R)-3-methylmorpholin-4-yl]-4-(6-methylpyridin-3-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(2-fluoropyridin-3-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(2-fluoro-4-methylpyridin-3-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(1-methyl-1H-pyrrol-2-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(6-fluoro-5-methylpyridin-3-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(2-fluoro-6-methylpyridin-3-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(6-fluoropyridin-3-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(6-methoxypyridin-3-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-

naphthyridine

4-(6-methoxy-5-methylpyridin-3-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(6-fluoro-2-methylpyridin-3-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-[1-methyl-3-(trifluoromethyl)-1H-pyrazol-5-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(3-methyl-2-thienyl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(5-methyl-2-thienyl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(4-methyl-3-thienyl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(3-chloro-2-thienyl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(2-methyl-3-thienyl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-4-(1H-pyrrolo[2,3-b]pyridin-4-yl)-1,7-naphthyridine

4-(3,5-dimethyl-1,2-oxazol-4-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(3-chloro-2-methoxypyridin-4-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-4-(tetrahydro-2H-pyran-4-yl)-1,7-naphthyridine

4-(3,6-dihydro-2H-thiopyran-4-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(4-methylpiperidin-1-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(1-tert-butyl-1H-pyrazol-5-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(1-methyl-1H-pyrazol-5-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(3-methyl-1,2-oxazol-5-yl)-8-(1H-pyrazol-5-yl)-1,7-

naphthyridine

4-(1-ethyl-3-methyl-1H-pyrazol-5-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(1,4-dimethyl-1H-pyrazol-5-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[2-methyl-6-(methylsulfanyl)pyridin-3-yl]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[2-methyl-6-(S-methylsulfonimidoyl)pyridin-3-yl]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(1-propyl-1H-pyrazol-5-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(6,7-dihydro-5H-pyrrolo[1,2-a]imidazol-3-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[1-ethyl-3-(trifluoromethyl)-1H-pyrazol-5-yl]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

methyl 5-[2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]-1H-pyrrole-2-carboxylate

2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-4-(1,2-thiazol-5-yl)-1,7-naphthyridine

N,N-dimethyl-2-[2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]aniline

4-(2,4-difluorophenyl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(1-isopropyl-1H-pyrazol-5-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

ethyl methyl{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}phosphinate

4-[[diethyl(oxido)- λ^6 -sulfanylidene]amino]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

isobutyl methyl{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}phosphinate

2-{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}propan-2-ol

3-{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}pentan-3-ol

4-(5-chloropyridin-3-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

5-fluoro-2-{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}aniline

4-[2-fluoro-3-(methylsulfonyl)phenyl]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-[1-(oxetan-3-yl)-1H-pyrazol-5-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[2-fluoro-4-(pyrrolidin-1-yl)phenyl]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[3-(methoxymethyl)-5-methyl-1,2-oxazol-4-yl]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(5-methyl-1,3,4-oxadiazol-2-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

N-{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}tetrahydro-1H-1 λ ⁴-thiophen-1-imine 1-oxide

4-[[[4-fluorophenyl](methyl)oxido- λ^6 -sulfanylidene]amino]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine, mixture of 2 diastereoisomers

4-[[[2-fluorophenyl](methyl)oxido- λ^6 -sulfanylidene]amino]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine, mixture of 2 diastereoisomers

4-[[[R](2-fluorophenyl)(methyl)oxido- λ^6 -sulfanylidene]amino]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine, diastereoisomer

4-[[[S](2-fluorophenyl)(methyl)oxido- λ^6 -sulfanylidene]amino]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine, diastereoisomer

4-(dimethylphosphoryl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(diethylphosphoryl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

ethyl isobutyl{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}phosphinate

2-[(3R)-3-methylmorpholin-4-yl]-4-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(1-isobutyl-1H-pyrazol-5-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[5-fluoro-6-(methylsulfonyl)pyridin-3-yl]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[(3R)-3-methylmorpholin-4-yl]-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(4-methyl-1H-pyrazol-5-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[2-fluoro-5-(methylsulfonyl)phenyl]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[4-(isopropylsulfonyl)phenyl]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(6-fluoropyridin-2-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(1-ethyl-1H-imidazol-4-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

1-{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}prolinamide

3-{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}pyridin-2-amine

2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-4-[1-(2,2,2-trifluoroethyl)-1H-pyrazol-5-yl]-1,7-naphthyridine

1-methyl-4-{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}piperazin-2-one

4-[1-(2-fluoroethyl)-1H-pyrazol-3-yl]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[1-(2-fluoroethyl)-1H-pyrazol-5-yl]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(3-{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}-1H-pyrazol-1-yl)ethanol

2-methyl-1-(3-{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}-1H-pyrazol-1-yl)propan-2-ol

4-[(2R)-2-methylmorpholin-4-yl]-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(5-fluoropyridin-2-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(6-methylpyridin-2-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(3-methylpyridin-2-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

N-(2-[2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]phenyl)acetamide

3-{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}pyridin-2-ol

2-(3-{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}phenyl)propan-2-ol

4-(5,6-dihydroimidazo[1,2-a]pyrazin-7(8H)-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[(2S)-2-methylmorpholin-4-yl]-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[(trans)-2-methylcyclopropyl]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(difluoromethoxy)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]propan-2-ol

2-(morpholin-4-yl)-4-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-4-(pyrrolidin-1-yl)-1,7-naphthyridine

4-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]piperazin-2-one

4-(dimethylphosphoryl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[(trans)-2,5-dimethylpiperazin-1-yl]-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[(cis)-3,5-dimethylpiperazin-1-yl]-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

1-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]-3-(trifluoromethyl)azetidin-3-ol

methyl hydrogen {4-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]phenyl}phosphonate

4-(4-methylpiperazin-1-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-[(3aR,6aS)-tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-yl]-1,7-naphthyridine

4-(3-methoxy-3-methylazetidin-1-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-4-[(1S,4S)-2-oxa-5-azabicyclo[2.2.1]hept-5-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-[(methylsulfonyl)methyl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

N,N-dimethyl-5-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]pyridin-2-amine

4-(2-methylpyridin-4-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

1-{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}cyclohexanol

2-fluoro-6-{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}aniline

{methyl{4-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]phenyl}oxido- λ^6 -sulfonylidene)cyanamide

1-ethyl-3-{methyl{4-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]phenyl}oxido- λ^6 -sulfonylidene)urea

3-({2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}oxy)propan-1-amine

4-(4-cyclopropyl-1H-1,2,3-triazol-5-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-ethylsulfinyl-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-4-[propan-2-ylsulfinyl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-[3-(methylsulfonyl)propoxy]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-4-(phenylsulfonyl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-4-(propan-2-ylsulfonyl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(ethylsulfonyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-4-(phenylsulfinyl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(methylsulfinyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-[1-oxidotetrahydro-2H-thiopyran-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4,8-di(1H-pyrazol-5-yl)-1,7-naphthyridine

N,N-dimethyl-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-amine

2-(morpholin-4-yl)-4-(phenylsulfanyl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-N-(propan-2-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-amine

4-(ethylsulfanyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-4-(propan-2-ylsulfanyl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-(1H-pyrrol-2-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-(1H-pyrrol-3-yl)-1,7-naphthyridine

4-[(4-methoxyphenyl)sulfanyl]-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(5-methyl-1H-pyrazol-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

1-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]pyrrolidin-2-one

4-(1,1-dioxido-1,2-thiazolidin-2-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

1-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]piperidin-2-one

2-[(3R)-3-methylmorpholin-4-yl]-4-(2-methylpyridin-3-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-[2-(propan-2-yloxy)pyridin-3-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(2-methoxypyridin-3-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-(pyridin-4-yl)-1,7-naphthyridine

4-[(4-methoxyphenyl)sulfanyl]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[3-fluoro-2-(morpholin-4-yl)pyridin-4-yl]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(6-fluoro-5-methylpyridin-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

3-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]-1,3-oxazinan-2-one

3-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]-1,3-oxazolidin-2-one

4-(3-methoxypyridin-4-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(2,6-difluoropyridin-3-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(5-chloro-2-fluoropyridin-3-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(3-fluoropyridin-4-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(2-chloro-6-methylpyridin-3-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(5,6-dimethylpyridin-3-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(5-fluoro-6-methylpyridin-3-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(5-methylthiophen-3-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(3-methoxythiophen-2-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(2-chlorothiophen-3-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(isoquinolin-4-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(5-chlorothiophen-2-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(4-methylthiophen-2-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(2,5-dimethylthiophen-3-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-4-(tetrahydro-2H-thiopyran-4-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(1-methyl-1,2,5,6-tetrahydropyridin-3-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-[1-methylpiperidin-3-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-4-(1,2,3,6-tetrahydropyridin-4-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-4-[1-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-3-yl]-1,7-naphthyridine

4-(4,6-difluoropyridin-3-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(1-methyl-1H-pyrazol-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(1,3-dimethyl-1H-pyrazol-4-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(1,5-dimethyl-1H-pyrazol-4-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(piperidin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-4-[3-(trifluoromethyl)-1H-pyrazol-4-yl]-1,7-naphthyridine

4-(1-cyclobutyl-1H-pyrazol-4-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(1-cyclopropyl-1H-pyrazol-4-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-[1-(propan-2-yl)-1H-pyrazol-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[1-(difluoromethyl)-1H-pyrazol-4-yl]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(1-tert-butyl-1H-pyrazol-4-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-4-(1,3,5-trimethyl-1H-pyrazol-4-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-[1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-{4-[2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]-1H-pyrazol-1-yl}ethanol

4-(1-ethyl-1H-pyrazol-4-yl)-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(1-methyl-1H-pyrrol-3-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-[1-(propan-2-yl)-1H-pyrazol-3-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-4-(1,2,5-trimethyl-1H-pyrrol-3-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(1-phenyl-1H-pyrazol-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(3-methyl-1H-pyrazol-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-amine

2-[(3R)-3-methylmorpholin-4-yl]-4-[1-(2-methylpropyl)-1H-pyrazol-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(1H-pyrazol-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-[(3R)-3-methylmorpholin-4-yl]-4-(1,3-oxazol-2-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(1,3-dimethyl-1H-pyrazol-4-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(1,5-dimethyl-1H-pyrazol-4-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-(1,3,5-trimethyl-1H-pyrazol-4-yl)-1,7-naphthyridine

4-[[[2-methoxyethyl](methyl)oxido- λ^6 -sulfanylidene]amino]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[[[4-bromophenyl](oxido)propan-2-yl- λ^6 -sulfanylidene]amino]-2-[(3R)-3-methylmorpholin-4-yl]-

8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(methyl-N-{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}sulfonimidoyl)phenol

4-[[[(4-bromophenyl)(methyl)oxido- λ^6 -sulfanylidene]amino]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[[tert-butyl(methyl)oxido- λ^6 -sulfanylidene]amino]-2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

formic acid - N-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]-1,4 λ^4 -oxathian-4-imine 4-oxide (1:1)

N-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]hexahydro-1 λ^4 -thiopyran-1-imine 1-oxide

3-methyl-2-{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}butan-2-ol

1-{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}-1-(tetrahydro-2H-pyran-4-yl)ethanol

3,3-dimethyl-2-{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}butan-2-ol

2-{2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl}hexan-2-ol

2-[(3R)-3-methylmorpholin-4-yl]-8-(1H-pyrazol-3-yl)-1,7-naphthyridine-4-carboxamide

2-[(3R)-3-methylmorpholin-4-yl]-4-[1-(methylsulfonyl)cyclopropyl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-(tetrahydro-2H-pyran-4-ylmethoxy)-1,7-naphthyridine

N,N-dimethyl-3-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]benzamide

{4-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]phenyl}(piperidin-1-yl)methanone

N,N-dimethyl-2-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]benzamide

N-cyclopropyl-4-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]benzamide

4-(4-methylpyridin-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-(1H-indol-6-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-(1H-indol-4-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 3-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]benzamide
 4-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]benzamide
 N-methyl-3-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]benzamide
 4-(3-fluorophenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-(5-chlorothiophen-2-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-(2-methoxyphenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-[2-(trifluoromethyl)phenyl]-1,7-naphthyridine
 2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-[4-(trifluoromethyl)phenyl]-1,7-naphthyridine
 2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-[3-(trifluoromethyl)phenyl]-1,7-naphthyridine
 4-(3-chlorophenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 N-{3-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]phenyl}acetamide
 4-(3-methoxyphenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-(3,5-dimethoxyphenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-(3-methylphenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-(4-methoxyphenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-(furan-2-ylmethyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 2,6-dimethyl-4-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]phenol
 4-(2,3-dimethylphenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 {3-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]phenyl}methanol
 4-(4-fluorophenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-(4-methylphenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-(4-chlorophenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-(2-fluoro-3-methoxyphenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(2-methylphenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-(2,3-dimethoxyphenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 N,N-dimethyl-3-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]aniline
 N,N-dimethyl-2-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]aniline
 N-{2-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]phenyl}methanesulfonamide
 N-{4-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]phenyl}methanesulfonamide
 N,N-dimethyl-4-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]benzamide
 2-(morpholin-4-yl)-4-[(1E)-prop-1-en-1-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]phenol
 4-(2-fluorophenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 {3-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]phenyl}(piperidin-1-yl)methanone
 2-(morpholin-4-yl)-4-[4-(propan-2-yl)phenyl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 N-cyclopropyl-3-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]benzamide
 4-(biphenyl-4-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-(2,4-dimethoxyphenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-(2-chlorophenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-(2,5-dimethylphenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 3-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]aniline
 2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-[3-(1H-pyrazol-1-yl)phenyl]-1,7-naphthyridine
 3-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]phenol
 4-(2-fluoro-5-methoxyphenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-(5-fluoro-2-methoxyphenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-(2,4-difluorophenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
 4-(2,3-difluorophenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(2,6-dimethoxyphenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
2-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]aniline
4-(3,5-dichlorophenyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
4-(biphenyl-2-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
4-(2-chloropyridin-4-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
4-(1-benzothiophen-2-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
4-(1-methyl-1H-pyrazol-5-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-(quinolin-5-yl)-1,7-naphthyridine
2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-(pyridin-3-yl)-1,7-naphthyridine
4-(2-methoxypyridin-4-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
4-(5-methylpyridin-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
4-(5-methoxypyridin-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-(quinolin-3-yl)-1,7-naphthyridine
2-(morpholin-4-yl)-4-[1-(phenylsulfonyl)-1H-indol-2-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
4-(2-chloropyridin-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
4-(6-chloropyridin-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
{5-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]thiophen-2-yl}methanol
4-(2-fluoropyridin-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
4-(6-fluoropyridin-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
4-(2-chloro-6-methylpyridin-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
4-(2-methoxypyridin-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
4-(isoquinolin-4-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
4-(3-chloropyridin-4-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
4-(3-fluoropyridin-4-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
4-(2,6-difluoropyridin-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine
4-(1-methyl-1H-pyrazol-4-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

tert-butyl 5-methoxy-2-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]-1H-indole-1-carboxylate

2-(morpholin-4-yl)-4-[6-(morpholin-4-yl)pyridin-3-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(4-methylthiophen-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-(thiophen-2-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-(thiophen-3-yl)-1,7-naphthyridine

4-(3-methylthiophen-2-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(2-chloro-5-methylpyridin-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(4-methoxypyridin-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(5-chloro-2-methoxypyridin-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

tert-butyl 5-methyl-2-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]-1H-indole-1-carboxylate

4-(5-chloro-2-fluoropyridin-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(3,5-dimethyl-1,2-oxazol-4-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-(quinolin-8-yl)-1,7-naphthyridine

4-(5-methylthiophen-2-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(6-ethoxypyridin-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(2-ethoxypyridin-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-(quinolin-6-yl)-1,7-naphthyridine

4-(2-chlorothiophen-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

5-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]pyridin-2-amine

2-(morpholin-4-yl)-4-(1H-pyrazol-3-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(6-methylpyridin-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(1-methyl-1H-pyrrol-2-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

5-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]pyridin-2-ol

4-(5-chloropyridin-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(3-chloro-2-methoxypyridin-4-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(3-chlorothiophen-2-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(5-fluoropyridin-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-[2-(methylsulfanyl)pyrimidin-5-yl]-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

N-cyclopropyl-5-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]pyrimidin-2-amine

4-(isoquinolin-5-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

N-methyl-5-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]pyridine-2-carboxamide

N-tert-butyl-5-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]pyridine-3-carboxamide

4-[5-(methylsulfanyl)pyridin-3-yl]-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-(1H-pyrrolo[2,3-b]pyridin-4-yl)-1,7-naphthyridine

3-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]pyridin-2-amine

methyl 4-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]thiophene-2-carboxylate

4-[2-methoxy-5-(trifluoromethyl)pyridin-3-yl]-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-4-[2-(propan-2-yloxy)pyridin-3-yl]-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(5-chloro-6-ethoxypyridin-3-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(1-tert-butyl-1H-pyrazol-4-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-4-(piperidin-1-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

1-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]piperidin-4-ol

N-methyl-2-(morpholin-4-yl)-N-phenyl-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-amine

{1-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]pyrrolidin-2-yl}methanol

N-methyl-2-(morpholin-4-yl)-N-propyl-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-amine

4-(azepan-1-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(3-methylpiperidin-1-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(4-methylpiperidin-1-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

1-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]piperidine-3-carboxamide

4-(2,5-dihydro-1H-pyrrol-1-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(3,4-dihydroquinolin-1(2H)-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(3,4-dihydroisoquinolin-2(1H)-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(1,3-dihydro-2H-isoindol-2-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-4-[1,3,3-trimethyl-6-azabicyclo[3.2.1]oct-6-yl]-1,7-naphthyridine

tert-butyl 1-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]-prolinate

N-methyl-N-(2-methylpropyl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-amine

N-(3-fluorophenyl)-N-methyl-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-amine

4-(1,1-dioxido-1-thia-6-azaspiro[3.3]hept-6-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

4-(3-fluoropiperidin-1-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

N-(2-fluorophenyl)-N-methyl-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-amine

1-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]-prolinamide

{1-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]piperidin-4-yl}methanol

4-(4-methoxypiperidin-1-yl)-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

N-(4-fluorophenyl)-N-methyl-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-amine

N-methyl-1-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]-prolinamide

4-[4-(ethylsulfonyl)piperazin-1-yl]-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine


4-[4-(methylsulfonyl)piperazin-1-yl]-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridine

N-cyclopropyl-N-methyl-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-amine

N-(2,2-dimethylpropyl)-N-methyl-2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-amine


{1-[2-(morpholin-4-yl)-8-(1H-pyrazol-5-yl)-1,7-naphthyridin-4-yl]piperidin-3-yl}methanol

4. The compound according to claims 1 or 2 of general formula (Ib)



(Ib) , in which

R¹ represents:



wherein * indicates the point of attachment of said group with the rest of the molecule;

R² represents hydrogen, halogen, -NR⁷R⁸, CN, C₁-C₆-alkyl, C₁-C₆-alkoxy, 3- to 10-membered heterocycloalkoxy, C₂-C₆-alkenyl, C₃-C₆-cycloalkyl, 3- to 10-membered heterocycloalkyl, 4- to 10-membered heterocycloalkenyl, phenyl, heteroaryl, -(CO)OR⁷, -(CO)NR⁷R⁸, -(SO₂)R⁹, -(SO)R⁹, -SR⁹, -(SO₂)NR⁷R⁸, -NR⁷(SO₂)R⁹, -((SO)=NR¹¹)R¹⁰, -N=(SO)R⁹R¹⁰, -SiR¹⁰R¹¹R¹², -(PO)(OR⁷)₂, -(PO)(OR⁷)R¹⁰ or -(PO)(R¹⁰)₂, wherein each C₁-C₆-alkyl, C₁-C₆-alkoxy, 3- to 10-membered heterocycloalkoxy, C₂-C₆-alkenyl, C₃-C₆-cycloalkyl, 3- to 10-membered heterocycloalkyl, phenyl or heteroaryl is optionally substituted, one or more times, independently from each other, with halogen, OH, -NR⁷R⁸, C₁-C₆-alkyl optionally substituted with hydroxyl or phenyl, C₁-C₆-haloalkyl, C₁-C₆-alkoxy, C₃-C₆-cycloalkyl, 3- to 6-membered heterocycloalkyl, phenyl, -(CO)OR⁷, -(CO)NR⁷R⁸, -NR⁷(CO)R¹⁰, NR⁸(CO)OR⁷, -NR⁸(CO)NR⁷R⁸, -(SO₂)R⁹, -(SO)R⁹, -SR⁹, -(SO₂)NR⁷R⁸, -NR⁷(SO₂)R⁹, -((SO)=NR¹¹)R¹⁰, -N=(SO)R⁹R¹⁰, -(PO)(OR⁷)₂, -(PO)(OR⁷)R¹⁰, -(PO)(R¹⁰)₂ or with a heteroaryl group which is optionally substituted, one or more times, with C₁-C₄-alkyl;

wherein each 4- to 10-membered heterocycloalkenyl is optionally substituted, one or more times, independently from each other, with C₁-C₄-alkyl;

R³, R⁴ represent, independently from each other, hydrogen or methyl;

R^7 , R^8 represent, independently from each other, hydrogen, C_1 - C_6 -alkyl, C_3 - C_6 -cycloalkyl or phenyl, which phenyl is optionally substituted, one or more times, with halogen; or

R^7 and R^8 together represent a 4-, 5-, 6- or 7-membered cyclic amine group, which is optionally substituted, one or more times, independently from each other, with a substituent selected from C_1 - C_6 -alkyl, C_1 - C_6 -haloalkyl, said 4-, 5-, 6- or 7-membered cyclic amine group optionally containing one further heteroatom selected from the group consisting of O, N and S;

R^9 represents C_1 - C_4 -alkyl or phenyl, wherein each C_1 - C_4 -alkyl or phenyl is optionally substituted, one or more times, independently from each other, with R^{13} ;

R^{10} represents C_1 - C_4 -alkyl; or

R^9 and R^{10} together, in case of $-N=(SO)R^9R^{10}$ group, represent a 5- to 8-membered heterocycloalkyl group;


R^{11} represents hydrogen, C_1 - C_4 -alkyl, $-(CO)OR^7$, $-(CO)NR^7R^8$ or CN;

R^{12} represents hydrogen or C_1 - C_4 -alkyl;

R^{13} represents halogen, OH, $-NR^7R^8$, CN, NO_2 , C_1 - C_6 -alkyl, C_1 - C_6 -haloalkyl, C_1 - C_6 -alkoxy, C_1 - C_6 -haloalkoxy, C_2 - C_6 -alkenyl, C_3 - C_6 -cycloalkyl, $-(CO)OR^7$ or $-(CO)NR^7R^8$.

5. The compound of general formula (Ib) according to claim 4, in which

R^1 represents:



wherein * indicates the point of attachment of said group with the rest of the molecule;

R^2 represents hydrogen, halogen, $-NR^7R^8$, CN, C_1 - C_6 -alkyl, C_1 - C_4 -alkoxy, 3- to 10-membered heterocycloalkoxy, C_2 - C_4 -alkenyl, C_3 - C_6 -cycloalkyl, 3- to 10-membered heterocycloalkyl, 4- to 10-membered heterocycloalkenyl, phenyl, heteroaryl, $-(CO)NR^7R^8$, $-(SO_2)R^9$, $-(SO)R^9$, $-SR^9$, $-N=(SO)R^9R^{10}$, $-(PO)(OR^7)_2$, $-(PO)(OR^7)R^{10}$, $-(PO)(R^{10})_2$,

wherein each C₁-C₆-alkyl, C₁-C₄-alkoxy, C₃-C₆-cycloalkyl, 3- to 10-membered heterocycloalkyl, phenyl or heteroaryl is optionally substituted, one or more times, independently from each other, with

halogen, OH, amino, -NR⁷R⁸,

C₁-C₄-alkyl optionally substituted with hydroxyl or phenyl,

C₁-C₂-haloalkyl, C₁-C₃-alkoxy, C₃-C₆-cycloalkyl, 3- to 6-membered heterocycloalkyl,

phenyl, -(CO)OR⁷, -(CO)NR⁷R⁸, -NR⁷(CO)R¹⁰, -NR⁸(CO)OR⁷, -(SO₂)R⁹, -SR⁹,

-NR⁷(SO₂)R⁹, -((SO)=NR¹¹)R¹⁰, -(PO)(OR⁷)₂, -(PO)(OR⁷)R¹⁰, or with a heteroaryl group;

wherein each 4- to 10-membered heterocycloalkenyl is optionally substituted, one or more times, independently from each other, with methyl;

R⁴ represents hydrogen or methyl;

R⁷, R⁸ represent, independently from each other, hydrogen, C₁-C₆-alkyl, C₃-C₆-cycloalkyl or phenyl, which phenyl is optionally substituted, one or more times, with halogen;

R⁹ represents C₁-C₄-alkyl or phenyl, wherein each C₁-C₄-alkyl or phenyl is optionally substituted, one or more times, independently from each other, with R¹³;

R¹⁰ represents C₁-C₄-alkyl; or


R⁹ and R¹⁰ together, in case of -N=(SO)R⁹R¹⁰ group, represent a 5- to 8-membered heterocycloalkyl group;

R¹¹ represents hydrogen, C₁-C₄-alkyl, -(CO)OR⁷, -(CO)NR⁷R⁸ or CN;

R¹³ represents halogen, OH or C₁-C₆-alkoxy.


6. The compound of general formula (Ib) according to claims 4 or 5, in which

R¹ represents:




wherein * indicates the point of attachment of said group with the rest of the molecule;

R² represents hydrogen, chloro-, amino, propylamino, dimethylamino, methyl(propyl)amino, methyl(2-methylpropyl)amino, 2,2-dimethylpropyl(methyl)amino, cyclopropyl(methyl)amino, methyl(phenyl)amino, CN, methyl, ethyl, propan-2-yl, 3-methylbutan-2-yl, pentan-3-yl, hexan-2-yl, 3,3-dimethylbutan-2-yl, methoxy, ethoxy, propoxy, butoxy, 2-methyl-propan-1-yloxy, propan-2-yloxy, (2-oxotetrahydrofuran-3-yl)oxy, propenyl, cyclopropyl, cyclohexyl, azetidiny, pyrrolidinyl, 2-oxo-1,3-oxazolidin-2-one, tetrahydro-2H-pyranyl, tetrahydro-2H-thiopyran-4-yl, piperidinyl, piperazinyl, morpholinyl, azepanyl, 2-oxo-pyrrolidin-1-yl, 2-oxo-piperidin-1-yl, 3-oxo-piperazin-1-yl, 2-oxo-1,3-oxazinan-3-yl, 1-oxidotetrahydro-2H-thiopyran-4-yl, 1,1-dioxidotetrahydro-2H-thiopyran-4-yl, 1,1-dioxido-1,2-thiazolidin-2-yl, 5,6-dihydroimidazo[1,2-a]pyrazin-7(8H)-yl, 3-oxa-8-azabicyclo[3.2.1]oct-8-yl, 1,3,3-trimethyl-6-azabicyclo[3.2.1]oct-6-yl, (3aR,6aS)-tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-yl, (1S,4S)-2-oxa-5-azabicyclo[2.2.1]hept-5-yl, 1,1-dioxido-1-thia-6-azaspiro[3.3]hept-6-yl, 2,5-dihydro-1H-pyrrol-1-yl, 3,6-dihydro-2H-pyran-4-yl, 1,2,5,6-tetrahydropyridin-3-yl, 1,2,3,6-tetrahydropyridin-4-yl, 3,6-dihydro-2H-thiopyran-4-yl, phenyl, 1,3-dihydro-2H-isoindol-2-yl, 3,4-dihydroquinolin-1(2H)-yl, 3,4-dihydroisoquinolin-2(1H)-yl, pyrrolyl, pyrazolyl, thiophenyl, imidazolyl, oxazolyl, thiazolyl, triazolyl, oxadiazolyl, pyridinyl, pyrimidinyl, 2-oxo-1,2-dihydropyridin-4-yl, indolyl, benzothiophenyl, quinolinyl, isoquinolinyl, 1H-pyrrolo[2,3-b]pyridin-4-yl, 6,7-dihydro-5H-pyrrolo[1,2-a]imidazol-3-yl, -(CO)NH₂, methylsulfonyl, ethylsulfonyl, propan-2-ylsulfonyl, phenylsulfonyl, methylsulfinyl, ethylsulfinyl, propan-2-ylsulfinyl, phenylsulfinyl, methylsulfanyl, ethylsulfanyl, propan-2-ylsulfanyl, phenylsulfanyl, -N=(SO)dimethyl, -N=(SO)diethyl,



wherein * indicates the point of attachment of said group with the rest of the molecule,

$-(\text{PO})(\text{O-methyl})_2$, $-(\text{PO})(\text{O-ethyl})\text{methyl}$, $-(\text{PO})(\text{O-2-methylpropyl})\text{methyl}$,
 $-(\text{PO})(\text{O-ethyl})2\text{-methylpropyl}$, $-(\text{PO})\text{dimethyl}$, $-(\text{PO})\text{diethyl}$,
 wherein each methyl, ethyl, propan-2-yl, 3-methylbutan-2-yl, pentan-3-yl, hexan-2-yl, 3,3-dimethylbutan-2-yl, methoxy, ethoxy, propoxy, 2-methyl-propan-1-yloxy, butoxy, cyclopropyl, cyclohexyl, azetidiny, pyrrolidiny, piperidiny, piperazinyl, morpholinyl, 3-oxo-piperazin-1-yl, phenyl, pyrrolyl, pyrazolyl, thiophenyl, imidazolyl, oxazolyl, thiazolyl, triazolyl, oxadiazolyl, pyridinyl, pyrimidinyl, indolyl,




is optionally substituted, one or more times, independently from each other, with
 fluoro, chloro, bromo, OH, amino, -NH-cyclopropyl, dimethylamino, methyl, ethyl,
 propan-1-yl, propan-2-yl, 2-methylpropyl, *tert*-butyl, hydroxymethyl,
 2-hydroxyethyl, 2-methyl-2-hydroxypropan-1-yl, 2-hydroxypropan-2-yl, benzyl,
 fluoroethyl, difluoromethyl, trifluoromethyl, methoxy, ethoxy, isopropoxy,
 methoxymethyl, cyclopropyl, cyclobutyl, tetrahydrofuranyl, tetrahydropyranyl, phenyl,
 $-(\text{CO})\text{O-methyl}$, $(\text{CO})\text{O-}i\text{tert-butyl}$, $-(\text{CO})\text{NH}_2$, $-(\text{CO})\text{NH-methyl}$,
 $-(\text{CO})\text{NH-}i\text{tert-butyl}$, $-(\text{CO})\text{dimethylamino}$, $-(\text{CO})\text{piperidin-1-yl}$,
 $-(\text{CO})\text{NH-cyclopropyl}$, $-\text{NH}(\text{CO})\text{methyl}$, $-\text{NH}(\text{CO})\text{O-}i\text{tert-butyl}$, methylsulfonyl,
 ethylsulfonyl, propan-2-ylsulfonyl, phenylsulfonyl, methylsulfanyl, $-(\text{SO}_2)\text{NR}^7\text{R}^8$,
 $\text{NH}(\text{SO}_2)\text{methyl}$, $-((\text{SO})=\text{NH})\text{methyl}$, $-((\text{SO})=\text{NH})\text{ethyl}$, $-((\text{SO})=\text{NH})\text{propan-2-yl}$,
 $-((\text{SO})=\text{N-methyl})\text{methyl}$, $-((\text{SO})=\text{N}-(\text{CO})\text{O-ethyl})\text{methyl}$, $-((\text{SO})=\text{N}-(\text{CN}))\text{methyl}$,
 $-((\text{SO})=\text{N}-(\text{CO})\text{NH-ethyl})\text{methyl}$, $-(\text{PO})(\text{O-methyl})_2$, $-(\text{PO})(\text{OH})(\text{O-methyl})$ or with furanyl,
 pyrazolyl,

wherein each 1,2,5,6-tetrahydropyridin-3-yl, 1,2,3,6-tetrahydropyridin-4-yl is optionally
 substituted, one or more times, independently from each other, with methyl;

R^4 represents hydrogen or methyl.

7. The compound of general formula (Ib) according to any one of claims 4 to 6, in which

R¹ represents:



wherein * indicates the point of attachment of said group with the rest of the molecule;

R² represents 2,2-dimethylpropyl(methyl)amino, cyclopropyl(methyl)amino, methyl(phenyl)amino, 3-methylbutan-2-yl, cyclopropyl, tetrahydro-2H-pyran-4-yl, tetrahydro-2H-thiopyran-4-yl, piperidinyl, piperazinyl, 5,6-dihydroimidazo[1,2-a]pyrazin-7(8H)-yl, 3,6-dihydro-2H-thiopyran-4-yl, phenyl, pyrrolyl, pyrazolyl, thiophenyl, imidazolyl, oxazolyl, thiazolyl, pyridinyl, 1H-pyrrolo[2,3-b]pyridin-4-yl or 6,7-dihydro-5H-pyrrolo[1,2-a]imidazol-3-yl,


wherein each 3-methylbutan-2-yl, cyclopropyl, piperidinyl, piperazinyl, phenyl, pyrrolyl, pyrazolyl, thiophenyl, imidazolyl, oxazolyl, thiazolyl or pyridinyl is optionally substituted, one or two or three times, independently from each other, with

fluoro, chloro, OH, amino, methyl, ethyl, propan-1-yl, propan-2-yl, *tert*-butyl, hydroxymethyl, benzyl, fluoroethyl, trifluoromethyl, methoxy, cyclopropyl, -(CO)O-methyl, methylsulfonyl, methylsulfanyl, -((SO)=NH)methyl;

R⁴ represents methyl.

8. The compound of general formula (Ib) according to any one of claims 4 to 7, in which

R¹ represents:



wherein * indicates the point of attachment of said group with the rest of the molecule;

R² represents tetrahydro-2H-thiopyran-4-yl, piperidinyl, 5,6-dihydroimidazo[1,2-a]pyrazin-7(8H)-yl, phenyl, pyrrolyl, pyrazolyl, oxazolyl, pyridinyl or 6,7-dihydro-5H-pyrrolo[1,2-a]imidazol-3-yl,


wherein each piperidinyl, phenyl, pyrrolyl, pyrazolyl, oxazolyl or pyridinyl is optionally substituted, one or two times, independently from each other, with

fluoro, amino, methyl, ethyl, propan-2-yl, hydroxymethyl, methoxy, cyclopropyl, methylsulfonyl, methylsulfanyl, -((SO)=NH)methyl;

R⁴ represents methyl.

9. The compound of general formula (Ib) according to any one of claims 4 to 7, in which

R¹ represents:



wherein * indicates the point of attachment of said group with the rest of the molecule;

R² represents 2,2-dimethylpropyl(methyl)amino, cyclopropyl(methyl)amino, methyl(phenyl)amino, 3-methylbutan-2-yl, cyclopropyl, tetrahydro-2H-pyran-4-yl, tetrahydro-2H-thiopyran-4-yl, piperidin-4-yl, piperazin-1-yl, 5,6-dihydroimidazo[1,2-a]pyrazin-7(8H)-yl, 3,6-dihydro-2H-thiopyran-4-yl, phenyl, pyrrol-2-yl, 1H-pyrazol-5-yl, 1H-pyrazol-4-yl, thiophen-2-yl, thiophen-3-yl, 1H-imidazol-5-yl, 1,2-oxazol-5-yl, 1,3-thiazol-5-yl, pyridine-3-yl, pyridine-4-yl, 1H-pyrrolo[2,3-b]pyridin-4-yl or 6,7-dihydro-5H-pyrrolo[1,2-a]imidazol-3-yl,


wherein each 3-methylbutan-2-yl, cyclopropyl, piperidin-4-yl, piperazin-1-yl, phenyl, pyrrol-2-yl, 1H-pyrazol-5-yl, 1H-pyrazol-4-yl, thiophen-2-yl, thiophen-3-yl, 1H-imidazol-5-yl, 1,2-oxazol-5-yl, 1,3-thiazol-5-yl, pyridine-3-yl or pyridine-4-yl is optionally substituted, one or two or three times, independently from each other, with

fluoro, chloro, OH, amino, methyl, ethyl, propan-1-yl, propan-2-yl, *tert*-butyl, hydroxymethyl, benzyl, 2-fluoroethyl, trifluoromethyl, methoxy, cyclopropyl, -(CO)O-methyl, methylsulfonyl, methylsulfanyl or -((SO)=NH)methyl;

R⁴ represents methyl.

10. The compound of general formula (I) or (Ib) according to any one of claims 1 to 9 for use in the treatment or prophylaxis of a disease.

11. Use of the compound of general formula (I) or (Ib) according to any one of claims 1 to 9 in the manufacture of a medicament for the treatment or prophylaxis of a disease, wherein the disease is a hyperproliferative disease.
12. A pharmaceutical composition comprising the compound of general formula (I) or (Ib) according to any one of claims 1 to 9 and one or more pharmaceutically acceptable excipient(s).
13. The pharmaceutical composition according to claim 12 for use in the treatment or prophylaxis of a hyperproliferative disease.
14. A pharmaceutical combination comprising:
 - one or more active ingredient(s) selected from a compound of general formula (I) or (Ib) according to any one of claims 1 to 9, and
 - one or more active ingredient(s) selected from antihyperproliferative, cytostatic or cytotoxic substances for treatment of cancers.
15. A compound of general formula 8



in which R^1 , R^3 and R^4 are as defined for the compound of general formula (I) or (Ib) according to any one of claims 1 to 9.