

```

<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE ST26SequenceListing PUBLIC "-//WIPO//DTD Sequence Listing 1.3//EN"
"ST26SequenceListing_V1_3.dtd">
<ST26SequenceListing originalFreeTextLanguageCode="en" dtdVersion="V1_3"
fileName="EGFCM-100-WO-PCT.xml" softwareName="WIPO Sequence" softwareVersion="2.0.0"
productionDate="2022-10-17">
  <ApplicationIdentification>
    <IPOfficeCode>WO</IPOfficeCode>
    <ApplicationNumberText></ApplicationNumberText>
    <FilingDate></FilingDate>
  </ApplicationIdentification>
  <ApplicantFileReference>EGFCM-100-WO-PCT</ApplicantFileReference>
  <EarliestPriorityApplicationIdentification>
    <IPOfficeCode>US</IPOfficeCode>
    <ApplicationNumberText>63/263,835</ApplicationNumberText>
    <FilingDate>2021-11-10</FilingDate>
  </EarliestPriorityApplicationIdentification>
  <ApplicantName languageCode="en">MEDIMMUNE LIMITED</ApplicantName>
  <InventionTitle languageCode="en">ANTIBODY MOLECULES AND CONJUGATES</InventionTitle>
  <SequenceTotalQuantity>71</SequenceTotalQuantity>
  <SequenceData sequenceIDNumber="1">
    <INSDSeq>
      <INSDSeq_length>5</INSDSeq_length>
      <INSDSeq_moltype>AA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>
          <INSDFeature_location>1..5</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

          </INSDQualifier>
          <INSDQualifier id="q2">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>HCDR1</INSDQualifier_value>

          </INSDQualifier>
          <INSDQualifier id="q1">

<INSDQualifier_name>organism</INSDQualifier_name>

          <INSDQualifier_value>synthetic
construct</INSDQualifier_value>

          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq>
  </SequenceData>
</ST26SequenceListing>

```

```

        </INSDFeature>
      </INSDSeq_feature-table>
      <INSDSeq_sequence>DNDFS</INSDSeq_sequence>
    </INSDSeq>
  </SequenceData>
  <SequenceData sequenceIDNumber="2">
    <INSDSeq>
      <INSDSeq_length>17</INSDSeq_length>
      <INSDSeq_moltype>AA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>
          <INSDFeature_location>1..17</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

          </INSDQualifier>
          <INSDQualifier id="q4">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>HCDR2</INSDQualifier_value>

          </INSDQualifier>
          <INSDQualifier id="q3">

<INSDQualifier_name>organism</INSDQualifier_name>

          <INSDQualifier_value>synthetic
construct</INSDQualifier_value>

          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>AIVAVFRTETYAQKFQD</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="3">
  <INSDSeq>
    <INSDSeq_length>15</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..15</INSDFeature_location>
        <INSDFeature_qual>

```

```

<INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

</INSDQualifier>
<INSDQualifier id="q6">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>HCDR3</INSDQualifier_value>

</INSDQualifier>
<INSDQualifier id="q5">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic
construct</INSDQualifier_value>

</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>RLMSAISGPGAPLLM</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="4">
  <INSDSeq>
    <INSDSeq_length>14</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..14</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

</INSDQualifier>
<INSDQualifier id="q8">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>LCDR1</INSDQualifier_value>

</INSDQualifier>
<INSDQualifier id="q7">

<INSDQualifier_name>organism</INSDQualifier_name>

```

```

construct</INSDQualifier_value>
                                <INSDQualifier_value>synthetic
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>
                                <INSDSeq_sequence>TGTSSDVGGYNYVS</INSDSeq_sequence>
                                </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="5">
    <INSDSeq>
        <INSDSeq_length>7</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..7</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>protein</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q10">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>LCDR2</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q9">
<INSDQualifier_name>organism</INSDQualifier_name>
                                <INSDQualifier_value>synthetic
construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>
                                <INSDSeq_sequence>DVSKRPS</INSDSeq_sequence>
                                </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="6">
    <INSDSeq>
        <INSDSeq_length>11</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>

```

```

        <INSDFeature>
            <INSDFeature_key>source</INSDFeature_key>
            <INSDFeature_location>1..11</INSDFeature_location>
            <INSDFeature_qual>
                <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
                </INSDQualifier>
                <INSDQualifier id="q12">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>SSYTSSDTLEI</INSDQualifier_value>
                </INSDQualifier>
                <INSDQualifier id="q11">

<INSDQualifier_name>organism</INSDQualifier_name>
                <INSDQualifier_value>synthetic
construct</INSDQualifier_value>
                </INSDQualifier>
            </INSDFeature_qual>
        </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>SSYTSSDTLEI</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="7">
    <INSDSeq>
        <INSDSeq_length>17</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..17</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q14">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>HCDR2</INSDQualifier_value>

```

```

</INSDQualifier>
<INSDQualifier id="q13">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>

</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>AIVAVVRTETYAQKFQD</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="8">
  <INSDSeq>
    <INSDSeq_length>30</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..30</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

</INSDQualifier>
<INSDQualifier id="q16">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>HFR1</INSDQualifier_value>

</INSDQualifier>
<INSDQualifier id="q15">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>

</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>

<INSDSeq_sequence>QVQLVQSGAEVKKPGSSVKVCKASGGTFS</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="9">

```

```

        <INSDSeq>
          <INSDSeq_length>14</INSDSeq_length>
          <INSDSeq_moltype>AA</INSDSeq_moltype>
          <INSDSeq_division>PAT</INSDSeq_division>
          <INSDSeq_feature-table>
            <INSDFeature>
              <INSDFeature_key>source</INSDFeature_key>
              <INSDFeature_location>1..14</INSDFeature_location>
              <INSDFeature_qual>
                <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
                </INSDQualifier>
                <INSDQualifier id="q18">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>HFR2</INSDQualifier_value>
                </INSDQualifier>
                <INSDQualifier id="q17">

<INSDQualifier_name>organism</INSDQualifier_name>
                <INSDQualifier_value>synthetic
construct</INSDQualifier_value>
                </INSDQualifier>
              </INSDFeature_qual>
            </INSDFeature>
          </INSDSeq_feature-table>
          <INSDSeq_sequence>WVRQAPGQGLEWMG</INSDSeq_sequence>
        </INSDSeq>
      </SequenceData>
      <SequenceData sequenceIDNumber="10">
        <INSDSeq>
          <INSDSeq_length>32</INSDSeq_length>
          <INSDSeq_moltype>AA</INSDSeq_moltype>
          <INSDSeq_division>PAT</INSDSeq_division>
          <INSDSeq_feature-table>
            <INSDFeature>
              <INSDFeature_key>source</INSDFeature_key>
              <INSDFeature_location>1..32</INSDFeature_location>
              <INSDFeature_qual>
                <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
                </INSDQualifier>

```

```

<INSDQualifier id="q20">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>HFR3</INSDQualifier_value>

</INSDQualifier>
<INSDQualifier id="q19">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic
construct</INSDQualifier_value>

</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>

<INSDSeq_sequence>RVKITADISTRRTTYMELSSLRSEDTAVYYCAR</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="11">
<INSDSeq>
<INSDSeq_length>11</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..11</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

</INSDQualifier>
<INSDQualifier id="q22">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>HFR4</INSDQualifier_value>

</INSDQualifier>
<INSDQualifier id="q21">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic
construct</INSDQualifier_value>

</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>

```

```

        </INSDSeq_feature-table>
        <INSDSeq_sequence>WGQGTLLTVSS</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="12">
    <INSDSeq>
        <INSDSeq_length>22</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..22</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

                    </INSDQualifier>
                    <INSDQualifier id="q24">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>LFR1</INSDQualifier_value>

                    </INSDQualifier>
                    <INSDQualifier id="q23">

<INSDQualifier_name>organism</INSDQualifier_name>

                    <INSDQualifier_value>synthetic
construct</INSDQualifier_value>

                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>QSALTQPRSVSGSPGQSVTISC</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="13">
    <INSDSeq>
        <INSDSeq_length>15</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..15</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

```

```

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q141">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>LFR2</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q140">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>WYQQHPGKAPKLMY</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="14">
  <INSDSeq>
    <INSDSeq_length>32</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..32</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q27">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>LFR3</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q26">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic

```

```

construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>

<INSDSeq_sequence>GVPDRFSGSKSGNTASLTISGLQAEDEADYYC</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="15">
    <INSDSeq>
        <INSDSeq_length>10</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..10</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q31">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>LFR4</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q30">

<INSDQualifier_name>organism</INSDQualifier_name>
                                <INSDQualifier_value>synthetic
construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>
                                <INSDSeq_sequence>FGGGTKLTVL</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="16">
    <INSDSeq>
        <INSDSeq_length>124</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>

```

```

        <INSDFeature>
            <INSDFeature_key>source</INSDFeature_key>
            <INSDFeature_location>1..124</INSDFeature_location>
            <INSDFeature_qual>
                <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
                </INSDQualifier>
                <INSDQualifier id="q34">

<INSDQualifier_name>note</INSDQualifier_name>
                <INSDQualifier_value>Amino acid
sequence of the variable heavy (VH) region of anti-EGFR antibody clone RAA22 </INSDQualifier_value>
                </INSDQualifier>
                <INSDQualifier id="q32">

<INSDQualifier_name>organism</INSDQualifier_name>
                <INSDQualifier_value>synthetic
construct</INSDQualifier_value>
                </INSDQualifier>
            </INSDFeature_qual>
        </INSDFeature>
    </INSDSeq_feature-table>

<INSDSeq_sequence>QVQLVQSGAEVKKPGSSVKVSCKASGGTFSNDNFSWVRQAPGQGLEWMGAIVAVFR TET Y A Q K F
QDRVKITADISTR T T Y M E L S S L R S E D T A V Y Y C A R R L M S A I S G P G A P L L M W G Q G T L V T V S S </INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="17">
    <INSDSeq>
        <INSDSeq_length>372</INSDSeq_length>
        <INSDSeq_moltype>DNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..372</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                    <INSDQualifier_value>other
DNA</INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q39">

<INSDQualifier_name>note</INSDQualifier_name>

```

```

sequence of the VH region of anti-EGFR antibody clone RAA22 </INSDQualifier_value>
<INSDQualifier_value>Nucleic acid
</INSDQualifier>
<INSDQualifier id="q38">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>

<INSDSeq_sequence>caggtgcagctggtgcagctctggggccgaagtgaagaaacccggcagcagcgtgaaggtgtcctgtaaagccagcggcg
gcaccttcagcgacaacgactttagctgggtccgacaggcccctggacagggcctggaatggatgggagccatcgtggccgtgtccggacagagacatac
gccagaaattccaggacagagtgaataccgcccacatcagcaccagaaccacctacatggaactgagcagcctgagaagcgaggacaccgcccgtgta
ctactgcgccagacggctgatgtctgccatctctggacctggcgctcctctgctcatgtggggacagggaaactggtcaccgtgtccagc</INSDSeq_se
quence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="18">
<INSDSeq>
<INSDSeq_length>124</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..124</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q41">

<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Amino acid
sequence of the VH region of anti-EGFR antibody clone QD6 </INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q40">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>

```

```

        </INSDFeature>
    </INSDSeq_feature-table>

    <INSDSeq_sequence>QVQLVQSGAEVKKPGSSVKVSKASGGTFSNDNFSWVRQAPGQGLEWMGAIVAVVRTETYAQKF
    QDRVKITADISTRRTTYMELSSLRSEDTAVYYCARRLMSAISGPGAPLLMWGQGTLVTVSS</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="19">
    <INSDSeq>
        <INSDSeq_length>372</INSDSeq_length>
        <INSDSeq_moltype>DNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..372</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

                                <INSDQualifier_value>other
DNA</INSDQualifier_value>

                                </INSDQualifier>
                                <INSDQualifier id="q143">

<INSDQualifier_name>note</INSDQualifier_name>

                                <INSDQualifier_value>Nucleic acid
sequence of the VH region of anti-EGFR antibody clone QD6</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q142">

<INSDQualifier_name>organism</INSDQualifier_name>

                                <INSDQualifier_value>synthetic
construct</INSDQualifier_value>

                                </INSDQualifier>
                                </INSDFeature_qual>
                            </INSDFeature>
                        </INSDSeq_feature-table>

    <INSDSeq_sequence>caggtgcagctggtgcagctcggggccgaagtgaagaaacccggcagcagcgtgaaggtgtcctgtaaagccagcggcg
    gcaccttcagcgacaacgacttttagctgggtccgacaggcccctggacagggcctggaatggatgggagccatcgtggccgtggtccggacagagacatac
    gccagaaattccaggacagagtgaataccgcgcgacatcagcaccagaaccacctacatggaactgagcagcctgagaagcgaggacaccgcccgtgta
    ctactgcgcgacagcgctgatgtctgccatctctggacctggcgctcctctgctcatgtggggacaggaacactggtcaccgtgtccagc</INSDSeq_se
    quence>
        </INSDSeq>
    </SequenceData>
<SequenceData sequenceIDNumber="20">
    <INSDSeq>
        <INSDSeq_length>111</INSDSeq_length>

```

```

        <INSDSeq_moltype>AA </INSDSeq_moltype>
        <INSDSeq_division>PAT </INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source </INSDFeature_key>
                <INSDFeature_location>1..111 </INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q145">

<INSDQualifier_name>note</INSDQualifier_name>
                    <INSDQualifier_value>Amino acid
sequence of the variable light (VL) region of anti-EGFR antibody clone RAA22 </INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q144">

<INSDQualifier_name>organism</INSDQualifier_name>
                    <INSDQualifier_value>synthetic
construct</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>

<INSDSeq_sequence>QSALTQPRSVSGSPGQSVTISCTGTSSDVGGYNYVSWYQQHPGKAPKLMYDVSKRPSGVPDRFSG
SKSGNTASLTISGLQAEDEADYYCSSYTSSDTLEIFGGGTKLTVL</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="21">
    <INSDSeq>
        <INSDSeq_length>333 </INSDSeq_length>
        <INSDSeq_moltype>DNA </INSDSeq_moltype>
        <INSDSeq_division>PAT </INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source </INSDFeature_key>
                <INSDFeature_location>1..333 </INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                    <INSDQualifier_value>other
DNA</INSDQualifier_value>
                    </INSDQualifier>

```

```

<INSDQualifier id="q44">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>

<INSDSeq_sequence>cagtctgccctgactcagcctcgctcagtgtccgggtctcctggacagtcagtcaccatctcctgcactggaaccagcagtgatg
ttggtggttataactatgtctcctggtaccaacagcaccaggcaaagccccaaactcatgtttatgatgtcagtaagcggccctcaggggtccctgatcgctt
ctctggctccaagtctggcaacacggcctccctgacctctctgggtccaggctgaggacgaggctgattattactgcagttcatatacaagcagcgacactctc
gaaatattcggcggagggaagctgacctccta</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="22">
<INSDSeq>
<INSDSeq_length>111</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..111</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q46">

<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Amino acid
sequence of the VL region of anti-EGFR antibody clone QD6 </INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q45">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>

<INSDSeq_sequence>QSALTQPRSVSGSPGQSVTISCTGTSSDVGGYNYVSWYQQHPGKAPKLMIYDVSERPSGVPDRFSG

```

```

SKSGNTASLTISGLQAEDEADYYCFSYTSSDTLEIFGGGTKLTVL</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="23">
    <INSDSeq>
        <INSDSeq_length>333</INSDSeq_length>
        <INSDSeq_moltype>DNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..333</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
DNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q48">

<INSDQualifier_name>note</INSDQualifier_name>
                                <INSDQualifier_value>Nucleic acid
sequence of the VL region of anti-EGFR antibody clone QD6</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q47">

<INSDQualifier_name>organism</INSDQualifier_name>
                                <INSDQualifier_value>synthetic
construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>

<INSDSeq_sequence>cagtctgcctgactcagcctcgctcagtgtccgggtctcttgacagtcagtcaccatctctgcactggaaccagcagtgatg
ttggtggttataactatgtctctggtaccaacagcaccaggcaagccccaaactcatgattatgatgtcagtgaaaggccctcaggggtccctgatcgctt
ctctggctccaagtctggcaacacggcctccctgacctctctgggctccaggctgaggacgaggctgattattactgcttctcatatacaagcagcgacacttc
gaaatattcggcgaggaggaccaagctgaccgtccta</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="24">
    <INSDSeq>
        <INSDSeq_length>5</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

```

```
</INSDFeature_location> 1..5 </INSDFeature_location>  
    <INSDFeature_qual>  
        <INSDQualifier>  
  
<INSDQualifier_name>mol_type</INSDQualifier_name>  
  
<INSDQualifier_value>protein</INSDQualifier_value>  
        </INSDQualifier>  
        <INSDQualifier id="q50">  
  
<INSDQualifier_name>note</INSDQualifier_name>  
  
<INSDQualifier_value>HCDR1</INSDQualifier_value>  
        </INSDQualifier>  
        <INSDQualifier id="q49">  
  
<INSDQualifier_name>organism</INSDQualifier_name>  
        <INSDQualifier_value>synthetic  
construct</INSDQualifier_value>  
        </INSDQualifier>  
    </INSDFeature_qual>  
</INSDFeature>  
</INSDSeq_feature-table>  
<INSDSeq_sequence>DYYIH</INSDSeq_sequence>  
</INSDSeq>  
</SequenceData>  
<SequenceData sequenceIDNumber="25">  
    <INSDSeq>  
        <INSDSeq_length>17</INSDSeq_length>  
        <INSDSeq_moltype>AA</INSDSeq_moltype>  
        <INSDSeq_division>PAT</INSDSeq_division>  
        <INSDSeq_feature-table>  
            <INSDFeature>  
                <INSDFeature_key>source</INSDFeature_key>  
                <INSDFeature_location>1..17</INSDFeature_location>  
                <INSDFeature_qual>  
                    <INSDQualifier>  
  
<INSDQualifier_name>mol_type</INSDQualifier_name>  
  
<INSDQualifier_value>protein</INSDQualifier_value>  
        </INSDQualifier>  
        <INSDQualifier id="q52">  
  
<INSDQualifier_name>note</INSDQualifier_name>  
  
<INSDQualifier_value>HCDR2</INSDQualifier_value>  
        </INSDQualifier>  
        <INSDQualifier id="q51">
```

```

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>WMNPNSGNTGYAQKFQG</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="26">
  <INSDSeq>
    <INSDSeq_length>7</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..7</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
            </INSDQualifier>
          <INSDQualifier id="q54">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>HCDR3</INSDQualifier_value>
            </INSDQualifier>
          <INSDQualifier id="q53">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic
construct</INSDQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
      </INSDSeq_feature-table>
    <INSDSeq_sequence>GQGYTHS</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="27">
  <INSDSeq>
    <INSDSeq_length>11</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>

```

```

        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..11</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

                    </INSDQualifier>
                    <INSDQualifier id="q56">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>LCDR1</INSDQualifier_value>

                    </INSDQualifier>
                    <INSDQualifier id="q55">

<INSDQualifier_name>organism</INSDQualifier_name>

                                <INSDQualifier_value>synthetic
construct</INSDQualifier_value>

                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>
                                <INSDSeq_sequence>RASEGIYHWLA</INSDSeq_sequence>
                        </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="28">
    <INSDSeq>
        <INSDSeq_length>7</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..7</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

                    </INSDQualifier>
                    <INSDQualifier id="q58">

<INSDQualifier_name>note</INSDQualifier_name>

```

```

<INSDQualifier_value>LCDR2</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q57">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>KASSLAS</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="29">
  <INSDSeq>
    <INSDSeq_length>9</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..9</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q60">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>LCDR3</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q59">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>QQYSNYPPT</INSDSeq_sequence>
</INSDSeq>
</SequenceData>

```

```

<SequenceData sequenceIDNumber="30">
  <INSDSeq>
    <INSDSeq_length>30</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..30</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

          </INSDQualifier>
          <INSDQualifier id="q62">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>HFR1</INSDQualifier_value>

          </INSDQualifier>
          <INSDQualifier id="q61">

<INSDQualifier_name>organism</INSDQualifier_name>

          <INSDQualifier_value>synthetic
construct</INSDQualifier_value>

          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="31">
  <INSDSeq>
    <INSDSeq_length>14</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..14</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

```

```

<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q64">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>HFR2</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q63">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>WVRQATGQGLEWMG</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="32">
  <INSDSeq>
    <INSDSeq_length>32</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..32</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q66">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>HFR3</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q65">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>

```

```

        </INSDFeature>
    </INSDSeq_feature-table>

<INSDSeq_sequence>RVTMTRDTSISTAYMELSSLRSEDTAVYYCAR</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="33">
    <INSDSeq>
        <INSDSeq_length>11</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..11</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

                    </INSDQualifier>
                    <INSDQualifier id="q68">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>HFR4</INSDQualifier_value>

                    </INSDQualifier>
                    <INSDQualifier id="q67">

<INSDQualifier_name>organism</INSDQualifier_name>

                    <INSDQualifier_value>synthetic
construct</INSDQualifier_value>

                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>WGQGTMTVSS</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="34">
    <INSDSeq>
        <INSDSeq_length>23</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..23</INSDFeature_location>

```

```

<INSDFeature_qual>
  <INSDQualifier>
    <INSDQualifier_name>mol_type</INSDQualifier_name>
    <INSDQualifier_value>protein</INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier id="q70">
    <INSDQualifier_name>note</INSDQualifier_name>
    <INSDQualifier_value>LFR1</INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier id="q69">
    <INSDQualifier_name>organism</INSDQualifier_name>
    <INSDQualifier_value>synthetic
construct</INSDQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>DIQMTQSPSTLSASVGDRVTITC</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="35">
  <INSDSeq>
    <INSDSeq_length>15</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..15</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q147">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>LFR2</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q146">

```

```

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>WYQQKPGKAPKLLIY</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="36">
  <INSDSeq>
    <INSDSeq_length>32</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..32</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q73">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>LFR3</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q72">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>

<INSDSeq_sequence>GVPSRFSGSGSGTEFTLTISSLQPDDFATYYC</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="37">
  <INSDSeq>
    <INSDSeq_length>10</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>

```

```

        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..10</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

                    </INSDQualifier>
                    <INSDQualifier id="q75">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>LFR4</INSDQualifier_value>

                    </INSDQualifier>
                    <INSDQualifier id="q74">

<INSDQualifier_name>organism</INSDQualifier_name>

                                <INSDQualifier_value>synthetic
construct</INSDQualifier_value>

                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>
                                <INSDSeq_sequence>FGGGTKLEIK</INSDSeq_sequence>
                        </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="38">
    <INSDSeq>
        <INSDSeq_length>116</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..116</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

                    </INSDQualifier>
                    <INSDQualifier id="q77">

<INSDQualifier_name>note</INSDQualifier_name>

```

```

sequence of the variable heavy (VH) region of anti-c-Met antibody clone B09-GL </INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q76">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>

<INSDSeq_sequence>QVQLVQSGAEVKKPGASVKVSCKASGYTFTDYYIHWVRQATGQGLEWMGWMNPNPNSGNTGYAQK
FQGRVTMTRDTSISTAYMELSSLRSED TAVYYCARGQGYTHSWGQGTMTVTSS</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="39">
  <INSDSeq>
    <INSDSeq_length>348</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..348</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>other
DNA</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q79">

<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Nucleic acid
sequence of the VH region of anti-c-Met antibody clone B09-GL </INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q78">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>

```

```
<INSDSeq_sequence>caagtgcagctggtgcagctctggcgccgaagtgaagaaacctggcgccagcgtgaaggtcagctgcaaggccagcggcta  
caccttcaccgactactacatccactgggtccgccaggccacaggccagggaactggaatggatgggctggatgaacccaacagcggcaacaccggctacgc  
ccagaaattccagggcagagtgacctgacccgggacaccagcatcagcaccgcctacatggaactgagcagcctgcggagcgaggacaccgccgtgtact  
actgtgccagaggccagggtacacccacagctggggccagggcacatggtcacagtgtccagc</INSDSeq_sequence>
```

```
</INSDSeq>
```

```
</SequenceData>
```

```
<SequenceData sequenceIDNumber="40">
```

```
<INSDSeq>
```

```
<INSDSeq_length>107</INSDSeq_length>
```

```
<INSDSeq_moltype>AA</INSDSeq_moltype>
```

```
<INSDSeq_division>PAT</INSDSeq_division>
```

```
<INSDSeq_feature-table>
```

```
<INSDFeature>
```

```
<INSDFeature_key>source</INSDFeature_key>
```

```
<INSDFeature_location>1..107</INSDFeature_location>
```

```
<INSDFeature_qual>
```

```
<INSDQualifier>
```

```
<INSDQualifier_name>mol_type</INSDQualifier_name>
```

```
<INSDQualifier_value>protein</INSDQualifier_value>
```

```
</INSDQualifier>
```

```
<INSDQualifier id="q81">
```

```
<INSDQualifier_name>note</INSDQualifier_name>
```

```
<INSDQualifier_value>Amino acid
```

```
sequence of the variable light (VL) region of anti-c-Met antibody clone B09-GL</INSDQualifier_value>
```

```
</INSDQualifier>
```

```
<INSDQualifier id="q80">
```

```
<INSDQualifier_name>organism</INSDQualifier_name>
```

```
<INSDQualifier_value>synthetic
```

```
construct</INSDQualifier_value>
```

```
</INSDQualifier>
```

```
</INSDFeature_qual>
```

```
</INSDFeature>
```

```
</INSDSeq_feature-table>
```

```
<INSDSeq_sequence>DIQMTQSPSTLSASVGDRVTITCRASEGIYHWLAWYQQKPGKAPKLLIYKASSLASGVPSRFSGSGSG  
TEFTLTISSLQPDDFATYCYCQQYSNYPPTFGGGTKLEIK</INSDSeq_sequence>
```

```
</INSDSeq>
```

```
</SequenceData>
```

```
<SequenceData sequenceIDNumber="41">
```

```
<INSDSeq>
```

```
<INSDSeq_length>321</INSDSeq_length>
```

```
<INSDSeq_moltype>DNA</INSDSeq_moltype>
```

```
<INSDSeq_division>PAT</INSDSeq_division>
```

```
<INSDSeq_feature-table>
```

```
<INSDFeature>
```

```

<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..321</INSDFeature_location>
<INSDFeature_qual>
  <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
  <INSDQualifier_value>other
DNA</INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier id="q83">

<INSDQualifier_name>note</INSDQualifier_name>
  <INSDQualifier_value>Nucleic acid
sequence of the VL region of anti-c-Met antibody clone B09-GL </INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier id="q82">

<INSDQualifier_name>organism</INSDQualifier_name>
  <INSDQualifier_value>synthetic
construct</INSDQualifier_value>
  </INSDQualifier>
  </INSDFeature_qual>
  </INSDFeature>
  </INSDSeq_feature-table>

<INSDSeq_sequence>gacatccagatgacccagagccccagcacccctgagcgccagcgctcggcgacagagtgaccatcacctgtcgggccagcgag
ggcatctaccactggctggcctggtatcagcagaagcccggaaggccccaaagctgtgtatcataaggccagcagcctggccagcggagtccttagcag
atcttctggcagcggcagcggcaccgagttcacctgaccatcagcagcctgcagcccgacgacttcgccacctactactgccagcagtagcaactaccccc
cacctcggcggaggcaccaagctggaaatcaag</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="42">
  <INSDSeq>
    <INSDSeq_length>330</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..330</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier id="q85">

```

<INSDQualifier_name>note</INSDQualifier_name>
sequence of a human immunoglobulin G1 heavy chain constant
<INSDQualifier_value>Amino acid
</INSDQualifier>
<INSDQualifier id="q84">

<INSDQualifier_name>organism</INSDQualifier_name>
construct</INSDQualifier_value>
<INSDQualifier_value>synthetic
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>

<INSDSeq_sequence>ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVV
TVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPE
VKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSR
DELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGSFFLYSKLTVDKSRWQQGNVFCSCVMHEALHNHYT
QKSLSLSPGK</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="43">
<INSDSeq>
<INSDSeq_length>330</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..330</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q87">

<INSDQualifier_name>note</INSDQualifier_name>
sequence of a human immunoglobulin G1 CH region modified to include 'Knob' mutation,
interchain cysteine mutations, a cysteine to form a stabilizing disulfide bridge and with a cysteine insertion
</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q86">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic

construct</INSDQualifier_value>

</INSDQualifier>

</INSDFeature_qual>

</INSDFeature>

</INSDSeq_feature-table>

<INSDSeq_sequence>ASTKGPSVCPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSV
VTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSVDKHTHTCPPCPAPELLGGPSCVFLFPPKPKDTLMISRTPEVTCVVDVSHED
DPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLT
PCREEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQQGNVFSCSVMHEALH
NHYTQKSLSLSPG</INSDSeq_sequence>

</INSDSeq>

</SequenceData>

<SequenceData sequenceIDNumber="44">

<INSDSeq>

<INSDSeq_length>329</INSDSeq_length>

<INSDSeq_moltype>AA</INSDSeq_moltype>

<INSDSeq_division>PAT</INSDSeq_division>

<INSDSeq_feature-table>

<INSDFeature>

<INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..329</INSDFeature_location>

<INSDFeature_qual>

<INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

</INSDQualifier>

<INSDQualifier id="q89">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>Amino acid

sequence of a human immunoglobulin G1 CH region modified to include 'Knob' mutation,
interchain cysteine mutations, a cysteine to form a stabilizing disulfide bridge and without a cysteine insertion

</INSDQualifier_value>

</INSDQualifier>

<INSDQualifier id="q88">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic

construct</INSDQualifier_value>

</INSDQualifier>

</INSDFeature_qual>

</INSDFeature>

</INSDSeq_feature-table>

<INSDSeq_sequence>ASTKGPSVCPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSV
VTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSVDKHTHTCPPCPAPELLGGPSCVFLFPPKPKDTLMISRTPEVTCVVDVSHEDP

EVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPC
REEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGSFFLYSKLTVDKSRWQQGNVFCFSVMHEALHNH
YTQKSLSLSPG</INSDSeq_sequence>

</INSDSeq>

</SequenceData>

<SequenceData sequenceIDNumber="45">

<INSDSeq>

<INSDSeq_length>331</INSDSeq_length>

<INSDSeq_moltype>AA</INSDSeq_moltype>

<INSDSeq_division>PAT</INSDSeq_division>

<INSDSeq_feature-table>

<INSDFeature>

<INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..331</INSDFeature_location>

<INSDFeature_qual>

<INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

</INSDQualifier>

<INSDQualifier id="q149">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>Amino acid

sequence of a human immunoglobulin G1 CH region modified to include 'Hole' mutations, a
cysteine to form a stabilizing disulfide bridge and with a cysteine insertion </INSDQualifier_value>

</INSDQualifier>

<INSDQualifier id="q148">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic

construct</INSDQualifier_value>

</INSDQualifier>

</INSDFeature_qual>

</INSDFeature>

</INSDSeq_feature-table>

<INSDSeq_sequence>ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSV
TVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKHTHTCPPCPAPELLGGPSCVFLFPPKPKDTLMISRTPEVTCVVDVSHEDP
EVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVCTLPPSR
EEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGSFFLVSKLTVDKSRWQQGNVFCFSVMHEALHNHHT
QKSLSLSPGK</INSDSeq_sequence>

</INSDSeq>

</SequenceData>

<SequenceData sequenceIDNumber="46">

<INSDSeq>

<INSDSeq_length>330</INSDSeq_length>

<INSDSeq_moltype>AA</INSDSeq_moltype>

```

        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..330</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q92">

<INSDQualifier_name>note</INSDQualifier_name>
                    <INSDQualifier_value>Amino acid
sequence of a human immunoglobulin G1 CH region modified to include &apos;Hole&apos; mutations, a
cysteine to form a stabilizing disulfide bridge and without a cysteine insertion </INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q91">

<INSDQualifier_name>organism</INSDQualifier_name>
                    <INSDQualifier_value>synthetic
construct</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>

<INSDSeq_sequence>ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVV
TVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPE
VKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVCTLPPSRE
EMTKNQVSLSCAVKGFYPDSIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQQGNVVFSCSVMHEALHNHYT
QKSLSLSPGK</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="47">
    <INSDSeq>
        <INSDSeq_length>107</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..107</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

```

<INSDQualifier_value>protein</INSDQualifier_value>

</INSDQualifier>

<INSDQualifier id="q94">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>Amino acid

sequence of a wild-type human immunoglobulin kappa constant region (</INSDQualifier_value>

</INSDQualifier>

<INSDQualifier id="q93">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic

construct</INSDQualifier_value>

</INSDQualifier>

</INSDFeature_qual>

</INSDFeature>

</INSDSeq_feature-table>

<INSDSeq_sequence>RTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYS
LSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC</INSDSeq_sequence>

</INSDSeq>

</SequenceData>

<SequenceData sequenceIDNumber="48">

<INSDSeq>

<INSDSeq_length>107</INSDSeq_length>

<INSDSeq_moltype>AA</INSDSeq_moltype>

<INSDSeq_division>PAT</INSDSeq_division>

<INSDSeq_feature-table>

<INSDFeature>

<INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..107</INSDFeature_location>

<INSDFeature_qual>

<INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

</INSDQualifier>

<INSDQualifier id="q151">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>Amino acid

sequence of a human immunoglobulin kappa constant region modified to include S121C and C214V
substitutions </INSDQualifier_value>

</INSDQualifier>

<INSDQualifier id="q150">

<INSDQualifier_name>organism</INSDQualifier_name>

```

                                <INSDQualifier_value>synthetic
construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>

<INSDSeq_sequence>RTVAAPSVFIFPPCDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYS
LSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEV</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="49">
    <INSDSeq>
        <INSDSeq_length>106</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..106</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q97">

<INSDQualifier_name>note</INSDQualifier_name>
                                <INSDQualifier_value>Amino acid
sequence of a human immunoglobulin lambda constant region </INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q96">

<INSDQualifier_name>organism</INSDQualifier_name>
                                <INSDQualifier_value>synthetic
construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>

<INSDSeq_sequence>GQPKAAPSVTLFPPSSEELQANKATLVCLISDFYPGAVTVAWKADSSPVKAGVETTTPSKQSNNKYAA
SSYLSLTPEQWKSHRSYSCQVTHEGSTVEKTVAPTECS</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="50">
    <INSDSeq>

```

```

        <INSDSeq_length>446</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..446</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q99">

<INSDQualifier_name>note</INSDQualifier_name>
                    <INSDQualifier_value>Amino acid
sequence of the heavy chain of anti-c-Met antibody clone B09-GL with cysteine insertion </INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q98">

<INSDQualifier_name>organism</INSDQualifier_name>
                    <INSDQualifier_value>synthetic
construct</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>

<INSDSeq_sequence>QVQLVQSGAEVKKPGASVKVSCKASGYTFTDYYIHWVRQATGQGLEWMGWMNPNSGNTGYAQK
FQGRVTMTRDTSISTAYMELSSLRSED TAVYYCARGQGYTHSWGQGTMTVSSASTKGPSVCPLAPSSKSTSGGTAALGCLVK
DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSVDKTHTCPPCPAP
ELLGGPSCVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWL
NGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPCREEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTTPVL
DSDGSFFLYSKLTVDKSRWQQGNVFCSCVMHEALHNHYTQKSLSLSPG</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="51">
    <INSDSeq>
        <INSDSeq_length>445</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..445</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

```

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

</INSDQualifier>

<INSDQualifier id="q101">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>Amino acid

sequence of the heavy chain of anti-c-Met antibody clone B09-GL without cysteine insertion

</INSDQualifier_value>

</INSDQualifier>

<INSDQualifier id="q100">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic

construct</INSDQualifier_value>

</INSDQualifier>

</INSDFeature_qual>

</INSDFeature>

</INSDSeq_feature-table>

<INSDSeq_sequence>QVQLVQSGAEVKKPGASVKVSCKASGYTFTDYYIHWVRQATGQGLEWMGWMNPNSGNTGYAQK
FQGRVTMTRDTSISTAYMELSSLSEDTAVYYCARGQGYTHSWGQGTMTVSSASTKGPSVCPLAPSSKSTSGGTAALGCLVK
DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVPEKSVDKTHTCPPCPAP
ELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLN
GKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPCREEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLD
SDGSFFLYSKLTVDKSRWQQGNVFCFSVMHEALHNHYTQKSLSLSPG</INSDSeq_sequence>

</INSDSeq>

</SequenceData>

<SequenceData sequenceIDNumber="52">

<INSDSeq>

<INSDSeq_length>214</INSDSeq_length>

<INSDSeq_moltype>AA</INSDSeq_moltype>

<INSDSeq_division>PAT</INSDSeq_division>

<INSDSeq_feature-table>

<INSDFeature>

<INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..214</INSDFeature_location>

<INSDFeature_qual>

<INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

</INSDQualifier>

<INSDQualifier id="q103">

<INSDQualifier_name>note</INSDQualifier_name>

```

sequence of the light chain of anti-c-Met antibody clone B09-GL </INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q102">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>

<INSDSeq_sequence>DIQMTQSPSTLSASVGDRVTITCRASEGIYHWLAWYQQKPGKAPKLLIYKASSLASGVPSRFSGSGSG
TEFTLTISSLQPDDFATYYCQQYSNYPPTFGGGTKLEIKRTVAAPSVFIFPPCDEQLKSGTASVVCLLNNFYPREAKVQWKVDNAL
QSGNSQESVTEQDSKSTYLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNERGEV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="53">
<INSDSeq>
<INSDSeq_length>455</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..455</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q105">

<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Amino acid
sequence of the heavy chain of anti-EGFR antibody clone QD6 without cysteine insertion</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q104">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>

```

```
<INSDSeq_sequence>QVQLVQSGAEVKKPGSSVKVSKASGGTFSNDFSWVRQAPGQGLEWMGAIVAVVRTETYAQKF
QDRVKITADISTRRTTYMELSSLRSED TAVYYCARRLMSAISGPGAPLLMWGQGTLVTVSSASTKGPSVFPLAPSSKSTSGGTAAL
GCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKHTHCP
PCPAPELLGGPSCVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLH
QDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVCTLPPSREEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTT
PPVLDSDGSFFLVSKLTVDKSRWQQGNVFCFSVMHEALHNHYTQKSLSLSPGK</INSDSeq_sequence>
```

```
</INSDSeq>
```

```
</SequenceData>
```

```
<SequenceData sequenceIDNumber="54">
```

```
<INSDSeq>
```

```
<INSDSeq_length>454</INSDSeq_length>
```

```
<INSDSeq_moltype>AA</INSDSeq_moltype>
```

```
<INSDSeq_division>PAT</INSDSeq_division>
```

```
<INSDSeq_feature-table>
```

```
<INSDFeature>
```

```
<INSDFeature_key>source</INSDFeature_key>
```

```
<INSDFeature_location>1..454</INSDFeature_location>
```

```
<INSDFeature_qual>
```

```
<INSDQualifier>
```

```
<INSDQualifier_name>mol_type</INSDQualifier_name>
```

```
<INSDQualifier_value>protein</INSDQualifier_value>
```

```
</INSDQualifier>
```

```
<INSDQualifier id="q107">
```

```
<INSDQualifier_name>note</INSDQualifier_name>
```

```
<INSDQualifier_value>Amino acid
```

```
sequence of the heavy chain of anti-EGFR antibody clone QD6 without cysteine insertion </INSDQualifier_value>
```

```
</INSDQualifier>
```

```
<INSDQualifier id="q106">
```

```
<INSDQualifier_name>organism</INSDQualifier_name>
```

```
<INSDQualifier_value>synthetic
```

```
construct</INSDQualifier_value>
```

```
</INSDQualifier>
```

```
</INSDFeature_qual>
```

```
</INSDFeature>
```

```
</INSDSeq_feature-table>
```

```
<INSDSeq_sequence>QVQLVQSGAEVKKPGSSVKVSKASGGTFSNDFSWVRQAPGQGLEWMGAIVAVVRTETYAQKF
QDRVKITADISTRRTTYMELSSLRSED TAVYYCARRLMSAISGPGAPLLMWGQGTLVTVSSASTKGPSVFPLAPSSKSTSGGTAAL
GCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKHTHCP
PCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQ
DWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVCTLPPSREEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTP
PVLDSGDGSFFLVSKLTVDKSRWQQGNVFCFSVMHEALHNHYTQKSLSLSPGK</INSDSeq_sequence>
```

```
</INSDSeq>
```

```
</SequenceData>
```

```

<SequenceData sequenceIDNumber="55">
  <INSDSeq>
    <INSDSeq_length>217</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..217</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q109">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amino acid
sequence of the light chain of anti-EGFR antibody clone QD6 </INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q108">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic
construct</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
  </INSDSeq>
  <INSDSeq_sequence>QSALTQPRSVSGSPGQSVTISCTGTSSDVGGYNYVSWYQQHPGKAPKLMIYDVSERPSGVPDRFSG
SKSGNTASLTISGLQAEDEADYYCFSYTSSDTLEIFGGGKLTVLGQPKAAPSVTLFPPSSEELQANKATLVCLISDFYPGAVTVAW
KADSSPVKAGVETTTTPSKQSNNKYAASSYLSLTPEQWKSHRSYSCQVTHEGSTVEKTVAPTECS</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="56">
  <INSDSeq>
    <INSDSeq_length>455</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..455</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>

```

```

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q111">

<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Amino acid
sequence of the heavy chain of anti-EGFR antibody clone RAA22 with cysteine insertion</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q110">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>

<INSDSeq_sequence>QVQLVQSGAEVKKPGSSVKVSKASGGTFSNDNFSWVRQAPGQGLEWMGAIVAVFRITETIAQKF
QDRVKITADISTRITMELSSLRSEDTAVYYCARRLMSAISGPGAPLLMWGQGLTVTVSSASTKGPSVFPLAPSSKSTSGGTAAL
GCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKHTHCP
PCPAPELLGGPSCVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLH
QDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVCTLPPSREEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTT
PPVLDSDGSFFLVSKLTVDKSRWQQGNVFCFSVMHEALHNHYTQKSLSLSPGK</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="57">
<INSDSeq>
<INSDSeq_length>455</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..455</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q113">

<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Amino acid
sequence of the heavy chain of anti-EGFR antibody clone RAA22 without cysteine insertion

```

```

</INSDQualifier_value>

</INSDQualifier>
<INSDQualifier id="q112">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic
construct</INSDQualifier_value>

</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>

<INSDSeq_sequence>QVQLVQSGAEVKKPGSSVKVSCKASGGTFSNDNFSWVRQAPGQGLEWMGAIVAVFRTETYAQKF
QDRVKITADISTRITTYMELSSLRSEDTAVYYCARRLMSAISGPGAPLLMWGQGTLVTVSSASTKGPSVFPLAPSSKSTSGGTAAL
GCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKHTTCP
PCPAPELLGGPSCVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLH
QDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVCTLPPSREEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTT
PPVLDSDGSFFLVSKLTVDKSRWQQGNVFCFSVMHEALHNHYTQKSLSLSPGK</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="58">
<INSDSeq>
<INSDSeq_length>217</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..217</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

</INSDQualifier>
<INSDQualifier id="q115">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>Amino acid
sequence of the light chain of anti-EGFR antibody clone RAA22 </INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q114">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic
construct</INSDQualifier_value>

</INSDQualifier>
</INSDFeature_qual>

```

</INSDFeature>
</INSDSeq_feature-table>

<INSDSeq_sequence>QSALTQPRSVSGSPGQSVTISCTGTSSDVGGYNYVSWYQQHPGKAPKLMIYDVSKRPSGVPDRFSG
SKSGNTASLTISGLQAEDEADYYCSSYTSSDTLEIFGGGTKLTVLGQPKAAPSVTLFPPSSEELQANKATLVCLISDFYPGAVTVAW
KADSSPVKAGVETTTPSKQSNNKYAASSYLSLTPEQWKSHRSYSCQVTHEGSTVEKTVAPTECS</INSDSeq_sequence>

</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="59">
<INSDSeq>

<INSDSeq_length>454</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..454</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

</INSDQualifier>
<INSDQualifier id="q117">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>Amino acid
sequence of the heavy chain of anti-EGFR in 'EGFR-cMET TM' antibody </INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q116">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic
construct</INSDQualifier_value>

</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>

<INSDSeq_sequence>QVQLVQSGAEVKKPGSSVKVSKASGGTFSNDFSWVRQAPGQGLEWMGAIVAVFRTETYAQKF
QDRVKITADISTRRTYMESSLRSEDYAVYYCARRLMSAISGPGAPLLMWGQGLTVTVSSASTKGPSVCPLAPSSKSTSGGTAAL
GCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSVDKTHTCP
PCPAPEFEGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQ
DWLNGKEYKCKVSNKALPASIEKTISKAKGQPREPQVYTLPPCREEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTP
PVLDSGDSFFLYSKLTVDKSRWQQGNVFCFSVMHEALHNHYTQKSLSLSPGK</INSDSeq_sequence>

</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="60">

```

    <INSDSeq>
      <INSDSeq_length>446</INSDSeq_length>
      <INSDSeq_moltype>AA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>
          <INSDFeature_location>1..446</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q119">

<INSDQualifier_name>note</INSDQualifier_name>
          <INSDQualifier_value>Amino acid
sequence of the heavy chain of anti-c-Met in &apos;EGFR-cMET TM&apos; antibody </INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q118">

<INSDQualifier_name>organism</INSDQualifier_name>
          <INSDQualifier_value>synthetic
construct</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>

<INSDSeq_sequence>QVQLVQSGAEVKKPGASVKVSCKASGYTFTDYYIHWVRQATGQGLEWMGWMNPNSGNTGYAQK
FQGRVTMTRDTSISTAYMELSSLRSED TAVYYCARGQGYTHSWGQGTMTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVK
DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKHTCPPCPAP
EFEGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLN
GKEYKCKVSNKALPASIEKTIKAKGQPREPQVCTLPPSREEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTTPVLDS
DGSFFLVSKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="61">
  <INSDSeq>
    <INSDSeq_length>217</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..217</INSDFeature_location>
        <INSDFeature_qual>

```

```

</INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q156">

<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Amino acid
sequence of the light chain of anti-EGFR in 'EGFR-cMET TM' antibody </INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q155">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>

<INSDSeq_sequence>QSALTQPRSVSGSPGQSVTISCTGTSSDVGGYNYVSWYQQHPGKAPKLMIYDVSKRPSGVPDRFSG
SKSGNTASLTISGLQAEDEADYYCSSYTSSDTLEIFGGGKLTVLGQPKAAPSVTLFPPCSEELQANKATLVCLISDFYPGAVTVAW
KADSSPVKAGVETTTTPSKQSNNKYAASSYLSLTPEQWKSHRSYSCQVTHEGSTVEKTVAPTEVS</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="62">
  <INSDSeq>
    <INSDSeq_length>214</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..214</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q122">

<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Amino acid
sequence of the light chain of anti-c-Met in 'EGFR-cMET TM' antibody </INSDQualifier_value>
</INSDQualifier>

```

<INSDQualifier id="q121">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic

construct</INSDQualifier_value>

</INSDQualifier>

</INSDFeature_qual>

</INSDFeature>

</INSDSeq_feature-table>

<INSDSeq_sequence>DIQMTQSPSTLSASVGDRTITCRASEGIYHWLAWYQQKPGKAPKLLIYKASSLASGVPSPRFGSGSGS
TEFTLTISLQPDDFATYYCQYSNYPPTFGGGTKLEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNAL
QSGNSQESVTEQDSKDYSLSTLTLSKADYEKHKVYACEVTHQGLSPVTKSFNRGEC</INSDSeq_sequence>

</INSDSeq>

</SequenceData>

<SequenceData sequenceIDNumber="63">

<INSDSeq>

<INSDSeq_length>330</INSDSeq_length>

<INSDSeq_moltype>AA</INSDSeq_moltype>

<INSDSeq_division>PAT</INSDSeq_division>

<INSDSeq_feature-table>

<INSDFeature>

<INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..330</INSDFeature_location>

<INSDFeature_qual>

<INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

</INSDQualifier>

<INSDQualifier id="q124">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>Amino acid

sequence of a human immunoglobulin G1 CH region modified to include 'knob' mutations, a cysteine to form a stabilizing disulfide bridge, without a cysteine insertion and with the

</INSDQualifier>

<INSDQualifier id="q123">

<INSDQualifier name>organism</INSDQualifier name>

<INSDQualifier_value>synthetic

construct</INSDQualifier_value>

</INSDQualifier>

</INSDFeature_qual>

</INSDFeature>

</INSDSeq_feature-table>

<INSDSeq_sequence>ASTKGPSVCPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSV
VTVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSVDKHTHTCPPCPAPEFEGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHED
PEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPASIEKTISKAKGQPREPQVYTLPPC
REEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGSFFLYSKLTVDKSRWQQGNVFCFSVMHEALHNH
YTQKSLSLSPGK</INSDSeq_sequence>

</INSDSeq>

</SequenceData>

<SequenceData sequenceIDNumber="64">

<INSDSeq>

<INSDSeq_length>330</INSDSeq_length>

<INSDSeq_moltype>AA</INSDSeq_moltype>

<INSDSeq_division>PAT</INSDSeq_division>

<INSDSeq_feature-table>

<INSDFeature>

<INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..330</INSDFeature_location>

<INSDFeature_qual>

<INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

</INSDQualifier>

<INSDQualifier id="q126">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>Amino acid

sequence of a human immunoglobulin G1 CH region modified to include 'Hole' mutations, a
cysteine to form a stabilizing disulfide bridge, without a cysteine insertion and with the TM

</INSDQualifier_value>

</INSDQualifier>

<INSDQualifier id="q125">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic

construct</INSDQualifier_value>

</INSDQualifier>

</INSDFeature_qual>

</INSDFeature>

</INSDSeq_feature-table>

<INSDSeq_sequence>ASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSV
TVPSSSLGTQTYICNVNHKPSNTKVDKRVEPKSCDKHTHTCPPCPAPEFEGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPE
VKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPASIEKTISKAKGQPREPQVCTLPSPRE
EMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGSFFLVSKLTVDKSRWQQGNVFCFSVMHEALHNHYT
QKSLSLSPGK</INSDSeq_sequence>

</INSDSeq>

</SequenceData>

<SequenceData sequenceIDNumber="65">

```

    <INSDSeq>
      <INSDSeq_length>106</INSDSeq_length>
      <INSDSeq_moltype>AA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>
          <INSDFeature_location>1..106</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q154">

<INSDQualifier_name>note</INSDQualifier_name>
          <INSDQualifier_value>Amino acid
sequence of a human immunoglobulin lambda constant region modified to include S121C and C214V
substitutions </INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q153">

<INSDQualifier_name>organism</INSDQualifier_name>
          <INSDQualifier_value>synthetic
construct</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>

<INSDSeq_sequence>GQPKAAPSVTLFPPCSEELQANKATLVCLISDFYPGAVTVAWKADSSPVKAGVETTTPSKQSNNKYA
ASSYLSLTPEQWKSHRSYSCQVTHEGSTVEKTVAPTEVS</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="66">
  <INSDSeq>
    <INSDSeq_length>7</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..7</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

```

```

<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q129">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>LCDR2</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q128">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>DVSERPS</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="67">
  <INSDSeq>
    <INSDSeq_length>11</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..11</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q131">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>LCDR3</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q130">

<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic
construct</INSDQualifier_value>
</INSDQualifier>

```

```

        </INSDFeature_qual>
    </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>FSYTSSDTLEI</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="68">
    <INSDSeq>
        <INSDSeq_length>621</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..621</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

                    </INSDQualifier>
                    <INSDQualifier id="q133">

<INSDQualifier_name>note</INSDQualifier_name>

                    <INSDQualifier_value>Amino acid
sequence of the human EGFR extracellular domain </INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q132">

<INSDQualifier_name>organism</INSDQualifier_name>

                    <INSDQualifier_value>synthetic
construct</INSDQualifier_value>

                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>

<INSDSeq_sequence>LEEKKVCQGTSNKLTQLGTFEDHFLSLQRMFNNCEVVLGNLEITYVQRNYDLSFLKTIQEVAGYVLIAL
NTVERIPLNLQIIRGNMYEENSALAVLSNYDANKTGLKELPMRNLQEILHGAVRFSNNPALCNVESIQWRDIVSSDFLSNMS
MDFQNHGSCQKCDPSPNGSCWGAGEENCQKLTKIICAQQCSGRCRGKSPSDCCHNQCAAGCTGPRESCLVCRKFRDE
ATCKDTCPLMLYNPTTYQMDVNPEGKYSFGATCVKKCPRNYVVDHSGSVRACGADSYEMEEDGVRKCKKCEGPCRKVCN
GIGIGEFKDSLSINATNIHKFNCTSSGDLHILPVAFRGDSFHTHTPLDPQELDILKTVKEITGFLLIQAWPENRTDLHAFENLEIIRG
RTKQHGQFSLAVVSLNITSLGLRSLKEISGDVVISGNKNLCYANTINWKKLFGTSGQKTKIISNRGENSCKATGQVCHALCSPEG
CWGPEPRDCVSCRNVSRGECVDKCNLLEGEPREFVENSECIQCHPECLPQAMNITCTGRGPDNCIQCAHYIDGPHCVKTCPA
GVMGENNTLVWKYADAGHVCHLCHPNCTYGCTGPGLEGCPNGPKIPS</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="69">

```

```

    <INSDSeq>
      <INSDSeq_length>621 </INSDSeq_length>
      <INSDSeq_moltype>AA </INSDSeq_moltype>
      <INSDSeq_division>PAT </INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source </INSDFeature_key>
          <INSDFeature_location>1..621 </INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>

<INSDQualifier_name>mol_type </INSDQualifier_name>

<INSDQualifier_value>protein </INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q135">

<INSDQualifier_name>note </INSDQualifier_name>
          <INSDQualifier_value>Amino acid
sequence of the cynomolgus monkey EGFR extracellular domain </INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q134">

<INSDQualifier_name>organism </INSDQualifier_name>
          <INSDQualifier_value>synthetic
construct </INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>

<INSDSeq_sequence>LEEKKVCQGTSNKLTLQGTFFEDHFLSLQRMFNNCEVVLGNLEITYVQRNYDLSFLKTIQEVAGYVLIAL
NTVERIPLNLQIIRGNMYEYNSYALAVLSNYDANKTGLKELPMRNLQELHGA VRFSNNPALCNVESIQWRDIVSSEFLSNMS
MDFQNH LGSCQKCDPSCPNGSCWGAGEENCQKLTKIICAQQCSGRCRGKSPSDCCHNQCAAGCTGPRES DCLVCRKFRDE
ATCKDTC PPLMLYNPTTYQMDVNPEGKYSFGATCVKKCP RNYVVTDHGSCVRACGADSYEMEEDGVRKCKKCEGPCRKVCN
GIGIGEFKDTLSINATNIKHFKNCTSI SGDLHL PVAFRGDSFHTPPLDPQELDILKTVKEITGFLLIQAWPENRTDLHAFENLEIIRG
RTKQH GQFSLAVVSLNITSLGLRSLKEISDGDV IISGNKNLCYANTINWKKLFGTSSQKTKIISNRGENSCKATGQVCHALCSPEG
CWGPEPRDCVSCQNVSRGRECVDKCNILEGEPREFVENSECIQCHPECLPQVMNITCTGRGPDNCIQCAHYIDGPHCVKTCPA
GVMGENNTLVWKYADAGHVCHLCHPNCTY GCTGPGLEGCARNGPKIPS </INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="70">
  <INSDSeq>
    <INSDSeq_length>908 </INSDSeq_length>
    <INSDSeq_moltype>AA </INSDSeq_moltype>
    <INSDSeq_division>PAT </INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source </INSDFeature_key>

```

```

<INSDFeature_location>1..908</INSDFeature_location>
<INSDFeature_qual>
  <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier id="q137">

<INSDQualifier_name>note</INSDQualifier_name>
  <INSDQualifier_value>Amino acid
sequence of the human c-Met extracellular domain </INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier id="q136">

<INSDQualifier_name>organism</INSDQualifier_name>
  <INSDQualifier_value>synthetic
construct</INSDQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>

<INSDSeq_sequence>ECKEALAKSEMNVNMKYQLPNFTAETPIQNVILHEHHIFLGATNYIYVLNEEDLQKVAEYKTGPVLEH
PDCFCQDCSSKANLSGGVWKDNINMALVVDTYDDQLISCGSVNRGTCQRHVFPNHHTADIQSEVHCIFSPQIEEPSQCPD
CVVSALGAKVLSSVKDRFINFFVGNTINSSYFPDHLHSISVRRLKETKDGMFLTDQSYIDVLPFRDSYPIKYVHAFESNNFIYFL
TVQRETLDAQTFHTRIIRFCSINSLHSYMEMPLECILTEKRKKRSTKKEVFNIIQAAYVSKPGAQLARQIGASLNDDILFGVFAQS
KPDSAEPMDRSAMCAFPKIYVNDFFNKIVNKNVNRCLQHFYGNHEHCFNRTLNRSSGCEARRDEYRTEFTTALQRVDLFM
GQFSEVLLTSISTFIKGLTIANLGTSEGRFMQVVVSRSGPSTPHVNFLDHPVSPEVIVEHTLNQNGYTLVITGKKITKIPLNGLG
CRHFQSCSQCLSAPPFVQCGWCHDKCVRSEELSGTWTQQLCPAIYKVFNPNSAPLEGGTRLTICGWDFGFRNNKFDLKKTR
VLLGNESCTLTLESTMTLTKCTVGPAMNKHFNMSIIISNGHGTTQYSTFSYVDPVITSISPKYGPMAGGTLTLTGNYLNSGNSR
HISIGGKTCTLKSVSNSILECYTPAQTISETFAVKLKIDLANRETSIFSYPREDPIVEIHPKTSFISGGSTITGVGKNLNSVSVPRMVINV
HEAGRNFTVACQHRSNSEIICCTTPSLQQLNLQLPLKTKAFFMLDGLSKYFDLIYVHNVPVFKPFKEPVMISMGNENVLEIKGNDI
DPEAVKGEVLKVGNGKSCENIHLHSEAVLCTVPNDLLKLNSELNIEWKQAISSTVLGKVIVQPDQNFT</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="71">
  <INSDSeq>
    <INSDSeq_length>908</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..908</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>

```

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>

</INSDQualifier>

<INSDQualifier id="q139">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>Amino acid

sequence of the cynomolgus monkey c-Met extracellular domain </INSDQualifier_value>

</INSDQualifier>

<INSDQualifier id="q138">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic

construct</INSDQualifier_value>

</INSDQualifier>

</INSDFeature_qual>

</INSDFeature>

</INSDSeq_feature-table>

<INSDSeq_sequence>ECKEALAKSEMNVNMKYQLPNFTAETAIQNVILHEHHIFLGATNYIYVLNEEDLQKVAEYKTGPVLEH
PDCFCPCQDCSSKANLSGGVWKDNINMALVVDITYDDQLISCGSVNRGTCQRHVFPNHHTADIQSEVHCIFSPQIEEPNQCPD
CVVSALGAKVLSSVKDRFINFFVGNTINSSYFPHHPLHSISVRRLKETKDGMFLTDQSYIDVLPEFRDSYPIKYIHAFESNNFIYFLT
VQRETLNAQTFHTRIIRFCSLNSGLHSYMEMPLECILTEKRKKRSTKKEVFNILQAAYVSKPGAQLARQIGASLNDDILFGVFAQS
KPDSAEPMDRSAMCAFPKYVNDFFNKIVNKNVRLQHFYGPNEHCNRTLLRNSSGCEARRDEYRAEFTTALQRVDLFM
GQFSEVLLTSISTFVKGDLTIANLGTSEGRFMQVVVSRSRGPSTPHVNFLDSDHPVSPEVIVEHPLNQNGYTLVVTGKKITKIPLNGL
GCRHFQSCSQCLSAPPFVQCGWCHDKCVRSEECPSGTWTQQICLPAIYKVFPTSAPLEGGTRLTICGWDFGFRNNKFDLKKT
RVLLGNESCTLTLESTMNLTCTVGPAMNKHFNMSIIISNGHGTTQYSTFSYVDPIITSISPKYGPMAGGTLTTLTGNYLNSGNS
RHISIGGKCTLKSVSNSILECYTPAQTISTEFAVKLKIDLANRETSIFSYPREDPIVYEIHPTKSFISGGSTITGVGKNLHSVSVPRMVIN
VHEAGRNFVACQHRSENSEICCTTPSLQQLNLQLPLKTKAFFMLDGLSKYFDLIYVHNPFVKPFKPMISMGNENVLEIKGN
DIDPEAVKGEVLKVGKSCENIHLHSEAVLCTVPNDLLKLNSLNIWKQAISSTVLGKVIVQPDQNFT</INSDSeq_sequence
>

</INSDSeq>

</SequenceData>

</ST26SequenceListing>