CLAIMS

[Claim 1]

A resin sheet for molding, the resin sheet being either a single-layer sheet having a thickness of 100-300μm, and containing carbon black and at least one type of a polycarbonate resin and an ABS resin, or a laminated sheet comprising a base material layer and a surface layer laminated on at least one surface of the base material layer, wherein the base material layer contains carbon black and an ABS resin,

wherein the impact strength in a DuPont impact test is 1.0 J or greater, and

wherein in a stress strain curve obtained in a tensile test, a value obtained through integration from an origin point to a strain when a fracture has occurred is 80 N/m^2 or smaller.

[Claim 2]

The resin sheet according to claim 1,

wherein the resin sheet is the single-layer sheet containing a polycarbonate resin and an AS resin, or an ABS resin and an AS resin.

[Claim 3]

The resin sheet according to claim 1,:

wherein the resin sheet is the laminated sheet.

[Claim 4]

The resin sheet according to claim 3,

wherein a content of carbon black in the base material layer is 0.3 to 28 mass% based on a total amount of the base material layer.

[Claim 5]

The resin sheet according to claim 3 or 4,

wherein an average primary particle size of carbon black in the base material layer is 10 nm to 5.0 μm.

[Claim 6]

The resin sheet according to any one of claims 3 to 5,

wherein the base material layer includes a polycarbonate resin and an AS resin, or an ABS resin and an AS resin.

[Claim 7]

The resin sheet according to any one of claims 3 to 6,

wherein a content of the conductive material in the surface layer is 10 to 30 mass% based on a total amount of the surface layer.

[Claim 8]

The resin sheet according to any one of claims 3 to 7,

wherein a thickness of the base material layer is 70% to 97% with respect to a thickness of the entire resin sheet.

[Claim 9]

A container that is a molded body of the resin sheet according to any one of claims 1 to 8.

[Claim 10]

A carrier tape that is a molded body of the resin sheet according to any one of claims 1 to 8,

wherein an accommodation portion capable of accommodating an article is provided.

[Claim 11]

An electronic component packaging body comprising:

the carrier tape according to claim 10;

an electronic component accommodated in the accommodation portion of the carrier tape; and

a cover film adhered to the carrier tape as a lid material.