myelomas.


20. Use of a compound according to any of Claims 1 to 15 for preparing a medicament.

21. Compounds according to any of Claims 1 to 15 for use in the prophylactic and/or therapeutic treatment of disorders of man or any other mammal.

22. Compound according to any of Claims 1 to 15 in combination with a further active compound.

23. Pharmaceutical formulation comprising a compound according to any of Claims 1 to 15.

24. A method of manufacturing the compounds of general formula (I) with intermediates of the general formula (Ia),



in which X, A, R^{1b}, R^{1c} R^2, R^3, R^4 and R^5 have the meanings given in the general formula (I) and Hal represents bromine.

25. A method of manufacturing the compounds of general formula (I) with the following intermediates,

(4R)-1-(4-bromophenyl)-7,8-dimethoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide
(4S)-1-(4-bromophenyl)-7,8-dimethoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-bromophenyl)-7,8-dimethoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-chlorophenyl)-8-methoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(3-bromophenyl)-7,8-dimethoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-8-bromo-1-(4-chlorophenyl)-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(4R)-8-bromo-1-(4-chlorophenyl)-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(4S)-8-bromo-1-(4-chlorophenyl)-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(4S)-1-(4-bromophenyl)-8-methoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-chlorophenyl)-8-hydroxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(3-bromo-4-fluorophenyl)-7,8-dimethoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-8-tert-butyl-1-(4-chlorophenyl)-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(4S)-8-tert-butyl-1-(4-chlorophenyl)-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(4R)-8-tert-butyl-1-(4-chlorophenyl)-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-8-chloro-1-(4-chlorophenyl)-7-methoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(4S)-8-chloro-1-(4-chlorophenyl)-7-methoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(4R)-8-chloro-1-(4-chlorophenyl)-7-methoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-chlorophenyl)-N,4,8-trimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(4S)-1-(4-chlorophenyl)-N,4,8-trimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(4R)-1-(4-chlorophenyl)-N,4,8-trimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-8-amino-1-(4-chlorophenyl)-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-[8-tert-butyl-1-(4-chlorophenyl)-4-methyl-4,5-dihydro-3H-2,3-benzodiazepin-3-yl]ethanone

(±)-8-acetamido-1-(4-chlorophenyl)-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-bromophenyl)-7-hydroxy-8-methoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-bromophenyl)-7,8-dihydroxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-bromophenyl)-7,8-bis(difluoromethoxy)-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-bromophenyl)-7,8-diethoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-7-bromo-1-(4-chlorophenyl)-8-methoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-chlorophenyl)-7-cyan-8-methoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-bromophenyl)-7-(difluoromethoxy)-8-methoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-bromophenyl)-4-ethyl-7,8-dimethoxy-N-methyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-bromophenyl)-4-isopropyl-7,8-dimethoxy-N-methyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-7-bromo-1-(4-chlorophenyl)-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-8-chloro-1-(4-chlorophenyl)-N,4-dimethyl-7-(trifluoromethoxy)-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(4S)-8-chloro-1-(4-chlorophenyl)-N,4-dimethyl-7-(trifluoromethoxy)-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-chlorophenyl)-8-methoxy-N,4-dimethyl-7-(trifluoromethoxy)-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-[1-(4-bromophenyl)-7,8-dimethoxy-4-methyl-4,5-dihydro-3H-2,3-benzodiazepin-3-yl]ethanone

(±)-1-(4-bromophenyl)-N-ethyl-7,8-dimethoxy-4-methyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide.

myelomas.


20. Use of a compound according to any of Claims 1 to 15 for preparing a medicament.

21. Compounds according to any of Claims 1 to 15 for use in the prophylactic and/or therapeutic treatment of disorders of man or any other mammal.

22. Compound according to any of Claims 1 to 15 in combination with a further active compound.

23. Pharmaceutical formulation comprising a compound according to any of Claims 1 to 15.

24. Compounds of the general formula (Ia),



in which X, A, R^{1b}, R^{1c} R^2, R^3, R^4 and R^5 have the meanings given in the general formula (I) and Hal represents bromine.

25. Compounds:

(4R)-1-(4-bromophenyl)-7,8-dimethoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide
(4S)-1-(4-bromophenyl)-7,8-dimethoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-bromophenyl)-7,8-dimethoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-chlorophenyl)-8-methoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(3-bromophenyl)-7,8-dimethoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-8-bromo-1-(4-chlorophenyl)-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(4R)-8-bromo-1-(4-chlorophenyl)-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(4S)-8-bromo-1-(4-chlorophenyl)-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(4S)-1-(4-bromophenyl)-8-methoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-chlorophenyl)-8-hydroxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(3-bromo-4-fluorophenyl)-7,8-dimethoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-8-tert-butyl-1-(4-chlorophenyl)-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(4S)-8-tert-butyl-1-(4-chlorophenyl)-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(4R)-8-tert-butyl-1-(4-chlorophenyl)-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-8-chloro-1-(4-chlorophenyl)-7-methoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(4S)-8-chloro-1-(4-chlorophenyl)-7-methoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(4R)-8-chloro-1-(4-chlorophenyl)-7-methoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-chlorophenyl)-N,4,8-trimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(4S)-1-(4-chlorophenyl)-N,4,8-trimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(4R)-1-(4-chlorophenyl)-N,4,8-trimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-8-amino-1-(4-chlorophenyl)-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-[8-tert-butyl-1-(4-chlorophenyl)-4-methyl-4,5-dihydro-3H-2,3-benzodiazepin-3-yl]ethanone

(±)-8-acetamido-1-(4-chlorophenyl)-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-bromophenyl)-7-hydroxy-8-methoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-bromophenyl)-7,8-dihydroxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-bromophenyl)-7,8-bis(difluoromethoxy)-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-bromophenyl)-7,8-diethoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-7-bromo-1-(4-chlorophenyl)-8-methoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-chlorophenyl)-7-cyan-8-methoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-bromophenyl)-7-(difluoromethoxy)-8-methoxy-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-bromophenyl)-4-ethyl-7,8-dimethoxy-N-methyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-bromophenyl)-4-isopropyl-7,8-dimethoxy-N-methyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-7-bromo-1-(4-chlorophenyl)-N,4-dimethyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-8-chloro-1-(4-chlorophenyl)-N,4-dimethyl-7-(trifluoromethoxy)-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(4S)-8-chloro-1-(4-chlorophenyl)-N,4-dimethyl-7-(trifluoromethoxy)-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-(4-chlorophenyl)-8-methoxy-N,4-dimethyl-7-(trifluoromethoxy)-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide

(±)-1-[1-(4-bromophenyl)-7,8-dimethoxy-4-methyl-4,5-dihydro-3H-2,3-benzodiazepin-3-yl]ethanone

(±)-1-(4-bromophenyl)-N-ethyl-7,8-dimethoxy-4-methyl-4,5-dihydro-3H-2,3-benzodiazepine-3-carboxamide.