*Fig.1*



100
80
60
40
20
0
DISSOLUTION RATE (%)
0
10
20
30
40
50
60
TIME (MIN)
COMPARATIVE EXAMPLE1
EXAMPLE4
EXAMPLE5
EXAMPLE6

*Fig.2*



100
80
60
40
20
0
DISSOLUTION RATE (%)
0
10
20
30
40
50
60
TIME (MIN)
COMPARATIVE EXAMPLE2
EXAMPLE7
EXAMPLE8
EXAMPLE9

*Fig.3*



100
80
60
40
20
0
DISSOLUTION RATE (%)
0
10
20
30
40
50
60
TIME (MIN)
COMPARATIVE EXAMPLE3
EXAMPLE10
EXAMPLE11
EXAMPLE12

*Fig.4*



100
80
60
40
20
0
DISSOLUTION RATE (%)
0
10
20
30
40
50
60
TIME (MIN)
COMPARATIVE EXAMPLE4
EXAMPLE13
EXAMPLE14
EXAMPLE15

*Fig.5*



100
80
60
40
20
0
DISSOLUTION RATE (%)
0
10
20
30
40
50
60
TIME (MIN)
COMPARATIVE EXAMPLE5
EXAMPLE16
EXAMPLE17

*Fig.6*




100
80
60
40
20
0
DISSOLUTION RATE (%)
0
10
20
30
40
50
60
TIME (MIN)
COMPARATIVE EXAMPLE18
EXAMPLE7
EXAMPLE8

*Fig.7*


100
80
60
40
20
0
DISSOLUTION RATE (%)
0
10
20
30
40
50
60
TIME (MIN)
EXAMPLE19
COMPARATIVE EXAMPLE9
COMPARATIVE EXAMPLE10