PATENT CLAIMS

1. A urinal ~~(1, 2)~~ comprising

a basin ~~(10)~~ for collecting a stream of urine and

a shower head ~~(22, 23)~~ designed for delivering a water jet ~~(24, 25)~~ for washing the penis after and/or during urination.

2. The urinal ~~(1, 2)~~ according to claim 1, furthermore comprising a cover ~~(12)~~ that is designed in the form of a privacy shield for protecting the penis from glances of the user of an adjacent urinal.

3. The urinal ~~(1, 2)~~ according to claim 2, wherein the cover is arranged above the basin in such a way that an upper edge ~~(11)~~ of the basin ~~(10)~~ and a lower edge ~~(13)~~ of the cover ~~(12)~~ are arranged at a distance from one another and/or at an angle to one another.

4. The urinal ~~(1)~~ according to claim 2 or 3, wherein the shower head ~~(22)~~ is arranged on an underside of the cover ~~(12)~~.

5. The urinal ~~(2)~~ according to one of claims 1 to 3, wherein the shower head ~~(23)~~ is arranged within the basin ~~(10)~~.

6. The urinal ~~(2)~~ according to claim 5, wherein the shower head ~~(23)~~ is designed for delivering an upwardly directed water jet ~~(25)~~.

7. The urinal ~~(2)~~ according to one of claims 1 to 6, wherein

the shower head ~~(22)~~ can be manually activated by the user,

wherein the activation preferably takes place in a contactless manner.

8. The urinal ~~(2)~~ according to one of claims 1 to 7, wherein

the shower head ~~(22)~~ is automatically activated as soon as the urinal is used.

9. The urinal ~~(2)~~ according to one of claims 1 to 8, wherein

the water jet is deactivated automatically after a predefined period of time and/or

the water jet is deactivated automatically upon departure of the user from the urinal.

10. The urinal ~~(2)~~ according to one of claims 1 to 9, furthermore comprising a splashback protection ~~(30)~~ that is designed for preventing splashback of the stream of urine.

11. The urinal ~~(2)~~ according to claim 10, wherein the splashback protection ~~(30)~~ is formed by a body with rounded surfaces, preferably by a sphere.

12. The urinal ~~(2)~~ according to one of claims 1 to 11, wherein

the basin is supported by a column ~~(18)~~ that rests on a floor.

13. The urinal ~~(2)~~ according to claim 12, furthermore comprising a drain pipe ~~(26)~~ that leads into the floor through the column ~~(18)~~.

14. The urinal ~~(2)~~ according to one of claims 1 to 12, furthermore comprising a drain pipe that leads into a wall, on which the urinal is mounted.

15. The urinal ~~(2)~~ according to one of claims 1 to 14, furthermore comprising at least one light source ~~(32)~~, wherein

the at least one light source ~~(32)~~ preferably is formed by light-emitting diodes for producing luminous spots or luminous bands and/or

the at least one light source ~~(32)~~ preferably is arranged on the upper edge ~~(11)~~ of the basin ~~(10)~~ and/or the lower edge ~~(13)~~ of the cover ~~(12)~~.