980528-6
IPDS copy

PCT WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : A61K 7/16, 7/18 — A1

(11) International Publication Number: WO 97/46216

(43) International Publication Date: 11 December 1997 (11.12.97)

(21) International Application Number: PCT/US97/09229

(22) International Filing Date: 23 May 1997 (23.05.97)

(30) Priority Data:
08/664,226 — 7 June 1996 (07.06.96) — US

(71) Applicant: COLGATE-PALMOLIVE COMPANY [US/US]; 300 Park Avenue, New York, NY 10022 (US).

(72) Inventors: SULLIVAN, Richard, J.; 1015 Blueberry Court, Edison, NJ 08817 (US). GAFFAR, Abdul; 89 Carter Road, Princeton, NJ 08540 (US).

(74) Agent: SHAPIRO, Paul; Colgate-Palmolive Company, 909 River Road, Piscataway, NJ 08855-1343 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published
With international search report.
Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: DUAL COMPONENT DENTIFRICE COMPOSITION FOR DENTAL FLUORIDATION

(57) Abstract

A dual component dentifrice composition in which the first component is a stable, semi-solid, extrudable dentifrice composition containing a fluoride ion releasable compound in which calcium ion is absent and the second component is a semi-solid, extrudable dentifrice composition containing a dicalcium phosphate abrasive having a magnesium ion content less than about 0.5 % by weight wherein increased fluoride uptake is achieved when the components are mixed upon application to dental tissue.