
Claims

1. Compounds of formula I



I

wherein

R^1 is H, halo, alkyl, alkoxy, alkoxyalkyl, alkoxyalkoxy, cyanoalkyl, haloalkyl, haloalkoxy, thiolalkyl, cycloalkyl, cycloalkylalkyl, cycloalkoxy, or heterocycloalkyl;

R^2 is cyano, halo, alkyl, alkenyl, alkynyl, alkoxy, alkenylalkyl, alkynylalkoxy, alkoxyalkyl, alkoxyalkoxy, haloalkyl, haloalkoxy, haloalkoxyalkyl, (haloalkoxy)alkoxy, cyanoalkyl, cyanoalkoxy, thiolalkyl, halothiolalkyl, halohydroxyalkoxy, alkylsulfonylalkyl, cycloalkyl, cycloalkylalkyl, cycloalkylalkoxy, cycloalkoxy, heterocycloalkyl, heterocycloalkylalkyl, heterocycloalkylalkynyl or heterocycloalkylalkoxy;

R^3 is H, halo, alkyl, alkoxy, haloalkoxy, or thiolalkyl;

X_1 is CR^5 or N;

X_2 is NH, -N-R^6, S, -S(O)-, or –$S(O_2)$-;

R^4 is H, halo, alkyl, hydroxyalkyl, thiolalkyl, cyanoalkyl, alkoxy, haloalkyl, haloalkoxy, cycloalkyl or heterocycloalkyl;

R^5 is H, halo, cyano, alkyl, alkoxy, cyanoalkyl, cyanyalkoxy, N-alkyl, dialkylamino, haloalkyl, haloalkoxy, halothiolalkyl, alkylsulfinyl, alkylsulfonyl, alkylsulfone, thiolalkyl, hydroxyalkyl, alkoxycarbonyl, heterocycloalkyl, cycloalkyl or cycloalkoxy;

or R^4 and R^5 are connected to form a 5 or 6 member cycloalkyl, heterocycloalkyl, substituted heterocycloalkyl comprising one or two substituents independently selected from alkyl and oxo, or a heteroaromatic ring;

R^6 is H, alkyl, alkylhydroxy, or haloalkyl;

and pharmaceutically acceptable salts.

2. A compound according to claim 1, wherein R^1 is H, halo, haloalkyl, haloalkoxy, alkyl, alkoxy, alkoxyalkoxy, alkoxyalkyl, thiolalkyl, cyanoalkyl, cycloalkoxy, cycloalkyl, cycloalkylalkyl, or heterocycloalkyl.

3. A compound according to claims 1-2, wherein R^1 is H, alkoxy, cycloalkyl or haloalkoxy.

4. A compound according to claims 1-3, wherein R^2 is alkoxy, alkoxyalkoxy, alkoxyalkyl, alkylsulfonylalkyl, alkyl, alkenyl, alkynyl, alkynylalkoxy, cyano, cyanoalkyl, cycloalkyl, cycloalkoxy, cycloalkylalkyl, cyanoalkoxy, halo, haloalkoxy, (haloalkoxy)alkoxy, thiolalkyl, halothiolalkyl, halohydroxyalkoxy, haloalkyl, heterocycloalkyl, heterocycloalkylalkyl, heterocycloalkylalkynyl or heterocycloalkylalkoxy.

5. A compound according to claims 1-4, wherein R^2 is alkyl, alkenyl, alkynyl, alkoxyalkyl, alkynyl, cyanoalkoxy, halo, haloalkoxy, haloalkyl or cycloalkyl.

6. A compound according to claims 1-5, wherein R^3 is H or alkoxy.

7. A compound according to claims 1-6, wherein X^2 is NH or S.

8. A compound according to claims 1-7, wherein R^4 is H, halo, alkyl, alkoxy, thiolalkyl, cyanoalkyl, cycloalkyl, haloalkoxy, haloalkyl, heterocycloalkyl, or hydroxyalkyl, and R^5 is H, halo, haloalkyl, haloalkoxy, halothiolalkyl, alkoxy, alkoxycarbonyl, alkyl, hydroxyalkyl, thiolalkyl, alkylsulfino, alkylsulfano, cyano, cyanoalkyl, cyanoalkoxy, dialkylamino, cycloalkyl, cycloalkoxy, or heterocycloalkyl, or R^4 and R^5 are connected to form a 5-membered

heterocycloalkyl comprising a single O heteroatom, a 6-membered heterocycloalkyl comprising a single N heteroatom substituted by oxo and alkyl, a 5-membered heteroaromatic ring comprising one N heteroatom and one S heteroatom, or a 6-membered heteroaromatic ring comprising a single N heteroatom.

9. A compound according to claims 1-8, wherein wherein R^4 is halo, alkyl or haloalkyl, and R^5 is H, halo, haloalkyl, haloalkoxy, halothiolalkyl, alkoxy, alkyl, thiolalkyl, cyano, cyanoalkyl, cyanoalkoxy, dialkylamino or cycloalkoxy, or R^4 and R^5 are connected to form a 5-membered heterocycloalkyl comprising a single O heteroatom, or a 6-membered heteroaromatic ring comprising a single N heteroatom.

10. A compound according to claims 1-10, wherein R^5 is H, halo, haloalkyl, haloalkoxy, halothiolalkyl, alkoxy, alkyl, thiolalkyl, cyano, cyanoalkyl, cyanoalkoxy, dialkylamino or cycloalkoxy.

11. A compound according to claims 1-10, wherein

R^1 is H, halo, haloalkyl, haloalkoxy, alkyl, alkoxy, alkoxyalkoxy, alkoxyalkyl, thiolalkyl, cyanoalkyl, cycloalkoxy, cycloalkyl, cycloalkylalkyl, or heterocycloalkyl;

R^2 is alkoxy, alkoxyalkoxy, alkoxyalkyl, alkylsulfonylalkyl, alkyl, alkenyl, alkynyl, alkynylalkoxy, cyano, cyanoalkyl, cycloalkyl, cycloalkoxy, cycloalkylalkyl, cyanoalkoxy, halo, haloalkoxy, (haloalkoxy)alkoxy, thiolalkyl, halothiolalkyl, halohydroxyalkoxy, haloalkyl, heterocycloalkyl, heterocycloalkylalkyl, heterocycloalkylalkynyl or heterocycloalkylalkoxy;

R^3 is H, halo, alkyl, alkoxy, haloalkoxy, or thiolalkyl;

X_1 is CR^5 or N;

X_2 is NH or S;

R^4 is H, halo, alkyl, alkoxy, thiolalkyl, cyanoalkyl, cycloalkyl, haloalkoxy, haloalkyl, heterocycloalkyl, or hydroxyalkyl, and R^5 is H, halo, haloalkyl, haloalkoxy, halothiolalkyl, alkoxy, alkyl, alkoxycarbonyl, hydroxyalkyl, thiolalkyl, alkylsulfino, alkylsulfano, cyano, cyanoalkyl, cyanoalkoxy, dialkylamino, cycloalkyl, cycloalkoxy,

or heterocycloalkyl, or R^4 and R^5 are connected to form a 5-membered heterocycloalkyl comprising a single O heteroatom, a 6-membered heterocycloalkyl comprising a single N heteroatom substituted with alkyl and oxo, a 5-membered heteroaromatic ring comprising one N heteroatom and one S heteroatom, or a 6-membered heteroaromatic ring comprising a single N heteroatom;

and pharmaceutically acceptable salts.

12. A compound according to any one of claims 1 to 11, wherein

R^1 is H, alkoxy, cycloalkyl or haloalkoxy;

R^2 is alkyl, alkenyl, alkynyl, alkoxyalkyl, alkynyl, cyanoalkoxy, halo, haloalkoxy, haloalkyl or cycloalkyl;

R^3 is H or alkoxy;

X_1 is CR^5 or N;

X_2 is NH or S;

R^4 is halo, alkyl or haloalkyl, and R^5 is H, halo, haloalkyl, haloalkoxy, halothiolalkyl, alkoxy, alkyl, thiolalkyl, cyano, cyanoalkyl, cyanoalkoxy dialkylamino or cycloalkoxy, or R^4 and R^5 are connected to form a 5-membered heterocycloalkyl comprising a single O heteroatom or a 6-membered heteroaromatic ring comprising a single N heteroatom;

and pharmaceutically acceptable salts.

13. A compound according to any one of claims 1 to 12, selected from

6-chloro-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-7-fluoro-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6,7-dichloro-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-7-(difluoromethyl)-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-7-(cyclopropoxy)-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-(5-ethoxy-4-methoxy-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

6-chloro-N-[4-methoxy-5-(2-methoxyethoxy)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(difluoromethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-[2-(difluoromethoxy)ethoxy]-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-(5-chloro-4,6-dimethoxy-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

N-(5-bromo-4,6-dimethoxy-pyrimidin-2-yl)-6-chloro-1H-indole-3-sulfonamide;

N-(5-bromo-4-ethoxy-6-methoxy-pyrimidin-2-yl)-6-chloro-1H-indole-3-sulfonamide;

N-[5-bromo-4-(2-fluoroethoxy)-6-methoxy-pyrimidin-2-yl]-6-chloro-1H-indole-3-sulfonamide;

6-chloro-N-(5-ethyl-4-methoxy-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

6-chloro-N-(5-ethyl-4,6-dimethoxy-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

6-chloro-N-(4,6-dimethoxy-5-methyl-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

N-[5-bromo-4-(difluoromethoxy)-6-methoxy-pyrimidin-2-yl]-6-chloro-1H-indole-3-sulfonamide;

6-chloro-N-[4-cyclopropyl-5-(2,2-difluoroethoxy)-6-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethoxy)-4-methoxy-6-methyl-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(3-fluoropropyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-(5-bromo-4-methoxy-pyrimidin-2-yl)-6-chloro-1H-indole-3-sulfonamide;

6-chloro-N-(5-cyano-4-methoxy-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]benzothiophene-3-sulfonamide;

6-bromo-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-(4-methoxy-5-methyl-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]thieno[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-(5-cyclopropyl-4-methoxy-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

6-chloro-N-(4-methoxy-5-prop-1-ynyl-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

6-bromo-N-(5-bromo-4,6-dimethoxy-pyrimidin-2-yl)-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

N-(5-bromo-4,6-dimethoxy-pyrimidin-2-yl)-6-chloro-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-(5-cyano-4,6-dimethoxy-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

N-(5-bromo-4,6-dimethyl-pyrimidin-2-yl)-6-chloro-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethoxy)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethoxy)-4-methylsulfanyl-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-(4-methoxy-5-methylsulfanyl-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

6-chloro-N-[5-(difluoromethylthio)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(cyclopropoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(3,3-difluoropropoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[4-methoxy-5-(3,3,3-trifluoropropoxy)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[4-methoxy-5-(1,1,2-trifluoroethoxy)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(1,1-difluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[4-methoxy-5-(1,1,2,2-tetrafluoroethoxy)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2-chloro-1,1,2-trifluoro-ethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-(4-methoxy-5-propyl-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

6-chloro-N-[5-(cyclopropylmethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(3,3-difluoropropyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[4-methoxy-5-(2-methoxyethyl)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[4-methoxy-5-(oxetan-3-yl)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(fluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2-fluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[4,6-dimethoxy-5-(1,1,2-trifluoroethoxy)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-(5-allyl-4,6-dimethoxy-pyrimidin-2-yl)-6-chloro-1H-indole-3-sulfonamide;

6-chloro-N-(4,6-dimethoxy-5-prop-1-ynyl-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

6-chloro-N-(4,6-dimethoxy-5-propyl-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2-fluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(3-fluoropropyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(3,3-difluoropropyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoropropyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[4,6-dimethoxy-5-(3,3,3-trifluoropropyl)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[4,6-dimethoxy-5-(methoxymethyl)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[4,6-dimethoxy-5-(2-methoxyethyl)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(cyanomethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-(5-cyclopropyl-4,6-dimethoxy-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

N-[5-bromo-4-methoxy-6-(2-methoxyethoxy)pyrimidin-2-yl]-6-chloro-1H-indole-3-sulfonamide;

N-[5-bromo-4-(cyclopropoxy)-6-methoxy-pyrimidin-2-yl]-6-chloro-1H-indole-3-sulfonamide;

6-chloro-N-[4-(difluoromethoxy)-6-methoxy-5-methyl-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-(5-bromo-4-fluoro-6-methoxy-pyrimidin-2-yl)-6-chloro-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethoxy)-4-fluoro-6-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-(4-chloro-5,6-dimethoxy-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

6-chloro-N-[4-chloro-5-(2,2-difluoroethoxy)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethoxy)-4-ethyl-6-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-6-methyl-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[4-cyclopropyl-5-(2,2-difluoroethyl)-6-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-[5-bromo-4-(cyclopropylmethyl)-6-methoxy-pyrimidin-2-yl]-6-chloro-1H-indole-3-sulfonamide;

N-[5-bromo-4-methoxy-6-(methoxymethyl)pyrimidin-2-yl]-6-chloro-1H-indole-3-sulfonamide;

N-[5-bromo-4-(1,1-difluoroethyl)-6-methoxy-pyrimidin-2-yl]-6-chloro-1H-indole-3-sulfonamide;

N-[5-bromo-4-(fluoromethoxy)-6-methoxy-pyrimidin-2-yl]-6-chloro-1H-indole-3-sulfonamide;

N-[5-bromo-4-(difluoromethyl)-6-methoxy-pyrimidin-2-yl]-6-chloro-1H-indole-3-sulfonamide;

N-[5-bromo-4-(cyanomethyl)-6-methoxy-pyrimidin-2-yl]-6-chloro-1H-indole-3-sulfonamide;

6-chloro-N-[5-(difluoromethoxy)-4-methoxy-6-methylsulfanyl-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-[4,6-dimethoxy-5-(1,1,2-trifluoroethoxy)pyrimidin-2-yl]-6-fluoro-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2-cyanoethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2-fluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-(difluoromethyl)-N-[5-(2-fluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-(difluoromethyl)-N-[4,6-dimethoxy-5-(1,1,2-trifluoroethoxy)pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-(difluoromethyl)-N-[5-(3,3-difluoropropyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

N-[5-(cyanomethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-(difluoromethyl)-N-[4-methoxy-5-(1,1,2-trifluoroethoxy)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-1H-indole-3-sulfonamide;

N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-6-(difluoromethoxy)-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2-cyanoethyl)-4-methoxy-pyrimidin-2-yl]-7-(difluoromethylthio)-1H-indole-3-sulfonamide;

6-chloro-7-(difluoromethylthio)-N-[5-(2-fluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-7-(difluoromethylthio)-1H-indole-3-sulfonamide;

7-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2-fluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[4,6-dimethoxy-5-(1,1,2-trifluoroethoxy)pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(3,3-difluoropropyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(cyanomethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-7-(dimethylamino)-1H-indole-3-sulfonamide;

N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[3,2-h]quinoline-3-sulfonamide;

N-[5-(2-fluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[3,2-h]quinoline-3-sulfonamide;

6-chloro-N-(4,6-dimethoxy-5-methyl-pyrimidin-2-yl)-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(difluoromethoxy)-4-methoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(3,3-difluoropropyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethoxy)-4-methoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-chloro-N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-chloro-N-[5-(difluoromethoxy)-4-methoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-chloro-7-(cyclopropoxy)-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

7-bromo-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-6-fluoro-1H-indole-3-sulfonamide;

7-bromo-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

7-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-6-fluoro-1H-indole-3-sulfonamide;

N-[5-(2-fluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-methyl-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-6-methyl-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-7-morpholino-1H-indole-3-sulfonamide;

7-bromo-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(1,1-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-(4-ethyl-6-methoxy-5-methyl-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

N-(5-bromo-4-methoxy-6-tetrahydropyran-4-yl-pyrimidin-2-yl)-6-chloro-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]thieno[2,3-b]pyridine-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-6-fluoro-1H-indole-3-sulfonamide;

7-bromo-6-chloro-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

7-bromo-6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-N-(4,6-dimethoxy-5-methyl-pyrimidin-2-yl)thieno[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethoxy)-4-methoxy-pyrimidin-2-yl]thieno[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]thieno[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[4-methoxy-5-(1,1,2-trifluoroethoxy)pyrimidin-2-yl]thieno[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]thieno[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(2-cyanoethyl)-4-methoxy-pyrimidin-2-yl]thieno[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]thieno[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]thieno[2,3-b]pyridine-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-6-ethyl-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4-methoxypyrimidin-2-yl]-6-propyl-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]benzothiophene-3-sulfonamide;

6-chloro-N-[5-(3,3-difluoropropyl)-4-methoxy-pyrimidin-2-yl]benzothiophene-3-sulfonamide;

6-chloro-N-[5-(2-cyanoethyl)-4-methoxy-pyrimidin-2-yl]benzothiophene-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethoxy)-4-methoxy-pyrimidin-2-yl]benzothiophene-3-sulfonamide;

6-bromo-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]benzothiophene-3-sulfonamide;

N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-6-methyl-benzothiophene-3-sulfonamide;

6-bromo-N-(4,6-dimethoxy-5-methyl-pyrimidin-2-yl)-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-fluoro-benzothiophene-3-sulfonamide;

6-chloro-N-[5-(2-cyanoethyl)-4-methoxy-pyrimidin-2-yl]-7-fluoro-benzothiophene-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-6,7-difluoro-1H-indole-3-sulfonamide;

6-(difluoromethyl)-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]thieno[2,3-b]pyridine-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-6-(difluoromethyl)thieno[2,3-b]pyridine-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)thieno[2,3-b]pyridine-3-sulfonamide;

N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[3,2-h]quinoline-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[3,2-h]quinoline-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[4,6-dimethoxy-5-(1,1,2-trifluoroethoxy)pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-(4-chloro-5-methoxy-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

6-chloro-N-[5-(3-fluoropropoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-(5-but-2-ynoxy-4-methoxy-pyrimidin-2-yl)-6-chloro-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,3-difluoropropyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[4-methoxy-5-(2,2,2-trifluoroethyl)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[4-methoxy-5-(3,3,3-trifluoropropyl)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2-cyanoethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[4-methoxy-5-[2-(oxetan-3-yl)ethynyl]pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[4-methoxy-5-[2-(oxetan-3-yl)ethyl]pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-6-methyl-1H-indole-3-sulfonamide;

7-bromo-6-chloro-N-[5-(3,3-difluoropropyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-methyl-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-methoxy-1H-indole-3-sulfonamide;

6-chloro-N-[5-(3,3-difluoropropyl)-4-methoxy-pyrimidin-2-yl]-7-methoxy-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-(difluoromethoxy)-1H-indole-3-sulfonamide;

6-bromo-N-[5-(difluoromethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-6-(trifluoromethyl)-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-methyl-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-6-(methylthio)-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-6-(difluoromethyl)-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-methoxy-1H-indole-3-sulfonamide;

6-(cyanomethyl)-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-(fluoromethoxy)-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-(difluoromethylsulfanyl)-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(3,3-difluoropropyl)-4-methoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(3,3-difluoropropyl)-4-methoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(3,3-difluoropropyl)-4-methoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-chloro-7-(difluoromethyl)-N-[5-(3,3-difluoropropyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6,7-dichloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6,7-dichloro-N-[5-(3,3-difluoropropyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-7-(cyclopropoxy)-N-[5-(3,3-difluoropropyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-7-fluoro-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-(difluoromethyl)-1H-indole-3-sulfonamide;

6-chloro-7-fluoro-N-[4-methoxy-5-(1,1,2-trifluoroethoxy)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2-cyanoethyl)-4-methoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-chloro-N-[5-(cyanomethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-chloro-N-[4-methoxy-5-(1,1,2-trifluoroethoxy)pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(2-fluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-pyrrolo[3,2-h]quinoline-3-sulfonamide;

6-chloro-7-cyano-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-7-cyano-N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-7-cyano-N-[5-(2-fluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-7-cyano-N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-7-cyano-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-6,8-dihydro-1H-fur[3,4-g]indole-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-6,8-dihydro-1H-fur[3,4-g]indole-3-sulfonamide;

6-bromo-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[4-methoxy-5-(1,1,2-trifluoroethoxy)pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-7-(cyanomethyl)-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-7-cyclopropyl-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-(methylthio)-1H-indole-3-sulfonamide;

6-(difluoromethyl)-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-1H-indole-3-sulfonamide;

N-[5-(cyanomethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-1H-indole-3-sulfonamide;

6-(difluoromethyl)-N-[4-methoxy-5-(1,1,2-trifluoroethoxy)pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(2-cyanoethyl)-4-methoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-bromo-N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-bromo-N-[5-(cyanomethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-N-[5-(cyanomethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-(difluoromethyl)-7-fluoro-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-6-(difluoromethyl)-7-fluoro-1H-indole-3-sulfonamide;

N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-7-fluoro-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-7-fluoro-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-7-fluoro-1H-indole-3-sulfonamide;

N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-7-fluoro-1H-indole-3-sulfonamide;

N-[5-(cyanomethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-7-fluoro-1H-indole-3-sulfonamide;

6-cyclopropyl-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

7-bromo-6-chloro-N-[5-(2-cyanoethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-fluoro-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-fluoro-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-6-fluoro-1H-indole-3-sulfonamide;

N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-6-fluoro-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoropropyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[4-methoxy-5-(2,2,3,3-tetrafluoropropyl)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(difluoromethoxymethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[4,6-dimethoxy-5-(oxetan-3-ylmethoxy)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,3-difluoropropyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(cyanomethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[4-methoxy-5-(2,3,3-trifluoropropyl)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(cyanomethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-N-[5-(difluoromethoxy)-4-methoxy-pyrimidin-2-yl]benzothiophene-3-sulfonamide;

6-bromo-N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]thieno[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(3,3-difluoropropyl)-4-methoxy-pyrimidin-2-yl]thieno[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]thieno[2,3-b]pyridine-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-6-(oxetan-3-yl)-1H-indole-3-sulfonamide;

N-(4,6-dimethoxy-5-methyl-pyrimidin-2-yl)-6-methoxy-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-6-(1-hydroxy-1-methyl-ethyl)-1H-indole-3-sulfonamide;

6-chloro-N-[5-(1,1-difluoro-2-hydroxy-ethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-methylsulfinyl-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-mesyl-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2-fluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-7-methylsulfinyl-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-7-methylsulfinyl-1H-indole-3-sulfonamide;

6-chloro-7-cyano-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[4,6-dimethoxy-5-(2-methylsulfonylethyl)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-e][1,2]benzothiazole-3-sulfonamide;

7-bromo-6-chloro-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-[5-(cyanomethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-methyl-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-methyl-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-methyl-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-(difluoromethyl)-N-[5-(2,3-difluoropropyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(2,3-difluoropropyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(2,3-difluoropropyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-8H-pyrrolo[2,3-e][1,3]benzothiazole-6-sulfonamide;

3-[[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]sulfamoyl]-6-methyl-1H-indole-7-carboxylic acid methyl ester

N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-6-methyl-7-methylol-1H-indole-3-sulfonamide;

N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-9-keto-8-methyl-6,7-dihydro-1H-pyrrol[3,2-h]isoquinoline-3-sulfonamide;

6-chloro-7-(cyanomethoxy)-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

and pharmaceutically acceptable salts thereof.

14. A compound according to any of claims 1 to 13, selected from

6-chloro-7-fluoro-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6,7-dichloro-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-7-(difluoromethyl)-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-(5-bromo-4,6-dimethoxy-pyrimidin-2-yl)-6-chloro-1H-indole-3-sulfonamide;

6-chloro-N-(5-ethyl-4,6-dimethoxy-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

6-chloro-N-(4,6-dimethoxy-5-methyl-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

6-chloro-N-[4-cyclopropyl-5-(2,2-difluoroethoxy)-6-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(3-fluoropropyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-N-(5-bromo-4,6-dimethoxy-pyrimidin-2-yl)-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[4-methoxy-5-(1,1,2-trifluoroethoxy)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(3,3-difluoropropyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2-fluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[4,6-dimethoxy-5-(1,1,2-trifluoroethoxy)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-(5-allyl-4,6-dimethoxy-pyrimidin-2-yl)-6-chloro-1H-indole-3-sulfonamide;

6-chloro-N-(4,6-dimethoxy-5-prop-1-ynyl-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

6-chloro-N-(4,6-dimethoxy-5-propyl-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2-fluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(3-fluoropropyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(3,3-difluoropropyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[4,6-dimethoxy-5-(3,3,3-trifluoropropyl)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[4,6-dimethoxy-5-(2-methoxyethyl)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-(5-cyclopropyl-4,6-dimethoxy-pyrimidin-2-yl)-1H-indole-3-sulfonamide;

6-chloro-N-[4-(difluoromethoxy)-6-methoxy-5-methyl-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2-fluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-(difluoromethyl)-N-[4,6-dimethoxy-5-(1,1,2-trifluoroethoxy)pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-(difluoromethyl)-N-[5-(3,3-difluoropropyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-1H-indole-3-sulfonamide;

N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2-cyanoethyl)-4-methoxy-pyrimidin-2-yl]-7-(difluoromethylthio)-1H-indole-3-sulfonamide;

6-chloro-7-(difluoromethylthio)-N-[5-(2-fluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-7-(difluoromethylthio)-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2-fluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[4,6-dimethoxy-5-(1,1,2-trifluoroethoxy)pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(3,3-difluoropropyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(cyanomethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-7-(dimethylamino)-1H-indole-3-sulfonamide;

N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[3,2-h]quinoline-3-sulfonamide;

N-[5-(2-fluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[3,2-h]quinoline-3-sulfonamide;

6-chloro-N-(4,6-dimethoxy-5-methyl-pyrimidin-2-yl)-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(3,3-difluoropropyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-chloro-N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-chloro-7-(cyclopropoxy)-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-6-methyl-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-6-fluoro-1H-indole-3-sulfonamide;

7-bromo-6-chloro-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

7-bromo-6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-N-(4,6-dimethoxy-5-methyl-pyrimidin-2-yl)thieno[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]thieno[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]thieno[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]thieno[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]benzothiophene-3-sulfonamide;

6-bromo-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]benzothiophene-3-sulfonamide;

6-bromo-N-(4,6-dimethoxy-5-methyl-pyrimidin-2-yl)-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[3,2-h]quinoline-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[3,2-h]quinoline-3-sulfonamide;

6-bromo-N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(2,3-difluoropropyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2-cyanoethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

7-bromo-6-chloro-N-[5-(3,3-difluoropropyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-methyl-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-methoxy-1H-indole-3-sulfonamide;

6-chloro-N-[5-(3,3-difluoropropyl)-4-methoxy-pyrimidin-2-yl]-7-methoxy-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-(difluoromethoxy)-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-methyl-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-methoxy-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-(fluoromethoxy)-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-(difluoromethylsulfanyl)-1H-indole-3-sulfonamide;

6-bromo-N-[5-(3,3-difluoropropyl)-4-methoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(3,3-difluoropropyl)-4-methoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(3,3-difluoropropyl)-4-methoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6,7-dichloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6,7-dichloro-N-[5-(3,3-difluoropropyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-7-(cyclopropoxy)-N-[5-(3,3-difluoropropyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-7-fluoro-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-(difluoromethyl)-1H-indole-3-sulfonamide;

6-chloro-7-fluoro-N-[4-methoxy-5-(1,1,2-trifluoroethoxy)pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2-cyanoethyl)-4-methoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-chloro-N-[5-(cyanomethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-chloro-N-[4-methoxy-5-(1,1,2-trifluoroethoxy)pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-N-[5-(2-fluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-7-cyano-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-7-cyano-N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-7-cyano-N-[5-(2-fluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-7-cyano-N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-7-cyano-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-6,8-dihydro-1H-fur[3,4-g]indole-3-sulfonamide;

6-bromo-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[4-methoxy-5-(1,1,2-trifluoroethoxy)pyrimidin-2-yl]-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-chloro-7-(cyanomethyl)-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,2-difluoroethyl)-4-methoxy-pyrimidin-2-yl]-7-(methylthio)-1H-indole-3-sulfonamide;

6-(difluoromethyl)-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-1H-indole-3-sulfonamide;

N-[5-(cyanomethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-1H-indole-3-sulfonamide;

N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-1H-pyrrolo[2,3-b]pyridine-3-sulfonamide;

6-bromo-N-[5-(2-cyanoethyl)-4-methoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-bromo-N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-bromo-N-[5-(cyanomethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-7-fluoro-1H-indole-3-sulfonamide;

6-bromo-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-bromo-N-[5-(cyanomethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-(difluoromethyl)-7-fluoro-N-[5-(2-fluoroethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-[5-(difluoromethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-7-fluoro-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-7-fluoro-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-7-fluoro-1H-indole-3-sulfonamide;

N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-7-fluoro-1H-indole-3-sulfonamide;

N-[5-(cyanomethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-6-(difluoromethyl)-7-fluoro-1H-indole-3-sulfonamide;

7-bromo-6-chloro-N-[5-(2-cyanoethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-6-fluoro-1H-indole-3-sulfonamide;

N-[5-(2-cyanoethyl)-4,6-dimethoxy-pyrimidin-2-yl]-6-fluoro-1H-indole-3-sulfonamide;

6-chloro-N-[5-(difluoromethoxymethyl)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(2,3-difluoropropyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-N-[5-(cyanomethoxy)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;


6-chloro-N-[5-(cyanomethoxy)-4-methoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

7-bromo-6-chloro-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;

6-chloro-7-(cyanomethoxy)-N-[5-(2,2-difluoroethyl)-4,6-dimethoxy-pyrimidin-2-yl]-1H-indole-3-sulfonamide;


and pharmaceutically acceptable salts thereof.

15. A process to prepare a compound according to any one of claims 1 to 14 comprising the reaction of a compound of II



II

with a compound of formula III



III

in the presence of a base selected from N,N-diisopropylethylamine or pyridine, wherein R^1, R^2, R^3, R^4, X_1 and X_2 are as defined above.

16. A compound according to any one of claims 1 to 14 for use as therapeutically active substance.

17. A compound according to any one of claims 1 to 14 for use in the treatment of a disease modulated by GPR17.

18. A pharmaceutical composition comprising a compound according to any one of claims 1 to 14 and a therapeutically inert carrier.

19. The use of a compound according to any one of claims 1 to 14 for the treatment or prophylaxis of conditions resulting from direct damage to myelin sheaths (including but not limited central pontine and extra-pontine myelinolysis, carbon monoxide poisoning, nutritional deficiency, and virus-induced demyelination), demyelinating disorders (including but not limited to multiple sclerosis, acute and multiphasic disseminated encephalomyelitis, neuromyelitis optica spectrum disorders, and leukodystrophies), CNS disorders associated with myelin loss (including but not limited to Alzheimer's disease, schizophrenia, Parkinson's disease, Huntington's disease, Amyotrophic lateral sclerosis, and Ischemia due to stroke), and inflammation in the CNS for instance following encephalitis, primary angiitis, meningitis and obesity.

20. The use of a compound according to any one of claims 1 to 14 for the treatment or prophylaxis of multiple sclerosis.

21. The use of a compound according to any one of claims 1 to 14 for the preparation of a medicament for the treatment or prophylaxis of conditions resulting from direct damage to myelin sheaths (including but not limited central pontine and extra-pontine myelinolysis, carbon monoxide poisoning, nutritional deficiency, and virus-induced demyelination), demyelinating disorders (including but not limited to multiple sclerosis, acute and multiphasic disseminated encephalomyelitis, neuromyelitis optica spectrum disorders, and leukodystrophies), CNS disorders associated with myelin loss (including but not limited to Alzheimer's disease, schizophrenia, Parkinson's disease, Huntington's disease, Amyotrophic lateral sclerosis, and Ischemia due to stroke), and inflammation in the CNS for instance following encephalitis, primary angiitis, meningitis and obesity.

22. A compound according to any one of claims 1 to 14 for use in the treatment or prophylaxis of conditions resulting from direct damage to myelin sheaths (including but not limited central pontine and extra-pontine myelinolysis, carbon monoxide poisoning, nutritional deficiency, and virus-induced demyelination), demyelinating disorders (including but not limited to multiple sclerosis, acute and multiphasic disseminated encephalomyelitis, neuromyelitis optica spectrum disorders, and leukodystrophies), CNS disorders associated with myelin loss (including but not limited to Alzheimer's disease, schizophrenia, Parkinson's disease, Huntington's disease, Amyotrophic lateral sclerosis, and Ischemia due to stroke), and inflammation in the CNS for instance following encephalitis, primary angiitis, meningitis and obesity.

23. A compound according to any one of claims 1 to 14 for use in the treatment or prophylaxis of multiple sclerosis.

24. A method for the treatment or prophylaxis of conditions resulting from direct damage to myelin sheaths (including but not limited central pontine and extra-pontine myelinolysis, carbon monoxide poisoning, nutritional deficiency, and virus-induced demyelination), demyelinating disorders (including but not limited to multiple sclerosis, acute and multiphasic disseminated encephalomyelitis, neuromyelitis optica spectrum disorders, and leukodystrophies), CNS disorders associated with myelin loss (including but not limited to Alzheimer's disease, schizophrenia, Parkinson's disease, Huntington's disease, Amyotrophic lateral sclerosis, and Ischemia due to stroke), and inflammation in the CNS for instance following encephalitis, primary angiitis, meningitis and obesity, which method comprises administering an effective amount of a compound according to any one of claims 1 to 14 to a patient in need thereof.

25. A method for the treatment or prophylaxis of multiple sclerosis, which method comprises administering an effective amount of a compound according to any one of claims 1 to 14 to a patient in need thereof.

26. A compound according to any one of claims 1 to 14, when manufactured according to a process of claim 15.

~~27. The invention as hereinbefore described.~~

***