Methods and Compositions for the Treatment of Gastrointestinal Disorders

CLAIM OF PRIORITY

This application is a continuation in part of U.S. Utility Patent Application Serial No.11/054,071, filed February 8, 2005, which is a continuation in part U.S. Utility Patent Application Serial No.10/899,806, filed July 27, 2004, which is a continuation in part of U.S. Utility Patent Application Serial No.10/845,895, filed May 14, 2004, which is a continuation in part of U.S. Utility Patent Application Serial No. 10/796,719, filed March 9, 2004, which is a continuation in part of U.S. Utility Patent Application Serial No. 10/766,735, filed January 28, 2004, which claims priority under 35 USC §119(e) to U.S. Provisional Patent Application Serial No. 60/443,098, filed on January 28, 2003; U.S. Provisional Patent Application Serial No. 60/471,288, filed on May 15, 2003 and U.S. Provisional Patent Application Serial No. 60/519,460, filed on November 12, 2003, the entire contents of which are hereby incorporated by reference.

TECHNICAL FIELD

This invention relates to methods and compositions for treating various disorders, including gastrointestinal disorders, obesity, congestive heart failure and benign prostatic hyperplasia.

BACKGROUND

Irritable bowel syndrome (IBS) is a common chronic disorder of the intestine that affects 20 to 60 million individuals in the US alone (Lehman Brothers, Global Healthcare-Irritable bowel syndrome industry update, September 1999). IBS is the most common disorder diagnosed by gastroenterologists (28% of patients examined) and accounts for 12% of visits to primary care physicians (Camilleri 2001, Gastroenterology 120:652-668). In the US, the economic impact of IBS is estimated at $25 billion annually, through direct costs of health care use and indirect costs of absenteeism from work (Talley 1995, Gastroenterology 109:1736-1741). Patients with IBS have three times more absenteeism from work and report a reduced quality of life.

Sufferers may be unable or unwilling to attend social events, maintain employment, or travel even short distances (Drossman 1993, Dig Dis Sci 38:1569-1580). There is a tremendous unmet medical need in this population since few prescription options exist to treat IBS.

Patients with IBS suffer from abdominal pain and a disturbed bowel pattern. Three subgroups of IBS patients have been defined based on the predominant bowel habit: constipation-predominant (c-IBS), diarrhea-predominant (d-IBS) or alternating between the two (a-IBS). Estimates of individuals who suffer from c-IBS range from 20-50% of the IBS patients with 30% frequently cited. In contrast to the other two subgroups that have a similar gender ratio, c-IBS is more common in women (ratio of 3:1) (Talley et al. 1995, Am J Epidemiol 142:76-83).

The definition and diagnostic criteria for IBS have been formalized in the "Rome Criteria" (Drossman et al. 1999, Gut 45:Suppl II: 1-81), which are well accepted in clinical practice. However, the complexity of symptoms has not been explained by anatomical abnormalities or metabolic changes. This has led to the classification of IBS as a functional GI disorder, which is diagnosed on the basis of the Rome criteria and limited evaluation to exclude organic disease (Ringel et al. 2001, Annu Rev Med 52: 319-338). IBS is considered to be a "biopsychosocial" disorder resulting from a combination of three interacting mechanisms: altered bowel motility, an increased sensitivity of the intestine or colon to pain stimuli (visceral sensitivity) and psychosocial factors (Camilleri 2001, Gastroenterology 120:652-668). Recently, there has been increasing evidence for a role of inflammation in etiology of IBS. Reports indicate that subsets of IBS patients have small but significant increases in colonic inflammatory and mast cells, increased inducible nitric oxide (NO) and synthase (iNOS) and altered expression of inflammatory cytokines (reviewed by Talley 2000, Medscape Coverage of DDW week).

SUMMARY

The present invention features compositions and related methods for treating IBS and other gastrointestinal disorders and conditions (e.g., gastrointestinal motility disorders, chronic intestinal pseudo-obstruction, colonic pseudo-obstruction, Crohn's disease, duodenogastric

reflux, dyspepsia, functional dyspepsia, nonulcer dyspepsia, a functional gastrointestinal disorder, functional heartburn, gastroesophageal reflux disease (GERD), gastroparesis, irritable bowel syndrome, post-operative ileus, ulcerative colitis, chronic constipation, and disorders and conditions associated with constipation (e.g. constipation associated with use of opiate pain killers, post-surgical constipation, and constipation associated with neuropathic disorders as well as other conditions and disorders are described herein. The compositions feature peptides that activate the guanylate cyclase C (GC-C) receptor.

The present invention also features compositions and related methods for treating obesity, congestive heart failure and benign prostatic hyperplasia (BPH).

Without being bound by any particular theory, in the case of IBS and other gastrointestinal disorders the peptides are useful because they may increase gastrointestinal motility.

Without being bound by any particular theory, in the case of IBS and other gastrointestinal disorders the peptides are useful, in part, because they may decrease inflammation.

Without being bound by any particular theory, in the case of IBS and other gastrointestinal disorders the peptides are also useful because they may decrease gastrointestinal pain or visceral pain.

The invention features pharmaceutical compositions comprising certain peptides that are capable of activating the guanylate-cyclase C (GC-C) receptor. Also within the invention are pharmaceutical compositions comprising a peptide or GC-C agonist of the invention and one or more additional therapeutic agents including, without limitation, the agents described herein. The other agents can be administered with the peptides of the invention (simultaneously or sequentially). They can also be linked to a peptide of the invention to create therapeutic conjugates.

The invention includes methods for treating various gastrointestinal disorders by administering a peptide that acts as a partial or complete agonist of the GC-C receptor. The peptide includes at least six cysteines that can form three disulfide bonds. In certain embodiments the disulfide bonds are replaced by other covalent cross-links and in some cases the cysteines are substituted by other residues to provide for alternative covalent cross-links. The peptides may also include at least one trypsin or chymotrypsin cleavage site and/or an amino or carboxy-terminal analgesic peptide or small molecule, e.g., AspPhe or some other analgesic peptide. When present within the peptide, the analgesic peptide or small molecule may be preceded by a chymotrypsin or trypsin cleavage site that allows release of the analgesic peptide or small molecule. The peptides and methods of the invention are also useful for treating pain and inflammation associated with various disorders, including gastrointestinal disorders. Certain peptides include a functional chymotrypsin or trypsin cleavage site located so as to allow inactivation of the peptide upon cleavage. Certain peptides having a functional cleavage site undergo cleavage and gradual inactivation in the digestive tract, and this is desirable in some circumstances. In certain peptides, a functional chymotrypsin site is altered, increasing the stability of the peptide *in vivo*.

The invention includes methods for treating other disorders such as congestive heart failure and benign prostatic hyperplasia by administering a peptide or small molecule (parenterally or orally) that acts as an agonist of the GC-C receptor. Such agents can be used in combination with natriuretic peptides (e.g., atrial natriuretic peptide, brain natriuretic peptide or C-type natriuretic peptide), a diuretic, or an inhibitor of angiotensin converting enzyme.

The invention features methods and compositions for increasing intestinal motility. Intestinal motility involves spontaneous coordinated dissentions and contractions of the stomach, intestines, colon and rectum to move food through the gastrointestinal tract during the digestive process.

In certain embodiments the peptides include either one or two or more contiguous negatively charged amino acids (e.g., Asp or Glu) or one or two or more contiguous positively charged

residues (e.g., Lys or Arg) or one or two or more contiguous positively or negatively charged amino acids at the carboxy terminus. In these embodiments all of the flanking amino acids at the carboxy terminus are either positively or negatively charged. In other embodiments the carboxy terminal charged amino acids are preceded by a Leu. For example, any of the following amino acid sequences can be added to the carboxy terminus of the peptide: Asp; Asp Lys; Lys Lys Lys Lys Lys Lys; Asp Lys Lys Lys Lys Lys Lys; Leu Lys Lys; and Leu Asp. It is also possible to simply add Leu at the carboxy terminus.

In a first aspect, the invention features a peptide comprising, consisting of, or consisting essentially of the amino acid sequence (I):

$Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5\ Cys_6\ Cys_7\ Xaa_8\ Xaa_9\ Cys_{10}\ Cys_{11}\ Xaa_{12}\ Xaa_{13}\ Xaa_{14}$
$Cys_{15}\ Xaa_{16}\ Xaa_{17}\ Cys_{18}\ Xaa_{19}\ Xaa_{20}\ Xaa_{21}$ (SEQ ID NO: 1)

In some embodiments $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5$ is Asn Ser Ser Asn Tyr or is missing or $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4$ is missing.

In certain embodiments Xaa_8, Xaa_9, Xaa_{12}, Xaa_{14}, Xaa_{16}, Xaa_{17}, and Xaa_{19} can be any amino acid. In certain embodiments Xaa_8, Xaa_9, Xaa_{12}, Xaa_{14}, Xaa_{16}, Xaa_{17}, and Xaa_{19} can be any natural or non-natural amino acid or amino acid analog.

In certain embodiments, the peptide does not include the sequence of E. coli ST peptide. In other embodiment, the peptide does not include the sequence of any of the peptides in Table 1, below.

In certain embodiments Xaa_5 is Asn, Trp, Tyr, Asp, or Phe. In other embodiments, Xaa_5 can also be Thr or Ile. In other embodiments Xaa_5 is Tyr, Asp or Trp. In certain embodiments Xaa_5 is Asn, Trp, Tyr, Asp, Ile, Thr or Phe. In certain embodiments Xaa_5 is Asn.

In some embodiments Xaa_8 is Glu, Asp, Gln, Gly or Pro. In other embodiments Xaa_8 is Glu. In other embodiments Xaa_8 is Glu or Asp. In others it is Asn, Glu, or Asp. In others it is Glu, His, Lys, Gln, Asn, or Asp. In others it is Glu, His, Gln, Asn, or Asp. In others it is Glu, Asn, His, Gln, Lys, Asp or Ser. In still others it is Pro. In certain embodiments it is any natural or non-natural amino acid or amino acid analog.

In some embodiments Xaa_9 is Leu, Ile, Val, Ala, Lys, Arg, Trp, Tyr or Phe. In some embodiments Xaa_9 is Leu, Ile, Val, Lys, Arg, Trp, Tyr or Phe. In others it is Leu, Ile, Val, Trp, Tyr or Phe. In others it is Leu, Ile or Val. In others it is Trp, Tyr or Phe. In others it is Leu, Ile, Lys, Arg, Trp, Tyr, or Phe. In others it is Leu, Val, Ile, or Met. In others it is Leu or Phe. In others it is Leu, Phe, or Tyr. In others it is Tyr, Phe or His. In others it is Phe, His, Trp, or Tyr. In certain embodiments, Xaa_9 is not Leu. In others it is Tyr. In other embodiments it is any natural or non-natural aromatic amino acid or amino acid analog. In certain embodiments it is any natural or non-natural amino acid or amino acid analog.

In certain embodiments, Xaa_{12} is Asn, Tyr, Asp or Ala. In others it is Asn. In others it is Asn, Met, Arg, Lys, His, or Gln. In others it is Asn, Lys, His, or Gln. In others it is Asn, Asp, Glu or Gln. In others it is Asn, Thr, Ser, Arg, Lys, Gln, or His. In others it is Asn, Ser, or His. In certain embodiments it is any natural or non-natural amino acid or amino acid analog.

In certain embodiments, Xaa_{13} is is Ala, Pro or Gly. In others it is Pro or Gly. In others it is Pro and in still others it is Gly.

In certain embodiments, Xaa_{14} is Ala, Leu, Ser, Gly, Val, Glu, Gln, Ile, Leu, Thr, Lys, Arg, or Asp. In others it is Ala or Gly. In others it is Val or Ala. In others it is Ala or Thr. In others it is Ala. In others it is Val, Gln, Asn, Glu, Asp, Thr, or Ala. In others it is Gly, Cys or Ser. In still others it is Thr. In certain embodiments it is any natural or non-natural amino acid or amino acid analog.

In certain embodiments Xaa_{16} is Thr, Ala, Asn, Lys, Arg, Trp, Gly or Val. In others it is Thr, Ala, Asn, Lys, Arg or Trp. In others it is Thr, Ala, Lys, Arg or Trp. In certain embodiments it is Thr, Ala or Trp. In others it is Thr. In certain embodiments it is Trp, Tyr or Phe. In certain embodiments it is Thr or Ala. In certain embodiments it is Val. In certain embodiments it is Gly. In others it is Thr, Ser, Met or Val. In others it is Val, Ala, or Thr. In others it is Ile, Val, Lys, Asn, Glu, Asp, or Thr. In certain embodiments it is any natural or non-natural amino acid or amino acid analog. In certain embodiments it is any natural or non-natural non-aromatic amino acid or amino acid analog.

In certain embodiments Xaa_{17} is Gly, Pro or Ala. In certain embodiments it is Gly. In certain embodiments it is Ala. In others it is Gly or Ala. In others it is Gly, Asn, Ser or Ala. In others it is Asn, Glu, Asp, Thr, Ala, Ser, or Gly. In others it is Asp, Ala, Ser, or Gly. In certain embodiments it is any natural or non-natural amino acid or amino acid analog.

In certain embodiments Xaa_{19} is Trp, Tyr, Phe, Asn, Ile, Val, His, Leu, or Arg. In certain embodiments it is Trp, Tyr, Asn or Leu. In certain embodiments it is Trp, Tyr or Phe. In others it is Tyr, Phe or His. In others it is Tyr or Trp. In others it is Tyr. In certain embodiments it is Leu, Ile or Val. In certain embodiments it is His. In certain embodiments it is Trp, Tyr, Phe, Asn, Ile, Val, His or Leu. In certain embodiments it is Trp, Tyr, Phe or Leu. In certain embodiments it is Tyr or Leu. In certain embodiments it is Lys or Arg. In certain embodiments it is any amino acid other than Pro, Arg, Lys, Asp or Glu. In certain embodiments it is any amino acid other than Pro. In certain embodiments it is any natural or non-natural amino acid or amino acid analog. In certain embodiments it is missing.

In certain embodiments Xaa_{20} is Asp or Asn. In certain embodiments $Xaa_{20}Xaa_{21}$ is AspPhe or is missing or Xaa_{20} is Asn or Glu and Xaa_{21} is missing or $Xaa_{19}Xaa_{20}Xaa_{21}$ is missing.

In certain embodiments, the invention features, a purified polypeptide comprising the amino acid sequence (II):

$Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5\ Cys_6\ Cys_7\ Xaa_8\ Xaa_9\ Cys_{10}\ Cys_{11}\ Asn_{12}\ Pro_{13}\ Ala_{14}$
$Cys_{15}\ Xaa_{16}\ Gly_{17}\ Cys_{18}\ Xaa_{19}\ Xaa_{20}\ Xaa_{21}$

wherein $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5$ is Asn Ser Ser Asn Tyr or is missing or $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4$ is missing and Xaa_5 is Asn;

Xaa_8 is Glu or Asp;

Xaa_9 is Leu, Ile, Val, Trp, Tyr or Phe;

Xaa_{16} is Thr, Ala, Trp;

Xaa_{19} is Trp, Tyr, Phe or Leu or is missing; and $Xaa_{20}\ Xaa_{21}$ is AspPhe.

In various embodiments the invention features a purified polypeptide comprising the amino acid sequence (II): $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5\ Cys_6\ Cys_7\ Xaa_8\ Xaa_9\ Cys_{10}\ Cys_{11}\ Asn_{12}\ Pro_{13}\ Ala_{14}\ Cys_{15}\ Xaa_{16}\ Gly_{17}\ Cys_{18}\ Xaa_{19}\ Xaa_{20}\ Xaa_{21}$ wherein, Xaa_9 is Leu, Ile or Val and Xaa_{16} is Trp, Tyr or Phe; Xaa_9 is Trp, Tyr or Phe, and Xaa_{16} is Thr or Ala; Xaa_{19} is Trp, Tyr, Phe and $Xaa_{20}\ Xaa_{21}$ is AspPhe; and $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4$ is missing and Xaa_5 is Asn; the peptide comprises fewer than 50, 40, 30 or 25 amino acids; or fewer than five amino acids precede Cys_6.

In certain embodiments the peptide includes a peptide comprising or consisting of the amino acid sequence $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5$ Cys Cys Glu Xaa_9 Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr $Xaa_{20}\ Xaa_{21}$ (II) (SEQ ID NO:2) wherein Xaa_9 is any amino acid: wherein Xaa_9 is any amino acid other than Leu; wherein Xaa_9 is selected from Phe, Trp and Tyr; wherein Xaa_9 is selected from any other natural or non-natural aromatic amino acid; wherein Xaa_9 is Tyr; wherein Xaa_9 is Phe; wherein Xaa_9 is Trp; wherein $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5$ is Asn Ser Ser Asn Tyr; wherein Xaa_1, Xaa_2, Xaa_3, Xaa_4, and Xaa_5 are missing; wherein Xaa_1, Xaa_2, Xaa_3 and Xaa_4 are missing; wherein Xaa_1, Xaa_2 and Xaa_3 are missing; wherein Xaa_1 and Xaa_2 are missing; wherein Xaa_1 is missing; wherein $Xaa_{20}\ Xaa_{21}$ is AspPhe or is missing or Xaa_{20} is Asn or Glu and Xaa_{21} is missing or $Xaa_{19}\ Xaa_{20}\ Xaa_{21}$ is missing; wherein $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5$ and Tyr $Xaa_{20}\ Xaa_{21}$ are missing. In the case of a peptide comprising the sequence (I): $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5\ Cys_6\ Cys_7\ Xaa_8\ Xaa_9\ Cys_{10}\ Cys_{11}\ Xaa_{12}\ Xaa_{13}\ Xaa_{14}\ Cys_{15}\ Xaa_{16}\ Xaa_{17}\ Cys_{18}\ Xaa_{19}\ Xaa_{20}\ Xaa_{21}$ wherein: $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5$ is missing and/or the sequence

Xaa_{19} Xaa_{20} Xaa_{21} is missing, the peptide can still contain additional carboxyterminal or amino terminal amino acids or both. In the case of peptides missing one or more terminal amino acids such as Xaa_1 or Xaa_{21}, the peptide can still contain additional carboxyterminal or amino terminal amino acids or both.

In certain embodiments, the peptide includes disulfide bonds between Cys_6 and Cys_{11}, between Cys_7 and Cys_{15} and between Cys_{10} and Cys_{16}. In other embodiments, the peptide is a reduced peptide having no disulfide bonds. In still other embodiments the peptide has one or two disulfide bonds chosen from: a disulfide bond between Cys_6 and Cys_{11}, a disulfide bond between Cys_7 and Cys_{15} and a disulfide bond between Cys_{10} and Cys_{16}.

In certain embodiments, one or more amino acids can be replaced by a non-naturally occurring amino acid or a naturally or non-naturally occurring amino acid analog. There are many amino acids beyond the standard 20. Some are naturally-occurring others are not (see, for example, Hunt, The Non-Protein Amino Acids: In Chemistry and Biochemistry of the Amino Acids, Barrett, Chapman and Hall, 1985). For example, an aromatic amino acid can be replaced by 3,4-dihydroxy-L-phenylalanine, 3-iodo-L-tyrosine, triiodothyronine, L-thyroxine, phenylglycine (Phg) or nor-tyrosine (norTyr). Phg and norTyr and other amino acids including Phe and Tyr can be substituted by, e.g., a halogen, -CH3, -OH, $-CH_2NH_3$, -C(O)H, $-CH_2CH_3$, -CN, $-CH_2CH_2CH_3$, -SH, or another group. Any amino acid can be substituted by the D-form of the amino acid.


With regard to non-naturally occurring amino acids or a naturally and non-naturally occurring amino acid analogs, a number of substitutions in the peptide of formula I or the peptide of formula II are possible alone or in combination.

Xaa_8 can be replaced by *gamma*-Hydroxy-Glu or *gamma*-Carboxy-Glu.


Xaa_9 can be replaced by an alpha substituted amino acid such as L-*alpha*-methylphenylalanine or by analogues such as: 3-Amino-Tyr; $Tyr(CH_3)$; $Tyr(PO_3(CH_3)_2)$; $Tyr(SO_3H)$; *beta*-Cyclohexyl-Ala;

beta-(1-Cyclopentenyl)-Ala; *beta*-Cyclopentyl-Ala; *beta*-Cyclopropyl-Ala; *beta*-Quinolyl-Ala; *beta*-(2-Thiazolyl)-Ala; *beta*-(Triazole-1-yl)-Ala; *beta*-(2-Pyridyl)-Ala; *beta*-(3-Pyridyl)-Ala; Amino-Phe; Fluoro-Phe; Cyclohexyl-Gly; *t*Bu-Gly; *beta*-(3-benzothienyl)-Ala; *beta*-(2-thienyl)-Ala; *5*-Methyl-Trp; and *4*-Methyl-Trp.

Xaa_{13} can be an N(alpha)-C(*alpha*) cyclized amino acid analogues with the structure:



n = 0, 1, 2, 3 . Xaa_{13} can also be homopro (L-pipecolic acid); hydroxy-Pro; 3,4-Dehydro-Pro; 4-fluoro-Pro; or *alpha*-methyl-Pro.



When Xaa_{13} is Gly, Ala, Leu or Val, Xaa_{14} can be: n = 0, 1, 2, 3

Xaa_{14} can also be an alpha-substitued or N-methylated amino acid such as *alpha*-amino isobutyric acid (*aib*), L/D-*alpha*-ethylalanine (L/D-isovaline), L/D-methylvaline, or L/D-*alpha*-methylleucine or a non-natural amino acid such as *beta*-fluoro-Ala.

Xaa_{17} can be *alpha*-amino isobutyric acid (*aib*) or L/D-*alpha*-ethylalanine (L/D-isovaline).

Further examples of unnatural amino acids include: an unnatural analogue of tyrosine; an unnatural analogue of glutamine; an unnatural analogue of phenylalanine; an unnatural analogue of serine; an unnatural analogue of threonine; an alkyl, aryl, acyl, azido, cyano, halo, hydrazine, hydrazide, hydroxyl, alkenyl, alkynl, ether, thiol, sulfonyl, seleno, ester, thioacid, borate, boronate, phospho, phosphono, phosphine, heterocyclic, enone, imine, aldehyde, hydroxylamine, keto, or amino substituted amino acid, or any combination thereof; an amino

acid with a photoactivatable cross-linker; a spin-labeled amino acid; a fluorescent amino acid; an amino acid with a novel functional group; an amino acid that covalently or noncovalently interacts with another molecule; a metal binding amino acid; a metal-containing amino acid; a radioactive amino acid; a photocaged and/or photoisomerizable amino acid; a biotin or biotin-analogue containing amino acid; a glycosylated or carbohydrate modified amino acid; a keto containing amino acid; amino acids comprising polyethylene glycol or polyether; a heavy atom substituted amino acid (e.g., an amino acid containing deuterium, tritium, ^{13}C, ^{15}N, or ^{18}O); a chemically cleavable or photocleavable amino acid; an amino acid with an elongated side chain; an amino acid containing a toxic group; a sugar substituted amino acid, e.g., a sugar substituted serine or the like; a carbon-linked sugar-containing amino acid; a redox-active amino acid; an α.-hydroxy containing acid; an amino thio acid containing amino acid; an α, α disubstituted amino acid; a β-amino acid; a cyclic amino acid other than proline; an O-methyl-L-tyrosine; an L-3-(2-naphthyl)alanine; a 3-methyl-phenylalanine; a *p*-acetyl-L-phenylalanine; an 0-4-allyl-L-tyrosine; a 4-propyl-L-tyrosine; a tri-O-acetyl-GlcNAcβ-serine; an L-Dopa; a fluorinated phenylalanine; an isopropyl-L-phenylalanine; a p-azido-L-phenylalanine; a p-acyl-L-phenylalanine; a p-benzoyl-L-phenylalanine; an L-phosphoserine; a phosphonoserine; a phosphonotyrosine; a p-iodo-phenylalanine; a 4-fluorophenylglycine; a p-bromophenylalanine; a p-amino-L-phenylalanine; an isopropyl-L-phenylalanine; L-3-(2-naphthyl)alanine; an amino-, isopropyl-, or O-allyl-containing phenylalanine analogue; a dopa, O-methyl-L-tyrosine; a glycosylated amino acid; a p-(propargyloxy)phenylalanine; dimethyl-Lysine; hydroxy-proline; mercaptopropionic acid; methyl-lysine; 3-nitro-tyrosine; norleucine; pyro-glutamic acid; Z (Carbobenzoxyl); ε-Acetyl-Lysine; β-alanine; aminobenzoyl derivative; aminobutyric acid (Abu); citrulline; aminohexanoic acid; aminoisobutyric acid; cyclohexylalanine; d-cyclohexylalanine; hydroxyproline; nitro-arginine; nitro-phenylalanine; nitro-tyrosine; norvaline; octahydroindole carboxylate; ornithine; penicillamine; tetrahydroisoquinoline; acetamidomethyl protected amino acids and pegylated amino acids. Further examples of unnatural amino acids and amino acid analogs can be found in U.S. 20030108885, U.S. 20030082575, and the references cited therein.

In some embodiments, an amino acid can be replaced by a naturally-occurring, non-essential amino acid, e.g., taurine.

Methods to manfacture peptides containing unnatural amino acids can be found in, for example, U.S. 20030108885, U.S. 20030082575, Deiters et al., J Am Chem Soc. (2003) 125:11782-3, Chin et al., Science (2003) 301:964-7, and the references cited therein.

Peptides that include non-natural amino acids can also be prepared using the methods described in WO02086075

The peptides of the invention can have one or more conventional peptide bonds replaced by an alternative bond. Such replacements can increase the stability of the peptide. For example, replacement of the peptide bond between Cys_{18} and Xaa_{19} with an alternative bond can reduce cleavage by carboxy peptidases and may increase half-life in the digestive tract. Bonds that can replace peptide bonds include: a retro-inverso bonds (C(O)-NH instead of NH-C(O); a reduced amide bond (NH-CH_2); a thiomethylene bond (S-CH_2 or CH_2-S); an oxomethylene bond (O-CH_2 or CH_2-O); an ethylene bond (CH_2-CH_2); a thioamide bond (C(S)-NH); a trans-olefine bond (CH=CH); an fluoro substituted trans-olefine bond (CF=CH); a ketomethylene bond (C(O)-CHR or CHR-C(O) wherein R is H or CH_3; and a fluoro-ketomethylene bond (C(O)-CFR or CFR-C(O) wherein R is H or F or CH_3.

The peptides of the invention can be modified using standard modifications. Modifications may occur at the amino (N-), carboxy (C-) terminus, internally or a combination of any of the preceeding. In one aspect of the invention, there may be more than one type of modification of the peptide. Modifications include but are not limited to: acetylation, amidation, biotinylation, cinnamoylation, farnesylation, formylation, myristoylation, palmitoylation, phosphorylation (Ser, Tyr or Thr), stearoylation, succinylation, sulfurylation and cyclisation (via disulfide bridges or amide cyclisation), and modification by Cy3 or Cy5. The peptides of the invention may also be modified by 2, 4-dinitrophenyl (DNP), DNP-lysin, modification by 7-Amino-4-methyl-coumarin (AMC), flourescein, NBD (7-Nitrobenz-2-Oxa-1,3-Diazole), p-nitro-anilide, rhodamine B, EDANS (5-((2-aminoethyl)amino)naphthalene-1- sulfonic acid), dabcyl, dabsyl,

dansyl, texas red, FMOC, and Tamra (Tetramethylrhodamine). The peptides of the invention may also be conjugated to, for example, polyethylene glycol (PEG); alkyl groups (e.g., C1-C20 straight or branched alkyl groups); fatty acid radicals; combinations of PEG, alkyl groups and fatty acid radicals (see U.S. Patent 6,309,633; Soltero et al., 2001 Innovations in Pharmaceutical Technology 106-110); BSA and KLH (Keyhole Limpet Hemocyanin).

The peptides and agonists of the invention can be chemically modified to increase therapeutic activity by synthetically adding sugar moieties (WO 88/02756; WO 89/09786; DE 3910667 A1, EP 0 374 089 A2; and U.S. 4,861,755), adding cationic anchors (EP0363589), lipid moieties (WO91/09837; U.S. 4,837,303) or the substituents described as compounds I, II, and III in US5552520.

When Xaa_9 is Trp, Tyr or Phe or when Xaa_{16} is Trp the peptide has a potentially functional chymotrypsin cleavage site that is located at a position where cleavage may alter GC-C receptor binding by the peptide. When Xaa_9 is Lys or Arg or when Xaa_{16} is Lys or Arg, the peptide has a potentially functional trypsin cleavage site that is located at a position where cleavage may alter GC-C receptor binding by the peptide.

When Xaa_{19} is Trp, Tyr or Phe, the peptide has a chymotrypsin cleavage site that is located at a position where cleavage will liberate the portion of the peptide carboxy-terminal to Xaa_{19}. When Xaa_{19} is Leu, Ile or Val, the peptide can have a chymotrypsin cleavage site that is located at a position where cleavage will liberate the portion of the peptide amino-terminal to Xaa_{19}. At relatively high pH the same effect is seen when Xaa_{19} is His. When Xaa_{19} is Lys or Arg, the peptide has a trypsin cleavage site that is located at a position where cleavage will liberate portion of the peptide carboxy-terminal to Xaa_{19}. Thus, if the peptide includes an analgesic peptide carboxy-terminal to Xaa_{19}, the peptide will be liberated in the digestive tract upon exposure to the appropriate protease. Among the analgesic peptides which can be included in the peptide and/or coadministered with the peptide are: AspPhe (as $Xaa_{20}Xaa_{21}$), endomorphin-1, endomorphin-2, nocistatin, dalargin, lupron, ziconotide, and substance P and other analgesic peptides described herein. These peptides can, for example, be used to replace $Xaa_{20}Xaa_{21}$.

When Xaa_1 or the amino-terminal amino acid of the peptide of the invention (e.g., Xaa_2 or Xaa_3) is Trp, Tyr or Phe, the peptide has a chymotrypsin cleavage site that is located at a position where cleavage will liberate the portion of the peptide amino-terminal to Xaa_1 (or Xaa_2 or Xaa_3) along with Xaa_1, Xaa_2 or Xaa_3. When Xaa_1 or the amino-terminal amino acid of the peptide of the invention (e.g., Xaa_2 or Xaa_3) is Lys or Arg, the peptide has a trypsin cleavage site that is located at a position where cleavage will liberate portion of the peptide amino-terminal to Xaa_1 along with Xaa_1, Xaa_2 or Xaa_3). When Xaa_1 or the amino-terminal amino acid of the peptide of the invention is Leu, Ile or Val, the peptide can have a chymotrypsin cleavage site that is located at a position where cleavage will liberate the portion of the peptide amino-terminal to Xaa_1. At relatively high pH the same effect is seen when Xaa_1 is His. Thus, for example, if the peptide includes an analgesic peptide amino-terminal to Xaa_1, the peptide will be liberated in the digestive tract upon exposure to the appropriate protease. Among the analgesic peptides which can be included in the peptide are: AspPhe, endomorphin-1, endomorphin-2, nocistatin, dalargin, lupron, and substance p and other analgesic peptides described herein.

When fully folded, disulfide bonds may be present between: Cys_6 and Cys_{11}; Cys_7 and Cys_{15}; and Cys_{10} and Cys_{18}. The peptides of the invention bear some sequence similarity to ST peptides. However, they include amino acid changes and/or additions that improve functionality. These changes can, for example, increase or decrease activity (e.g., increase or decrease the ability of the peptide to stimulate intestinal motility), alter the ability of the peptide to fold correctly, alter the stability of the peptide, alter the ability of the peptide to bind the GC-C receptor and/or decrease toxicity. In some cases the peptides may function more desirably than wild-type ST peptide. For example, they may limit undesirable side effects such as diarrhea and dehydration.

In some embodiments one or both members of one or more pairs of Cys residues which normally form a disulfide bond can be replaced by homocysteine, penicillamine, 3-mercaptoproline (Kolodziej et al. 1996 Int J Pept Protein Res 48:274); β, β dimethylcysteine

(Hunt et al. 1993 Int J Pept Protein Res 42:249) or diaminopropionic acid (Smith et al. 1978 J Med Chem 21:117) to form alternative internal cross-links at the positions of the normal disulfide bonds.

In addition, one or more disulfide bonds can be replaced by alternative covalent cross-links, e.g., an amide linkage ($-CH_2CH(O)NHCH_2-$ or $-CH_2NHCH(O)CH_2-$), an ester linkage, a thioester linkage, a lactam bridge, a carbamoyl linkage, a urea linkage, a thiourea linkage, a phosphonate ester linkage, an alkyl linkage ($-CH_2CH_2CH_2CH_2-$), an alkenyl linkage($-CH_2CH=CHCH_2-$), an ether linkage ($-CH_2CH_2OCH_2-$ or $-CH_2OCH_2CH_2-$), a thioether linkage ($-CH_2CH_2SCH_2-$ or $-CH_2SCH_2CH_2-$), an amine linkage ($-CH_2CH_2NHCH_2-$ or $-CH_2NHCH_2CH_2-$) or a thioamide linkage ($-CH_2CH(S)HNHCH_2-$ or $-CH_2NHCH(S)CH_2-$). For example, Ledu et al. (Proc Nat'l Acad. Sci. 100:11263-78, 2003) describe methods for preparing lactam and amide cross-links. Schafmeister et al. (J. Am. Chem. Soc. 122:5891, 2000) describes stable, hydrocarbon cross-links. Hydrocarbon cross links can be produced via metathesis (or methathesis followed by hydrogenation in the case of saturated hydrocarbons cross-links) using one or another of the Grubbs catalysts (available from Materia, Inc. and Sigma-Aldrich and described, for example, in U.S. Patent No. 5,831,108 and 6,111,121). In some cases, the generation of such alternative cross-links requires replacing the Cys residues with other residues such as Lys or Glu or non-naturally occurring amino acids. In addition the lactam, amide and hydrocarbon cross-links can be used to stabilize the peptide even if they link amino acids at postions other than those occupied by Cys. Such cross-links can occur between two amino acids that are separated by two amino acids or between two amino acids that are separated by six amino acids (see, e.g., Schafmeister et al. (J. Am. Chem. Soc. 122:5891, 2000)).

In the case of a peptide comprising the sequence (I): $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5\ Cys_6\ Cys_7\ Xaa_8\ Xaa_9\ Cys_{10}\ Cys_{11}\ Xaa_{12}\ Xaa_{13}\ Xaa_{14}\ Cys_{15}\ Xaa_{16}\ Xaa_{17}\ Cys_{18}\ Xaa_{19}\ Xaa_{20}\ Xaa_{21}$ or $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5$ Cys Cys Glu Xaa_9 Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr $Xaa_{20}\ Xaa_{21}$ (II) wherein: $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5$ is missing and/or the sequence $Xaa_{19}\ Xaa_{20}\ Xaa_{21}$ is missing, the peptide can still contain additional carboxyterminal or amino terminal amino acids

or both. For example, the peptide can include an amino terminal sequence that facilitates recombinant production of the peptide and is cleaved prior to administration of the peptide to a patient. The peptide can also include other amino terminal or carboxyterminal amino acids. In some cases the additional amino acids protect the peptide, stabilize the peptide or alter the activity of the peptide. In some cases some or all of these additional amino acids are removed prior to administration of the peptide to a patient. The peptide can include 1, 2, 3, 4, 5, 10, 15, 20, 25, 30, 40, 50, 60, 70 80, 90, 100 or more amino acids at its amino terminus or carboxy terminus or both. The number of flanking amino acids need not be the same. For example, there can be 10 additional amino acids at the amino terminus of the peptide and none at the carboxy terminus.

In one embodiment the peptide comprises the amino acid sequence (I): Xaa_1 Xaa_2 Xaa_3 Xaa_4 Xaa_5 Cys_6 Cys_7 Xaa_8 Xaa_9 Cys_{10} Cys_{11} Xaa_{12} Xaa_{13} Xaa_{14} Cys_{15} Xaa_{16} Xaa_{17} Cys_{18} Xaa_{19} Xaa_{20} Xaa_{21} wherein: Xaa_1 Xaa_2 Xaa_3 Xaa_4 Xaa_5 is missing; Xaa_8 is Glu; Xaa_9 is Leu, Ile, Lys, Arg, Trp, Tyr or Phe; Xaa_{12} is Asn; Xaa_{13} is Pro; Xaa_{14} is Ala; Xaa_{16} is Thr, Ala, Lys, Arg, Trp; Xaa_{17} is Gly; Xaa_{19} is Tyr or Leu; and Xaa_{20} Xaa_{21} is AspPhe or is missing. Where Xaa_{20} Xaa_{21} and/or Xaa_1 Xaa_2 Xaa_3 Xaa_4 Xaa_5 are missing, there may be additional flanking amino acids in some embodiments. In certain embodiments of a composition comprising a peptide having the sequence (I): Xaa_1 Xaa_2 Xaa_3 Xaa_4 Xaa_5 Cys_6 Cys_7 Xaa_8 Xaa_9 Cys_{10} Cys_{11} Xaa_{12} Xaa_{13} Xaa_{14} Cys_{15} Xaa_{16} Xaa_{17} Cys_{18} Xaa_{19} Xaa_{20} Xaa_{21}, the peptide does not comprise or consist of any of the peptides of Table I.

In a second aspect, the invention also features a therapeutic or prophylactic method comprising administering to a patient a pharmaceutical composition comprising or consisting essentially of a purified peptide comprising, consisting of or consisting essentially of the amino acid sequence: Xaa_1 Xaa_2 Xaa_3 Xaa_4 Xaa_5 Cys_6 Cys_7 Xaa_8 Xaa_9 Cys_{10} Cys_{11} Xaa_{12} Xaa_{13} Xaa_{14} Cys_{15} Xaa_{16} Xaa_{17} Cys_{18} Xaa_{19} Xaa_{20} Xaa_{21} (I) or Xaa_1 Xaa_2 Xaa_3 Xaa_4 Xaa_5 Cys_6 Cys_7 Xaa_8 Xaa_9 Cys_{10} Cys_{11} Asn_{12} Pro_{13} Ala_{14} Cys_{15} Xaa_{16} Gly_{17} Cys_{18} Xaa_{19} Xaa_{20} Xaa_{21} (II) as described herein.

The peptides can be co-administered with or linked, e.g., covalently linked to any of a variety of other peptides or compounds including analgesic peptides or analgesic compounds including, without limitation, the agents described herein.

Amino acid, non-amino acid, peptide and non-peptide spacers can be interposed between a peptide that is a GC-C receptor agonsit and a peptide that has some other biological function, e.g., an analgesic peptide or a peptide used to treat obesity. The linker can be one that is cleaved from the flanking peptides *in vivo* or one that remains linked to the flanking peptides *in vivo*. For example, glycine, beta-alanine, glycyl-glycine, glycyl-beta-alanine, gamma-aminobutyric acid, 6-aminocaproic acid, L-phenylalanine, L-tryptophan and glycil-L-valil-L-phenylalanine can be used as spacers (Chaltin et al. 2003 Helvetica Chimica Acta 86:533-547; Caliceti et al. 1993 FARMCO 48:919-32) as can polyethylene glycols (Butterworth et al. 1987 J. Med. Chem 30:1295-302) and maleimide derivatives (King et al. 2002 Tetrahedron Lett. 43:1987-1990). Various other linkers are described in the literature (Nestler 1996 Molecular Diversity 2:35-42; Finn et al. 1984 Biochemistry 23:2554-8; Cook et al. 1994 Tetrahedron Lett. 35:6777-80; Brokx et al. 2002 Journal of Controlled Release 78:115-123; Griffin et al. 2003 J. Am. Chem. Soc. 125:6517-6531; Robinson et al. 1998 Proc. Natl. Acad. Sci. USA 95:5929-5934).

The peptides of the invention can be attached to one, two or more different moieties each providing the same or different functions. For example, the peptide can be linked to a molecule that is an analgesic and to a peptide that is used to treat obesity. The peptide and various moieties can be ordered in various ways. For example, a peptide of the invention can have an analgesic peptide linked to its amino terminus and an anti-obesity peptide linked to its carboxy terminus. The additional moieties can be directly covalently bonded to the peptide or can be bonded via linkers.

The peptides of the invention can be a cyclic peptide or a linear peptide. In addition, multiple copies of the same peptide can be incorporated into a single cyclic or linear peptide.

The peptides can include the amino acid sequence of a peptide that occurs naturally in a vertebrate (e.g., mammalian) species or in a bacterial species. In addition, the peptides can be partially or completely non-naturally occurring peptides. Also within the invention are peptidomimetics corresponding to the peptides of the invention.

In various embodiments, the patient is suffering from a gastrointestinal disorder; the patient is suffering from a disorder selected from the group consisting of: gastrointestinal motility disorders, chronic intestinal pseudo-obstruction, colonic pseudo-obstruction, Crohn's disease, duodenogastric reflux, dyspepsia, functional dyspepsia, nonulcer dyspepsia, a functional gastrointestinal disorder, functional heartburn, gastroesophageal reflux disease (GERD), gastroparesis, irritable bowel syndrome, post-operative ileus, ulcerative colitis, chronic constipation, and disorders and conditions associated with constipation (e.g. constipation associated with use of opiate pain killers, post-surgical constipation, and constipation associated with neuropathic disorders as well as other conditions and disorders are described herein); the patient is suffering from a gastrointestinal motility disorders, chronic intestinal pseudo-obstruction, colonic pseudo-obstruction, Crohn's disease, duodenogastric reflux, dyspepsia, functional dyspepsia, nonulcer dyspepsia, a functional gastrointestinal disorder, functional heartburn, gastroesophageal reflux disease (GERD), gastroparesis, inflammatory bowel disease, irritable bowel syndrome, post-operative ileus, ulcerative colitis, chronic constipation, and disorders and conditions associated with constipation (e.g. constipation associated with use of opiate pain killers, post-surgical constipation, and constipation associated with neuropathic disorders as well as other conditions and disorders are described herein); the composition is administered orally; the peptide comprises 30 or fewer amino acids, the peptide comprises 20 or fewer amino acids, and the peptide comprises no more than 5 amino acids prior to Cys_6; the peptide comprises 150, 140, 130, 120, 110, 100, 90, 80, 70, 60, 50, 40, or 30 or fewer amino acids. In other embodiments, the peptide comprises 20 or fewer amino acids. In other embodiments the peptide comprises no more than 20, 15, 10, or 5 peptides subsequent to Cys_{18}. In certain embodiments Xaa_{19} is a chymotrypsin or trypsin cleavage site and an analgesic peptide is present immediately following Xaa_{19}.

In a third aspect, the invention features a method for treating a patient suffering from constipation. Clinically accepted criteria that define constipation range from the frequency of bowel movements, the consistency of feces and the ease of bowel movement. One common definition of constipation is less than three bowel movements per week. Other definitions include abnormally hard stools or defecation that requires excessive straining (Schiller 2001, Aliment Pharmacol Ther 15:749-763). Constipation may be idiopathic (functional constipation or slow transit constipation) or secondary to other causes including neurologic, metabolic or endocrine disorders. These disorders include diabetes mellitus, hypothyroidism, hyperthyroidism, hypocalcaemia, Multiple Sclerosis, Parkinson's disease, spinal cord lesions, Neurofibromatosis, autonomic neuropathy, Chagas disease, Hirschsprung's disease and Cystic fibrosis. Constipation may also be the result of surgery (postoperative ileus) or due to the use of drugs such as analgesics (like opioids), antihypertensives, anticonvulsants, antidepressants, antispasmodics and antipsychotics. The method of treating constipation comprises administering a pharamaceutical composition comprising or consisting essentially of a peptide comprising, consisting of or consisting essentially of the amino acid sequence: $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5\ Cys_6\ Cys_7\ Xaa_8\ Xaa_9\ Cys_{10}\ Cys_{11}\ Xaa_{12}\ Xaa_{13}\ Xaa_{14}\ Cys_{15}\ Xaa_{16}\ Xaa_{17}\ Cys_{18}\ Xaa_{19}\ Xaa_{20}\ Xaa_{21}$ (I) or $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5\ Cys_6\ Cys_7\ Xaa_8\ Xaa_9\ Cys_{10}\ Cys_{11}\ Asn_{12}\ Pro_{13}\ Ala_{14}\ Cys_{15}\ Xaa_{16}\ Gly_{17}\ Cys_{18}\ Xaa_{19}\ Xaa_{20}\ Xaa_{21}$ (II) as described herein.

In various embodiments, the constipation is associated with use of a therapeutic agent; the constipation is associated with a neuropathic disorder; the constipation is post-surgical constipation (postoperative ileus); and the constipation associated with a gastrointestinal disorder; the constipation is idiopathic (functional constipation or slow transit constipation); the constipation is associated with neuropathic, metabolic or endocrine disorder (e.g., diabetes mellitus, hypothyroidism, hyperthyroidism, hypocalcaemia, Multiple Sclerosis, Parkinson's disease, spinal cord lesions, neurofibromatosis, autonomic neuropathy, Chagas disease, Hirschsprung's disease or cystic fibrosis). Constipation may also be the result of surgery (postoperative ileus) or due the use of drugs such as analgesics (e.g., opioids), antihypertensives, anticonvulsants, antidepressants, antispasmodics and antipsychotics.

In a fourth aspect, the invention features a method for treating a patient suffering a gastrointestinal disorder, the method comprising administering to the patient a pharmaceutical composition comprising or consisting essentially of a purified peptide comprising, consisting of or consisting essentially of the amino acid sequence: Xaa_1 Xaa_2 Xaa_3 Xaa_4 Xaa_5 Cys_6 Cys_7 Xaa_8 Xaa_9 Cys_{10} Cys_{11} Xaa_{12} Xaa_{13} Xaa_{14} Cys_{15} Xaa_{16} Xaa_{17} Cys_{18} Xaa_{19} Xaa_{20} Xaa_{21} (I) or Xaa_1 Xaa_2 Xaa_3 Xaa_4 Xaa_5 Cys_6 Cys_7 Xaa_8 Xaa_9 Cys_{10} Cys_{11} Asn_{12} Pro_{13} Ala_{14} Cys_{15} Xaa_{16} Gly_{17} Cys_{18} Xaa_{19} Xaa_{20} Xaa_{21} (II) as described herein.

In various embodiments, the patient is suffering from a gastrointestinal disorder; the patient is suffering from a disorder selected from the group consisting of: gastrointestinal motility disorders, chronic intestinal pseudo-obstruction, colonic pseudo-obstruction, Crohn's disease, duodenogastric reflux, dyspepsia, functional dyspepsia, nonulcer dyspepsia, a functional gastrointestinal disorder, functional heartburn, gastroesophageal reflux disease (GERD), gastroparesis, irritable bowel syndrome, post-operative ileus, ulcerative colitis, chronic constipation, and disorders and conditions associated with constipation (e.g. constipation associated with use of opiate pain killers, post-surgical constipation, and constipation associated with neuropathic disorders as well as other conditions and disorders are described herein), obesity, congestive heart failure, or benign prostatic hyperplasia.

In a fifth aspect, the invention features a method for increasing gastrointestinal motility in a patient, the method comprising administering to a patient a pharmaceutical composition comprising a purified peptide comprising, consisting of or consisting essentially of the amino acid sequence: Xaa_1 Xaa_2 Xaa_3 Xaa_4 Xaa_5 Cys_6 Cys_7 Xaa_8 Xaa_9 Cys_{10} Cys_{11} Xaa_{12} Xaa_{13} Xaa_{14} Cys_{15} Xaa_{16} Xaa_{17} Cys_{18} Xaa_{19} Xaa_{20} Xaa_{21} (I) or Xaa_1 Xaa_2 Xaa_3 Xaa_4 Xaa_5 Cys_6 Cys_7 Xaa_8 Xaa_9 Cys_{10} Cys_{11} Asn_{12} Pro_{13} Ala_{14} Cys_{15} Xaa_{16} Gly_{17} Cys_{18} Xaa_{19} Xaa_{20} Xaa_{21} (II) as described herein.

In a sixth aspect, the invention features a method for increasing the activity of (activating) an intestinal guanylate cyclase (GC-C) receptor in a patient, the method comprising administering to a patient a pharmaceutical composition comprising a purified peptide

comprising, consisting of or consisting essentially of the amino acid sequence: Xaa_1 Xaa_2 Xaa_3 Xaa_4 Xaa_5 Cys_6 Cys_7 Xaa_8 Xaa_9 Cys_{10} Cys_{11} Xaa_{12} Xaa_{13} Xaa_{14} Cys_{15} Xaa_{16} Xaa_{17} Cys_{18} Xaa_{19} Xaa_{20} Xaa_{21} (I) or Xaa_1 Xaa_2 Xaa_3 Xaa_4 Xaa_5 Cys_6 Cys_7 Xaa_8 Xaa_9 Cys_{10} Cys_{11} Asn_{12} Pro_{13} Ala_{14} Cys_{15} Xaa_{16} Gly_{17} Cys_{18} Xaa_{19} Xaa_{20} Xaa_{21} (II) as described herein.

In a seventh aspect, the invention features an isolated nucleic acid molecule comprising a nucleotide sequence encoding a polypeptide comprising the amino acid sequence: Xaa_1 Xaa_2 Xaa_3 Xaa_4 Xaa_5 Cys_6 Cys_7 Xaa_8 Xaa_9 Cys_{10} Cys_{11} Xaa_{12} Xaa_{13} Xaa_{14} Cys_{15} Xaa_{16} Xaa_{17} Cys_{18} Xaa_{19} Xaa_{20} Xaa_{21} (I) or Xaa_1 Xaa_2 Xaa_3 Xaa_4 Xaa_5 Cys_6 Cys_7 Xaa_8 Xaa_9 Cys_{10} Cys_{11} Asn_{12} Pro_{13} Ala_{14} Cys_{15} Xaa_{16} Gly_{17} Cys_{18} Xaa_{19} Xaa_{20} Xaa_{21} (II) as described herein.

In an eighth aspect the invention features a method for treating constipation, the method comprising administering an agonist of the intestinal guanylate cyclase (GC-C) receptor. In various embodiments: the agonist is a peptide, the peptide includes two Cys that form one disulfide bond, the peptide includes four Cys that form two disulfide bonds, and the peptide includes six Cys that form three disulfide bonds.

In a ninth aspect, the invention features a method for treating a gastrointestinal disorder, gastrointestinal motility disorders, chronic intestinal pseudo-obstruction, colonic pseudo-obstruction, Crohn's disease, duodenogastric reflux, dyspepsia, functional dyspepsia, nonulcer dyspepsia, a functional gastrointestinal disorder, functional heartburn, gastroesophageal reflux disease (GERD), gastroparesis, irritable bowel syndrome, post-operative ileus, ulcerative colitis, chronic constipation, and disorders and conditions associated with constipation (e.g. constipation associated with use of opiate pain killers, post-surgical constipation, and constipation associated with neuropathic disorders as well as other conditions and disorders are described herein), obesity, congestive heart failure, or benign prostatic hyperplasia, the method comprising administering an agonist of the intestinal guanylate cyclase (GC-C) receptor either orally, by rectal suppository, or parenterally. In various embodiments: the agonist is a peptide, the peptide includes two Cys that form one disulfide bond, the peptide includes four Cys that form two disulfide bonds, and the peptide includes six Cys that form three disulfide bonds.

In a tenth aspect, the invention features a method for treating a gastrointestinal disorder selected from the group consisting of: gastrointestinal motility disorders, chronic intestinal pseudo-obstruction, colonic pseudo-obstruction, Crohn's disease, duodenogastric reflux, dyspepsia, functional dyspepsia, nonulcer dyspepsia, a functional gastrointestinal disorder, functional heartburn, gastroesophageal reflux disease (GERD), gastroparesis, irritable bowel syndrome, post-operative ileus, ulcerative colitis, chronic constipation, and disorders and conditions associated with constipation (e.g. constipation associated with use of opiate pain killers, post-surgical constipation, and constipation associated with neuropathic disorders as well as other conditions and disorders are described herein), the method comprising administering an agonist of the intestinal guanylate cyclase (GC-C) receptor. In various embodiments the composition is administered orally; the peptide comprises 30 or fewer amino acids, the peptide comprises 20 or fewer amino acids, and the peptide comprises no more than 5 amino acids prior to Cys_5.

In various embodiments: the agonist is a peptide, the peptide includes two Cys that form one disulfide bond, the peptide includes four Cys that form two disulfide bonds, and the peptide includes six Cys that form three disulfide bonds.

In an eleventh aspect, the invention features a method for treating obesity, the method comprising administering a complete or partial agonist of the intestinal guanylate cyclase (GC-C) receptor. In various embodiments: the agonist is a peptide, the peptide includes two Cys that form one disulfide bond, the peptide includes four Cys that form two disulfide bonds, and the peptide includes six Cys that form three disulfide bonds. The agonist can be administered alone or in combination with one or more agents for treatment of obesity, including but not limited to the anti-obesity agents described herein. Thus, for example, PYY_{3-36} can be fused to the carboxy or amino terminus of a peptide of the invention. Such a fusion protein can include a chymostrypsin or trypsin cleavage site that can permit cleavage to separate the two peptides.

In a twelfth aspect, the invention features a method for treating obesity, the method comprising administering to a patient a pharmaceutical composition comprising or consisting essentially of a purified peptide comprising, consisting of or consisting essentially of the amino acid sequence: $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5\ Cys_6\ Cys_7\ Xaa_8\ Xaa_9\ Cys_{10}\ Cys_{11}\ Xaa_{12}\ Xaa_{13}\ Xaa_{14}\ Cys_{15}\ Xaa_{16}\ Xaa_{17}\ Cys_{18}\ Xaa_{19}\ Xaa_{20}\ Xaa_{21}$ (I) or $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5\ Cys_6\ Cys_7\ Xaa_8\ Xaa_9\ Cys_{10}\ Cys_{11}\ Asn_{12}\ Pro_{13}\ Ala_{14}\ Cys_{15}\ Xaa_{16}\ Gly_{17}\ Cys_{18}\ Xaa_{19}\ Xaa_{20}\ Xaa_{21}$ (II) as described herein.

In a thirteenth aspect, the invention features a composition comprising or consisting essentially of a purified peptide comprising, consisting of or consisting essentially of the amino acid sequence: $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5\ Cys_6\ Cys_7\ Xaa_8\ Xaa_9\ Cys_{10}\ Cys_{11}\ Xaa_{12}\ Xaa_{13}\ Xaa_{14}\ Cys_{15}\ Xaa_{16}\ Xaa_{17}\ Cys_{18}\ Xaa_{19}\ Xaa_{20}\ Xaa_{21}$ (I) or $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5\ Cys_6\ Cys_7\ Xaa_8\ Xaa_9\ Cys_{10}\ Cys_{11}\ Asn_{12}\ Pro_{13}\ Ala_{14}\ Cys_{15}\ Xaa_{16}\ Gly_{17}\ Cys_{18}\ Xaa_{19}\ Xaa_{20}\ Xaa_{21}$ (II) as described herein. In one embodiment, the composition is a pharmaceutical composition.

In a fourteenth aspect, the invention features a method for treating congestive heart failure, the method comprising administering to a patient a pharmaceutical composition comprising or consisting essentially of a purified peptide comprising, consisting of or consisting essentially of the amino acid sequence: $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5\ Cys_6\ Cys_7\ Xaa_8\ Xaa_9\ Cys_{10}\ Cys_{11}\ Xaa_{12}\ Xaa_{13}\ Xaa_{14}\ Cys_{15}\ Xaa_{16}\ Xaa_{17}\ Cys_{18}\ Xaa_{19}\ Xaa_{20}\ Xaa_{21}$ (I) or $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5\ Cys_6\ Cys_7\ Xaa_8\ Xaa_9\ Cys_{10}\ Cys_{11}\ Asn_{12}\ Pro_{13}\ Ala_{14}\ Cys_{15}\ Xaa_{16}\ Gly_{17}\ Cys_{18}\ Xaa_{19}\ Xaa_{20}\ Xaa_{21}$ (II) as described herein.

The peptide can be administered in combination with one or more agents for treatment of congestive heart failure, for example, a natriuretic peptide such as atrial natriuretic peptide, brain natriuretic peptide or C-type natriuretic peptide), a diuretic, or an inhibitor of angiotensin converting enzyme.

In a fifteenth aspect, the invention features a method for treating benign prostatic hyperplasia, the method comprising administering to a patient a pharmaceutical composition comprising a

purified peptide comprising, consisting of or consisting essentially of the amino acid sequence: $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5\ Cys_6\ Cys_7\ Xaa_8\ Xaa_9\ Cys_{10}\ Cys_{11}\ Xaa_{12}\ Xaa_{13}\ Xaa_{14}\ Cys_{15}\ Xaa_{16}\ Xaa_{17}\ Cys_{18}\ Xaa_{19}\ Xaa_{20}\ Xaa_{21}$ (I) or $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5\ Cys_6\ Cys_7\ Xaa_8\ Xaa_9\ Cys_{10}\ Cys_{11}\ Asn_{12}\ Pro_{13}\ Ala_{14}\ Cys_{15}\ Xaa_{16}\ Gly_{17}\ Cys_{18}\ Xaa_{19}\ Xaa_{20}\ Xaa_{21}$ (II) as described herein. The peptide can be administered alone or in combination with another agent for treatment of BPH, for example, a 5-alpha reductase inhibitor (e.g., finasteride) or an alpha adrenergic inhibitor (e.g., doxazosine).

In a sixteenth aspect, the invention features a method for treating or reducing pain, including visceral pain, pain associated with a gastrointestinal disorder or pain associated with some other disorder, the method comprising administering to a patient a pharmaceutical composition comprising or consisting essentially of a purified peptide comprising, consisting of or consisting essentially of the amino acid sequence: $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5\ Cys_6\ Cys_7\ Xaa_8\ Xaa_9\ Cys_{10}\ Cys_{11}\ Xaa_{12}\ Xaa_{13}\ Xaa_{14}\ Cys_{15}\ Xaa_{16}\ Xaa_{17}\ Cys_{18}\ Xaa_{19}\ Xaa_{20}\ Xaa_{21}$ (I) or $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5\ Cys_6\ Cys_7\ Xaa_8\ Xaa_9\ Cys_{10}\ Cys_{11}\ Asn_{12}\ Pro_{13}\ Ala_{14}\ Cys_{15}\ Xaa_{16}\ Gly_{17}\ Cys_{18}\ Xaa_{19}\ Xaa_{20}\ Xaa_{21}$ (II) as described herein.

In a seventeenth aspect, the invention features a method for treating inflammation, including inflammation of the gastrointestinal tract, e.g., inflammation associated with a gastrointestinal disorder or infection or some other disorder, the method comprising administering to a patient a pharmaceutical composition comprising a purified peptide comprising, consisting of or consisting essentially of the amino acid sequence: $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5\ Cys_6\ Cys_7\ Xaa_8\ Xaa_9\ Cys_{10}\ Cys_{11}\ Xaa_{12}\ Xaa_{13}\ Xaa_{14}\ Cys_{15}\ Xaa_{16}\ Xaa_{17}\ Cys_{18}\ Xaa_{19}\ Xaa_{20}\ Xaa_{21}$ (I) or $Xaa_1\ Xaa_2\ Xaa_3\ Xaa_4\ Xaa_5\ Cys_6\ Cys_7\ Xaa_8\ Xaa_9\ Cys_{10}\ Cys_{11}\ Asn_{12}\ Pro_{13}\ Ala_{14}\ Cys_{15}\ Xaa_{16}\ Gly_{17}\ Cys_{18}\ Xaa_{19}\ Xaa_{20}\ Xaa_{21}$ (II) as described herein.

In an eighteenth aspect, the invention features a method for treating congestive heart failure, the method comprising administering a complete or partial agonist of the intestinal guanylate cyclase (GC-C) receptor. The agonist can be administered alone or in combination with another agent for treatment of congestive heart failure, for example, a natriuretic peptide such as atrial

natriuretic peptide, brain natriuretic peptide or C-type natriuretic peptide, a diuretic, or an inhibitor of angiotensin converting enzyme.

In a nineteenth aspect, the invention features a method for treating BPH, the method comprising administering a complete or partial agonist of the intestinal guanylate cyclase (GC-C) receptor. The agonist can be administered alone or in combination with another agent for treatment of BPH, for example, a 5-alpha reductase inhibitor (e.g., finasteride) or an alpha adrenergic inhibitor (e.g., doxazosine).

In a twentieth aspect, the invention features isolated nucleic acid molecules comprising a sequence encoding a peptide of the invention. Also within the invention are vectors, e.g., expression vectors that include such nucleic acid molecules and can be used to express a peptide of the invention in a cultured cell (e.g., a eukaryotice cell or a prokaryotic cell). The vector can further include one or more regulatory elements, e.g., a heterologous promoter or elements required for translation operably linked to the sequence encoding the peptide. In some cases the nucleic acid molecule will encode an amino acid sequence that includes the amino acid sequence of a peptide of the invention. For example, the nucleic acid molecule can encode a preprotein or a preproprotein that can be processed to produce a peptide of the invention.

A vector that includes a nucleotide sequence encoding a peptide of the invention or a peptide or polypeptide comprising a peptide of the invention may be either RNA or DNA, single- or double-stranded, prokaryotic, eukaryotic, or viral. Vectors can include transposons, viral vectors, episomes, (e.g., plasmids), chromosomes inserts, and artificial chromosomes (e.g. BACs or YACs). Suitable bacterial hosts for expression of the encode peptide or polypeptide include, but are not limited to, *E. coli*. Suitable eukaryotic hosts include yeast such as *S. cerevisiae*, other fungi, vertebrate cells, invertebrate cells (e.g., insect cells), plant cells, human cells, human tissue cells, and whole eukaryotic organisms. (e.g., a transgenic plant or a transgenic animal). Further, the vector nucleic acid can be used to transfect a virus such as

vaccinia or baculovirus (for example using the Bac-to-Bac® Baculovirus expression system (Invitrogen Life Technologies, Carlsbad, CA)).

As noted above the invention includes vectors and genetic constructs suitable for production of a peptide of the invention or a peptide or polypeptide comprising such a peptide. Generally, the genetic construct also includes, in addition to the encoding nucleic acid molecule, elements that allow expression, such as a promoter and regulatory sequences. The expression vectors may contain transcriptional control sequences that control transcriptional initiation, such as promoter, enhancer, operator, and repressor sequences. A variety of transcriptional control sequences are well known to those in the art and may be functional in, but are not limited to, a bacterium, yeast, plant, or animal cell. The expression vector can also include a translation regulatory sequence (e.g., an untranslated 5' sequence, an untranslated 3' sequence, a poly A addition site, or an internal ribosome entry site), a splicing sequence or splicing regulatory sequence, and a transcription termination sequence. The vector can be capable of autonomous replication or it can integrate into host DNA.

The invention also includes isolated host cells harboring one of the forgoing nucleic acid molecules and methods for producing a peptide by culturing such a cell and recovering the peptide or a precursor of the peptide. Recovery of the peptide or precursor may refer to collecting the growth solution and need not involve additional steps of purification. Proteins of the present invention, however, can be purified using standard purification techniques, such as, but not limited to, affinity chromatography, thermaprecipitation, immunoaffinity chromatography, ammonium sulfate precipitation, ion exchange chromatography, filtration, electrophoresis and hydrophobic interaction chromatography.

The peptides can be purified. Purified peptides are peptides separated from other proteins, lipids, and nucleic acids or from the compounds from which is it synthesized. The polypeptide can constitute at least 10, 20, 50 70, 80 or 95% by dry weight of the purified preparation.

In a twenty-first aspect, the invention features a method of increasing the level of cyclic guanosine 3'-monophosphate (cGMP) in an organ, tissue (e.g, the intestinal mucosa), or cell (e.g., a cell bearing GC-A receptor) by administering to a patient a composition comprising or consisting essentially of a purified peptide comprising, consisting of or consisting essentially of the amino acid sequence: Xaa_1 Xaa_2 Xaa_3 Xaa_4 Xaa_5 Cys_6 Cys_7 Xaa_8 Xaa_9 Cys_{10} Cys_{11} Xaa_{12} Xaa_{13} Xaa_{14} Cys_{15} Xaa_{16} Xaa_{17} Cys_{18} Xaa_{19} Xaa_{20} Xaa_{21} (I) or Xaa_1 Xaa_2 Xaa_3 Xaa_4 Xaa_5 Cys_6 Cys_7 Xaa_8 Xaa_9 Cys_{10} Cys_{11} Asn_{12} Pro_{13} Ala_{14} Cys_{15} Xaa_{16} Gly_{17} Cys_{18} Xaa_{19} Xaa_{20} Xaa_{21} (II) as described herein.

In a twenty-second aspect, the invention features polypeptides comprising, consisting or consisting essentially of the amino acid sequence Xaa_1 Xaa_2 Xaa_3 Xaa_4 Xaa_5 Cys_6 Cys_7 Xaa_8 Xaa_9 Cys_{10} Cys_{11} Xaa_{12} Xaa_{13} Xaa_{14} Cys_{15} Xaa_{16} Xaa_{17} Cys_{18} Xaa_{19} Xaa_{20} Xaa_{21} wherein: a) Xaa_8 or Xaa_9 is not present; b) neither Xaa_8 or Xaa_9 is present; c) one of Xaa_{12}, Xaa_{13} and Xaa_{14} is not present; d) two of Xaa_{12}, Xaa_{13} and Xaa_{14} are not present; e) three of Xaa_{12}, Xaa_{13} and Xaa_{14} are not present; f) one of Xaa_{16} and Xaa_{17} is not present; g) neither Xaa_{16} or Xaa_{17} is present and combinations thereof. In various embodiments, one, two, three, four or five of Xaa_1 Xaa_2 Xaa_3 Xaa_4 and Xaa_5 are not present. In other embodiments, one, two or three or Xaa_{19} Xaa_{20} and Xaa_{21} are missing.

In twenty third aspect, the invention features a method for treating a disorder ameliorated by increasing cGMP levels, the method comprising administering a pharmaceutical composition comprising, consisting essentially of or consisting of a peptide or agonist of the invention and a pharmaceutically acceptable carrier.

Among the useful peptides are peptides comprising, consisting of or consisting essentially of the amino acid sequence Xaa_1 Xaa_2 Xaa_3 Xaa_4 Xaa_5 Cys Cys Glu Xaa_9 Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Xaa_{20} Xaa_{21} (II) (SEQ ID NO:---) are the following peptides:
Gln Ser Ser Asn Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:---)
Asn Thr Ser Asn Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:---)
Asn Leu Ser Asn Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:---)

Asn Ile Ser Asn Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:---)

Asn Ser Ser Gln Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:---)

Ser Ser Asn Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:---)

Gln Ser Ser Gln Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:---)

Ser Ser Gln Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:---).

Asn Ser Ser Asn Tyr Cys Cys Glu Ala Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Asn Ser Ser Asn Tyr Cys Cys Glu Arg Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Asn Ser Ser Asn Tyr Cys Cys Glu Asn Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Asn Ser Ser Asn Tyr Cys Cys Glu Asp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Asn Ser Ser Asn Tyr Cys Cys Glu Cys Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Asn Ser Ser Asn Tyr Cys Cys Glu Gln Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Asn Ser Ser Asn Tyr Cys Cys Glu Glu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Asn Ser Ser Asn Tyr Cys Cys Glu Gly Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Asn Ser Ser Asn Tyr Cys Cys Glu His Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Asn Ser Ser Asn Tyr Cys Cys Glu Ile Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Asn Ser Ser Asn Tyr Cys Cys Glu Lys Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Asn Ser Ser Asn Tyr Cys Cys Glu Met Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Asn Ser Ser Asn Tyr Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Asn Ser Ser Asn Tyr Cys Cys Glu Pro Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Asn Ser Ser Asn Tyr Cys Cys Glu Ser Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Asn Ser Ser Asn Tyr Cys Cys Glu Thr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Asn Ser Ser Asn Tyr Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Asn Ser Ser Asn Tyr Cys Cys Glu Val Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Cys Cys Glu Ala Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Cys Cys Glu Arg Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Cys Cys Glu Asn Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Cys Cys Glu Asp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Cys Cys Glu Cys Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Cys Cys Glu Gln Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Cys Cys Glu Glu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Cys Cys Glu Gly Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Cys Cys Glu His Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Cys Cys Glu Ile Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Cys Cys Glu Lys Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Cys Cys Glu Met Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Cys Cys Glu Pro Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Cys Cys Glu Ser Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Cys Cys Glu Thr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Cys Cys Glu Val Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:)

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys (SEQ ID NO:)

Cys Cys Glu Ala Cys Cys Asn Pro Ala Cys Thr Gly Cys (SEQ ID NO:)

Cys Cys Glu Arg Cys Cys Asn Pro Ala Cys Thr Gly Cys (SEQ ID NO:)

Cys Cys Glu Asn Cys Cys Asn Pro Ala Cys Thr Gly Cys (SEQ ID NO:)

Cys Cys Glu Asp Cys Cys Asn Pro Ala Cys Thr Gly Cys (SEQ ID NO:)

Cys Cys Glu Cys Cys Cys Asn Pro Ala Cys Thr Gly Cys (SEQ ID NO:)

Cys Cys Glu Gln Cys Cys Asn Pro Ala Cys Thr Gly Cys (SEQ ID NO:)

Cys Cys Glu Glu Cys Cys Asn Pro Ala Cys Thr Gly Cys (SEQ ID NO:)

Cys Cys Glu Gly Cys Cys Asn Pro Ala Cys Thr Gly Cys (SEQ ID NO:)

Cys Cys Glu His Cys Cys Asn Pro Ala Cys Thr Gly Cys (SEQ ID NO:)

Cys Cys Glu Ile Cys Cys Asn Pro Ala Cys Thr Gly Cys (SEQ ID NO:)

Cys Cys Glu Lys Cys Cys Asn Pro Ala Cys Thr Gly Cys (SEQ ID NO:)

Cys Cys Glu Met Cys Cys Asn Pro Ala Cys Thr Gly Cys (SEQ ID NO:)

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys (SEQ ID NO:)

Cys Cys Glu Pro Cys Cys Asn Pro Ala Cys Thr Gly Cys (SEQ ID NO:)

Cys Cys Glu Ser Cys Cys Asn Pro Ala Cys Thr Gly Cys (SEQ ID NO:)

Cys Cys Glu Thr Cys Cys Asn Pro Ala Cys Thr Gly Cys; (SEQ ID NO:)

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys (SEQ ID NO:)

Cys Cys Glu Val Cys Cys Asn Pro Ala Cys Thr Gly Cys (SEQ ID NO:).

Also useful are peptides comprising, consisting of or consisting essentially of any of the following sequences:

Cys Cys Glu Leu Cys Cys Ala Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Val Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Leu Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Ile Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Pro Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Met Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Phe Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Trp Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Gly Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Ser Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Thr Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Cys Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Gln Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Tyr Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Asp Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Glu Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Lys Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Arg Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Leu Cys Cys His Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Ala Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Val Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Leu Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Ile Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Pro Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Met Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Phe Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Trp Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Gly Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Ser Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Thr Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Cys Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Gln Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Tyr Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Asp Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Glu Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Lys Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Arg Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys His Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Ala Pro Ala Cys Thr Gly Cys

Cys Cys Glu Leu Cys Cys Val Pro Ala Cys Thr Gly Cys

Cys Cys Glu Leu Cys Cys Leu Pro Ala Cys Thr Gly Cys

Cys Cys Glu Leu Cys Cys Ile Pro Ala Cys Thr Gly Cys

Cys Cys Glu Leu Cys Cys Pro Pro Ala Cys Thr Gly Cys

Cys Cys Glu Leu Cys Cys Met Pro Ala Cys Thr Gly Cys

Cys Cys Glu Leu Cys Cys Phe Pro Ala Cys Thr Gly Cys

Cys Cys Glu Leu Cys Cys Trp Pro Ala Cys Thr Gly Cys

Cys Cys Glu Leu Cys Cys Gly Pro Ala Cys Thr Gly Cys

Cys Cys Glu Leu Cys Cys Ser Pro Ala Cys Thr Gly Cys

Cys Cys Glu Leu Cys Cys Thr Pro Ala Cys Thr Gly Cys

Cys Cys Glu Leu Cys Cys Cys Pro Ala Cys Thr Gly Cys

Cys Cys Glu Leu Cys Cys Gln Pro Ala Cys Thr Gly Cys

Cys Cys Glu Leu Cys Cys Tyr Pro Ala Cys Thr Gly Cys

Cys Cys Glu Leu Cys Cys Asp Pro Ala Cys Thr Gly Cys

Cys Cys Glu Leu Cys Cys Glu Pro Ala Cys Thr Gly Cys

Cys Cys Glu Leu Cys Cys Lys Pro Ala Cys Thr Gly Cys

Cys Cys Glu Leu Cys Cys Arg Pro Ala Cys Thr Gly Cys

Cys Cys Glu Leu Cys Cys His Pro Ala Cys Thr Gly Cys

Cys Cys Glu Tyr Cys Cys Ala Pro Ala Cys Thr Gly Cys

Cys Cys Glu Tyr Cys Cys Val Pro Ala Cys Thr Gly Cys

Cys Cys Glu Tyr Cys Cys Leu Pro Ala Cys Thr Gly Cys

Cys Cys Glu Tyr Cys Cys Ile Pro Ala Cys Thr Gly Cys

Cys Cys Glu Tyr Cys Cys Pro Pro Ala Cys Thr Gly Cys

Cys Cys Glu Tyr Cys Cys Met Pro Ala Cys Thr Gly Cys

Cys Cys Glu Tyr Cys Cys Phe Pro Ala Cys Thr Gly Cys

Cys Cys Glu Tyr Cys Cys Trp Pro Ala Cys Thr Gly Cys

Cys Cys Glu Tyr Cys Cys Gly Pro Ala Cys Thr Gly Cys

Cys Cys Glu Tyr Cys Cys Ser Pro Ala Cys Thr Gly Cys

Cys Cys Glu Tyr Cys Cys Thr Pro Ala Cys Thr Gly Cys

Cys Cys Glu Tyr Cys Cys Cys Pro Ala Cys Thr Gly Cys

Cys Cys Glu Tyr Cys Cys Gln Pro Ala Cys Thr Gly Cys

Cys Cys Glu Tyr Cys Cys Tyr Pro Ala Cys Thr Gly Cys

Cys Cys Glu Tyr Cys Cys Asp Pro Ala Cys Thr Gly Cys

Cys Cys Glu Tyr Cys Cys Glu Pro Ala Cys Thr Gly Cys

Cys Cys Glu Tyr Cys Cys Lys Pro Ala Cys Thr Gly Cys

Cys Cys Glu Tyr Cys Cys Arg Pro Ala Cys Thr Gly Cys

Cys Cys Glu Tyr Cys Cys His Pro Ala Cys Thr Gly Cys

Cys Cys Glu Leu Cys Cys Asn Pro Thr Cys Thr Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Asn Pro Thr Cys Thr Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Asn Pro Thr Cys Thr Gly Cys

Cys Cys Glu Tyr Cys Cys Asn Pro Thr Cys Thr Gly Cys

Cys Cys Glu Phe Cys Cys Asn Pro Thr Cys Thr Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Asn Pro Thr Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys Asn Pro Thr Cys Thr Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Asn Pro Thr Cys Thr Gly Cys

Cys Cys Glu Leu Cys Cys Asn Gly Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Asn Gly Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Asn Gly Ala Cys Thr Gly Cys

Cys Cys Glu Tyr Cys Cys Asn Gly Ala Cys Thr Gly Cys

Cys Cys Glu Phe Cys Cys Asn Gly Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Asn Gly Ala Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys Asn Gly Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Asn Gly Ala Cys Thr Gly Cys

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Val Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Val Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Val Gly Cys

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Val Gly Cys

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Val Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Val Gly Cys

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Val Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Val Gly Cys

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Gly Gly Cys Tyr

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Gly Gly Cys Tyr

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Gly Gly Cys

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Gly Gly Cys

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Gly Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Gly Gly Cys

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Gly Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Gly Gly Cys

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Ala Cys Tyr

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Ala Cys Tyr

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Ala Cys

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Ala Cys

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Ala Cys Tyr

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Ala Cys

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Ala Cys Tyr

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Ala Cys

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Ala

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Val

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Leu

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Ile

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Pro

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Met

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Phe

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Trp

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Gly

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Ser

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Thr

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Cys

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Asn

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Gln

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Asp

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Glu

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Lys

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Arg

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys His

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Ala

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Val

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Leu

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Ile

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Pro

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Met

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Phe

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Trp

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Gly

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Ser

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Thr

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Cys

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Asn

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Gln

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Asp

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Glu

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Lys

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Arg

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys His

Cys Cys Ala Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Val Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Leu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Ile Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Met Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Phe Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Trp Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Gly Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Ser Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Thr Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Cys Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Asn Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Gln Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Tyr Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Asp Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Lys Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Arg Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys His Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Ala Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Val Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Leu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Ile Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Met Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Phe Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Trp Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Gly Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Ser Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Thr Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Cys Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Asn Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Gln Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Tyr Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Asp Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Lys Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Arg Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys His Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Ala Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Val Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Leu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Ile Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Met Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Phe Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Trp Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Gly Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Ser Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Thr Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Cys Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Asn Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Gln Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Tyr Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Asp Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Lys Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Arg Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys His Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Ala Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Val Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Leu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Ile Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Met Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Phe Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Trp Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Gly Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Ser Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Thr Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Cys Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Asn Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Gln Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Tyr Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Asp Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Lys Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Arg Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys His Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Glu Phe Cys Cys Ala Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Val Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Leu Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Ile Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Pro Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Met Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Phe Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Trp Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Gly Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Ser Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Thr Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Cys Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Gln Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Tyr Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Asp Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Glu Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Lys Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Arg Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Phe Cys Cys His Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Phe Cys Cys Ala Pro Ala Cys Thr Gly Cys

Cys Cys Glu Phe Cys Cys Val Pro Ala Cys Thr Gly Cys

Cys Cys Glu Phe Cys Cys Leu Pro Ala Cys Thr Gly Cys

Cys Cys Glu Phe Cys Cys Ile Pro Ala Cys Thr Gly Cys

Cys Cys Glu Phe Cys Cys Pro Pro Ala Cys Thr Gly Cys

Cys Cys Glu Phe Cys Cys Met Pro Ala Cys Thr Gly Cys

Cys Cys Glu Phe Cys Cys Phe Pro Ala Cys Thr Gly Cys

Cys Cys Glu Phe Cys Cys Trp Pro Ala Cys Thr Gly Cys

Cys Cys Glu Phe Cys Cys Gly Pro Ala Cys Thr Gly Cys

Cys Cys Glu Phe Cys Cys Ser Pro Ala Cys Thr Gly Cys

Cys Cys Glu Phe Cys Cys Thr Pro Ala Cys Thr Gly Cys

Cys Cys Glu Phe Cys Cys Cys Pro Ala Cys Thr Gly Cys

Cys Cys Glu Phe Cys Cys Gln Pro Ala Cys Thr Gly Cys

Cys Cys Glu Phe Cys Cys Tyr Pro Ala Cys Thr Gly Cys

Cys Cys Glu Phe Cys Cys Asp Pro Ala Cys Thr Gly Cys

Cys Cys Glu Phe Cys Cys Glu Pro Ala Cys Thr Gly Cys

Cys Cys Glu Phe Cys Cys Lys Pro Ala Cys Thr Gly Cys

Cys Cys Glu Phe Cys Cys Arg Pro Ala Cys Thr Gly Cys

Cys Cys Glu Phe Cys Cys His Pro Ala Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys Ala Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Val Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Leu Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Ile Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Pro Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Met Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Phe Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Trp Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Gly Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Ser Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Thr Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Cys Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Gln Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Tyr Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Asp Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Glu Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Lys Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Arg Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Trp Cys Cys His Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Glu Trp Cys Cys Ala Pro Ala Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys Val Pro Ala Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys Leu Pro Ala Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys Ile Pro Ala Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys Pro Pro Ala Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys Met Pro Ala Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys Phe Pro Ala Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys Trp Pro Ala Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys Gly Pro Ala Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys Ser Pro Ala Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys Thr Pro Ala Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys Cys Pro Ala Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys Gln Pro Ala Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys Tyr Pro Ala Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys Asp Pro Ala Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys Glu Pro Ala Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys Lys Pro Ala Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys Arg Pro Ala Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys His Pro Ala Cys Thr Gly Cys

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Ala

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Val

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Leu

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Ile

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Pro

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Met

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Phe

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Trp

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Gly

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Ser

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Thr

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Cys

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Asn

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Gln

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Asp

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Glu

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Lys

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Arg

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys His

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Ala

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Val

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Leu

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Ile

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Pro

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Met

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Phe

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Trp

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Gly

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Ser

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Thr

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Cys

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Asn

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Gln

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Asp

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Glu

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Lys

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Arg

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys His

Cys Cys Ala Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Val Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Leu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Ile Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Met Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Phe Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Trp Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Gly Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Ser Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Thr Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Cys Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Asn Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Gln Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Tyr Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Asp Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Lys Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Arg Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys His Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Ala Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Val Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Leu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Ile Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Met Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Phe Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Trp Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Gly Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Ser Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Thr Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Cys Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Asn Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Gln Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Tyr Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Asp Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Lys Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Arg Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys His Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys

Cys Cys Ala Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Val Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Leu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Ile Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Met Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Phe Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Trp Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Gly Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Ser Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Thr Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Cys Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr

Cys Cys Asn Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Cys Gln Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Cys Tyr Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Cys Asp Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Cys Lys Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Cys Arg Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Cys His Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
Cys Cys Ala Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
Cys Cys Val Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
Cys Cys Leu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
Cys Cys Ile Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
Cys Cys Met Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
Cys Cys Phe Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
Cys Cys Trp Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
Cys Cys Gly Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
Cys Cys Ser Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
Cys Cys Thr Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
Cys Cys Cys Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
Cys Cys Asn Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
Cys Cys Gln Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
Cys Cys Tyr Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
Cys Cys Asp Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
Cys Cys Lys Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
Cys Cys Arg Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
Cys Cys His Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys

The invention also features deletion variants of any of the peptides described herein in which one, two, three or four amino acids (or non-natural amino acids or natural or non-natural amino acid analogs), other than a Cys (or an amino acid substituted for Cys, e.g, an amino acid capable of forming a covalent bond to another amino acid), are deleted. Where two (or more)

amino acids are deleted and the peptide comprises the sequence: Cys_a Cys_b Xaa Xaa Cys_c Cys_d Xaa Xaa Xaa Cys_e Xaa Xaa Cys_f, in some embodiments two or more deletions can be located between Cys_b and Cys_c and/or between Cys_d and Cys_e and/or between Cys_e and Cys_f. However, in other embodiments there is at most one deletion between each of Cys_b and Cys_c or between Cys_d and Cys_e or between Cys_e and Cys_f. Thus, the invention includes any of the peptides described herein comprising the sequence Cys_a Cys_b Xaa Xaa Cys_c Cys_d Xaa Xaa Xaa Cys_e Xaa Xaa Cys_f wherein: a) one amino acid between Cys_b and Cys_c is deleted; b) one amino acid between Cys_d and Cys_e is deleted; c) one amino acid between Cys_e and Cys_f is deleted; d) one amino acid between Cys_b and Cys_c is deleted and one amino acid between Cys_d and Cys_e is deleted; e) one amino acid between Cys_d and Cys_e is deleted and one amino acid between Cys_e and Cys_f is deleted; f) one amino acid between Cys_b and Cys_c is deleted and one amino acid between Cys_e and Cys_f is deleted or g) one amino acid between Cys_b and Cys_c is deleted, one amino acid between Cys_d and Cys_e is deleted and one amino acid between Cys_e and Cys_f is deleted. In certain embodiments, the various deletion variants are peptides that bind to and/or activate the GC-C receptor. In various embodiments, the various deletion variants are peptides that increase cGMP levels.

Deletion variants of Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:3) include the peptides listed in FIG. 11. In these deletion variants, any of the amino acids can be deleted and there can be one, two, three or four amino acids deleted other than Cys.

The invention also features insertion variants of any of the peptides described herein in which one, two, three or four amino acids (e.g., Gly or Ala) are inserted before or after any amino acid in the peptide. In some embodiments no more than one amino acid is inserted between two Cys. For example, where two or more amino acids are inserted and the peptide comprises the sequence Cys_a Cys_b Xaa Xaa Cys_c Cys_d Xaa Xaa Xaa Cys_e Xaa Xaa Cys_f, in some embodiments two or more insertions can be located between Cys_b and Cys_c or between Cys_d and Cys_e or between Cys_e and Cys_f. However, in other embodiments no more than one insertion is located between Cys_b and Cys_c or between Cys_d and Cys_e or between Cys_e and Cys_f. Thus, the invention features any of the peptides described herein comprising the sequence Cys_a

Cys_b Xaa Xaa Cys_c Cys_d Xaa Xaa Xaa Cys_e Xaa Xaa Cys_f wherein: a) one amino acid is inserted between Cys_b and Cys_c; b) one amino acid is inserted between Cys_d and Cys_e; c) one amino acid is inserted between Cys_e and Cys_f; d) one amino acid is inserted between Cys_b and Cys_c and one amino acid is inserted between Cys_d and Cys_e; e) one amino acid is inserted between Cys_d and Cys_e and one amino acid is inserted between Cys_e and Cys_f; f) one amino acid is inserted between Cys_b and Cys_c and one amino acid is inserted between Cys_e and Cys_f; or g) one amino acid is inserted between Cys_b and Cys_c, one amino acid is inserted between Cys_d and Cys_e and one amino acid is inserted between Cys_e and Cys_f. In addition, one or more amino acids can be inserted preceding Cys_a and/or one or more amino acids can be inserted following Cys_f.

In various embodiments, the various insertion variants are peptides that bind to and/or activate the GC-C receptor. In various embodiments, the various insertion variants are peptides that increase cGMP levels.

Insertion variants of Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:3) include those in which up to four amino acids (i.e., 0, 1, 2, 3 or 4) can be inserted after each amino acid. Thus, the invention includes peptides having the sequence: Cys $Xaa_{(0-4)}$ Cys $Xaa_{(0-4)}$ Glu $Xaa_{(0-4)}$ Tyr $Xaa_{(0-4)}$ Cys $Xaa_{(0-4)}$ Cys $Xaa_{(0-4)}$ Asn $Xaa_{(0-4)}$ Pro $Xaa_{(0-4)}$ Ala $Xaa_{(0-4)}$ Cys $Xaa_{(0-4)}$ Thr $Xaa_{(0-4)}$ Gly $Xaa_{(0-4)}$ Cys $Xaa_{(0-4)}$ Tyr $Xaa_{(0-4)}$) (SEQ ID NO:). The inserted amino acids can be any amino acid or amino acid analog (natural or non-natural) and can be the same or different. In certain embodiments the inserted amino acids are all Gly or all Ala or a combination of Gly and Ala.

FIG. 12 depicts insertion variants of the peptide having the sequence: Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:3).

The invention also features variants of peptides having the sequence Xaa_1 Xaa_2 Xaa_3 Xaa_4 Xaa_5 Cys_6 Cys_7 Xaa_8 Xaa_9 Cys_{10} Cys_{11} Xaa_{12} Xaa_{13} Xaa_{14} Cys_{15} Xaa_{16} Xaa_{17} Cys_{18} Xaa_{19} Xaa_{20} Xaa_{21} (SEQ ID NO:1), e.g., variants of Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys

Tyr (SEQ ID NO:3), in which up to four amino acids are deleted and/or up to four amino acids are inserted. The insertions and deletions can be between Cys_6 and Cys_{18} in SEQ ID NO:1 or they can be amino terminal to Cys_6 and/or carboxy terminal to Cys_{18} in SEQ ID NO:1.

The invention also features peptides which may include one or more of the peptide modifications, one or more non-natural amino acid or amino acid analogs, one or more of the disulfide bond alternatives or one more of the alternative peptide bonds described herein.

The peptides of the invention can be present with a counterion. Useful counterions include salts of: acetate, benzenesulfonate, benzoate, calcium edetate, camsylate, carbonate, citrate, edetate (EDTA), edisylate, embonate, esylate, fumarate, gluceptate, gluconate, glutamate, glycollylarsanilate, hexylresorcinate, iodide, bromide, chloride, hydroxynaphthoate, isethionate, lactate, lactobionate, estolate, maleate, malate, mandelate, mesylate, mucate, napsylate, nitrate, pantothenate, phosphate, salicylate, stearate, succinate, sulfate, tartarate, theoclate, acetamidobenzoate, adipate, alginate, aminosalicylate, anhydromethylenecitrate, ascorbate, aspartate, camphorate, caprate, caproate, caprylate, cinnamate, cyclamate, dichloroacetate, formate, gentisate, glucuronate, glycerophosphate, glycolate, hippurate, fluoride, malonate, napadisylate, nicotinate, oleate, orotate, oxalate, oxoglutarate, palmitate, pectinate, pectinate polymer, phenylethylbarbiturate, picrate, propionate, pidolate, sebacate, rhodanide, tosylate, and tannate.

The peptides and agonist of the intestinal guanylate cyclase (GC-C) receptor can be used to treat constipation or decreased intestinal motility, slow digestion or slow stomach emptying. The peptides can be used to relieve one or more symptoms of IBS (bloating, pain, constipation), GERD (acid reflux into the esophagus), duodenogastric reflux, functional dyspepsia, or gastroparesis (nausea, vomiting, bloating, delayed gastric emptying) and other disorders described herein.

The details of one or more embodiments of the invention are set forth in the accompanying description. All of the publications, patents and patent applications are hereby incorporated by reference.

FIGURES

Figure 1 depicts the results of LCMS analysis of recombinant SEQ ID NO:4 peptide and SEQ ID NO:5 peptide.

Figures 1b and 1c depict the results of LCMS analysis of synthetic SEQ ID NO:3 peptide and the blank.

Figure 2 depicts the results of the intestinal GC-C receptor activity assay of synthetic SEQ ID NO:4 peptide, SEQ ID NO:5 peptide and two different SEQ ID NO:3 peptides.

Figure 3a depicts the effect of recombinant SEQ ID NO:4 peptide and Zelnorm® in an acute murine gastrointestinal transit model.

Figure 3b depicts the effect of synthetic SEQ ID NO:3 peptide and Zelnorm® in an acute murine gastrointestinal transit model.

Figures 4a and 4b depict the effect of peptidesSEQ ID NO:5, SEQ ID NO:3, and SEQ ID NO:4 in an acute murine gastrointestinal transit model.

Figure 4c depicts the effect of SEQ ID NO:3 peptide in a chronic murine gastrointestinal transit model.

Figure 5a depicts the effect of SEQ ID NO:4 peptide and Zelnorm® in a suckling mouse intestinal secretion model.

Figure 5b depicts the effects of SEQ ID NO:3 and Zelnorm® in a mouse intestinal secretion model.

Figures 6a and 6b depict the effects of SEQ ID NO:4, SEQ ID NO:3 and SEQ ID NO:5 peptides in a mouse intestinal secretion model.

Figure 7 shows the results of experiment in which SEQ ID NO:3 activity was analyzed in the TNBS colonic distention model.

Figures 8a and 8b show the effects of differing doses of SEQ ID NO:5 and SEQ ID NO:3 in the PBQ writhing assay.

Figure 9 shows the results of Kd determination analysis using SEQ ID NO:3 in a competitive radioligand binding assay.

Figures 10a and 10b show bioavailability data for IV and orally administered SEQ ID NO:3 as detected by an ELISA assay and LCMS.

Figure 11 depicts deletion variants of a peptide having the sequence of SEQ ID NO:3.

Figure 12 depicts insertion variants of a peptide having the sequence of SEQ ID NO:3.

DETAILED DESCRIPTION

The peptides of the invention bind to the intestinal guanylate cyclase (GC-C) receptor, a key regulator of fluid and electrolyte balance in the intestine. When stimulated, this receptor, which is located on the apical membrane of the intestinal epithelial surface, causes an increase in intestinal epithelial cyclic GMP (cGMP). This increase in cGMP is believed to cause a decrease in water and sodium absorption and an increase in chloride and potassium ion secretion, leading to changes in intestinal fluid and electrolyte transport and increased intestinal

motility. The intestinal GC-C receptor possesses an extracellular ligand binding region, a transmembrane region, an intracellular protein kinase-like region and a cyclase catalytic domain. Proposed functions for the GC-C receptor are fluid and electrolyte homeostasis, the regulation of epithelial cell proliferation and the induction of apoptosis (Shalubhai 2002 Curr Opin Drug Dis Devel 5:261-268).

In addition to being expressed in the intestine by gastrointestinal epithelial cells, GC-C is expressed in extra-intestinal tissues including kidney, lung, pancreas, pituitary, adrenal, developing liver and gall bladder (reviewed in Vaandrager 2002 Mol Cell Biochem 230:73-83, Kulaksiz et al. 2004, Gastroenterology 126:732-740) and male and female reproductive tissues (reviewed in Vaandrager 2002 Mol Cell Biochem 230:73-83). This suggests that the GC-C receptor agonists can be used in the treatment of disorders outside the GI tract, for example, congestive heart failure and benign prostatic hyperplasia.

Ghrelin, a peptide hormone secreted by the stomach, is a key regulator of appetite in humans. Ghrelin expression levels are regulated by fasting and by gastric emptying (Kim et al. 2003 Neuroreprt 14:1317-20; Gualillo et al. 2003 FEBS Letts 552: 105-9). Thus, by increasing gastrointestinal motility, GC-C receptor agonists may also be used to regulate obesity.

In humans, the GC-C receptor is activated by guanylin (Gn) (U.S. 5,96,097), uroguanylin (Ugn) (U.S. 5,140,102) and lymphoguanylin (Forte et al. 1999 *Endocrinology* 140:1800-1806). Interestingly, these agents are 10-100 fold less potent than a class of bacterially derived peptides, termed ST (reviewed in Gianella 1995 J Lab Clin Med 125:173-181). ST peptides are considered super agonists of GC-C and are very resistant to proteolytic degradation.

ST peptide is capable of stimulating the enteric nervous system (Rolfe et al., 1994, J Physiolo 475: 531-537; Rolfe et al. 1999 Gut 44: 615-619; Nzegwu et al. 1996 Exp Physiol 81: 313-315). Also, cGMP has been reported to have antinociceptive effects in multiple animal models of pain (Lazaro Ibanez et al. 2001 Eur J Pharmacol 426: 39-44; Soares et al. 2001 British J Pharmacol 134: 127-131; Jain et al. 2001 Brain Res 909:170-178; Amarante et al. 2002 Eur J

Pharmacol 454:19-23). Thus, GC-C agonists may have both an analgesic as well an anti-inflammatory effect.

In bacteria, ST peptides are derived from a preproprotein that generally has at least 70 amino acids. The pre and pro regions are cleaved as part of the secretion process, and the resulting mature protein, which generally includes fewer than 20 amino acids, is biologically active.

Among the known bacterial ST peptides are: *E. coli* ST Ib (Moseley et al. 1983 Infect. Immun. 39:1167) having the mature amino acid sequence Asn Ser Ser Asn Tyr Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:__); *E. coli* ST Ia (So and McCarthy 1980 Proc. Natl. Acad. Sci. USA 77:4011) having the mature amino acid sequence Asn Thr Phe Tyr Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Ala Gly Cys Tyr (SEQ ID NO:__); *E. coli* ST I* (Chan and Giannella 1981 J. Biol. Chem. 256:7744) having the mature amino acid sequence Asn Thr Phe Tyr Cys Cys Glu Leu Cys Cys Tyr Pro Ala Cys Ala Gly Cys Asn (SEQ ID NO:___); *C.freundii* ST peptide (Guarino et al. 1989b *Infect. Immun.* 57:649) having the mature amino acid sequence Asn Thr Phe Tyr Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Ala Gly Cys Tyr (SEQ ID NO:__); *Y. enterocolitica* ST peptides, Y-ST(Y-STa), Y-STb, and Y-STc (reviewed in Huang et al. 1997 Microb. Pathog. 22:89) having the following pro-form amino acid sequences: Gln Ala Cys Asp Pro Pro Ser Pro Pro Ala Glu Val Ser Ser Asp Trp Asp Cys Cys Asp Val Cys Cys Asn Pro Ala Cys Ala Gly Cys (SEQ ID NO:___) (as well as a Ser-7 to Leu-7 variant of Y-STa (SEQ ID NO:___), (Takao et al. 1985 Eur. J. Biochem. 152:199)); Lys Ala Cys Asp Thr Gln Thr Pro Ser Pro Ser Glu Glu Asn Asp Asp Trp Cys Cys Glu Val Cys Cys Asn Pro Ala Cys Ala Gly Cys (SEQ ID NO:___); Gln Glu Thr Ala Ser Gly Gln Val Gly Asp Val Ser Ser Ser Thr Ile Ala Thr Glu Val Ser Glu Ala Glu Cys Gly Thr Gln Ser Ala Thr Thr Gln Gly Glu Asn Asp Trp Asp Trp Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Phe Gly Cys (SEQ ID NO:___), respectively; *Y. kristensenii* ST peptide having the mature amino acid sequence Ser Asp Trp Cys Cys Glu Val Cys Cys Asn Pro Ala Cys Ala Gly Cys (SEQ ID NO:___); V. *cholerae* non-01 ST peptide (Takao et al. (1985) *FEBS lett.* 193:250) having the mature amino acid sequence Ile Asp Cys Cys Glu Ile Cys Cys Asn Pro Ala Cys Phe Gly Cys Leu Asn (SEQ ID NO:__); and *V. mimicus* ST peptide (Arita et al. 1991 FEMS Microbiol. Lett. 79:105)

having the mature amino acid sequence Ile Asp Cys Cys Glu Ile Cys Cys Asn Pro Ala Cys Phe Gly Cys Leu Asn (SEQ ID NO:__). Table I below provides sequences of all or a portion of a number of mature ST peptides. Such peptides are useful GCC agonists.

Table I

GenBank® Accession No.	**GenBank® GI No.**	**Sequence**
QHECIB	69638	NSSNYCCELCCNPACTGCY(SEQ ID NO:__)
P01559	123711	NTFYCCELCCNPACAGCY(SEQ ID NO:__)
AAA24653	147878	NTFYCCELCCNPACAPCY(SEQ ID NO:__)
P01560	123707	NTFYCCELCCYPACAGCN(SEQ ID NO:__)
AAA27561	295439	IDCCEICCNPACFGCLN(SEQ ID NO:__)
P04429	123712	IDCCEICCNPACFGCLN(SEQ ID NO:__)
S34671	421286	IDCCEICCNPACF(SEQ ID NO:__)
CAA52209	395161	IDCCEICCNPACFG(SEQ ID NO:__)
A54534	628844	IDCCEICCNPACFGCLN(SEQ ID NO:__)
AAL02159	15592919	IDRCEICCNPACFGCLN(SEQ ID NO:__)
AAA18472	487395	DWDCCDVCCNPACAGC(SEQ ID NO:__)
S25659	282047	DWDCCDVCCNPACAGC(SEQ ID NO:__)
P74977	3913874	NDDWCCEVCCNPACAGC(SEQ ID NO:__)
BAA23656	2662339	WDWCCELCCNPACFGC(SEQ ID NO:__)
P31518	399947	SDWCCEVCCNPACAGC(SEQ ID NO:__)
		QACDPPSPPAEVSSDWDCCDVCCDPAC AGC
		QACDPPSPPAEVSSDWDCCDVCCNPACAG C
		KACDTQTPSPSEENDDTCCEVCCNPACAG C
		QETASGQVGDVSSSTIATEVSEAECGTQSATTQGE NDWDWCCELCCNPACFGC
		MKKLMLAIFISVLSFPSFSQSTESLDS SKEKITLETKKCDVVKNNSEKKSEN MNNTFYCCELCCNPACAGCY

		MKKSILFIFLSVLSFSPFAQDAKPVES SKEKITLESKKCNIAKKSNKSGPESM NSSNYCCELCCNPACTGCY
		MKKIVFVLVLMLSSFGAFGQETVSG QFSDALSTPITAEVYKQACDPPLPPA EVSSDWDCCDVCCNPACAGC
		GNLIDCCEICCNPACFGCLN
		GNLIDRCEICCNPACFGCLN
		PPAEVSSDWDCCDVCCNPACAGC

The immature (including pre and pro regions) form of *E. coli* ST-1A (ST-P) protein has the sequence: mkklmlaifisvlsfpsfsqstesldsskekitletkkcdvvknnsekksenmnntfyccelccnpacagcy (SEQ ID NO:___; see GenBank® Accession No. P01559 (gi:123711). The pre sequence extends from aa 1-19. The pro sequence extends from aa 20-54. The mature protein extends from 55-72. The immature (including pre and pro regions) form of *E. coli* ST-1B (ST-H) protein has the sequence: mkksilfiflsvlsfspfaqdakpvesskekitleskkcniakksnksgpesmnssnyccelccnpactgcy (SEQ ID NO:___; see GenBank® Accession No. P07965 (gi:3915589)). The immature (including pre and pro regions) form of *Y. enterocolitica* ST protein has the sequence: mkkivfvlvlmlssfgafgqetvsgqfsdalstpitaevykqacdpplppaevssdwdccdvccnpacagc (SEQ ID NO:___; see GenBank® Accession No. S25659 (gi:282047)).

The peptides of the invention, like the bacterial ST peptides, have six Cys residues. These six Cys residues form three disulfide bonds in the mature and active form of the peptide. If the six Cys residues are identified, from the amino to carboxy terminus of the peptide, as A, B, C, D, E, and F, then the disulfide bonds form as follows: A-D, B-E, and C-F. The formation of these bonds is thought to be important for GC-C receptor binding. Certain of the peptides of the invention include a potentially functional chymotrypsin cleavage site, e.g., a Trp, Tyr or Phe located between either Cys B and Cys D or between Cys E and Cys F. Cleavage at either chymotrypsin cleavage site may reduce or eliminates the ability of the peptide to bind to the GC-C receptor.

In the human body an inactive form of chymotrypsin, chymotrypsinogen is produced in the pancreas. When this inactive enzyme reaches the small intestine it is converted to active chymotrypsin by the excision of two di-peptides. Active chymotrypsin can potentially cleave peptides at the peptide bond on the carboxy-terminal side of Trp, Tyr or Phe. The presence of active chymotrypsin in the intestinal tract can potentially lead to cleavage of certain of the peptides of the invention having an appropriately positioned functional chymotrypsin cleavage site. It is expected that chymotrypsin cleavage will moderate the action of a peptide of the invention having an appropriately positioned chymotrypsin cleavage site as the peptide passes through the intestinal tract.

Trypsinogen, like chymotrypsin, is a serine protease that is produced in the pancreas and is present in the digestive tract. The active form, trypsin, will cleave peptides having a Lys or Arg. The presence of active trypsin in the intestinal tract can lead to cleavage of certain of the peptides of the invention having an appropriately positioned functional trypsin cleavage site. It is expected that chymotrypsin cleavage will moderate the action of a peptide of the invention having an appropriately positioned trypsin cleavage site as the peptide passes through the intestinal tract.

Many gastrointestinal disorders, including IBS, are associated with abdominal or visceral pain. Certain of the peptides of the invention include analgesic or antinociceptive tags such as the carboxy-terminal sequence AspPhe immediately following a Trp, Tyr or Phe that creates a functional chymotrypsin cleavage site or following Lys or Arg that creates a functional trypsin cleavage site. Chymotrypsin in the intestinal tract can potentially cleave such peptides immediately carboxy terminal to the Trp, Phe or Tyr residue, releasing the dipeptide, AspPhe. This dipeptide has been shown to have analgesic activity in animal models (Abdikkahi et al. 2001 Fundam Clin Pharmacol 15:117-23; Nikfar et al 1997, 29:583-6; Edmundson et al 1998 Clin Pharmacol Ther 63:580-93). In this manner such peptides can treat both pain and inflammation. Other analgesic peptides can be present at the amino or carboxy terminus of the peptide (e.g., following a functional cleavage site) including: endomorphin-1, endomorphin-2, nocistatin, dalargin, lupron, and substance P.

A number of the useful peptides are based on the core sequence: Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr. To create a variant having a potentially functional chymotrypsin cleavage site capable of inactivating the peptide, either the Leu (underlined) or the Thr (underlined) can be replaced by Trp, Phe or Tyr or both the Leu and the Thr can be replaced by (independently) Trp, Phe or Tyr. To create a variant having an analgesic di-peptide, the core sequence is followed by Asp Phe. The carboxy terminal Tyr in the core sequence can allow the Asp Phe dipeptide to be released by chymotrypsin in the digestive tract. The core sequence can be optionally be preceded by Asn Ser Ser Asn Tyr or Asn.

Thus, useful variants based on the core sequence include:

Asn Ser Ser Asn Tyr Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:4)

Asn Ser Ser Asn Tyr Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Trp Gly Cys Tyr (SEQ ID NO:---)

Asn Ser Ser Asn Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:5)

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:6)

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Trp Gly Cys Tyr (SEQ ID NO:---)

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:3)

Asn Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:---)

Asn Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Trp Gly Cys Tyr (SEQ ID NO:---)

Asn Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:---)

Asn Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:---)

Asn Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:---)

Asn Cys Cys Glu Arg Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:---)

Asn Cys Cys Glu Lys Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:---)

Asn Ser Ser Asn Tyr Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe (SEQ ID NO:---)

Asn Ser Ser Asn Tyr Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Trp Gly Cys Tyr Asp Phe

(SEQ ID NO:---)

Asn Ser Ser Asn Tyr Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe (SEQ ID NO:---)

Asn Ser Ser Asn Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe (SEQ ID NO:---)

Asn Ser Ser Asn Tyr Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe (SEQ ID NO:---)

Asn Ser Ser Asn Tyr Cys Cys Glu Arg Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe (SEQ ID NO:---)

Asn Ser Ser Asn Tyr Cys Cys Glu Lys Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe (SEQ ID NO:---)

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe (SEQ ID NO:---)

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Trp Gly Cys Tyr Asp Phe (SEQ ID NO:---)

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe (SEQ ID NO:---)

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe (SEQ ID NO:---)

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe (SEQ ID NO:---)

Cys Cys Glu Arg Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe (SEQ ID NO:---)

Cys Cys Glu Lys Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe (SEQ ID NO:---)

Asn Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe (SEQ ID NO:---)

Asn Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Trp Gly Cys Tyr Asp Phe (SEQ ID NO:---)

Asn Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe (SEQ ID NO:---)

Asn Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe (SEQ ID NO:---)

Asn Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe (SEQ ID NO:---)

Asn Cys Cys Glu Arg Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe (SEQ ID NO:---)

Asn Cys Cys Glu Lys Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe (SEQ ID NO:---)

In some cases, the peptides of the invention are produced as a prepro protein that includes the amino terminal leader sequence: mkksilfiflsvlsfspfaqdakpvesskekitleskkcniakksnksgpesmn. Where the peptide is produced by a bacterial cell, e.g., *E. coli*, the forgoing leader sequence will be cleaved and the mature peptide will be efficiently secreted from the bacterial cell. U.S.

Patent No. 5,395,490 describes vectors, expression systems and methods for the efficient production of ST peptides in bacterial cells and methods for achieving efficient secretion of mature ST peptides. The vectors, expression systems and methods described in U.S. Patent No. 5,395,490 can be used to produce the ST peptides and variant ST peptides of the present invention

Variant Peptides

The invention includes variant peptides which can include one, two, three, four, five, six, seven, eight, nine, or ten (in some embodiments fewer than 5 or fewer than 3 or 2 or fewer) amino acid substitutions and/or deletions compared to SEQ ID NOs:____ to ___. The substitution(s) can be conservative or non-conservative. The naturally-occurring amino acids can be substituted by D-isomers of any amino acid, non-natural amino acids, natural and natural amino acid analogs and other groups. A conservative amino acid substitution results in the alteration of an amino acid for a similar acting amino acid, or amino acid of like charge, polarity, or hydrophobicity. At some positions, even conservative amino acid substitutions can alter the activity of the peptide. A conservative substitution can substitute a naturally-occurring amino acid for a non-naturally-occurring amino acid. The amino acid substitutions among naturally-occurring amino acids are listed in Table II.

Table II

For Amino Acid	Code	Replace with any of
Alanine	Ala	Gly, Cys, Ser
Arginine	Arg	Lys, His
Asparagine	Asn	Asp, Glu, Gln,
Aspartic Acid	Asp	Asn, Glu, Gln
Cysteine	Cys	Met, Thr, Ser
Glutamine	Gln	Asn, Glu, Asp
Glutamic Acid	Glu	Asp, Asn, Gln
Glycine	Gly	Ala
Histidine	His	Lys, Arg
Isoleucine	Ile	Val, Leu, Met
Leucine	Leu	Val, Ile, Met
Lysine	Lys	Arg, His
Methionine	Met	Ile, Leu, Val
Phenylalanine	Phe	Tyr, His, Trp
Proline	Pro	
Serine	Ser	Thr, Cys, Ala
Threonine	Thr	Ser, Met, Val
Tryptophan	Trp	Phe, Tyr
Tyrosine	Tyr	Phe, His
Valine	Val	Leu, Ile, Met

In some circumstances it can be desirable to treat patients with a variant peptide that binds to and activates intestinal GC-C receptor, but is less active than the non-variant form the peptide. This reduced activity can arise from reduced affinity for the receptor or a reduced ability to activate the receptor once bound or reduced stability of the peptide.

Production of peptides

Useful peptides can be produced either in bacteria including, without limitation, *E. coli*, or in other existing systems for peptide or protein production (e.g., *Bacillus subtilis,* baculovirus expression systems using Drosophila Sf9 cells, yeast or filamentous fungal expression systems, mammalian cell expression systems), or they can be chemically synthesized.

If the peptide or variant peptide is to be produced in bacteria, e.g., *E. coli*, the nucleic acid molecule encoding the peptide will preferably also encode a leader sequence that permits the secretion of the mature peptide from the cell. Thus, the sequence encoding the peptide can include the pre sequence and the pro sequence of, for example, a naturally-occurring bacterial ST peptide. The secreted, mature peptide can be purified from the culture medium.

The sequence encoding a peptide of the invention is preferably inserted into a vector capable of delivering and maintaining the nucleic acid molecule in a bacterial cell. The DNA molecule may be inserted into an autonomously replicating vector (suitable vectors include, for example, pGEM3Z and pcDNA3, and derivatives thereof). The vector nucleic acid may be a bacterial or bacteriophage DNA such as bacteriophage lambda or M13 and derivatives thereof. Construction of a vector containing a nucleic acid described herein can be followed by transformation of a host cell such as a bacterium. Suitable bacterial hosts include but are not limited to, *E. coli, B. subtilis*, *Pseudomonas*, *Salmonella*. The genetic construct also includes, in addition to the encoding nucleic acid molecule, elements that allow expression, such as a promoter and regulatory sequences. The expression vectors may contain transcriptional control sequences that control transcriptional initiation, such as promoter, enhancer, operator, and repressor sequences. A variety of transcriptional control sequences are well known to those in the art. The expression vector can also include a translation regulatory sequence (e.g., an untranslated 5' sequence, an untranslated 3' sequence, or an internal ribosome entry site). The vector can be capable of autonomous replication or it can integrate into host DNA to ensure stability during peptide production.

The protein coding sequence that includes a peptide of the invention can also be fused to a nucleic acid encoding a polypeptide affinity tag, e.g., glutathione S-transferase (GST), maltose E binding protein, protein A, FLAG tag, hexa-histidine, myc tag or the influenza HA tag, in order to facilitate purification. The affinity tag or reporter fusion joins the reading frame of the peptide of interest to the reading frame of the gene encoding the affinity tag such that a translational fusion is generated. Expression of the fusion gene results in translation of a single polypeptide that includes both the peptide of interest and the affinity tag. In some instances

where affinity tags are utilized, DNA sequence encoding a protease recognition site will be fused between the reading frames for the affinity tag and the peptide of interest.

Genetic constructs and methods suitable for production of immature and mature forms of the peptides and variants of the invention in protein expression systems other than bacteria, and well known to those skilled in the art, can also be used to produce peptides in a biological system.

Mature peptides and variants thereof can be synthesized by the solid-phase chemical synthesis. For example, the peptide can be synthesized on Cyc(4-CH_2 Bxl)-OCH_2-4-(oxymethyl)-phenylacetamidomethyl resin using a double coupling program. Protecting groups must be used appropriately to create the correct disulfide bond pattern. For example, the following protecting groups can be used: t-butyloxycarbonyl (alpha-amino groups); acetamidomethyl (thiol groups of Cys residues B and E); 4-methylbenyl (thiol groups of Cys residues C and F); benzyl (y-carboxyl of glutamic acid and the hydroxyl group of threonine, if present); and bromobenzyl (phenolic group of tyrosine, if present). Coupling is effected with symmetrical anhydride of t-butoxylcarbonylamino acids or hydroxybenzotriazole ester (for asparagine or glutamine residues), and the peptide is deprotected and cleaved from the solid support in hydrogen fluoride, dimethyl sulfide, anisole, and p-thiocresol using 8/1/1/0.5 ratio (v/v/v/w) at 0°C for 60 min. After removal of hydrogen fluoride and dimethyl sulfide by reduced pressure and anisole and p-thiocresol by extraction with ethyl ether and ethyl acetate sequentially, crude peptides are extracted with a mixture of 0.5M sodium phosphate buffer, pH 8.0 and N, N-dimethylformamide using 1/1 ratio, v/v. The disulfide bond for Cys residues B and E is the formed using dimethyl sulfoxide (Tam et al. (1991) *J. Am. Chem. Soc.* 113:6657-62). The resulting peptide is the purified by reverse-phase chromatography. The disulfide bond between Cys residues C and F is formed by first dissolving the peptide in 50% acetic acid in water. Saturated iodine solution in glacial acetic acid is added (1 ml iodine solution per 100 ml solution). After incubation at room temperature for 2 days in an enclosed glass container, the solution is diluted five-fold with deionized water and extracted with ethyl ether four times for removal of unreacted iodine. After removal of the residual amount of ethyl ether by rotary

evaporation the solution of crude product is lyophilized and purified by successive reverse-phase chromatography.

Peptides can also be synthesized by many other methods including solid phase synthesis using traditional FMOC protection (i.e., coupling with DCC-HOBt and deprotection with piperdine in DMF). Cys thiol groups can be trityl protected. Treatment with TFA can be used for final deprotection of the peptide and release of the peptide from the solid-state resin. In many cases air oxidation is sufficient to achieve proper disulfide bond formation.

Intestinal GC-C receptor binding assay

The ability of peptides and other agents to bind to the intestinal GC-C receptor can be tested as follows. Cells of the T84 human colon carcinoma cell line (American Type Culture Collection (Bethesda, Md.)) are grown to confluence in 24-well culture plates with a 1:1 mixture of Ham's F12 medium and Dulbecco's modified Eagle's medium (DMEM), supplemented with 5% fetal calf serum. Cells used in the assay are typically between passages 54-60. Briefly, T84 cell monolayers in 24-well plates are washed twice with 1 ml of binding buffer (DMEM containing 0.05% bovine serum albumin and 25 mM HEPES, pH 7.2), then incubated for 30 min at 37°C in the presence of mature radioactively labeled *E. coli* ST peptide and the test material at various concentrations. The cells are then washed four times with 1 ml of DMEM and solubilized with 0.5 ml/well 1N NaOH. The level of radioactivity in the solubilized material is then determined using standard methods.

Example 1: Preparation of variant ST peptides and wild-type ST peptide

1a: Preparation of recombinant variant ST peptides and wild-type ST peptide

A variant ST peptide having the sequence Asn Ser Ser Asn Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:5) was produced recombinantly and tested in an

animal model. A peptide having the sequence of the wild-type ST peptide was also created (SEQ ID NO:4).

SEQ ID NO:5 and SEQ ID NO:4 peptides were produced as preproproteins using vectors produced as follows. A sequence encoding a heat-stable enterotoxin pre-pro sequence was amplified from pGK51/pGSK51 (ATCC 67728) using oligonucleotide MO3514 (5' CACACCATATGAAGAAATCAATATTATTTATTTTTCTTTCTG 3' (SEG ID NO:)) and oligonucelotide MO3515 (5' CACACCTCGAGTTAGGTCTCCATGCTTTCAGGACCACTTTTATTAC 3' (SEQ ID NO: __)). The amplification product fragment was digested with NdeI/XhoI and ligated to the T7 expression vector, pET26b(+) (Novagen) digested with NdeI/XhoI thereby creating plasmid MB3976. The region encoding the pre-pro protein was sequenced and found to encode the amino acid sequence: mkksilfiflsvlsfspfaqdakpagsskekitleskkcnivkksnksgpesm (SEQ ID NO: __) which differs from the amino acid sequence of heat-stable enterotoxin a2 precursor (sta2; mkksilfiflsvlsfspfaqdakpagsskekitleskkcnivkknnesspesm (SEQ ID NO:___); GenBank® Accession No. Q47185, GI: 3913876) at three positions (indicated by underlining and bold text) near the C-terminus. To create expression vectors with the pre-pro sequence, complementary oligos encoding each ST peptide variant or wild-type ST peptide were annealed and cloned into the MB3976 expression vector. To create MB3984 (encoding SEQ ID NO:4 peptide (wild-type ST peptide) as a prepro protein), containing the amino acid sequence, NSSNYCCELCCNPACTGCY (SEQ ID NO:___) fused downstream of the pre-pro sequence, MB 3976 was digested with BsaI/XhoI and ligated to annealed oligos MO3621 (5' GCATGAATAGTAGCAATTACTGCTGTGAATTGTGTTGTAATCCTGCTTGTACCGGGTG CTATTAATAAC 3' (SEQ ID NO:__)) and MO3622 (5' TCGAGTTATTAATAGCACCCGGTACAAGCAGGATTACAACACAATTCACAGCAGTAA TTGCTACTATTC 3'(SEQ ID NO:__)). To create MB3985 (encoding SEQ ID NO:5 as a prepro protein) containing the following amino acid sequence, NSSNYCCEYCCNPACTGCY fused downstream of the pre-pro sequence, MB 3976 was digested with BsaI/XhoI and ligated to annealed oligos MO3529 (5' GCATGAATAGTAGCAATTACTGCTGTGAATATTGTTGTAATCCTGCTTGTACCGGGTG

CTATTAATAAC 3' (SEQ ID NO:__)) and MO3530 (5' TCGAGTTATTAATAGCACCCGGTACAAGCAGGATTACAACAATATTCACAGCAGTAA TTGCTACTATTC 3'(SEQ ID NO:__)).

The SEQ ID NO:5 peptide and the SEQ ID NO:4 peptide were produced as follows. The expression vectors were transformed into *E. coli* bacterial host BL21 λ DE3 (Invitrogen). A single colony was innoculated and grown shaking overnight at 30°C in L broth + 25 mg/l kanamycin. The overnight culture was added to 3.2 L of batch medium (Glucose 25 g/l, Caseamino Acids 5 g/l, Yeast Extract 5 g/l, KH_2PO_4 13.3 g/l, $(NH_4)_2HPO_4$ 4 g/l, $MgSO_4$-$7H_20$ 1.2 g/l, Citric Acid 1.7 g/l, EDTA 8.4 mg/l, $CoCl_2$-$6H_2O$ 2.5 mg/l, $MnCl_2$-$4H_2O$ 15 mg/l, $CuCl_2$-$4H_2O$ 1.5 mg/l, H_3BO_3 3 mg/l, Na_2MoO_4-$2H_20$ 2.5 mg/l, Zn Acetate-$2H_20$ 13 mg/l, Ferric Citrate 100 mg/l, Kanamycin 25 mg/l, Antifoam DF_20_4 1 ml/l) and fermented using the following process parameters : pH 6.7 - control with base only (28% NH_4OH), 30°C, aeration : 5 liters per minute. After the initial consumption of batch glucose (based on monitoring dissolved oxygen (DO) levels), 1.5 L of feed medium (Glucose 700 g/l, Caseamino Acids 10 g/l, Yeast Extract 10 g/l, $MgSO_4$-$7H_20$ 4 g/l, EDTA 13 mg/l, $CoCl_2$-$6H_2O$ 4 mg/l, $MnCl_2$-$4H_2O$ 23.5 mg/l, $CuCl_2$-$4H_20$ 2.5 mg/l, H_3BO_3 5 mg/l, Na_2MoO_4-$2H_20$ 4 mg/l, Zn Acetate-$2H_20$ 16 mg/l, Ferric Citrate 40 mg/l, Antifoam DF_20_4 1 ml/l) was added at a feed rate controlled to maintain 20% DO. IPTG was added to 0.2 mM 2 hours post feed start. The total run time was approximately 40-45 hours (until feed exhaustion).

Cells were collected by centrifugation at 5,000 g for 10 minutes. The cell pellet was discarded and the supernatant was passed through a 50 Kd ultrafiltration unit. The 50 Kd filtrate (0.6 liters) was loaded onto a 110 ml Q-Sepharose fast Flow column (Amersham Pharmacia, equilibrated with 20 mM Tris-HCl pH 7.5) at a flow rate of 400 ml/hour. The column was washed with six volumes of 20 mM Tris-HCl pH 7.5 and proteins were eluted with 50 mM acetic acid collecting 50 ml fractions. Fractions containing ST peptide variant or wild-type ST peptide were pooled and the solvent was removed by rotary evaporation. The dried proteins were resuspended in 10 ml of 8% acetic acid, 0.1% trifluoroacetic acid (TFA) and loaded onto a Varian Polaris C18-A column (250 X 21.2 mm 10 μm, equilibrated in the same buffer) at a

flow rate of 20 ml/min. The column was washed with 100 ml of 8% methanol, 0.1% TFA and developed with a gradient (300 ml) of 24 to 48% methanol, 0.1% TFA, collecting 5-ml fractions. Fractions containing peptide were pooled and the solvent was removed by rotary evaporation. The peptides were dissolved in 0.1%TFA and lyophilized.

The SEQ ID NO:5 peptide and SEQ ID NO:4 peptide fractions were analyzed by standard LCMS and HPLC. LCMS analysis revealed that SEQ ID NO:5 peptide is more homogeneous than SEQ ID NO: 4 peptide (see Figure 1a; note that SEQ ID NO:5 peptide exhibits fewer peaks (Panel B) than SEQ ID NO:4 peptide (Panel A)).

1b: Preparation of synthetic variant ST peptides and wild-type ST peptide

Peptides were chemically synthesized by a commercial peptide synthesis company. Varying yields of peptides were obtained depending on the efficiency of chemical synthesis. Thus, the four peptides, in decreasing order of yield were: Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:3), 10-20% yield; Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:6); Asn Ser Ser Asn Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:5); Asn Ser Ser Asn Tyr Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr (SEQ ID NO:SEQ ID NO:4), <5% yield. Thus the specific amino acid changes introduced into the peptides can create improved manufacturing properties.

Figure 1b shows the total ion chromatograph profile of synthetically manufacturedSEQ ID NO:3 peptide. Figure 1c shows the total ion chromatograph profile of the control blank sample. There is one major peak present in the SEQ ID NO:3 peptide sample that is not also present in the control sample. Quantitative analysis suggests the SEQ ID NO:3 peptide is >98% pure.

Example 2: Activation of the intestinal GC-C receptor by a variant ST peptide and ST peptide

The ability of SEQ ID NO:5 , SEQ ID NO:4, and SEQ ID NO:3 to activate the intestinal GC-C receptor was assessed in an assay employing the T84 human colon carcinoma cell line (American Type Culture Collection (Bethesda, Md)). For the assays cells were grown to confluency in 24-well culture plates with a 1:1 mixture of Ham's F12 medium and Dulbecco's modified Eagle's medium (DMEM), supplemented with 5% fetal calf serum and were used at between passages 54 and 60.

Briefly, monolayers of T84 cells in 24-well plates were washed twice with 1 ml/well DMEM, then incubated at 37°C for 10 min with 0.45 ml DMEM containing 1 mM isobutylmethylxanthine (IBMX), a cyclic nucleotide phosphodiesterase inhibitor. Test peptides (50µl) were then added and incubated for 30 minutes at 37°C. The media was aspirated and the reaction was then terminated by the addition of ice cold 0.5 ml of 0.1N HCl. The samples were held on ice for 20 minutes and then evaporated to dryness using a heat gun or vacuum centrifugation. The dried samples were resuspended in 0.5ml of phosphate buffer provided in the Cayman Chemical Cyclic GMP EIA kit (Cayman Chemical, Ann Arbor, MI). Cyclic GMP was measured by EIA according to procedures outlined in the Cayman Chemical Cyclic GMP EIA kit.

Figure 2 shows the activity of chemically synthesized peptide variants in this GC-C receptor activity assay. In this assay, SEQ ID NO:4 and two different SEQ ID NO:3 peptides (SEQ ID NO:3(a) and SEQ ID NO:3(b), synthesized by two different methods) had activity comparable to SEQ ID NO:4. SEQ ID NO:5 and SEQ ID NO:4 peptide were chemically synthesized in a manner identical to that of SEQ ID NO:3(b).

Example 3: SEQ ID NO:5 and SEQ ID NO:4 increase intestinal transit in mice

In order to determine whether the peptides increase the rate of gastrointestinal transit, the peptides and controls were tested using a murine gastrointestinal transit (GIT) assay (Moon et al. *Infection and Immunity* 25:127, 1979). In this assay, charcoal, which can be readily visualized in the gastrointestinal tract is administered to mice after the administration of a test compound. The distance traveled by the charcoal is measured and expressed as a percentage of the total length of the colon.

Mice were fasted with free access to water for 12 to 16 hours before the treatment with peptide or control buffer. The peptides were orally administered at 1μg/kg – 1mg/kg of peptide in buffer (20mM Tris pH 7.5) 7 minutes before being given an oral dose of 5% Activated Carbon (Aldrich 242276-250G). Control mice were administered buffer only before being given a dose of Activated Carbon. After 15 minutes, the mice were sacrificed and their intestines from the stomach to the cecum were dissected. The total length of the intestine as well as the distance traveled from the stomach to the charcoal front was measured for each animal and the results are expressed as the percent of the total length of the intestine traveled by the charcoal front. All results are reported as the average of 10 mice ± standard deviation. A comparison of the distance traveled by the charcoal between the mice treated with peptide versus the mice treated with vehicle alone was performed using a Student's t test and a statistically significant difference was considered for $P<0.05$. P-values are calculated using a two-sided T-Test assuming unequal variances.

As can be seen in Figure 3a and Figure 3b, wild-type ST peptide (SEQ ID NO:4, (Sigma-Aldrich, St Louis, MO); 0.1 mg/kg), synthetically manufactured SEQ ID NO:3 and Zelnorm® (0.1 mg/kg), a drug approved for IBS that is an agonist for the serotonin receptor 5HT4, increase gastrointestinal transit rate in this model. Figure 4a shows the result of a study demonstrating that intestinal transit rate increases with an increasing dosage of either recombinantly synthesized SEQ ID NO:4 or SEQ ID NO:5. Figure 4b shows the results of a

study demonstrating both chemically synthesized SEQ ID NO:4 or SEQ ID NO:3 peptide increase intestinal transit rates more than either Tris buffer alone or an equivalent dose of Zelnorm®.

The identical experiment was performed to determine if SEQ ID NO:3 is effective in a chronic dosing treatment regimen. Briefly, 8 week old CD1 female mice are dosed orally once a day for 5 days with either SEQ ID NO:3 (0.06mg/kg or 0.25mg/kg in 20mM Tris pH 7.5) or vehicle alone (20mM Tris pH 7.5). On the 5th day, a GIT assay is performed identical to that above except 200µl of a 10% charcoal solution is administered. Figure 4c shows the results of a study demonstrating both chemically synthesized SEQ ID NO:3 or Zelnorm® are effective in a mouse gastrointestinal motility assay upon chronic dosing (daily for 5 days). The results are shown side by side with acute dosing (1 day).

Example 4: SEQ ID NO:5 peptide and SEQ ID NO:4 peptide increase intestinal secretion in suckling mice (SuMi assay)

SEQ ID NO:4 peptide and SEQ ID NO:5 were tested for their ability to increase intestinal secretion using a suckling mouse model of intestinal secretion. In this model a test compound is administered to suckling mice that are between 7 and 9 days old. After the mice are sacrificed, the gastrointestinal tract from the stomach to the cecum is dissected ("guts"). The remains ("carcass") as well as the guts are weighed and the ratio of guts to carcass weight is calculated. If the ratio is above 0.09, one can conclude that the test compound increases intestinal secretion. Figure 5a shows a dose response curve for wild-type ST peptide (SEQ ID NO:4) in this model. Figure 5b shows dose response curve for the SEQ ID NO:3 peptide in this model. These data show that wild-type ST peptide (purchased from TDT, Inc. West Chester, PA) and the SEQ ID NO:3 peptide increase intestinal secretion. The effect of Zelnorm® was also studied. As can be seen from Figure 5, Zelnorm® at 0.2 mg/kg does not increase intestinal secretion in this model. Figure 6a shows a dose response curve for the recombinant SEQ ID NO:4 peptide described above and the recombinant SEQ ID NO:5 peptide described above. As can be seen from Figure 6a, both peptides increase intestinal secretion in this model.

Similarly figure 6b shows a dose response curve for chemically synthesized SEQ ID NO:5, SEQ ID NO:3 and SEQ ID NO:4 as well as wild-type ST peptide (purchased from Sigma-Aldrich, St Louis, MO).

Colonic hyperalgesia animal models

Hypersensitivity to colorectal distension is common in patients with IBS and may be responsible for the major symptom of pain. Both inflammatory and non-inflammatory animal models of visceral hyperalgesia to distension have been developed to investigate the effect of compounds on visceral pain in IBS.

I. Trinitrobenzenesulphonic acid (TNBS)-induced rectal allodynia model

Male Wistar rats (220-250 g) were premedicated with 0.5 mg/kg of acepromazine injected intraperitoneally (IP) and anesthetized by intramuscular administration of 100 mg/kg of ketamine. Pairs of nichrome wire electrodes (60 cm in length and 80 μm in diameter) were implanted in the striated muscle of the abdomen, 2 cm laterally from the white line. The free ends of electrodes were exteriorized on the back of the neck and protected by a plastic tube attached to the skin. Electromyographic (EMG) recordings were started 5 days after surgery. Electrical activity of abdominal striated muscle was recorded with an electroencephalograph machine (Mini VIII, Alvar, Paris, France) using a short time constant (0.03 sec.) to remove low-frequency signals (<3 Hz).

Ten days post surgical implantation, trinitrobenzenesulphonic acid (TNBS) was administered to induce rectal inflammation. TNBS (80 mg kg^{-1} in 0.3 ml 50 % ethanol) was administered intrarectally through a silicone rubber catheter introduced at 3 cm from the anus under light diethyl-ether anesthesia, as described (Morteau et al. 1994 Dig Dis Sci 39:1239). Following TNBS administration, rats were placed in plastic tunnels where they were severely limited in mobility for several days before colorectal distension (CRD). Experimental compound was administered one hour before CRD which was performed by insertion into the rectum, at 1 cm of the anus, a 4 cm long balloon made from a latex condom (Gue et al, 1997

Neurogastroenterol. Motil. 9:271). The balloon was fixed on a rigid catheter taken from an embolectomy probe (Fogarty). The catheter attached balloon was fixed at the base of the tail. The balloon, connected to a barostat, was inflated progressively by step of 15 mmHg, from 0 to 60 mmHg, each step of inflation lasting 5 min. Evaluation of rectal sensitivity, as measured by EMG, was performed before (1-2 days) and 3 days following rectal instillation of TNBS.

The number of spike bursts that corresponds to abdominal contractions was determined per 5 min periods. Statistical analysis of the number of abdominal contractions and evaluation of the dose-effects relationships was performed by a one way analysis of variance (ANOVA) followed by a post-hoc (Student or Dunnett tests) and regression analysis for ED50 if appropriate.

Figure 7 shows the results of experiment in which SEQ ID NO:3 activity was analyzed in the TNBS colorectal model. Significant decreases in abdominal response are observed at 0.3 μg/kg and 3 μg/kg SEQ ID NO:3. These results demonstrate that SEQ ID NO:3 reduces pain associated with colorectal distension in this animal model.

II. Stress-induced hyperalgesia model

Male Wistar Rats (200-250 g) are surgically implanted with nichrome wire electrodes as in the TNBS model. Ten days post surgical implantation, partial restraint stress (PRS), is performed as described by Williams et al. for two hours (Williams et al. 1988 Gastroenterology 64:611). Briefly, under light anesthesia with ethyl-ether, the foreshoulders, upper forelimbs and thoracic trunk are wrapped in a confining harness of paper tape to restrict, but not prevent body movements. Control sham-stress animals are anaesthetized but not wrapped. Thirty minutes before the end of the PRS session, the animals are administered test-compound or vehicle. Thirty minutes to one hour after PRS completion, the CRD distension procedure is performed as described above for the TNBS model with barostat at pressures of 15, 30, 45 and 60mm Hg. Statistical analysis on the number of bursts is determined and analyzed as in the TNBS model above.

Phenylbenzoquinone-induced writhing model

The PBQ-induced writhing model can be used to assess pain control activity of the peptides and GC-C receptor agonists of the invention. This model is described by Siegmund et al. (1957 Proc. Soc. Exp. Bio. Med. 95:729-731). Briefly, one hour after oral dosing with a test compound, e.g., a peptide, morphine or vehicle, 0.02% phenylbenzoquinone (PBQ) solution (12.5 mL/kg) is injected by intraperitoneal route into the mouse. The number of stretches and writhings are recorded from the 5^{th} to the 10^{th} minute after PBQ injection, and can also be counted between the 35^{th} and 40^{th} minute and between the 60^{th} and 65^{th} minute to provide a kinetic assessment. The results are expressed as the number of stretches and writhings (mean ± SEM) and the percentage of variation of the nociceptive threshold calculated from the mean value of the vehicle-treated group. The statistical significance of any differences between the treated groups and the control group is determined by a Dunnett's test using the residual variance after a one-way analysis of variance ($P < 0.05$) using SigmaStat Software.

Figures 8a and 8b show the effect of different doses of SEQ ID NO:5 and SEQ ID NO:3 in the PBQ writhing assay. Indomethacin, an NSAID (nonsteroidal anti-inflammatory drug) with known pain control activity, was used as the positive control in the assay. Significant reductions in writhings were observed for SEQ ID NO:5 (1 mg/kg dose) and SEQ ID NO:3 (2.5 mg/kg dose) compared to the vehicle control. Loss of efficacy at the highest dose tested has also been observed for multiple other compounds (such as 5HT-3 antagonists) tested in similar assays. The results of this study suggest that both SEQ ID NO:5 and SEQ ID NO:3 have antinociceptive effects in this visceral pain model comparable to the intermediate doses of indomethacin.

Example 5: SEQ ID NO:3 Kd determination

To determine the affinity of SEQ ID NO:3 for GC-C receptors found in rat intestinal mucosa, a competition binding assay was performed using rate intestinal epithelial cells. Epithelial cells from the small intestine of rats were obtained as described by Kessler et al. (*J. Biol. Chem.*

245: 5281-5288 (1970)). Briefly, animals were sacrificed and their abdominal cavities exposed. The small intestine was rinsed with 300 ml ice cold saline or PBS. 10 cm of the small intestine measured at 10 cm from the pylorus was removed and cut into 1 inch segments. Intestinal mucosa was extruded from the intestine by gentle pressure between a piece of parafilm and a P-1000 pipette tip. Intestinal epithelial cells were placed in 2 ml PBS and pipetted up and down with a 5 ml pipette to make a suspension of cells. Protein concentration in the suspension was measured using the Bradford method (*Anal. Biochem.* 72: 248-254 (1976)).

A competition binding assay was performed based on the method of Giannella et al. (*Am. J. Physiol.* 245: G492-G498) between [^{125}I] labeled SEQ ID NO:4 and SEQ ID NO:3. The assay mixture contained: 0.5 ml of DME with 20 mM HEPES-KOH pH 7.0, 0.9 mg of the cell suspension listed above, 21.4 fmol [^{125}I]-SEQ ID NO:4 (42.8 pM), and different concentrations of competitor SEQ ID NO:3 (0.01 to 1000 nM). The mixture was incubated at room temperature for 1 hour, and the reaction stopped by applying the mixture to GF/B glass-fiber filters (Whatman). The filters were washed with 5 ml ice-cold PBS and radioactivity was measured. Figure 9 shows that the Kd for SEQ ID NO:3 in this assay is 4.5 nm. %B/Bo is the percentage of the ratio of radioactivity trapped in each sample (B) compared to the radioactivity retained in a control sample with no cold competitor (Bo). Giannella et al. (*Am. J. Physiol.*245: G492-G498) observed that the Kd for wild-type ST peptide in this same assay was ~13 nm.

Example 6: Pharmacokinetic properties of SEQ ID NO:3

To study the pharmacokinetics of SEQ ID NO:3, absorbability studies in mice were performed by administering SEQ ID NO:3 intravaneously via tail vein injection or orally by gavage to 8-week-old CD1 mice. Serum was collected from the animals at various time points and tested for the presence of SEQ ID NO:3 using a competitive enzyme-linked immunoabsorbent assay (Oxoid, ST EIA kit, Cat#TD0700). The assay utilized monoclonal antibodies against ST peptide (antibodies are provided in the Oxoid kit) and synthetically manufactured SEQ ID NO:3. Figure 10a shows absorption data for intravenously and orally administered SEQ ID

NO:3 as detected by the ELISA assay. SEQ ID NO:3 appears to be minimally systemically absorbed and is < 2.2% bioavailable.

A similar bioavailability study was performed in which LCMS rather than ELISA was used to detect SEQ ID NO:3. Initially, serum samples were extracted from the whole blood of exposed and control mice, then injected directly (10mL) onto an in-line solid phase extraction (SPE) column (Waters Oasis HLB 25mm column, 2.0 x 15mm direct connect) without further processing. The sample on the SPE column was washed with a 5% methanol, 95% dH_2O solution (2.1 mL/min, 1.0 minute), then loaded onto an analytical column using a valve switch that places the SPE column in an inverted flow path onto the analytical column (Waters Xterra MS C8 5mm IS column, 2.1 x 20mm). The sample was eluted from the analytical column with a reverse phase gradient (Mobile Phase A: 10 mM ammonium hydroxide in dH_2O, Mobile Phase B: 10 mM ammonium hydroxide in 80% acetonitrile and 20% methanol; 20% B for the first 3 minutes then ramping to 95% B over 4 min. and holding for 2 min., all at a flow rate of 0.4 mL/min.). At 9.1 minutes, the gradient returns to the initial conditions of 20%B for 1 min. SEQ ID NO:3 eluted from the analytical column at 1.45 minutes, and was detected by triple-quadrapole mass spectrometry (MRM, 764 (+2 charge state)>182 (+1 charge state) Da; cone voltage = 30V; collision = 20 eV; parent resolution = 2 Da at base peak; daughter resolution = 2 Da at base peak). Instrument response was converted into concentration units by comparison with a standard curve using known amounts of chemically synthesized SEQ ID NO:3 prepared and injected in mouse serum using the same procedure.

Figure 10b shows absorption data for IV and orally administered SEQ ID NO:3 as detected by LCMS. In this assay, SEQ ID NO:3 appears similarly minimally systemically absorbed and is < 0.11 % bioavailable.

Administration of peptides and GC-C receptor agonists

For treatment of gastrointestinal disorders, the peptides and agonists of the invention are preferably administered orally, e.g., as a tablet or cachet containing a predetermined amount of

the active ingredient, pellet, gel, paste, syrup, bolus, electuary, slurry, sachet; capsule; powder; lyophilized powder; granules; as a solution or a suspension in an aqueous liquid or a non-aqueous liquid; as an oil-in-water liquid emulsion or a water-in-oil liquid emulsion, via a liposomal formulation (see, e.g., EP 736299) or in some other form. Orally administered compositions can include binders, lubricants, inert diluents, lubricating, surface active or dispersing agents, flavoring agents, and humectants. Orally administered formulations such as tablets may optionally be coated or scored and may be formulated so as to provide sustained, delayed or controlled release of the active ingredient therein. The peptides and agonists can be co-administered with other agents used to treat gastrointestinal disorders including but not limited to the agents described herein. The peptides and agonists can also be administered by rectal suppository. For the treatment of disorders outside the gastrointestinal tract such as congestive heart failure and benign prostatic hypertrophy, peptides and agonists are preferably administered parenterally or orally.

The peptides described herein can be administered alone or in combination with other agents. For example, the peptides can be administered together with an analgesic peptide or compound. The analgesic peptide or compound can be covalently attached to a peptide described herein or it can be a separate agent that is administered together with or sequentially with a peptide described herein in a combination therapy.

Combination therapy can be achieved by administering two or more agents, e.g., a peptide described herein and an analgesic peptide or compound, each of which is formulated and administered separately, or by administering two or more agents in a single formulation. Other combinations are also encompassed by combination therapy. For example, two agents can be formulated together and administered in conjunction with a separate formulation containing a third agent. While the two or more agents in the combination therapy can be administered simultaneously, they need not be. For example, administration of a first agent (or combination of agents) can precede administration of a second agent (or combination of agents) by minutes, hours, days, or weeks. Thus, the two or more agents can be administered within minutes of each other or within 1, 2, 3, 6, 9, 12, 15, 18, or 24 hours of each other or within 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 14 days of each other or within 2, 3, 4, 5, 6, 7, 8, 9, or 10 weeks of each other.

In some cases even longer intervals are possible. While in many cases it is desirable that the two or more agents used in a combination therapy be present in within the patient's body at the same time, this need not be so.

Combination therapy can also include two or more administrations of one or more of the agents used in the combination. For example, if agent X and agent Y are used in a combination, one could administer them sequentially in any combination one or more times, e.g., in the order X-Y-X, X-X-Y, Y-X-Y, Y-Y-X, X-X-Y-Y, etc.

The agents, alone or in combination, can be combined with any pharmaceutically acceptable carrier or medium. Thus, they can be combined with materials that do not produce an adverse, allergic or otherwise unwanted reaction when administered to a patient. The carriers or mediums used can include solvents, dispersants, coatings, absorption promoting agents, controlled release agents, and one or more inert excipients (which include starches, polyols, granulating agents, microcrystalline cellulose, diluents, lubricants, binders, disintegrating agents, and the like), etc. If desired, tablet dosages of the disclosed compositions may be coated by standard aqueous or nonaqueous techniques.

Compositions of the present invention may also optionally include other therapeutic ingredients, anti-caking agents, preservatives, sweetening agents, colorants, flavors, desiccants, plasticizers, dyes, and the like. Any such optional ingredient must be compatible with the compound of the invention to insure the stability of the formulation.
The composition may contain other additives as needed, including for exanple lactose, glucose, fructose, galactose, trehalose, sucrose, maltose, raffinose, maltitol, melezitose, stachyose, lactitol, palatinite, starch, xylitol, mannitol, myoinositol, and the like, and hydrates thereof, and amino acids, for example alanine, glycine and betaine, and peptides and proteins, for example albumen.

Examples of excipients for use as the pharmaceutically acceptable carriers and the pharmaceutically acceptable inert carriers and the aforementioned additional ingredients include, but are not limited to binders, fillers, disintegrants, lubricants, anti-microbial agents,

and coating agents such as:

BINDERS: corn starch, potato starch, other starches, gelatin, natural and synthetic gums such as acacia, sodium alginate, alginic acid, other alginates, powdered tragacanth, guar gum, cellulose and its derivatives (*e.g.*, ethyl cellulose, cellulose acetate, carboxymethyl cellulose calcium, sodium carboxymethyl cellulose), polyvinyl pyrrolidone, methyl cellulose, pre-gelatinized starch (*e.g.*, STARCH 1500® and STARCH 1500 LM®, sold by Colorcon, Ltd.), hydroxypropyl methyl cellulose, microcrystalline cellulose (*e.g.* AVICEL™, such as, AVICEL-PH-101™, -103™ and -105™, sold by FMC Corporation, Marcus Hook, PA, USA), or mixtures thereof,

FILLERS: talc, calcium carbonate (*e.g.*, granules or powder), dibasic calcium phosphate, tribasic calcium phosphate, calcium sulfate (*e.g.*, granules or powder), microcrystalline cellulose, powdered cellulose, dextrates, kaolin, mannitol, silicic acid, sorbitol, starch, pre-gelatinized starch, or mixtures thereof,

DISINTEGRANTS: agar-agar, alginic acid, calcium carbonate, microcrystalline cellulose, croscarmellose sodium, crospovidone, polacrilin potassium, sodium starch glycolate, potato or tapioca starch, other starches, pre-gelatinized starch, clays, other algins, other celluloses, gums, or mixtures thereof,

LUBRICANTS: calcium stearate, magnesium stearate, mineral oil, light mineral oil, glycerin, sorbitol, mannitol, polyethylene glycol, other glycols, stearic acid, sodium lauryl sulfate, talc, hydrogenated vegetable oil (*e.g.*, peanut oil, cottonseed oil, sunflower oil, sesame oil, olive oil, corn oil and soybean oil), zinc stearate, ethyl oleate, ethyl laurate, agar, syloid silica gel (AEROSIL 200, W.R. Grace Co., Baltimore, MD USA), a coagulated aerosol of synthetic silica (Deaussa Co., Plano, TX USA), a pyrogenic silicon dioxide (CAB-O-SIL, Cabot Co., Boston, MA USA), or mixtures thereof,

ANTI-CAKING AGENTS: calcium silicate, magnesium silicate, silicon dioxide, colloidal

silicon dioxide, talc, or mixtures thereof,

ANTIMICROBIAL AGENTS: benzalkonium chloride, benzethonium chloride, benzoic acid, benzyl alcohol, butyl paraben, cetylpyridinium chloride, cresol, chlorobutanol, dehydroacetic acid, ethylparaben, methylparaben, phenol, phenylethyl alcohol, phenoxyethanol, phenylmercuric acetate, phenylmercuric nitrate, potassium sorbate, propylparaben, sodium benzoate, sodium dehydroacetate, sodium propionate, sorbic acid, thimersol, thymo, or mixtures thereof, and

COATING AGENTS: sodium carboxymethyl cellulose, cellulose acetate phthalate, ethylcellulose, gelatin, pharmaceutical glaze, hydroxypropyl cellulose, hydroxypropyl methylcellulose, hydroxypropyl methyl cellulose phthalate, methylcellulose, polyethylene glycol, polyvinyl acetate phthalate, shellac, sucrose, titanium dioxide, carnauba wax, microcrystalline wax, or mixtures thereof.

The agents either in their free form or as a salt can be combined with a polymer such as polylactic-glycoloic acid (PLGA), poly-(D)-lactic-glycolic-tartaric acid (P(D)LGT) (WO 01/12233), polyglycolic acid (U.S. 3,773,919), polylactic acid (U.S. 4,767,628), poly(ε-caprolactone) and poly(alkylene oxide) (U.S. 20030068384) to create a sustained release formulation. Such formulations can be used to implants that release a peptide or another agent over a period of a few days, a few weeks or several months depending on the polymer, the particle size of the polymer, and the size of the implant (see, e.g., U.S. 6,620,422). Other sustained release formulations and polymers for use in are described in EP 0 467 389 A2, WO 93/24150, U.S. 5,612,052, WO 97/40085, WO 03/075887, WO 01/01964A2, U.S. 5,922,356, WO 94/155587, WO 02/074247A2, WO 98/25642, U.S. 5,968,895, U.S. 6,180,608, U.S. 20030171296, U.S. 20020176841, U.S. 5,672,659, U.S. 5,893,985, U.S. 5,134,122, U.S. 5,192,741, U.S. 5,192,741, U.S. 4,668,506, U.S. 4,713,244, U.S. 5,445,832 U.S. 4,931,279, U.S. 5,980,945, WO 02/058672, WO 9726015, WO 97/04744, and. US20020019446. In such sustained release formulations microparticles of peptide are combined with microparticles of polymer. One or more sustained release implants can be placed in the large intestine, the small

intestine or both. U.S. 6,011,011 and WO 94/06452 describe a sustained release formulation providing either polyethylene glycols (i.e. PEG 300 and PEG 400) or triacetin. WO 03/053401 describes a formulation which may both enhance bioavailability and provide controlled releaseof the agent within the GI tract. Additional controlled release formulations are described in WO 02/38129, EP 326 151, U.S. 5,236,704, WO 02/30398, WO 98/13029; U.S. 20030064105, U.S. 20030138488A1, U.S. 20030216307A1, U.S. 6,667,060, WO 01/49249, WO 01/49311, WO 01/49249, WO 01/49311, and U.S. 5,877,224.

The agents can be administered, e.g., by intravenous injection, intramuscular injection, subcutaneous injection, intraperitoneal injection, topical, sublingual, intraarticular (in the joints), intradermal, buccal, ophthalmic (including intraocular), intranasaly (including using a cannula), intraspinally, intrathecally, or by other routes. The agents can be administered orally, e.g., as a tablet or cachet containing a predetermined amount of the active ingredient, gel, pellet, paste, syrup, bolus, electuary, slurry, capsule, powder, lyophilized powder, granules, sachet, as a solution or a suspension in an aqueous liquid or a non-aqueous liquid, as an oil-in-water liquid emulsion or a water-in-oil liquid emulsion, via a micellar formulation (see, e.g. WO 97/11682) via a liposomal formulation (see, e.g., EP 736299,WO 99/59550 and WO 97/13500), via formulations described in WO 03/094886 or in some other form. Orally administered compositions can include binders, lubricants, inert diluents, lubricating, surface active or dispersing agents, flavoring agents, and humectants. Orally administered formulations such as tablets may optionally be coated or scored and may be formulated so as to provide sustained, delayed or controlled release of the active ingredient therein. The agents can also be administered transdermally (i.e. via reservoir-type or matrix-type patches, microneedles, thermal poration, hypodermic needles, iontophoresis, electroporation, ultrasound or other forms of sonophoresis, jet injection, or a combination of any of the preceding methods (Prausnitz et al. 2004, Nature Reviews Drug Discovery 3:115-124)). The agents can be administered using high-velocity transdermal particle injection techniques using the hydrogel particle formulation described in U.S. 20020061336. Additional particle formulations are described in WO 00/45792, WO 00/53160, and WO 02/19989. An example of a transdermal formulation containing plaster and the absorption promoter dimethylisosorbide can be found in

WO 89/04179. WO 96/11705 provides formulations suitable for transdermal adminisitration. The agents can be administered in the form a suppository or by other vaginal or rectal means. The agents can be administered in a transmembrane formulation as described in WO 90/07923. The agents can be administed non-invasively via the dehydrated particicles described in U.S. 6,485,706. The agent can be administered in an enteric-coated drug formulation as described in WO 02/49621. The agents can be administered intranassaly using the formulation described in U.S. 5,179,079. Formulations suitable for parenteral injection are described in WO 00/62759. The agents can be administered using the casein formulation described in U. S. 20030206939 and WO 00/06108. The agents can be administered using the particulate formulations described in U.S. 20020034536.

The agents, alone or in combination with other suitable components, can be administered by pulmonary route utilizing several techniques including but not limited to intratracheal instillation (delivery of solution into the lungs by syringe), intratracheal delivery of liposomes, insufflation (administration of powder formulation by syringe or any other similar device into the lungs) and aerosol inhalation. Aerosols (e.g., jet or ultrasonic nebulizers, metered-dose inhalers (MDIs), and dry-powder inhalers (DPIs)) can also be used in intranasal applications. Aerosol formulations are stable dispersions or suspensions of solid material and liquid droplets in a gaseous medium and can be placed into pressurized acceptable propellants, such as hydrofluroalkanes (HFAs, i.e. HFA-134a and HFA-227, or a mixture thereof), dichlorodifluoromethane (or other chlorofluocarbon propellants such as a mixture of Propellants 11, 12, and/or 114), propane, nitrogen, and the like. Pulmonary formulations may include permeation enhancers such as fatty acids, and saccharides, chelating agents, enzyme inhibitors (e.g., protease inhibitors), adjuvants (e.g., glycocholate, surfactin, span 85, and nafamostat), preservatives (e.g., benzalkonium chloride or chlorobutanol), and ethanol (normally up to 5% but possibly up to 20%, by weight). Ethanol is commonly included in aerosol compositions as it can improve the function of the metering valve and in some cases also improve the stability of the dispersion. Pulmonary formulations may also include surfactants which include but are not limited to bile salts and those described in U.S. 6,524,557 and references therein. The surfactants described in U.S. 6,524,557, e.g., a C8-C16 fatty acid

salt, a bile salt, a phospholipid, or alkyl saccaride are advantageous in that some of them also reportedly enhance absorption of the peptide in the formulation. Also suitable in the invention are dry powder formulations comprising a therapeutically effective amount of active compound blended with an appropriate carrier and adapted for use in connection with a dry-powder inhaler. Absorption enhancers which can be added to dry powder formulations of the present invention include those described in U.S. 6,632,456. WO 02/080884 describes new methods for the surface modification of powders. Aerosol formulations may include U.S. 5,230,884, U.S. 5,292,499, WO 017/8694, WO 01/78696, U.S. 2003019437, U. S. 20030165436, and WO 96/40089 (which includes vegetable oil). Sustained release formulations suitable for inhalation are described in U.S. 20010036481A1, 20030232019A1, and U.S. 20040018243A1 as well as in WO 01/13891, WO 02/067902, WO 03/072080, and WO 03/079885. Pulmonary formulations containing microparticles are described in WO 03/015750, U.S. 20030008013, and WO 00/00176. Pulmonary formulations containing stable glassy state powder are described in U.S. 20020141945 and U.S. 6,309,671. Other aerosol formulations are desribed in EP 1338272A1 WO 90/09781, U. S. 5,348,730, U.S. 6,436,367, WO 91/04011, and U.S. 6,294,153 and U.S. 6,290,987 describes a liposomal based formulation that can be administered via aerosol or other means. Powder formulations for inhalation are described in U.S. 20030053960 and WO 01/60341. The agents can be administered intranasally as described in U.S. 20010038824.

Solutions of medicament in buffered saline and similar vehicles are commonly employed to generate an aerosol in a nebulizer. Simple nebulizers operate on Bernoulli's principle and employ a stream of air or oxygen to generate the spray particles. More complex nebulizers employ ultrasound to create the spray particles. Both types are well known in the art and are described in standard textbooks of pharmacy such as Sprowls' American Pharmacy and Remington's The Science and Practice of Pharmacy. Other devices for generating aerosols employ compressed gases, usually hydrofluorocarbons and chlorofluorocarbons, which are mixed with the medicament and any necessary excipients in a pressurized container, these devices are likewise described in standard textbooks such as Sprowls and Remington.

The agents can be a free acid or base, or a pharmacologically acceptable salt thereof. Solids can be dissolved or dispersed immediately prior to administration or earlier. In some circumstances the preparations include a preservative to prevent the growth of microorganisms. The pharmaceutical forms suitable for injection can include sterile aqueous or organic solutions or dispersions which include, e.g., water, an alcohol, an organic solvent, an oil or other solvent or dispersant (e.g., glycerol, propylene glycol, polyethylene glycol, and vegetable oils). The formulations may contain antioxidants, buffers, bacteriostats, and solutes that render the formulation isotonic with the blood of the intended recipient, and aqueous and non-aqueous sterile suspensions that can include suspending agents, solubilizers, thickening agents, stabilizers, and preservatives. Pharmaceutical agents can be sterilized by filter sterilization or by other suitable means. The agent can be fused to immunoglobulins or albumin, or incorporated into a lipsome to improve half-life. The agent can also be conjugated to polyethylene glycol (PEG) chains. Methods for pegylation and additional formulations containing PEG-conjugates (i.e. PEG-based hydrogels, PEG modified liposomes) can be found in Harris and Chess, Nature Reviews Drug Discovery 2: 214-221 and the references therein. Peptides can also be modified with alkyl groups (e.g., C1-C20 straight or branched alkyl groups); fatty acid radicals; and combinations of PEG, alkyl groups and fatty acid radicals (see U.S. Patent 6,309,633; Soltero et al., 2001 Innovations in Pharmaceutical Technology 106-110). The agent can be administered via a nanocochleate or cochleate delivery vehicle (BioDelivery Sciences International). The agents can be delivered transmucosally (i.e. across a mucosal surface such as the vagina, eye or nose) using formulations such as that described in U.S. 5,204,108. The agents can be formulated in microcapsules as described in WO 88/01165. The agent can be administered intra-orally using the formulations described in U.S. 20020055496, WO 00/47203, and U.S. 6,495,120. The agent can be delivered using nanoemulsion formulations described in WO 01/91728A2.

Suitable pharmaceutical compositions in accordance with the invention will generally include an amount of the active compound(s) with an acceptable pharmaceutical diluent or excipient, such as a sterile aqueous solution, to give a range of final concentrations, depending on the

intended use. The techniques of preparation are generally well known in the art, as exemplified by Remington's Pharmaceutical Sciences (18th Edition, Mack Publishing Company, 1995).

The agents described herein and combination therapy agents can be packaged as a kit that includes single or multiple doses of two or more agents, each packaged or formulated individually, or single or multiple doses of two or more agents packaged or formulated in combination. Thus, one or more agents can be present in first container, and the kit can optionally include one or more agents in a second container. The container or containers are placed within a package, and the package can optionally include administration or dosage instructions. A kit can include additional components such as syringes or other means for administering the agents as well as diluents or other means for formulation.

Methods to increase chemical and/or physical stability of the agents the described herein are found in U.S. 6,541,606, U.S. 6,068,850, U.S. 6,124,261, U.S. 5,904,935, and WO 00/15224, U.S. 20030069182 (via the additon of nicotinamide), U.S. 20030175230A1, U.S. 20030175230A1, U.S. 20030175239A1, U.S. 20020045582, U.S. 20010031726, WO 02/26248, WO 03/014304, WO 98/00152A1, WO 98/00157A1, WO 90/12029, WO 00/04880, and WO 91/04743, WO 97/04796 and the references cited therein.

Methods to increase bioavailability of the agents described herein are found in U.S. 6,008,187, U.S. 5,424,289, U.S. 20030198619, WO 90/01329, WO 01/49268, WO 00/32172, and WO 02/064166. Glycyrrhizinate can also be used as an absorption enhancer (see, e.g., EP397447). WO 03/004062 discusses Ulex europaeus I (UEAl) and UEAI mimetics which may be used to target the agents of the invention to the GI tract.

The agents described herein can be fused to a modified version of the blood serum protein transferrin. U.S. 20030221201, U.S. 20040023334, U.S. 20030226155, WO 04/020454, and WO 04/019872 discuss the manufacture and use of transferrin fusion proteins. Transferrin fusion proteins may improve circulatory half life and efficacy, decrease undesirable side effects and allow reduced dosage.

The peptides and agonists of the invention can be recombinantly expressed in bacteria. Bacteria expressing the peptide or agonists can be administered orally, rectally, mucosally or in via some other mode of administration including but not limited to those described herein.

Analgesic Agents in combitherapy

The peptides and agonists described herein can be used in combination therapy with an analgesic agent, e.g., an analgesic compound or an analgesic peptide. These peptides and compounds can be administered with the peptides of the invention (simultaneously or sequentially). They can also be optionally covalently linked or attached to an agent described herein to create therapeutic conjugates. Among the useful analgesic agents are: Ca channel blockers, 5HT receptor antagonists (for example 5HT3, 5HT4 and 5HT1 receptor antagonists), opioid receptor agonists (loperamide, fedotozine, and fentanyl), NK1 receptor antagonists, CCK receptor agonists (e.g., loxiglumide), NK1 receptor antagonists, NK3 receptor antagonists, norepinephrine-serotonin reuptake inhibitors (NSRI), vanilloid and cannabanoid receptor agonists, and sialorphin. Analgesics agents in the various classes are described in the literature.

Among the useful analgesic peptides are sialorphin-related peptides, including those comprising the amino acid sequence QHNPR (SEQ ID NO:), including: VQHNPR (SEQ ID NO:); VRQHNPR (SEQ ID NO:); VRGQHNPR (SEQ ID NO:); VRGPQHNPR (SEQ ID NO:); VRGPRQHNPR (SEQ ID NO:); VRGPRRQHNPR (SEQ ID NO:); and RQHNPR (SEQ ID NO:). Sialorphin-related peptides bind to neprilysin and inhibit neprilysin-mediated breakdown of substance P and Met-enkephalin. Thus, compounds or peptides that are inhibitors of neprilysin are useful analgesic agents which can be administered with the peptides of the invention in a co-therapy or linked to the peptides of the invention, e.g., by a covalent bond. Sialophin and related peptides are described in U.S. Patent 6,589,750; U.S. 20030078200 A1; and WO 02/051435 A2.

Opioid receptor antagonists and agonists can be administered with the peptides of the invention in co-therapy or linked to the agent of the invention, e.g., by a covalent bond. For example, opioid receptor antagonists such as naloxone, naltrexone, methyl nalozone, nalmefene, cypridime, beta funaltrexamine, naloxonazine, naltrindole, and nor-binaltorphimine are thought to be useful in the treatment of IBS. It can be useful to formulate opioid antagonists of this type is a delayed and sustained release formulation such that initial release of the antagonist is in the mid to distal small intestine and/or ascending colon. Such antagonists are described in WO 01/32180 A2. Enkephalin pentapeptide (HOE825; Tyr-D-Lys-Gly-Phe-L-homoserine) is an agonist of the mu and delta opioid receptors and is thought to be useful for increasing intestinal motility (*Eur. J. Pharm.* 219:445, 1992), and this peptide can be used in conjunction with the peptides of the invention. Also useful is trimebutine which is thought to bind to mu/delta/kappa opioid receptors and activate release of motilin and modulate the release of gastrin, vasoactive intestinal peptide, gastrin and glucagons. Kappa opioid receptor agonists such as fedotozine, asimadoline, and ketocyclazocine, and compounds described in WO 03/097051 A2 can be used with or linked to the peptides of the invention. In addition, mu opioid receptor agonists such as morphine, diphenyloxylate, frakefamide (H-Tyr-D-Ala-Phe(F)-Phe-NH_2; WO 01/019849 A1) and loperamide can be used.

Tyr-Arg (kyotorphin) is a dipeptide that acts by stimulating the release of met-enkephalins to elicit an analgesic effect (*J. Biol. Chem* 262:8165, 1987). Kyotorphin can be used with or linked to the peptides of the invention.

Chromogranin-derived peptide (CgA 47–66; see, e.g., Ghia et al. 2004 Regulatory Peptides 119:199) can be used with or linked to the peptides of the invention.

CCK receptor agonists such as caerulein from amphibians and other species are useful analgesic agents that can be used with or linked to the peptides of the invention.

Conotoxin peptides represent a large class of analgesic peptides that act at voltage gated Ca channels, NMDA receptors or nicotinic receptors. These peptides can be used with or linked to the peptides of the invention.

Peptide analogs of thymulin (FR Application 2830451) can have analgesic activity and can be used with or linked to the peptides of the invention.

CCK (CCKa or CCKb) receptor antagonists, including loxiglumide and dexloxiglumide (the R-isomer of loxiglumide) (WO 88/05774) can have analgesic activity and can be used with or linked to the peptides of the invention.

Other useful analgesic agents include 5-HT4 agonists such as tegaserod (Zelnorm®), mosapride, metoclopramide, zacopride, cisapride, renzapride, benzimidazolone derivatives such as BIMU 1 and BIMU 8, and lirexapride. Such agonists are described in: EP1321142 A1, WO 03/053432A1, EP 505322 A1, EP 505322 B1, US 5,510,353, EP 507672 A1, EP 507672 B1, and US 5,273,983.

Calcium channel blockers such as ziconotide and related compounds described in, for example, EP625162B1, US 5,364,842, US 5,587,454, US 5,824,645, US 5,859,186, US 5,994,305, US 6,087,091, US 6,136,786, WO 93/13128 A1, EP 1336409 A1, EP 835126 A1, EP 835126 B1, US 5,795,864, US 5,891,849, US 6,054,429, WO 97/01351 A1, can be used with or linked to the peptides of the invention.

Various antagonists of the NK-1, NK-2, and NK-3 receptors (for a review see Giardina et al. 2003 *Drugs* 6:758) can be can be used with or linked to the peptides of the invention.

NK1 receptor antagonists such as: aprepitant (Merck & Co Inc), vofopitant, ezlopitant (Pfizer, Inc.), R-673 (Hoffmann-La Roche Ltd), SR-48968 (Sanofi Synthelabo), CP-122,721 (Pfizer, Inc.), GW679769 (Glaxo Smith Kline), TAK-637 (Takeda/Abbot), SR-14033, and related

compounds described in, for example, EP 873753 A1, US 20010006972 A1, US 20030109417 A1, WO 01/52844 A1, can be used with or linked to the peptides of the invention.

NK-2 receptor antagonists such as nepadutant (Menarini Ricerche SpA), saredutant (Sanofi-Synthelabo), GW597599 (Glaxo Smith Kline), SR-144190 (Sanofi-Synthelabo) and UK-290795 (Pfizer Inc) can be used with or linked to the peptides of the invention.

NK3 receptor antagonists such as osanetant (SR-142801; Sanofi-Synthelabo), SSR-241586, talnetant and related compounds described in, for example, WO 02/094187 A2, EP 876347 A1, WO 97/21680 A1, US 6,277,862, WO 98/11090, WO 95/28418, WO 97/19927, and Boden et al. (*J Med Chem.* 39:1664-75, 1996) can be used with or linked to the peptides of the invention.

Norepinephrine-serotonin reuptake inhibitors (NSRI) such as milnacipran and related compounds described in WO 03/077897 A1 can be used with or linked to the peptides of the invention.

Vanilloid receptor antagonists such as arvanil and related compouds described in WO 01/64212 A1 can be used with or linked to the peptides of the invention.

The analgesic peptides and compounds can be administered with the peptides and agonists of the invention (simultaneously or sequentially). The analgesic agents can also be covalently linked to the peptides and agonists of the invention to create therapeutic conjugates. Where the analgesic is a peptide and is covalently linked to an agent described herein the resulting peptide may also include at least one trypsin cleavage site. When present within the peptide, the analgesic peptide may be preceded by (if it is at the carboxy terminus) or followed by (if it is at the amino terminus) a trypsin cleavage site that allows release of the analgesic peptide.

In addition to sialorphin-related peptides, analgesic peptides include: AspPhe, endomorphin-1, endomorphin-2, nocistatin, dalargin, lupron, ziconotide, and substance P.

Other Agents for Use in Combitherapy

Also within the invention are pharmaceutical compositions comprising a peptide or agonists of the invention and a second therapeutic agent. The second therapeutic agent can be administered to treat any condition for which it is useful, including conditions that are not considered to be the primary indication for treatment with the second therapeutic agent. The second therapeutic agent can be administered simultaneously or sequentially. The second therapeutic agent can be covalently linked to the peptides and agonists of the invention to create a therapeutic conjugate. When the second therapeutic agent is another peptide, a linker including those described herein may be used between the peptide of the invention and the second therapeutic peptide.

Examples of additional therapeutic agents to treat gastrointestinal and other disorders include:

(1) agents to treat constipation (e.g., a chloride channel activator such as the bicylic fatty acid, Lubiprostone (formerly known as SPI-0211; Sucampo Pharmaceuticals, Inc.; Bethesda, MD), a laxative such as MiraLax; Braintree Laboratories, Braintree MA);

(2) acid reducing agents such as proton pump inhibitors (e.g., omeprazole (Prilosec®), esomeprazole (Nexium®), lansoprazole (Prevacid®), pantoprazole (Protonix®) and rabeprazole (Aciphex®)) and Histamine H2-receptor antagonist (also known as H2 receptor blockers including cimetidine, ranitidine, famotidine and nizatidine);

(3) prokinetic agents including metoclopramide (Reglan®), domperidone (Motilium®), erythromycin or cisapride (propulsid®)

(4) pro-motility agents such as the vasostatin-derived peptide, chromogranin A (4–16) (see, e.g., Ghia et al. 2004 Regulatory Peptides 121:31) or motilin agonists (e.g., GM-611 or mitemcinal fumarate);

(5) complete or partial 5HT (e.g. 5HT1, 5HT2, 5HT3, 5HT4) receptor agonists or antagonists (including 5HT4 receptor agonists (such as tegaserod (ZELNORM®), mosapride, metoclopramide, zacopride, cisapride, renzapride, benzimidazolone derivatives such as BIMU 1 and BIMU 8, and lirexapride. Such agonists are described in: EP1321142 A1, WO 03/053432A1, EP 505322 A1, EP 505322 B1, US 5,510,353, EP 507672 A1, EP 507672

B1, and US 5,273,983); 5HT3 receptor agonists such as MKC-733; and 5HT3 receptor antagonists such as alosetron and ATI-7000 (Aryx Therapeutics, Santa Clara CA);

(6) muscarinic receptor agonists;

(7) anti-inflammatory agents;

(8) antispasmodics;

(9) antidepressants;

(10) centrally-acting analgesic agents such as opioid receptor agonists, opioid receptor antagonists (e.g., naltrexone);

(11) agents for the treatment of Inflammatory bowel disease;

(12) agents for the treatment of Crohn's disease and/or ulcerative colitis (e.g., alequel (Enzo Biochem, Inc.; Farmingsale, NY), the anti-inflammatory peptide RDP58 (Genzyme, Inc.; Cambridge, MA), and TRAFICET-EN™ (ChemoCentryx, Inc.; San Carlos, CA);

(13) agents that treat gastrointestinal or visceral pain;

(14) PDE (phosphodiesterase) inhibitors including but not limited to those disclosed herein;

(15) purgatives that draw fluids to the intestine (e.g., VISICOL®, a combination of sodium phosphate monobasic monohydrate and sodium phosphate dibasic anhydrate);

(16) Corticotropin Releasing Factor (CRF) receptor antagonists (including NBI-34041 (Neurocrine Biosciences, San Diego, CA), CRH9-41, astressin, R121919 (Janssen Pharmaceutica), CP154,526, NBI-27914, Antalarmin, DMP696 (Bristol-Myers Squibb) CP-316,311 (Pfizer, Inc.), GW876008 (Neurocrine/Glaxo Smith Kline), ONO-2333Ms (Ono Pharmaceuticals), TS-041 (Janssen), AAG561 (Novartis) and those disclosed in US 5,063,245, US 5,861,398, US20040224964, US20040198726, US20040176400, US20040171607, US20040110815, and US20040006066);

(17) glucagon-like peptides (glp-1) and analogues thereof (including exendin-4) and inhibitors of DPP-IV (DPP-IV mediates the inactivation of glp-1);

(18) tofisopam, enantiomerically-pure R-tofisopam, and pharmaceutically-acceptable salts thereof (US 20040229867)

(19) the tricyclic anti-depressant of the dibenzothiazepine type, tianeptine (Stablon®) and other agents described in U.S. 6,683,072;

(20) (E)-4 (1,3bis(cyclohexylmethyl)-1,2,34,-tetrahydro-2,6-diono-9H-purin-8-yl)cinnamic acid nonaethylene glycol methyl ether ester and related compounds described in WO 02/067942;

and

(21) the probiotic PROBACTRIX® (The BioBalance Corporation; New York, NY) which contains microorganisms useful in the treatment of gastrointestinal disorders.

The peptides and agonists of the invention can be used in combination therapy with insulin and related compounds including primate, rodent, or rabbit insulin including biologically active variants thereof including allelic variants, more preferably human insulin available in recombinant form. Sources of human insulin include pharmaceutically acceptable and sterile formulations such as those available from Eli Lilly (Indianapolis, Ind. 46285) as Humulin.TM. (human insulin rDNA origin). See the THE PHYSICIAN'S DESK REFERENCE, 55.sup.th Ed. (2001) Medical Economics, Thomson Healthcare (disclosing other suitable human insulins). The peptides of the invention can also be used in combination therapy with agents that can boost insulin effects or levels of a subject upon administration, e.g. glipizide and/or rosiglitazone. The peptides and agonists of the invention can be used in combitherapy with SYMLIN® (pramlintide acetate) and Exenatide® (synthetic exendin-4; a 39 aa peptide).

The peptides and agonists of the invention can also be used in combination therapy with agents (e.g., Entereg(TM) (alvimopan; formerly called adolor/ ADL 8-2698), conivaptan and related agents describe in US 6,645,959) for the treatment of postoperative ileus.

The peptides and agonists of the invention can be used in combination therapy with an anti-hypertensive agent including but not limited to:

(1) diuretics, such as thiazides, including chlorthalidone, chlorthiazide, dichlorophenamide, hydroflumethiazide, indapamide, polythiazide, and hydrochlorothiazide; loop diuretics, such as bumetanide, ethacrynic acid, furosemide, and torsemide; potassium sparing agents, such as amiloride, and triamterene; and aldosterone antagonists, such as spironolactone, epirenone, and the like;

(2) beta-adrenergic blockers such as acebutolol, atenolol, betaxolol, bevantolol, bisoprolol, bopindolol, carteolol, carvedilol, celiprolol, esmolol, indenolol, metaprolol, nadolol, nebivolol, penbutolol, pindolol, propanolol, sotalol, tertatolol, tilisolol, and timolol, and the like;

(3) calcium channel blockers such as amlodipine, aranidipine, azelnidipine, barnidipine, benidipine, bepridil, cinaldipine, clevidipine, diltiazem, efonidipine, felodipine, gallopamil, isradipine, lacidipine, lemildipine, lercanidipine, nicardipine, nifedipine, nilvadipine, nimodepine, nisoldipine, nitrendipine, manidipine, pranidipine, and verapamil, and the like;

(4) angiotensin converting enzyme (ACE) inhibitors such as benazepril; captopril; ceranapril; cilazapril; delapril; enalapril; enalopril; fosinopril; imidapril; lisinopril; losinopril; moexipril; quinapril; quinaprilat; ramipril; perindopril; perindropril; quanipril; spirapril; tenocapril; trandolapril, and zofenopril, and the like;

(5) neutral endopeptidase inhibitors such as omapatrilat, cadoxatril and ecadotril, fosidotril, sampatrilat, AVE7688, ER4030, and the like;

(6) endothelin antagonists such as tezosentan, A308165, and YM62899, and the like;

(7) vasodilators such as hydralazine, clonidine, minoxidil, and nicotinyl alcohol, and the like;

(8) angiotensin II receptor antagonists such as aprosartan, candesartan, eprosartan, irbesartan, losartan, olmesartan, pratosartan, tasosartan, telmisartan, valsartan, and EXP-3137, FI6828K, and RNH6270, and the like;

(9) α/β adrenergic blockers such as nipradilol, arotinolol and amosulalol, and the like;

(10) alpha 1 blockers, such as terazosin, urapidil, prazosin, tamsulosin, bunazosin, trimazosin, doxazosin, naftopidil, indoramin, WHP 164, and XEN010, and the like;

(11) alpha 2 agonists such as lofexidine, tiamenidine, moxonidine, rilmenidine and guanobenz, and the like;

(12) aldosterone inhibitors, and the like; and

(13) angiopoietin-2-binding agents such as those disclosed in WO03/030833.

The peptides and agonists of the invention can be used in combination therapy with one or more of the following agents useful in the treatment of respiratory and other disorders:

(1) β-agonists including but not limited to: albuterol (PROVENTIL®, SALBUTAMOl®, VENTOLIN®), bambuterol, bitoterol, clenbuterol, fenoterol, formoterol, isoetharine (BRONKOSOL®, BRONKOMETER®), metaproterenol (ALUPENT®, METAPREL®), pirbuterol (MAXAIR®), reproterol, rimiterol, salmeterol, terbutaline (BRETHAIRE®, BRETHINE®, BRICANYL®), adrenalin, isoproterenol (ISUPREL®), epinephrine bitartrate (PRIMATENE®), ephedrine, orciprenline, fenoterol and isoetharine;

(2) steroids, including but not limited to beclomethasone, beclomethasone dipropionate, betamethasone, budesonide, bunedoside, butixocort, dexamethasone, flunisolide, fluocortin, fluticasone, hydrocortisone, methyl prednisone, mometasone, predonisolone, predonisone, tipredane, tixocortal, triamcinolone, and triamcinolone acetonide;

(3) β2-agonist-corticosteroid combinations [e.g., salmeterol-fluticasone (ADVAIR®), formoterol-budesonid (SYMBICORT®)];

(4) leukotriene D4 receptor antagonists/leukotriene antagonists/LTD4 antagonists (i.e., any compound that is capable of blocking, inhibiting, reducing or otherwise interrupting the interaction between leukotrienes and the Cys LTI receptor) including but not limited to: zafirlukast, montelukast, montelukast sodium (SINGULAIR®), pranlukast, iralukast, pobilukast, SKB-106,203 and compounds described as having LTD4 antagonizing activity described in U.S. Patent No. 5,565,473;

(5) 5-lipoxygenase inhibitors and/or leukotriene biosynthesis inhibitors [e.g., zileuton and BAY1005 (CA registry 128253-31-6)];

(6) histamine H1 receptor antagonists/antihistamines (i.e., any compound that is capable of blocking, inhibiting, reducing or otherwise interrupting the interaction between histamine and its receptor) including but not limited to: astemizole, acrivastine, antazoline, azatadine, azelastine, astamizole, bromopheniramine, bromopheniramine maleate, carbinoxamine, carebastine, cetirizine, chlorpheniramine, chloropheniramine maleate, cimetidine ,clemastine, cyclizine, cyproheptadine, descarboethoxyloratadine, dexchlorpheniramine, dimethindene, diphenhydramine, diphenylpyraline, doxylamine succinate, doxylamine, ebastine, efletirizine, epinastine, famotidine, fexofenadine, hydroxyzine, hydroxyzine, ketotifen, levocabastine, levocetirizine, levocetirizine, loratadine, meclizine, mepyramine, mequitazine, methdilazine, mianserin, mizolastine, noberastine, norasternizole,

noraztemizole, phenindamine, pheniramine, picumast, promethazine, pynlamine, pyrilamine, ranitidine, temelastine, terfenadine, trimeprazine, tripelenamine, and triprolidine;

(7) an anticholinergic including but not limited to: atropine, benztropine, biperiden, flutropium, hyoscyamine, ilutropium, ipratropium, ipratropium bromide, methscopolamine, oxybutinin, rispenzepine, scopolamine, and tiotropium;

(8) an anti-tussive including but not limited to: dextromethorphan, codeine, and hydromorphone;

(9) a decongestant including but not limited to: pseudoephedrine and phenylpropanolamine;

(10) an expectorant including but not limited to: guafenesin, guaicolsulfate, terpin, ammonium chloride, glycerol guaicolate, and iodinated glycerol;

(11) a bronchodilator including but not limited to: theophylline and aminophylline;

(12) an anti-inflammatory including but not limited to: fluribiprofen, diclophenac, indomethacin, ketoprofen, S-ketroprophen, tenoxicam;

(13) a PDE (phosphodiesterase) inhibitor including but not limited to those disclosed herein;

(14) a recombinant humanized monoclonal antibody [e.g. xolair (also called omalizumab), rhuMab, and talizumab];

(15) a humanized lung surfactant including recombinant forms of surfactant proteins SP-B, SP-C or SP-D [e.g. SURFAXIN®, formerly known as dsc-104 (Discovery Laboratories)],

(16) agents that inhibit epithelial sodium channels (ENaC) such as amiloride and related compounds;

(17) antimicrobial agents used to treat pulmonary infections such as acyclovir, amikacin, amoxicillin, doxycycline, trimethoprin sulfamethoxazole, amphotericin B, azithromycin, clarithromycin, roxithromycin, clarithromycin, cephalosporins(ceffoxitin, cefmetazole etc), ciprofloxacin, ethambutol, gentimycin, ganciclovir, imipenem, isoniazid, itraconazole, penicillin, ribavirin, rifampin, rifabutin,amantadine, rimantidine, streptomycin, tobramycin, and vancomycin;

(18) agents that activate chloride secretion through Ca++ dependent chloride channels (such as purinergic receptor (P2Y(2) agonists);

(19) agents that decrease sputum viscosity, such as human recombinant DNase 1, (Pulmozyme®);

(20) nonsteroidal anti-inflammatory agents (acemetacin, acetaminophen, acetyl salicylic acid, alclofenac, alminoprofen, apazone, aspirin, benoxaprofen, bezpiperylon, bucloxic acid, carprofen, clidanac, diclofenac, diclofenac, diflunisal, diflusinal, etodolac, fenbufen, fenbufen, fenclofenac, fenclozic acid, fenoprofen, fentiazac, feprazone, flufenamic acid, flufenisal, flufenisal, fluprofen, flurbiprofen, flurbiprofen, furofenac, ibufenac, ibuprofen, indomethacin, indomethacin, indoprofen, isoxepac, isoxicam, ketoprofen, ketoprofen, ketorolac, meclofenamic acid, meclofenamic acid, mefenamic acid, mefenamic acid, miroprofen, mofebutazone, nabumetone oxaprozin, naproxen, naproxen, niflumic acid , oxaprozin, oxpinac, oxyphenbutazone, phenacetin, phenylbutazone, phenylbutazone, piroxicam, piroxicam, pirprofen, pranoprofen, sudoxicam,tenoxican , sulfasalazine, sulindac, sulindac, suprofen, tiaprofenic acid, tiopinac, tioxaprofen, tolfenamic acid, tolmetin, tolmetin, zidometacin, zomepirac, and zomepirac); and

(21) aerosolized antioxidant therapeutics such as S-Nitrosoglutathione.

The peptides and agonists of the invention can be used in combination therapy with an anti-obesity agent including but not limited to:

(1) 11β HSD-1 (11-beta hydroxy steroid dehydrogenase type 1) inhibitors, such as BVT 3498, BVT 2733, 3-(1-adamantyl)-4-ethyl-5-(ethylthio)- 4H-1,2,4-triazole, 3-(l-adamantyl)-5-(3,4,5-trimethoxyphenyl)-4-methyl-4H-1,2,4-triazole, 3- adamantanyl-4,5,6,7,8,9,10,11,12,3a-decahydro-l,2,4-triazolo[4,3-a][11]annulene, and those compounds disclosed in WO01/90091, WO01/90090, WO01/90092 and WO02/072084;

(2) 5HT (serotonin) transporter inhibitors, such as paroxetine, fluoxetine (Prozac®), fenfluramine, fluvoxamine, sertraline, and imipramine, and those disclosed in WO03/00663;

(3) 5HT antagonists such as those in WO03/037871, WO03/037887, and the like;

(4) 5HT1a modulators such as those disclosed in WO03/031439, and the like;

(5) 5HT-2 agonists;

(6) 5HT2c (serotonin receptor 2c) agonists, such as BVT933, DPCA37215, IK264, PNU 22394, WAY161503, R-1065, SB 243213 (Glaxo Smith Kline) and YM 348 and those disclosed in U.S. Patent No. 3,914,250 and PCT publication Nos. WO02/36596, WO02/48124, WO02/10169, WO01/66548, WO02/44152, WO02/51844, WO02/40456, and WO02/40457;

(7) 5HT6 receptor modulators, such as those in WO03/030901, WO03/035061, WO03/039547, and the like;

(8) ACC2 (acetyl-CoA carboxylase-2) inhibitors;

(9) acyl-estrogens, such as oleoyl-estrone, disclosed in del Mar-Grasa, M. et al., Obesity Research, 9:202-9 (2001) and Japanese Patent Application No. JP 2000256190;

(10) alpha-lipoic acid (alpha-LA);

(11) anorectic bicyclic compounds such as 1426 (Aventis) and 1954 (Aventis), and the compounds disclosed in WO00/18749, WO01/32638, WO01/62746, WO01/62747, and WO03/015769;

(12) AOD9604;

(13) appetite suppressants such as those in WO03/40107;

(14) ATL-962 (Alizyme PLC);

(15) benzocaine;

(16) benzphetamine hydrochloride (Didrex);

(17) bladderwrack (focus vesiculosus);

(18) BRS3 (bombesin receptor subtype 3) agonists;

(19) bupropion;

(20) caffeine;

(21) CB 1 (cannabinoid-1 receptor) antagonist/inverse agonists, such as rimonabant (Acomplia; Sanofi Synthelabo), SR-147778 (Sanofi Synthelabo), BAY 65-2520 (Bayer), and SLV 319 (Solvay), and those disclosed in US Patent Nos. 4,973,587, 5,013,837, 5,081,122, 5,112,820, 5,292,736, 5,532,237, 5,624,941, 6,028,084, and 6,509,367 and WO96/33159, WO97/29079, WO98/31227, WO98/33765, WO98/37061, WO98/41519, WO98/43635, WO98/43636, WO99/02499, WO00/10967, WO00/10968, WO01/09120, WO01/58869, WO01/64632, WO01/64633, WO01/64634, WO01/70700, WO01/96330,

WO02/076949, WO03/006007, WO03/007887, WO03/020217, WO03/026647, WO03/026648, WO03/027069, WO03/027076, WO03/027114, WO03/037332, WO03/040107, WO03/086940, WO03/084943 and US6,509,367 and EPO Application No. EP-658546;

(22) CCK agonists;

(23) CCK-A (cholecystokinin-A) agonists, such as AR-R 15849, GI 181771, JMV-180, A-71378, A-71623 and SR146131, and those described in U.S. Pat. No. 5,739,106;

(24) chitosan;

(25) chromium;

(26) CNTF (Ciliary neurotrophic factors), such as GI-181771 (Glaxo-SmithKline), SR146131 (Sanofi Synthelabo), butabindide, PD170,292, and PD 149164 (Pfizer);

(27) CNTF derivatives, such as axokine (Regeneron), and those disclosed in PCT Application Nos. WO 94/09134, WO 98/22128, and WO 99/43813;

(28) conjugated linoleic acid;

(29) corticotropin-releasing hormone agonists;

(30) dehydroepiandrosterone;

(31) DGAT1 (diacylglycerol acyltransferase 1) inhibitors;

(32) DGAT2 (diacylglycerol acyltransferase 2) inhibitors;

(33) dicarboxylate transporter inhibitors;

(34) diethylpropion hydrochloride (Tenuate);

(35) dipeptidyl peptidase IV (DP-IV) inhibitors, such as isoleucine thiazolidide, valine pyrrolidide, NVP-DPP728, LAF237, P93/01, TSL 225, TMC-2A/2B/2C, FE 999011, P9310/K364, VIP 0177, SDZ 274-444 and the compounds disclosed in PCT publication Nos. WO02/083128, WO02/062764, WO03/000180, WO03/000181, WO03/000250, WO03/002530, WO03/002531, WO03/002553, WO03/002593, WO03/004498, WO03/004496,WO03/017936, WO03/024942, WO03/024965, WO03/033524, WO03/037327 and EP1258476;

(36) ephedra;

(37) exendin-4 (an inhibitor of glp-1)

(38) FAS (fatty acid synthase) inhibitors, such as Cerulenin and C75;

(39) fat resorption inhibitors such as those in WO03/053451, and the like;

(40) fatty acid transporter inhibitors;

(41) fiber (psyllium, plantago, guar fiber);

(42) galanin antagonists;

(43) galega (Goat's Rue, French Lilac);

(44) garcinia cambogia;

(45) germander (teucrium chamaedrys);

(46) ghrelin antagonists, such as those disclosed in PCT Application Nos. WO 01/87335, and WO 02/08250;

(47) GLP-1 (glucagon-like peptide 1) agonists (e.g. exendin-4);

(48) glp-1 (glucagon-like peptide-1);

(49) glucocorticoid antagonists;

(50) glucose transporter inhibitors;

(51) growth hormone secretagogue receptor agonists/antagonists, such as NN703, hexarelin, MK-0677, SM-130686, CP-424,391, L-692,429 and L-163,255, and such as those disclosed in U.S. Pat. No. 6,358,951, U.S. Patent Application Nos. 2002/049196 and 2002/022637, and PCT Application Nos. WO 01/56592 and WO 02/32888;

(52) growth hormone secretagogues, such as those disclosed and specifically described in U.S. Pat. No. 5,536,716;

(53) H3 (histamine H3) antagonist/inverse agonists, such as thioperamide, 3-(1H-imidazol-4-yl)propyl N-(4-pentenyl)carbamate), clobenpropit, iodophenpropit, imoproxifan, GT2394 (Gliatech), and A331440, and those disclosed in PCT publication No. WO02/15905 and O-[3-(1H-imidazol-4-yl)propanol]carbamates (Kiec-Kononowicz, K. et al., Pharmazie, 55:349-55 (2000)), piperidine-containing histamine H3-receptor antagonists (Lazewska, D. et al., Pharmazie, 56:927-32 (2001), benzophenone derivatives and related compounds (Sasse, A. et al., Arch. Pharm.(Weinheim) 334:45-52 (2001)), substituted N-phenylcarbamates (Reidemeister, S. et al., Pharmazie, 55:83-6 (2000)), and proxifan derivatives (Sasse, A. et al., J. Med. Chem.. 43:3335-43 (2000)) and histamine H3 receptor modulators such as those disclosed in WO03/024928 and WO03/024929;

(54) interleukin-6 (IL-6) and modulators thereof, as in WO03/057237, and the like;

(55) L-carnitine;

(56) leptin derivatives, such as those disclosed in U.S. Pat. Nos. 5,552,524, 5,552,523, 5,552,522, 5,521,283, and PCT International Publication Nos. WO 96/23513, WO 96/23514, WO 96/23515, WO 96/23516, WO 96/23517, WO 96/23518, WO 96/23519, and WO 96/23520;

(57) leptin, including recombinant human leptin (PEG-OB, Hoffman La Roche) and recombinant methionyl human leptin (Amgen);

(58) lipase inhibitors, such as tetrahydrolipstatin (orlistat/Xenical®), Triton WR1339, RHC80267, lipstatin, teasaponin, and diethylumbelliferyl phosphate, FL-386, WAY-121898, Bay-N-3176, valilactone, esteracin, ebelactone A, ebelactone B, and RHC 80267, and those disclosed in PCT publication No. WO01/77094, and U.S. Patent Nos. 4,598,089,4,452,813, 5,512,565, 5,391,571, 5,602,151, 4,405,644, 4,189,438, and 4,242,453;

(59) lpid metabolism modulators such as maslinic acid, erythrodiol, ursolic acid uvaol, betulinic acid, betulin, and the like and compounds disclosed in WO03/011267;

(60) Mc3r (melanocortin 3 receptor) agonists;

(61) Mc4r (melanocortin 4 receptor) agonists, such as CHIR86036 (Chiron), ME-10142, ME-10145, and HS-131 (Melacure), and those disclosed in PCT publication Nos. WO99/64002, WO00/74679, WO01/991752, WO01/25192, WO01/52880, WO01/74844, WO01/70708, WO01/70337, WO01/91752, WO02/059095, WO02/059107, WO02/059108, WO02/059117, WO02/06276, WO02/12166, WO02/11715, WO02/12178, WO02/15909, WO02/38544, WO02/068387, WO02/068388, WO02/067869, WO02/081430, WO03/06604, WO03/007949, WO03/009847, WO03/009850, WO03/013509, and WO03/031410;

(62) Mc5r (melanocortin 5 receptor) modulators, such as those disclosed in WO97/19952, WO00/15826, WO00/15790, US 20030092041;

(63) MCH2R (melanin concentrating hormone 2R) agonist/antagonists;

(64) melanin concentrating hormone antagonists;

(65) melanin-concentrating hormone 1 receptor (MCHR) antagonists, such as T-226296 (Takeda), SNP-7941 (Synaptic), and those disclosed WO01/21169, WO01/82925,

WO01/87834, WO02/051809, WO02/06245, WO02/076929, WO02/076947, WO02/04433, WO02/51809, WO02/083134, WO02/094799, WO03/004027, WO03/13574, WO03/15769, WO03/028641, WO03/035624, WO03/033476, WO03/033480 and Japanese Patent Application Nos. JP 13226269, and JP1437059;

(66) melanocortin agonists, such as Melanotan II or those described in WO 99/64002 and WO 00/74679;

(67) Metformin (GLUCOPHAGE®);

(68) mGluR5 modulators such as those disclosed in WO03/029210, WO03/047581, WO03/048137, WO03/051315, WO03/051833, WO03/053922, WO03/059904, and the like;

(69) monoamine reuptake inhibitors, such as sibutratmine (Meridia®/Reductil®) and salts thereof, and those compounds disclosed in U.S. Patent Nos. 4,746,680, 4,806,570, and 5,436,272, and U.S. Patent Publication No. 2002/0006964, and WO01/27068, and WO01/62341;

(70) NE (norepinephrine) transport inhibitors, such as GW 320659, despiramine, talsupram, and nomifensine;

(71) nomame herba;

(72) non-selective serotonin/norepinephrine transport inhibitors, such as sibutramine or fenfluramine;

(73) NPY 1 antagonists, such as BIBP3226, J-115814, BIBO 3304, LY-357897, CP-671906, GI-264879A, and those disclosed in U.S. Pat. No. 6,001,836, and PCT Patent Publication Nos. WO 96/14307, WO 01/23387, WO 99/51600, WO 01/85690, WO 01/85098, WO 01/85173, and WO 01/89528;

(74) NPY5 (neuropeptide Y Y5) antagonists, such as 152,804, GW-569180A, GW-594884A, GW-587081X, GW-548118X, FR235208, FR226928, FR240662, FR252384, 1229U91, GI-264879A, CGP71683A, LY-377897, LY-366377, PD-160170, SR- 120562A, SR-120819A, JCF-104, and H409/22 and those compounds disclosed in U.S. Patent Nos. 6,140,354, 6,191,160, 6,258,837, 6,313,298, 6,326,375, 6,329,395, 6,335,345, 6,337,332, 6,329,395, and 6,340,683, European Patent Nos. EP-01010691, and EP-01044970 and PCT Publication Nos. WO97/19682, WO97/20820, WO97/20821, WO97/20822, WO97/20823,

WO98/27063, WO00/107409, WO00/185714, WO00/185730, WO00/64880, WO00/68197, WO00/69849, WO01/09120, WO01/14376, WO01/85714, WO01/85730, WO01/07409, WO01/02379, WO01/23388, WO01/23389, WO01/44201, WO01/62737, WO01/62738, WO01/09120, WO02/20488, WO02/22592, WO02/48152, WO02/49648, WO02/051806, WO02/094789, WO03/009845, WO03/014083, WO03/022849, WO03/028726 and Norman et al., J. Med. Chem. 43:4288-4312 (2000);

(75) opioid antagonists, such as nalmefene (REVEX ®), 3-methoxynaltrexone, naloxone, and naltrexone and those disclosed in WO00/21509;

(76) orexin antagonists, such as SB-334867-A and those disclosed in PCT publication Nos. WO01/96302, WO01/68609, WO02/44172, WO02/51232, WO02/51838, WO02/089800, WO02/090355, WO03/023561, WO03/032991, and WO03/037847;

(77) PDE (phosphodiesterase) inhibitors including but not limited to those disclosed herein;

(78) peptide YY and fragments and variants thereof (e.g. YY3–36 (PYY3-36)(N. Engl. J. Med. 349:941, 2003; IKPEAPGE DASPEELNRY YASLRHYLNL VTRQRY (SEQ ID NO:XXX)) and PYY agonists such as those disclosed in WO03/026591;

(79) phendimetrazine;

(80) phentermine,

(81) phosphate transporter inhibitors;

(82) phosphodiesterase-3B (PDE3B) inhibitors;

(83) phytopharm compound 57 (CP 644,673);

(84) pyruvate;

(85) SCD-1 (stearoyl-CoA desaturase-1) inhibitors;

(86) serotonin reuptake inhibitors, such as dexfenfluramine, fluoxetine, and those in U.S. Patent No. 6,365,633, and WO01/27060, and WO01/162341;

(87) T71 (Tularik; Inc.; Boulder CO);

(88) thyroid hormone β agonists, such as KB-2611 (KaroBioBMS), and those disclosed in WO02/15845 and Japanese Patent Application No. JP 2000256190;

(89) Topiramate (TOPIMAX®);

(90) transcription factor modulators such as those disclosed in WO03/026576;

(91) UCP-1 (uncoupling protein-1), 2, or 3 activators, such as phytanic acid, 4-[(E)-2-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-2-napthalenyl)-1-propeny- l]benzoic acid (TTNPB), retinoic acid, and those disclosed in PCT Patent Application No. WO 99/00123;

(92) β3 (beta adrenergic receptor 3) agonists, such as AD9677/TAK677 (Dainippon/Takeda), CL-316,243, SB 418790, BRL-37344, L-796568, BMS-196085, BRL-35135A, CGP12177A, BTA-243, GW 427353, Trecadrine, Zeneca D7114, N-5984 (Nisshin Kyorin), LY-377604 (Lilly), and SR 59119A, and those disclosed in US Patent Nos. 5,705,515, US 5,451,677 and PCT publication Nos. WO94/18161, WO95/29159, WO97/46556, WO98/04526 and WO98/32753, WO01/74782, WO02/32897, WO03/014113, WO03/016276, WO03/016307, WO03/024948, WO03/024953 and WO03/037881;

(93) β-hydroxy steroid dehydrogenase-1 inhibitors (β -HSD-1) and

(94) β-hydroxy-β-methylbutyrate.

Peptides and agonists of the invention useful in the treatment of obesity can be administered as a cotherapy with electrostimulation (US20040015201).

The peptides and agonists of the invention can be used in combination therapy with agents that activate soluble guanylate cyclase, for example those described in US20040192680.

The peptides and agonists of the invention can be used in combination therapy with a phosphodiesterase inhibitor. PDE inhibitors within the meaning of the present invention are those compounds which slow the degradation of cyclic AMP (cAMP) and/or cyclic GMP (cGMP) by inhibition of the phosphodiesterases, which can lead to a relative increase in the intracellular concentration of cAMP and cGMP. Possible PDE inhibitors within the meaning of the present invention are primarily those substances which are to be numbered among the class consisting of the PDE3 inhibitors, the class consisting of the PDE4 inhibitors and/or the class consisting of the PDE5 inhibitors, in particular those substances which can be designated as mixed types of PDE3/4 inhibitors or as mixed types of PDE3/4/5 inhibitors. By way of example, those PDE inhibitors may be mentioned such as are described and/or claimed in the

following patent applications and patents: DE1470341, DE2108438, DE2123328, DE2305339, DE2305575, DE2315801, DE2402908, DE2413935, DE2451417, DE2459090, DE2646469, DE2727481, DE2825048, DE2837161, DE2845220, DE2847621, DE2934747, DE3021792, DE3038166, DE3044568, EP000718, EP0008408, EP0010759, EP0059948, EP0075436, EP0096517, EP0112987, EP0116948, EP0150937, EP0158380, EP0161632, EP0161918, EP0167121, EP0199127, EP0220044, EP0247725, EP0258191, EP0272910, EP0272914, EP0294647, EP0300726, EP0335386, EP0357788, EP0389282, EP0406958, EP0426180, EP0428302, EP0435811, EP0470805, EP0482208, EP0490823, EP0506194, EP0511865, EP0527117, EP0626939, EP0664289, EP0671389, EP0685474, EP0685475, EP0685479, JP92234389, JP94329652, JP95010875, U.S. Pat. Nos. 4,963,561, 5,141,931, WO9117991, WO9200968, WO9212961, WO9307146, WO9315044, WO9315045, WO9318024, WO9319068, WO9319720, WO9319747, WO9319749, WO9319751, WO9325517, WO9402465, WO9406423, WO9412461, WO9420455, WO9422852, WO9425437, WO9427947, WO9500516, WO9501980, WO9503794, WO9504045, WO9504046, WO9505386, WO9508534, WO9509623, WO9509624, WO9509627, WO9509836, WO9514667, WO9514680, WO9514681, WO9517392, WO9517399, WO9519362, WO9522520, WO9524381, WO9527692, WO9528926, WO9535281, WO9535282, WO9600218, WO9601825, WO9602541, WO9611917, DE3142982, DE1116676, DE2162096, EP0293063, EP0463756, EP0482208, EP0579496, EP0667345 US6,331,543, US20050004222 (including those disclosed in formulas I-XIII and paragraphs 37-39, 85-0545 and 557-577) and WO9307124, EP0163965, EP0393500, EP0510562, EP0553174, WO9501338 and WO9603399. PDE5 inhibitors which may be mentioned by way of example are RX-RA-69, SCH-51866, KT-734, vesnarinone, zaprinast, SKF-96231, ER-21355, BF/GP-385, NM-702 and sildenafil (Viagra®). PDE4 inhibitors which may be mentioned by way of example are RO-20-1724, MEM 1414 (R1533/R1500; Pharmacia Roche), DENBUFYLLINE, ROLIPRAM, OXAGRELATE, NITRAQUAZONE, Y-590, DH-6471, SKF-94120, MOTAPIZONE, LIXAZINONE, INDOLIDAN, OLPRINONE, ATIZORAM, KS-506-G, DIPAMFYLLINE, BMY-43351, ATIZORAM, AROFYLLINE, FILAMINAST, PDB-093, UCB-29646, CDP-840, SKF-107806, PICLAMILAST, RS-17597, RS-25344-000, SB-207499, TIBENELAST, SB-210667, SB-211572, SB-211600, SB-212066, SB-212179, GW-3600,

CDP-840, MOPIDAMOL, ANAGRELIDE, IBUDILAST, AMRINONE, PIMOBENDAN, CILOSTAZOL, QUAZINONE and N-(3,5-dichloropyrid-4-yl)-3-cyclopropylmethoxy4-difluoromethoxybenzamide. PDE3 inhibitors which may be mentioned by way of example are SULMAZOLE, AMPIZONE, CILOSTAMIDE, CARBAZERAN, PIROXIMONE, IMAZODAN, CI-930, SIGUAZODAN, ADIBENDAN, SATERINONE, SKF-95654, SDZ-MKS-492, 349-U-85, EMORADAN, EMD-53998, EMD-57033, NSP-306, NSP-307, REVIZINONE, NM-702, WIN-62582 and WIN-63291, ENOXIMONE and MILRINONE. PDE3/4 inhibitors which may be mentioned by way of example are BENAFENTRINE, TREQUINSIN, ORG-30029, ZARDAVERINE, L-686398, SDZ-ISQ-844, ORG-20241, EMD-54622, and TOLAFENTRINE. Other PDE inhibitors include: cilomilast, pentoxifylline, roflumilast, tadalafil(Cialis®), theophylline, and vardenafil(Levitra®), zaprinast (PDE5 specific).

Methods of Treatment

A number of disorders might be treated with GC-C receptor agonists and agents that increase cGMP levels including the peptides and agonists of the invention.

The peptides and agonists of the invention can be used alone or in combination therapy for the treatment or prevention of congestive heart failure. Such agents can be used in combination with natriuretic peptides (e.g., atrial natriuretic peptide, brain natriuretic peptide or C-type natriuretic peptide), a diuretic, or an inhibitor of angiotensin converting enzyme.

The peptides and agonists of the invention can be used alone or in combination therapy for the treatment or prevention of benign prostatic hyperplasia (BPH). Such agents can be used in combination with one or more agents for treatment of BPH, for example, a 5-alpha reductase inhibitor (e.g., finasteride) or an alpha adrenergic inhibitor (e.g., doxazosine).

The peptides and agonists of the invention can be used alone or in combination therapy for the treatment, prevention or reduction of visceral pain associated with a gastrointestinal disorder or pain associated with another disorder.

The peptides and agonists of the invention can be used alone or in combination therapy for the treatment or prevention of obesity-related disorders (e.g. disorders that are associated with, caused by, or result from obesity). Examples of obesity-related disorders include overeating and bulimia, hypertension, diabetes, elevated plasma insulin concentrations and insulin resistance, dyslipidemias, hyperlipidemia, endometrial, breast, prostate and colon cancer, osteoarthritis, obstructive sleep apnea, cholelithiasis, gallstones, heart disease, abnormal heart rhythms and arrhythmias, myocardial infarction, congestive heart failure, coronary heart disease, sudden death, stroke, polycystic ovarian disease, craniopharyngioma, the Prader-Willi Syndrome, Frohlich's syndrome, GH-deficient subjects, normal variant short stature, Turner's syndrome, and other pathological conditions showing reduced metabolic activity or a decrease in resting energy expenditure as a percentage of total fat-free mass, e.g., children with acute lymphoblastic leukemia. The agents of the invention may be used to reduce or control body weight (or fat) or to prevent and/or treat obesity or other appetite related disorders related to the excess consumption of food, ethanol and other appetizing substances. The agents may be used to modulate lipid metabolism, reduce body fat (e.g. via increasing fat utilization) or reduce (or suppress) appetite (e.g. via inducing satiety). Further examples of obesity-related disorders are metabolic syndrome, also known as syndrome X, insulin resistance syndrome, sexual and reproductive dysfunction, such as infertility, hypogonadism in males and hirsutism in females, gastrointestinal motility disorders, such as obesity-related gastroesophageal reflux, respiratory disorders, such as obesity-hypoventilation syndrome (Pickwickian syndrome), cardiovascular disorders, inflammation, such as systemic inflammation of the vasculature, arteriosclerosis, hypercholesterolemia, hyperuricaemia, lower back pain, gallbladder disease, gout, and kidney cancer. The agents of the present invention are also useful for reducing the risk of secondary outcomes of obesity, such as reducing the risk of left ventricular hypertrophy.

The peptides and agonists of the invention can be used alone or in combination therapy for the treatment or prevention of gastrointestinal related disorders including: chronic intestinal pseudo-obstruction (Ogilvie's syndrome), colonic pseudoobstruction, Crohn's disease, dyspepsia (including functional dyspepsia or nonulcer dyspepsia), duodenogastric reflux, functional bowel disorder, functional gastrointestinal disorders, functional heartburn, gastroesophageal reflux disease (GERD), gastrointestinal motility disorders, gastroparesis (e.g. idopathic gastroparesis), hypertrophic pyloric stenosis, Inflammatory bowel disease, irritable bowel syndrome (IBS), post-operative ileus, and ulcerative colitis. The peptides and agonists of the invention can be used alone or in combination therapy to patient suffering from or susceptible to GI disorders relating to damage to the GI tract stemming from impact or surgical intervention. The peptides and agonists of the invention can be used alone or in combination therapy to patients at risk for or having particular diseases associated with hypomotility or stasis in the GI tract. For example, diabetic neuropathy, anorexia nervosa, and achlorhydria are frequently accompanied by gastric hypomotility. Damage to the GI tract following surgical intervention, for instance, can result in substantial gastric stasis. The peptides and agonists of the invention can be administered alone or in combination therapy to patients susceptible to or having a GI disorder associated with diabetes (e.g. diabetic gastropathy). The peptides and agonists of the invention can be used alone or in combination therapy to prevent and/or treat GI disorders characterized by at least one of nausea, vomiting, heartburn, postprandial discomfort, diarrhea, constipation, indigestion or related symptoms. The peptides and agonists of the invention can be used alone or in combination therapy to prevent and/or treat GI disorders associated with at least one of diabetes, anorexia nervosa, bulimia, achlorhydria, achalasia, anal fissure, irritable bowel syndrome, intestinal pseudoobstruction, scleroderma and gastrointestinal damage.

The peptides and agonists of the invention can be used to prevent and/or treat constipation (e.g. constipation associated with use of a therapeutic agent; constipation associated with a neuropathic, metabolic or endocrine disorder (including autonomic neuropathy, Chagas disease, cystic fibrosis, diabetes mellitus, Hirschsprung disease, hyperthyroidism, hypocalcaemia, hypothyroidism, Multiple Sclerosis, neurofibromatosis, Parkinson's disease, and spinal cord

lesions); post-surgical constipation (postoperative ileus); constipation associated with a gastrointestinal disorder; idiopathic constipation (functional constipation or slow transit constipation); constipation associated with the use of analgesic drugs (e.g. opioid induced constipation); constipation associated with the use of other agents (e.g. antihypertensives, anticonvulsants, antidepressants, antispasmodics and antipsychotics); megacolon; and chronic constipation).

The peptides and agonists of the invention can be used to treat decreased intestinal motility, slow digestion or slow stomach emptying. The peptides and agonists can be used to relieve one or more symptoms of IBS (bloating, pain, constipation), GERD (acid reflux into the esophagus), duodenogastric reflux, functional dyspepsia, or gastroparesis (nausea, vomiting, bloating, delayed gastric emptying) and other disorders described herein.

The peptides and agonists of the invention can be used to increase intestinal motility and to prevent and/or treat gastrointestinal immotility and other conditions calling for laxative or stool softener therapy. Gastrointestinal immotility can include constipation, and also includes delayed oral cecal transit time, irregular Taxation, and other related gastrointestinal motility disfunction including impaction. Impaction is a condition where a large mass of dry, hard stool develops in the rectum, often due to chronic constipation. This mass may be so hard that it cannot be excreted. The subjects affected by constipation or gastrointestinal immotility can be refractory to laxative therapy and/or stool softener therapy.

The peptides and agonists of the invention can be used for the treatment or prevention of cancer, pre-cancerous growths, or metastatic growths. For example, they can be used for the prevention or treatment of: colorectal/local metastasized colorectal cancer, intestinal polyps, gastrointestinal tract cancer, lung cancer, cancer or pre-cancerous growths or metastatic growths of epithelial cells, polyps, breast, colorectal, lung, ovarian, pancreatic, prostatic, renal, stomach, bladder, liver, esophageal and testicular carcinoma, carcinoma (e.g., basal cell, basosquamous, Brown-Pearce, ductal carcinoma, Ehrlich tumor, Krebs, Merkel cell, small or non-small cell lung, oat cell, papillary, bronchiolar, squamous cell, transitional cell, (Walker),

leukemia (e.g., B-cell, T-cell, HTLV, acute or chronic lymphocytic, mast cell, myeloid), histiocytonia, histiocytosis, Hodgkin's disease, non-Hodgkin's lymphoma, plasmacytoma, reticuloendotheliosis, adenoma, adeno-carcinoma, adenofibroma, adenolymphoma, ameloblastoma, angiokeratoma, angiolymphoid hyperplasia with eosinophilia, sclerosing angioma, angiomatosis, apudoma, branchionia, malignant carcinoid syndrome, carcinoid heart disease, carcinosarcoma, cementoma, cholangioma, cholesteatoma, chondrosarcoma, chondroblastoma, chondrosarcoma, chordoma, choristoma, craniopharyngioma, chrondroma, cylindroma, cystadenocarcinoma, cystadenoma, cystosarconia phyllodes, dysgenninoma, ependymoma, Ewing sarcoma, fibroma, fibrosarcoma, giant cell tumor, ganglioneuroma, glioblastoma, glomangioma, granulosa cell tumor, gynandroblastoma, hamartoma, hemangioendothelioma, hemangioma, hemangio-pericytoma, hemangiosarcoma, hepatoma, islet cell tumor, Kaposi sarcoma, leiomyoma, leiomyosarcoma, leukosarcoma, Leydig cell tumor, lipoma, liposarcoma, lymphaugioma, lymphangiomyoma, lymphangiosarcoma, medulloblastoma, meningioma, mesenchymoma, mesonephroma, mesothelioma, myoblastoma, myoma, myosarcoma, myxoma, myxosarcoma, neurilemmoma, neuroma, neuroblastoma, neuroepithelioma, neurofibroma, neurofibromatosis, odontoma, osteoma, osteosarcoma, papilloma, paraganglioma, paraganglionia. nonchroinaffin, pinealoma, rhabdomyoma, rhabdomyosarcoma, Sertoli cell tumor, teratoma, theca cell tumor, and other diseases in which cells have become dysplastic, immortalized, or transformed.

The peptides and agonists of the invention can be used for the treatment or prevention of: Familial Adenomatous Polyposis (FAP) (autosomal dominant syndrome) that precedes colon cancer, hereditary nonpolyposis colorectal cancer (HNPCC), and inherited autosomal dominant syndrome.

For treatment or prevention of cancer, pre-cancerous growths and metastatic growths, the peptides and agonists of the invention can be used in combination therapy with radiation or chemotherapeutic agents, an inhibitor of a cGMP-dependent phosphodiesterase or a selective cyclooxygenase-2 inhibitor. A number of selective cyclooxygenase-2 inhibitors are described in US20010024664, U.S. Pat. No. 5,380,738, U.S. Pat. No. 5,344,991, U.S. Pat. No. 5,393,790,

U.S. Pat. No. 5,434,178, U.S. Pat. No. 5,474,995, U.S. Pat. No. 5,510,368, WO02/062369, WO 96/06840, WO 96/03388, WO 96/03387, WO 96/19469, WO 96/25405, WO 95/15316, WO 94/15932, WO 94/27980, WO 95/00501, WO 94/13635, WO 94/20480, and WO 94/26731, the disclosures of which are herein incorporated by reference. [Pyrazol-1-yl]benzenesulfonamides have also been described as inhibitors of cyclooxygenase-2.

The peptides and agonists of the invention can be used in the treatment or prevention of inflammation. Thus, they can be used alone or in combination with an inhibitor of cGMP-dependent phosphodiesterase or a selective cyclooxygenase-2 inhibitor for treatment of: organ inflammation, IBD (e.g, Crohn's disease, ulcerative colitis), asthma, nephritis, hepatitis, pancreatitis, bronchitis, cystic fibrosis, ischemic bowel diseases, intestinal inflammations/allergies, coeliac disease, proctitis, eosnophilic gastroenteritis, mastocytosis, and other inflammatory disorders. The peptides and agonists of the invention can be used alone or in combination therapy in the treatment or prevention of gastrointestinal tract inflammation (e.g. inflammation associated with a gastrointestinal disorder, gastrointestinal tract infection, or another disorder).

The peptides and agonists of the invention can also be used to treat or prevent insulin-related disorders, for example: II diabetes mellitus, hyperglycemia, obesity, disorders associated with disturbances in glucose or electrolyte transport and insulin secretion in cells, or endocrine disorders. They can be also used in insulin resistance treatment and post-surgical and non-post surgery decrease in insulin responsiveness.

The peptides and agonists of the invention can be used to prevent and/or treat pulmonary and respiratory related disorders, including, inhalation, ventilation and mucus secretion disorders, pulmonary hypertension, chronic obstruction of vessels and airways, and irreversible obstructions of vessels and bronchi. One may administer an agent of the invention for treating bronchospasm, for inducing bronchodilation, for treating chronic obstructive pulmonary disease (including chronic bronchitis with normal airflow), for treating asthma (including bronchial asthma, intrinsic asthma, extrinsic asthma, chronic or inveterate asthma (e.g. late asthma and airways hyper-responsiveness), dust-induced asthma, allergen-induced asthma,

viral-induced asthma, cold-induced asthma, pollution-induced asthma and exercise-induced asthma) and for treating rhinitis (including acute-, allergic, hatrophic rhinitis or chronic rhinitis (such as rhinitis caseosa, hypertrophic rhinitis, rhinitis purulenta, rhinitis sicca), rhinitis medicamentosa, membranous rhinitis (including croupous, fibrinous and pseudomembranous rhinitis), scrofulous rhinitis, perennial allergic rhinitis, seasonal rhinitis (including rhinitis nervosa (hay fever) and vasomotor rhinitis). The peptides of the invention may also be useful in the treatment of dry eye disease and chronic sinusitis. The peptides of the invention may also be used to prevent and/or treat disorders characterized by acute pulmonary vasoconstriction such as may result from pneumonia, traumatic injury, aspiration or inhalation injury, fat embolism in the lung, acidosis inflammation of the lung, adult respiratory distress syndrome, acute pulmonary edema, acute mountain sickness, post-cardiac surgery, acute pulmonary hypertension, persistent pulmonary hypertension of the newborn, perinatal aspiration syndrome, hyaline membrane disease, acute pulmonary thromboembolism, herapin-protamine reactions, sepsis, status asthmaticus or hypoxia (including iatrogenic hypoxia) and other forms of reversible pulmonary vasoconstriction. Such pulmonary disorders also are also characterized by inflammation of the lung including those associated with the migration into the lung of nonresident cell types including the various leucocyte subclasses. Also included in the respiratory disorders contemplated are: bullous disease, cough, chronic cough associated with inflammation or iatrogenic induced, airway constriction, pigeon fancier's disease, eosinophilic bronchitis, asthmatic bronchitis, chronic bronchitis with airway obstruction (chronic obstructive bronchitis), eosinophilic lung disease, emphysema, farmer's lung, allergic eye diseases (including allergic conjunctivitis, vernal conjunctivitis, vernal keratoconjunctivitis, and giant papillary conjunctivitis), idiopathic pulmonary fibrosis, cystic fibrosis, diffuse pan bronchiolitis and other diseases which are characterized by inflammation of the lung and/or excess mucosal secretion. Other physiological events which are contemplated to be prevented, treated or controlled include platelet activation in the lung, chronic inflammatory diseases of the lung which result in interstitial fibrosis, such as interstitial lung diseases (ILD) (e.g., idiopathic pulmonary fibrosis, or ILD associated with rheumatoid arthritis, or other autoimmune conditions), chronic obstructive pulmonary disease (COPD)(such as irreversible COPD), chronic sinusitis, fibroid lung, hypersensitivity lung diseases, hypersensitivity

pneumonitis, idiopathic interstitial pneumonia, nasal congestion, nasal polyposis, and otitis media.

The peptides and agonists of the invention can be used alone or in combitherapy to prevent or treat: retinopathy, nephropathy, diabetic angiopathy, and edema formation

The peptides and agonists of the invention can be used alone or in combitherapy to prevent or treat neurological disorders, for example, headache, migraines, anxiety, stress, cognitive disorders, cerebral ischemia, brain trauma, movement disorders, aggression, psychosis, seizures, panic attacks, hysteria, sleep disorders, depression, schizoaffective disorders, sleep apnea, attention deficit syndromes, memory loss, dementia, memory and learning disorders as discussed in Moncada and Higgs 1995 FASEB J. 9:1319-1330; Severina 1998 Biochemistry 63:794; Lee et al. 2000 PNAS 97: 10763-10768; Hobbs 1997 TIPS 18:484-491; Murad 1994 Adv. Pharmacol. 26:1-335; and Denninger et al. 1999 Biochim. Biophys. Acta 1411:334-350 and narcolepsy. They may also be used as a sedative.

The peptides and detectably peptides and agonists of the invention can be used as markers to identify, detect, stage, or diagnosis diseases and conditions of small intestine, including, without limitation: Crohn's disease, colitis, inflammatory bowel disease, tumors, benign tumors, such as benign stromal tumors, adenoma, angioma, adenomatous (pedunculated and sessile) polyps, malignant, carcinoid tumors, endocrine cell tumors, lymphoma, adenocarcinoma, foregut, midgut, and hindgut carcinoma, gastroinstestinal stromal tumor (GIST), such as leiomyorna, cellular leiomyoma, leiomyoblastoma, and leiomyosarcoma, gastrointestinal autonomic nerve tumor, malabsorption syndromes, celiac diseases, diverticulosis, Meckel's diverticulum, colonic diverticula, megacolon, Hirschsprung's disease, irritable bowel syndrome, mesenteric ischemia, ischemic colitis, colorectal cancer, colonic polyposis, polyp syndrome, intestinal adenocarcinoma, Liddle syndrome, Brody myopathy, infantile convulsions, and choreoathetosis

The peptides and agonists of the invention can be conjugated to another molecule (e.g., a diagnostic or therapeutic molecule) to target cells bearing the GC-C receptor, e.g., cystic fibrosis lesions and specific cells lining the intestinal tract. Thus, they can be used to target radioactive moieties or therapeutic moieties to the intestine to aid in imaging and diagnosing or treating colorectal/metastasized or local colorectal cancer and to deliver normal copies of the p53 tumor suppressor gene to the intestinal tract. The peptides and agonists of the invention can also be used to increase the number of GC-C molecules on the surface of a cell. In some embodiments the cell is a metastasized colorectal cancer cell. In one embodiment the peptide or agonist of the invention is therapeutically conjugated to a second agent. In certain embodiments, the second agent can be radioactive or radiostable. In certain embodiments the second agent can be selected from the group consisting of a compound that causes cell death, a compound that inhibits cell division, a compound that induces cell differentiation, a chemotherapeutic, a toxin and a radiosensitizing agent. In certain embodiments the second agent can be selected from the group consisting of: methotrexate, doxorubicin, daunorubicin, cytosinarabinoside, etoposide, 5-4 fluorouracil, melphalan, chlorambucil, cis-platin, vindesine, mitomycin, bleomycin, purothionin, macromomycin, 1,4-benzoquinone derivatives, trenimon, ricin, ricin A chain, Pseudomonas exotoxin, diphtheria toxin, Clostridium perfringens phospholipase C, bovine pancreatic ribonuclease, pokeweed antiviral protein, abrin, abrin A chain, cobra venom factor, gelonin, saporin, modeccin, viscumin, volkensin, nitroimidazole, metronidazole and misonidazole.

The peptides and agonists of the invention can be used alone or in combination therapy to prevent and/or treat inner ear disorders, e.g., to prevent and/or treat Meniere's disease (including symptoms thereof such as vertigo, hearing loss, tinnitus, sensation of fullness in the ear), Mal de débarquement syndrome, otitis externa, otitis media, otorrhea, acute mastoiditis, otosclerosis, otic pain, otic bleeding, otic inflammation, Lermoyez's syndrome, vestibular neuronitis, benign paroxysmal positional vertigo (BPPV), herpes zoster oticus, Ramsay Hunt's syndrome, herpes, labyrinthitis, purulent labyrinthitis, perilymph fistulas, presbycusis, ototoxicity (including drug-induced ototoxicity), neuromias (including acoustic neuromas), aerotitis media, infectious myringitis, bullous myringitis, squamous cell carcinoma, basal cell

carcinoma, pre-cancerous otic conditions, nonchromaffin paragangliomas, chemodectomas, glomus jugulare tumors, glomus tympanicum tumors, perichondritis, aural eczematoid dermatitis, malignant external otitis, subperichondrial hematoma, ceruminomas, impacted cerumen, sebaceous cysts, osteomas, keloids, otalgia, tinnitus, tympanic membrane infection, tympanitis, otic furuncles, petrositis, conductive and sensorineural hearing loss, epidural abscess, lateral sinus thrombosis, subdural empyema, otitic hydrocephalus, Dandy's syndrome, bullous myringitis, diffuse external otitis, foreign bodies, keratosis obturans, otic neoplasm, otomycosis, trauma, acute barotitis media, acute eustachian tube obstruction, postsurgical otalgia, cholesteatoma, infections related to an otic surgical procedure, and complications associated with any of said disorders. The peptides and agonists of the invention can be used alone or in combination therapy to maintain fluid homeostasis in the inner ear. neuronitis (including viral neuronitis), ganglionitis, geniculate

The peptides and agonists of the invention can be used alone or in combination therapy to prevent and/or treat disorders associated with fluid and sodium retention, e.g., diseases of the electrolyte-water/electrolyte transport system within the kidney, gut and urogenital system, congestive heart failure, hypertension, hypotension, salt dependent forms of high blood pressure, hepatic edema, and liver cirrhosis. In addition they can be used to facilitate diuresis or control intestinal fluid. The peptides and agonists of the invention can also be used to treat disorders where there is abnormal proliferation of epithelial cells within the kidney (e.g. as in the case of renal cancer).

The peptides and agonists of the invention can be used alone or in combination therapy to prevent and/or treat kidney disease. "Kidney disease" includes renal failure (including acute renal failure), renal insufficiency, nephrotic edema, glomerulonephritis, pyelonephritis, kidney failure, chronic renal failure, nephritis, nephrosis, azotemia, uremia, immune renal disease, acute nephritic syndrome, rapidly progressive nephritic syndrome, nephrotic syndrome, Berger's Disease, chronic nephritic/proteinuric syndrome, tubulointerstital disease, nephrotoxic disorders, renal infarction, atheroembolic renal disease, renal cortical necrosis, malignant nephroangiosclerosis, renal vein thrombosis, renal tubular acidosis, renal glucosuria,

nephrogenic diabetes insipidus, Bartter's Syndrome, Liddle's Syndrome, polycystic kidney disease, medullary cystic disease, medullary sponge kidney, hereditary nephritis, and nail-patella syndrome, along with any disease or disorder that relates to the renal system and related disorders, as well as symptoms indicative of, or related to, renal or kidney disease and related disorders.

The peptides and agonists of the invention can be used alone or in combination therapy to prevent or treat polycystic kidney disease. Polycystic kidney disease" "PKD" (also called "polycystic renal disease") refers to a group of disorders characterized by a large number of cysts distributed throughout dramatically enlarged kidneys. The resultant cyst development leads to impairment of kidney function and can eventually cause kidney failure. "PKD" specifically includes autosomal dominant polycystic kidney disease (ADPKD) and recessive autosomal recessive polycystic kidney disease (ARPKD), in all stages of development, regardless of the underlying cause.

The peptides and agonists of the invention can be used alone or in combination therapy to prevent and/or treat disorders associated with bicarbonate secretion, e.g., Cystic Fibrosis.

The peptides and agonists of the invention can be used alone or in combination therapy to prevent and/or treat disorders associated with bile secretion. In addition, they can be used to facilitate or control chloride and bile fluid secretion in the gall bladder.

The peptides and agonists of the invention can be used alone or in combination therapy to prevent and/or treat disorders associated with liver cell regeneration. This may include administration of the peptides and agonists to liver transplant recipients and to patients with drug or alcohol induced-liver damage. Furthermore, the peptides and agonists may be useful to treat liver damage as in the case of viral mediated hepatitis. The peptides and agonists of the invention may be used alone or in combination to prevent and/or treat liver abscess, liver cancer (either primary or metastatic), cirrhosis (such as cirrhosis caused by the alcohol consumption or primary biliary cirrhosis), amebic liver abscess, autoimmune hepatitis, biliary

atresia, coccidioidomycosis disseminated, δ agent (hepatitis δ), hemochromatosis, hepatitis a, hepatitis b, hepatitis c, or any other acute, subacute, fulminant or chronic hepatitis of viral, metabolic or toxic etiology, hepatocellular carcinoma, pyogenic liver abscess, Reye's syndrome, sclerosing cholangitis, Wilson's disease, drug induced hepatotoxicity, or fulminant or acute liver failure. The peptides and agonists may be used in stimulating hepatic regeneration after surgical hepatectomy.

The peptides and agonists of the invention can be used alone or in combination therapy to prevent and/or treat myocardial infraction, diastolic dysfunction, angina pectoris, stable, unstable and variant (Prinzmetal) angina, atherosclerosis, thrombosis, endothelial dysfunction, cardiac edema, stroke, conditions of reduced blood vessel patency, e.g., postpercutaneous transluminal coronary angioplasty (post-PTCA) and peripheral vascular disease.

The peptides and agonists of the invention can be used alone or in combination therapy to prevent and/or treat glaucoma.

The peptides and agonists of the invention can be used alone or in combination therapy to prevent and/or treat immunodeficiency.

The peptides and agonists of the invention can be used alone or in combination therapy to prevent and/or treat bladder outlet obstruction and incontinence.

The peptides and agonists of the invention can be used alone or in combination therapy to prevent and/or treat male (e.g. erectile dysfunction) or female sexual dysfunction, premature labor, and dysmenorrhoea. In certain embodiments they can be used in combination with a phosphodiesterase inhibitor.

The peptides and agonists of the invention can be used alone or in combination therapy to prevent and/or treat osteopenia disorders (bone loss disorders). "Bone loss disorders" include conditions and diseases wherein the inhibition of bone loss and/or the promotion of bone formation is desirable. Among such conditions and diseases are osteoporosis, osteomyelitis, Paget's disease (osteitis deformans), periodontitis, hypercalcemia, osteonecrosis, osteosarcoma, osteolyic metastases, familial expansile osteolysis, prosthetic loosening, periprostetic osteolysis, bone loss attendant rheumatoid arthritis, and cleiodocranial dysplasia (CCD). Osteoporosis includes primary osteoporosis, endocrine osteoporosis (hyperthyroidism, hyperparathyroidism, Cushing's syndrome, and acromegaly), hereditary and congenital forms of osteoporosis (osteogenesis imperfecta, homocystinuria, Menkes' syndrome, and Rile-Day syndrome) and osteoporosis due to immobilization of extremitiesosteomyelitis, or an infectious lesion in bone leading to bone loss. The peptides and agonists can be used alone or in combination therapy to stimulating bone regeneration. The bone regeneration may be following reconstruction of bone defects in cranio-maxillofacial surgery, or following an implant into bone, for example a dental implant, bone supporting implant, or prosthesis. The bone regeneration may also be following a bone fracture.

The peptides of the invention that have homology to ST peptides can be used as immunogens to treat and/or prevent one or more disease symptoms associated with traveler's diarrhea. The methods described in US20040146534, US4220584, US4285391, US5182109, US4603049, US4545931, US4886663, and WO08402700 can be similarly used to create immunogens comprising the peptides of the invention.

What is claimed is:

1. A peptide comprising the amino acid sequence of SEQ ID NO:3.

2. A method comprising chemically synthesizing the peptide of claim 1 and purifying the peptide.

3. The peptide of claim 1 wherein the peptide is recombinantly produced.

4. The peptide of claim 1 wherein the peptide is chemically synthesized.

5. An isolated nucleic acid molecule encoding the peptide of claim 1.

6. A vector comprising the nucleic acid molecule of claim 5

7. An isolated cell comprising the isolated nucleic acid molecule of claim 5.

8. A method for treating a patient for a gastrointestinal disorder comprising administering a composition comprising the peptide of claim 1.

9. A method for increasing GCC receptor activity comprising adiministering the peptide of claim 1.

SEQUENCE LISTING

<110> IRONWOOD PHARMACEUTICALS, INC.

<120> METHODS AND COMPOSITIONS FOR THE TREATMENT OF GASTROINTESTINAL DISORDERS

<130> SP8027A

<150> US 10/796,719
<151> 2004-03-09

<150> US 10/845,895
<151> 2004-05-14

<150> US 10/899,806
<151> 2004-07-24

<150> US 11/054,071
<151> 2005-02-08

<160> 2084

<170> FastSEQ for Windows Version 4.0

<210> 1
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 1, 2, 3, 4, 5
<223> Xaa = Xaa1 = Asn, Xaa2 = Ser, Xaa3 = Ser, Xaa4 = Asn, Xaa5 = Tyr

<220>
<221> VARIANT
<222> 8, 9, 12, 13, 14, 16, 17, 19, 20, 21
<223> Xaa = any amino acid

<400> 1
Xaa Xaa Xaa Xaa Xaa Cys Cys Xaa Xaa Cys Cys Xaa Xaa Xaa Cys Xaa
1 5 10 15
Xaa Cys Xaa Xaa Xaa
20

<210> 2
<211> 21
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 1, 2, 3, 4, 5
<223> Xaa1 = Asn, Xaa2 = Ser, Xaa3 = Ser, Xaa4 = Asn,
Xaa5 = Tyr;

<220>
<221> VARIANT
<222> 9
<223> Xaa = any amino acid; or Xaa = any amino acid
other than Leu; or Xaa = Phe, Trp, and Tyr; or
selected from from any other natural or
non-natural aromatic amino acid; or Xaa = Tyr

<220>
<221> VARIANT
<222> 20, 21
<223> Xaa 20 = Asp, Xaa21 = Phe; or Xaa20 = Asn or Glu

<400> 2
Xaa Xaa Xaa Xaa Xaa Cys Cys Glu Xaa Cys Cys Asn Pro Ala Cys Thr
1 5 10 15
Gly Cys Tyr Xaa Xaa
20

<210> 3
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 3
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 4
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 4
Asn Ser Ser Asn Tyr Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr
1 5 10 15
Gly Cys Tyr

<210> 5
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 5
Asn Ser Ser Asn Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr
1 5 10 15
Gly Cys Tyr

<210> 6
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 6
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 7
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 7
Asn Ser Ser Asn Tyr Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Trp
1 5 10 15
Gly Cys Tyr

<210> 8
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 8
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Trp Gly Cys Tyr
1 5 10

<210> 9
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 9
Asn Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 10
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 10
Asn Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Trp Gly Cys Tyr
1 5 10 15

<210> 11
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 11
Asn Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 12
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 12
Asn Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 13
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 13
Asn Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 14
<211> 15

<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 14
Asn Cys Cys Glu Arg Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10   15

<210> 15
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 15
Asn Cys Cys Glu Lys Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10   15

<210> 16
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 16
Asn Ser Ser Asn Tyr Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr
 1   5   10   15
Gly Cys Tyr Asp Phe
            20

<210> 17
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 17
Asn Ser Ser Asn Tyr Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Trp
 1   5   10   15
Gly Cys Tyr Asp Phe
            20

<210> 18
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 18
Asn Ser Ser Asn Tyr Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr
1 5 10 15
Gly Cys Tyr Asp Phe
20

<210> 19
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 19
Asn Ser Ser Asn Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr
1 5 10 15
Gly Cys Tyr Asp Phe
20

<210> 20
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 20
Asn Ser Ser Asn Tyr Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr
1 5 10 15
Gly Cys Tyr Asp Phe
20

<210> 21
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 21
Asn Ser Ser Asn Tyr Cys Cys Glu Arg Cys Cys Asn Pro Ala Cys Thr
1 5 10 15
Gly Cys Tyr Asp Phe
20

<210> 22
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 22
Asn Ser Ser Asn Tyr Cys Cys Glu Lys Cys Cys Asn Pro Ala Cys Thr
1 5 10 15
Gly Cys Tyr Asp Phe
20

<210> 23
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 23
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe
1 5 10 15

<210> 24
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 24
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Trp Gly Cys Tyr Asp Phe
1 5 10 15

<210> 25
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 25
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe
1 5 10 15

<210> 26
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 26
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe
1 5 10 15

<210> 27
<211> 16
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 27
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe
1 5 10 15

<210> 28
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 28
Cys Cys Glu Arg Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe
1 5 10 15

<210> 29
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 29
Cys Cys Glu Lys Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp Phe
1 5 10 15

<210> 30
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 30
Asn Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp
1 5 10 15
Phe

<210> 31
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 31
Asn Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Trp Gly Cys Tyr Asp

1 5 10 15
Phe

<210> 32
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 32
Asn Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp
1 5 10 15
Phe

<210> 33
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 33
Asn Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp
1 5 10 15
Phe

<210> 34
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 34
Asn Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp
1 5 10 15
Phe

<210> 35
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 35
Asn Cys Cys Glu Arg Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp
1 5 10 15

Phe

<210> 36
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 36
Asn Cys Cys Glu Lys Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr Asp
 1   5   10   15
Phe

<210> 37
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 37
Gln Ser Ser Asn Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr
 1   5   10   15
Gly Cys Tyr

<210> 38
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 38
Asn Thr Ser Asn Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr
 1   5   10   15
Gly Cys Tyr

<210> 39
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 39
Asn Leu Ser Asn Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr
 1   5   10   15
Gly Cys Tyr

<210> 40
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 40
Asn Ile Ser Asn Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr
 1   5   10   15
Gly Cys Tyr

<210> 41
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 41
Asn Ser Ser Gln Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr
 1   5   10   15
Gly Cys Tyr

<210> 42
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 42
Ser Ser Asn Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 43
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 43
Gln Ser Ser Gln Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr
 1   5   10   15
Gly Cys Tyr

<210> 44
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 44
Ser Ser Gln Tyr Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 45
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 45
Asn Ser Ser Asn Tyr Cys Cys Glu Ala Cys Cys Asn Pro Ala Cys Thr
1 5 10 15
Gly Cys Tyr

<210> 46
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 46
Asn Ser Ser Asn Tyr Cys Cys Glu Arg Cys Cys Asn Pro Ala Cys Thr
1 5 10 15
Gly Cys Tyr

<210> 47
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 47
Asn Ser Ser Asn Tyr Cys Cys Glu Asn Cys Cys Asn Pro Ala Cys Thr
1 5 10 15
Gly Cys Tyr

<210> 48
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 48
Asn Ser Ser Asn Tyr Cys Cys Glu Asp Cys Cys Asn Pro Ala Cys Thr
1 5 10 15
Gly Cys Tyr

<210> 49
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 49
Asn Ser Ser Asn Tyr Cys Cys Glu Cys Cys Cys Asn Pro Ala Cys Thr
1 5 10 15
Gly Cys Tyr

<210> 50
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 50
Asn Ser Ser Asn Tyr Cys Cys Glu Gln Cys Cys Asn Pro Ala Cys Thr
1 5 10 15
Gly Cys Tyr

<210> 51
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 51
Asn Ser Ser Asn Tyr Cys Cys Glu Glu Cys Cys Asn Pro Ala Cys Thr
1 5 10 15
Gly Cys Tyr

<210> 52

<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 52
Asn Ser Ser Asn Tyr Cys Cys Glu Gly Cys Cys Asn Pro Ala Cys Thr
 1   5   10   15
Gly Cys Tyr

<210> 53
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 53
Asn Ser Ser Asn Tyr Cys Cys Glu His Cys Cys Asn Pro Ala Cys Thr
 1   5   10   15
Gly Cys Tyr

<210> 54
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 54
Asn Ser Ser Asn Tyr Cys Cys Glu Ile Cys Cys Asn Pro Ala Cys Thr
 1   5   10   15
Gly Cys Tyr

<210> 55
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 55
Asn Ser Ser Asn Tyr Cys Cys Glu Lys Cys Cys Asn Pro Ala Cys Thr
 1   5   10   15
Gly Cys Tyr

<210> 56
<211> 19

<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 56
Asn Ser Ser Asn Tyr Cys Cys Glu Met Cys Cys Asn Pro Ala Cys Thr
 1   5   10   15
Gly Cys Tyr

<210> 57
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 57
Asn Ser Ser Asn Tyr Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr
 1   5   10   15
Gly Cys Tyr

<210> 58
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 58
Asn Ser Ser Asn Tyr Cys Cys Glu Pro Cys Cys Asn Pro Ala Cys Thr
 1   5   10   15
Gly Cys Tyr

<210> 59
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 59
Asn Ser Ser Asn Tyr Cys Cys Glu Ser Cys Cys Asn Pro Ala Cys Thr
 1   5   10   15
Gly Cys Tyr

<210> 60
<211> 19
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 60
Asn Ser Ser Asn Tyr Cys Cys Glu Thr Cys Cys Asn Pro Ala Cys Thr
 1   5   10   15
Gly Cys Tyr

<210> 61
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 61
Asn Ser Ser Asn Tyr Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr
 1   5   10   15
Gly Cys Tyr

<210> 62
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 62
Asn Ser Ser Asn Tyr Cys Cys Glu Val Cys Cys Asn Pro Ala Cys Thr
 1   5   10   15
Gly Cys Tyr

<210> 63
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 63
Cys Cys Glu Ala Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 64
<211> 14
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 64
Cys Cys Glu Arg Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 65
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 65
Cys Cys Glu Asn Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 66
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 66
Cys Cys Glu Asp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 67
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 67
Cys Cys Glu Cys Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 68
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 68
Cys Cys Glu Gln Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 69
<211> 14
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 69
Cys Cys Glu Glu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 70
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 70
Cys Cys Glu Gly Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 71
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 71
Cys Cys Glu His Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 72
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 72
Cys Cys Glu Ile Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 73
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 73
Cys Cys Glu Lys Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 74
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 74
Cys Cys Glu Met Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 75
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 75
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 76
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 76
Cys Cys Glu Pro Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 77
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 77
Cys Cys Glu Ser Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 78
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 78

Cys Cys Glu Thr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 79
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 79
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 80
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 80
Cys Cys Glu Val Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 81
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 81
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 82
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 82
Cys Cys Glu Ala Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 83
<211> 13
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 83
Cys Cys Glu Arg Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 84
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 84
Cys Cys Glu Asn Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 85
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 85
Cys Cys Glu Asp Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 86
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 86
Cys Cys Glu Cys Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 87
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 87
Cys Cys Glu Gln Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 88
<211> 13
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 88
Cys Cys Glu Glu Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 89
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 89
Cys Cys Glu Gly Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 90
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 90
Cys Cys Glu His Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 91
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 91
Cys Cys Glu Ile Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 92
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 92
Cys Cys Glu Lys Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 93
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 93
Cys Cys Glu Met Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 94
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 94
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 95
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 95
Cys Cys Glu Pro Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 96
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 96
Cys Cys Glu Ser Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 97
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 97

Cys Cys Glu Thr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 98
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 98
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 99
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 99
Cys Cys Glu Val Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 100
<211> 19
<212> PRT
<213> Escherichia coli

<400> 100
Asn Ser Ser Asn Tyr Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr
1 5 10 15
Gly Cys Tyr

<210> 101
<211> 18
<212> PRT
<213> Escherichia coli

<400> 101
Asn Thr Phe Tyr Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Ala Gly
1 5 10 15
Cys Tyr

<210> 102
<211> 18
<212> PRT
<213> Escherichia coli

<400> 102
Asn Thr Phe Tyr Cys Cys Glu Leu Cys Cys Tyr Pro Ala Cys Ala Gly
1 5 10 15

Cys Asn

<210> 103
<211> 18
<212> PRT
<213> Citrobacter freundii

<400> 103
Asn Thr Phe Tyr Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Ala Gly
 1   5   10   15
Cys Tyr

<210> 104
<211> 30
<212> PRT
<213> Yersinia enterocolitica

<400> 104
Gln Ala Cys Asp Pro Pro Ser Pro Pro Ala Glu Val Ser Ser Asp Trp
 1   5   10   15
Asp Cys Cys Asp Val Cys Cys Asn Pro Ala Cys Ala Gly Cys
            20   25   30

<210> 105
<211> 30
<212> PRT
<213> Yersinia enterocolitica

<400> 105
Gln Ala Cys Asp Pro Pro Leu Pro Pro Ala Glu Val Ser Ser Asp Trp
 1   5   10   15
Asp Cys Cys Asp Val Cys Cys Asn Pro Ala Cys Ala Gly Cys
            20   25   30

<210> 106
<211> 30
<212> PRT
<213> Yersinia enterocolitica

<400> 106
Lys Ala Cys Asp Thr Gln Thr Pro Ser Pro Ser Glu Glu Asn Asp Asp
 1   5   10   15
Trp Cys Cys Glu Val Cys Cys Asn Pro Ala Cys Ala Gly Cys
            20   25   30

<210> 107
<211> 53
<212> PRT
<213> Yersinia enterocolitica

<400> 107
Gln Glu Thr Ala Ser Gly Gln Val Gly Asp Val Ser Ser Ser Thr Ile
 1   5   10   15
Ala Thr Glu Val Ser Glu Ala Glu Cys Gly Thr Gln Ser Ala Thr Thr
            20   25   30

Gln Gly Glu Asn Asp Trp Asp Trp Cys Cys Glu Leu Cys Cys Asn Pro
35 40 45
Ala Cys Phe Gly Cys
50

<210> 108
<211> 16
<212> PRT
<213> Yersinia kristensenii

<400> 108
Ser Asp Trp Cys Cys Glu Val Cys Cys Asn Pro Ala Cys Ala Gly Cys
1 5 10 15

<210> 109
<211> 17
<212> PRT
<213> Vibrio cholerae

<400> 109
Ile Asp Cys Cys Glu Ile Cys Cys Asn Pro Ala Cys Phe Gly Cys Leu
1 5 10 15
Asn

<210> 110
<211> 17
<212> PRT
<213> Vibrio mimicus

<400> 110
Ile Asp Cys Cys Glu Ile Cys Cys Asn Pro Ala Cys Phe Gly Cys Leu
1 5 10 15
Asn

<210> 111
<211> 18
<212> PRT
<213> Escherichia coli

<400> 111
Asn Thr Phe Tyr Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Ala Pro
1 5 10 15
Cys Tyr

<210> 112
<211> 13
<212> PRT
<213> Vibrio cholerae

<400> 112
Ile Asp Cys Cys Glu Ile Cys Cys Asn Pro Ala Cys Phe
1 5 10

<210> 113

<211> 14
<212> PRT
<213> Vibrio cholerae

<400> 113
Ile Asp Cys Cys Glu Ile Cys Cys Asn Pro Ala Cys Phe Gly
1 5 10

<210> 114
<211> 17
<212> PRT
<213> Vibrio mimicus

<400> 114
Ile Asp Cys Cys Glu Ile Cys Cys Asn Pro Ala Cys Phe Gly Cys Leu
1 5 10 15
Asn

<210> 115
<211> 17
<212> PRT
<213> Vibrio mimicus

<400> 115
Ile Asp Arg Cys Glu Ile Cys Cys Asn Pro Ala Cys Phe Gly Cys Leu
1 5 10 15
Asn

<210> 116
<211> 16
<212> PRT
<213> Yersinia enterocolitica

<400> 116
Asp Trp Asp Cys Cys Asp Val Cys Cys Asn Pro Ala Cys Ala Gly Cys
1 5 10 15

<210> 117
<211> 16
<212> PRT
<213> Yersinia enterocolitica

<400> 117
Asp Trp Asp Cys Cys Asp Val Cys Cys Asn Pro Ala Cys Ala Gly Cys
1 5 10 15

<210> 118
<211> 17
<212> PRT
<213> Yersinia enterocolitica

<400> 118
Asn Asp Asp Trp Cys Cys Glu Val Cys Cys Asn Pro Ala Cys Ala Gly
1 5 10 15
Cys

<210> 119
<211> 16
<212> PRT
<213> Yersinia enterocolitica

<400> 119
Trp Asp Trp Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Phe Gly Cys
1 5 10 15

<210> 120
<211> 30
<212> PRT
<213> Yersinia enterocolitica

<400> 120
Gln Ala Cys Asp Pro Pro Ser Pro Pro Ala Glu Val Ser Ser Asp Trp
1 5 10 15
Asp Cys Cys Asp Val Cys Cys Asp Pro Ala Cys Ala Gly Cys
20 25 30

<210> 121
<211> 72
<212> PRT
<213> Escherichia coli

<400> 121
Met Lys Lys Leu Met Leu Ala Ile Phe Ile Ser Val Leu Ser Phe Pro
1 5 10 15
Ser Phe Ser Gln Ser Thr Glu Ser Leu Asp Ser Ser Lys Glu Lys Ile
20 25 30
Thr Leu Glu Thr Lys Lys Cys Asp Val Val Lys Asn Asn Ser Glu Lys
35 40 45
Lys Ser Glu Asn Met Asn Asn Thr Phe Tyr Cys Cys Glu Leu Cys Cys
50 55 60
Asn Pro Ala Cys Ala Gly Cys Tyr
65 70

<210> 122
<211> 72
<212> PRT
<213> Escherichia coli

<400> 122
Met Lys Lys Ser Ile Leu Phe Ile Phe Leu Ser Val Leu Ser Phe Ser
1 5 10 15
Pro Phe Ala Gln Asp Ala Lys Pro Val Glu Ser Ser Lys Glu Lys Ile
20 25 30
Thr Leu Glu Ser Lys Lys Cys Asn Ile Ala Lys Lys Ser Asn Lys Ser
35 40 45
Gly Pro Glu Ser Met Asn Ser Ser Asn Tyr Cys Cys Glu Leu Cys Cys
50 55 60
Asn Pro Ala Cys Thr Gly Cys Tyr
65 70

<210> 123

<211> 71
<212> PRT
<213> Yersinia enterocolitica

<400> 123
Met Lys Lys Ile Val Phe Val Leu Val Leu Met Leu Ser Ser Phe Gly
 1   5   10   15
Ala Phe Gly Gln Glu Thr Val Ser Gly Gln Phe Ser Asp Ala Leu Ser
            20   25   30
Thr Pro Ile Thr Ala Glu Val Tyr Lys Gln Ala Cys Asp Pro Pro Leu
        35   40   45
Pro Pro Ala Glu Val Ser Ser Asp Trp Asp Cys Cys Asp Val Cys Cys
    50   55   60
Asn Pro Ala Cys Ala Gly Cys
65   70

<210> 124
<211> 53
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 124
Met Lys Lys Ser Ile Leu Phe Ile Phe Leu Ser Val Leu Ser Phe Ser
 1   5   10   15
Pro Phe Ala Gln Asp Ala Lys Pro Ala Gly Ser Ser Lys Glu Lys Ile
            20   25   30
Thr Leu Glu Ser Lys Lys Cys Asn Ile Val Lys Lys Ser Asn Lys Ser
        35   40   45
Gly Pro Glu Ser Met
    50

<210> 125
<211> 53
<212> PRT
<213> Escherichia coli

<400> 125
Met Lys Lys Ser Ile Leu Phe Ile Phe Leu Ser Val Leu Ser Phe Ser
 1   5   10   15
Pro Phe Ala Gln Asp Ala Lys Pro Ala Gly Ser Ser Lys Glu Lys Ile
            20   25   30
Thr Leu Glu Ser Lys Lys Cys Asn Ile Val Lys Lys Asn Asn Glu Ser
        35   40   45
Ser Pro Glu Ser Met
    50

<210> 126
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 126
Asn Ser Ser Asn Tyr
 1   5

<210> 127
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 127
Lys Lys Lys Lys Lys Lys
 1   5

<210> 128
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 128
Asp Lys Lys Lys Lys Lys Lys
 1   5

<210> 129
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 1, 2, 3, 4, 5
<223> Xaa1 = Asn, Xaa2 = Ser, Xaa3 = Ser, Xaa4 = Asn,
      Xaa5 = Tyr; and Xaa5 = Asn

<220>
<221> VARIANT
<222> 8
<223> Xaa = Glu or Asp

<220>
<221> VARIANT
<222> 9
<223> Xaa = Leu, Ile, Val, Trp, Tyr or Phe

<220>
<221> VARIANT
<222> 16
<223> Xaa = Thr, Ala, or Trp

<220>
<221> VARIANT
<222> 19
<223> Xaa = Trp, Tyr

<220>
<221> VARIANT
<222> 20, 21
<223> Xaa = Asp, Phe

<400> 129
Xaa Xaa Xaa Xaa Xaa Cys Cys Xaa Xaa Cys Cys Asn Pro Ala Cys Xaa
 1   5   10   15
Gly Cys Xaa Xaa Xaa

<210> 130
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 130
Cys Cys Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 131
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 131
Cys Cys Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 132
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 132
Cys Cys Cys Cys Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 133
<211> 10
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 133
Cys Cys Cys Cys Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 134
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 134
Cys Cys Cys Cys Pro Cys Thr Gly Cys Tyr
 1   5   10

<210> 135
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 135
Cys Cys Cys Cys Pro Ala Cys Gly Cys Tyr
 1   5   10

<210> 136
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 136
Cys Cys Cys Cys Pro Ala Cys Thr Cys Tyr
 1   5   10

<210> 137
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 137
Cys Cys Cys Cys Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 138
<211> 11
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 138
Cys Cys Cys Cys Asn Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 139
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 139
Cys Cys Cys Cys Asn Cys Thr Gly Cys Tyr
1 5 10

<210> 140
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 140
Cys Cys Cys Cys Asn Ala Cys Gly Cys Tyr
1 5 10

<210> 141
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 141
Cys Cys Cys Cys Asn Ala Cys Thr Cys Tyr
1 5 10

<210> 142
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 142
Cys Cys Cys Cys Asn Ala Cys Thr Gly Cys
1 5 10

<210> 143
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 143
Cys Cys Cys Cys Asn Pro Cys Thr Gly Cys Tyr
1 5 10

<210> 144
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 144
Cys Cys Cys Cys Asn Pro Cys Gly Cys Tyr
1 5 10

<210> 145
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 145
Cys Cys Cys Cys Asn Pro Cys Thr Cys Tyr
1 5 10

<210> 146
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 146
Cys Cys Cys Cys Asn Pro Cys Thr Gly Cys
1 5 10

<210> 147
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 147

Cys Cys Cys Cys Asn Pro Ala Cys Gly Cys Tyr
1 5 10

<210> 148
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 148
Cys Cys Cys Cys Asn Pro Ala Cys Cys Tyr
1 5 10

<210> 149
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 149
Cys Cys Cys Cys Asn Pro Ala Cys Gly Cys
1 5 10

<210> 150
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 150
Cys Cys Cys Cys Asn Pro Ala Cys Thr Cys Tyr
1 5 10

<210> 151
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 151
Cys Cys Cys Cys Asn Pro Ala Cys Thr Cys
1 5 10

<210> 152
<211> 11
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 152
Cys Cys Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 153
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 153
Cys Cys Tyr Cys Cys Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 154
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 154
Cys Cys Tyr Cys Cys Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 155
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 155
Cys Cys Tyr Cys Cys Cys Thr Gly Cys Tyr
1 5 10

<210> 156
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 156
Cys Cys Tyr Cys Cys Ala Cys Gly Cys Tyr
1 5 10

<210> 157
<211> 10
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 157
Cys Cys Tyr Cys Cys Ala Cys Thr Cys Tyr
 1   5   10

<210> 158
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 158
Cys Cys Tyr Cys Cys Ala Cys Thr Gly Cys
 1   5   10

<210> 159
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 159
Cys Cys Tyr Cys Cys Pro Cys Thr Gly Cys Tyr
 1   5   10

<210> 160
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 160
Cys Cys Tyr Cys Cys Pro Cys Gly Cys Tyr
 1   5   10

<210> 161
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 161
Cys Cys Tyr Cys Cys Pro Cys Thr Cys Tyr
 1   5   10

<210> 162
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 162
Cys Cys Tyr Cys Cys Pro Cys Thr Gly Cys
1 5 10

<210> 163
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 163
Cys Cys Tyr Cys Cys Pro Ala Cys Gly Cys Tyr
1 5 10

<210> 164
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 164
Cys Cys Tyr Cys Cys Pro Ala Cys Cys Tyr
1 5 10

<210> 165
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 165
Cys Cys Tyr Cys Cys Pro Ala Cys Gly Cys
1 5 10

<210> 166
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 166

Cys Cys Tyr Cys Cys Pro Ala Cys Thr Cys Tyr
1 5 10

<210> 167
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 167
Cys Cys Tyr Cys Cys Pro Ala Cys Thr Cys
1 5 10

<210> 168
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 168
Cys Cys Tyr Cys Cys Pro Ala Cys Thr Gly Cys
1 5 10

<210> 169
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 169
Cys Cys Tyr Cys Cys Asn Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 170
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 170
Cys Cys Tyr Cys Cys Asn Cys Thr Gly Cys Tyr
1 5 10

<210> 171
<211> 10
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 171
Cys Cys Tyr Cys Cys Asn Cys Gly Cys Tyr
1 5 10

<210> 172
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 172
Cys Cys Tyr Cys Cys Asn Cys Thr Cys Tyr
1 5 10

<210> 173
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 173
Cys Cys Tyr Cys Cys Asn Cys Thr Gly Cys
1 5 10

<210> 174
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 174
Cys Cys Tyr Cys Cys Asn Ala Cys Gly Cys Tyr
1 5 10

<210> 175
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 175
Cys Cys Tyr Cys Cys Asn Ala Cys Cys Tyr
1 5 10

<210> 176
<211> 10
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 176
Cys Cys Tyr Cys Cys Asn Ala Cys Gly Cys
1 5 10

<210> 177
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 177
Cys Cys Tyr Cys Cys Asn Ala Cys Thr Cys Tyr
1 5 10

<210> 178
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 178
Cys Cys Tyr Cys Cys Asn Ala Cys Thr Cys
1 5 10

<210> 179
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 179
Cys Cys Tyr Cys Cys Asn Ala Cys Thr Gly Cys
1 5 10

<210> 180
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 180
Cys Cys Tyr Cys Cys Asn Pro Cys Thr Gly Cys Tyr
1 5 10

<210> 181
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 181
Cys Cys Tyr Cys Cys Asn Pro Cys Gly Cys Tyr
1 5 10

<210> 182
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 182
Cys Cys Tyr Cys Cys Asn Pro Cys Cys Tyr
1 5 10

<210> 183
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 183
Cys Cys Tyr Cys Cys Asn Pro Cys Gly Cys
1 5 10

<210> 184
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 184
Cys Cys Tyr Cys Cys Asn Pro Cys Thr Cys Tyr
1 5 10

<210> 185
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 185

Cys Cys Tyr Cys Cys Asn Pro Cys Thr Cys
1 5 10

<210> 186
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 186
Cys Cys Tyr Cys Cys Asn Pro Cys Thr Gly Cys
1 5 10

<210> 187
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 187
Cys Cys Tyr Cys Cys Asn Pro Ala Cys Gly Cys Tyr
1 5 10

<210> 188
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 188
Cys Cys Tyr Cys Cys Asn Pro Ala Cys Cys Tyr
1 5 10

<210> 189
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 189
Cys Cys Tyr Cys Cys Asn Pro Ala Cys Cys
1 5 10

<210> 190
<211> 11
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 190
Cys Cys Tyr Cys Cys Asn Pro Ala Cys Gly Cys
1 5 10

<210> 191
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 191
Cys Cys Tyr Cys Cys Asn Pro Ala Cys Thr Cys Tyr
1 5 10

<210> 192
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 192
Cys Cys Tyr Cys Cys Asn Pro Ala Cys Thr Cys
1 5 10

<210> 193
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 193
Cys Cys Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 194
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 194
Cys Cys Glu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 195
<211> 12
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 195
Cys Cys Glu Cys Cys Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 196
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 196
Cys Cys Glu Cys Cys Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 197
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 197
Cys Cys Glu Cys Cys Cys Thr Gly Cys Tyr
 1   5   10

<210> 198
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 198
Cys Cys Glu Cys Cys Ala Cys Gly Cys Tyr
 1   5   10

<210> 199
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 199
Cys Cys Glu Cys Cys Ala Cys Thr Cys Tyr
 1   5   10

<210> 200
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 200
Cys Cys Glu Cys Cys Ala Cys Thr Gly Cys
1 5 10

<210> 201
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 201
Cys Cys Glu Cys Cys Pro Cys Thr Gly Cys Tyr
1 5 10

<210> 202
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 202
Cys Cys Glu Cys Cys Pro Cys Gly Cys Tyr
1 5 10

<210> 203
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 203
Cys Cys Glu Cys Cys Pro Cys Thr Cys Tyr
1 5 10

<210> 204
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 204

Cys Cys Glu Cys Cys Pro Cys Thr Gly Cys
1 5 10

<210> 205
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 205
Cys Cys Glu Cys Cys Pro Ala Cys Gly Cys Tyr
1 5 10

<210> 206
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 206
Cys Cys Glu Cys Cys Pro Ala Cys Cys Tyr
1 5 10

<210> 207
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 207
Cys Cys Glu Cys Cys Pro Ala Cys Gly Cys
1 5 10

<210> 208
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 208
Cys Cys Glu Cys Cys Pro Ala Cys Thr Cys Tyr
1 5 10

<210> 209
<211> 10
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 209
Cys Cys Glu Cys Cys Pro Ala Cys Thr Cys
1 5 10

<210> 210
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 210
Cys Cys Glu Cys Cys Pro Ala Cys Thr Gly Cys
1 5 10

<210> 211
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 211
Cys Cys Glu Cys Cys Asn Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 212
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 212
Cys Cys Glu Cys Cys Asn Cys Thr Gly Cys Tyr
1 5 10

<210> 213
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 213
Cys Cys Glu Cys Cys Asn Cys Gly Cys Tyr
1 5 10

<210> 214
<211> 10
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 214
Cys Cys Glu Cys Cys Asn Cys Thr Cys Tyr
 1   5   10

<210> 215
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 215
Cys Cys Glu Cys Cys Asn Cys Thr Gly Cys
 1   5   10

<210> 216
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 216
Cys Cys Glu Cys Cys Asn Ala Cys Gly Cys Tyr
 1   5   10

<210> 217
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 217
Cys Cys Glu Cys Cys Asn Ala Cys Cys Tyr
 1   5   10

<210> 218
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 218
Cys Cys Glu Cys Cys Asn Ala Cys Gly Cys
 1   5   10

<210> 219
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 219
Cys Cys Glu Cys Cys Asn Ala Cys Thr Cys Tyr
1 5 10

<210> 220
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 220
Cys Cys Glu Cys Cys Asn Ala Cys Thr Cys
1 5 10

<210> 221
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 221
Cys Cys Glu Cys Cys Asn Ala Cys Thr Gly Cys
1 5 10

<210> 222
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 222
Cys Cys Glu Cys Cys Asn Pro Cys Thr Gly Cys Tyr
1 5 10

<210> 223
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 223

Cys Cys Glu Cys Cys Asn Pro Cys Gly Cys Tyr
1 5 10

<210> 224
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 224
Cys Cys Glu Cys Cys Asn Pro Cys Cys Tyr
1 5 10

<210> 225
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 225
Cys Cys Glu Cys Cys Asn Pro Cys Gly Cys
1 5 10

<210> 226
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 226
Cys Cys Glu Cys Cys Asn Pro Cys Thr Cys Tyr
1 5 10

<210> 227
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 227
Cys Cys Glu Cys Cys Asn Pro Cys Thr Cys
1 5 10

<210> 228
<211> 11
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 228
Cys Cys Glu Cys Cys Asn Pro Cys Thr Gly Cys
1 5 10

<210> 229
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 229
Cys Cys Glu Cys Cys Asn Pro Ala Cys Gly Cys Tyr
1 5 10

<210> 230
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 230
Cys Cys Glu Cys Cys Asn Pro Ala Cys Cys Tyr
1 5 10

<210> 231
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 231
Cys Cys Glu Cys Cys Asn Pro Ala Cys Cys
1 5 10

<210> 232
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 232
Cys Cys Glu Cys Cys Asn Pro Ala Cys Gly Cys
1 5 10

<210> 233
<211> 12
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 233
Cys Cys Glu Cys Cys Asn Pro Ala Cys Thr Cys Tyr
1 5 10

<210> 234
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 234
Cys Cys Glu Cys Cys Asn Pro Ala Cys Thr Cys
1 5 10

<210> 235
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 235
Cys Cys Glu Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 236
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 236
Cys Cys Glu Tyr Cys Cys Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 237
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 237
Cys Cys Glu Tyr Cys Cys Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 238
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 238
Cys Cys Glu Tyr Cys Cys Cys Thr Gly Cys Tyr
 1   5   10

<210> 239
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 239
Cys Cys Glu Tyr Cys Cys Cys Gly Cys Tyr
 1   5   10

<210> 240
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 240
Cys Cys Glu Tyr Cys Cys Cys Thr Cys Tyr
 1   5   10

<210> 241
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 241
Cys Cys Glu Tyr Cys Cys Cys Thr Gly Cys
 1   5   10

<210> 242
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 242

Cys Cys Glu Tyr Cys Cys Ala Cys Gly Cys Tyr
1 5 10

<210> 243
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 243
Cys Cys Glu Tyr Cys Cys Ala Cys Cys Tyr
1 5 10

<210> 244
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 244
Cys Cys Glu Tyr Cys Cys Ala Cys Gly Cys
1 5 10

<210> 245
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 245
Cys Cys Glu Tyr Cys Cys Ala Cys Thr Cys Tyr
1 5 10

<210> 246
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 246
Cys Cys Glu Tyr Cys Cys Ala Cys Thr Cys
1 5 10

<210> 247
<211> 11
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 247
Cys Cys Glu Tyr Cys Cys Ala Cys Thr Gly Cys
1 5 10

<210> 248
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 248
Cys Cys Glu Tyr Cys Cys Pro Cys Thr Gly Cys Tyr
1 5 10

<210> 249
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 249
Cys Cys Glu Tyr Cys Cys Pro Cys Gly Cys Tyr
1 5 10

<210> 250
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 250
Cys Cys Glu Tyr Cys Cys Pro Cys Cys Tyr
1 5 10

<210> 251
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 251
Cys Cys Glu Tyr Cys Cys Pro Cys Gly Cys
1 5 10

<210> 252
<211> 11
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 252
Cys Cys Glu Tyr Cys Cys Pro Cys Thr Cys Tyr
 1   5   10

<210> 253
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 253
Cys Cys Glu Tyr Cys Cys Pro Cys Thr Cys
 1   5   10

<210> 254
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 254
Cys Cys Glu Tyr Cys Cys Pro Cys Thr Gly Cys
 1   5   10

<210> 255
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 255
Cys Cys Glu Tyr Cys Cys Pro Ala Cys Gly Cys Tyr
 1   5   10

<210> 256
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 256
Cys Cys Glu Tyr Cys Cys Pro Ala Cys Cys Tyr
 1   5   10

<210> 257
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 257
Cys Cys Glu Tyr Cys Cys Pro Ala Cys Cys
1 5 10

<210> 258
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 258
Cys Cys Glu Tyr Cys Cys Pro Ala Cys Gly Cys
1 5 10

<210> 259
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 259
Cys Cys Glu Tyr Cys Cys Pro Ala Cys Thr Cys Tyr
1 5 10

<210> 260
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 260
Cys Cys Glu Tyr Cys Cys Pro Ala Cys Thr Cys
1 5 10

<210> 261
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 261

Cys Cys Glu Tyr Cys Cys Pro Ala Cys Thr Gly Cys
1 5 10

<210> 262
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 262
Cys Cys Glu Tyr Cys Cys Asn Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 263
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 263
Cys Cys Glu Tyr Cys Cys Asn Cys Thr Gly Cys Tyr
1 5 10

<210> 264
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 264
Cys Cys Glu Tyr Cys Cys Asn Cys Gly Cys Tyr
1 5 10

<210> 265
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 265
Cys Cys Glu Tyr Cys Cys Asn Cys Cys Tyr
1 5 10

<210> 266
<211> 10
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 266
Cys Cys Glu Tyr Cys Cys Asn Cys Gly Cys
1 5 10

<210> 267
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 267
Cys Cys Glu Tyr Cys Cys Asn Cys Thr Cys Tyr
1 5 10

<210> 268
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 268
Cys Cys Glu Tyr Cys Cys Asn Cys Thr Cys
1 5 10

<210> 269
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 269
Cys Cys Glu Tyr Cys Cys Asn Cys Thr Gly Cys
1 5 10

<210> 270
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 270
Cys Cys Glu Tyr Cys Cys Asn Ala Cys Gly Cys Tyr
1 5 10

<210> 271
<211> 11
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 271
Cys Cys Glu Tyr Cys Cys Asn Ala Cys Cys Tyr
 1   5   10

<210> 272
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 272
Cys Cys Glu Tyr Cys Cys Asn Ala Cys Cys
 1   5   10

<210> 273
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 273
Cys Cys Glu Tyr Cys Cys Asn Ala Cys Gly Cys
 1   5   10

<210> 274
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 274
Cys Cys Glu Tyr Cys Cys Asn Ala Cys Thr Cys Tyr
 1   5   10

<210> 275
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 275
Cys Cys Glu Tyr Cys Cys Asn Ala Cys Thr Cys
 1   5   10

<210> 276
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 276
Cys Cys Glu Tyr Cys Cys Asn Ala Cys Thr Gly Cys
1 5 10

<210> 277
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 277
Cys Cys Glu Tyr Cys Cys Asn Pro Cys Thr Gly Cys Tyr
1 5 10

<210> 278
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 278
Cys Cys Glu Tyr Cys Cys Asn Pro Cys Gly Cys Tyr
1 5 10

<210> 279
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 279
Cys Cys Glu Tyr Cys Cys Asn Pro Cys Cys Tyr
1 5 10

<210> 280
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 280

Cys Cys Glu Tyr Cys Cys Asn Pro Cys Cys
1 5 10

<210> 281
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 281
Cys Cys Glu Tyr Cys Cys Asn Pro Cys Gly Cys
1 5 10

<210> 282
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 282
Cys Cys Glu Tyr Cys Cys Asn Pro Cys Thr Cys Tyr
1 5 10

<210> 283
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 283
Cys Cys Glu Tyr Cys Cys Asn Pro Cys Thr Cys
1 5 10

<210> 284
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 284
Cys Cys Glu Tyr Cys Cys Asn Pro Cys Thr Gly Cys
1 5 10

<210> 285
<211> 13
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 285
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Gly Cys Tyr
1 5 10

<210> 286
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 286
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Cys Tyr
1 5 10

<210> 287
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 287
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Cys
1 5 10

<210> 288
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 288
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Gly Cys
1 5 10

<210> 289
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 289
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Cys Tyr
1 5 10

<210> 290
<211> 12
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 290
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Cys
1 5 10

<210> 291
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 291
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 292
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 1
<223> Xaa = Any Amino Acid

<400> 292
Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 293
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4
<223> Xaa = Any Amino Acid

<400> 293
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 294
<211> 17

<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 5
<223> Xaa = Any Amino Acid

<400> 294
Cys Cys Xaa Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10   15
Tyr

<210> 295
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 5, 6
<223> Xaa = Any Amino Acid

<400> 295
Cys Cys Xaa Xaa Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 296
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 5, 7
<223> Xaa = Any Amino Acid

<400> 296
Cys Cys Xaa Xaa Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 297
<211> 18

<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 5, 8
<223> Xaa = Any Amino Acid

<400> 297
Cys Cys Xaa Xaa Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 298
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 5, 10
<223> Xaa = Any Amino Acid

<400> 298
Cys Cys Xaa Xaa Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 299
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 5, 11
<223> Xaa = Any Amino Acid

<400> 299
Cys Cys Xaa Xaa Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 300
<211> 18

<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 5, 12
<223> Xaa = Any Amino Acid

<400> 300
Cys Cys Xaa Xaa Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 301
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 5, 13
<223> Xaa = Any Amino Acid

<400> 301
Cys Cys Xaa Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 302
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 5, 14
<223> Xaa = Any Amino Acid

<400> 302
Cys Cys Xaa Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 303
<211> 18

<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 5, 15
<223> Xaa = Any Amino Acid

<400> 303
Cys Cys Xaa Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 304
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 5, 16
<223> Xaa = Any Amino Acid

<400> 304
Cys Cys Xaa Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 305
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 5, 17
<223> Xaa = Any Amino Acid

<400> 305
Cys Cys Xaa Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 306

<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 6
<223> Xaa = Any Amino Acid

<400> 306
Cys Cys Xaa Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10   15
Tyr

<210> 307
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 6, 7
<223> Xaa = Any Amino Acid

<400> 307
Cys Cys Xaa Xaa Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 308
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 6, 8
<223> Xaa = Any Amino Acid

<400> 308
Cys Cys Xaa Xaa Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 309

<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 6, 10
<223> Xaa = Any Amino Acid

<400> 309
Cys Cys Xaa Xaa Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 310
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 6, 11
<223> Xaa = Any Amino Acid

<400> 310
Cys Cys Xaa Xaa Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 311
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 6, 12
<223> Xaa = Any Amino Acid

<400> 311
Cys Cys Xaa Xaa Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 312

<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 6, 13
<223> Xaa = Any Amino Acid

<400> 312
Cys Cys Xaa Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 313
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 6, 14
<223> Xaa = Any Amino Acid

<400> 313
Cys Cys Xaa Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 314
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 6, 15
<223> Xaa = Any Amino Acid

<400> 314
Cys Cys Xaa Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 315

<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 6, 16
<223> Xaa = Any Amino Acid

<400> 315
Cys Cys Xaa Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa
 1   5   10   15
Cys Tyr

<210> 316
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 6, 17
<223> Xaa = Any Amino Acid

<400> 316
Cys Cys Xaa Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10   15
Xaa Tyr

<210> 317
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 7
<223> Xaa = Any Amino Acid

<400> 317
Cys Cys Xaa Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10   15
Tyr

<210> 318

<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 7, 8
<223> Xaa = Any Amino Acid

<400> 318
Cys Cys Xaa Xaa Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 319
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 7, 10
<223> Xaa = Any Amino Acid

<400> 319
Cys Cys Xaa Xaa Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 320
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 7, 11
<223> Xaa = Any Amino Acid

<400> 320
Cys Cys Xaa Xaa Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 321

<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 7, 12
<223> Xaa = Any Amino Acid

<400> 321
Cys Cys Xaa Xaa Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 322
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 7, 13
<223> Xaa = Any Amino Acid

<400> 322
Cys Cys Xaa Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 323
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 7, 14
<223> Xaa = Any Amino Acid

<400> 323
Cys Cys Xaa Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 324
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 7, 15
<223> Xaa = Any Amino Acid

<400> 324
Cys Cys Xaa Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Gly
 1   5   10   15
Cys Tyr

<210> 325
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 7, 16
<223> Xaa = Any Amino Acid

<400> 325
Cys Cys Xaa Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Xaa
 1   5   10   15
Cys Tyr

<210> 326
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 7, 17
<223> Xaa = Any Amino Acid

<400> 326
Cys Cys Xaa Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10   15
Xaa Tyr

<210> 327
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 9
<223> Xaa = Any Amino Acid

<400> 327
Cys Cys Xaa Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 328
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 9, 10
<223> Xaa = Any Amino Acid

<400> 328
Cys Cys Xaa Xaa Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 329
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 9, 11
<223> Xaa = Any Amino Acid

<400> 329
Cys Cys Xaa Xaa Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 330
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 9, 12
<223> Xaa = Any Amino Acid

<400> 330
Cys Cys Xaa Xaa Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 331
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 9, 13
<223> Xaa = Any Amino Acid

<400> 331
Cys Cys Xaa Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 332
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 9, 14
<223> Xaa = Any Amino Acid

<400> 332
Cys Cys Xaa Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 333
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 9, 15
<223> Xaa = Any Amino Acid

<400> 333
Cys Cys Xaa Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 334
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 9, 16
<223> Xaa = Any Amino Acid

<400> 334
Cys Cys Xaa Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 335
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 9, 17
<223> Xaa = Any Amino Acid

<400> 335
Cys Cys Xaa Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 336
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 10
<223> Xaa = Any Amino Acid

<400> 336
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys
 1   5   10   15
Tyr

<210> 337
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 10, 11
<223> Xaa = Any Amino Acid

<400> 337
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 338
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 10, 12
<223> Xaa = Any Amino Acid

<400> 338
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 339
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 10, 13
<223> Xaa = Any Amino Acid

<400> 339
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 340
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 10, 14
<223> Xaa = Any Amino Acid

<400> 340
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 341
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 10, 15
<223> Xaa = Any Amino Acid

<400> 341
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 342
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 10, 16
<223> Xaa = Any Amino Acid

<400> 342
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Xaa
 1   5   10   15
Cys Tyr

<210> 343
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 10, 17
<223> Xaa = Any Amino Acid

<400> 343
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys
 1   5   10   15
Xaa Tyr

<210> 344
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 11
<223> Xaa = Any Amino Acid

<400> 344
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys
 1   5   10   15
Tyr

<210> 345
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 11, 12
<223> Xaa = Any Amino Acid

<400> 345
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 346
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 11, 13
<223> Xaa = Any Amino Acid

<400> 346
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 347
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 11, 14
<223> Xaa = Any Amino Acid

<400> 347
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 348
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 11, 15
<223> Xaa = Any Amino Acid

<400> 348
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 349
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 11, 16
<223> Xaa = Any Amino Acid

<400> 349
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 350
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 11, 17
<223> Xaa = Any Amino Acid

<400> 350
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 351
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 12
<223> Xaa = Any Amino Acid

<400> 351
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 352
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 12, 13
<223> Xaa = Any Amino Acid

<400> 352
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 353
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 12, 14
<223> Xaa = Any Amino Acid

<400> 353
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 354
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 12, 15
<223> Xaa = Any Amino Acid

<400> 354
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 355
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 12, 16
<223> Xaa = Any Amino Acid

<400> 355
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 356
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 12, 17
<223> Xaa = Any Amino Acid

<400> 356
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 357
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 13
<223> Xaa = Any Amino Acid

<400> 357
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys
 1   5   10   15
Tyr

<210> 358
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 13, 14
<223> Xaa = Any Amino Acid

<400> 358
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Gly
 1   5   10   15
Cys Tyr

<210> 359
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 13, 15
<223> Xaa = Any Amino Acid

<400> 359
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Gly
 1   5   10   15
Cys Tyr

<210> 360
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 13, 16
<223> Xaa = Any Amino Acid

<400> 360
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 361
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 13, 17
<223> Xaa = Any Amino Acid

<400> 361
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 362
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 14
<223> Xaa = Any Amino Acid

<400> 362
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 363
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 14, 15
<223> Xaa = Any Amino Acid

<400> 363
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 364
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 14, 16
<223> Xaa = Any Amino Acid

<400> 364
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 365
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 14, 17
<223> Xaa = Any Amino Acid

<400> 365
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 366
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 15
<223> Xaa = Any Amino Acid

<400> 366
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 367
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 15, 16
<223> Xaa = Any Amino Acid

<400> 367
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 368
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 15, 17
<223> Xaa = Any Amino Acid

<400> 368
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 369
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 16
<223> Xaa = Any Amino Acid

<400> 369
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 370
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 4, 16, 17
<223> Xaa = Any Amino Acid

<400> 370
Cys Cys Xaa Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 371
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5,
<223> Xaa = Any Amino Acid

<400> 371
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 372

<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 6
<223> Xaa = Any Amino Acid

<400> 372
Cys Cys Xaa Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10   15
Tyr

<210> 373
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 6, 7
<223> Xaa = Any Amino Acid

<400> 373
Cys Cys Xaa Glu Xaa Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 374
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 6, 8
<223> Xaa = Any Amino Acid

<400> 374
Cys Cys Xaa Glu Xaa Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 375

<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 6, 10
<223> Xaa = Any Amino Acid

<400> 375
Cys Cys Xaa Glu Xaa Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 376
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 6, 11
<223> Xaa = Any Amino Acid

<400> 376
Cys Cys Xaa Glu Xaa Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 377
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 6, 12
<223> Xaa = Any Amino Acid

<400> 377
Cys Cys Xaa Glu Xaa Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 378
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 6, 13
<223> Xaa = Any Amino Acid

<400> 378
Cys Cys Xaa Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 379
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 6, 14
<223> Xaa = Any Amino Acid

<400> 379
Cys Cys Xaa Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 380
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 6, 15
<223> Xaa = Any Amino Acid

<400> 380
Cys Cys Xaa Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 381
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 6, 16
<223> Xaa = Any Amino Acid

<400> 381
Cys Cys Xaa Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa
 1   5   10   15
Cys Tyr

<210> 382
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 6, 17
<223> Xaa = Any Amino Acid

<400> 382
Cys Cys Xaa Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10   15
Xaa Tyr

<210> 383
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 7
<223> Xaa = Any Amino Acid

<400> 383
Cys Cys Xaa Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10   15
Tyr

<210> 384
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 7, 8
<223> Xaa = Any Amino Acid

<400> 384
Cys Cys Xaa Glu Xaa Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 385
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 7, 10
<223> Xaa = Any Amino Acid

<400> 385
Cys Cys Xaa Glu Xaa Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 386
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 7,, 11
<223> Xaa = Any Amino Acid

<400> 386
Cys Cys Xaa Glu Xaa Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 387
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 7, 12
<223> Xaa = Any Amino Acid

<400> 387
Cys Cys Xaa Glu Xaa Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 388
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 7,, 13
<223> Xaa = Any Amino Acid

<400> 388
Cys Cys Xaa Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 389
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 7,, 14
<223> Xaa = Any Amino Acid

<400> 389
Cys Cys Xaa Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 390
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 7, 15
<223> Xaa = Any Amino Acid

<400> 390
Cys Cys Xaa Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 391
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 7, 16
<223> Xaa = Any Amino Acid

<400> 391
Cys Cys Xaa Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 392
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 7, 17
<223> Xaa = Any Amino Acid

<400> 392
Cys Cys Xaa Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 393
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 9
<223> Xaa = Any Amino Acid

<400> 393
Cys Cys Xaa Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 394
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 9, 10
<223> Xaa = Any Amino Acid

<400> 394
Cys Cys Xaa Glu Xaa Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 395
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 9, 11
<223> Xaa = Any Amino Acid

<400> 395
Cys Cys Xaa Glu Xaa Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 396
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 9, 12
<223> Xaa = Any Amino Acid

<400> 396
Cys Cys Xaa Glu Xaa Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 397
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 9, 13
<223> Xaa = Any Amino Acid

<400> 397
Cys Cys Xaa Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 398
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 9, 14
<223> Xaa = Any Amino Acid

<400> 398
Cys Cys Xaa Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 399
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 9, 15
<223> Xaa = Any Amino Acid

<400> 399
Cys Cys Xaa Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 400
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 9, 16
<223> Xaa = Any Amino Acid

<400> 400
Cys Cys Xaa Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 401
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 9, 17
<223> Xaa = Any Amino Acid

<400> 401
Cys Cys Xaa Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 402
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 10
<223> Xaa = Any Amino Acid

<400> 402
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys
 1   5   10   15
Tyr

<210> 403
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 10, 11
<223> Xaa = Any Amino Acid

<400> 403
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 404
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 10, 12
<223> Xaa = Any Amino Acid

<400> 404
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 405
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 10, 13
<223> Xaa = Any Amino Acid

<400> 405
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 406
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 10, 14
<223> Xaa = Any Amino Acid

<400> 406
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 407
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 10, 15
<223> Xaa = Any Amino Acid

<400> 407
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 408
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 10, 16
<223> Xaa = Any Amino Acid

<400> 408
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 409
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 10, 17
<223> Xaa = Any Amino Acid

<400> 409
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 410
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 11
<223> Xaa = Any Amino Acid

<400> 410
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 411
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 11, 12
<223> Xaa = Any Amino Acid

<400> 411
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 412
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 11, 13
<223> Xaa = Any Amino Acid

<400> 412
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 413
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 11, 14
<223> Xaa = Any Amino Acid

<400> 413
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 414
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 11, 15
<223> Xaa = Any Amino Acid

<400> 414
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Gly
 1   5   10   15
Cys Tyr

<210> 415
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 11, 16
<223> Xaa = Any Amino Acid

<400> 415
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Xaa
 1   5   10   15
Cys Tyr

<210> 416
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 11, 17
<223> Xaa = Any Amino Acid

<400> 416
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys
 1   5   10   15
Xaa Tyr

<210> 417
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 12
<223> Xaa = Any Amino Acid

<400> 417
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys
 1   5   10   15
Tyr

<210> 418
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 12, 13
<223> Xaa = Any Amino Acid

<400> 418
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 419
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 12, 14
<223> Xaa = Any Amino Acid

<400> 419
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Gly
 1   5   10   15
Cys Tyr

<210> 420
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 12, 15
<223> Xaa = Any Amino Acid

<400> 420
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 421
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 12, 16
<223> Xaa = Any Amino Acid

<400> 421
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 422
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 12, 17
<223> Xaa = Any Amino Acid

<400> 422
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 423
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 13
<223> Xaa = Any Amino Acid

<400> 423
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys
 1   5   10   15
Tyr

<210> 424
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 13, 14
<223> Xaa = Any Amino Acid

<400> 424
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Gly
 1   5   10   15
Cys Tyr

<210> 425
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(18)
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> 3, 5, 13, 15
<223> Xaa = Any Amino Acid

<400> 425
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 426
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 13, 16
<223> Xaa = Any Amino Acid

<400> 426
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 427
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 13, 17
<223> Xaa = Any Amino Acid

<<400> 427
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 428
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 14
<223> Xaa = Any Amino Acid

<400> 428
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 429
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 14, 15
<223> Xaa = Any Amino Acid

<400> 429
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 430
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 14, 16
<223> Xaa = Any Amino Acid

<400> 430
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 431
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 14, 17
<223> Xaa = Any Amino Acid

<400> 431
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 432
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 15
<223> Xaa = Any Amino Acid

<400> 432
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 433
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 15, 16
<223> Xaa = Any Amino Acid

<400> 433
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 434
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 15, 17
<223> Xaa = Any Amino Acid

<400> 434
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 435
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 16
<223> Xaa = Any Amino Acid

<400> 435
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 436
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 5, 16, 17
<223> Xaa = Any Amino Acid

<400> 436
Cys Cys Xaa Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 437
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6
<223> Xaa = Any Amino Acid

<400> 437
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10   15

<210> 438
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 7
<223> Xaa = Any Amino Acid

<400> 438
Cys Cys Xaa Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10   15
Tyr

<210> 439
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 7, 8
<223> Xaa = Any Amino Acid

<400> 439
Cys Cys Xaa Glu Tyr Xaa Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 440
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 7, 10
<223> Xaa = Any Amino Acid

<400> 440
Cys Cys Xaa Glu Tyr Xaa Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Gly

```
 1               5                   10                  15
Cys Tyr


<210> 441
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 7, 11
<223> Xaa = Any Amino Acid

<400> 441
Cys Cys Xaa Glu Tyr Xaa Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Gly
 1               5                   10                  15
Cys Tyr


<210> 442
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 7, 12
<223> Xaa = Any Amino Acid

<400> 442
Cys Cys Xaa Glu Tyr Xaa Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Gly
 1               5                   10                  15
Cys Tyr


<210> 443
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 7, 13
<223> Xaa = Any Amino Acid

<400> 443
Cys Cys Xaa Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Gly
```

```
 1               5                   10                  15
Cys Tyr


<210> 444
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 7, 14
<223> Xaa = Any Amino Acid

<400> 444
Cys Cys Xaa Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Gly
 1               5                   10                  15
Cys Tyr


<210> 445
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 7, 15
<223> Xaa = Any Amino Acid

<400> 445
Cys Cys Xaa Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Gly
 1               5                   10                  15
Cys Tyr


<210> 446
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 7, 16
<223> Xaa = Any Amino Acid

<400> 446
Cys Cys Xaa Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Gly Xaa
```

1 5 10 15
Cys Tyr

<210> 447
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 7, 17
<223> Xaa = Any Amino Acid

<400> 447
Cys Cys Xaa Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 448
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 9
<223> Xaa = Any Amino Acid

<400> 448
Cys Cys Xaa Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 449
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 9, 10
<223> Xaa = Any Amino Acid

<400> 449
Cys Cys Xaa Glu Tyr Xaa Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Gly

1 5 10 15
Cys Tyr

<210> 450
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 9, 11
<223> Xaa = Any Amino Acid

<400> 450
Cys Cys Xaa Glu Tyr Xaa Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 451
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 9, 12
<223> Xaa = Any Amino Acid

<400> 451
Cys Cys Xaa Glu Tyr Xaa Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 452
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 9, 13
<223> Xaa = Any Amino Acid

<400> 452
Cys Cys Xaa Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Gly

1 5 10 15
Cys Tyr

<210> 453
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 9, 14
<223> Xaa = Any Amino Acid

<400> 453
Cys Cys Xaa Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 454
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 9, 15
<223> Xaa = Any Amino Acid

<400> 454
Cys Cys Xaa Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 455
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 9, 16
<223> Xaa = Any Amino Acid

<400> 455
Cys Cys Xaa Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Gly Xaa

```
 1               5                   10                  15
Cys Tyr


<210> 456
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 9, 17
<223> Xaa = Any Amino Acid

<400> 456
Cys Cys Xaa Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys
 1               5                   10                  15
Xaa Tyr


<210> 457
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 10
<223> Xaa = Any Amino Acid

<400> 457
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys
 1               5                   10                  15
Tyr


<210> 458
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 10, 11
<223> Xaa = Any Amino Acid

<400> 458
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Gly
```

1 5 10 15
Cys Tyr

<210> 459
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 10, 12
<223> Xaa = Any Amino Acid

<400> 459
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 460
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 10, 13
<223> Xaa = Any Amino Acid

<400> 460
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 461
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 10, 14
<223> Xaa = Any Amino Acid

<400> 461
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Gly

```
 1               5                   10                  15
Cys Tyr


<210> 462
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 10, 15
<223> Xaa = Any Amino Acid

<400> 462
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Gly
 1               5                   10                  15
Cys Tyr


<210> 463
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 10, 16
<223> Xaa = Any Amino Acid

<400> 463
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Gly Xaa
 1               5                   10                  15
Cys Tyr


<210> 464
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 10, 17
<223> Xaa = Any Amino Acid

<400> 464
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys
```

```
 1               5                   10                  15
Xaa Tyr


<210> 465
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 11
<223> Xaa = Any Amino Acid

<400> 465
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys
 1               5                   10                  15
Tyr


<210> 466
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 11, 12
<223> Xaa = Any Amino Acid

<400> 466
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Gly
 1               5                   10                  15
Cys Tyr


<210> 467
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 11, 13
<223> Xaa = Any Amino Acid

<400> 467
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Gly
```

```
 1               5                   10                  15
Cys Tyr


<210> 468
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 11, 14
<223> Xaa = Any Amino Acid

<400> 468
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Gly
 1               5                   10                  15
Cys Tyr


<210> 469
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 11, 15
<223> Xaa = Any Amino Acid

<400> 469
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Gly
 1               5                   10                  15
Cys Tyr


<210> 470
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 11, 16
<223> Xaa = Any Amino Acid

<400> 470
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Gly Xaa
```

```
 1               5                  10                  15
Cys Tyr


<210> 471
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 11, 17
<223> Xaa = Any Amino Acid

<400> 471
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys
 1               5                  10                  15
Xaa Tyr


<210> 472
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 12
<223> Xaa = Any Amino Acid

<400> 472
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys
 1               5                  10                  15
Tyr


<210> 473
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 12, 13
<223> Xaa = Any Amino Acid

<400> 473
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Gly
```

1 5 10 15
Cys Tyr

<210> 474
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 12, 14
<223> Xaa = Any Amino Acid

<400> 474
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 475
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 12, 15
<223> Xaa = Any Amino Acid

<400> 475
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 476
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 12, 16
<223> Xaa = Any Amino Acid

<400> 476
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Gly Xaa

1 5 10 15
Cys Tyr

<210> 477
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 12, 17
<223> Xaa = Any Amino Acid

<400> 477
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 478
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 13
<223> Xaa = Any Amino Acid

<400> 478
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 479
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 13, 14
<223> Xaa = Any Amino Acid

<400> 479
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Gly

1 5 10 15
Cys Tyr

<210> 480
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 13, 15
<223> Xaa = Any Amino Acid

<400> 480
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 481
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 13, 16
<223> Xaa = Any Amino Acid

<400> 481
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 482
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 13, 17
<223> Xaa = Any Amino Acid

<400> 482
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys

```
 1               5                   10                  15
Xaa Tyr


<210> 483
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 14
<223> Xaa = Any Amino Acid

<400> 483
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys
 1               5                   10                  15
Tyr


<210> 484
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 14, 15
<223> Xaa = Any Amino Acid

<400> 484
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Gly
 1               5                   10                  15
Cys Tyr


<210> 485
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 14, 16
<223> Xaa = Any Amino Acid

<400> 485
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Gly Xaa
```

```
 1               5                   10                  15
Cys Tyr


<210> 486
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 14, 16
<223> Xaa = Any Amino Acid

<400> 486
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys
 1               5                   10                  15
Xaa Tyr


<210> 487
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 15
<223> Xaa = Any Amino Acid

<400> 487
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys
 1               5                   10                  15
Tyr


<210> 488
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 15, 16
<223> Xaa = Any Amino Acid

<400> 488
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Xaa Xaa
```

1 5 10 15
Cys Tyr

<210> 489
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 15, 17
<223> Xaa = Any Amino Acid

<400> 489
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 490
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 16
<223> Xaa = Any Amino Acid

<400> 490
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 491
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 6, 16, 17
<223> Xaa = Any Amino Acid

<400> 491
Cys Cys Xaa Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa

```
 1               5                   10                  15
Xaa Tyr


<210> 492
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> 3, 8
<223> Xaa = Any Amino Acid

<400> 492
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys Tyr
 1               5                   10                  15

<210> 493
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 9
<223> Xaa = Any Amino Acid

<400> 493
Cys Cys Xaa Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Gly Cys
 1               5                   10                  15
Tyr


<210> 494
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 9, 10
<223> Xaa = Any Amino Acid
```

<400> 494
Cys Cys Xaa Glu Tyr Cys Cys Xaa Xaa Xaa Asn Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 495
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 9, 11
<223> Xaa = Any Amino Acid

<400> 495
Cys Cys Xaa Glu Tyr Cys Cys Xaa Xaa Asn Xaa Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 496
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 9, 12
<223> Xaa = Any Amino Acid

<400> 496
Cys Cys Xaa Glu Tyr Cys Cys Xaa Xaa Asn Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 497
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> v3, 8, 9, 13
<223> Xaa = Any Amino Acid

<400> 497
Cys Cys Xaa Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 498
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 9, 14
<223> Xaa = Any Amino Acid

<400> 498
Cys Cys Xaa Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 499
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 9, 15
<223> Xaa = Any Amino Acid

<400> 499
Cys Cys Xaa Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 500
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 9, 16
<223> Xaa = Any Amino Acid

<400> 500
Cys Cys Xaa Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 501
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 9, 17
<223> Xaa = Any Amino Acid

<400> 501
Cys Cys Xaa Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 502
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 10
<223> Xaa = Any Amino Acid

<400> 502
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 503
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 10, 11
<223> Xaa = Any Amino Acid

<400> 503
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Xaa Xaa Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 504
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 10, 12
<223> Xaa = Any Amino Acid

<400> 504
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Xaa Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 505
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 10, 13
<223> Xaa = Any Amino Acid

<400> 505
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 506
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 10, 14
<223> Xaa = Any Amino Acid

<400> 506
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 507
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 10, 15
<223> Xaa = Any Amino Acid

<400> 507
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 508
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 10, 16
<223> Xaa = Any Amino Acid

<400> 508
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 509
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 10, 17
<223> Xaa = Any Amino Acid

<400> 509
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 510
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 11
<223> Xaa = Any Amino Acid

<400> 510
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 511
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 11, 12
<223> Xaa = Any Amino Acid

<400> 511
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Xaa Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 512
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 11, 13
<223> Xaa = Any Amino Acid

<400> 512
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 513
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 11, 14
<223> Xaa = Any Amino Acid

<400> 513
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 514
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 11, 15
<223> Xaa = Any Amino Acid

<400> 514
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 515
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 11, 16
<223> Xaa = Any Amino Acid

<400> 515
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 516
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 11, 17
<223> Xaa = Any Amino Acid

<400> 516
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 517
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 12
<223> Xaa = Any Amino Acid

<400> 517
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 518
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 12, 13
<223> Xaa = Any Amino Acid

<400> 518
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 519
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 12, 14
<223> Xaa = Any Amino Acid

<400> 519
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 520
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 12, 15
<223> Xaa = Any Amino Acid

<400> 520
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 521
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 12, 16
<223> Xaa = Any Amino Acid

<400> 521
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 522
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 12, 17
<223> Xaa = Any Amino Acid

<400> 522
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 523
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 12, 1
<223> Xaa = Any Amino Acid

<400> 523
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 524
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 13, 14
<223> Xaa = Any Amino Acid

<400> 524
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 525
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 13, 15
<223> Xaa = Any Amino Acid

<400> 525
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 526
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 13, 16
<223> Xaa = Any Amino Acid

<400> 526
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 527
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 13, 17
<223> Xaa = Any Amino Acid

<400> 527
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 528
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 14
<223> Xaa = Any Amino Acid

<400> 528
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 529
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 14, 15
<223> Xaa = Any Amino Acid

<400> 529
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 530
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 14, 16
<223> Xaa = Any Amino Acid

<400> 530
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 531
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 14, 17
<223> Xaa = Any Amino Acid

<400> 531
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 532
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 15
<223> Xaa = Any Amino Acid

<400> 532
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 533
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 15, 16
<223> Xaa = Any Amino Acid

<400> 533
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 534
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 15, 17)
<223> Xaa = Any Amino Acid

<400> 534
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 535
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 16
<223> Xaa = Any Amino Acid

<400> 535
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 536
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 8, 16, 17
<223> Xaa = Any Amino Acid

<400> 536
Cys Cys Xaa Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 537
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9
<223> Xaa = Any Amino Acid

<400> 537
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 538
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 10
<223> Xaa = Any Amino Acid

<400> 538
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 539
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 10, 11
<223> Xaa = Any Amino Acid

<400> 539

Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Xaa Xaa Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 540
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 10, 12
<223> Xaa = Any Amino Acid

<400> 540
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Xaa Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 541
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 10, 13
<223> Xaa = Any Amino Acid

<400> 541
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 542
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 10, 14
<223> Xaa = Any Amino Acid

<400> 542

Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 543
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 10, 15
<223> Xaa = Any Amino Acid

<400> 543
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 544
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 10, 16
<223> Xaa = Any Amino Acid

<400> 544
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 545
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 10, 17
<223> Xaa = Any Amino Acid

<400> 545

Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 546
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 11
<223> Xaa = Any Amino Acid

<400> 546
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 547
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 11, 12
<223> Xaa = Any Amino Acid

<400> 547
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Xaa Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 548
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 11, 13
<223> Xaa = Any Amino Acid

<400> 548

Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 549
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 11, 14
<223> Xaa = Any Amino Acid

<400> 549
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 550
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 11, 15
<223> Xaa = Any Amino Acid

<400> 550
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 551
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 11, 16
<223> Xaa = Any Amino Acid

<400> 551

Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 552
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 11, 17
<223> Xaa = Any Amino Acid

<400> 552
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 553
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 12
<223> Xaa = Any Amino Acid

<400> 553
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 554
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 12, 13
<223> Xaa = Any Amino Acid

<400> 554

Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 555
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 12, 14
<223> Xaa = Any Amino Acid

<400> 555
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 556
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 12, 15
<223> Xaa = Any Amino Acid

<400> 556
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 557
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 12, 16
<223> Xaa = Any Amino Acid

<400> 557

Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 558
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 12, 17
<223> Xaa = Any Amino Acid

<400> 558
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 559
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 13
<223> Xaa = Any Amino Acid

<400> 559
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 560
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 13, 14
<223> Xaa = Any Amino Acid

<400> 560

Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 561
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> c
<223> Xaa = Any Amino Acid

<400> 561
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 562
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 13, 16
<223> Xaa = Any Amino Acid

<400> 562
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 563
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 13, 17
<223> Xaa = Any Amino Acid

<400> 563

Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 564
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 14
<223> Xaa = Any Amino Acid

<400> 564
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 565
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 14, 15
<223> Xaa = Any Amino Acid

<400> 565
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 566
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 14, 16
<223> Xaa = Any Amino Acid

<400> 566

Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 567
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 14, 17
<223> Xaa = Any Amino Acid

<400> 567
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 568
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 15
<223> Xaa = Any Amino Acid

<400> 568
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 569
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 15, 16
<223> Xaa = Any Amino Acid

<400> 569

Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 570
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 15, 17
<223> Xaa = Any Amino Acid

<400> 570
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 571
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 16
<223> Xaa = Any Amino Acid

<400> 571
Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 572
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 9, 16, 17
<223> Xaa = Any Amino Acid

<400> 572

Cys Cys Xaa Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 573
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> 3, 10
<223> Xaa = Any Amino Acid

<400> 573
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 574
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 11
<223> Xaa = Any Amino Acid

<400> 574
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 575
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 11, 12

<223> Xaa = Any Amino Acid

<400> 575
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Xaa Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 576
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 11, 13
<223> Xaa = Any Amino Acid

<400> 576
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 577
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 11, 14
<223> Xaa = Any Amino Acid

<400> 577
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 578
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 11, 15

<223> Xaa = Any Amino Acid

<400> 578
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 579
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 11, 16
<223> Xaa = Any Amino Acid

<400> 579
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 580
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 11, 17
<223> Xaa = Any Amino Acid

<400> 580
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 581
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 12

<223> Xaa = Any Amino Acid

<400> 581
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 582
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 12, 13)
<223> Xaa = Any Amino Acid

<400> 582
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 583
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 12, 14
<223> Xaa = Any Amino Acid

<400> 583
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 584
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 12, 15

<223> Xaa = Any Amino Acid

<400> 584
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 585
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 12, 16
<223> Xaa = Any Amino Acid

<400> 585
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 586
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 12, 17
<223> Xaa = Any Amino Acid

<400> 586
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 587
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 13

<223> Xaa = Any Amino Acid

<400> 587
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 588
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 13, 14
<223> Xaa = Any Amino Acid

<400> 588
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 589
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 13, 15
<223> Xaa = Any Amino Acid

<400> 589
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 590
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 13, 16

<223> Xaa = Any Amino Acid

<400> 590
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 591
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 13, 17
<223> Xaa = Any Amino Acid

<400> 591
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 592
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 14
<223> Xaa = Any Amino Acid

<400> 592
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 593
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 14, 15

<223> Xaa = Any Amino Acid

<400> 593
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 594
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 14, 16
<223> Xaa = Any Amino Acid

<400> 594
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 595
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 14, 17
<223> Xaa = Any Amino Acid

<400> 595
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 596
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 15

<223> Xaa = Any Amino Acid

<400> 596
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 597
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 15, 16
<223> Xaa = Any Amino Acid

<400> 597
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 598
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 15, 17
<223> Xaa = Any Amino Acid

<400> 598
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 599
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 16

<223> Xaa = Any Amino Acid

<400> 599
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 600
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 10, 16, 17
<223> Xaa = Any Amino Acid

<400> 600
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 601
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> 3, 11
<223> Xaa = Any Amino Acid

<400> 601
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys Tyr
1 5 10 15

<210> 602
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 11, 12
<223> Xaa = Any Amino Acid

<400> 602
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Gly Cys
 1   5   10   15
Tyr

<210> 603
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 11, 12, 13
<223> Xaa = Any Amino Acid

<400> 603
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Xaa Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 604
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 11, 12, 14
<223> Xaa = Any Amino Acid

<400> 604
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Xaa Thr Gly
 1   5   10   15
Cys Tyr

<210> 605
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 11, 12, 15
<223> Xaa = Any Amino Acid

<400> 605
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 606
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 11, 12, 16
<223> Xaa = Any Amino Acid

<400> 606
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 607
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 11, 12, 17
<223> Xaa = Any Amino Acid

<400> 607
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 608
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 11, 13
<223> Xaa = Any Amino Acid

<400> 608
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 609
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 11, 13, 14
<223> Xaa = Any Amino Acid

<400> 609
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 610
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 11, 13, 15
<223> Xaa = Any Amino Acid

<400> 610
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 611
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 11, 13, 16
<223> Xaa = Any Amino Acid

<400> 611
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 612
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 11, 13, 17
<223> Xaa = Any Amino Acid

<400> 612
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 613
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 11, 14, 1
<223> Xaa = Any Amino Acid

<400> 613
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 614
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 11, 14, 15
<223> Xaa = Any Amino Acid

<400> 614
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 615
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 11, 14, 16
<223> Xaa = Any Amino Acid

<400> 615
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 616
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 11, 14, 17
<223> Xaa = Any Amino Acid

<400> 616
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 617
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 11, 15
<223> Xaa = Any Amino Acid

<400> 617
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 618
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 11, 15, 16
<223> Xaa = Any Amino Acid

<400> 618
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 619
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 11, 15, 17
<223> Xaa = Any Amino Acid

<400> 619
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 620
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 11, 16
<223> Xaa = Any Amino Acid

<400> 620
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 621
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 11, 16, 17
<223> Xaa = Any Amino Acid

<400> 621
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 622
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 12
<223> Xaa = Any Amino Acid

<400> 622
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys Tyr
1 5 10 15

<210> 623
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 3, 12, 13
<223> Xaa = Any Amino Acid

<400> 623
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Gly Cys
 1   5   10   15
Tyr

<210> 624
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 12, 13, 14
<223> Xaa = Any Amino Acid

<400> 624
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Xaa Thr Gly
 1   5   10   15
Cys Tyr

<210> 625
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 12, 13, 15
<223> Xaa = Any Amino Acid

<400> 625
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Xaa Gly
 1   5   10   15
Cys Tyr

<210> 626
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 3, 12, 13, 16
<223> Xaa = Any Amino Acid

<400> 626
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 627
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 12, 13, 17
<223> Xaa = Any Amino Acid

<400> 627
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 628
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 12, 14
<223> Xaa = Any Amino Acid

<400> 628
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 629
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 3, 12, 14, 15
<223> Xaa = Any Amino Acid

<400> 629
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 630
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 12, 14, 16
<223> Xaa = Any Amino Acid

<400> 630
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 631
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 12, 14, 17
<223> Xaa = Any Amino Acid

<400> 631
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 632
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 3, 12, 15
<223> Xaa = Any Amino Acid

<400> 632
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 633
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 12, 15, 16
<223> Xaa = Any Amino Acid

<400> 633
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 634
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 12, 15, 17
<223> Xaa = Any Amino Acid

<400> 634
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 635
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 3, 12, 16
<223> Xaa = Any Amino Acid

<400> 635
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 636
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 12, 16, 17
<223> Xaa = Any Amino Acid

<400> 636
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 637
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 13
<223> Xaa = Any Amino Acid

<400> 637
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys Tyr
1 5 10 15

<210> 638
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 13, 14
<223> Xaa = Any Amino Acid

<400> 638
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Gly Cys
1 5 10 15
Tyr

<210> 639
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 13, 14, 15
<223> Xaa = Any Amino Acid

<400> 639
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 640
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 13, 14, 16
<223> Xaa = Any Amino Acid

<400> 640
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 641
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 13, 14, 17
<223> Xaa = Any Amino Acid

<400> 641
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 642
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 13, 15
<223> Xaa = Any Amino Acid

<400> 642
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Xaa Cys
1 5 10 15
Tyr

<210> 643
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 13, 15, 16
<223> Xaa = Any Amino Acid

<400> 643
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 644
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 13, 15, 17
<223> Xaa = Any Amino Acid

<400> 644
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 645
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 13, 16
<223> Xaa = Any Amino Acid

<400> 645
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys Xaa
1 5 10 15
Tyr

<210> 646
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 13, 16, 17
<223> Xaa = Any Amino Acid

<400> 646
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 647
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 14, 16, 1
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> 3, 14
<223> Xaa = Any Amino Acid

<400> 647
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys Tyr
1 5 10 15

<210> 648
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 14, 15
<223> Xaa = Any Amino Acid

<400> 648
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Xaa Cys
1 5 10 15
Tyr

<210> 649
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 14, 15, 16
<223> Xaa = Any Amino Acid

<400> 649
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Xaa Xaa
1 5 10 15
Cys Tyr

<210> 650
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>

<221> VARIANT
<222> 3, 14, 15, 17
<223> Xaa = Any Amino Acid

<400> 650
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Xaa Cys
1 5 10 15
Xaa Tyr

<210> 651
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 14, 16
<223> Xaa = Any Amino Acid

<400> 651
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys Xaa
1 5 10 15
Tyr

<210> 652
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 14, 16, 17
<223> Xaa = Any Amino Acid

<400> 652
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys Xaa
1 5 10 15
Xaa Tyr

<210> 653
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>

<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> 3, 15
<223> Xaa = Any Amino Acid

<400> 653
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa Tyr
1 5 10 15

<210> 654
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 15, 16
<223> Xaa = Any Amino Acid

<400> 654
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa Xaa
1 5 10 15
Tyr

<210> 655
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 3, 15, 16, 17
<223> Xaa = Any Amino Acid

<400> 655
Cys Cys Xaa Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa Xaa
1 5 10 15
Xaa Tyr

<210> 656
<211> 15
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4
<223> Xaa = Any Amino Acid

<400> 656
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10   15

<210> 657
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5
<223> Xaa = Any Amino Acid

<400> 657
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10   15

<210> 658
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 6
<223> Xaa = Any Amino Acid

<400> 658
Cys Cys Glu Xaa Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10   15
Tyr

<210> 659
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 6, 7
<223> Xaa = Any Amino Acid

<400> 659
Cys Cys Glu Xaa Xaa Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 660
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 6, 8
<223> Xaa = Any Amino Acid

<400> 660
Cys Cys Glu Xaa Xaa Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 661
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 6, 10
<223> Xaa = Any Amino Acid

<400> 661
Cys Cys Glu Xaa Xaa Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 662
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 6, 11
<223> Xaa = Any Amino Acid

<400> 662
Cys Cys Glu Xaa Xaa Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 663
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 6, 12
<223> Xaa = Any Amino Acid

<400> 663
Cys Cys Glu Xaa Xaa Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 664
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 6, 13
<223> Xaa = Any Amino Acid

<400> 664
Cys Cys Glu Xaa Xaa Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 665
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 6, 14
<223> Xaa = Any Amino Acid

<400> 665
Cys Cys Glu Xaa Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 666
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 6, 15
<223> Xaa = Any Amino Acid

<400> 666
Cys Cys Glu Xaa Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 667
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 6, 16
<223> Xaa = Any Amino Acid

<400> 667
Cys Cys Glu Xaa Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 668
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 6, 17
<223> Xaa = Any Amino Acid

<400> 668
Cys Cys Glu Xaa Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 669
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 7
<223> Xaa = Any Amino Acid

<400> 669
Cys Cys Glu Xaa Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 670
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 7, 8
<223> Xaa = Any Amino Acid

<400> 670
Cys Cys Glu Xaa Xaa Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 671
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 7, 10
<223> Xaa = Any Amino Acid

<400> 671
Cys Cys Glu Xaa Xaa Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 672
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 7, 11
<223> Xaa = Any Amino Acid

<400> 672
Cys Cys Glu Xaa Xaa Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 673
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 7, 12
<223> Xaa = Any Amino Acid

<400> 673
Cys Cys Glu Xaa Xaa Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 674
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 7, 13
<223> Xaa = Any Amino Acid

<400> 674
Cys Cys Glu Xaa Xaa Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 675
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 7, 14
<223> Xaa = Any Amino Acid

<400> 675
Cys Cys Glu Xaa Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 676
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 7, 15
<223> Xaa = Any Amino Acid

<400> 676
Cys Cys Glu Xaa Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 677
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 7, 16
<223> Xaa = Any Amino Acid

<400> 677
Cys Cys Glu Xaa Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 678
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 7, 17
<223> Xaa = Any Amino Acid

<400> 678
Cys Cys Glu Xaa Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 679
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 9
<223> Xaa = Any Amino Acid

<400> 679
Cys Cys Glu Xaa Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 680
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 9, 10
<223> Xaa = Any Amino Acid

<400> 680
Cys Cys Glu Xaa Xaa Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 681
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 9, 11
<223> Xaa = Any Amino Acid

<400> 681
Cys Cys Glu Xaa Xaa Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 682
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 9, 12
<223> Xaa = Any Amino Acid

<400> 682
Cys Cys Glu Xaa Xaa Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 683
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 9, 13
<223> Xaa = Any Amino Acid

<400> 683
Cys Cys Glu Xaa Xaa Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 684
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 9, 14
<223> Xaa = Any Amino Acid

<400> 684
Cys Cys Glu Xaa Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 685
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 9, 15
<223> Xaa = Any Amino Acid

<400> 685
Cys Cys Glu Xaa Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 686
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 9, 16
<223> Xaa = Any Amino Acid

<400> 686
Cys Cys Glu Xaa Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 687
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 9, 17
<223> Xaa = Any Amino Acid

<400> 687
Cys Cys Glu Xaa Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 688
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 10
<223> Xaa = Any Amino Acid

<400> 688
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 689
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 10, 11
<223> Xaa = Any Amino Acid

<400> 689
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 690
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 10, 12
<223> Xaa = Any Amino Acid

<400> 690
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 691
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 10, 13
<223> Xaa = Any Amino Acid

<400> 691
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 692
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 10, 14
<223> Xaa = Any Amino Acid

<400> 692
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 693
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 10, 15
<223> Xaa = Any Amino Acid

<400> 693
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 694
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 10, 16
<223> Xaa = Any Amino Acid

<400> 694
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 695
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 10, 17
<223> Xaa = Any Amino Acid

<400> 695
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 696
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 11
<223> Xaa = Any Amino Acid

<400> 696
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 697
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 11, 12
<223> Xaa = Any Amino Acid

<400> 697
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 698
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 11, 13
<223> Xaa = Any Amino Acid

<400> 698
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 699
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 11, 14
<223> Xaa = Any Amino Acid

<400> 699
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 700
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 11, 15
<223> Xaa = Any Amino Acid

<400> 700
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 701
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 11, 16
<223> Xaa = Any Amino Acid

<400> 701
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 702
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 11, 17
<223> Xaa = Any Amino Acid

<400> 702
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 703
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 12
<223> Xaa = Any Amino Acid

<400> 703
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 704
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 12, 13
<223> Xaa = Any Amino Acid

<400> 704
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 705
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 12, 14
<223> Xaa = Any Amino Acid

<400> 705
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 706
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 12, 15
<223> Xaa = Any Amino Acid

<400> 706
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 707
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 12, 16
<223> Xaa = Any Amino Acid

<400> 707
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 708
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 12, 17
<223> Xaa = Any Amino Acid

<400> 708
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 709
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 13
<223> Xaa = Any Amino Acid

<400> 709
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 710
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 13, 14
<223> Xaa = Any Amino Acid

<400> 710
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 711
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 13, 15
<223> Xaa = Any Amino Acid

<400> 711
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 712
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 13, 16
<223> Xaa = Any Amino Acid

<400> 712
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 713
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 13, 17
<223> Xaa = Any Amino Acid

<400> 713
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 714
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 14
<223> Xaa = Any Amino Acid

<400> 714
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 715
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 14, 15
<223> Xaa = Any Amino Acid

<400> 715
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 716
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 14, 16
<223> Xaa = Any Amino Acid

<400> 716
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 717
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 14, 17
<223> Xaa = Any Amino Acid

<400> 717
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 718
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 15
<223> Xaa = Any Amino Acid

<400> 718
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 719
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 15, 16
<223> Xaa = Any Amino Acid

<400> 719
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 720
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 15, 17
<223> Xaa = Any Amino Acid

<400> 720
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 721
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 5, 16
<223> Xaa = Any Amino Acid

<400> 721
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 722
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 4, 5, 16, 17
<223> Xaa = Any Amino Acid

<400> 722
Cys Cys Glu Xaa Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 723
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6
<223> Xaa = Any Amino Acid

<400> 723
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 724
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 7
<223> Xaa = Any Amino Acid

<400> 724
Cys Cys Glu Xaa Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 725
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 7, 8
<223> Xaa = Any Amino Acid

<400> 725
Cys Cys Glu Xaa Tyr Xaa Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 726
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 7, 9
<223> Xaa = Any Amino Acid

<400> 726
Cys Cys Glu Xaa Tyr Xaa Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 727
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 7, 11
<223> Xaa = Any Amino Acid

<400> 727
Cys Cys Glu Xaa Tyr Xaa Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 728
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 7, 12
<223> Xaa = Any Amino Acid

<400> 728
Cys Cys Glu Xaa Tyr Xaa Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 729
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 7, 13
<223> Xaa = Any Amino Acid

<400> 729
Cys Cys Glu Xaa Tyr Xaa Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 730
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 7, 14
<223> Xaa = Any Amino Acid

<400> 730
Cys Cys Glu Xaa Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 731
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 7, 15
<223> Xaa = Any Amino Acid

<400> 731
Cys Cys Glu Xaa Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 732
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 7, 16
<223> Xaa = Any Amino Acid

<400> 732
Cys Cys Glu Xaa Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 733
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 7, 17
<223> Xaa = Any Amino Acid

<400> 733
Cys Cys Glu Xaa Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 734
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 9
<223> Xaa = Any Amino Acid

<400> 734
Cys Cys Glu Xaa Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 735
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 9, 10
<223> Xaa = Any Amino Acid

<400> 735
Cys Cys Glu Xaa Tyr Xaa Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 736
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 9, 11
<223> Xaa = Any Amino Acid

<400> 736
Cys Cys Glu Xaa Tyr Xaa Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 737
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 9, 12
<223> Xaa = Any Amino Acid

<400> 737
Cys Cys Glu Xaa Tyr Xaa Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 738
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 9, 13
<223> Xaa = Any Amino Acid

<400> 738
Cys Cys Glu Xaa Tyr Xaa Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 739
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 9, 14
<223> Xaa = Any Amino Acid

<400> 739
Cys Cys Glu Xaa Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 740
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 9, 15
<223> Xaa = Any Amino Acid

<400> 740
Cys Cys Glu Xaa Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 741
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 9, 16
<223> Xaa = Any Amino Acid

<400> 741
Cys Cys Glu Xaa Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 742
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 9, 17
<223> Xaa = Any Amino Acid

<400> 742
Cys Cys Glu Xaa Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 743
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 10
<223> Xaa = Any Amino Acid

<400> 743
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys
 1   5   10   15
Tyr

<210> 744
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 10, 11
<223> Xaa = Any Amino Acid

<400> 744
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 745
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 10, 12
<223> Xaa = Any Amino Acid

<400> 745
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 746
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 10, 13
<223> Xaa = Any Amino Acid

<400> 746
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 747
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 10, 14
<223> Xaa = Any Amino Acid

<400> 747
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 748
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 10, 15
<223> Xaa = Any Amino Acid

<400> 748
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 749
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 10, 16
<223> Xaa = Any Amino Acid

<400> 749
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 750
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 10, 17
<223> Xaa = Any Amino Acid

<400> 750
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 751
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 11
<223> Xaa = Any Amino Acid

<400> 751
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 752
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 11, 12
<223> Xaa = Any Amino Acid

<400> 752
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 753
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 11, 13
<223> Xaa = Any Amino Acid

<400> 753
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 754
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 11, 14
<223> Xaa = Any Amino Acid

<400> 754
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 755
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 11, 15
<223> Xaa = Any Amino Acid

<400> 755
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 756
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 11, 16
<223> Xaa = Any Amino Acid

<400> 756
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 757
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 11, 17
<223> Xaa = Any Amino Acid

<400> 757
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 758
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 12
<223> Xaa = Any Amino Acid

<400> 758
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 759
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 12, 13
<223> Xaa = Any Amino Acid

<400> 759
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 760
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 12, 14
<223> Xaa = Any Amino Acid

<400> 760
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 761
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 12, 15
<223> Xaa = Any Amino Acid

<400> 761
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 762
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 12, 16
<223> Xaa = Any Amino Acid

<400> 762
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 763
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 12, 17
<223> Xaa = Any Amino Acid

<400> 763
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 764
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 13
<223> Xaa = Any Amino Acid

<400> 764
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 765
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 13, 14
<223> Xaa = Any Amino Acid

<400> 765
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 766
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 13, 15
<223> Xaa = Any Amino Acid

<400> 766
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 767
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 13, 16
<223> Xaa = Any Amino Acid

<400> 767
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 768
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 13, 17
<223> Xaa = Any Amino Acid

<400> 768
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 769
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 14
<223> Xaa = Any Amino Acid

<400> 769
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 770
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 14, 15
<223> Xaa = Any Amino Acid

<400> 770
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 771
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 14, 16
<223> Xaa = Any Amino Acid

<400> 771
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 772
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 14, 17
<223> Xaa = Any Amino Acid

<400> 772
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 773
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 15
<223> Xaa = Any Amino Acid

<400> 773
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 774
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 15, 16
<223> Xaa = Any Amino Acid

<400> 774
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 775
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 15, 17
<223> Xaa = Any Amino Acid

<400> 775
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 776
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 16
<223> Xaa = Any Amino Acid

<400> 776
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 777
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 6, 16, 17
<223> Xaa = Any Amino Acid

<400> 777
Cys Cys Glu Xaa Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 778
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8
<223> Xaa = Any Amino Acid

400> 778
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 779
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 9
<223> Xaa = Any Amino Acid

<400> 779

Cys Cys Glu Xaa Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 780
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 9, 10
<223> Xaa = Any Amino Acid

<400> 780
Cys Cys Glu Xaa Tyr Cys Cys Xaa Xaa Xaa Asn Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 781
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 9, 11
<223> Xaa = Any Amino Acid

<400> 781
Cys Cys Glu Xaa Tyr Cys Cys Xaa Xaa Asn Xaa Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 782
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 9, 12
<223> Xaa = Any Amino Acid

<400> 782

Cys Cys Glu Xaa Tyr Cys Cys Xaa Xaa Asn Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 783
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 9, 13
<223> Xaa = Any Amino Acid

<400> 783
Cys Cys Glu Xaa Tyr Cys Cys Xaa Xaa Asn Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 784
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 9, 14
<223> Xaa = Any Amino Acid

<400> 784
Cys Cys Glu Xaa Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 785
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 9, 15
<223> Xaa = Any Amino Acid

<400> 785

Cys Cys Glu Xaa Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 786
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 9, 16
<223> Xaa = Any Amino Acid

<400> 786
Cys Cys Glu Xaa Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 787
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 9, 17
<223> Xaa = Any Amino Acid

<400> 787
Cys Cys Glu Xaa Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 788
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 10
<223> Xaa = Any Amino Acid

<400> 788

Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 789
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 10, 11
<223> Xaa = Any Amino Acid

<400> 789
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Xaa Xaa Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 790
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 10, 12
<223> Xaa = Any Amino Acid

<400> 790
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Xaa Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 791
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 10, 13
<223> Xaa = Any Amino Acid

<400> 791

Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Xaa Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 792
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 10, 14
<223> Xaa = Any Amino Acid

<400> 792
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 793
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 10, 15
<223> Xaa = Any Amino Acid

<400> 793
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 794
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 10, 16
<223> Xaa = Any Amino Acid

<400> 794

Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 795
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 10, 17
<223> Xaa = Any Amino Acid

<400> 795
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 796
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 11
<223> Xaa = Any Amino Acid

<400> 796
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 797
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 11, 12
<223> Xaa = Any Amino Acid

<400> 797

Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Xaa Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 798
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 11, 13
<223> Xaa = Any Amino Acid

<400> 798
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Xaa Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 799
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 11, 14
<223> Xaa = Any Amino Acid

<400> 799
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 800
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 11, 15
<223> Xaa = Any Amino Acid

<400> 800

Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 801
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 11, 16
<223> Xaa = Any Amino Acid

<400> 801
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 802
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 11, 17
<223> Xaa = Any Amino Acid

<400> 802
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 803
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 12
<223> Xaa = Any Amino Acid

<400> 803

Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 804
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 12, 13
<223> Xaa = Any Amino Acid

<400> 804
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 805
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 12, 14
<223> Xaa = Any Amino Acid

<400> 805
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 806
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 12, 15
<223> Xaa = Any Amino Acid

<400> 806

Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 807
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 12, 16
<223> Xaa = Any Amino Acid

<400> 807
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 808
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 12, 17
<223> Xaa = Any Amino Acid

<400> 808
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 809
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 13
<223> Xaa = Any Amino Acid

<400> 809

Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 810
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 13, 14
<223> Xaa = Any Amino Acid

<400> 810
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 811
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 13, 15
<223> Xaa = Any Amino Acid

<400> 811
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 812
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 13, 16
<223> Xaa = Any Amino Acid

<400> 812

Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 813
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 13, 17
<223> Xaa = Any Amino Acid

<400> 813
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 814
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 14
<223> Xaa = Any Amino Acid

<400> 814
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 815
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 14, 15
<223> Xaa = Any Amino Acid

<400> 815

Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 816
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 14, 16
<223> Xaa = Any Amino Acid

<400> 816
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 817
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 14, 17
<223> Xaa = Any Amino Acid

<400> 817
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 818
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 15
<223> Xaa = Any Amino Acid

<400> 818

Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 819
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 15, 16
<223> Xaa = Any Amino Acid

<400> 819
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 820
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 15, 17
<223> Xaa = Any Amino Acid

<400> 820
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 821
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 16
<223> Xaa = Any Amino Acid

<400> 821

Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 822
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 8, 16, 17
<223> Xaa = Any Amino Acid

<400> 822
Cys Cys Glu Xaa Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 823
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> 4, 9
<223> Xaa = Any Amino Acid

<400> 823
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 824
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 10

<223> Xaa = Any Amino Acid

<400> 824
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 825
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 10, 11
<223> Xaa = Any Amino Acid

<400> 825
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Xaa Xaa Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 826
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 10, 12
<223> Xaa = Any Amino Acid

<400> 826
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Xaa Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 827
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 10, 13

<223> Xaa = Any Amino Acid

<400> 827
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Xaa Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 828
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 10, 14
<223> Xaa = Any Amino Acid

<400> 828
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 829
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 10, 15
<223> Xaa = Any Amino Acid

<400> 829
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 830
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 10, 16

<223> Xaa = Any Amino Acid

<400> 830
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 831
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 10, 17
<223> Xaa = Any Amino Acid

<400> 831
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 832
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 11
<223> Xaa = Any Amino Acid

<400> 832
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 833
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 11, 12

<223> Xaa = Any Amino Acid

<400> 833
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Xaa Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 834
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 11, 13
<223> Xaa = Any Amino Acid

<400> 834
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Xaa Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 835
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 11, 14
<223> Xaa = Any Amino Acid

<400> 835
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 836
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 11, 15

<223> Xaa = Any Amino Acid

<400> 836
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 837
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 11, 16
<223> Xaa = Any Amino Acid

<400> 837
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 838
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 11, 17
<223> Xaa = Any Amino Acid

<400> 838
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 839
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 12

<223> Xaa = Any Amino Acid

<400> 839
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 840
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 12, 13
<223> Xaa = Any Amino Acid

<400> 840
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 841
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 12, 14
<223> Xaa = Any Amino Acid

<400> 841
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 842
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 12, 15

<223> Xaa = Any Amino Acid

<400> 842
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 843
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 12, 16
<223> Xaa = Any Amino Acid

<400> 843
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 844
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 12, 17
<223> Xaa = Any Amino Acid

<400> 844
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 845
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 13

<223> Xaa = Any Amino Acid

<400> 845
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 846
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 13, 14
<223> Xaa = Any Amino Acid

<400> 846
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 847
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 13, 15
<223> Xaa = Any Amino Acid

<400> 847
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 848
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 13, 16

<223> Xaa = Any Amino Acid

<400> 848
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 849
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 13, 17
<223> Xaa = Any Amino Acid

<400> 849
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 850
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 14
<223> Xaa = Any Amino Acid

<400> 850
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 851
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 14, 15

<223> Xaa = Any Amino Acid

<400> 851
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 852
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 14, 16
<223> Xaa = Any Amino Acid

<400> 852
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 853
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 14, 17
<223> Xaa = Any Amino Acid

<400> 853
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 854
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 15

<223> Xaa = Any Amino Acid

<400> 854
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 855
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 15, 16
<223> Xaa = Any Amino Acid

<400> 855
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 856
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 15, 17
<223> Xaa = Any Amino Acid

<400> 856
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 857
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 16

<223> Xaa = Any Amino Acid

<400> 857
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 858
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 9, 16, 17
<223> Xaa = Any Amino Acid

<400> 858
Cys Cys Glu Xaa Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 859
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<400> 859
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 860
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 11
<223> Xaa = Any Amino Acid

<400> 860
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Gly Cys
 1   5   10   15
Tyr

<210> 861
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 11, 12
<223> Xaa = Any Amino Acid

<400> 861
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Xaa Xaa Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 862
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 11, 13
<223> Xaa = Any Amino Acid

<400> 862
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Xaa Ala Xaa Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 863
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 11, 14
<223> Xaa = Any Amino Acid

<400> 863
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 864
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 11, 15
<223> Xaa = Any Amino Acid

<400> 864
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 865
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 11, 16
<223> Xaa = Any Amino Acid

<400> 865
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 866
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 11, 17
<223> Xaa = Any Amino Acid

<400> 866
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 867
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 12
<223> Xaa = Any Amino Acid

<400> 867
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 868
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 12, 13
<223> Xaa = Any Amino Acid

<400> 868
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 869
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 12, 14
<223> Xaa = Any Amino Acid

<400> 869
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 870
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 12, 15
<223> Xaa = Any Amino Acid

<400> 870
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 871
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 12, 16
<223> Xaa = Any Amino Acid

<400> 871
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 872
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 12, 17
<223> Xaa = Any Amino Acid

<400> 872
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Gly Cys
 1   5   10   15
Xaa Tyr

<210> 873
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 13
<223> Xaa = Any Amino Acid

<400> 873
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Gly Cys
 1   5   10   15
Tyr

<210> 874
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 13, 14
<223> Xaa = Any Amino Acid

<400> 874
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Xaa Thr Gly
 1   5   10   15
Cys Tyr

<210> 875
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 13, 15
<223> Xaa = Any Amino Acid

<400> 875
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 876
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 13, 16
<223> Xaa = Any Amino Acid

<400> 876
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 877
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 13, 17
<223> Xaa = Any Amino Acid

<400> 877
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 878
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 14
<223> Xaa = Any Amino Acid

<400> 878
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 879
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 14, 15
<223> Xaa = Any Amino Acid

<400> 879
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 880
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 14, 16
<223> Xaa = Any Amino Acid

<400> 880
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 881
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 14, 17
<223> Xaa = Any Amino Acid

<400> 881
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Gly Cys
 1   5   10   15
Xaa Tyr

<210> 882
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 15
<223> Xaa = Any Amino Acid

<400> 882
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Xaa Cys
 1   5   10   15
Tyr

<210> 883
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 15, 16
<223> Xaa = Any Amino Acid

<400> 883
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Xaa Xaa
 1   5   10   15
Cys Tyr

<210> 884
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 15, 17
<223> Xaa = Any Amino Acid

<400> 884
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 885
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 16
<223> Xaa = Any Amino Acid

<400> 885
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 886
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 10, 16, 17
<223> Xaa = Any Amino Acid

<400> 886
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 887
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> 4, 11
<223> Xaa = Any Amino Acid

<400> 887
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys Tyr
1 5 10 15

<210> 888
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 11, 12
<223> Xaa = Any Amino Acid

<400> 888
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 889
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 11, 12, 13
<223> Xaa = Any Amino Acid

<400> 889
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 890
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 11, 12, 14
<223> Xaa = Any Amino Acid

<400> 890
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Xaa Thr Gly
 1   5   10   15
Cys Tyr

<210> 891
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 11, 12, 15
<223> Xaa = Any Amino Acid

<400> 891
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Xaa Gly
 1   5   10   15
Cys Tyr

<210> 892
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 11, 12, 16
<223> Xaa = Any Amino Acid

<400> 892
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Gly Xaa
 1   5   10   15
Cys Tyr

<210> 893
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 11, 12, 17
<223> Xaa = Any Amino Acid

<400> 893
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 894
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 11, 13, 1
<223> Xaa = Any Amino Acid

<400> 894
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 895
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 11, 13, 14
<223> Xaa = Any Amino Acid

<400> 895
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 896
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 11, 13, 15
<223> Xaa = Any Amino Acid

<400> 896
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 897
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 11, 13, 16
<223> Xaa = Any Amino Acid

<400> 897
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 898
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 11, 13, 17
<223> Xaa = Any Amino Acid

<400> 898
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 899
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 11, 14
<223> Xaa = Any Amino Acid

<400> 899
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 900
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 11, 14, 15
<223> Xaa = Any Amino Acid

<400> 900
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 901
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 11, 14, 16
<223> Xaa = Any Amino Acid

<400> 901
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 902
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 11, 14, 17
<223> Xaa = Any Amino Acid

<400> 902
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 903
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 11, 15
<223> Xaa = Any Amino Acid

<400> 903
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 904
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 11, 15, 16
<223> Xaa = Any Amino Acid

<400> 904
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 905
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 11, 15, 17
<223> Xaa = Any Amino Acid

<400> 905
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 906
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 11, 16
<223> Xaa = Any Amino Acid

<400> 906
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 907
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 11, 16, 17
<223> Xaa = Any Amino Acid

<400> 907
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 908
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> 4, 12
<223> Xaa = Any Amino Acid

<400> 908
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys Tyr
 1   5   10   15

<210> 909
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 12, 13
<223> Xaa = Any Amino Acid

<400> 909
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Gly Cys
 1   5   10   15
Tyr

<210> 910
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 12, 13, 14
<223> Xaa = Any Amino Acid

<400> 910
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Xaa Thr Gly
 1   5   10   15
Cys Tyr

<210> 911
<211> 18

<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 12, 13, 15
<223> Xaa = Any Amino Acid

<400> 911
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Xaa Gly
 1   5   10   15
Cys Tyr

<210> 912
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 12, 13, 16
<223> Xaa = Any Amino Acid

<400> 912
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Gly Xaa
 1   5   10   15
Cys Tyr

<210> 913
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 12, 13, 17
<223> Xaa = Any Amino Acid

<400> 913
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Gly Cys
 1   5   10   15
Xaa Tyr

<210> 914
<211> 17

<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 12, 14
<223> Xaa = Any Amino Acid

<400> 914
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 915
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 12, 14, 15
<223> Xaa = Any Amino Acid

<400> 915
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 916
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 12, 14, 16
<223> Xaa = Any Amino Acid

<400> 916
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 917
<211> 18

<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 12, 14, 17
<223> Xaa = Any Amino Acid

<400> 917
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 918
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 12, 15
<223> Xaa = Any Amino Acid

<400> 918
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 919
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 12, 15, 16
<223> Xaa = Any Amino Acid

<400> 919
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 920
<211> 18

<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 12, 15, 17
<223> Xaa = Any Amino Acid

<400> 920
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 921
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 12, 16
<223> Xaa = Any Amino Acid

<400> 921
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 922
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 12, 16, 17
<223> Xaa = Any Amino Acid

<400> 922
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 923
<211> 16

<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 13
<223> Xaa = Any Amino Acid

<400> 923
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys Tyr
1 5 10 15

<210> 924
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 13, 14
<223> Xaa = Any Amino Acid

<400> 924
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Gly Cys
1 5 10 15
Tyr

<210> 925
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 13, 14, 15
<223> Xaa = Any Amino Acid

<400> 925
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 926
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 13, 14, 16
<223> Xaa = Any Amino Acid

<400> 926
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 927
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 13, 14, 17
<223> Xaa = Any Amino Acid

<400> 927
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 928
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 13, 15
<223> Xaa = Any Amino Acid

<400> 928
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Xaa Cys
1 5 10 15
Tyr

<210> 929
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 13, 15, 16
<223> Xaa = Any Amino Acid

<400> 929
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 930
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 13, 15, 17
<223> Xaa = Any Amino Acid

<400> 930
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 931
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 13, 16
<223> Xaa = Any Amino Acid

<400> 931
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys Xaa
1 5 10 15
Tyr

<210> 932
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 13, 16, 17
<223> Xaa = Any Amino Acid

<400> 932
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys Xaa
 1   5   10   15
Xaa Tyr

<210> 933
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 14
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<400> 933
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys Tyr
 1   5   10   15

<210> 934
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 14, 15
<223> Xaa = Any Amino Acid

<400> 934
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Xaa Cys
 1   5   10   15
Tyr

<210> 935

<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 14, 15, 16
<223> Xaa = Any Amino Acid

<400> 935
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Xaa Xaa
1 5 10 15
Cys Tyr

<210> 936
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 14, 15, 17
<223> Xaa = Any Amino Acid

<400> 936
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Xaa Cys
1 5 10 15
Xaa Tyr

<210> 937
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 14, 16
<223> Xaa = Any Amino Acid

<400> 937
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys Xaa
1 5 10 15
Tyr

<210> 938

<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(18) 4, 14, 16, 17
<223> Xaa = Any Amino Acid

<400> 938
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys Xaa
1 5 10 15
Xaa Tyr

<210> 939
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 15
<223> Xaa = Any Amino Acid

<400> 939
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa Tyr
1 5 10 15

<210> 940
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 15, 16
<223> Xaa = Any Amino Acid

<400> 940
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa Xaa
1 5 10 15
Tyr

<210> 941
<211> 18

<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 4, 15, 16, 17
<223> Xaa = Any Amino Acid

<400> 941
Cys Cys Glu Xaa Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa Xaa
1 5 10 15
Xaa Tyr

<210> 942
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(15)
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> 5
<223> Xaa = Any Amino Acid

<400> 942
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 943
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<400> 943
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 944
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 7
<223> Xaa = Any Amino Acid

<400> 944
Cys Cys Glu Tyr Xaa Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 945
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 7, 8
<223> Xaa = Any Amino Acid

<400> 945
Cys Cys Glu Tyr Xaa Xaa Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 946
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 7, 10
<223> Xaa = Any Amino Acid

<400> 946
Cys Cys Glu Tyr Xaa Xaa Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Gly

1 5 10 15
Cys Tyr

<210> 947
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 7, 11
<223> Xaa = Any Amino Acid

<400> 947
Cys Cys Glu Tyr Xaa Xaa Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 948
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 7, 12
<223> Xaa = Any Amino Acid

<400> 948
Cys Cys Glu Tyr Xaa Xaa Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 949
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 7, 13
<223> Xaa = Any Amino Acid

<400> 949
Cys Cys Glu Tyr Xaa Xaa Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Gly

1 5 10 15
Cys Tyr

<210> 950
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 7, 14
<223> Xaa = Any Amino Acid

<400> 950
Cys Cys Glu Tyr Xaa Xaa Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 951
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 7, 15
<223> Xaa = Any Amino Acid

<400> 951
Cys Cys Glu Tyr Xaa Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 952
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 7, 16
<223> Xaa = Any Amino Acid

<400> 952
Cys Cys Glu Tyr Xaa Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Gly Xaa

```
 1               5                  10                  15
Cys Tyr


<210> 953
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 7, 17
<223> Xaa = Any Amino Acid

<400> 953
Cys Cys Glu Tyr Xaa Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1               5                  10                  15
Xaa Tyr


<210> 954
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 9
<223> Xaa = Any Amino Acid

<400> 954
Cys Cys Glu Tyr Xaa Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys
 1               5                  10                  15
Tyr


<210> 955
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 9, 10
<223> Xaa = Any Amino Acid

<400> 955
Cys Cys Glu Tyr Xaa Xaa Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Gly
```

```
 1               5                  10                  15
Cys Tyr


<210> 956
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 9, 11
<223> Xaa = Any Amino Acid

<400> 956
Cys Cys Glu Tyr Xaa Xaa Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Gly
 1               5                  10                  15
Cys Tyr


<210> 957
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 9, 12
<223> Xaa = Any Amino Acid

<400> 957
Cys Cys Glu Tyr Xaa Xaa Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Gly
 1               5                  10                  15
Cys Tyr


<210> 958
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 9, 13
<223> Xaa = Any Amino Acid

<400> 958
Cys Cys Glu Tyr Xaa Xaa Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Gly
```

1 5 10 15
Cys Tyr

<210> 959
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 9, 14
<223> Xaa = Any Amino Acid

<400> 959
Cys Cys Glu Tyr Xaa Xaa Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 960
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 9, 15
<223> Xaa = Any Amino Acid

<400> 960
Cys Cys Glu Tyr Xaa Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 961
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 9, 16
<223> Xaa = Any Amino Acid

<400> 961
Cys Cys Glu Tyr Xaa Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Gly Xaa

1 5 10 15
Cys Tyr

<210> 962
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 9, 17
<223> Xaa = Any Amino Acid

<400> 962
Cys Cys Glu Tyr Xaa Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 963
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 10
<223> Xaa = Any Amino Acid

<400> 963
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 964
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 10, 11
<223> Xaa = Any Amino Acid

<400> 964
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Gly

```
 1               5                  10                  15
Cys Tyr


<210> 965
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 10, 12
<223> Xaa = Any Amino Acid

<400> 965
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Gly
 1               5                  10                  15
Cys Tyr


<210> 966
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 10, 13
<223> Xaa = Any Amino Acid

<400> 966
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Gly
 1               5                  10                  15
Cys Tyr


<210> 967
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 10, 14
<223> Xaa = Any Amino Acid

<400> 967
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Gly
```

```
 1               5                   10                  15
Cys Tyr


<210> 968
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 10, 15
<223> Xaa = Any Amino Acid

<400> 968
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Gly
 1               5                   10                  15
Cys Tyr


<210> 969
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 10, 16
<223> Xaa = Any Amino Acid

<400> 969
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Gly Xaa
 1               5                   10                  15
Cys Tyr


<210> 970
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 10, 17
<223> Xaa = Any Amino Acid

<400> 970
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys
```

1 5 10 15
Xaa Tyr

<210> 971
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 11
<223> Xaa = Any Amino Acid

<400> 971
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 972
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 11, 12
<223> Xaa = Any Amino Acid

<400> 972
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 973
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(18) 5, 6, 11, 13
<223> Xaa = Any Amino Acid

<400> 973
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Gly

```
 1               5                   10                  15
Cys Tyr


<210> 974
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 11, 14
<223> Xaa = Any Amino Acid

<400> 974
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Gly
 1               5                   10                  15
Cys Tyr


<210> 975
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 11, 15
<223> Xaa = Any Amino Acid

<400> 975
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Gly
 1               5                   10                  15
Cys Tyr


<210> 976
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 11, 16
<223> Xaa = Any Amino Acid

<400> 976
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Gly Xaa
```

1 5 10 15
Cys Tyr

<210> 977
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 11, 17
<223> Xaa = Any Amino Acid

<400> 977
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 978
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 12
<223> Xaa = Any Amino Acid

<400> 978
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 979
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 12, 13
<223> Xaa = Any Amino Acid

<400> 979
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Gly

```
 1               5                  10                  15
Cys Tyr


<210> 980
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 12, 14
<223> Xaa = Any Amino Acid

<400> 980
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Gly
 1               5                  10                  15
Cys Tyr


<210> 981
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(18) 5, 6, 12, 15
<223> Xaa = Any Amino Acid

<400> 981
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Gly
 1               5                  10                  15
Cys Tyr


<210> 982
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(18) 5, 6, 12, 16
<223> Xaa = Any Amino Acid

<400> 982
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Gly Xaa
```

```
 1               5                  10                  15
Cys Tyr


<210> 983
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(18) 5, 6, 12, 17
<223> Xaa = Any Amino Acid

<400> 983
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys
 1               5                  10                  15
Xaa Tyr


<210> 984
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 13
<223> Xaa = Any Amino Acid

<400> 984
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys
 1               5                  10                  15
Tyr


<210> 985
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 13, 14
<223> Xaa = Any Amino Acid

<400> 985
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Gly
```

1 5 10 15
Cys Tyr

<210> 986
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 13, 15
<223> Xaa = Any Amino Acid

<400> 986
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 987
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 13, 16
<223> Xaa = Any Amino Acid

<400> 987
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 988
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 13, 17
<223> Xaa = Any Amino Acid

<400> 988
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys

```
 1               5                   10                  15
Xaa Tyr


<210> 989
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 14
<223> Xaa = Any Amino Acid

<400> 989
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys
 1               5                   10                  15
Tyr


<210> 990
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 14, 15
<223> Xaa = Any Amino Acid

<400> 990
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Gly
 1               5                   10                  15
Cys Tyr


<210> 991
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(18) 5, 6, 14, 16
<223> Xaa = Any Amino Acid

<400> 991
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Gly Xaa
```

```
 1               5                   10                  15
Cys Tyr


<210> 992
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 14, 17
<223> Xaa = Any Amino Acid

<400> 992
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys
 1               5                   10                  15
Xaa Tyr


<210> 993
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 15
<223> Xaa = Any Amino Acid

<400> 993
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys
 1               5                   10                  15
Tyr


<210> 994
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 15, 16
<223> Xaa = Any Amino Acid

<400> 994
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Gly Xaa Xaa
```

1 5 10 15
Cys Tyr

<210> 995
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 15, 17
<223> Xaa = Any Amino Acid

<400> 995
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 996
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 16
<223> Xaa = Any Amino Acid

<400> 996
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 997
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 6, 16, 17
<223> Xaa = Any Amino Acid

<400> 997
Cys Cys Glu Tyr Xaa Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa

```
 1               5                  10                  15
Xaa Tyr


<210> 998
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8
<223> Xaa = Any Amino Acid

<400> 998
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys Tyr
 1               5                  10                  15

<210> 999
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 9
<223> Xaa = Any Amino Acid

<400> 999
Cys Cys Glu Tyr Xaa Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Gly Cys
 1               5                  10                  15
Tyr


<210> 1000
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 9, 10
<223> Xaa = Any Amino Acid

<400> 1000
Cys Cys Glu Tyr Xaa Cys Cys Xaa Xaa Xaa Asn Pro Ala Cys Thr Gly
 1               5                  10                  15
Cys Tyr
```

<210> 1001
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 9, 11
<223> Xaa = Any Amino Acid

<400> 1001
Cys Cys Glu Tyr Xaa Cys Cys Xaa Xaa Asn Xaa Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1002
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 9, 12
<223> Xaa = Any Amino Acid

<400> 1002
Cys Cys Glu Tyr Xaa Cys Cys Xaa Xaa Asn Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1003
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 9, 13
<223> Xaa = Any Amino Acid

<400> 1003
Cys Cys Glu Tyr Xaa Cys Cys Xaa Xaa Asn Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1004
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 9, 14
<223> Xaa = Any Amino Acid

<400> 1004
Cys Cys Glu Tyr Xaa Cys Cys Xaa Xaa Asn Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1005
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 9, 15
<223> Xaa = Any Amino Acid

<400> 1005
Cys Cys Glu Tyr Xaa Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1006
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 9, 16
<223> Xaa = Any Amino Acid

<400> 1006
Cys Cys Glu Tyr Xaa Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1007
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 9, 17
<223> Xaa = Any Amino Acid

<400> 1007
Cys Cys Glu Tyr Xaa Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1008
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 10
<223> Xaa = Any Amino Acid

<400> 1008
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1009
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 10, 11
<223> Xaa = Any Amino Acid

<400> 1009
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Xaa Xaa Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1010
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 10, 12
<223> Xaa = Any Amino Acid

<400> 1010
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Xaa Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1011
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 10, 13
<223> Xaa = Any Amino Acid

<400> 1011
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Xaa Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1012
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 10, 14
<223> Xaa = Any Amino Acid

<400> 1012
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Xaa Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1013
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 10, 15
<223> Xaa = Any Amino Acid

<400> 1013
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1014
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 10, 16
<223> Xaa = Any Amino Acid

<400> 1014
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1015
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 10, 17
<223> Xaa = Any Amino Acid

<400> 1015
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1016
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 11
<223> Xaa = Any Amino Acid

<400> 1016
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1017
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 11, 12
<223> Xaa = Any Amino Acid

<400> 1017
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Xaa Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1018
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 11, 13
<223> Xaa = Any Amino Acid

<400> 1018
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Xaa Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1019
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 11, 14
<223> Xaa = Any Amino Acid

<400> 1019
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Xaa Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1020
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 11, 15
<223> Xaa = Any Amino Acid

<400> 1020
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1021
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 11, 16
<223> Xaa = Any Amino Acid

<400> 1021
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1022
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 11, 17
<223> Xaa = Any Amino Acid

<400> 1022
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1023
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 12
<223> Xaa = Any Amino Acid

<400> 1023
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1024
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 12, 13
<223> Xaa = Any Amino Acid

<400> 1024
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1025
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 12, 14
<223> Xaa = Any Amino Acid

<400> 1025
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1026
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 12, 15
<223> Xaa = Any Amino Acid

<400> 1026
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1027
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 12, 16
<223> Xaa = Any Amino Acid

<400> 1027
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1028
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 12, 17
<223> Xaa = Any Amino Acid

<400> 1028
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1029
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 13
<223> Xaa = Any Amino Acid

<400> 1029
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 1030
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 13, 14
<223> Xaa = Any Amino Acid

<400> 1030
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1031
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 13, 15
<223> Xaa = Any Amino Acid

<400> 1031
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1032
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 13, 16
<223> Xaa = Any Amino Acid

<400> 1032
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1033
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 13, 17
<223> Xaa = Any Amino Acid

<400> 1033
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1034
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 14
<223> Xaa = Any Amino Acid

<400> 1034
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 1035
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 14, 15
<223> Xaa = Any Amino Acid

<400> 1035
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1036
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 14, 16
<223> Xaa = Any Amino Acid

<400> 1036
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1037
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 14, 17
<223> Xaa = Any Amino Acid

<400> 1037
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1038
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 15
<223> Xaa = Any Amino Acid

<400> 1038
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 1039
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 15, 16
<223> Xaa = Any Amino Acid

<400> 1039
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1040
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 15, 17
<223> Xaa = Any Amino Acid

<400> 1040
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1041
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 16
<223> Xaa = Any Amino Acid

<400> 1041
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 1042
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 8, 16, 17
<223> Xaa = Any Amino Acid

<400> 1042
Cys Cys Glu Tyr Xaa Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1043
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9
<223> Xaa = Any Amino Acid

<400> 1043
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 1044
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 10
<223> Xaa = Any Amino Acid

<400> 1044
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1045
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 10, 11
<223> Xaa = Any Amino Acid

<400> 1045
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Xaa Xaa Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1046
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 10, 12
<223> Xaa = Any Amino Acid

<400> 1046
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Xaa Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1047
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 10, 13
<223> Xaa = Any Amino Acid

<400> 1047
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Xaa Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1048
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 10, 14
<223> Xaa = Any Amino Acid

<400> 1048
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Xaa Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1049
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 10, 15
<223> Xaa = Any Amino Acid

<400> 1049
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1050
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 10, 16
<223> Xaa = Any Amino Acid

<400> 1050
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1051
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 10, 17
<223> Xaa = Any Amino Acid

<400> 1051
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1052
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 11
<223> Xaa = Any Amino Acid

<400> 1052
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1053
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 11, 12
<223> Xaa = Any Amino Acid

<400> 1053
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Xaa Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1054
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 10, 13
<223> Xaa = Any Amino Acid

<400> 1054
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Xaa Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1055
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 11, 14
<223> Xaa = Any Amino Acid

<400> 1055
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Xaa Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1056
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 11, 15
<223> Xaa = Any Amino Acid

<400> 1056
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1057
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 11, 16
<223> Xaa = Any Amino Acid

<400> 1057
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1058
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 11, 17
<223> Xaa = Any Amino Acid

<400> 1058
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1059
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 12
<223> Xaa = Any Amino Acid

<400> 1059
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1060
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 12, 13
<223> Xaa = Any Amino Acid

<400> 1060
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1061
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 12, 14
<223> Xaa = Any Amino Acid

<400> 1061
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1062
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 12, 15
<223> Xaa = Any Amino Acid

<400> 1062
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1063
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 12, 16
<223> Xaa = Any Amino Acid

<400> 1063
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1064
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 12, 17
<223> Xaa = Any Amino Acid

<400> 1064
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1065
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 13
<223> Xaa = Any Amino Acid

<400> 1065
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 1066
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (5, 9, 13, 14
<223> Xaa = Any Amino Acid

<400> 1066
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1067
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 13, 15
<223> Xaa = Any Amino Acid

<400> 1067
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1068
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 13, 16
<223> Xaa = Any Amino Acid

<400> 1068
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1069
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 13, 17
<223> Xaa = Any Amino Acid

<400> 1069
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1070
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 14
<223> Xaa = Any Amino Acid

<400> 1070
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 1071
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 14, 15
<223> Xaa = Any Amino Acid

<400> 1071
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1072
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 14, 16
<223> Xaa = Any Amino Acid

<400> 1072
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1073
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 14, 17
<223> Xaa = Any Amino Acid

<400> 1073
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1074
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 15
<223> Xaa = Any Amino Acid

<400> 1074
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 1075
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 15, 16
<223> Xaa = Any Amino Acid

<400> 1075
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1076
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 15, 17
<223> Xaa = Any Amino Acid

<400> 1076
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1077
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 16
<223> Xaa = Any Amino Acid

<400> 1077
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 1078
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 9, 16, 17
<223> Xaa = Any Amino Acid

<400> 1078
Cys Cys Glu Tyr Xaa Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1079
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> 5, 10
<223> Xaa = Any Amino Acid

<400> 1079
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 1080
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 11
<223> Xaa = Any Amino Acid

<400> 1080
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1081
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 11, 12
<223> Xaa = Any Amino Acid

<400> 1081
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Xaa Xaa Ala Cys Thr Gly

1 5 10 15
Cys Tyr

<210> 1082
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 11, 13
<223> Xaa = Any Amino Acid

<400> 1082
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Xaa Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1083
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 11, 14
<223> Xaa = Any Amino Acid

<400> 1083
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Xaa Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1084
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 11, 15
<223> Xaa = Any Amino Acid

<400> 1084
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Xaa Gly

1 5 10 15
Cys Tyr

<210> 1085
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 11, 16
<223> Xaa = Any Amino Acid

<400> 1085
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1086
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 11, 17
<223> Xaa = Any Amino Acid

<400> 1086
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1087
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 12
<223> Xaa = Any Amino Acid

<400> 1087
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Gly Cys

1 5 10 15
Tyr

<210> 1088
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 12, 13
<223> Xaa = Any Amino Acid

<400> 1088
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1089
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 12, 14
<223> Xaa = Any Amino Acid

<400> 1089
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1090
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 12, 15
<223> Xaa = Any Amino Acid

<400> 1090
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Xaa Gly

1 5 10 15
Cys Tyr

<210> 1091
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 12, 16
<223> Xaa = Any Amino Acid

<400> 1091
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1092
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 13
<223> Xaa = Any Amino Acid

<400> 1092
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 1093
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 13, 14
<223> Xaa = Any Amino Acid

<400> 1093
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Xaa Xaa Thr Gly

1 5 10 15
Cys Tyr

<210> 1094
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 13, 15
<223> Xaa = Any Amino Acid

<400> 1094
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1095
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 13, 16
<223> Xaa = Any Amino Acid

<400> 1095
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1096
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 13, 17
<223> Xaa = Any Amino Acid

<400> 1096
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Gly Cys

```
 1               5                  10                  15
Xaa Tyr


<210> 1097
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 14
<223> Xaa = Any Amino Acid

<400> 1097
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Gly Cys
 1               5                  10                  15
Tyr


<210> 1098
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 14, 15
<223> Xaa = Any Amino Acid

<400> 1098
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Xaa Gly
 1               5                  10                  15
Cys Tyr


<210> 1099
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 14, 16
<223> Xaa = Any Amino Acid

<400> 1099
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Gly Xaa
```

```
 1               5                   10                  15
Cys Tyr


<210> 1100
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 14, 17
<223> Xaa = Any Amino Acid

<400> 1100
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Gly Cys
 1               5                   10                  15
Xaa Tyr


<210> 1101
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 15
<223> Xaa = Any Amino Acid

<400> 1101
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Gly Xaa Cys
 1               5                   10                  15
Tyr


<210> 1102
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 15, 16
<223> Xaa = Any Amino Acid

<400> 1102
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Gly Xaa Xaa
```

```
 1               5                   10                  15
Cys Tyr


<210> 1103
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 15, 17
<223> Xaa = Any Amino Acid

<400> 1103
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Gly Xaa Cys
 1               5                   10                  15
Xaa Tyr


<210> 1104
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 16
<223> Xaa = Any Amino Acid

<400> 1104
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys Xaa
 1               5                   10                  15
Tyr


<210> 1105
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 10, 16, 17
<223> Xaa = Any Amino Acid

<400> 1105
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys Xaa
```

1 5 10 15
Xaa Tyr

<210> 1106
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 11
<223> Xaa = Any Amino Acid

<400> 1106
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys Tyr
1 5 10 15

<210> 1107
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 11, 12
<223> Xaa = Any Amino Acid

<400> 1107
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1108
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 11, 12, 13
<223> Xaa = Any Amino Acid

<400> 1108
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1109
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 11, 12, 14
<223> Xaa = Any Amino Acid

<400> 1109
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1110
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 11, 12, 15
<223> Xaa = Any Amino Acid

<400> 1110
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1111
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 11, 12, 16
<223> Xaa = Any Amino Acid

<400> 1111
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1112
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 11, 12, 17
<223> Xaa = Any Amino Acid

<400> 1112
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1113
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 11, 13
<223> Xaa = Any Amino Acid

<400> 1113
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 1114
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 11, 13, 14
<223> Xaa = Any Amino Acid

<400> 1114
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1115
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 11, 13, 15
<223> Xaa = Any Amino Acid

<400> 1115
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1116
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 11, 13, 16
<223> Xaa = Any Amino Acid

<400> 1116
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1117
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 11, 13, 17
<223> Xaa = Any Amino Acid

<400> 1117
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1118
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 11, 14
<223> Xaa = Any Amino Acid

<400> 1118
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 1119
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 11, 14, 15
<223> Xaa = Any Amino Acid

<400> 1119
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1120
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 11, 14, 16
<223> Xaa = Any Amino Acid

<400> 1120
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1121
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 11, 14, 17
<223> Xaa = Any Amino Acid

<400> 1121
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1122
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 11, 15
<223> Xaa = Any Amino Acid

<400> 1122
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 1123
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 11, 15, 16
<223> Xaa = Any Amino Acid

<400> 1123
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1124
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 11, 15, 17
<223> Xaa = Any Amino Acid

<400> 1124
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Gly Xaa Cys
 1   5   10   15
Xaa Tyr

<210> 1125
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 11, 16
<223> Xaa = Any Amino Acid

<400> 1125
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys Xaa
 1   5   10   15
Tyr

<210> 1126
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 11, 16, 17
<223> Xaa = Any Amino Acid

<400> 1126
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys Xaa
 1   5   10   15
Xaa Tyr

<210> 1127
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 12
<223> Xaa = Any Amino Acid

<400> 1127
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys Tyr
1 5 10 15

<210> 1128
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 12, 13
<223> Xaa = Any Amino Acid

<400> 1128
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 1129
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 12, 13, 14
<223> Xaa = Any Amino Acid

<400> 1129
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1130
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 12, 13, 15
<223> Xaa = Any Amino Acid

<400> 1130
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1131
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 12, 13, 16
<223> Xaa = Any Amino Acid

<400> 1131
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1132
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 12, 13, 17
<223> Xaa = Any Amino Acid

<400> 1132
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1133
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 12, 14
<223> Xaa = Any Amino Acid

<400> 1133
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Gly Cys
 1   5   10   15
Tyr

<210> 1134
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 12, 14, 15
<223> Xaa = Any Amino Acid

<400> 1134
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Xaa Gly
 1   5   10   15
Cys Tyr

<210> 1135
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 12, 14, 16
<223> Xaa = Any Amino Acid

<400> 1135
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Gly Xaa
 1   5   10   15
Cys Tyr

<210> 1136
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 12, 14, 17
<223> Xaa = Any Amino Acid

<400> 1136
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Gly Cys
 1   5   10   15
Xaa Tyr

<210> 1137
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 12, 15
<223> Xaa = Any Amino Acid

<400> 1137
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Gly Xaa Cys
 1   5   10   15
Tyr

<210> 1138
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 12, 15, 16
<223> Xaa = Any Amino Acid

<400> 1138
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Gly Xaa Xaa
 1   5   10   15
Cys Tyr

<210> 1139
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 12, 15, 17
<223> Xaa = Any Amino Acid

<400> 1139
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1140
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 12, 16
<223> Xaa = Any Amino Acid

<400> 1140
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 1141
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 12, 16, 17
<223> Xaa = Any Amino Acid

<400> 1141
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1142
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 13
<223> Xaa = Any Amino Acid

<400> 1142
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys Tyr
1 5 10 15

<210> 1143
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 13, 14
<223> Xaa = Any Amino Acid

<400> 1143
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Gly Cys
1 5 10 15
Tyr

<210> 1144
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 13, 14, 15
<223> Xaa = Any Amino Acid

<400> 1144
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1145
<211> 18

<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 13, 14, 16
<223> Xaa = Any Amino Acid

<400> 1145
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1146
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 13, 14, 17
<223> Xaa = Any Amino Acid

<400> 1146
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1147
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 13, 15
<223> Xaa = Any Amino Acid

<400> 1147
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Gly Xaa Cys
1 5 10 15
Tyr

<210> 1148
<211> 18

<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 13, 15, 16
<223> Xaa = Any Amino Acid

<400> 1148
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1149
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 13, 15, 17
<223> Xaa = Any Amino Acid

<400> 1149
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1150
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 13, 16
<223> Xaa = Any Amino Acid

<400> 1150
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys Xaa
1 5 10 15
Tyr

<210> 1151
<211> 18

<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 13, 16, 17
<223> Xaa = Any Amino Acid

<400> 1151
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1152
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 14
<223> Xaa = Any Amino Acid

<400> 1152
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys Tyr
1 5 10 15

<210> 1153
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 14, 15
<223> Xaa = Any Amino Acid

<400> 1153
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Xaa Xaa Cys
1 5 10 15
Tyr

<210> 1154
<211> 18
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 14, 15, 16
<223> Xaa = Any Amino Acid

<400> 1154
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Xaa Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1155
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 14, 15, 17
<223> Xaa = Any Amino Acid

<400> 1155
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Xaa Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1156
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 14, 16
<223> Xaa = Any Amino Acid

<400> 1156
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys Xaa
1 5 10 15
Tyr

<210> 1157
<211> 18
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 14, 16, 17
<223> Xaa = Any Amino Acid

<400> 1157
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1158
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> 5, 15
<223> Xaa = Any Amino Acid

<400> 1158
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa Tyr
1 5 10 15

<210> 1159
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 15, 16
<223> Xaa = Any Amino Acid

<400> 1159
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa Xaa
1 5 10 15
Tyr

<210> 1160
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 5, 15, 16, 17
<223> Xaa = Any Amino Acid

<400> 1160
Cys Cys Glu Tyr Xaa Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa Xaa
 1   5   10   15
Xaa Tyr

<210> 1161
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7
<223> Xaa = Any Amino Acid

<400> 1161
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10   15

<210> 1162
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8
<223> Xaa = Any Amino Acid

<400> 1162
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10   15

<210> 1163
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 9
<223> Xaa = Any Amino Acid

<400> 1163
Cys Cys Glu Tyr Cys Cys Xaa Xaa Xaa Asn Pro Ala Cys Thr Gly Cys
 1   5   10   15
Tyr

<210> 1164
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 9, 10
<223> Xaa = Any Amino Acid

<400> 1164
Cys Cys Glu Tyr Cys Cys Xaa Xaa Xaa Xaa Asn Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 1165
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 9, 11
<223> Xaa = Any Amino Acid

<400> 1165
Cys Cys Glu Tyr Cys Cys Xaa Xaa Xaa Asn Xaa Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 1166
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 9, 12
<223> Xaa = Any Amino Acid

<400> 1166
Cys Cys Glu Tyr Cys Cys Xaa Xaa Xaa Asn Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1167
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 9, 13
<223> Xaa = Any Amino Acid

<400> 1167
Cys Cys Glu Tyr Cys Cys Xaa Xaa Xaa Asn Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1168
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 9, 14
<223> Xaa = Any Amino Acid

<400> 1168
Cys Cys Glu Tyr Cys Cys Xaa Xaa Xaa Asn Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1169
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 9, 15
<223> Xaa = Any Amino Acid

<400> 1169
Cys Cys Glu Tyr Cys Cys Xaa Xaa Xaa Asn Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1170
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 9, 16
<223> Xaa = Any Amino Acid

<400> 1170
Cys Cys Glu Tyr Cys Cys Xaa Xaa Xaa Asn Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1171
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 9, 17
<223> Xaa = Any Amino Acid

<400> 1171
Cys Cys Glu Tyr Cys Cys Xaa Xaa Xaa Asn Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1172
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 10
<223> Xaa = Any Amino Acid

<400> 1172
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Xaa Pro Ala Cys Thr Gly Cys
 1   5   10   15
Tyr

<210> 1173
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 10, 11
<223> Xaa = Any Amino Acid

<400> 1173
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Xaa Xaa Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 1174
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 10, 12
<223> Xaa = Any Amino Acid

<400> 1174
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Xaa Pro Xaa Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 1175
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 10, 13
<223> Xaa = Any Amino Acid

<400> 1175
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Xaa Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1176
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 10, 14
<223> Xaa = Any Amino Acid

<400> 1176
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Xaa Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1177
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 10, 15
<223> Xaa = Any Amino Acid

<400> 1177
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Xaa Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1178
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 10, 16
<223> Xaa = Any Amino Acid

<400> 1178
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Xaa Pro Ala Cys Thr Gly Xaa
 1   5   10   15
Cys Tyr

<210> 1179
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 10, 17
<223> Xaa = Any Amino Acid

<400> 1179
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Xaa Pro Ala Cys Thr Gly Cys
 1   5   10   15
Xaa Tyr

<210> 1180
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 11
<223> Xaa = Any Amino Acid

<400> 1180
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Xaa Ala Cys Thr Gly Cys
 1   5   10   15
Tyr

<210> 1181
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 11, 12
<223> Xaa = Any Amino Acid

<400> 1181
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Xaa Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1182
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 11, 13
<223> Xaa = Any Amino Acid

<400> 1182
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Xaa Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1183
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 11, 14
<223> Xaa = Any Amino Acid

<400> 1183
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Xaa Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1184
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 11, 15
<223> Xaa = Any Amino Acid

<400> 1184
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Xaa Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1185
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 11, 16
<223> Xaa = Any Amino Acid

<400> 1185
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Xaa Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1186
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 11, 17
<223> Xaa = Any Amino Acid

<400> 1186
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1187
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 12
<223> Xaa = Any Amino Acid

<400> 1187
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1188
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 12, 13
<223> Xaa = Any Amino Acid

<400> 1188
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1189
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 12, 14
<223> Xaa = Any Amino Acid

<400> 1189
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1190
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 12, 15
<223> Xaa = Any Amino Acid

<400> 1190
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1191
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 12, 16
<223> Xaa = Any Amino Acid

<400> 1191
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1192
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 12, 17
<223> Xaa = Any Amino Acid

<400> 1192
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1193
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 13
<223> Xaa = Any Amino Acid

<400> 1193
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 1194
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 13, 14
<223> Xaa = Any Amino Acid

<400> 1194
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1195
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 13, 15
<223> Xaa = Any Amino Acid

<400> 1195
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1196
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 13, 16
<223> Xaa = Any Amino Acid

<400> 1196
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1197
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 13, 17
<223> Xaa = Any Amino Acid

<400> 1197
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1198
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 14
<223> Xaa = Any Amino Acid

<400> 1198
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 1199
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 14, 15
<223> Xaa = Any Amino Acid

<400> 1199
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1200
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 14, 16
<223> Xaa = Any Amino Acid

<400> 1200
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1201
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 14, 17
<223> Xaa = Any Amino Acid

<400> 1201
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1202
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 15
<223> Xaa = Any Amino Acid

<400> 1202
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 1203
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 15, 16
<223> Xaa = Any Amino Acid

<400> 1203
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1204
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 15, 17
<223> Xaa = Any Amino Acid

<400> 1204
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1205
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 16
<223> Xaa = Any Amino Acid

<400> 1205
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 1206
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 8, 16, 17
<223> Xaa = Any Amino Acid

<400> 1206
Cys Cys Glu Tyr Cys Cys Xaa Xaa Asn Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1207
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9
<223> Xaa = Any Amino Acid

<400> 1207
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 1208
<211> 17
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 10
<223> Xaa = Any Amino Acid

<400> 1208
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Xaa Pro Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1209
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 10, 11
<223> Xaa = Any Amino Acid

<400> 1209
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Xaa Xaa Pro Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1210
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 10, 12
<223> Xaa = Any Amino Acid

<400> 1210
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Xaa Pro Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1211
<211> 18
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 10, 13
<223> Xaa = Any Amino Acid

<400> 1211
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Xaa Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1212
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 10, 14
<223> Xaa = Any Amino Acid

<400> 1212
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Xaa Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1213
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 10, 15
<223> Xaa = Any Amino Acid

<400> 1213
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Xaa Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1214
<211> 18
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 10, 16
<223> Xaa = Any Amino Acid

<400> 1214
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Xaa Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1215
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 10, 17
<223> Xaa = Any Amino Acid

<400> 1215
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Xaa Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1216
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 11
<223> Xaa = Any Amino Acid

<400> 1216
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1217
<211> 18
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 11, 12
<223> Xaa = Any Amino Acid

<400> 1217
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Xaa Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1218
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 11, 13
<223> Xaa = Any Amino Acid

<400> 1218
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Xaa Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1219
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 11, 14
<223> Xaa = Any Amino Acid

<400> 1219
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Xaa Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1220
<211> 18
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 11, 15
<223> Xaa = Any Amino Acid

<400> 1220
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Xaa Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1221
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 11, 16
<223> Xaa = Any Amino Acid

<400> 1221
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Xaa Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1222
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 11, 17
<223> Xaa = Any Amino Acid

<400> 1222
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1223
<211> 17
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 12
<223> Xaa = Any Amino Acid

<400> 1223
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1224
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 12, 13
<223> Xaa = Any Amino Acid

<400> 1224
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1225
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 12, 14)
<223> Xaa = Any Amino Acid

<400> 1225
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1226
<211> 18
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 12, 15
<223> Xaa = Any Amino Acid

<400> 1226
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1227
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 12, 16
<223> Xaa = Any Amino Acid

<400> 1227
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1228
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 12, 17
<223> Xaa = Any Amino Acid

<400> 1228
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1229
<211> 17
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 13
<223> Xaa = Any Amino Acid

<400> 1229
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 1230
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 13, 14
<223> Xaa = Any Amino Acid

<400> 1230
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1231
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 13, 15
<223> Xaa = Any Amino Acid

<400> 1231
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1232
<211> 18
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 13, 16
<223> Xaa = Any Amino Acid

<400> 1232
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1233
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 13, 17
<223> Xaa = Any Amino Acid

<400> 1233
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1234
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 14
<223> Xaa = Any Amino Acid

<400> 1234
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 1235
<211> 18
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 14, 15
<223> Xaa = Any Amino Acid

<400> 1235
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1236
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 14, 16
<223> Xaa = Any Amino Acid

<400> 1236
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1237
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 14, 17
<223> Xaa = Any Amino Acid

<400> 1237
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1238
<211> 17
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 15
<223> Xaa = Any Amino Acid

<400> 1238
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 1239
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 15, 16
<223> Xaa = Any Amino Acid

<400> 1239
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1240
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 15, 17
<223> Xaa = Any Amino Acid

<400> 1240
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1241
<211> 17
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 16
<223> Xaa = Any Amino Acid

<400> 1241
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 1242
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 9, 16, 17
<223> Xaa = Any Amino Acid

<400> 1242
Cys Cys Glu Tyr Cys Cys Xaa Asn Xaa Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1243
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10
<223> Xaa = Any Amino Acid

<400> 1243
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 1244
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 11
<223> Xaa = Any Amino Acid

<400> 1244
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Xaa Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1245
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 11, 12
<223> Xaa = Any Amino Acid

<400> 1245
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Xaa Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1246
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 11, 13
<223> Xaa = Any Amino Acid

<400> 1246
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Xaa Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1247
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 11, 14
<223> Xaa = Any Amino Acid

<400> 1247
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Xaa Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1248
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 11, 15
<223> Xaa = Any Amino Acid

<400> 1248
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Xaa Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1249
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 11, 16
<223> Xaa = Any Amino Acid

<400> 1249
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Xaa Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1250
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 11, 17
<223> Xaa = Any Amino Acid

<400> 1250
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Xaa Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1251
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 12
<223> Xaa = Any Amino Acid

<400> 1251
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1252
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 12, 13
<223> Xaa = Any Amino Acid

<400> 1252
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1253
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 12, 14
<223> Xaa = Any Amino Acid

<400> 1253
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1254
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 12, 15
<223> Xaa = Any Amino Acid

<400> 1254
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1255
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 12, 16
<223> Xaa = Any Amino Acid

<400> 1255
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1256
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 12, 17
<223> Xaa = Any Amino Acid

<400> 1256
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1257
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 13
<223> Xaa = Any Amino Acid

<400> 1257
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 1258
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 13, 14
<223> Xaa = Any Amino Acid

<400> 1258
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1259
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 13, 15
<223> Xaa = Any Amino Acid

<400> 1259
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1260
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 13, 16
<223> Xaa = Any Amino Acid

<400> 1260
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1261
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 13, 17
<223> Xaa = Any Amino Acid

<400> 1261
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1262
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 14
<223> Xaa = Any Amino Acid

<400> 1262
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 1263
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 14, 15
<223> Xaa = Any Amino Acid

<400> 1263
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1264
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 14, 16
<223> Xaa = Any Amino Acid

<400> 1264
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1265
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 14, 17
<223> Xaa = Any Amino Acid

<400> 1265
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1266
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 15
<223> Xaa = Any Amino Acid

<400> 1266
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 1267
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 15, 16
<223> Xaa = Any Amino Acid

<400> 1267
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1268
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 15, 17
<223> Xaa = Any Amino Acid

<400> 1268
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1269
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 16
<223> Xaa = Any Amino Acid

<400> 1269
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 1270
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 10, 16, 17
<223> Xaa = Any Amino Acid

<400> 1270
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Xaa Ala Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1271
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 11
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<400> 1271
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Gly Cys Tyr
1 5 10 15

<210> 1272
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 11, 12
<223> Xaa = Any Amino Acid

<400> 1272
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1273
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 11, 12, 13
<223> Xaa = Any Amino Acid

<400> 1273
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1274
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 11, 12, 14
<223> Xaa = Any Amino Acid

<400> 1274
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1275
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(18) 7, 11, 12, 15
<223> Xaa = Any Amino Acid

<400> 1275
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1276
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 11, 12, 16
<223> Xaa = Any Amino Acid

<400> 1276
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1277
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 11, 12, 17
<223> Xaa = Any Amino Acid

<400> 1277
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1278
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 11, 13
<223> Xaa = Any Amino Acid

<400> 1278
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 1279
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 11, 13, 14
<223> Xaa = Any Amino Acid

<400> 1279
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1280
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 11, 13, 15
<223> Xaa = Any Amino Acid

<400> 1280
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1281
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 11, 13, 16
<223> Xaa = Any Amino Acid

<400> 1281
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1282
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 11, 13, 17
<223> Xaa = Any Amino Acid

<400> 1282
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1283
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 11, 14
<223> Xaa = Any Amino Acid

<400> 1283
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 1284
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 11, 14, 15
<223> Xaa = Any Amino Acid

<400> 1284
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1285
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 11, 14, 16
<223> Xaa = Any Amino Acid

<400> 1285
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1286
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 11, 14, 17
<223> Xaa = Any Amino Acid

<400> 1286
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1287
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 11, 15
<223> Xaa = Any Amino Acid

<400> 1287
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 1288
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 11, 15, 16
<223> Xaa = Any Amino Acid

<400> 1288
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1289
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 11, 15, 17
<223> Xaa = Any Amino Acid

<400> 1289
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1290
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 11, 16
<223> Xaa = Any Amino Acid

<400> 1290
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 1291
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 11, 16, 17
<223> Xaa = Any Amino Acid

<400> 1291
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Xaa Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1292
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 12
<223> Xaa = Any Amino Acid

<400> 1292
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Gly Cys Tyr
1 5 10 15

<210> 1293
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 12, 13
<223> Xaa = Any Amino Acid

<400> 1293
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 1294
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 12, 13, 14
<223> Xaa = Any Amino Acid

<400> 1294
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1295
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 12, 13, 15
<223> Xaa = Any Amino Acid

<400> 1295
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1296
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 12, 13, 16
<223> Xaa = Any Amino Acid

<400> 1296
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1297
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 12, 13, 17
<223> Xaa = Any Amino Acid

<400> 1297
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1298
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 12, 14
<223> Xaa = Any Amino Acid

<400> 1298
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 1299
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 12, 14, 15
<223> Xaa = Any Amino Acid

<400> 1299
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1300
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 12, 14, 16
<223> Xaa = Any Amino Acid

<400> 1300
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1301
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 12, 14, 17
<223> Xaa = Any Amino Acid

<400> 1301
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1302
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 12, 15
<223> Xaa = Any Amino Acid

<400> 1302
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 1303
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 12, 15, 16
<223> Xaa = Any Amino Acid

<400> 1303
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1304
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 12, 15, 17
<223> Xaa = Any Amino Acid

<400> 1304
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1305
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 12, 16
<223> Xaa = Any Amino Acid

<400> 1305
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 1306
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 12, 16, 17
<223> Xaa = Any Amino Acid

<400> 1306
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Xaa Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1307
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 13
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<400> 1307
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Gly Cys Tyr
1 5 10 15

<210> 1308
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 13, 14
<223> Xaa = Any Amino Acid

<400> 1308
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Xaa Gly Cys
1 5 10 15
Tyr

<210> 1309
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 13, 14, 15
<223> Xaa = Any Amino Acid

<400> 1309
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1310
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 13, 14, 16
<223> Xaa = Any Amino Acid

<400> 1310
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1311
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 13, 14, 17
<223> Xaa = Any Amino Acid

<400> 1311
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1312
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 13, 15
<223> Xaa = Any Amino Acid

<400> 1312
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Gly Xaa Cys
1 5 10 15
Tyr

<210> 1313
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 13, 15, 16
<223> Xaa = Any Amino Acid

<400> 1313
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1314
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 13, 15, 17
<223> Xaa = Any Amino Acid

<400> 1314
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1315
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 13, 16
<223> Xaa = Any Amino Acid

<400> 1315
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Gly Cys Xaa
1 5 10 15
Tyr

<210> 1316
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 13, 16, 17
<223> Xaa = Any Amino Acid

<400> 1316
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Xaa Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1317
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 14
<223> Xaa = Any Amino Acid

<400> 1317
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Xaa Cys Tyr
1 5 10 15

<210> 1318
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 14, 15
<223> Xaa = Any Amino Acid

<400> 1318
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Xaa Xaa Cys
1 5 10 15
Tyr

<210> 1319
<211> 18
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 14, 15, 16
<223> Xaa = Any Amino Acid

<400> 1319
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Xaa Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1320
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 14, 15, 17
<223> Xaa = Any Amino Acid

<400> 1320
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Xaa Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1321
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 14, 16
<223> Xaa = Any Amino Acid

<400> 1321
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Xaa Cys Xaa
1 5 10 15
Tyr

<210> 1322
<211> 18
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 14, 16, 17
<223> Xaa = Any Amino Acid

<400> 1322
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Xaa Cys Xaa
 1   5   10   15
Xaa Tyr

<210> 1323
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> 7, 15
<223> Xaa = Any Amino Acid

<400> 1323
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys Xaa Tyr
 1   5   10   15

<210> 1324
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 15, 16
<223> Xaa = Any Amino Acid

<400> 1324
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys Xaa Xaa
 1   5   10   15
Tyr

<210> 1325
<211> 18
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 7, 15, 16, 17
<223> Xaa = Any Amino Acid

<400> 1325
Cys Cys Glu Tyr Cys Cys Xaa Asn Pro Ala Cys Thr Gly Cys Xaa Xaa
1 5 10 15
Xaa Tyr

<210> 1326
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8
<223> Xaa = Any Amino Acid

<400> 1326
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 1327
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9
<223> Xaa = Any Amino Acid

<400> 1327
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 1328
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 10
<223> Xaa = Any Amino Acid

<400> 1328
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Xaa Pro Ala Cys Thr Gly Cys
 1   5   10   15
Tyr

<210> 1329
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 10 11
<223> Xaa = Any Amino Acid

<400> 1329
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Xaa Xaa Pro Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 1330
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 10 12
<223> Xaa = Any Amino Acid

<400> 1330
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Xaa Pro Xaa Ala Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 1331
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 10 13
<223> Xaa = Any Amino Acid

<400> 1331
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Xaa Pro Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1332
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 10 14
<223> Xaa = Any Amino Acid

<400> 1332
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Xaa Pro Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1333
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 10 15
<223> Xaa = Any Amino Acid

<400> 1333
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Xaa Pro Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1334
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 10 16
<223> Xaa = Any Amino Acid

<400> 1334
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Xaa Pro Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1335
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 10 17
<223> Xaa = Any Amino Acid

<400> 1335
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Xaa Pro Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1336
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 11
<223> Xaa = Any Amino Acid

<400> 1336
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1337
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 11, 12
<223> Xaa = Any Amino Acid

<400> 1337
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Xaa Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1338
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 11, 13
<223> Xaa = Any Amino Acid

<400> 1338
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Xaa Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1339
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 11, 14
<223> Xaa = Any Amino Acid

<400> 1339
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Xaa Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1340
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 11, 15
<223> Xaa = Any Amino Acid

<400> 1340
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Xaa Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1341
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 11, 16
<223> Xaa = Any Amino Acid

<400> 1341
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Xaa Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1342
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 11, 17
<223> Xaa = Any Amino Acid

<400> 1342
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Xaa Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1343
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 12
<223> Xaa = Any Amino Acid

<400> 1343
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1344
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 12, 13
<223> Xaa = Any Amino Acid

<400> 1344
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1345
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 12, 14
<223> Xaa = Any Amino Acid

<400> 1345
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1346
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 12, 15
<223> Xaa = Any Amino Acid

<400> 1346
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1347
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 12, 16
<223> Xaa = Any Amino Acid

<400> 1347
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1348
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 12, 17
<223> Xaa = Any Amino Acid

<400> 1348
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1349
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 13
<223> Xaa = Any Amino Acid

<400> 1349
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 1350
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 13, 14
<223> Xaa = Any Amino Acid

<400> 1350
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1351
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 13, 15
<223> Xaa = Any Amino Acid

<400> 1351
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1352
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 13, 16
<223> Xaa = Any Amino Acid

<400> 1352
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1353
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 13, 17
<223> Xaa = Any Amino Acid

<400> 1353
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1354
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 14
<223> Xaa = Any Amino Acid

<400> 1354
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 1355
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 14, 15
<223> Xaa = Any Amino Acid

<400> 1355
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1356
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 14, 16
<223> Xaa = Any Amino Acid

<400> 1356
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1357
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 14, 17
<223> Xaa = Any Amino Acid

<400> 1357
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1358
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 15
<223> Xaa = Any Amino Acid

<400> 1358
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 1359
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 15, 16
<223> Xaa = Any Amino Acid

<400> 1359
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1360
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 15, 17
<223> Xaa = Any Amino Acid

<400> 1360
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1361
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 16
<223> Xaa = Any Amino Acid

<400> 1361
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 1362
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 9, 16, 17
<223> Xaa = Any Amino Acid

<400> 1362
Cys Cys Glu Tyr Cys Cys Asn Xaa Xaa Pro Ala Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1363
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 10
<223> Xaa = Any Amino Acid

<400> 1363
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 1364
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>

<221> VARIANT
<222> 8, 10, 11
<223> Xaa = Any Amino Acid

<400> 1364
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Xaa Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1365
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 10, 11, 12
<223> Xaa = Any Amino Acid

<400> 1365
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Xaa Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1366
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 10, 11, 13
<223> Xaa = Any Amino Acid

<400> 1366
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Xaa Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1367
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>

<221> VARIANT
<222> 8, 10, 11, 14
<223> Xaa = Any Amino Acid

<400> 1367
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Xaa Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1368
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 10, 11, 15
<223> Xaa = Any Amino Acid

<400> 1368
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Xaa Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1369
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 10, 11, 16
<223> Xaa = Any Amino Acid

<400> 1369
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Xaa Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1370
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>

<221> VARIANT
<222> 8, 10, 11, 17
<223> Xaa = Any Amino Acid

<400> 1370
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Xaa Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1371
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 10, 12
<223> Xaa = Any Amino Acid

<400> 1371
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1372
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 10, 12, 13
<223> Xaa = Any Amino Acid

<400> 1372
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1373
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>

<221> VARIANT
<222> 8, 10, 12, 14
<223> Xaa = Any Amino Acid

<400> 1373
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1374
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 10, 12, 15
<223> Xaa = Any Amino Acid

<400> 1374
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1375
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 10, 12, 16
<223> Xaa = Any Amino Acid

<400> 1375
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1376
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>

<221> VARIANT
<222> 8, 10, 12, 17
<223> Xaa = Any Amino Acid

<400> 1376
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1377
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 10, 13
<223> Xaa = Any Amino Acid

<400> 1377
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 1378
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 10, 13, 14
<223> Xaa = Any Amino Acid

<400> 1378
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1379
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>

<221> VARIANT
<222> 8, 10, 13, 15
<223> Xaa = Any Amino Acid

<400> 1379
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1380
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 10, 13, 16
<223> Xaa = Any Amino Acid

<400> 1380
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1381
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 10, 13, 17
<223> Xaa = Any Amino Acid

<400> 1381
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1382
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>

<221> VARIANT
<222> 8, 10, 14
<223> Xaa = Any Amino Acid

<400> 1382
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 1383
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 10, 14, 15
<223> Xaa = Any Amino Acid

<400> 1383
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1384
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 10, 14, 16
<223> Xaa = Any Amino Acid

<400> 1384
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1385
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>

<221> VARIANT
<222> 8, 10, 14, 17
<223> Xaa = Any Amino Acid

<400> 1385
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1386
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 10, 15
<223> Xaa = Any Amino Acid

<400> 1386
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 1387
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 10, 15, 16
<223> Xaa = Any Amino Acid

<400> 1387
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1388
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>

<221> VARIANT
<222> 8, 10, 15, 17
<223> Xaa = Any Amino Acid

<400> 1388
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1389
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 10, 16
<223> Xaa = Any Amino Acid

<400> 1389
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 1390
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 10, 16, 17
<223> Xaa = Any Amino Acid

<400> 1390
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Xaa Ala Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1391
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>

<221> VARIANT
<222> 8, 11
<223> Xaa = Any Amino Acid

<400> 1391
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Gly Cys Tyr
 1   5   10   15

<210> 1392
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 11, 12
<223> Xaa = Any Amino Acid

<400> 1392
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Xaa Cys Thr Gly Cys
 1   5   10   15
Tyr

<210> 1393
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 11, 12, 13
<223> Xaa = Any Amino Acid

<400> 1393
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Xaa Xaa Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 1394
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 11, 12, 14

<223> Xaa = Any Amino Acid

<400> 1394
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1395
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 11, 12, 15
<223> Xaa = Any Amino Acid

<400> 1395
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1396
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 11, 12, 16
<223> Xaa = Any Amino Acid

<400> 1396
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1397
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 11, 12, 17

<223> Xaa = Any Amino Acid

<400> 1397
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1398
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 11, 13
<223> Xaa = Any Amino Acid

<400> 1398
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 1399
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 11, 13, 14
<223> Xaa = Any Amino Acid

<400> 1399
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1400
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 11, 13, 15

<223> Xaa = Any Amino Acid

<400> 1400
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1401
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 11, 13, 16
<223> Xaa = Any Amino Acid

<400> 1401
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1402
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 11, 13, 17
<223> Xaa = Any Amino Acid

<400> 1402
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1403
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 11, 14

<223> Xaa = Any Amino Acid

<400> 1403
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 1404
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 11, 14, 15
<223> Xaa = Any Amino Acid

<400> 1404
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1405
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 11, 14, 16
<223> Xaa = Any Amino Acid

<400> 1405
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1406
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 11, 14, 17

<223> Xaa = Any Amino Acid

<400> 1406
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1407
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 11, 15
<223> Xaa = Any Amino Acid

<400> 1407
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 1408
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 11, 15, 16
<223> Xaa = Any Amino Acid

<400> 1408
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1409
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 11, 15, 17

<223> Xaa = Any Amino Acid

<400> 1409
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1410
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 11, 16
<223> Xaa = Any Amino Acid

<400> 1410
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 1411
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 11, 16, 17
<223> Xaa = Any Amino Acid

<400> 1411
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Xaa Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1412
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 12

<223> Xaa = Any Amino Acid

<400> 1412
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Gly Cys Tyr
1 5 10 15

<210> 1413
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 12, 13
<223> Xaa = Any Amino Acid

<400> 1413
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 1414
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 12, 13, 14
<223> Xaa = Any Amino Acid

<400> 1414
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1415
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 12, 13, 15
<223> Xaa = Any Amino Acid

<400> 1415
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1416
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 12, 13, 16
<223> Xaa = Any Amino Acid

<400> 1416
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1417
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 12, 13, 17
<223> Xaa = Any Amino Acid

<400> 1417
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1418
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 12, 14
<223> Xaa = Any Amino Acid

<400> 1418
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 1419
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 12, 14, 15
<223> Xaa = Any Amino Acid

<400> 1419
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1420
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 12, 14, 16
<223> Xaa = Any Amino Acid

<400> 1420
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1421
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 12, 14, 17
<223> Xaa = Any Amino Acid

<400> 1421
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1422
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 12, 15
<223> Xaa = Any Amino Acid

<400> 1422
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 1423
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 12, 15, 16
<223> Xaa = Any Amino Acid

<400> 1423
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1424
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 12, 15, 17
<223> Xaa = Any Amino Acid

<400> 1424
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1425
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 12, 16
<223> Xaa = Any Amino Acid

<400> 1425
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 1426
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 12, 16, 17
<223> Xaa = Any Amino Acid

<400> 1426
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Xaa Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1427
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 13
<223> Xaa = Any Amino Acid

<400> 1427
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Gly Cys Tyr
1 5 10 15

<210> 1428
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 13, 14
<223> Xaa = Any Amino Acid

<400> 1428
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Xaa Gly Cys
1 5 10 15
Tyr

<210> 1429
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 13, 14, 15
<223> Xaa = Any Amino Acid

<400> 1429
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1430
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 13, 14, 16
<223> Xaa = Any Amino Acid

<400> 1430
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Xaa Gly Xaa

```
 1               5                   10                  15
Cys Tyr


<210> 1431
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 13, 14, 17
<223> Xaa = Any Amino Acid

<400> 1431
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Xaa Gly Cys
 1               5                   10                  15
Xaa Tyr


<210> 1432
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 13, 15
<223> Xaa = Any Amino Acid

<400> 1432
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Gly Xaa Cys
 1               5                   10                  15
Tyr


<210> 1433
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 13, 15, 16
<223> Xaa = Any Amino Acid

<400> 1433
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Gly Xaa Xaa
```

```
 1               5                   10                  15
Cys Tyr


<210> 1434
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 13, 15, 17
<223> Xaa = Any Amino Acid

<400> 1434
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Gly Xaa Cys
 1               5                   10                  15
Xaa Tyr


<210> 1435
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 13, 16
<223> Xaa = Any Amino Acid

<400> 1435
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Gly Cys Xaa
 1               5                   10                  15
Tyr


<210> 1436
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 13, 16, 17
<223> Xaa = Any Amino Acid

<400> 1436
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Xaa Gly Cys Xaa
```

1 5 10 15
Xaa Tyr

<210> 1437
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> 8, 14
<223> Xaa = Any Amino Acid

<400> 1437
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Xaa Cys Tyr
1 5 10 15

<210> 1438
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 14, 15
<223> Xaa = Any Amino Acid

<400> 1438
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Xaa Xaa Cys
1 5 10 15
Tyr

<210> 1439
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 14, 15, 16
<223> Xaa = Any Amino Acid

<400> 1439
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Xaa Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1440
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 14, 15, 17
<223> Xaa = Any Amino Acid

<400> 1440
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Xaa Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1441
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 14, 16
<223> Xaa = Any Amino Acid

<400> 1441
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Xaa Cys Xaa
1 5 10 15
Tyr

<210> 1442
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 14, 16, 17
<223> Xaa = Any Amino Acid

<400> 1442
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Xaa Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1443
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 15,
<223> Xaa = Any Amino Acid

<400> 1443
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys Xaa Tyr
1 5 10 15

<210> 1444
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 15, 16
<223> Xaa = Any Amino Acid

<400> 1444
Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys Xaa Xaa
1 5 10 15
Tyr

<210> 1445
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 8, 15, 16, 17
<223> Xaa = Any Amino Acid

<400> 1445

Cys Cys Glu Tyr Cys Cys Asn Xaa Pro Ala Cys Thr Gly Cys Xaa Xaa
1 5 10 15
Xaa Tyr

<210> 1446
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9
<223> Xaa = Any Amino Acid

<400> 1446
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 1447
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10
<223> Xaa = Any Amino Acid

<400> 1447
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Gly Cys Tyr
1 5 10 15

<210> 1448
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 11
<223> Xaa = Any Amino Acid

<400> 1448
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Xaa Ala Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1449
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 11, 12
<223> Xaa = Any Amino Acid

<400> 1449
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Xaa Xaa Ala Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1450
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 11, 13
<223> Xaa = Any Amino Acid

<400> 1450
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Xaa Ala Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1451
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 11, 14
<223> Xaa = Any Amino Acid

<400> 1451
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Xaa Ala Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1452
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 11, 15
<223> Xaa = Any Amino Acid

<400> 1452
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Xaa Ala Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1453
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 11, 16
<223> Xaa = Any Amino Acid

<400> 1453
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Xaa Ala Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1454
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 11, 17
<223> Xaa = Any Amino Acid

<400> 1454
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Xaa Ala Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1455
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 12, 1
<223> Xaa = Any Amino Acid

<400> 1455
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1456
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 12, 13
<223> Xaa = Any Amino Acid

<400> 1456
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1457
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 12, 14
<223> Xaa = Any Amino Acid

<400> 1457
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1458
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 12, 15
<223> Xaa = Any Amino Acid

<400> 1458
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1459
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 12, 16
<223> Xaa = Any Amino Acid

<400> 1459
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1460
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 12, 17
<223> Xaa = Any Amino Acid

<400> 1460
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1461
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 13
<223> Xaa = Any Amino Acid

<400> 1461
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 1462
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 13, 14
<223> Xaa = Any Amino Acid

<400> 1462
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1463
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 13, 15
<223> Xaa = Any Amino Acid

<400> 1463
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1464
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 13, 16
<223> Xaa = Any Amino Acid

<400> 1464
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1465
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 13, 17
<223> Xaa = Any Amino Acid

<400> 1465
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1466
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 14
<223> Xaa = Any Amino Acid

<400> 1466
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 1467
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 14, 15
<223> Xaa = Any Amino Acid

<400> 1467
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1468
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 14, 16
<223> Xaa = Any Amino Acid

<400> 1468
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1469
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 14, 17
<223> Xaa = Any Amino Acid

<400> 1469
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1470
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 15
<223> Xaa = Any Amino Acid

<400> 1470
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 1471
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 15, 16
<223> Xaa = Any Amino Acid

<400> 1471
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1472
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 15, 17
<223> Xaa = Any Amino Acid

<400> 1472
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1473
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 16
<223> Xaa = Any Amino Acid

<400> 1473
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 1474
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 10, 16, 17
<223> Xaa = Any Amino Acid

<400> 1474
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Xaa Ala Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1475
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 11
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<400> 1475
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Gly Cys Tyr
1 5 10 15

<210> 1476
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 11, 12
<223> Xaa = Any Amino Acid

<400> 1476
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Xaa Cys Thr Gly Cys
1 5 10 15
Tyr

<210> 1477
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 11, 12, 13
<223> Xaa = Any Amino Acid

<400> 1477
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Xaa Xaa Cys Thr Gly
1 5 10 15
Cys Tyr

<210> 1478
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 11, 12, 14
<223> Xaa = Any Amino Acid

<400> 1478

Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Xaa Cys Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1479
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 11, 12, 15
<223> Xaa = Any Amino Acid

<400> 1479
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1480
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 11, 12, 16
<223> Xaa = Any Amino Acid

<400> 1480
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1481
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 11, 12, 17
<223> Xaa = Any Amino Acid

<400> 1481

Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1482
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 11, 13
<223> Xaa = Any Amino Acid

<400> 1482
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 1483
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 11, 13, 14
<223> Xaa = Any Amino Acid

<400> 1483
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1484
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 11, 13, 15
<223> Xaa = Any Amino Acid

<400> 1484

Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1485
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 11, 13, 16
<223> Xaa = Any Amino Acid

<400> 1485
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1486
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 11, 13, 17
<223> Xaa = Any Amino Acid

<400> 1486
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1487
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 11, 14
<223> Xaa = Any Amino Acid

<400> 1487

Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 1488
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 11, 14, 15
<223> Xaa = Any Amino Acid

<400> 1488
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1489
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 11, 14, 16
<223> Xaa = Any Amino Acid

<400> 1489
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1490
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 11, 14, 17
<223> Xaa = Any Amino Acid

<400> 1490

Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1491
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 11, 15
<223> Xaa = Any Amino Acid

<400> 1491
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 1492
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 11, 15, 16
<223> Xaa = Any Amino Acid

<400> 1492
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1493
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 11, 15, 17
<223> Xaa = Any Amino Acid

<400> 1493

Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1494
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 11, 16
<223> Xaa = Any Amino Acid

<400> 1494
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 1495
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 11, 16, 17
<223> Xaa = Any Amino Acid

<400> 1495
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Xaa Cys Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1496
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 12
<223> Xaa = Any Amino Acid

<400> 1496

Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Gly Cys Tyr
1 5 10 15

<210> 1497
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 12, 13
<223> Xaa = Any Amino Acid

<400> 1497
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 1498
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 12, 13, 14
<223> Xaa = Any Amino Acid

<400> 1498
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1499
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 12, 13, 15
<223> Xaa = Any Amino Acid

<400> 1499
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Xaa Thr Xaa Gly
1 5 10 15

Cys Tyr

<210> 1500
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 12, 13, 16
<223> Xaa = Any Amino Acid

<400> 1500
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1501
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 12, 13, 17
<223> Xaa = Any Amino Acid

<400> 1501
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1502
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 12, 14
<223> Xaa = Any Amino Acid

<400> 1502
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Xaa Gly Cys
1 5 10 15

Tyr

<210> 1503
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 12, 14, 15
<223> Xaa = Any Amino Acid

<400> 1503
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1504
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 12, 14, 16
<223> Xaa = Any Amino Acid

<400> 1504
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1505
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 12, 14, 17
<223> Xaa = Any Amino Acid

<400> 1505
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Xaa Gly Cys
1 5 10 15

Xaa Tyr

<210> 1506
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 12, 15
<223> Xaa = Any Amino Acid

<400> 1506
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 1507
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 12, 15, 16
<223> Xaa = Any Amino Acid

<400> 1507
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1508
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 12, 15, 17
<223> Xaa = Any Amino Acid

<400> 1508
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Gly Xaa Cys
1 5 10 15

Xaa Tyr

<210> 1509
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 12, 16
<223> Xaa = Any Amino Acid

<400> 1509
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 1510
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 12, 16, 17
<223> Xaa = Any Amino Acid

<400> 1510
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Xaa Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1511
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> 9, 13

<223> Xaa = Any Amino Acid

<400> 1511
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Gly Cys Tyr
1 5 10 15

<210> 1512
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 13, 14
<223> Xaa = Any Amino Acid

<400> 1512
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Xaa Gly Cys
1 5 10 15
Tyr

<210> 1513
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 13, 14, 15
<223> Xaa = Any Amino Acid

<400> 1513
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1514
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 13, 14, 16
<223> Xaa = Any Amino Acid

<400> 1514
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1515
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 13, 14, 17
<223> Xaa = Any Amino Acid

<400> 1515
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1516
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 13, 15
<223> Xaa = Any Amino Acid

<400> 1516
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Gly Xaa Cys
1 5 10 15
Tyr

<210> 1517
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 13, 15, 16
<223> Xaa = Any Amino Acid

<400> 1517
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1518
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 13, 15, 17
<223> Xaa = Any Amino Acid

<400> 1518
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1519
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 13, 16
<223> Xaa = Any Amino Acid

<400> 1519
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Gly Cys Xaa
1 5 10 15
Tyr

<210> 1520
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 13, 16, 17
<223> Xaa = Any Amino Acid

<400> 1520
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Xaa Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1521
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 14
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<400> 1521
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Xaa Cys Tyr
1 5 10 15

<210> 1522
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 14, 15
<223> Xaa = Any Amino Acid

<400> 1522
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Xaa Xaa Cys
1 5 10 15
Tyr

<210> 1523
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 9, 14, 15, 16
<223> Xaa = Any Amino Acid

<400> 1523
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Xaa Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1524
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 14, 15, 17
<223> Xaa = Any Amino Acid

<400> 1524
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Xaa Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1525
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 14, 16
<223> Xaa = Any Amino Acid

<400> 1525
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Xaa Cys Xaa
1 5 10 15
Tyr

<210> 1526
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 9, 14, 16, 17
<223> Xaa = Any Amino Acid

<400> 1526
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Xaa Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1527
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 15
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<400> 1527
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys Xaa Tyr
1 5 10 15

<210> 1528
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 15, 16
<223> Xaa = Any Amino Acid

<400> 1528
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys Xaa Xaa
1 5 10 15
Tyr

<210> 1529
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 9, 15, 16, 17
<223> Xaa = Any Amino Acid

<400> 1529
Cys Cys Glu Tyr Cys Cys Asn Pro Xaa Ala Cys Thr Gly Cys Xaa Xaa
1 5 10 15
Xaa Tyr

<210> 1530
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> (1)...(15)
<223> Xaa = Any Amino Acid

<400> 1530
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys Tyr
1 5 10 15

<210> 1531
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 11
<223> Xaa = Any Amino Acid

<400> 1531
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Gly Cys Tyr
1 5 10 15

<210> 1532
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 11, 12
<223> Xaa = Any Amino Acid

<400> 1532
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Xaa Cys Thr Gly Cys
 1   5   10   15
Tyr

<210> 1533
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 11, 12, 13
<223> Xaa = Any Amino Acid

<400> 1533
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Xaa Xaa Cys Thr Gly
 1   5   10   15
Cys Tyr

<210> 1534
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 11, 12, 14
<223> Xaa = Any Amino Acid

<400> 1534
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Xaa Cys Xaa Thr Gly
 1   5   10   15
Cys Tyr

<210> 1535
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 11, 12, 15
<223> Xaa = Any Amino Acid

<400> 1535
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Xaa Cys Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1536
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 11, 12, 16
<223> Xaa = Any Amino Acid

<400> 1536
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Xaa Cys Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1537
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 11, 12, 17
<223> Xaa = Any Amino Acid

<400> 1537
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Xaa Cys Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1538
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 11, 13
<223> Xaa = Any Amino Acid

<400> 1538
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 1539
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 11, 13, 14
<223> Xaa = Any Amino Acid

<400> 1539
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1540
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 11, 13, 15
<223> Xaa = Any Amino Acid

<400> 1540
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1541
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 11, 13, 16
<223> Xaa = Any Amino Acid

<400> 1541
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1542
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 11, 13, 17
<223> Xaa = Any Amino Acid

<400> 1542
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1543
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 11, 14
<223> Xaa = Any Amino Acid

<400> 1543
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 1544
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 11, 14, 15
<223> Xaa = Any Amino Acid

<400> 1544
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1545
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 11, 14, 16
<223> Xaa = Any Amino Acid

<400> 1545
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1546
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 11, 14, 17
<223> Xaa = Any Amino Acid

<400> 1546
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1547
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 11, 15
<223> Xaa = Any Amino Acid

<400> 1547
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 1548
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 11, 15, 16
<223> Xaa = Any Amino Acid

<400> 1548
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1549
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 11, 15, 17
<223> Xaa = Any Amino Acid

<400> 1549
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1550
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 11, 16
<223> Xaa = Any Amino Acid

<400> 1550
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Gly Cys Xaa
 1   5   10   15
Tyr

<210> 1551
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 11, 16, 17
<223> Xaa = Any Amino Acid

<400> 1551
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Xaa Cys Thr Gly Cys Xaa
 1   5   10   15
Xaa Tyr

<210> 1552
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 12
<223> Xaa = Any Amino Acid

<400> 1552
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Gly Cys Tyr
 1   5   10   15

<210> 1553
<211> 17
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 12, 13
<223> Xaa = Any Amino Acid

<400> 1553
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 1554
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 12, 13, 14
<223> Xaa = Any Amino Acid

<400> 1554
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Xaa Xaa Thr Gly
1 5 10 15
Cys Tyr

<210> 1555
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 12, 13, 15
<223> Xaa = Any Amino Acid

<400> 1555
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Xaa Thr Xaa Gly
1 5 10 15
Cys Tyr

<210> 1556
<211> 18
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 12, 13, 16
<223> Xaa = Any Amino Acid

<400> 1556
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Xaa Thr Gly Xaa
1 5 10 15
Cys Tyr

<210> 1557
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 12, 13, 17
<223> Xaa = Any Amino Acid

<400> 1557
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1558
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 12, 14
<223> Xaa = Any Amino Acid

<400> 1558
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 1559
<211> 18
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 12, 14, 15
<223> Xaa = Any Amino Acid

<400> 1559
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1560
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 12, 14, 16
<223> Xaa = Any Amino Acid

<400> 1560
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1561
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 12, 14, 17
<223> Xaa = Any Amino Acid

<400> 1561
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1562
<211> 17
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 12, 15
<223> Xaa = Any Amino Acid

<400> 1562
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 1563
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 12, 15, 16
<223> Xaa = Any Amino Acid

<400> 1563
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1564
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 12, 15, 17
<223> Xaa = Any Amino Acid

<400> 1564
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1565
<211> 17
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 12, 16
<223> Xaa = Any Amino Acid

<400> 1565
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 1566
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 12, 16, 17
<223> Xaa = Any Amino Acid

<400> 1566
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Xaa Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1567
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 13
<223> Xaa = Any Amino Acid

<400> 1567
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Gly Cys Tyr
1 5 10 15

<210> 1568
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 13, 14
<223> Xaa = Any Amino Acid

<400> 1568
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Xaa Gly Cys
1 5 10 15
Tyr

<210> 1569
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 13, 14, 15
<223> Xaa = Any Amino Acid

<400> 1569
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1570
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 13, 14, 16
<223> Xaa = Any Amino Acid

<400> 1570
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1571
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 13, 14, 17
<223> Xaa = Any Amino Acid

<400> 1571
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1572
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 13, 15
<223> Xaa = Any Amino Acid

<400> 1572
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Gly Xaa Cys
1 5 10 15
Tyr

<210> 1573
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 13, 15, 16
<223> Xaa = Any Amino Acid

<400> 1573
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1574
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 13, 15, 17
<223> Xaa = Any Amino Acid

<400> 1574
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1575
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 13, 16
<223> Xaa = Any Amino Acid

<400> 1575
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Gly Cys Xaa
1 5 10 15
Tyr

<210> 1576
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 13, 16, 17
<223> Xaa = Any Amino Acid

<400> 1576
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Xaa Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1577
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 14
<223> Xaa = Any Amino Acid

<400> 1577
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Xaa Cys Tyr
1 5 10 15

<210> 1578
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 14, 15
<223> Xaa = Any Amino Acid

<400> 1578
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Xaa Xaa Cys
1 5 10 15
Tyr

<210> 1579
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 14, 15, 16
<223> Xaa = Any Amino Acid

<400> 1579
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Xaa Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1580
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>

<221> VARIANT
<222> 10, 14, 15, 17
<223> Xaa = Any Amino Acid

<400> 1580
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Xaa Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1581
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 14, 16
<223> Xaa = Any Amino Acid

<400> 1581
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Xaa Cys Xaa
1 5 10 15
Tyr

<210> 1582
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 14, 16, 17
<223> Xaa = Any Amino Acid

<400> 1582
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Xaa Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1583
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>

<221> VARIANT
<222> 10, 15
<223> Xaa = Any Amino Acid

<400> 1583
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys Xaa Tyr
1 5 10 15

<210> 1584
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 15, 16
<223> Xaa = Any Amino Acid

<400> 1584
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys Xaa Xaa
1 5 10 15
Tyr

<210> 1585
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 10, 15, 16, 17
<223> Xaa = Any Amino Acid

<400> 1585
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Xaa Cys Thr Gly Cys Xaa Xaa
1 5 10 15
Xaa Tyr

<210> 1586
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11

<223> Xaa = Any Amino Acid

<400> 1586
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys Tyr
1 5 10 15

<210> 1587
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> 11, 12
<223> Xaa = Any Amino Acid

<400> 1587
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Gly Cys Tyr
1 5 10 15

<210> 1588
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 12, 13
<223> Xaa = Any Amino Acid

<400> 1588
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Xaa Thr Gly Cys
1 5 10 15
Tyr

<210> 1589
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 11, 12, 13, 14
<223> Xaa = Any Amino Acid

<400> 1589
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Xaa Xaa Thr Gly
 1   5   10   15
Cys Tyr

<210> 1590
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 12, 13, 15
<223> Xaa = Any Amino Acid

<400> 1590
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Xaa Thr Xaa Gly
 1   5   10   15
Cys Tyr

<210> 1591
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 12, 13, 16
<223> Xaa = Any Amino Acid

<400> 1591
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Xaa Thr Gly Xaa
 1   5   10   15
Cys Tyr

<210> 1592
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 11, 12, 13, 17
<223> Xaa = Any Amino Acid

<400> 1592
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Xaa Thr Gly Cys
1 5 10 15
Xaa Tyr

<210> 1593
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 12, 14
<223> Xaa = Any Amino Acid

<400> 1593
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Xaa Gly Cys
1 5 10 15
Tyr

<210> 1594
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 12, 14, 15
<223> Xaa = Any Amino Acid

<400> 1594
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1595
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 11, 12, 14, 16
<223> Xaa = Any Amino Acid

<400> 1595
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1596
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 12, 14, 17
<223> Xaa = Any Amino Acid

<400> 1596
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1597
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 12, 15
<223> Xaa = Any Amino Acid

<400> 1597
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Gly Xaa Cys
1 5 10 15
Tyr

<210> 1598
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 11, 12, 15, 16
<223> Xaa = Any Amino Acid

<400> 1598
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1599
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 12, 15, 17
<223> Xaa = Any Amino Acid

<400> 1599
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1600
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 12, 16
<223> Xaa = Any Amino Acid

<400> 1600
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Gly Cys Xaa
1 5 10 15
Tyr

<210> 1601
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 11, 12, 16, 17
<223> Xaa = Any Amino Acid

<400> 1601
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Xaa Thr Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1602
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 13
<223> Xaa = Any Amino Acid

<223> Xaa = Any Amino Acid

<400> 1602
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Gly Cys Tyr
1 5 10 15

<210> 1603
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 13, 14
<223> Xaa = Any Amino Acid

<400> 1603
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Xaa Gly Cys
1 5 10 15
Tyr

<210> 1604
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 11, 13, 14, 15
<223> Xaa = Any Amino Acid

<400> 1604
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Xaa Xaa Gly
1 5 10 15
Cys Tyr

<210> 1605
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 13, 14, 16
<223> Xaa = Any Amino Acid

<400> 1605
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1606
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 13, 14, 17
<223> Xaa = Any Amino Acid

<400> 1606
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1607
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 11, 13, 15
<223> Xaa = Any Amino Acid

<400> 1607
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Gly Xaa Cys
1 5 10 15
Tyr

<210> 1608
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 13, 15, 16
<223> Xaa = Any Amino Acid

<400> 1608
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1609
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 13, 15, 17
<223> Xaa = Any Amino Acid

<400> 1609
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1610
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT

<222> 11, 13, 16
<223> Xaa = Any Amino Acid

<400> 1610
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Gly Cys Xaa
 1   5   10   15
Tyr

<210> 1611
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 13, 16, 17
<223> Xaa = Any Amino Acid

<400> 1611
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Xaa Gly Cys Xaa
 1   5   10   15
Xaa Tyr

<210> 1612
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(16)
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> 11, 14
<223> Xaa = Any Amino Acid

<400> 1612
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Xaa Cys Tyr
 1   5   10   15

<210> 1613
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 14, 15
<223> Xaa = Any Amino Acid

<400> 1613
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Xaa Xaa Cys
1 5 10 15
Tyr

<210> 1614
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 14, 15, 16
<223> Xaa = Any Amino Acid

<400> 1614
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Xaa Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1615
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 14, 15, 17
<223> Xaa = Any Amino Acid

<400> 1615
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Xaa Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1616
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 14, 16
<223> Xaa = Any Amino Acid

<400> 1616
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Xaa Cys Xaa
1 5 10 15
Tyr

<210> 1617
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 14, 16, 17
<223> Xaa = Any Amino Acid

<400> 1617
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Xaa Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1618
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 15
<223> Xaa = Any Amino Acid

<400> 1618
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys Xaa Tyr
1 5 10 15

<210> 1619
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 15, 16
<223> Xaa = Any Amino Acid

<400> 1619
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys Xaa Xaa
1 5 10 15
Tyr

<210> 1620
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 11, 15, 16, 17
<223> Xaa = Any Amino Acid

<400> 1620
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Xaa Thr Gly Cys Xaa Xaa
1 5 10 15
Xaa Tyr

<210> 1621
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 12
<223> Xaa = Any Amino Acid

<400> 1621
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys Tyr
1 5 10 15

<210> 1622
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>

<221> VARIANT
<222> 11, 15, 112, 13
<223> Xaa = Any Amino Acid

<400> 1622
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Gly Cys Tyr
 1   5   10   15

<210> 1623
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 12, 13, 14
<223> Xaa = Any Amino Acid

<400> 1623
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Xaa Gly Cys
 1   5   10   15
Tyr

<210> 1624
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 12, 13, 14, 15
<223> Xaa = Any Amino Acid

<400> 1624
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Xaa Xaa Gly
 1   5   10   15
Cys Tyr

<210> 1625
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 12, 13, 14, 16

<223> Xaa = Any Amino Acid

<400> 1625
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Xaa Gly Xaa
1 5 10 15
Cys Tyr

<210> 1626
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 12, 13, 14, 17
<223> Xaa = Any Amino Acid

<400> 1626
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Xaa Gly Cys
1 5 10 15
Xaa Tyr

<210> 1627
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 12, 13, 15
<223> Xaa = Any Amino Acid

<400> 1627
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Gly Xaa Cys
1 5 10 15
Tyr

<210> 1628
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 12, 13, 15, 16

<223> Xaa = Any Amino Acid

<400> 1628
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Gly Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1629
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 12, 13, 15, 17
<223> Xaa = Any Amino Acid

<400> 1629
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Gly Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1630
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 12, 13, 16
<223> Xaa = Any Amino Acid

<400> 1630
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Gly Cys Xaa
1 5 10 15
Tyr

<210> 1631
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 12, 13, 16, 17

<223> Xaa = Any Amino Acid

<400> 1631
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Xaa Gly Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1632
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 12, 14
<223> Xaa = Any Amino Acid

<400> 1632
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Xaa Cys Tyr
1 5 10 15

<210> 1633
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 12, 14, 15
<223> Xaa = Any Amino Acid

<400> 1633
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Xaa Xaa Cys
1 5 10 15
Tyr

<210> 1634
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 12, 14, 15, 16
<223> Xaa = Any Amino Acid

<400> 1634
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Xaa Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1635
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 12, 14, 15, 17
<223> Xaa = Any Amino Acid

<400> 1635
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Xaa Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1636
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 12, 14, 16
<223> Xaa = Any Amino Acid

<400> 1636
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Xaa Cys Xaa
1 5 10 15
Tyr

<210> 1637
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 12, 14, 16, 17
<223> Xaa = Any Amino Acid

<400> 1637
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Xaa Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1638
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 12, 15
<223> Xaa = Any Amino Acid

<400> 1638
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys Xaa Tyr
1 5 10 15

<210> 1639
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 12, 15, 16
<223> Xaa = Any Amino Acid

<400> 1639
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys Xaa Xaa
1 5 10 15
Tyr

<210> 1640
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 12, 15, 16, 17
<223> Xaa = Any Amino Acid

<400> 1640

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Xaa Gly Cys Xaa Xaa
1 5 10 15
Xaa Tyr

<210> 1641
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> (1)...(15)
<223> Xaa = Any Amino Acid

<220>
<221> VARIANT
<222> 13
<223> Xaa = Any Amino Acid

<400> 1641
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys Tyr
1 5 10 15

<210> 1642
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 13, 14
<223> Xaa = Any Amino Acid

<400> 1642
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Xaa Cys Tyr
1 5 10 15

<210> 1643
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 13, 14, 15
<223> Xaa = Any Amino Acid

<400> 1643
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Xaa Xaa Cys
1 5 10 15
Tyr

<210> 1644
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 13, 14, 15, 16
<223> Xaa = Any Amino Acid

<400> 1644
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Xaa Xaa Xaa
1 5 10 15
Cys Tyr

<210> 1645
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 13, 14, 15, 17
<223> Xaa = Any Amino Acid

<400> 1645
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Xaa Xaa Cys
1 5 10 15
Xaa Tyr

<210> 1646
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 13, 14, 16
<223> Xaa = Any Amino Acid

<400> 1646
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Xaa Cys Xaa
1 5 10 15
Tyr

<210> 1647
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 13, 14, 16, 17
<223> Xaa = Any Amino Acid

<400> 1647
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Xaa Cys Xaa
1 5 10 15
Xaa Tyr

<210> 1648
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 13, 15
<223> Xaa = Any Amino Acid

<400> 1648
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys Xaa Tyr
1 5 10 15

<210> 1649
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 13, 15, 16
<223> Xaa = Any Amino Acid

<400> 1649
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys Xaa Xaa

1 5 10 15
Tyr

<210> 1650
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 13, 15, 16, 17
<223> Xaa = Any Amino Acid

<400> 1650
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Xaa Cys Xaa Xaa
1 5 10 15
Xaa Tyr

<210> 1651
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 14
<223> Xaa = Any Amino Acid

<400> 1651
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa Tyr
1 5 10 15

<210> 1652
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 14, 15
<223> Xaa = Any Amino Acid

<400> 1652
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa Xaa Tyr
1 5 10 15

<210> 1653
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 14, 15, 16
<223> Xaa = Any Amino Acid

<400> 1653
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa Xaa Xaa
1 5 10 15
Tyr

<210> 1654
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 14, 15, 16, 17
<223> Xaa = Any Amino Acid

<400> 1654
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Xaa Xaa Xaa
1 5 10 15
Xaa Tyr

<210> 1655
<211> 42
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetically generated oligonucleotide

<400> 1655
cacaccatat gaagaaatca atattattta ttttttctttc tg 42

<210> 1656
<211> 46
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetically generated oligonucleotide

<400> 1656
cacacctcga gttaggtctc catgctttca ggaccacttt tattac 46

<210> 1657
<211> 69
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetically generated oligonucleotide

<400> 1657
gcatgaatag tagcaattac tgctgtgaat tgtgttgtaa tcctgcttgt accgggtgct 60
attaataac 69

<210> 1658
<211> 69
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetically generated oligonucleotide

<400> 1658
tcgagttatt aatagcaccc ggtacaagca ggattacaac acaattcaca gcagtaattg 60
ctactattc 69

<210> 1659
<211> 69
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetically generated oligonucleotide

<400> 1659
gcatgaatag tagcaattac tgctgtgaat attgttgtaa tcctgcttgt accgggtgct 60
attaataac 69

<210> 1660
<211> 69
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetically generated oligonucleotide

<400> 1660
tcgagttatt aatagcaccc ggtacaagca ggattacaac aatattcaca gcagtaattg 60
ctactattc 69

<210> 1661
<211> 5
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 1661
Gln His Asn Pro Arg
1 5

<210> 1662
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1662
Val Gln His Asn Pro Arg
1 5

<210> 1663
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1663
Val Arg Gln His Asn Pro Arg
1 5

<210> 1664
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1664
Val Arg Gly Gln His Asn Pro Arg
1 5

<210> 1665
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1665
Val Arg Gly Pro Gln His Asn Pro Arg
1 5

<210> 1666
<211> 10
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1666
Val Arg Gly Pro Arg Gln His Asn Pro Arg
 1   5   10

<210> 1667
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1667
Val Arg Gly Pro Arg Arg Gln His Asn Pro Arg
 1   5   10

<210> 1668
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1668
Arg Gln His Asn Pro Arg
 1   5

<210> 1669
<211> 14
<212> PRT
<213> Artificial Sequence

<400> 1669
Cys Cys Glu Leu Cys Cys Ala Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 1670
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1670
Cys Cys Glu Leu Cys Cys Val Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 1671
<211> 14
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1671
Cys Cys Glu Leu Cys Cys Leu Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1672
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1672
Cys Cys Glu Leu Cys Cys Ile Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1673
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1673
Cys Cys Glu Leu Cys Cys Pro Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1674
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1674
Cys Cys Glu Leu Cys Cys Met Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1675
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1675
Cys Cys Glu Leu Cys Cys Phe Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1676
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1676
Cys Cys Glu Leu Cys Cys Trp Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1677
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1677
Cys Cys Glu Leu Cys Cys Gly Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210>1678
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1678
Cys Cys Glu Leu Cys Cys Ser Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210>1679
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1679
Cys Cys Glu Leu Cys Cys Thr Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210>1680
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1680

Cys Cys Glu Leu Cys Cys Cys Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210>1681
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1681
Cys Cys Glu Leu Cys Cys Gln Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210>1682
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1682
Cys Cys Glu Leu Cys Cys Tyr Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210>1683
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1683
Cys Cys Glu Leu Cys Cys Asp Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210>1684
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1684
Cys Cys Glu Leu Cys Cys Glu Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210>1685
<211> 14
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 1685
Cys Cys Glu Leu Cys Cys Lys Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210>1686
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1686
Cys Cys Glu Leu Cys Cys Arg Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210>1687
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1687
Cys Cys Glu Leu Cys Cys His Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1688
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1688
Cys Cys Glu Tyr Cys Cys Ala Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1689
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1689
Cys Cys Glu Tyr Cys Cys Val Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1690
<211> 14
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1690
Cys Cys Glu Tyr Cys Cys Leu Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1691
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1691
Cys Cys Glu Tyr Cys Cys Ile Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1692
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1692
Cys Cys Glu Tyr Cys Cys Pro Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1693
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1693
Cys Cys Glu Tyr Cys Cys Met Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1694
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1694
Cys Cys Glu Tyr Cys Cys Phe Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1695
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1695
Cys Cys Glu Tyr Cys Cys Trp Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1696
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1696
Cys Cys Glu Tyr Cys Cys Gly Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1697
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1697
Cys Cys Glu Tyr Cys Cys Ser Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1698
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1698
Cys Cys Glu Tyr Cys Cys Thr Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1699
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1699

Cys Cys Glu Tyr Cys Cys Cys Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1700
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1700
Cys Cys Glu Tyr Cys Cys Gln Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1701
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1701
Cys Cys Glu Tyr Cys Cys Tyr Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1702
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1702
Cys Cys Glu Tyr Cys Cys Asp Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1703
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1703
Cys Cys Glu Tyr Cys Cys Glu Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1704
<211> 14
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 1704
Cys Cys Glu Tyr Cys Cys Lys Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1705
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1705
Cys Cys Glu Tyr Cys Cys Arg Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1706
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1706
Cys Cys Glu Tyr Cys Cys His Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1707
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1707
Cys Cys Glu Leu Cys Cys Ala Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1708
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1708
Cys Cys Glu Leu Cys Cys Val Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1709
<211> 13
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1709
Cys Cys Glu Leu Cys Cys Leu Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1710
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1710
Cys Cys Glu Leu Cys Cys Ile Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1711
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1711
Cys Cys Glu Leu Cys Cys Pro Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1712
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1712
Cys Cys Glu Leu Cys Cys Met Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1713
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1713
Cys Cys Glu Leu Cys Cys Phe Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1714
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1714
Cys Cys Glu Leu Cys Cys Trp Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1715
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1715
Cys Cys Glu Leu Cys Cys Gly Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1716
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1716
Cys Cys Glu Leu Cys Cys Ser Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1717
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1717
Cys Cys Glu Leu Cys Cys Thr Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1718
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1718

Cys Cys Glu Leu Cys Cys Cys Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1719
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1719
Cys Cys Glu Leu Cys Cys Gln Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1720
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1720
Cys Cys Glu Leu Cys Cys Tyr Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1721
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1721
Cys Cys Glu Leu Cys Cys Asp Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1722
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1722
Cys Cys Glu Leu Cys Cys Glu Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1723
<211> 13
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 1723
Cys Cys Glu Leu Cys Cys Lys Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1724
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1724
Cys Cys Glu Leu Cys Cys Arg Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1725
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1725
Cys Cys Glu Leu Cys Cys His Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1726
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1726
Cys Cys Glu Tyr Cys Cys Ala Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1727
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1727
Cys Cys Glu Tyr Cys Cys Val Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1728
<211> 13
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1728
Cys Cys Glu Tyr Cys Cys Leu Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1729
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1729
Cys Cys Glu Tyr Cys Cys Ile Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1730
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1730
Cys Cys Glu Tyr Cys Cys Pro Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1731
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1731
Cys Cys Glu Tyr Cys Cys Met Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1732
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1732
Cys Cys Glu Tyr Cys Cys Phe Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1733
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1733
Cys Cys Glu Tyr Cys Cys Trp Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1734
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1734
Cys Cys Glu Tyr Cys Cys Gly Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1735
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1735
Cys Cys Glu Tyr Cys Cys Ser Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1736
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1736
Cys Cys Glu Tyr Cys Cys Thr Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1737
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1737

Cys Cys Glu Tyr Cys Cys Cys Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1738
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1738
Cys Cys Glu Tyr Cys Cys Gln Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1739
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1739
Cys Cys Glu Tyr Cys Cys Tyr Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1740
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1740
Cys Cys Glu Tyr Cys Cys Asp Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1741
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1741
Cys Cys Glu Tyr Cys Cys Glu Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1742
<211> 13
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 1742
Cys Cys Glu Tyr Cys Cys Lys Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1743
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1743
Cys Cys Glu Tyr Cys Cys Arg Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1744
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1744
Cys Cys Glu Tyr Cys Cys His Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1745
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1745
Cys Cys Glu Leu Cys Cys Asn Pro Thr Cys Thr Gly Cys Tyr
1 5 10

<210> 1746
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1746
Cys Cys Glu Tyr Cys Cys Asn Pro Thr Cys Thr Gly Cys Tyr
1 5 10

<210> 1747
<211> 13
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1747
Cys Cys Glu Leu Cys Cys Asn Pro Thr Cys Thr Gly Cys
 1   5   10

<210> 1748
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1748
Cys Cys Glu Tyr Cys Cys Asn Pro Thr Cys Thr Gly Cys
 1   5   10

<210> 1749
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1749
Cys Cys Glu Phe Cys Cys Asn Pro Thr Cys Thr Gly Cys Tyr
 1   5   10

<210> 1750
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1750
Cys Cys Glu Phe Cys Cys Asn Pro Thr Cys Thr Gly Cys
 1   5   10

<210> 1751
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1751
Cys Cys Glu Trp Cys Cys Asn Pro Thr Cys Thr Gly Cys Tyr
 1   5   10

<210> 1752
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1752
Cys Cys Glu Trp Cys Cys Asn Pro Thr Cys Thr Gly Cys
1 5 10

<210> 1753
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1753
Cys Cys Glu Leu Cys Cys Asn Gly Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1754
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1754
Cys Cys Glu Tyr Cys Cys Asn Gly Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1755
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1755
Cys Cys Glu Leu Cys Cys Asn Gly Ala Cys Thr Gly Cys
1 5 10

<210> 1756
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1756

Cys Cys Glu Tyr Cys Cys Asn Gly Ala Cys Thr Gly Cys
1 5 10

<210> 1757
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1757
Cys Cys Glu Phe Cys Cys Asn Gly Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1758
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1758
Cys Cys Glu Phe Cys Cys Asn Gly Ala Cys Thr Gly Cys
1 5 10

<210> 1759
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1759
Cys Cys Glu Trp Cys Cys Asn Gly Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1760
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1760
Cys Cys Glu Trp Cys Cys Asn Gly Ala Cys Thr Gly Cys
1 5 10

<210> 1761
<211> 14
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 1761
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Val Gly Cys Tyr
1 5 10

<210> 1762
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1762
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Val Gly Cys Tyr
1 5 10

<210> 1763
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1763
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Val Gly Cys
1 5 10

<210> 1764
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1764
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Val Gly Cys
1 5 10

<210> 1765
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1765
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Val Gly Cys Tyr
1 5 10

<210> 1766
<211> 13
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1766
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Val Gly Cys
 1   5   10

<210> 1767
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1767
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Val Gly Cys Tyr
 1   5   10

<210>1768
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1768
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Val Gly Cys
 1   5   10

<210>1769
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1769
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Gly Gly Cys Tyr
 1   5   10

<210>1770
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1770
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Gly Gly Cys Tyr
 1   5   10

<210>1771
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1771
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Gly Gly Cys
1 5 10

<210>1772
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1772
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Gly Gly Cys
1 5 10

<210>1773
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1773
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Gly Gly Cys Tyr
1 5 10

<210>1774
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1774
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Gly Gly Cys
1 5 10

<210>1775
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1775

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Gly Gly Cys Tyr
1 5 10

<210>1776
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1776
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Gly Gly Cys
1 5 10

<210>1777
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1777
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Ala Cys Tyr
1 5 10

<210>1778
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1778
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Ala Cys Tyr
1 5 10

<210>1779
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1779
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Ala Cys
1 5 10

<210>1780
<211> 13
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 1780
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Ala Cys
1 5 10

<210>1781
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1781
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Ala Cys Tyr
1 5 10

<210>1782
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1782
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Ala Cys
1 5 10

<210>1783
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1783
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Ala Cys Tyr
1 5 10

<210>1784
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1784
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Ala Cys
1 5 10

<210>1785
<211> 14
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1785
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Ala
 1   5   10

<210>1786
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1786
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Val
 1   5   10

<210>1787
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1787
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Leu
 1   5   10

<210>1788
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1788
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Ile
 1   5   10

<210>1789
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1789
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Pro
 1   5   10

<210>1790
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1790
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Met
1 5 10

<210>1791
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1791
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Phe
1 5 10

<210>1792
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1792
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Trp
1 5 10

<210>1793
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1793
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Gly
1 5 10

<210>1794
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1794

Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Ser
1 5 10

<210>1795
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1795
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Thr
1 5 10

<210>1796
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1796
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Cys
1 5 10

<210>1797
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1797
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Asn
1 5 10

<210>1798
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1798
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Gln
1 5 10

<210>1799
<211> 14
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 1799
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Asp
1 5 10

<210>1800
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1800
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Glu
1 5 10

<210>1801
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1801
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Lys
1 5 10

<210>1802
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1802
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Arg
1 5 10

<210>1803
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1803
Cys Cys Glu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys His
1 5 10

<210>1804
<211> 14
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1804
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Ala
1 5 10

<210>1805
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1805
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Val
1 5 10

<210>1806
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1806
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Leu
1 5 10

<210>1807
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1807
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Ile
1 5 10

<210>1808
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1808
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Pro
1 5 10

<210> 1809
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1809
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Met
1 5 10

<210> 1810
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1810
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Phe
1 5 10

<210> 1811
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1811
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Trp
1 5 10

<210> 1812
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1812
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Gly
1 5 10

<210> 1813
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1813

Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Ser
1 5 10

<210> 1814
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1814
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Thr
1 5 10

<210> 1815
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1815
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Cys
1 5 10

<210> 1816
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1816
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Asn
1 5 10

<210> 1817
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1817
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Gln
1 5 10

<210> 1818
<211> 14
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 1818
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Asp
1 5 10

<210> 1819
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1819
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Glu
1 5 10

<210> 1820
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1820
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Lys
1 5 10

<210> 1821
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1821
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Arg
1 5 10

<210> 1822
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1822
Cys Cys Glu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys His
1 5 10

<210> 1823
<211> 14
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1823
Cys Cys Ala Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 1824
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1824
Cys Cys Val Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 1825
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1825
Cys Cys Leu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 1826
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1826
Cys Cys Ile Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 1827
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1827
Cys Cys Met Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 1828
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1828
Cys Cys Phe Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1829
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1829
Cys Cys Trp Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1830
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1830
Cys Cys Gly Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1831
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1831
Cys Cys Ser Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1832
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1832

Cys Cys Thr Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1833
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1833
Cys Cys Cys Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1834
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1834
Cys Cys Asn Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1835
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1835
Cys Cys Gln Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1836
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1836
Cys Cys Tyr Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1837
<211> 14
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 1837
Cys Cys Asp Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1838
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1838
Cys Cys Lys Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1839
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1839
Cys Cys Arg Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1840
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1840
Cys Cys His Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1841
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1841
Cys Cys Ala Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1842
<211> 13
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1842
Cys Cys Val Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1843
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1843
Cys Cys Leu Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1844
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1844
Cys Cys Ile Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1845
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1845
Cys Cys Met Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1846
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1846
Cys Cys Phe Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1847
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1847
Cys Cys Trp Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1848
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1848
Cys Cys Gly Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1849
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1849
Cys Cys Ser Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1850
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1850
Cys Cys Thr Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1851
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1851

Cys Cys Cys Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1852
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1852
Cys Cys Asn Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1853
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1853
Cys Cys Gln Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1854
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1854
Cys Cys Tyr Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1855
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1855
Cys Cys Asp Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1856
<211> 13
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 1856
Cys Cys Lys Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1857
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1857
Cys Cys Arg Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1858
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1858
Cys Cys His Leu Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1859
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1859
Cys Cys Ala Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 160
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1860
Cys Cys Val Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1861
<211> 14
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1861
Cys Cys Leu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1862
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1862
Cys Cys Ile Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1863
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1863
Cys Cys Met Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1864
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1864
Cys Cys Phe Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1865
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1865
Cys Cys Trp Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1866
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1866
Cys Cys Gly Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1867
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1867
Cys Cys Ser Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1868
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1868
Cys Cys Thr Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1869
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1869
Cys Cys Cys Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1870
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1870

Cys Cys Asn Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1871
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1871
Cys Cys Gln Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1872
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1872
Cys Cys Tyr Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1873
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1873
Cys Cys Asp Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1874
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1874
Cys Cys Lys Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1875
<211> 14
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 1875
Cys Cys Arg Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1876
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1876
Cys Cys His Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1877
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1877
Cys Cys Ala Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1878
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1878
Cys Cys Val Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1879
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1879
Cys Cys Leu Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1880
<211> 13
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1880
Cys Cys Ile Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1881
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1881
Cys Cys Met Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1882
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1882
Cys Cys Phe Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1883
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1883
Cys Cys Trp Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1884
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1884
Cys Cys Gly Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1885
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1885
Cys Cys Ser Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1886
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1886
Cys Cys Thr Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1887
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1887
Cys Cys Cys Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1888
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1888
Cys Cys Asn Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1889
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1889

Cys Cys Gln Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1890
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1890
Cys Cys Tyr Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1891
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1891
Cys Cys Asp Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1892
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1892
Cys Cys Lys Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1893
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1893
Cys Cys Arg Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1894
<211> 13
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 1894
Cys Cys His Tyr Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1895
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1895
Cys Cys Glu Phe Cys Cys Ala Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1896
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1896
Cys Cys Glu Phe Cys Cys Val Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1897
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1897
Cys Cys Glu Phe Cys Cys Leu Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1898
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1898
Cys Cys Glu Phe Cys Cys Ile Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1899
<211> 14
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1899
Cys Cys Glu Phe Cys Cys Pro Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1900
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1900
Cys Cys Glu Phe Cys Cys Met Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1901
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1901
Cys Cys Glu Phe Cys Cys Phe Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1902
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1902
Cys Cys Glu Phe Cys Cys Trp Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1903
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1903
Cys Cys Glu Phe Cys Cys Gly Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1904
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1904
Cys Cys Glu Phe Cys Cys Ser Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1905
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1905
Cys Cys Glu Phe Cys Cys Thr Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1906
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1906
Cys Cys Glu Phe Cys Cys Cys Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1907
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1907
Cys Cys Glu Phe Cys Cys Gln Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1908
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1908

Cys Cys Glu Phe Cys Cys Tyr Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1909
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1909
Cys Cys Glu Phe Cys Cys Asp Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1910
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1910
Cys Cys Glu Phe Cys Cys Glu Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1911
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1911
Cys Cys Glu Phe Cys Cys Lys Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1912
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1912
Cys Cys Glu Phe Cys Cys Arg Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1913
<211> 14
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 1913
Cys Cys Glu Phe Cys Cys His Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1914
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1914
Cys Cys Glu Phe Cys Cys Ala Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1915
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1915
Cys Cys Glu Phe Cys Cys Val Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1916
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1916
Cys Cys Glu Phe Cys Cys Leu Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1917
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1917
Cys Cys Glu Phe Cys Cys Ile Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1918
<211> 13
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1918
Cys Cys Glu Phe Cys Cys Pro Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1919
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1919
Cys Cys Glu Phe Cys Cys Met Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1920
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1920
Cys Cys Glu Phe Cys Cys Phe Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1921
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1921
Cys Cys Glu Phe Cys Cys Trp Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1922
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1922
Cys Cys Glu Phe Cys Cys Gly Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1923
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1923
Cys Cys Glu Phe Cys Cys Ser Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1924
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1924
Cys Cys Glu Phe Cys Cys Thr Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1925
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1925
Cys Cys Glu Phe Cys Cys Cys Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1926
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1926
Cys Cys Glu Phe Cys Cys Gln Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1927
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1927

Cys Cys Glu Phe Cys Cys Tyr Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1928
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1928
Cys Cys Glu Phe Cys Cys Asp Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1929
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1929
Cys Cys Glu Phe Cys Cys Glu Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1930
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1930
Cys Cys Glu Phe Cys Cys Lys Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1931
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1931
Cys Cys Glu Phe Cys Cys Arg Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1932
<211> 13
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 1932
Cys Cys Glu Phe Cys Cys His Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1933
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1933
Cys Cys Glu Trp Cys Cys Ala Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1934
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1934
Cys Cys Glu Trp Cys Cys Val Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1935
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1935
Cys Cys Glu Trp Cys Cys Leu Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1936
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1936
Cys Cys Glu Trp Cys Cys Ile Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1937
<211> 14
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1937
Cys Cys Glu Trp Cys Cys Pro Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 1938
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1938
Cys Cys Glu Trp Cys Cys Met Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 1939
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1939
Cys Cys Glu Trp Cys Cys Phe Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 1940
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1940
Cys Cys Glu Trp Cys Cys Trp Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 1941
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1941
Cys Cys Glu Trp Cys Cys Gly Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 1942
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1942
Cys Cys Glu Trp Cys Cys Ser Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1943
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1943
Cys Cys Glu Trp Cys Cys Thr Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1944
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1944
Cys Cys Glu Trp Cys Cys Cys Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1945
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1945
Cys Cys Glu Trp Cys Cys Gln Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1946
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1946

Cys Cys Glu Trp Cys Cys Tyr Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1947
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1947
Cys Cys Glu Trp Cys Cys Asp Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1948
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1948
Cys Cys Glu Trp Cys Cys Glu Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1949
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1949
Cys Cys Glu Trp Cys Cys Lys Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1950
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1950
Cys Cys Glu Trp Cys Cys Arg Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1951
<211> 14
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 1951
Cys Cys Glu Trp Cys Cys His Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 1952
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1952
Cys Cys Glu Trp Cys Cys Ala Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1953
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1953
Cys Cys Glu Trp Cys Cys Val Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1954
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1954
Cys Cys Glu Trp Cys Cys Leu Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1955
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1955
Cys Cys Glu Trp Cys Cys Ile Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1956
<211> 13
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1956
Cys Cys Glu Trp Cys Cys Pro Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1957
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1957
Cys Cys Glu Trp Cys Cys Met Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1958
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1958
Cys Cys Glu Trp Cys Cys Phe Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1959
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1959
Cys Cys Glu Trp Cys Cys Trp Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1960
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1960
Cys Cys Glu Trp Cys Cys Gly Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1961
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1961
Cys Cys Glu Trp Cys Cys Ser Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1962
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1962
Cys Cys Glu Trp Cys Cys Thr Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1963
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1963
Cys Cys Glu Trp Cys Cys Cys Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1964
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1964
Cys Cys Glu Trp Cys Cys Gln Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 1965
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1965

Cys Cys Glu Trp Cys Cys Tyr Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1966
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1966
Cys Cys Glu Trp Cys Cys Asp Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1967
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1967
Cys Cys Glu Trp Cys Cys Glu Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1968
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1968
Cys Cys Glu Trp Cys Cys Lys Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1969
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1969
Cys Cys Glu Trp Cys Cys Arg Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1970
<211> 13
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 1970
Cys Cys Glu Trp Cys Cys His Pro Ala Cys Thr Gly Cys
1 5 10

<210> 1971
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1971
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Ala
1 5 10

<210> 1972
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1972
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Val
1 5 10

<210> 1973
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1973
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Leu
1 5 10

<210> 1974
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1974
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Ile
1 5 10

<210> 1975
<211> 14
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1975
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Pro
 1   5   10

<210> 1976
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1976
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Met
 1   5   10

<210> 1977
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1977
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Phe
 1   5   10

<210> 1978
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1978
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Trp
 1   5   10

<210> 1979
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1979
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Gly
 1   5   10

<210> 1980
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1980
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Ser
1 5 10

<210> 1981
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1981
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Thr
1 5 10

<210> 1982
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1982
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Cys
1 5 10

<210> 1983
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1983
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Asn
1 5 10

<210> 1984
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1984

Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Gln
1 5 10

<210> 1985
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1985
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Asp
1 5 10

<210> 1986
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1986
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Glu
1 5 10

<210> 1987
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1987
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Lys
1 5 10

<210> 1988
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1988
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Arg
1 5 10

<210> 1989
<211> 14
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 1989
Cys Cys Glu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys His
1 5 10

<210> 1990
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1990
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Ala
1 5 10

<210> 1991
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1991
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Val
1 5 10

<210> 1992
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1992
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Leu
1 5 10

<210> 1993
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1993
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Ile
1 5 10

<210> 1994
<211> 14
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1994
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Pro
1 5 10

<210> 1995
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1995
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Met
1 5 10

<210> 1996
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1996
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Phe
1 5 10

<210> 1997
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1997
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Trp
1 5 10

<210> 1998
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1998
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Gly
1 5 10

<210> 1999
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 1999
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Ser
1 5 10

<210> 2000
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2000
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Thr
1 5 10

<210> 2001
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2001
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Cys
1 5 10

<210> 2002
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2002
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Asn
1 5 10

<210> 2003
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2003

Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Gln
1 5 10

<210> 2004
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2004
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Asp
1 5 10

<210> 2005
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2005
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Glu
1 5 10

<210> 2006
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2006
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Lys
1 5 10

<210> 2007
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2007
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Arg
1 5 10

<210> 2008
<211> 14
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 2008
Cys Cys Glu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys His
1 5 10

<210> 2009
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2009
Cys Cys Ala Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2010
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2010
Cys Cys Val Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2011
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2011
Cys Cys Leu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2012
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2012
Cys Cys Ile Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2013
<211> 14
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2013
Cys Cys Met Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 2014
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2014
Cys Cys Phe Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 2015
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2015
Cys Cys Trp Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 2016
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2016
Cys Cys Gly Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 2017
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2017
Cys Cys Ser Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 2018
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2018
Cys Cys Thr Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2019
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2019
Cys Cys Cys Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2020
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2020
Cys Cys Asn Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2021
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2021
Cys Cys Gln Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2022
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2022

Cys Cys Tyr Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2023
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2023
Cys Cys Asp Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2024
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2024
Cys Cys Lys Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2025
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2025
Cys Cys Arg Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2026
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2026
Cys Cys His Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2027
<211> 13
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 2027
Cys Cys Ala Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2028
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2028
Cys Cys Val Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2029
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2029
Cys Cys Leu Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2030
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2030
Cys Cys Ile Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2031
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2031
Cys Cys Met Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2032
<211> 13
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2032
Cys Cys Phe Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 2033
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2033
Cys Cys Trp Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 2034
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2034
Cys Cys Gly Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 2035
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2035
Cys Cys Ser Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 2036
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2036
Cys Cys Thr Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 2037
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2037
Cys Cys Cys Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2038
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2038
Cys Cys Asn Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2039
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2039
Cys Cys Gln Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2040
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2040
Cys Cys Tyr Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2041
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2041

Cys Cys Asp Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2042
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2042
Cys Cys Lys Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2043
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2043
Cys Cys Arg Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2044
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2044
Cys Cys His Phe Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2045
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2045
Cys Cys Ala Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2046
<211> 14
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 2046
Cys Cys Val Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2047
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2047
Cys Cys Leu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2048
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2048
Cys Cys Ile Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2049
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2049
Cys Cys Met Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2050
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2050
Cys Cys Phe Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2051
<211> 14
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2051
Cys Cys Trp Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 2052
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2052
Cys Cys Gly Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 2053
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2053
Cys Cys Ser Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 2054
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2054
Cys Cys Thr Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 2055
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2055
Cys Cys Cys Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
 1   5   10

<210> 2056
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2056
Cys Cys Asn Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2057
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2057
Cys Cys Gln Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2058
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2058
Cys Cys Tyr Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2059
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2059
Cys Cys Asp Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2060
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2060

Cys Cys Lys Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 20601
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2061
Cys Cys Arg Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2062
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2062
Cys Cys His Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys Tyr
1 5 10

<210> 2063
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2063
Cys Cys Ala Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2064
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2064
Cys Cys Val Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2065
<211> 13
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetically generated peptide

<400> 2065
Cys Cys Leu Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2066
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2066
Cys Cys Ile Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2067
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2067
Cys Cys Met Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2068
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2068
Cys Cys Phe Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2069
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2069
Cys Cys Trp Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2070
<211> 13
<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2070
Cys Cys Gly Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 2071
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2071
Cys Cys Ser Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 2072
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2072
Cys Cys Thr Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 2073
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2073
Cys Cys Cys Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 2074
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2074
Cys Cys Asn Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
 1   5   10

<210> 2075
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2075
Cys Cys Gln Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2076
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2076
Cys Cys Tyr Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2077
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2077
Cys Cys Asp Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2078
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2078
Cys Cys Lys Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2079
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2079

Cys Cys Arg Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2080
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2080
Cys Cys His Trp Cys Cys Asn Pro Ala Cys Thr Gly Cys
1 5 10

<210> 2081
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2081
Gly Asn Leu Ile Asp Cys Cys Glu Ile Cys Cys Asn Pro Ala Cys Phe
1 5 10 15
Gly Cys Leu Asn
20

<210> 2082
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2082
Gly Asn Leu Ile Asp Arg Cys Glu Ile Cys Cys Asn Pro Ala Cys Phe
1 5 10 15
Gly Cys Leu Asn
20

<210> 2083
<211> 23
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<400> 2083
Pro Pro Ala Glu Val Ser Ser Asp Trp Asp Cys Cys Asp Val Cys Cys
1 5 10 15
Asn Pro Ala Cys Ala Gly Cys

20

<210> 2084
<211> 70
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetically generated peptide

<220>
<221> VARIANT
<222> 2-5, 7-10, 12-15, 17-20, 22-25, 27-30, 32-35, 37-40, 42-45, 47-50, 52-55, 57-60, 62-65, 67-70
<223> Xaa = any amino acid (natural or non-natural), the same or diferent

<400> 2084

```
Cys Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Glu Xaa Xaa Xaa Xaa Tyr
 1               5                  10                  15
Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Asn Xaa
            20                  25                  30
Xaa Xaa Xaa Pro Xaa Xaa Xaa Xaa Ala Xaa Xaa Xaa Xaa Cys Xaa Xaa
        35                  40                  45
Xaa Xaa Thr Xaa Xaa Xaa Xaa Gly Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa
    50                  55                  60
Xaa Tyr Xaa Xaa Xaa Xaa
65                  70
```