

ABSTRACT

DISC PLAYING DEVICE

A disc playing device comprises a magazine 3 rotatably mounted on a base chassis 1, and a guide member 5 attached to the base chassis 1 so as to cover the magazine 3 and permitting the rotation of the magazine 3. A pair of rollers 61 and 62 are provided between a front panel 2 and the magazine 3. The disc is accommodated in the magazine 3 by the rollers 61, 62 through a slit 21 in the front panel 2. The magazine 3 rotates to transport the disc to a playing portion 9, and the disc is pushed out by a kick-out member 7a and then held between a clamp 93 and a head mount assembly 92. The clamp 93 and the assembly 92 are pivotally movable by a slide plate 8.

(Nominated Drawing : Fig. 2)

FIG.1




FIG. 2





FIG. 3






FIG. 4

FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG.13




FIG.14A




FIG.14B




FIG. 15




FIG. 17




FIG. 18




FIG.19





FIG. 20






FIG. 22




FIG.23




FIG.24




FIG. 25




FIG. 26A




FIG. 26B





FIG. 27






FIG. 28

FIG. 29




FIG. 30




FIG. 31





FIG. 32






FIG. 33

FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38

