wherein:

R1 represents one or more identical or different substituent(s) on the benzene ring, each representing, independently, a hydrogen atom or a halogen atom, or a ~~C_{14}alkoxy~~C_{1-4}alkoxy group or an OH group or a C_{1-4}alkyl group or an $-O(CH_2)_nO-$ group in which n = 1 or 2.

- R2 represents a hydrogen atom or a C_{1-4}alkyl group.
- A and B represent, independently, either a nitrogen atom or a carbon atom.
- R3 represents a hydrogen atom or one or more identical or different substituent(s) selected from the group composed of : a halogen atom, a C_{1-4}alkyl group, a C_{1-4}alkoxy or C_{1-4}thioalkoxy group, an $-O(CH_2)_nO-$ group in which n = 1 or 2, an NO_2 group, an $NHSO_2R4$ group, an NHR5 group, an OH group, a C_{1-4}haloalkyl group, a CN group, a C_{1-4}alkoxycarbonyl group, a C_{1-4}alkylcarbonyl group, a C_{1-4}hydroxyalkyl group and a benzyl or phenyl substituent optionally substituted by a C_{1-4}alkoxy or a C_{1-4}alkyl group or a halogen atom,
- or R3 constitutes a ring fused with the benzene ring carrying it, selected from the group composed of a naphthalene, an indole, a benzimidazole, a carbostyril, a benzoxazolone and a benzimidazolone.
- R4 represents a C_{1-4}alkyl group or a C_{1-4}dialkylamino group or a C_{1-4}alkoxyalkyl group or a C_{1-4}dialkylaminoalkyl group or a phenyl or phenyl-C_{1-4}alkyl group,
- R5 represents a hydrogen atom or a C_{1-4}alkylcarbonyl group or a C_{1-4}alkoxy-carbonyl group,

and also their pharmaceutically acceptable salts.

According to the invention, compounds of the general formula (I) are those wherein:

- R1 represents one or more identical or different substituent(s) selected from the group composed of a C_{1-4}alkoxy group, an OH group and an $-O(CH_2)_nO-$ group in which n = 1 or 2.


According to the invention, compounds of the general formula (I) are those wherein :

- R2 represents a hydrogen atom.

According to another embodiment of the invention, compounds of the general formula (I) are those wherein R3 represents a hydrogen atom when A and/or B represent a nitrogen atom.

CLAIMS

1. A compound of general formula **1**



general formula 1

wherein :

R1 represents one or more identical or different substituent(s) on the benzene ring, each representing, independently, a hydrogen atom or a halogen atom, or a ~~C_{14}alkoxy~~C_{1-4}alkoxy group or an OH group, or a C_{1-4}alkyl group or an $-O(CH_2)_nO-$ group in which n = 1 or 2.

- R2 represents a hydrogen atom or a C_{1-4}alkyl group.
- A and B represent, independently, either a nitrogen atom or a carbon atom.
- R3 represents a hydrogen atom or one or more identical or different substituent(s) selected from the group composed of : a halogen atom, a C_{1-4}alkyl group, a C_{1-4}alkoxy or C_{1-4}thioalkoxy group, an $-O(CH_2)_nO-$ group in which n = 1 or 2, an NO_2 group, an $NHSO_2R4$ group, an NHR5 group, an OH group, a C_{1-4}haloalkyl group, a CN group, a C_{1-4}alkoxycarbonyl group, a C_{1-4}alkylcarbonyl group, a C_{1-4}hydroxyalkyl group and a benzyl or phenyl substituent optionally substituted by a C_{1-4}alkoxy or a C_{1-4}alkyl group or a halogen atom,
- or R3 constitutes a ring fused with the benzene ring carrying it, selected from the group composed of a naphthalene, an indole, a benzimidazole, a carbostyril, a benzoxazolone and a benzimidazolone.
- R4 represents a C_{1-4}alkyl group or a C_{1-4}dialkylamino group or a C_{1-4}alkoxyalkyl group or a C_{1-4}dialkylaminoalkyl group or a phenyl or phenyl-C_{1-4}alkyl group,
- R5 represents a hydrogen atom or a C_{1-4}alkylcarbonyl group or a C_{1-4}alkoxy-carbonyl group,

and also their pharmaceutically acceptable salts.