halocycloalkoxyalkyl, alkylcycloalkoxy, alkylcycloalkoxyalkyl, alkoxy, alkoxycarbonyl, alkoxyalkyl, haloalkoxy, haloalkoxyalkyl, alkoxyalkoxy, alkoxyalkoxyalkyl, haloalkoxyalkoxy, haloalkoxyalkoxyalkyl, chloropyridinylcarbonyl and heterocycloalkyl;

n is zero or 1;

m zero or 1;

p, q and r are independently selected from zero and 1;

v and x are independently selected from 1, 2, 3 or 4;

w is zero, 1, 2 or 3;

with the proviso that no more than two of A^2, A^3 and A^4 are N;

~~and pharmaceutically acceptable salts thereof.~~and wherein the compound is selected from

6-Chloro-2-pyridin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-nicotinonitrile;

6-Chloro-2-(5-hydroxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-chloro-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-fluoro-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(4-chloro-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

2-(5-Bromo-pyridin-3-yl)-6-chloro-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-methyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridine-3-carbaldehyde;

6-Chloro-2-(5-methoxy-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-isopropoxy-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-hydroxy-1-methyl-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-hydroxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-((R)-1-hydroxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-((S)-1-hydroxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-methoxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

2-(5-Amino-pyridin-3-yl)-6-chloro-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,2,2-trifluoro-1-hydroxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,2,2-trifluoro-1-methoxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one

6-Chloro-2-[5-(cyclopropyl-hydroxy-methyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(cyclopropyl-methoxy-methyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(4-trifluoromethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-hydroxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-methoxy-1-methyl-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

Ethanesulfonic acid [5-(6-chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-ylmethyl]-amide;

6-Chloro-2-[5-(2-oxo-pyrrolidin-1-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(1-methyl-1H-pyrazolo[3,4-c]pyridin-4-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-8'-hydroxy-3,4,5',6',7',8'-hexahydro-[2,4']biisoquinolinyl-1-one;

N-(6-Chloro-1-oxo-3,4,5',6',7',8'-hexahydro-1H-[2,4']biisoquinolinyl-8'-yl)-propionamide;

6-Chloro-2-{5-[hydroxy-(1-methyl-1H-imidazol-2-yl)-methyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[(3,4-difluoro-phenyl)-hydroxy-methyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[(3,5-difluoro-phenyl)-hydroxy-methyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[(4-ethyl-phenyl)-hydroxy-methyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(hydroxy-phenyl-methyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-hydroxy-1-phenyl-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[1-(3,4-difluoro-phenyl)-1-hydroxy-ethyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[1-(3,5-difluoro-phenyl)-1-hydroxy-ethyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(6-methyl-pyrazin-2-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(morpholine-4-carbonyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3-hydroxy-pyrrolidine-1-carbonyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-N,N-dimethyl-nicotinamide;

6-Chloro-2-[5-(pyrrolidine-1-carbonyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-N-methyl-nicotinamide ;

5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-N-cyclopropyl-nicotinamide;

5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-N-(4-fluoro-phenyl)-nicotinamide;

5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-N-phenyl-nicotinamide;

6-Chloro-2-[5-(4,4-difluoro-piperidine-1-carbonyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-((S)-2-methoxymethyl-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-((S)-2-methoxymethyl-pyrrolidin-1-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-((S)-2-hydroxymethyl-5-oxo-pyrrolidin-1-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-pyrimidin-5-yl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-pyridazin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-pyridin-3-yl-2H-isoquinolin-1-one;

6-Chloro-2-(5-fluoro-pyridin-3-yl)-2H-isoquinolin-1-one;

6-Chloro-2-[4-(1-hydroxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(4-hydroxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

2-[5-(1-Amino-cyclopropyl)-pyridin-3-yl]-6-chloro-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(4-methyl-4H-[1,2,4]triazol-3-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-methylsulfanyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-difluoromethoxy-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(4-dimethoxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-fluoro-4-(1-hydroxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{4-[(4-fluoro-phenyl)-hydroxy-methyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[4-(1-methoxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(1-methyl-1H-pyrrolo[3,2-c]pyridin-7-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-cyclopropyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-methyl-2H-[1,2,4]triazol-3-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-cyclopropoxy-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(4-methoxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-fluoro-4-(1-hydroxy-1-methyl-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(5-methyl-pyrazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(1H-pyrrolo[3,2-c]pyridin-7-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-3,4-dihydro-[2,4']biisoquinolinyl-1-one;

3-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-isonicotinonitrile;

6-Chloro-2-(5-fluoro-4-methoxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-fluoro-4-(1-methoxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(4-isopropoxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[4-(cyclopropyl-methoxy-methyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,5-dimethyl-1H-pyrazol-4-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,5-dimethyl-3H-imidazol-4-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1,1-dioxo-1λ6-[1,2]thiazinan-2-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1,1-dioxo-1λ6-isothiazolidin-2-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-((S)-2-hydroxymethyl-5-oxo-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

(S)-1-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-ylmethyl]-pyrrolidine-2-carboxylic acid methyl ester;

6-Chloro-2-(5-methoxy-pyridin-3-yl)-3-methyl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-hydroxymethyl-pyridin-3-yl)-3-methyl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-isopropyl-imidazol-1-ylmethyl)-pyridin-3-yl]-3-methyl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-3-methyl-2-pyridin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-fluoro-pyridin-3-yl)-3-methyl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-3-methyl-2-pyrimidin-5-yl-3,4-dihydro-2H-isoquinolin-1-one;

(R)-6-Chloro-3-methyl-2-pyridin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

(S)-6-Chloro-3-methyl-2-pyridin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

8-Chloro-3-methyl-2-pyridin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

6-Methoxy-2-pyridin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

5,6-Dichloro-2-pyridin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

2-Chloro-6-(5-methoxy-pyridin-3-yl)-7,8-dihydro-6H-[1,6]naphthyridin-5-one;

2-Methoxy-6-(5-methoxy-pyridin-3-yl)-7,8-dihydro-6H-[1,6]naphthyridin-5-one;

2-Methoxy-6-pyridin-3-yl-7,8-dihydro-6H-[1,6]naphthyridin-5-one;

6-Chloro-5-fluoro-2-(5-methoxy-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-7-fluoro-2-(5-methoxy-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-7-fluoro-2-pyridin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-4,4-dimethyl-2-pyridin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-methoxy-pyridin-3-yl)-4,4-dimethyl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-fluoro-pyridin-3-yl)-4,4-dimethyl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-4-methyl-2-pyridin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-fluoro-pyridin-3-yl)-4-methyl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-methoxy-pyridin-3-yl)-4-methyl-3,4-dihydro-2H-isoquinolin-1-one;

5-Chloro-2-pyridin-3-yl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(2-isopropyl-imidazol-1-ylmethyl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

5-Chloro-2-(5-[1,2,4]triazol-1-ylmethyl-pyridin-3-yl)-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(2-methyl-imidazol-1-ylmethyl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(2-oxo-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-((S)-2-methoxymethyl-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(2-oxo-piperidin-1-ylmethyl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

Ethanesulfonic acid [5-(5-chloro-1-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-amide;

5-Chloro-2-(1-methyl-1H-pyrazolo[3,4-c]pyridin-4-yl)-2,3-dihydro-isoindol-1-one;

5-Chloro-2-(8-hydroxy-5,6,7,8-tetrahydro-isoquinolin-4-yl)-2,3-dihydro-isoindol-1-one;

5-Chloro-3-methyl-2-pyridin-3-yl-2,3-dihydro-isoindol-1-one;

6-Chloro-3-methyl-2-pyridin-3-yl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-(5-methoxy-pyridin-3-yl)-3-methyl-2,3-dihydro-isoindol-1-one;

5-Chloro-3-methyl-2-(4-methyl-pyridin-3-yl)-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(1-hydroxy-ethyl)-pyridin-3-yl]-3-methyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-(5-fluoro-pyridin-3-yl)-3-methyl-2,3-dihydro-isoindol-1-one;

3-Benzyl-5-chloro-2-pyridin-3-yl-2,3-dihydro-isoindol-1-one;

5-Chloro-3-ethyl-2-pyridin-3-yl-2,3-dihydro-isoindol-1-one;

5-Chloro-3-ethyl-2-(5-fluoro-pyridin-3-yl)-2,3-dihydro-isoindol-1-one;

5-Chloro-3-ethyl-2-(5-methoxy-pyridin-3-yl)-2,3-dihydro-isoindol-1-one;

5-Chloro-3,3-dimethyl-2-pyridin-3-yl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-(5-fluoro-pyridin-3-yl)-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-(5-methoxy-pyridin-3-yl)-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-(5-difluoromethoxy-pyridin-3-yl)-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(1-hydroxy-ethyl)-pyridin-3-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-(5-hydroxymethyl-pyridin-3-yl)-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-3,3-dimethyl-2-[5-(2-methyl-imidazol-1-ylmethyl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

6-Chloro-2-[5-((S)-2-hydroxymethyl-pyrrolidin-1-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

5-Chloro-2-[5-((S)-2-hydroxymethyl-pyrrolidin-1-yl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

6-Chloro-2-[5-((R)-3-hydroxy-pyrrolidin-1-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

5-Chloro-2-[5-((R)-3-hydroxy-pyrrolidin-1-yl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

2-Hydroxy-6-(5-methoxy-pyridin-3-yl)-7,8-dihydro-6H-[1,6]naphthyridin-5-one;

6-Chloro-2-(5-imidazol-1-ylmethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-isopropyl-imidazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-methyl-imidazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-ethyl-4-methyl-imidazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3-hydroxy-piperidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

Propane-2-sulfonic acid [5-(6-chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-ylmethyl]-amide

6-Chloro-2-[5-(3-hydroxy-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-((R)-3-hydroxy-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-((S)-3-hydroxy-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-((S)-2-hydroxymethyl-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-((R)-2-hydroxymethyl-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,5-dimethyl-pyrazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

N-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-ylmethyl]-methanesulfonamide

N-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-ylmethyl]-acetamide

6-Chloro-2-(5-morpholin-4-ylmethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-oxo-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1,1-dioxo-1λ6-thiomorpholin-4-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-oxo-oxazolidin-3-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-oxo-imidazolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3-methyl-2-oxo-imidazolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-pyrazol-1-ylmethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-propyl-imidazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

1-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-ylmethyl]-1H-imidazole-2-carboxylic acid ethyl ester;

6-Chloro-2-[5-(2-hydroxymethyl-imidazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(oxetan-3-ylaminomethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[4-(2-hydroxy-ethyl)-piperazin-1-ylmethyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(4-isopropyl-piperazin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(4-methyl-piperazin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(4,4-difluoro-piperidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,3-difluoro-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-oxa-6-aza-spiro[3.4]oct-6-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-oxa-6-aza-spiro[3.3]hept-6-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,3-difluoro-piperidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-oxo-piperidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-[1,2,3]triazol-2-ylmethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-[1,2,3]triazol-1-ylmethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-chloro-imidazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3-methyl-[1,2,4]triazol-4-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(5-methyl-[1,2,4]triazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-chloro-2-[5-(3-methyl-[1,2,4]triazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-[1,2,4]triazol-4-ylmethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-[1,2,4]triazol-1-ylmethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-methyl-benzoimidazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-indazol-1-ylmethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-indazol-2-ylmethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(6-fluoro-indol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(7-fluoro-indol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(4-fluoro-indol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(4-methyl-pyrazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-cyclopropyl-imidazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-trifluoromethyl-imidazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3-methyl-pyrazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-ethyl-imidazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

2-(5-Aminomethyl-pyridin-3-yl)-6-chloro-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-methoxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-isopropoxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,2,2-trifluoro-1-methyl-ethoxymethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[2-(1-methyl-pyrrolidin-2-yl)-ethoxymethyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-cyclopentyloxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-cyclopropylmethoxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-fluoro-phenoxymethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-methyl-cyclopropylmethoxymethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(tetrahydro-furan-2-ylmethoxymethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,2,2-trifluoro-ethoxymethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-cyclobutoxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,5-dimethyl-isoxazol-4-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(4-methanesulfonyl-benzyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(6-methyl-pyridin-3-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(6-morpholin-4-yl-pyridin-3-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-methyl-2H-pyrazol-3-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-methyl-1H-pyrazol-4-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,3-difluoro-benzyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,5-difluoro-benzyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,5-difluoro-benzyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-trifluoromethyl-benzyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,6-dichloro-benzyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-chloro-6-fluoro-benzyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,4-dichloro-benzyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,5-dichloro-benzyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

Ethanesulfonic acid [5-(6-chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-amide;

N-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-benzenesulfonamide;

N-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-methanesulfonamide;

Cyclopropanesulfonic acid [5-(6-chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-amide;

6-Chloro-2-[5-(4-fluoro-benzylamino)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,2,2-trifluoro-ethylamino)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-morpholin-4-yl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

N-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-propionamide;

6-Chloro-2-{5-[(2-methyl-2H-pyrazol-3-ylmethyl)-amino]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

2-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-ylamino]-2-methyl-propionic acid;

6-Chloro-2-{5-[(1-methyl-1H-imidazol-4-ylmethyl)-amino]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1H-pyrazol-4-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,5-dimethyl-isoxazol-4-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3-fluoro-phenyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,4-difluoro-phenyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,5-difluoro-phenyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3-chloro-phenyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,5-difluoro-phenyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3-trifluoromethyl-phenyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3-trifluoromethoxy-phenyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-methyl-2H-pyrazol-3-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-methyl-1H-pyrazol-4-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(4-chloro-3-fluoro-phenyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,4-dichloro-phenyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-trifluoromethyl-phenyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-isoxazol-4-yl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-methyl-1H-imidazol-2-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,4-dimethyl-2H-pyrazol-3-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

5-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-1-methyl-1H-pyrazole-4-carbonitrile

N-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-isobutyramide

Cyclopropanecarboxylic acid [5-(6-chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-amide

N-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-4-fluoro-benzamide

1-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-3-cyclohexyl-urea

1-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-3-(3-trifluoromethyl-phenyl)-urea

6-Chloro-2-(5-hydroxy-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

2-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yloxy]-acetamide;

2-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yloxy]-N-methyl-acetamide;

[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yloxy]-acetic acid methyl ester;

2-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yloxy]-N,N-dimethyl-acetamide;

6-Chloro-2-(5-phenylaminomethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[(4-fluoro-phenylamino)-methyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[(3-fluoro-phenylamino)-methyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[(4-chloro-phenylamino)-methyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[(3-chloro-phenylamino)-methyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[(1H-pyrazol-3-ylamino)-methyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-morpholin-4-yl-2-oxo-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

2-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-N-(2-hydroxy-ethyl)-acetamide;

6-Chloro-2-[5-(1-methylamino-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-dimethylamino-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-methyl-1H-imidazole-2-carbonyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(4-methyl-4H-[1,2,4]triazol-3-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-[1,2,3]triazol-2-yl-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-imidazol-1-yl-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-pyrazol-1-yl-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[1-(oxazol-2-ylamino)-ethyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-[1,2,4]triazol-1-yl-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[1-(2-oxo-pyrrolidin-1-yl)-ethyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[1-(2-oxo-oxazolidin-3-yl)-ethyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

N-{1-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-ethyl}-methanesulfonamide;

6-Chloro-2-{5-[1-(3-fluoro-phenylamino)-ethyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-phenylamino-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-methanesulfinyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[4-(4-methyl-piperazin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

and pharmaceutically acceptable salts thereof.

In another aspect, there is provided a process to prepare a compound as defined herein comprising the reaction of a compound of formula (II) in the presence of a compound of formula (III);



(II) (III) (I)

wherein R^1, R^2, R^3, R^4, R^5, R^6, A^1, A^2, A^3, A^4, A^5 and n are as defined herein and wherein X is halogen or triflate.

In another aspect, there is provided a compound as defined herein for use as therapeutically active substance.

In another aspect, there is provided a pharmaceutical composition comprising a compound as defined herein and a therapeutically inert carrier.

In another aspect, there is provided a compound as defined herein for the treatment or prophylaxis of chronic kidney disease, congestive heart failure, hypertension, primary aldosteronism and Cushing syndrom.

In another aspect, there is provided use of a compound as defined herein for the preparation of a medicament for the treatment or prophylaxis of chronic kidney disease, congestive heart failure, hypertension, primary aldosteronism and Cushing syndrom.

~~In another aspect, there is provided a compound as defined herein, when manufactured according to a process as defined herein.~~

The term "alkoxy" denotes a group of the formula -O-R', wherein R' is an alkyl group. Examples of alkoxy group include methoxy, ethoxy, n-propoxy, isopropoxy, n-butoxy, isobutoxy and tert-butoxy. Particular alkoxy group include methoxy.

halocycloalkoxyalkyl, alkylcycloalkoxy, alkylcycloalkoxyalkyl, alkoxy, alkoxycarbonyl, alkoxyalkyl, haloalkoxy, haloalkoxyalkyl, alkoxyalkoxy, alkoxyalkoxyalkyl, haloalkoxyalkoxy, haloalkoxyalkoxyalkyl, chloropyridinylcarbonyl and heterocycloalkyl;

n is zero or 1;

m zero or 1;

p, q and r are independently selected from zero and 1;

v and x are independently selected from 1, 2, 3 or 4;

w is zero, 1, 2 or 3;

with the proviso that no more than two of A^2, A^3 and A^4 are N;

~~and pharmaceutically acceptable salts thereof.~~

~~2. A compound according to claim 1, wherein R^1, R^2, R^3 and R^4 are independently selected from H, alkyl, cycloalkyl, cycloalkylalkyl, haloalkyl, halocycloalkyl, hydroxyalkyl, alkoxyalkyl, haloalkoxyalkyl, halocycloalkylalkyl, substituted heterocycloalkyl, substituted heterocycloalkylalkyl, substituted arylalkyl and substituted heteroarylalkyl, wherein substituted heterocycloalkyl, substituted heterocycloalkylalkyl, substituted arylalkyl and substituted heteroarylalkyl are substituted with R^{12}, R^{13} and R^{14}.~~

~~3. A compound according to any one of claims 1 and 2, wherein R^1 is H, alkyl or arylalkyl substituted with R^{12}, R^{13} and R^{14}.~~

~~4. A compound according to any one of claims 1 to 3, wherein R^2 is H or alkyl.~~

~~5. A compound according to claim 1, wherein R^1 and R^2 together with the carbon atom to which they are attached form a substituted cycloalkyl or a substituted heterocycloalkyl, wherein substituted cycloalkyl and substituted heterocycloalkyl are substituted with R^{22}, R^{23} and R^{24}.~~

6. A compound according to claim 1, wherein R^1 and R^2 together with the carbon atom to which they are attached form a cycloalkyl substituted with R^{22}, R^{23} and R^{24}.

7. A compound according to any one of claims 1 to 6, wherein R^3 is H or alkyl.

8. A compound according to any one of claims 1 to 7, wherein R^4 is H.

9. A compound according to any one of claims 1 to 8, wherein A^1 is CR^8.

10. A compound according to any one of claims 1 to 9, wherein A^2 is CR^9.

11. A compound according to any one of claims 1 to 10, wherein A^3 is CR^{10}.

12. A compound according to any one of claims 1 to 11, wherein A^4 is CR^{11}.

13. A compound according to any one of claims 1 to 12, wherein A^5 is CR^6.

14. A compound according to any one of claims 1 to 13, wherein one of R^5, R^6, R^7 and R^8 is selected from halogen, alkoxy and hydroxy and the others are each independently selected from H and halogen.

15. A compound according to any one of claims 1 to 14, wherein R^9 is H, halogen, cyano, alkyl, hydroxyalkyl, haloalkyl, alkoxyalkyl, alkoxycycloalkylalkyl, dialkoxyalkyl, substituted arylhydroxyalkyl or substituted heterocycloalkylalkyl, wherein substituted substituted arylhydroxyalkyl and substituted heterocycloalkylalkyl are substituted with R^{32}, R^{33} and R^{34}.

16. A compound according to any one of claims 1 to 15, wherein R^9 and R^{10} together with the carbon atoms to which they are attached form a substituted cycloalkyl, a substituted aryl or a subtituted heteroaryl, wherein substituted cycloalkyl, substituted aryl and substituted heteroaryl are substituted with R^{35}, R^{36} and R^{37}.

17. A compound according to any one of claims 1 to 16, wherein R^{15}, R^{17} and R^{19} are each independently selected from H, alkyl, cycloalkyl, haloalkyl or halocycloalkyl.

18. A compound according to any one of claims 1 to 17, wherein R^{16}, R^{18} and R^{20} are each independently selected from H, hydroxy, halogen or alkyl.

~~19. A compound according to any one of claims 1 to 18, wherein R^{21} is H, halogen, cyano, $-OR^{25}$, $-SR^{25}$, $-S(O)R^{25}$, $-NR^{25}R^{26}$, $-NR^{26}SO_2R^{25}$, $-NR^{26}C(O)R^{25}$, $-NR^{26}C(O)NR^{25}R^{27}$, $-C(O)R^{28}$, $-C(O)NR^{25}R^{26}$, cycloalkyl, substituted heterocycloalkyl, substituted heteroaryl or substituted aryl, wherein substituted heterocycloalkyl, substituted heteroaryl and substituted aryl are substituted with R^{38}, R^{39} and R^{40}.~~

~~20. A compound according to any one of claims 1 to 19, wherein R^{25} is H, alkyl, hydroxyalkyl, carboxyalkyl, haloalkyl, cycloalkyl, cycloalkylalkyl, substituted heterocycloalkyl, substituted heterocycloalkylalkyl, substituted heteroaryl, substituted heteroarylalkyl, substituted aryl or substituted arylalkyl, wherein substituted heterocycloalkyl, substituted heterocycloalkylalkyl, substituted heteroaryl, substituted heteroarylalkyl, substituted aryl and substituted arylalkyl are substituted with R^{41}, R^{42} and R^{43}.~~

~~21. A compound according to any one of claims 1 to 20, wherein R^{26} and R^{27} are each independently selected from H, alkyl, cycloalkyl, haloalkyl or halocycloalkyl.~~

~~22. A compound according to any one of claims 1 to 21, wherein R^{12}, R^{13}, R^{14}, R^{22}, R^{23}, R^{24}, R^{29}, R^{30}, R^{31}, R^{32}, R^{33}, R^{34}, R^{35}, R^{36}, R^{37}, R^{38}, R^{39}, R^{40}, R^{41}, R^{42}, R^{43}, R^{44}, R^{45}, R^{46}, R^{47}, R^{48}, R^{49}, R^{50}, R^{51} and R^{52} are each independently selected from H, halogen, hydroxy, amino, nitro, cyano, oxo, alkyl, alkylcarbonyl, alkylsulfonyl, hydroxyalkyl, haloalkyl, cycloalkyl, alkylcarbonylamino, alkoxycarbonyl, alkoxyalkyl, haloalkoxy, chloropyridinylcarbonyl and heterocycloalkyl.~~

~~23. A compound according to any one of claims 1 to 22,~~ and wherein said compound is selected from

6-Chloro-2-pyridin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-nicotinonitrile;

6-Chloro-2-(5-hydroxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-chloro-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-fluoro-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(4-chloro-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

2-(5-Bromo-pyridin-3-yl)-6-chloro-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-methyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridine-3-carbaldehyde;

6-Chloro-2-(5-methoxy-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-isopropoxy-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-hydroxy-1-methyl-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-hydroxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-((R)-1-hydroxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-((S)-1-hydroxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-methoxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

2-(5-Amino-pyridin-3-yl)-6-chloro-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,2,2-trifluoro-1-hydroxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,2,2-trifluoro-1-methoxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one

6-Chloro-2-[5-(cyclopropyl-hydroxy-methyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(cyclopropyl-methoxy-methyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(4-trifluoromethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-hydroxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-methoxy-1-methyl-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

Ethanesulfonic acid [5-(6-chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-ylmethyl]-amide;

6-Chloro-2-[5-(2-oxo-pyrrolidin-1-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(1-methyl-1H-pyrazolo[3,4-c]pyridin-4-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-8'-hydroxy-3,4,5',6',7',8'-hexahydro-[2,4']biisoquinolinyl-1-one;

N-(6-Chloro-1-oxo-3,4,5',6',7',8'-hexahydro-1H-[2,4']biisoquinolinyl-8'-yl)-propionamide;

6-Chloro-2-{5-[hydroxy-(1-methyl-1H-imidazol-2-yl)-methyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[(3,4-difluoro-phenyl)-hydroxy-methyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[(3,5-difluoro-phenyl)-hydroxy-methyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[(4-ethyl-phenyl)-hydroxy-methyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(hydroxy-phenyl-methyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-hydroxy-1-phenyl-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[1-(3,4-difluoro-phenyl)-1-hydroxy-ethyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[1-(3,5-difluoro-phenyl)-1-hydroxy-ethyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(6-methyl-pyrazin-2-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(morpholine-4-carbonyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3-hydroxy-pyrrolidine-1-carbonyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-N,N-dimethyl-nicotinamide;

6-Chloro-2-[5-(pyrrolidine-1-carbonyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-N-methyl-nicotinamide ;

5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-N-cyclopropyl-nicotinamide;

5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-N-(4-fluoro-phenyl)-nicotinamide;

5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-N-phenyl-nicotinamide;

6-Chloro-2-[5-(4,4-difluoro-piperidine-1-carbonyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-((S)-2-methoxymethyl-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-((S)-2-methoxymethyl-pyrrolidin-1-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-((S)-2-hydroxymethyl-5-oxo-pyrrolidin-1-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-pyrimidin-5-yl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-pyridazin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-pyridin-3-yl-2H-isoquinolin-1-one;

6-Chloro-2-(5-fluoro-pyridin-3-yl)-2H-isoquinolin-1-one;

6-Chloro-2-[4-(1-hydroxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(4-hydroxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

2-[5-(1-Amino-cyclopropyl)-pyridin-3-yl]-6-chloro-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(4-methyl-4H-[1,2,4]triazol-3-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-methylsulfanyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-difluoromethoxy-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(4-dimethoxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-fluoro-4-(1-hydroxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{4-[(4-fluoro-phenyl)-hydroxy-methyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[4-(1-methoxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(1-methyl-1H-pyrrolo[3,2-c]pyridin-7-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-cyclopropyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-methyl-2H-[1,2,4]triazol-3-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-cyclopropoxy-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(4-methoxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-fluoro-4-(1-hydroxy-1-methyl-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(5-methyl-pyrazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(1H-pyrrolo[3,2-c]pyridin-7-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-3,4-dihydro-[2,4']biisoquinolinyl-1-one;

3-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-isonicotinonitrile;

6-Chloro-2-(5-fluoro-4-methoxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-fluoro-4-(1-methoxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(4-isopropoxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[4-(cyclopropyl-methoxy-methyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,5-dimethyl-1H-pyrazol-4-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,5-dimethyl-3H-imidazol-4-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1,1-dioxo-1λ6-[1,2]thiazinan-2-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1,1-dioxo-1λ6-isothiazolidin-2-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-((S)-2-hydroxymethyl-5-oxo-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

(S)-1-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-ylmethyl]-pyrrolidine-2-carboxylic acid methyl ester;

6-Chloro-2-(5-methoxy-pyridin-3-yl)-3-methyl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-hydroxymethyl-pyridin-3-yl)-3-methyl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-isopropyl-imidazol-1-ylmethyl)-pyridin-3-yl]-3-methyl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-3-methyl-2-pyridin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-fluoro-pyridin-3-yl)-3-methyl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-3-methyl-2-pyrimidin-5-yl-3,4-dihydro-2H-isoquinolin-1-one;

(R)-6-Chloro-3-methyl-2-pyridin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

(S)-6-Chloro-3-methyl-2-pyridin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

8-Chloro-3-methyl-2-pyridin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

6-Methoxy-2-pyridin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

5,6-Dichloro-2-pyridin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

2-Chloro-6-(5-methoxy-pyridin-3-yl)-7,8-dihydro-6H-[1,6]naphthyridin-5-one;

2-Methoxy-6-(5-methoxy-pyridin-3-yl)-7,8-dihydro-6H-[1,6]naphthyridin-5-one;

2-Methoxy-6-pyridin-3-yl-7,8-dihydro-6H-[1,6]naphthyridin-5-one;

6-Chloro-5-fluoro-2-(5-methoxy-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-7-fluoro-2-(5-methoxy-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-7-fluoro-2-pyridin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-4,4-dimethyl-2-pyridin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-methoxy-pyridin-3-yl)-4,4-dimethyl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-fluoro-pyridin-3-yl)-4,4-dimethyl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-4-methyl-2-pyridin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-fluoro-pyridin-3-yl)-4-methyl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-methoxy-pyridin-3-yl)-4-methyl-3,4-dihydro-2H-isoquinolin-1-one;

5-Chloro-2-pyridin-3-yl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(2-isopropyl-imidazol-1-ylmethyl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

5-Chloro-2-(5-[1,2,4]triazol-1-ylmethyl-pyridin-3-yl)-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(2-methyl-imidazol-1-ylmethyl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(2-oxo-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-((S)-2-methoxymethyl-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(2-oxo-piperidin-1-ylmethyl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

Ethanesulfonic acid [5-(5-chloro-1-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-amide;

5-Chloro-2-(1-methyl-1H-pyrazolo[3,4-c]pyridin-4-yl)-2,3-dihydro-isoindol-1-one;

5-Chloro-2-(8-hydroxy-5,6,7,8-tetrahydro-isoquinolin-4-yl)-2,3-dihydro-isoindol-1-one;

5-Chloro-3-methyl-2-pyridin-3-yl-2,3-dihydro-isoindol-1-one;

6-Chloro-3-methyl-2-pyridin-3-yl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-(5-methoxy-pyridin-3-yl)-3-methyl-2,3-dihydro-isoindol-1-one;

5-Chloro-3-methyl-2-(4-methyl-pyridin-3-yl)-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(1-hydroxy-ethyl)-pyridin-3-yl]-3-methyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-(5-fluoro-pyridin-3-yl)-3-methyl-2,3-dihydro-isoindol-1-one;

3-Benzyl-5-chloro-2-pyridin-3-yl-2,3-dihydro-isoindol-1-one;

5-Chloro-3-ethyl-2-pyridin-3-yl-2,3-dihydro-isoindol-1-one;

5-Chloro-3-ethyl-2-(5-fluoro-pyridin-3-yl)-2,3-dihydro-isoindol-1-one;

5-Chloro-3-ethyl-2-(5-methoxy-pyridin-3-yl)-2,3-dihydro-isoindol-1-one;

5-Chloro-3,3-dimethyl-2-pyridin-3-yl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-(5-fluoro-pyridin-3-yl)-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-(5-methoxy-pyridin-3-yl)-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-(5-difluoromethoxy-pyridin-3-yl)-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(1-hydroxy-ethyl)-pyridin-3-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-(5-hydroxymethyl-pyridin-3-yl)-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-3,3-dimethyl-2-[5-(2-methyl-imidazol-1-ylmethyl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

6-Chloro-2-[5-((S)-2-hydroxymethyl-pyrrolidin-1-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

5-Chloro-2-[5-((S)-2-hydroxymethyl-pyrrolidin-1-yl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

6-Chloro-2-[5-((R)-3-hydroxy-pyrrolidin-1-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

5-Chloro-2-[5-((R)-3-hydroxy-pyrrolidin-1-yl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

2-Hydroxy-6-(5-methoxy-pyridin-3-yl)-7,8-dihydro-6H-[1,6]naphthyridin-5-one;

6-Chloro-2-(5-imidazol-1-ylmethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-isopropyl-imidazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-methyl-imidazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-ethyl-4-methyl-imidazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3-hydroxy-piperidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

Propane-2-sulfonic acid [5-(6-chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-ylmethyl]-amide

6-Chloro-2-[5-(3-hydroxy-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-((R)-3-hydroxy-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-((S)-3-hydroxy-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-((S)-2-hydroxymethyl-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-((R)-2-hydroxymethyl-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,5-dimethyl-pyrazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

N-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-ylmethyl]-methanesulfonamide

N-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-ylmethyl]-acetamide

6-Chloro-2-(5-morpholin-4-ylmethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-oxo-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1,1-dioxo-1λ6-thiomorpholin-4-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-oxo-oxazolidin-3-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-oxo-imidazolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3-methyl-2-oxo-imidazolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-pyrazol-1-ylmethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-propyl-imidazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

1-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-ylmethyl]-1H-imidazole-2-carboxylic acid ethyl ester;

6-Chloro-2-[5-(2-hydroxymethyl-imidazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(oxetan-3-ylaminomethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[4-(2-hydroxy-ethyl)-piperazin-1-ylmethyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(4-isopropyl-piperazin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(4-methyl-piperazin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(4,4-difluoro-piperidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,3-difluoro-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-oxa-6-aza-spiro[3.4]oct-6-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-oxa-6-aza-spiro[3.3]hept-6-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,3-difluoro-piperidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-oxo-piperidin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-[1,2,3]triazol-2-ylmethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-[1,2,3]triazol-1-ylmethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-chloro-imidazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3-methyl-[1,2,4]triazol-4-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(5-methyl-[1,2,4]triazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-chloro-2-[5-(3-methyl-[1,2,4]triazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-[1,2,4]triazol-4-ylmethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-[1,2,4]triazol-1-ylmethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-methyl-benzoimidazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-indazol-1-ylmethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-indazol-2-ylmethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(6-fluoro-indol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(7-fluoro-indol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(4-fluoro-indol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(4-methyl-pyrazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-cyclopropyl-imidazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-trifluoromethyl-imidazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3-methyl-pyrazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-ethyl-imidazol-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

2-(5-Aminomethyl-pyridin-3-yl)-6-chloro-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-methoxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-isopropoxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,2,2-trifluoro-1-methyl-ethoxymethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[2-(1-methyl-pyrrolidin-2-yl)-ethoxymethyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-cyclopentyloxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-cyclopropylmethoxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-fluoro-phenoxymethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-methyl-cyclopropylmethoxymethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(tetrahydro-furan-2-ylmethoxymethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,2,2-trifluoro-ethoxymethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-cyclobutoxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,5-dimethyl-isoxazol-4-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(4-methanesulfonyl-benzyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(6-methyl-pyridin-3-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(6-morpholin-4-yl-pyridin-3-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-methyl-2H-pyrazol-3-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-methyl-1H-pyrazol-4-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,3-difluoro-benzyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,5-difluoro-benzyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,5-difluoro-benzyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-trifluoromethyl-benzyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,6-dichloro-benzyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-chloro-6-fluoro-benzyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,4-dichloro-benzyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,5-dichloro-benzyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

Ethanesulfonic acid [5-(6-chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-amide;

N-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-benzenesulfonamide;

N-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-methanesulfonamide;

Cyclopropanesulfonic acid [5-(6-chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-amide;

6-Chloro-2-[5-(4-fluoro-benzylamino)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,2,2-trifluoro-ethylamino)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-morpholin-4-yl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

N-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-propionamide;

6-Chloro-2-{5-[(2-methyl-2H-pyrazol-3-ylmethyl)-amino]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

2-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-ylamino]-2-methyl-propionic acid;

6-Chloro-2-{5-[(1-methyl-1H-imidazol-4-ylmethyl)-amino]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1H-pyrazol-4-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,5-dimethyl-isoxazol-4-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3-fluoro-phenyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,4-difluoro-phenyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,5-difluoro-phenyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3-chloro-phenyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,5-difluoro-phenyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3-trifluoromethyl-phenyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3-trifluoromethoxy-phenyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-methyl-2H-pyrazol-3-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-methyl-1H-pyrazol-4-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(4-chloro-3-fluoro-phenyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(3,4-dichloro-phenyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-trifluoromethyl-phenyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-isoxazol-4-yl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-methyl-1H-imidazol-2-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,4-dimethyl-2H-pyrazol-3-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

5-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-1-methyl-1H-pyrazole-4-carbonitrile

N-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-isobutyramide

Cyclopropanecarboxylic acid [5-(6-chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-amide

N-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-4-fluoro-benzamide

1-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-3-cyclohexyl-urea

1-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-3-(3-trifluoromethyl-phenyl)-urea

6-Chloro-2-(5-hydroxy-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

2-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yloxy]-acetamide;

2-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yloxy]-N-methyl-acetamide;

[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yloxy]-acetic acid methyl ester;

2-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yloxy]-N,N-dimethyl-acetamide;

6-Chloro-2-(5-phenylaminomethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[(4-fluoro-phenylamino)-methyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[(3-fluoro-phenylamino)-methyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[(4-chloro-phenylamino)-methyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[(3-chloro-phenylamino)-methyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[(1H-pyrazol-3-ylamino)-methyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-morpholin-4-yl-2-oxo-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

2-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-N-(2-hydroxy-ethyl)-acetamide;

6-Chloro-2-[5-(1-methylamino-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-dimethylamino-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-methyl-1H-imidazole-2-carbonyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(4-methyl-4H-[1,2,4]triazol-3-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-[1,2,3]triazol-2-yl-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-imidazol-1-yl-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-pyrazol-1-yl-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[1-(oxazol-2-ylamino)-ethyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-[1,2,4]triazol-1-yl-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[1-(2-oxo-pyrrolidin-1-yl)-ethyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[1-(2-oxo-oxazolidin-3-yl)-ethyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

N-{1-[5-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-pyridin-3-yl]-ethyl}-methanesulfonamide;

6-Chloro-2-{5-[1-(3-fluoro-phenylamino)-ethyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-phenylamino-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-methanesulfinyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[4-(4-methyl-piperazin-1-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

and pharmaceutically acceptable salts thereof.

~~242~~. A compound according to ~~any one of~~ claims ~~1 to 221~~, selected from

5-Chloro-3,3-dimethyl-2-[5-(1-methyl-1H-pyrazol-4-ylmethyl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

5-Chloro-2-(5-difluoromethoxy-pyridin-3-yl)-3-ethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-3-ethyl-2-[5-(1-hydroxy-ethyl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

5-Chloro-2-(4-chloro-pyridin-3-yl)-3-ethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-(4-chloro-pyridin-3-yl)-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

6-Chloro-5'-nitro-3,4-dihydro-[2,4']biisoquinolinyl-1-one;

6-Chloro-8'-nitro-3,4-dihydro-[2,4']biisoquinolinyl-1-one;

8'-Amino-6-chloro-3,4-dihydro-[2,4']biisoquinolinyl-1-one;

Ethanesulfonic acid (6-chloro-1-oxo-3,4-dihydro-1H-[2,4']biisoquinolinyl-8'-yl)-amide;

6'-Chloro-2'-(5-fluoropyridin-3-yl)spiro[cyclopropane-1,1'-isoindol]-3'(2'H)-one;

6'-Chloro-2'-[5-(difluoromethoxy)pyridin-3-yl]spiro[cyclopropane-1,1'-isoindol]-3'(2'H)-one;

2-Chloro-6-(5-fluoro-pyridin-3-yl)-7,7-dimethyl-6,7-dihydro-pyrrolo[3,4-b]pyridin-5-one;

2-Chloro-6-(5-difluoromethoxy-pyridin-3-yl)-7,7-dimethyl-6,7-dihydro-pyrrolo[3,4-b]pyridin-5-one;

6-(5-Fluoro-pyridin-3-yl)-2-methoxy-7,7-dimethyl-6,7-dihydro-pyrrolo[3,4-b]pyridin-5-one;

6-(5-Difluoromethoxy-pyridin-3-yl)-2-methoxy-7,7-dimethyl-6,7-dihydro-pyrrolo[3,4-b]pyridin-5-one;

6'-Chloro-2'-(pyridin-3-yl)spiro[cyclopropane-1,1'-isoindol]-3'(2'H)-one;

5-Chloro-3-cyclopropyl-2-(5-fluoro-pyridin-3-yl)-2,3-dihydro-isoindol-1-one;

2-Chloro-7,7-dimethyl-6-pyridin-3-yl-6,7-dihydro-pyrrolo[3,4-b]pyridin-5-one;

2-Ethoxy-6-(5-fluoro-pyridin-3-yl)-7,7-dimethyl-6,7-dihydro-pyrrolo[3,4-b]pyridin-5-one;

2-Methoxy-7,7-dimethyl-6-pyridin-3-yl-6,7-dihydro-pyrrolo[3,4-b]pyridin-5-one;

5-Chloro-3-cyclopropyl-2-pyridin-3-yl-2,3-dihydro-isoindol-1-one;

5-Chloro-3-cyclopropyl-2-(5-difluoromethoxy-pyridin-3-yl)-2,3-dihydro-isoindol-1-one;

6-(5-Difluoromethoxy-pyridin-3-yl)-2-ethoxy-7,7-dimethyl-6,7-dihydro-pyrrolo[3,4-b]pyridin-5-one;

5-Chloro-2-(5-isopropoxy-pyridin-3-yl)-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

6'-Chloro-2'-(4-chloropyridin-3-yl)spiro[cyclopropane-1,1'-isoindol]-3'(2'H)-one;

5-Chloro-2-(5-cyclopropoxy-pyridin-3-yl)-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

(S or R)-6-Chloro-3-ethyl-2-(5-fluoro-pyridin-3-yl)-2,3-dihydro-isoindol-1-one;

(R or S)-6-Chloro-3-ethyl-2-(5-fluoro-pyridin-3-yl)-2,3-dihydro-isoindol-1-one;

(R or S)-5-Chloro-3-ethyl-2-(5-fluoro-pyridin-3-yl)-2,3-dihydro-isoindol-1-one;

(S or R)-5-Chloro-3-ethyl-2-(5-fluoro-pyridin-3-yl)-2,3-dihydro-isoindol-1-one;

2-(8-Amino-5,6,7,8-tetrahydro-isoquinolin-4-yl)-5-chloro-2,3-dihydro-isoindol-1-one;

N-[(R or S)-4-((R or S)-5-Chloro-1-ethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-propionamide;

N-[(R or S)-4-((S or R)-5-Chloro-1-ethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-propionamide;

N-[(R or S)-4-(5-Chloro-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-propionamide;

Ethanesulfonic acid [4-(5-chloro-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-amide;

Ethanesulfonic acid [(R or S)-4-(5-chloro-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-amide;

Ethanesulfonic acid [(S or R)-4-(5-chloro-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-amide;

N-[(S or R)-4-(5-Chloro-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-acetamide;

N-[(R or S)-4-(5-Chloro-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-acetamide;

N-((R or S)-6-Chloro-1-oxo-3,4,5',6',7',8'-hexahydro-1H-[2,4']biisoquinolinyl-8'-yl)-acetamide;

N-((S or R)-6-Chloro-1-oxo-3,4,5',6',7',8'-hexahydro-1H-[2,4']biisoquinolinyl-8'-yl)-acetamide;

N-[(S or R)-4-(5-Chloro-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-acetamide;

N-[(R or S)-4-(5-Chloro-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-acetamide;

N-((S or R)-6-Chloro-1-oxo-3,4,5',6',7',8'-hexahydro-1H-[2,4']biisoquinolinyl-8'-yl)-methanesulfonamide;

N-((R or S)-6-Chloro-1-oxo-3,4,5',6',7',8'-hexahydro-1H-[2,4']biisoquinolinyl-8'-yl)-methanesulfonamide;

N-[(S or R)-4-(5-Chloro-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-methanesulfonamide;

N-[(R or S)-4-(5-Chloro-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-methanesulfonamide;

N-((R or S)-6-Chloro-1-oxo-3,4,5',6',7',8'-hexahydro-1H-[2,4']biisoquinolinyl-8'-yl)-propionamide;

N-((S or R)-6-Chloro-1-oxo-3,4,5',6',7',8'-hexahydro-1H-[2,4']biisoquinolinyl-8'-yl)-propionamide;

N-[(S or R)-4-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-methanesulfonamide;

N-[(R or S)-4-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-methanesulfonamide;

N-[(R or S)-4-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-acetamide;

N-[(S or R)-4-(6-Chloro-1-oxo-3,4-dihydro-1H-isoquinolin-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-acetamide;

N-[(R or S)-4-(5-Chloro-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-methanesulfonamide;

N-[(S or R)-4-(5-Chloro-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-methanesulfonamide;

Ethanesulfonic acid [(R or S)-4-(5-chloro-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-amide;

Ethanesulfonic acid [(S or R)-4-(5-chloro-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-amide;

N-[(S or R)-4-(5-Chloro-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-propionamide;

N-[(R or S)-4-(5-Chloro-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-propionamide;

5-Chloro-2-((S or R)-8-hydroxy-5,6,7,8-tetrahydro-isoquinolin-4-yl)-2,3-dihydro-isoindol-1-one;

5-Chloro-2-((R or S)-8-hydroxy-5,6,7,8-tetrahydro-isoquinolin-4-yl)-2,3-dihydro-isoindol-1-one;

N-[(S or R)-4-((R or S)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-acetamide;

N-[(R or S)-4-((S or R)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-acetamide;

N-[(R or S)-4-((R or S)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-acetamide;

N-[(S or R)-4-((S or R)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-acetamide;

N-[4-(5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-methanesulfonamide;

N-[(R or S)-4-((R or S)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-methanesulfonamide;

N-[(S or R)-4-((S or R)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-methanesulfonamide;

N-[(S or R)-4-((R or S)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-methanesulfonamide;

N-[(R or S)-4-((S or R)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-methanesulfonamide;

N-[(S or R)-4-((S or R)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-propionamide;

N-[(S or R)-4-((R or S)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-propionamide;

N-[(R or S)-4-((S or R)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-propionamide;

N-[(R or S)-4-((R or S)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-propionamide;

N-[(S or R)-4-((R or S)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-acetamide;

N-[(S or R)-4-((S or R)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-acetamide;

N-[(R or S)-4-((S or R)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-acetamide;

N-[(R or S)-4-((R or S)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-acetamide;

N-[(R or S)-4-((S or R)-5-Chloro-3-methyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-propionamide;

N-[(S or R)-4-((R or S)-5-Chloro-3-methyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-propionamide;

N-[(R or S)-4-((R or S)-5-Chloro-3-methyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-propionamide;

N-[(S or R)-4-((S or R)-5-Chloro-3-methyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-propionamide;

N-[(S or R)-4-((R or S)-5-Chloro-3-methyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-acetamide;

N-[(R or S)-4-((R or S)-5-Chloro-3-methyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-acetamide;

N-[(S or R)-4-((S or R)-5-Chloro-3-methyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-acetamide;

N-[(R or S)-4-((S or R)-5-Chloro-3-methyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-acetamide;

N-[(S or R)-4-((R or S)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-methanesulfonamide;

N-[(R or S)-4-((S or R)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-methanesulfonamide;

N-[(R or S)-4-((R or S)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-methanesulfonamide;

N-[(S or R)-4-((S or R)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-methanesulfonamide;

N-[(S or R)-4-((S or R)-5-Chloro-3-cyclopropyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-acetamide;

N-[(R or S)-4-((R or S)-5-Chloro-3-cyclopropyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-acetamide;

N-[(S or R)-4-((R or S)-5-Chloro-3-cyclopropyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-acetamide;

N-[(R or S)-4-((S or R)-5-Chloro-3-cyclopropyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-acetamide;

N-[(R or S)-4-((S or R)-5-Chloro-3-methyl-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-propionamide;

N-[(R or S)-4-((R or S)-5-Chloro-3-methyl-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-propionamide;

N-[(S or R)-4-((R or S)-5-Chloro-3-methyl-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-propionamide;

N-[(S or R)-4-((S or R)-5-Chloro-3-methyl-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-propionamide;

5-Chloro-3,3-dimethyl-2-(5-pyrazol-1-ylmethyl-pyridin-3-yl)-2,3-dihydro-isoindol-1-one;

2-[5-(3-Amino-pyrazol-1-ylmethyl)-pyridin-3-yl]-5-chloro-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-3,3-dimethyl-2-{5-[(1H-pyrazol-3-ylamino)-methyl]-pyridin-3-yl}-2,3-dihydro-isoindol-1-one;

2-[5-(3-Amino-pyrazol-1-ylmethyl)-pyridin-3-yl]-6-chloro-3,4-dihydro-2H-isoquinolin-1-one;

2-Chloro-7,7-dimethyl-6-{5-[(1H-pyrazol-3-ylamino)-methyl]-pyridin-3-yl}-6,7-dihydro-pyrrolo[3,4-b]pyridin-5-one;

2-Methoxy-7,7-dimethyl-6-{5-[(1H-pyrazol-3-ylamino)-methyl]-pyridin-3-yl}-6,7-dihydro-pyrrolo[3,4-b]pyridin-5-one;

2-Ethoxy-7,7-dimethyl-6-{5-[(1H-pyrazol-3-ylamino)-methyl]-pyridin-3-yl}-6,7-dihydro-pyrrolo[3,4-b]pyridin-5-one;

6'-Chloro-2'-{5-[(1H-pyrazol-3-ylamino)methyl]pyridin-3-yl}spiro[cyclopropane-1,1'-isoindol]-3'(2'H)-one;

Ethanesulfonic acid [5-(6-chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-amide;

Ethanesulfonic acid [5-(6-fluoro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-amide;

Ethanesulfonic acid [5-(6-cyano-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-amide;

Ethanesulfonic acid [5-((S or R)-5-chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-amide;

N-[5-(6-Chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-methanesulfonamide;

N-[5-(6-Chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-N-methyl-methanesulfonamide;

N-{[5-(6'-Fluoro-3'-oxospiro[cyclopropane-1,1'-isoindol]-2'(3'H)-yl)pyridin-3-yl]methyl}ethanesulfonamide;

N-{[5-(6'-Fluoro-3'-oxospiro[cyclopropane-1,1'-isoindol]-2'(3'H)-yl)pyridin-3-yl]methyl}-N-methylethanesulfonamide;

Ethanesulfonic acid [5-(6-chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-methyl-amide;

N-{[5-(6'-Chloro-3'-oxospiro[cyclopropane-1,1'-isoindol]-2'(3'H)-yl)pyridin-3-yl]methyl}propanamide;

N-[5-(6-Chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-propionamide;

N-[5-(6-Fluoro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-propionamide;

N-[5-((S or R)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-propionamide;

N-[5-(6-Chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-acetamide;

N-{[5-(5'-Fluoro-3'-oxospiro[cyclopropane-1,1'-isoindol]-2'(3'H)-yl)pyridin-3-yl]methyl}methanesulfonamide;

N-[5-(6-Cyano-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-methanesulfonamide;

N-[5-(6-Fluoro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-methanesulfonamide;

N-{[5-(6'-Fluoro-3'-oxospiro[cyclopropane-1,1'-isoindol]-2'(3'H)-yl)pyridin-3-yl]methyl}methanesulfonamide;

N-[5-((S or R)-5-Chloro-1-ethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-methanesulfonamide;

N-[5-(5-Fluoro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-methanesulfonamide;

N-[5-((R or S)-5-Chloro-1-ethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-methanesulfonamide;

N-[5-(5-Chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-methanesulfonamide;

5-Chloro-2-[5-(1,1-dioxo-1λ6-isothiazolidin-2-ylmethyl)-pyridin-3-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-3,3-dimethyl-2-[5-(2-oxo-piperidin-1-ylmethyl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

5-Chloro-3,3-dimethyl-2-[5-(2-oxo-imidazolidin-1-ylmethyl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

5-Chloro-3,3-dimethyl-2-[5-(2-oxo-oxazolidin-3-ylmethyl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

5-Chloro-3,3-dimethyl-2-[5-(2-oxo-pyrrolidin-1-ylmethyl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

5-Chloro-3,3-dimethyl-2-[5-(3-methyl-2-oxo-imidazolidin-1-ylmethyl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(1,1-dioxo-1λ6-[1,2]thiazinan-2-ylmethyl)-pyridin-3-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(3-isopropyl-2-oxo-imidazolidin-1-ylmethyl)-pyridin-3-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

6-Chloro-2-[5-(1,5-dimethyl-1H-imidazol-4-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

5-Chloro-3,3-dimethyl-2-[5-(2-methyl-2H-pyrazol-3-yl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

6-Chloro-2-[5-(3-methyl-1H-pyrazol-4-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(4-methyl-2H-pyrazol-3-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(4-chloro-2-methyl-2H-pyrazol-3-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2,5-dimethyl-2H-pyrazol-3-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1,5-dimethyl-1H-pyrazol-4-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[4-chloro-5-(2-methyl-2H-pyrazol-3-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

2-Chloro-7,7-dimethyl-6-[5-(2-methyl-2H-pyrazol-3-yl)-pyridin-3-yl]-6,7-dihydro-pyrrolo[3,4-b]pyridin-5-one;

2-Methoxy-7,7-dimethyl-6-[5-(2-methyl-2H-pyrazol-3-yl)-pyridin-3-yl]-6,7-dihydro-pyrrolo[3,4-b]pyridin-5-one;

5-Chloro-2-[5-(4-chloro-2-methyl-2H-pyrazol-3-yl)-pyridin-3-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

(R or S)-5-Chloro-3-ethyl-2-[5-(2-methyl-2H-pyrazol-3-yl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

(S or R)-5-Chloro-3-ethyl-2-[5-(2-methyl-2H-pyrazol-3-yl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

3-Methyl-pyridine-2-carboxylic acid [5-(6-chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-amide;

3-Chloro-pyridine-2-carboxylic acid [5-(6-chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-amide;

1-Methyl-1H-imidazole-2-carboxylic acid [5-(6-chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-amide;

2-Chloro-N-[5-(6-chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-nicotinamide;

Pyridine-2-carboxylic acid [5-(6-chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-amide;

3-Methyl-3H-imidazole-4-carboxylic acid [5-(6-chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-amide;

N-[5-(6-Chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-6-methyl-nicotinamide;

3-Chloro-N-[5-(6-chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-isonicotinamide;

N-[5-(6-Chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-nicotinamide;

N-[5-(6-Chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-2-methyl-nicotinamide;

N-[5-(6-Chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-4-methyl-nicotinamide;

2-[5-(1-Acetyl-pyrrolidin-3-yloxy)-pyridin-3-yl]-5-chloro-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

2-[5-((R)-1-Acetyl-pyrrolidin-3-yloxy)-pyridin-3-yl]-5-chloro-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

2-[5-((S)-1-Acetyl-pyrrolidin-3-yloxy)-pyridin-3-yl]-5-chloro-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-3,3-dimethyl-2-[5-(1-propionyl-pyrrolidin-3-yloxy)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(1-methanesulfonyl-pyrrolidin-3-yloxy)-pyridin-3-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(1-ethanesulfonyl-pyrrolidin-3-yloxy)-pyridin-3-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-((R)-1-ethanesulfonyl-pyrrolidin-3-yloxy)-pyridin-3-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-((S)-1-ethanesulfonyl-pyrrolidin-3-yloxy)-pyridin-3-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

2-[5-(1-Acetyl-piperidin-4-yloxy)-pyridin-3-yl]-5-chloro-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

2-[5-(1-Acetyl-azetidin-3-yloxy)-pyridin-3-yl]-5-chloro-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-3,3-dimethyl-2-[5-(1-propionyl-azetidin-3-yloxy)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(1-methanesulfonyl-azetidin-3-yloxy)-pyridin-3-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(1-ethanesulfonyl-azetidin-3-yloxy)-pyridin-3-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-((S)-3-hydroxy-pyrrolidin-1-yl)-pyridin-3-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

2-[5-(4-Acetyl-piperazin-1-yl)-pyridin-3-yl]-5-chloro-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-3,3-dimethyl-2-[5-(4-propionyl-piperazin-1-yl)-pyridin-3-yl]-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(4-methanesulfonyl-piperazin-1-yl)-pyridin-3-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(4-ethanesulfonyl-piperazin-1-yl)-pyridin-3-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-{5-[4-(3-chloro-pyridine-2-carbonyl)-piperazin-1-yl]-pyridin-3-yl}-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

2-[5-(1-Acetyl-pyrrolidin-3-yl)-pyridin-3-yl]-5-chloro-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

2-(1'-Acetyl-1',2',3',4',5',6'-hexahydro-[3,4']bipyridinyl-5-yl)-5-chloro-3,3-dimethyl-2,3-dihydro-isoindol-1-one ;

2-[6-(1-Acetyl-piperidin-3-yl)-pyrazin-2-yl]-5-chloro-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-3,3-dimethyl-2-[6-(1-propionyl-piperidin-3-yl)-pyrazin-2-yl]-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[6-(1-ethanesulfonyl-piperidin-3-yl)-pyrazin-2-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[6-(1-methanesulfonyl-piperidin-3-yl)-pyrazin-2-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

N-[(S or R)-4-(6-Chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-acetamide;

N-[(R or S)-4-(6-Chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-acetamide;

N-[4-(6-Chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-propionamide;

and pharmaceutically acceptable salts thereof.

~~25~~3. A compound according to ~~any one of~~ claims 1 ~~to~~ or ~~23~~2, selected from

6-Chloro-2-pyridin-3-yl-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(4-chloro-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-isopropoxy-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-((R)-1-hydroxy-ethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-cyclopropoxy-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

2-Methoxy-6-(5-methoxy-pyridin-3-yl)-7,8-dihydro-6H-[1,6]naphthyridin-5-one;

5-Chloro-3-ethyl-2-(5-fluoro-pyridin-3-yl)-2,3-dihydro-isoindol-1-one;

5-Chloro-2-(5-fluoro-pyridin-3-yl)-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-(5-difluoromethoxy-pyridin-3-yl)-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

6-Chloro-2-[5-(2-oxa-6-aza-spiro[3.4]oct-6-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-(5-methoxymethyl-pyridin-3-yl)-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(1-methyl-1H-pyrazol-4-ylmethyl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[(2-methyl-2H-pyrazol-3-ylmethyl)-amino]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-[5-(2-methyl-2H-pyrazol-3-yl)-pyridin-3-yl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Chloro-2-{5-[(1H-pyrazol-3-ylamino)-methyl]-pyridin-3-yl}-3,4-dihydro-2H-isoquinolin-1-one;

and pharmaceutically acceptable salts thereof.

~~26~~4. A compound according to ~~any one of~~ claims 1 ~~to~~ or ~~22 and 24~~2, selected from

(R or S)-5-Chloro-3-ethyl-2-(5-fluoro-pyridin-3-yl)-2,3-dihydro-isoindol-1-one;

(S or R)-5-Chloro-3-ethyl-2-(5-fluoro-pyridin-3-yl)-2,3-dihydro-isoindol-1-one;

N-[(R or S)-4-((R or S)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-acetamide;

N-[(R or S)-4-((S or R)-5-Chloro-3-methyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-propionamide;

N-[(R or S)-4-((S or R)-5-Chloro-3-methyl-1-oxo-1,3-dihydro-isoindol-2-yl)-5,6,7,8-tetrahydro-isoquinolin-8-yl]-acetamide;

N-[(R or S)-4-((S or R)-5-Chloro-3-ethyl-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-methanesulfonamide;

N-[(R or S)-4-((R or S)-5-Chloro-3-methyl-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-propionamide;

N-[(S or R)-4-((R or S)-5-Chloro-3-methyl-1-oxo-1,3-dihydro-isoindol-2-yl)-6,7-dihydro-5H-[2]pyrindin-7-yl]-propionamide;

5-Chloro-3,3-dimethyl-2-{5-[(1H-pyrazol-3-ylamino)-methyl]-pyridin-3-yl}-2,3-dihydro-isoindol-1-one;

6'-Chloro-2'-{5-[(1H-pyrazol-3-ylamino)methyl]pyridin-3-yl}spiro[cyclopropane-1,1'-isoindol]-3'(2'H)-one;

N-[5-(6-Chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-methanesulfonamide;

3-Methyl-pyridine-2-carboxylic acid [5-(6-chloro-1,1-dimethyl-3-oxo-1,3-dihydro-isoindol-2-yl)-pyridin-3-ylmethyl]-amide;

2-[5-((R)-1-Acetyl-pyrrolidin-3-yloxy)-pyridin-3-yl]-5-chloro-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

2-[5-((S)-1-Acetyl-pyrrolidin-3-yloxy)-pyridin-3-yl]-5-chloro-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(1-methanesulfonyl-pyrrolidin-3-yloxy)-pyridin-3-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-((R)-1-ethanesulfonyl-pyrrolidin-3-yloxy)-pyridin-3-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-((S)-1-ethanesulfonyl-pyrrolidin-3-yloxy)-pyridin-3-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

2-[5-(1-Acetyl-piperidin-4-yloxy)-pyridin-3-yl]-5-chloro-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(1-ethanesulfonyl-azetidin-3-yloxy)-pyridin-3-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

2-[5-(4-Acetyl-piperazin-1-yl)-pyridin-3-yl]-5-chloro-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(4-methanesulfonyl-piperazin-1-yl)-pyridin-3-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

5-Chloro-2-[5-(4-ethanesulfonyl-piperazin-1-yl)-pyridin-3-yl]-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

2-(1'-Acetyl-1',2',3',4',5',6'-hexahydro-[3,4']bipyridinyl-5-yl)-5-chloro-3,3-dimethyl-2,3-dihydro-isoindol-1-one;

and pharmaceutically acceptable salts thereof.

~~27~~5. A process to prepare a compound according to any one of claims 1 to ~~26~~ 4 comprising the reaction of a compound of formula (II) in the presence of a compound of formula (III);



wherein R^1, R^2, R^3, R^4, R^5, R^6, A^1, A^2, A^3, A^4, A^5 and n are as defined in claim 1 and wherein X is halogen or triflate.

~~28~~6. A compound according to any one of claims 1 to ~~26~~ 4 for use as therapeutically active substance.

~~29~~7. A pharmaceutical composition comprising a compound according to any one of claims 1 to ~~26~~ 4 and a therapeutically inert carrier.

~~30~~8. A compound according to any one of claims 1 to ~~26~~ 4 for the treatment or prophylaxis of chronic kidney disease, congestive heart failure, hypertension, primary aldosteronism and Cushing syndrom.

~~31~~9. The use of a compound according to any one of claims 1 to ~~26~~ 4 for the preparation of a medicament for the treatment or prophylaxis of chronic kidney disease, congestive heart failure, hypertension, primary aldosteronism and Cushing syndrom.

~~32. A compound according to any one of claims 1 to 26, when manufactured according to a process of claim 27.~~