


~~We claim~~ CLAIMS:

1. A compound of Formula (I)



Formula (I)

wherein

R₁ is selected from the group consisting of

- i) naphthalen-1-yl, optionally substituted with a fluoro or amino substituent; and
- ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, ethyl, propyl, isopropyl, trifluoromethyl, , cyclopropyl, methoxymethyl, difluoromethyl, 1,1-difluoroethyl, hydroxymethyl, 1-hydroxyethyl, 1-ethoxyethyl, hydroxy, methoxy, ethoxy, fluoro, chloro, bromo, methylthio, cyano, amino, methylamino, dimethylamino, 4-oxotetrahydrofuran-2-yl, 5-oxopyrrolidin-2-yl, 1,4-dioxanyl, aminocarbonyl, methylcarbonyl, methylaminocarbonyl, oxo, 1-(t-butoxycarbonyl)azetidin-2-yl, N-(methyl)formamidomethyl, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidinyl, azetidin-3-yl, or azetidin-2-yl;

R₂ is selected from the group consisting of C₁₋₄alkyl, 1-methoxy-ethyl, difluoromethyl, fluoro, chloro, bromo, cyano, and trifluoromethyl;

G₁ is N or C(R₄);

G₂ is N or C(R₃); such that only one of G₁ and G₂ are N in any instance;

R₃ is independently selected from the group consisting of trifluoromethyl, cyano, C₁₋₄alkyl, fluoro, chloro, bromo, methylcarbonyl, methylthio, methylsulfinyl, and methanesulfonyl; or, when G₁ is N, R₃ is further selected from C₁₋₄alkoxycarbonyl;

R₄ is selected from the group consisting of

- i) hydrogen, when G₂ is N;
- ii) C₁₋₄alkoxy;
- iii) cyano;
- iv) cyclopropyloxy;
- v) a heteroaryl selected from the group consisting of triazolyl, oxazolyl, isoxazolyl, pyrazolyl, pyrrolyl, thiazolyl, tetrazolyl, oxadiazolyl, imidazolyl, 2-amino-pyrimidin-4-yl, 2H-[1,2,3]triazolo[4,5-c]pyridin-2-yl, 2H-[1,2,3]triazolo[4,5-b]pyridin-2-yl, 3H-[1,2,3]triazolo[4,5-b]pyridin-3-yl, 1H-[1,2,3]triazolo[4,5-c]pyridin-1-yl, wherein the heteroaryl is optionally substituted with one or two substituents independently selected from oxo, C₁₋₄alkyl, carboxy, methoxycarbonyl, aminocarbonyl, hydroxymethyl, aminomethyl, (dimethylamino)methyl, amino, methoxymethyl, trifluoromethyl, amino(C₂₋₄alkyl)amino, or cyano;
- vi) 1-methyl-piperidin-4-yloxy;
- vii) 4-methyl-piperazin-1-ylcarbonyl;
- viii) (4-aminobutyl)aminocarbonyl;
- ix) (4-amino)butoxy;
- x) 4-(4-aminobutyl)-piperazin-1-ylcarbonyl;
- xi) methoxycarbonyl;
- xii) 5-chloro-6-(methoxycarbonyl)pyridin-3-ylaminocarbonyl;
- xiii) 1,1-dioxo-isothiazolidin-2-yl;
- xiv) 3-methyl-2-oxo-2,3-dihydro-1H-imidazol-1-yl;
- xv) 2-oxopyrrolidin-1-yl;
- xvi) (*E*)- (4-aminobut-1-en-1-yl-aminocarbonyl;
- xvii) difluoromethoxy; and
and
- xviii) morpholin-4-ylcarbonyl;

R₅ is independently selected from the group consisting of hydrogen, chloro, fluoro, bromo, methoxy, methylsulfonyl, cyano, C₁₋₄alkyl, ethynyl, morpholin-4-yl, trifluoromethyl, hydroxyethyl, methylcarbonyl, methylsulfinyl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, azetidin-2-yl, methylthio, and 1,1-difluoroethyl;

or R₄ and R₅ may be taken together to form 8-chloro-4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 8-chloro-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 2-methyl-1-oxo-1,2,3,4-tetrahydroisoquinolin-7-yl, 4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl, 1-methyl-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl, 1*H*-pyrazolo[3,4-*b*]pyridin-5-yl, 2,3-dihydro-[1,4]dioxino[2,3-*b*]pyridin-5-yl, 1,3-dioxolo[4,5]pyridine-5-yl, 1-oxo-1,3-dihydroisobenzofuran-5-yl, 2,2-dimethylbenzo[*d*][1,3]dioxol-5-yl, 2,3-dihydrobenzo[*b*][1,4]dioxin-6-yl, 1-oxoisindolin-5-yl, or 2-methyl-1-oxoisindolin-5-yl, 1*H*-indazol-5-yl;

R₆ is hydrogen, C₁₋₄alkyl, fluoro, 2-methoxy-ethoxy, chloro, cyano, or trifluoromethyl;

R₇ is hydrogen or fluoro;

provided that a compound of Formula (I) is other than

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 2*H*-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-imidazol-1-yl, G₂ is N, and R₅ is chloro;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-1,2,3-triazol-1-yl, G₂ is N, and R₅ is hydrogen; and

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is hydrogen, G₂ is N, and R₅ is fluoro;

or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof;


wherein the following compounds are disclaimed:

N-(2-~~The-chloro-3-pyridinyl~~)-5-methyl-1-(2-quinolinyl)-1H-pyrazole-4-carboxamide;

N-(3-chloro-4-methoxyphenyl)-5-methyl-1-(2-quinolinyl)-1H-pyrazole-4-carboxamide; and

5-methyl-N-3-pyridinyl-1-(2-quinolinyl)-1H-pyrazole-4-carboxamide.

2. A pharmaceutical composition comprising a compound of Formula (I) and at least one of a pharmaceutically acceptable carrier, a pharmaceutically acceptable excipient, and a pharmaceutically acceptable diluent



Formula (I)

~~according to claim 1~~ wherein

R₁ is selected from the group consisting of

- i) naphthalen-1-yl, optionally substituted with an amino or a fluoro or amino substituent;

~~and~~

and

- ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, ethyl, propyl, isopropyl, trifluoromethyl, cyclopropyl, methoxymethyl, difluoromethyl, 1,1-difluoroethyl, hydroxymethyl, 1-hydroxyethyl, 1-ethoxyethyl, hydroxy, methoxy, ethoxy, fluoro, chloro, bromo, methylthio, cyano, amino, methylamino, dimethylamino, 4-oxotetrahydrofuran-2-yl, 5-oxopyrrolidin-2-yl, 1,4-dioxanyl, aminocarbonyl, methylcarbonyl, methylaminocarbonyl, oxo, 1-(t-butoxycarbonyl)azetidin-2-yl, N-(methyl)formamidomethyl, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, or azetidin-2-yl;

3. ~~The compound according to claim 1 wherein R₁ R₂ is selected from the group consisting of C₁₋₄alkyl, 1-methoxy-ethyl, difluoromethyl, fluoro, chloro, bromo, cyano, and trifluoromethyl;~~

~~G₁ is N or C(R₄);~~

~~G₂ is N or C(R₃); such that only one of G₁ and G₂ are N in any instance;~~

~~R₃ is independently selected from the group consisting of trifluoromethyl, cyano, C₁₋₄alkyl, fluoro, chloro, bromo, methylcarbonyl, methylthio, methylsulfinyl, and methanesulfonyl; or, when G₁ is N, R₃ is further selected from C₁₋₄alkoxycarbonyl;~~

~~R₄ is selected from the group consisting of~~

~~i) hydrogen, when G₂ is N;~~

~~ii) C₁₋₄alkoxy;~~

~~iii) cyano;~~

~~iv) cyclopropyloxy;~~

~~v) a heteroaryl selected from the group consisting of triazolyl, oxazolyl, isoxazolyl, pyrazolyl, pyrrolyl, thiazolyl, tetrazolyl, oxadiazolyl, imidazolyl, 2-amino-pyrimidin-4-yl, 2H-[1,2,3]triazolo[4,5-c]pyridin-2-yl, 2H-[1,2,3]triazolo[4,5-b]pyridin-2-yl, 3H-[1,2,3]triazolo[4,5-b]pyridin-3-yl, 1H-[1,2,3]triazolo[4,5-c]pyridin-1-yl, wherein the heteroaryl is optionally substituted with one or two substituents independently selected from oxo, C₁₋₄alkyl, carboxy, methoxycarbonyl, aminocarbonyl, hydroxymethyl, aminomethyl, (dimethylamino)methyl, amino, methoxymethyl, trifluoromethyl, amino(C₂₋₄alkyl)amino, or cyano;~~

~~vi) 1-methyl-piperidin-4-yloxy;~~

~~vii) 4-methyl-piperazin-1-ylcarbonyl;~~

~~viii) (4-aminobutyl)aminocarbonyl;~~

~~ix) (4-amino)butoxy;~~

~~x) 4-(4-aminobutyl)-piperazin-1-ylcarbonyl;~~

~~xi) methoxycarbonyl;~~

xii) 5-chloro-6-(methoxycarbonyl)pyridin-3-ylaminocarbonyl;

xiii) 1,1-dioxo-isothiazolidin-2-yl;

xiv) 3-methyl-2-oxo-2,3-dihydro-1H-imidazol-1-yl;

xv) 2-oxopyrrolidin-1-yl;

xvi) (E)- (4-aminobut-1-en-1-yl-aminocarbonyl;

xvii) difluoromethoxy; and

xviii) morpholin-4-ylcarbonyl;

R₅ is independently selected from the group consisting of hydrogen, chloro, fluoro, bromo, methoxy, methylsulfonyl, cyano, C₁₋₄alkyl, ethynyl, morpholin-4-yl, trifluoromethyl, hydroxyethyl, methylcarbonyl, methylsulfinyl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, azetidin-2-yl, methylthio, and 1,1-difluoroethyl;

or R₄ and R₅ may be taken together to form 8-chloro-4-methyl-3-oxo-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl, 8-chloro-3-oxo-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl, 2-methyl-1-oxo-1,2,3,4-tetrahydroisoquinolin-7-yl, 4-methyl-3-oxo-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl, 3-oxo-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl, 1-methyl-1H-pyrazolo[3,4-b]pyridin-5-yl, 1H-pyrazolo[3,4-b]pyridin-5-yl, 2,3-dihydro-[1,4]dioxino[2,3-b]pyridin-5-yl, 1,3-dioxolo[4,5]pyridine-5-yl, 1-oxo-1,3-dihydroisobenzofuran-5-yl, 2,2-dimethylbenzo[d][1,3]dioxol-5-yl, 2,3-dihydrobenzo[b][1,4]dioxin-6-yl, 1-oxoisindolin-5-yl, or 2-methyl-1-oxoisindolin-5-yl, 1H-indazol-5-yl;

R₆ is hydrogen, C₁₋₄alkyl, fluoro, 2-methoxy-ethoxy, chloro, cyano, or trifluoromethyl;

R₇ is hydrogen or fluoro;

provided that a compound of Formula (I) is other than

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 2H-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen;


a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1H-imidazol-1-yl, G₂ is N, and R₅ is chloro;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1H-1,2,3-triazol-1-yl, G₂ is N, and R₅ is hydrogen; and

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is hydrogen, G₂ is N, and R₅ is fluoro;

or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.

3. A compound of Formula (I) for use in treating a disease, syndrome, condition, or disorder, wherein said disease, syndrome, condition, or disorder is affected by the inhibition of MALT1



Formula (I)

wherein

R₁ is selected from the group consisting of

- i) naphthalen-1-yl, optionally substituted with an amino or a fluoro or amino substituent;
and
- ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, difluoromethyl, ethyl, propyl, isopropyl, trifluoromethyl, , cyclopropyl, methoxymethyl, difluoromethyl, 1,1-difluoroethyl, hydroxymethyl, 1-hydroxyethyl, 1-ethoxyethyl, hydroxy, methoxy, ethoxy, fluoro, chloro, bromo, methylthio, cyano, amino, methylamino, dimethylamino, 4-oxotetrahydrofuran-2-yl, 5-oxopyrrolidin-2-yl, 1,4-dioxanyl, aminocarbonyl, methylcarbonyl, methylaminocarbonyl, oxo, 1-(t-butoxycarbonyl)azetidin-2-yl, N-(methyl)formamidomethyl, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidinyl, azetidin-3-yl, or azetidin-2-yl;

4. ~~The compound according to claim 1 wherein R₁ is~~ R₂ is selected from the group –consisting of C₁₋₄alkyl, 1-methoxy-ethyl, difluoromethyl, fluoro, chloro, bromo, cyano, and trifluoromethyl;

G₁ is N or C(R₄);

G₂ is N or C(R₃); such that only one of G₁ and G₂ are N in any instance;

R₃ is independently selected from the group consisting of trifluoromethyl, cyano, C₁₋₄alkyl, fluoro, chloro, bromo, methylcarbonyl, methylthio, methylsulfinyl, and methanesulfonyl; or, when G₁ is N, R₃ is further selected from C₁₋₄alkoxycarbonyl;

R₄ is selected from the group consisting of

i) hydrogen, when G₂ is N;

ii) C₁₋₄alkoxy;

iii) cyano;

iv) cyclopropyloxy;

v) a heteroaryl selected from the group consisting of triazolyl, oxazolyl, isoxazolyl, pyrazolyl, pyrrolyl, thiazolyl, tetrazolyl, oxadiazolyl, imidazolyl, 2-amino-pyrimidin-4-yl, 2H-[1,2,3]triazolo[4,5-c]pyridin-2-yl, 2H-[1,2,3]triazolo[4,5-b]pyridin-2-yl, 3H-[1,2,3]triazolo[4,5-b]pyridin-3-yl, 1H-[1,2,3]triazolo[4,5-c]pyridin-1-yl, wherein the heteroaryl is optionally substituted with one or two substituents independently selected from oxo, C₁₋₄alkyl, carboxy, methoxycarbonyl, aminocarbonyl, hydroxymethyl, aminomethyl, (dimethylamino)methyl, amino, methoxymethyl, trifluoromethyl, amino(C₂₋₄alkyl)amino, or cyano;

vi) 1-methyl-piperidin-4-yloxy;

vii) 4-methyl-piperazin-1-ylcarbonyl;

viii) (4-aminobutyl)aminocarbonyl;

ix) (4-amino)butoxy;

x) 4-(4-aminobutyl)-piperazin-1-ylcarbonyl;

xi) methoxycarbonyl;

xii) 5-chloro-6-(methoxycarbonyl)pyridin-3-ylaminocarbonyl;

xiii) 1,1-dioxo-isothiazolidin-2-yl;

xiv) 3-methyl-2-oxo-2,3-dihydro-1H-imidazol-1-yl;

xv) 2-oxopyrrolidin-1-yl;

xvi) (E)- (4-aminobut-1-en-1-yl-aminocarbonyl;

xvii) difluoromethoxy; and

xviii) morpholin-4-ylcarbonyl;

R₅ is independently selected from the group consisting of hydrogen, chloro, fluoro, bromo, methoxy, methylsulfonyl, cyano, C₁₋₄alkyl, ethynyl, morpholin-4-yl, trifluoromethyl, hydroxyethyl, methylcarbonyl, methylsulfinyl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, azetidin-2-yl, methylthio, and 1,1-difluoroethyl;

or R₄ and R₅ may be taken together to form 8-chloro-4-methyl-3-oxo-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl, 8-chloro-3-oxo-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl, 2-methyl-1-oxo-1,2,3,4-tetrahydroisoquinolin-7-yl, 4-methyl-3-oxo-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl, 3-oxo-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl, 1-methyl-1H-pyrazolo[3,4-b]pyridin-5-yl, 1H-pyrazolo[3,4-b]pyridin-5-yl, 2,3-dihydro-[1,4]dioxino[2,3-b]pyridin-5-yl, 1,3-dioxolo[4,5]pyridine-5-yl, 1-oxo-1,3-dihydroisobenzofuran-5-yl, 2,2-dimethylbenzo[d][1,3]dioxol-5-yl, 2,3-dihydrobenzo[b][1,4]dioxin-6-yl, 1-oxoisindolin-5-yl, or 2-methyl-1-oxoisindolin-5-yl, 1H-indazol-5-yl;

R₆ is hydrogen, C₁₋₄alkyl, fluoro, 2-methoxy-ethoxy, chloro, cyano, or trifluoromethyl;

R₇ is hydrogen or fluoro;

provided that a compound of Formula (I) is other than

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 2H-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen;


a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1H-imidazol-1-yl, G₂ is N, and R₅ is chloro;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1H-1,2,3-triazol-1-yl, G₂ is N, and R₅ is hydrogen; and

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is hydrogen, G₂ is N, and R₅ is fluoro;

or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.

4. A compound of Formula (I) for use in treating a disorder selected from the group consisting of diffuse large B-cell lymphoma (DLBCL), mantle cell lymphoma (MCL), follicular lymphoma (FL), and mucosa-associated lymphoid tissue (MALT) lymphoma rheumatoid arthritis (RA), psoritic arthritis (PsA), psoriasis (Pso), ulcerative colitis (UC), Crohn's disease, systemic lupus erythematosus (SLE), asthma, and chronic obstructive pulmonary disease (COPD)



Formula (I)

wherein

R₁ is selected from the group consisting of

- i) naphthalen-1-yl, optionally substituted with an amino or a fluoro or amino substituent;

and

and

- ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, ethyl, propyl, isopropyl, trifluoromethyl, , cyclopropyl, methoxymethyl, difluoromethyl, 1,1-difluoroethyl, hydroxymethyl, 1-hydroxyethyl, 1-ethoxyethyl, hydroxy, methoxy, ethoxy, fluoro, chloro, bromo, methylthio, cyano, amino, methylamino, dimethylamino, 4-oxotetrahydrofuran-2-yl, 5-

oxopyrrolidin-2-yl, 1,4-dioxanyl, aminocarbonyl, methylcarbonyl, methylaminocarbonyl, oxo, 1-(t-butoxycarbonyl)azetidin-2-yl, N-(methyl)formamidomethyl, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, or azetidin-2-yl;

R₂ is selected from the group consisting of C₁₋₄alkyl, 1-methoxy-ethyl, difluoromethyl, fluoro, chloro, bromo, cyano, and trifluoromethyl;

G₁ is N or C(R₄);

G₂ is N or C(R₃); such that only one of G₁ and G₂ are N in any instance;

R₃ is independently selected from the group consisting of trifluoromethyl, cyano, C₁₋₄alkyl, fluoro, chloro, bromo, methylcarbonyl, methylthio, methylsulfinyl, and methanesulfonyl; or, when G₁ is N, R₃ is further selected from C₁₋₄alkoxycarbonyl;

R₄ is selected from the group consisting of

i) hydrogen, when G₂ is N;

ii) C₁₋₄alkoxy;

iii) cyano;

iv) cyclopropyloxy;

v) a heteroaryl selected from the group consisting of triazolyl, oxazolyl, isoxazolyl, pyrazolyl, pyrrolyl, thiazolyl, tetrazolyl, oxadiazolyl, imidazolyl, 2-amino-pyrimidin-4-yl, 2H-[1,2,3]triazolo[4,5-c]pyridin-2-yl, 2H-[1,2,3]triazolo[4,5-b]pyridin-2-yl, 3H-[1,2,3]triazolo[4,5-b]pyridin-3-yl, 1H-[1,2,3]triazolo[4,5-c]pyridin-1-yl, wherein the heteroaryl is optionally substituted with one or two substituents independently selected from oxo, C₁₋₄alkyl, carboxy, methoxycarbonyl, aminocarbonyl, hydroxymethyl, aminomethyl, (dimethylamino)methyl, amino, methoxymethyl, trifluoromethyl, amino(C₂₋₄alkyl)amino, or cyano;

vi) 1-methyl-piperidin-4-yloxy;

vii) 4-methyl-piperazin-1-ylcarbonyl;

viii) (4-aminobutyl)aminocarbonyl;

- ix) (4-amino)butoxy;
- x) 4-(4-aminobutyl)-piperazin-1-ylcarbonyl;
- xi) methoxycarbonyl;
- xii) 5-chloro-6-(methoxycarbonyl)pyridin-3-ylaminocarbonyl;
- xiii) 1,1-dioxo-isothiazolidin-2-yl;
- xiv) 3-methyl-2-oxo-2,3-dihydro-1H-imidazol-1-yl;
- xv) 2-oxopyrrolidin-1-yl;
- xvi) (E)- (4-aminobut-1-en-1-yl-aminocarbonyl;
- xvii) difluoromethoxy; and
- xviii) morpholin-4-ylcarbonyl;

R₅ is independently selected from the group consisting of hydrogen, chloro, fluoro, bromo, methoxy, methylsulfonyl, cyano, C₁₋₄alkyl, ethynyl, morpholin-4-yl, trifluoromethyl, hydroxyethyl, methylcarbonyl, methylsulfinyl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, azetidin-2-yl, methylthio, and 1,1-difluoroethyl;

or R₄ and R₅ may be taken together to form 8-chloro-4-methyl-3-oxo-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl, 8-chloro-3-oxo-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl, 2-methyl-1-oxo-1,2,3,4-tetrahydroisoquinolin-7-yl, 4-methyl-3-oxo-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl, 3-oxo-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl, 1-methyl-1H-pyrazolo[3,4-b]pyridin-5-yl, 1H-pyrazolo[3,4-b]pyridin-5-yl, 2,3-dihydro-[1,4]dioxino[2,3-b]pyridin-5-yl, 1,3-dioxolo[4,5]pyridine-5-yl, 1-oxo-1,3-dihydroisobenzofuran-5-yl, 2,2-dimethylbenzo[d][1,3]dioxol-5-yl, 2,3-dihydrobenzo[b][1,4]dioxin-6-yl, 1-oxoisindolin-5-yl, or 2-methyl-1-oxoisindolin-5-yl, 1H-indazol-5-yl;

R₆ is hydrogen, C₁₋₄alkyl, fluoro, 2-methoxy-ethoxy, chloro, cyano, or trifluoromethyl;

R₇ is hydrogen or fluoro;

provided that a compound of Formula (I) is other than a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 2H-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1H-imidazol-1-yl, G₂ is N, and R₅ is chloro;

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1H-1,2,3-triazol-1-yl, G₂ is N, and R₅ is hydrogen; and

a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is hydrogen, G₂ is N, and R₅ is fluoro;

or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.

5. A compound selected from the group consisting of:

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-1H-pyrazole-4-carboxamide;

N-(2-methyl-1-oxo-1,2-dihydroisoquinolin-7-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(4-methylpiperazin-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

2-cyano-4-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)benzoic acid;

N-(2-morpholinopyridin-4-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(2-methoxypyridin-4-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(6-methyl-5-(trifluoromethyl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-N-(pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(2-cyclopropylpyridin-4-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

3-chloro-N,N-dimethyl-5-(1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)picolinamide;

3-chloro-N-methyl-5-(1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)picolinamide;

1-(1-aminoisoquinolin-4-yl)-N-(6-methyl-5-(trifluoromethyl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(3-oxo-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

hydroxymethyl, 1-hydroxyethyl, hydroxy, fluoro, cyano, amino, or oxo;

5

or a solvate or pharmaceutically acceptable salt form thereof.

6. The compound according to claim 1, wherein R₁ is selected from the group consisting of

i) naphthalen-1-yl, optionally substituted with an amino or fluoro substituent;

and

ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, ethyl, propyl, isopropyl, trifluoromethyl, methoxymethyl, difluoromethyl, 1,1-difluoroethyl, hydroxymethyl, 1-hydroxyethyl, hydroxy, methoxy, fluoro, chloro, bromo, cyano, amino, methylamino, 4-oxotetrahydrofuran-2-yl, 5-oxopyrrolidin-2-yl, 1,4-dioxanyl, aminocarbonyl, methylaminocarbonyl, oxo, N-(methyl)formamidomethyl, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, or azetidin-2-yl.

7. The compound according to claim 1, wherein R₁ is selected from the group consisting of

i) naphthalen-1-yl, optionally substituted with an amino or fluoro substituent;

and

ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one

heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, difluoromethyl, hydroxymethyl, 1-hydroxyethyl, hydroxy, fluoro, cyano, amino, aminocarbonyl, methylaminocarbonyl, oxo, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, or azetidin-2-yl.

8. The compound according to claim 1, wherein R₁ is selected from the group consisting of

i) naphthalen-1-yl, optionally substituted with an amino or fluoro substituent;

and

ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from hydroxymethyl, 1-hydroxyethyl, hydroxy, fluoro, cyano, amino, or oxo.

9. The compound according to claim 1, wherein R₁ is selected from the group consisting of

i) naphthalen-1-yl, 4-amino-naphthalen-1-yl, 4-fluoronaphthalen-1-yl, or 5-fluoronaphthalen-1-yl;

and

ii) a heteroaryl selected from the group consisting of isoquinolin-1-yl, isoquinolin-4-yl, isoquinolin-5-yl, isoquinolin-8-yl, quinolin-7-yl, cinnolin-4-yl, imidazo[1,2-a]pyrazin-8-yl, phthalazin-1-yl, naphthyridin-5-yl, thieno[3,2-c]pyridin-4-yl, furo[3,2-c]pyridin-4-yl, furo[2,3-c]pyridin-7-yl, quinoxalin-5-yl, 1*H*-indazolyl, furo[3,2-b]pyridin-7-yl, pyrazolo[1,5-a]pyrazin-4-yl, quinolin-4-yl, quinolin-5-yl, 1-aminoisoquinolin-4-yl, 1-oxo-1,2-dihydroisoquinolin-5-yl, benzo[d]thiazol-7-yl, 1-hydroxyisoquinolin-5-yl, benzo[d][1,2,3]thiadiazol-7-yl, thieno[2,3-c]pyridin-4-yl, pyrazolo[1,5-a]pyridin-4-yl, thieno[3,2-b]pyridin-7-yl, 2-oxo-1,2-dihydroquinolin-4-yl, 1-amino-8-fluoroisoquinolin-4-yl, 8-fluoroisoquinolin-4-yl, 1-cyanoisoquinolin-5-yl, pyrrolo[2,1-f][1,2,4]triazin-4-yl, 7-(1-hydroxyethyl)thieno[2,3-c]pyridin-4-yl, thieno[2,3-d]pyrimidin-4-yl, thieno[2,3-c]pyridin-7-yl, 1,7-naphthyridin-

5-yl, pyrrolo[1,2-a]pyrazin-1-yl, imidazo[1,2-a]pyridin-5-yl, 1-aminocarbonyl-isoquinolin-4-yl, benzo[d]thiazol-4-yl, 8-fluoro-1-hydroxyisoquinolin-4-yl, thieno[3,2-d]pyrimidin-4-yl, 8-fluoroimidazo[1,2-a]pyridin-5-yl, 3-methylimidazo[1,2-a]pyridin-5-yl, 1-oxo-quinolin-4-yl, 8-aminoquinolin-5-yl, benzo[d]oxazol-4-yl, 3-methylthieno[3,2-b]pyridin-7-yl, 1-(hydroxymethyl)isoquinolin-4-yl, (3*R*-hydroxypyrrolidin-1-yl)isoquinolin-4-yl, (1-hydroxyethyl)isoquinolin-4-yl, 2-(difluoromethyl)quinolin-4-yl, 8-fluoroquinolin-5-yl, 1-hydroxyisoquinolin-4-yl, 1-(tetrahydrofuran-2-yl)isoquinolin-4-yl, 7-(difluoromethyl)thieno[2,3-c]pyridin-4-yl, 1-(1-hydroxyethyl)isoquinolin-4-yl, 1-cyanoisoquinolin-4-yl, 1-(1(*R*)-hydroxyethyl)isoquinolin-4-yl, quinazolin-4-yl, 2-methylimidazo[1,2-a]pyridin-3-yl, thiazolo[5,4-d]pyrimidin-7-yl, 6-*N*-oxido-thieno[2,3-c]pyridin-4-yl, imidazo[1,2-a]pyridin-3-yl, furo[2,3-d]pyrimidin-4-yl, 2-fluoroquinolin-5-yl, benzo[d]isothiazol-3-yl, 7-methylpyrazolo[1,5-a]pyridin-4-yl, 1-(hydroxyethyl)quinolin-4-yl, 1-(methoxymethyl)isoquinolin-4-yl, 1-fluoroisoquinolin-4-yl, 1-(difluoromethyl)isoquinolin-4-yl, 8-fluoroquinolin-4-yl, 1-(tetrahydrofuran-2(*R*)-yl)isoquinolin-4-yl, 2-amino-[1,2,4]triazolo[1,5-a]pyridin-5-yl, 1-(4-oxotetrahydrofuran-2-yl)isoquinolin-4-yl, 2-(aminocarbonyl)quinolin-4-yl, 1*H*-indazol-7-yl, 1-(1,4-dioxan-2-yl)isoquinolin-4-yl, 2-methylimidazo[1,2-a]pyridin-5-yl, 1-chloroisoquinolin-4-yl, 2-cyanoquinolin-4-yl, 8-fluoro-1-(methylamino)isoquinolin-4-yl, benzo[d]isoxazol-3-yl, 2-aminobenzo[d]thiazol-7-yl, 1,7-naphthyridin-4-yl, imidazo[1,2-a]pyrazin-5-yl, (N-(methyl)formamido)methyl)isoquinolin-4-yl, [1,2,4]triazolo[1,5-a]pyridin-5-yl, 2-methylbenzo[d]oxazol-7-yl, 1,5-naphthyridin-4-yl, 5-oxopyrrolidin-2-ylisoquinolin-4-yl, 1-methyl-1*H*-indazol-3-yl, 1-(1,1-difluoroethyl)isoquinolin-4-yl, 1-(1(^{*x*}*S*)-hydroxyethyl)isoquinolin-4-yl, 1-(methylamino)isoquinolin-4-yl, 4-fluoroisoquinolin-1-yl, 1*H*-pyrazolo[4,3-b]pyridin-7-yl, 5-fluoroquinolin-8-yl, 6-fluoroimidazo[1,2-a]pyridin-5-yl, 2-methylfuro[3,2-b]pyridin-7-yl, 8-(difluoromethyl)quinolin-5-yl, 1-(4-oxotetrahydrofuran-2*R*-yl)isoquinolin-4-yl, 1-(dimethylamino)isoquinolin-4-yl, 1-methyl-1*H*-pyrazolo[3,4-c]pyridin-7-yl, 2-methyl-[1,2,4]triazolo[1,5-a]pyridin-5-yl, 2-methoxyquinolin-4-yl, imidazo[1,2-a]pyrimidin-5-yl, 2-(difluoromethyl)thieno[2,3-c]pyridin-4-yl, 1-(1-ethoxyethyl)isoquinolin-4-yl, 2-(azetidin-2-yl)quinolin-4-yl, 2-

methylbenzo[d]thiazol-7-yl, 2-acetylquinolin-4-yl, 1-(methylthio)isoquinolin-4-yl, 2-aminoquinolin-5-yl, 1-methoxyisoquinolin-5-yl, imidazo[1,2-b]pyridazin-6-yl, 1-(pyrrolidin-2-yl)isoquinolin-4-yl, 4-(difluoromethyl)quinolin-5-yl, 1-acetylisoquinolin-5-yl, 1-(azetidin-2-yl)isoquinolin-4-yl, 1-ethoxyisoquinolin-4-yl, 1-methyl-1H-pyrazolo[3,4-b]pyridin-4-yl, 1-aminoisoquinolin-5-yl, 1-methyl-1H-indazol-4-yl, 2-aminoquinolin-4-yl, 2-oxo-1,2-dihydroquinolin-5-yl, 1-(azetidin-3-yl)isoquinolin-4-yl, 2-methylthieno[3,2-b]pyridin-7-yl, benzo[d][1,2,3]thiadiazol-4-yl, 1-(1*S*)-hydroxyethyl)isoquinolin-5-yl, imidazo[1,2-a]pyridin-8-yl, 2-methyl-1-oxo-1,2-dihydroisoquinolin-5-yl, 2-(tetrahydrofuran-2-yl)quinolin-5-yl, , 1-(1*R*)-hydroxyethyl)isoquinolin-5-yl, 1,6-naphthyridin-4-yl, 1H-pyrazolo[3,4-d]pyrimidin-4-yl, 2-aminocarbonylquinolin-5-yl, 2-chloroquinolin-5-yl, 2-chloroquinolin-4-yl, 2-cyanoquinolin-5-yl, 2-methoxyquinolin-5-yl, 2-methylbenzo[d]oxazol-4-yl, 2-(difluoromethyl)quinolin-5-yl, 2-(azetidin-2-yl)quinolin-5-yl, 1-(azetidin-2-yl)isoquinolin-5-yl, 1,5-bis(tetrahydrofuran-2-yl)isoquinolin-4-yl, 1-oxo-1,2-dihydroisoquinolin-4-yl, 2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl, 1-(3-hydroxyazetidin-1-yl)isoquinolin-4-yl, 8-fluoro-1-(3-hydroxyazetidin-1-yl)isoquinolin-4-yl, (R)-8-fluoro-1-(3-hydroxypyrrolidin-1-yl)isoquinolin-4-yl, (S)-8-fluoro-1-(3-hydroxypyrrolidin-1-yl)isoquinolin-4-yl, 3-hydroxyazetidin-1-yl)thieno[2,3-c]pyridin-4-yl, 8-(3-hydroxyazetidin-1-yl)imidazo[1,2-a]pyridin-5-yl, 7-(3-hydroxyazetidin-1-yl)pyrazolo[1,5-a]pyridin-4-yl, 1-(3-hydroxyazetidin-1-yl)isoquinolin-5-yl, and 1-(1-*t*-butoxycarbonylazetidin-2-yl)isoquinolin-5-yl.

6. — 10. The compound according to claim 1, wherein R₂ is independently selected from the group consisting of methyl, isopropyl, cyano, bromo, chloro, and trifluoromethyl.

7. —

11. — The compound according to claim ~~6~~10, wherein R₂ is trifluoromethyl.

8. —

12. The compound according to claim 1, wherein R₃ is independently selected from the group consisting of trifluoromethyl, cyano, methylcarbonyl, methylthio, methylsulfinyl, methanesulfonyl, and chloro; or, when G₁ is N, R₃ is further selected from C₁₋₄alkoxycarbonyl.

9.

13. The compound according to claim 1, wherein R₃ is independently selected from the group consisting of trifluoromethyl, cyano, and chloro.

14. The compound according to claim 1, wherein G₂ is N.

15.

~~11.~~ The compound according to claim 1, wherein R₅ is hydrogen, chloro, fluoro, bromo, cyano, methyl, ethyl, or trifluoromethyl; or, R₄ and R₅ may be taken together to form 8-chloro-4-methyl-3-oxo-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl or 8-chloro-3-oxo-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl.

~~12~~16. The compound according to claim ~~11~~15, wherein R₅ is hydrogen, chloro, or cyano.

17.


~~13.~~ The compound according to claim 1, wherein R₆ is hydrogen or methyl.

18. The compound according to claim 1,

~~14.~~ The compound according to claim 1 wherein R₇ is hydrogen.

19. The

~~15.~~ A compound of Formula (I)



~~Formula (I)~~

according to claim 1, wherein:

R₁ is selected from the group consisting of

- i) naphthalen-1-yl, 4-fluoronaphthalen-1-yl, 5-fluoronaphthalen-1-yl, or 4-aminonaphthalen-1-yl;
and
- ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, ethyl, propyl, isopropyl, trifluoromethyl, methoxymethyl, difluoromethyl, 1,1-difluoroethyl, hydroxymethyl, 1-hydroxyethyl, hydroxy, methoxy, fluoro, chloro, bromo, cyano, amino, methylamino, 4-oxotetrahydrofuran-2-yl, 5-oxopyrrolidin-2-yl, 1,4-dioxanyl, aminocarbonyl, methylaminocarbonyl, oxo, N-(methyl)formamidomethyl, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, or azetidin-2-yl;

R₂ is independently selected from the group consisting of methyl, isopropyl, cyano, bromo, chloro, and trifluoromethyl;

G₁ is N or C(R₄);

G₂ is N or C(R₃); such that only one of G₁ and G₂ is N in any instance;

R₃ is independently selected from the group consisting of trifluoromethyl, cyano, methylcarbonyl, methylthio, methylsulfinyl, methanesulfonyl, and chloro; or, when G₁ is N, R₃ is further selected from C₁₋₄alkoxycarbonyl;

R₄ is independently selected from the group consisting of

- i) hydrogen, when G₂ is N;
- ii) C₁₋₄alkoxy;
- iii) cyano;
- iv) cyclopropyloxy;

- v) carboxy;
- vi) a heteroaryl selected from the group consisting of triazolyl, oxazolyl, pyrazolyl, thiazolyl, oxadiazolyl, imidazolyl, and 2-amino-pyrimidin-4-yl, wherein the heteroaryl is optionally substituted with one or two substituents independently selected from the group consisting of C₁₋₄alkyl, carboxy, methoxycarbonyl, hydroxymethyl, aminocarbonyl, (dimethylamino)methyl, amino, methoxymethyl, trifluoromethyl, amino(C₂₋₄alkyl)amino, and cyano;
- vii) 1-methyl-piperidin-4-yloxy;
- viii) 4-methyl-piperazin-1-ylcarbonyl;
- ix) (4-aminobutyl)aminocarbonyl;
- x) (4-amino)butoxy;
- xi) methoxycarbonyl;
- xii) 5-chloro-6-(methoxycarbonyl)pyridin-3-ylaminocarbonyl;
- xiii) 1,1-dioxo-isothiazolidin-2-yl;
and
- xiv) morpholin-4-ylcarbonyl;

R₅ is hydrogen, chloro, fluoro, bromo, cyano, methyl, ethyl, or trifluoromethyl; or, R₄ and R₅ may be taken together to form 8-chloro-4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl or 8-chloro-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl;

R₆ is hydrogen or methyl;

R₇ is hydrogen;

~~and~~ provided that a compound of Formula (I) is other than
a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 2*H*-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen;
a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-imidazol-1-yl, G₂ is N, and R₅ is chloro;
a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-1,2,3-triazol-1-yl, G₂ is N, and R₅ is hydrogen; and

~~a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is hydrogen, G₂ is N, and R₅ is fluoro;
or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof;~~

16. Aa compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is hydrogen, G₂ is N, and R₅ is fluoro;


or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof;

wherein the following compounds are disclaimed:

N-(3-chloro-4-methoxyphenyl)-5-methyl-1-(2-quinolinyl)- 1H-pyrazole-4-carboxamide; and

5-methyl-N-3-pyridinyl-1-(2-quinolinyl)- 1H-pyrazole-4-carboxamide.

20. The compound of Formula (I) according to claim 1, wherein:



Formula (I)

~~wherein~~

R₁ is selected from the group consisting of

~~i) naphthalen-1-yl, optionally substituted with an amino or fluoro substituent;~~

~~i) naphthalen-1-yl, optionally substituted with an amino or fluoro substituent;~~

and

ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, difluoromethyl, hydroxymethyl, 1-hydroxyethyl, hydroxy, fluoro, cyano, amino, aminocarbonyl, methylaminocarbonyl, oxo, tetrahydrofuran-2-yl, 3-

hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, or azetidin-2-yl;

R₂ is selected from the group consisting of methyl, isopropyl, cyano, and trifluoromethyl;

G₁ is N or C(R₄);

G₂ is N or C(R₃); such that only one of G₁ and G₂ is N in any instance;

R₃ is independently selected from the group consisting of trifluoromethyl, cyano, and chloro;

R₄ is independently selected from the group consisting of

- i) hydrogen when G₂ is N;
- ii) C₁₋₄alkoxy;
- iii) cyano;
- iv) cyclopropyloxy;
- v) a heteroaryl selected from the group consisting of triazolyl, oxazolyl, pyrazolyl, thiazolyl, oxadiazolyl, and imidazolyl, wherein the heteroaryl is optionally substituted with one or two substituents independently selected from the group consisting of methyl, carboxy, methoxycarbonyl, hydroxymethyl, aminocarbonyl, (dimethylamino)methyl, and amino, methoxymethyl;
- vi) (4-amino)butoxy;
- vii) methoxycarbonyl;
- viii) 5-chloro-6-(methoxycarbonyl)pyridin-3-ylaminocarbonyl;
and
- ix) 1,1-dioxo-isothiazolidin-2-yl;

R₅ is hydrogen, chloro, bromo, or cyano;

R₆ is hydrogen or methyl;

R₇ is hydrogen;

provided that a compound of Formula (I) is other than

_____ a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 2*H*-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen;

_____ a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-imidazol-1-yl, G₂ is N, and R₅ is chloro;

_____ a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 1*H*-1,2,3-triazol-1-yl, G₂ is N, and R₅ is hydrogen; and

~~_____ a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is hydrogen, G₂ is N, and R₅ is fluoro;~~

_____ a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is hydrogen, G₂ is N, and R₅ is fluoro;


_____ or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof;

wherein the following compounds are disclaimed:

N-(3-chloro-4-methoxyphenyl)-5-methyl-1-(2-quinoliny)- 1*H*-pyrazole-4-carboxamide; and

5-methyl-N-3-pyridinyl-1-(2-quinoliny)- 1*H*-pyrazole-4-carboxamide.

~~21.~~ 17. ~~A~~ The compound of Formula (I) according to claim 1, wherein:



Formula (I)

~~wherein~~

R₁ is selected from the group consisting of

~~i) naphthalen-1-yl, optionally substituted with an amino or fluoro substituent;~~

i) naphthalen-1-yl, optionally substituted with an amino or fluoro substituent;

and

- ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from hydroxymethyl, 1-hydroxyethyl, hydroxy, fluoro, cyano, amino, oxo, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, or azetidin-2-yl;

R₂ is selected from the group consisting of methyl, isopropyl, cyano, and trifluoromethyl;

G₁ is N or C(R₄);

G₂ is N or C(R₃); such that only one of G₁ and G₂ is N in any instance;

R₃ is independently selected from the group consisting of trifluoromethyl, cyano, and chloro;

R₄ is selected from the group consisting of

- i) methoxy;
- ii) a heteroaryl selected from the group consisting of 2H-1,2,3-triazol-2-yl, 4-carboxy-2H-1,2,3-triazol-2-yl, 4-(hydroxymethyl)-2H-1,2,3-triazol-2-yl, 4-methyl-2H-1,2,3-triazol-2-yl, oxazol-2-yl, 4-amino-2H-1,2,3-triazol-2-yl, 4-(hydroxymethyl)-1H-pyrazol-1-yl, 4-((dimethylamino)methyl)-2H-1,2,3-triazol-2-yl, 4-methoxycarbonyl-2H-1,2,3-triazol-2-yl, 4-aminocarbonyl-2H-1,2,3-triazol-2-yl, 1-methyl-1H-pyrazol-3-yl, 1,3,4-oxadiazol-2-yl, 2-methyl-2H-tetrazol-5-yl, 5-amino-1-methyl-1H-pyrazol-3-yl, 4-(hydroxymethyl)-1H-pyrazol-1-yl, 4-cyano-2H-1,2,3-triazol-2-yl, 5-amino-1H-1,2,3-triazol-1-yl, 2H-1,2,3-triazol-4-yl, 2H-tetrazol-5-yl, 4-(aminomethyl)-1H-pyrazol-1-yl, 4-(methoxymethyl)-2H-1,2,3-triazol-2-yl, 2-methyl-2H-tetrazol-5-yl, and 4-methyl-1H-1,2,3-triazol-1-yl;
- and
- iii) methoxycarbonyl;

R₅ is hydrogen, chloro, or cyano;

R₆ is hydrogen or methyl;


R₇ is hydrogen;

~~or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof,~~

provided that a compound of Formula (I) is other than a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, ~~G₁G₂~~ is C(R₄) wherein R₄ is 2H-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen;

18. ~~A~~ or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof;

wherein the following compound of ~~Formula (I)~~ is disclaimed:



Formula (I)

N-(3-chloro-4-methoxyphenyl)-5-methyl-1-(2-quinolinyl)- 1H-pyrazole-4-carboxamide.

22. The compound according to claim 1, wherein:

R₁ is independently selected from the group consisting of

- i) naphthalen-1-yl, 4-amino-naphthalen-1-yl, 4-fluoronaphthalen-1-yl, or 5-fluoronaphthalen-1-yl;
- and
- ii) a heteroaryl selected from the group consisting of isoquinolin-1-yl, isoquinolin-4-yl, isoquinolin-5-yl, isoquinolin-8-yl, quinolin-7-yl, cinnolin-4-yl, imidazo[1,2-a]pyrazin-8-yl, phthalazin-1-yl, naphthyridin-5-yl, thieno[3,2-c]pyridin-4-yl, furo[3,2-c]pyridin-4-yl, furo[2,3-c]pyridin-7-yl, quinoxalin-5-

yl, 1*H*-indazolyl, furo[3,2-*b*]pyridin-7-yl, pyrazolo[1,5-*a*]pyrazin-4-yl, quinolin-4-yl, quinolin-5-yl, 1-aminoisoquinolin-4-yl, 1-oxo-1,2-dihydroisoquinolin-5-yl, benzo[*d*]thiazol-7-yl, 1-hydroxyisoquinolin-5-yl, benzo[*d*][1,2,3]thiadiazol-7-yl, thieno[2,3-*c*]pyridin-4-yl, pyrazolo[1,5-*a*]pyridin-4-yl, thieno[3,2-*b*]pyridin-7-yl, 2-oxo-1,2-dihydroquinolin-4-yl, 1-amino-8-fluoroisoquinolin-4-yl, 8-fluoroisoquinolin-4-yl, 1-cyanoisoquinolin-5-yl, pyrrolo[2,1-*f*][1,2,4]triazin-4-yl, 7-(1-hydroxyethyl)thieno[2,3-*c*]pyridin-4-yl, thieno[2,3-*d*]pyrimidin-4-yl, thieno[2,3-*c*]pyridin-7-yl, 1,7-naphthyridin-5-yl, pyrrolo[1,2-*a*]pyrazin-1-yl, imidazo[1,2-*a*]pyridin-5-yl, 1-aminocarbonyl-isoquinolin-4-yl, benzo[*d*]thiazol-4-yl, 8-fluoro-1-hydroxyisoquinolin-4-yl, thieno[3,2-*d*]pyrimidin-4-yl, 8-fluoroimidazo[1,2-*a*]pyridin-5-yl, 3-methylimidazo[1,2-*a*]pyridin-5-yl, 1-oxo-quinolin-4-yl, 8-aminoquinolin-5-yl, benzo[*d*]oxazol-4-yl, 3-methylthieno[3,2-*b*]pyridin-7-yl, 1-(hydroxymethyl)isoquinolin-4-yl, (3*R*-hydroxypyrrolidin-1-yl)isoquinolin-4-yl, (1-hydroxyethyl)isoquinolin-4-yl, 2-(difluoromethyl)quinolin-4-yl, 8-fluoroquinolin-5-yl, 1-hydroxyisoquinolin-4-yl, 1-(tetrahydrofuran-2-yl)isoquinolin-4-yl, 7-(difluoromethyl)thieno[2,3-*c*]pyridin-4-yl, 1-(1-hydroxyethyl)isoquinolin-4-yl, 1-cyanoisoquinolin-4-yl, 1-(1(*R*)-hydroxyethyl)isoquinolin-4-yl, quinazolin-4-yl, 2-methylimidazo[1,2-*a*]pyridin-3-yl, thiazolo[5,4-*d*]pyrimidin-7-yl, 6-*N*-oxido-thieno[2,3-*c*]pyridin-4-yl, imidazo[1,2-*a*]pyridin-3-yl, furo[2,3-*d*]pyrimidin-4-yl, 2-fluoroquinolin-5-yl, benzo[*d*]isothiazol-3-yl, 7-methylpyrazolo[1,5-*a*]pyridin-4-yl, 1-(hydroxyethyl)quinolin-4-yl, 1-(methoxymethyl)isoquinolin-4-yl, 1-fluoroisoquinolin-4-yl, 1-(difluoromethyl)isoquinolin-4-yl, 8-fluoroquinolin-4-yl, 8-fluoroquinolin-5-yl, 1-(tetrahydrofuran-2(*R*)-yl)isoquinolin-4-yl, 2-amino-[1,2,4]triazolo[1,5-*a*]pyridin-5-yl, 1-(4-oxotetrahydrofuran-2-yl)isoquinolin-4-yl, 2-(aminocarbonyl)quinolin-4-yl, 1*H*-indazol-7-yl, 1-(1,4-dioxan-2-yl)isoquinolin-4-yl, 2-methylimidazo[1,2-*a*]pyridin-5-yl, 1-chloroisoquinolin-4-yl, 2-cyanoquinolin-4-yl, 8-fluoro-1-(methylamino)isoquinolin-4-yl, benzo[*d*]isoxazol-3-yl, 2-aminobenzo[*d*]thiazol-7-yl, 1,7-naphthyridin-4-yl, imidazo[1,2-*a*]pyrazin-5-yl, (N-(methyl)formamido)methyl)isoquinolin-4-yl, [1,2,4]triazolo[1,5-*a*]pyridin-5-yl, 2-methylbenzo[*d*]oxazol-7-yl, 1,5-naphthyridin-4-yl, 5-oxopyrrolidin-2-ylisoquinolin-4-yl, 1-methyl-1*H*-indazol-3-yl, 1-(1,1-

difluoroethyl)isoquinolin-4-yl, 1-(1-^xS)-hydroxyethyl)isoquinolin-4-yl, 1-(methylamino)isoquinolin-4-yl, 4-fluoroisoquinolin-1-yl, 1H-pyrazolo[4,3-b]pyridin-7-yl, 5-fluoroquinolin-8-yl, 6-fluoroimidazo[1,2-a]pyridin-5-yl, 2-methylfuro[3,2-b]pyridin-7-yl, 8-(difluoromethyl)quinolin-5-yl, 1-(4-oxotetrahydrofuran-2R-yl)isoquinolin-4-yl, 1-(dimethylamino)isoquinolin-4-yl, 1-methyl-1H-pyrazolo[3,4-c]pyridin-7-yl, 2-methyl-[1,2,4]triazolo[1,5-a]pyridin-5-yl, 2-methoxyquinolin-4-yl, imidazo[1,2-a]pyrimidin-5-yl, 2-(difluoromethyl)thieno[2,3-c]pyridin-4-yl, 1-(1-ethoxyethyl)isoquinolin-4-yl, 2-(azetidin-2-yl)quinolin-4-yl, 2-methylbenzo[d]thiazol-7-yl, 2-acetylquinolin-4-yl, 1-(methylthio)isoquinolin-4-yl, 2-aminoquinolin-5-yl, 1-methoxyisoquinolin-5-yl, imidazo[1,2-b]pyridazin-6-yl, 1-(pyrrolidin-2-yl)isoquinolin-4-yl, 4-(difluoromethyl)quinolin-5-yl, 1-acetylisoquinolin-5-yl, 1-(azetidin-2-yl)isoquinolin-4-yl, 1-ethoxyisoquinolin-4-yl, 1-methyl-1H-pyrazolo[3,4-b]pyridin-4-yl, 1-aminoisoquinolin-5-yl, 1-methyl-1H-indazol-4-yl, 2-aminoquinolin-4-yl, 2-oxo-1,2-dihydroquinolin-5-yl, 1-(azetidin-3-yl)isoquinolin-4-yl, 2-methylthieno[3,2-b]pyridin-7-yl, benzo[d][1,2,3]thiadiazol-4-yl, 1-(1(S)-hydroxyethyl)isoquinolin-5-yl, imidazo[1,2-a]pyridin-8-yl, 2-methyl-1-oxo-1,2-dihydroisoquinolin-5-yl, 2-(tetrahydrofuran-2-yl)quinolin-5-yl, 1-(1(R)-hydroxyethyl)isoquinolin-5-yl, 1,6-naphthyridin-4-yl, 1H-pyrazolo[3,4-d]pyrimidin-4-yl, 2-aminocarbonylquinolin-5-yl, 2-chloroquinolin-5-yl, 2-chloroquinolin-4-yl, 2-cyanoquinolin-5-yl, 2-methoxyquinolin-5-yl, 2-methylbenzo[d]oxazol-4-yl, 2-(difluoromethyl)quinolin-5-yl, 2-(azetidin-2-yl)quinolin-5-yl, 1-(azetidin-2-yl)isoquinolin-5-yl, 1,5-bis(tetrahydrofuran-2-yl)isoquinolin-4-yl, 1-oxo-1,2-dihydroisoquinolin-4-yl, 2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl, 1-(3-hydroxyazetidin-1-yl)isoquinolin-4-yl, 8-fluoro-1-(3-hydroxyazetidin-1-yl)isoquinolin-4-yl, (R)-8-fluoro-1-(3-hydroxypyrrolidin-1-yl)isoquinolin-4-yl, (S)-8-fluoro-1-(3-hydroxypyrrolidin-1-yl)isoquinolin-4-yl, 3-hydroxyazetidin-1-yl)thieno[2,3-c]pyridin-4-yl, 8-(3-hydroxyazetidin-1-yl)imidazo[1,2-a]pyridin-5-yl, 7-(3-hydroxyazetidin-1-yl)pyrazolo[1,5-a]pyridin-4-yl, 1-(3-hydroxyazetidin-1-yl)isoquinolin-5-yl, and 1-(1-t-butoxycarbonylazetidin-2-yl)isoquinolin-5-yl;

R₂ is trifluoromethyl;

G₁ is N or C(R₄);

G₂ is N or C(R₃); such that only one of G₁ and G₂ is N in any instance;

R₃ is independently selected from the group consisting of trifluoromethyl, cyano, and chloro;

R₄ is independently selected from the group consisting of 2H-1,2,3-triazol-2-yl, 4-carboxy-2H-1,2,3-triazol-2-yl, 4-(hydroxymethyl)-2H-1,2,3-triazol-2-yl, 4-methyl-2H-1,2,3-triazol-2-yl, oxazol-2-yl, 1H-imidazol-2-yl, 4-amino-2H-1,2,3-triazol-2-yl, 4-(hydroxymethyl)-1H-pyrazol-1-yl, 4-((dimethylamino)methyl)-2H-1,2,3-triazol-2-yl, 4-methoxycarbonyl-2H-1,2,3-triazol-2-yl, 4-aminocarbonyl-2H-1,2,3-triazol-2-yl, 1-methyl-1H-pyrazol-3-yl, and 1,3,4-oxadiazol-2-yl;

R₅ is hydrogen, chloro, bromo, or cyano;

R₆ is hydrogen or methyl;

R₇ is hydrogen;


~~or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof,~~

provided that a compound of Formula (I) is other than a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₁ is C(R₄) wherein R₄ is 2H-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen-;

or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.

23. _____ The

~~19. _____ A compound of Formula (I)~~



Formula (I)

according to claim 1, wherein the compound is selected from the group consisting of:

- N*-(2-cyanopyridin-4-yl)-1-(naphthalen-1-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
- N*-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(naphthalen-1-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
- 1-(naphthalen-1-yl)-5-(trifluoromethyl)-*N*-(2-(trifluoromethyl)pyridin-4-yl)-1*H*-pyrazole-4-carboxamide;
- 1-(naphthalen-1-yl)-5-(trifluoromethyl)-*N*-(5-(trifluoromethyl)pyridin-3-yl)-1*H*-pyrazole-4-carboxamide;
- N*-(5-cyanopyridin-3-yl)-1-(naphthalen-1-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
- 1-(quinolin-5-yl)-5-(trifluoromethyl)-*N*-(2-(trifluoromethyl)pyridin-4-yl)-1*H*-pyrazole-4-carboxamide;
- N*-(5-chloro-6-methoxypyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
- N*-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
- N*-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(3-methylisoquinolin-1-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
- N*-(3-chloro-4-methoxyphenyl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
- N*-(3-chloro-4-(2*H*-1,2,3-triazol-2-yl)phenyl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
- N*-(3-chloro-4-(1*H*-pyrazol-1-yl)phenyl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
- N*-(6-cyano-5-(trifluoromethyl)pyridin-3-yl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(4-(2-aminopyrimidin-4-yl)-3-chlorophenyl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(1*H*-pyrazol-1-yl)pyridin-3-yl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-isobutyl-1-(quinolin-5-yl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-ethyl-1-(quinolin-5-yl)-1*H*-pyrazole-4-carboxamide;
N-(3-chloro-4-(1*H*-1,2,3-triazol-1-yl)phenyl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(1,1-dioxidoisothiazolidin-2-yl)pyridin-3-yl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(1-methyl-1*H*-pyrazol-3-yl)pyridin-3-yl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-methoxypyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-methoxypyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(3-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-isopropyl-1-(quinolin-5-yl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(6-methylquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-methylquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(3-chloro-4-(3-methyl-1*H*-1,2,4-triazol-1-yl)phenyl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(3-methyl-1*H*-1,2,4-triazol-1-yl)pyridin-3-yl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(3-chloro-4-(5-methyl-1*H*-1,2,4-triazol-1-yl)phenyl)-1-(isoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(4-methylisoquinolin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
1-(benzofuran-4-yl)-*N*-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(1-methoxyethyl)-1-(quinolin-5-yl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(6-methylisoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(3-chloro-4-(2*H*-1,2,3-triazol-2-yl)phenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-methyl-1-(quinolin-5-yl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(6-cyano-5-fluoropyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(1,1-dioxidoisothiazolidin-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(3-chloro-4-(1*H*-1,2,3-triazol-1-yl)phenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
methyl 3-chloro-5-(3-chloro-5-(1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamido)picolinamido)picolinate;
N-(5-chloro-6-((1-methylpiperidin-4-yl)oxy)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(1*H*-pyrazol-1-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(4-methylpiperazine-1-carbonyl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(6-cyano-5-(trifluoromethyl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(3-chloro-4-(5-methyl-1*H*-1,2,4-triazol-1-yl)phenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(1-methyl-1*H*-pyrazol-3-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(3-methyl-1*H*-1,2,4-triazol-1-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(5-methyl-1*H*-1,2,4-triazol-1-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(3-chloro-4-(3-methyl-1*H*-1,2,4-triazol-1-yl)phenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(difluoromethyl)-1-(isoquinolin-1-yl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-1-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(4-(2-aminopyrimidin-4-yl)-3-chlorophenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(3-cyano-4-(2*H*-1,2,3-triazol-2-yl)phenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-fluoro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(3-cyano-4-(1*H*-1,2,3-triazol-1-yl)phenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(thiazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-methyl-1-(quinolin-4-yl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(3-methylquinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methylisoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(6-fluoroquinolin-7-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1*H*-indazol-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(1,3,4-oxadiazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-(1*H*-imidazol-1-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(4-aminobutyl)-3-chloro-5-(1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamido)picolinamide;
1-(isoquinolin-4-yl)-*N*-(2-methyl-6-(trifluoromethyl)pyridin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
methyl 6-chloro-4-(1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamido)picolinate;
methyl 4-(1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamido)picolinate
N-(2-cyanopyridin-4-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(1-methyl-1*H*-pyrazol-3-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-chloro-6-cyclopropoxypyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-((1-methylpiperidin-4-yl)oxy)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-ethoxypyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyanopyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;
N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(6-(4-aminobutoxy)-5-cyanopyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-
1H-pyrazole-4-carboxamide;

N-(5-cyano-6-methoxypyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-*1H*-
 pyrazole-4-carboxamide;

N-(5-cyano-6-(*1H*-1,2,4-triazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-
 (trifluoromethyl)-*1H*-pyrazole-4-carboxamide;

N-(8-chloro-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl)-1-(isoquinolin-4-yl)-5-
 (trifluoromethyl)-*1H*-pyrazole-4-carboxamide;

N-(5-cyano-6-cyclopropoxypyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-*1H*-
 pyrazole-4-carboxamide;

N-(5-cyano-6-(1-methyl-*1H*-pyrazol-3-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-
 (trifluoromethyl)-*1H*-pyrazole-4-carboxamide;

N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[3,2-*c*]pyridin-4-yl)-5-
 (trifluoromethyl)-*1H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-*1H*-
 pyrazole-4-carboxamide;

N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroquinolin-4-yl)-5-
 (trifluoromethyl)-*1H*-pyrazole-4-carboxamide;

1-(cinnolin-4-yl)-*N*-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-
 (trifluoromethyl)-*1H*-pyrazole-4-carboxamide;

N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(furo[3,2-*c*]pyridin-4-yl)-5-
 (trifluoromethyl)-*1H*-pyrazole-4-carboxamide;

N-(8-chloro-4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl)-1-(quinolin-
 5-yl)-5-(trifluoromethyl)-*1H*-pyrazole-4-carboxamide;

N-(5-cyano-6-(4-methylpiperazine-1-carbonyl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-
 (trifluoromethyl)-*1H*-pyrazole-4-carboxamide;

N-(8-chloro-4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl)-1-
 (isoquinolin-4-yl)-5-(trifluoromethyl)-*1H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(1-methyl-*1H*-imidazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-
 (trifluoromethyl)-*1H*-pyrazole-4-carboxamide;

N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(furo[2,3-*c*]pyridin-7-yl)-5-
 (trifluoromethyl)-*1H*-pyrazole-4-carboxamide;

N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1,6-naphthyridin-5-yl)-5-
 (trifluoromethyl)-*1H*-pyrazole-4-carboxamide;

N-(6-(4-(4-aminobutyl)piperazine-1-carbonyl)-5-cyanopyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(phthalazin-1-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-*a*]pyrazin-8-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(1*H*-imidazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-cyano-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinoxalin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(2-methyl-1-oxo-1,2,3,4-tetrahydroisoquinolin-7-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

tert-butyl 2-(5-(4-((5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1*H*-pyrazol-1-yl)isoquinolin-1-yl)azetidine-1-carboxylate;

N-(3-(methylsulfonyl)-4-(1*H*-1,2,3-triazol-1-yl)phenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

1-(1,5-bis(tetrahydrofuran-2-yl)isoquinolin-4-yl)-*N*-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(4-methyl-3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

1-(1-(azetidin-2-yl)isoquinolin-5-yl)-*N*-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(3-(methylsulfonyl)-4-(2*H*-1,2,3-triazol-2-yl)phenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

1-(2-(azetidin-2-yl)quinolin-5-yl)-*N*-(5-chloro-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

~~*N*-(3-oxo-3,4-dihydro-2*H*-benzo[*b*][1,4]oxazin-6-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;~~

1-(benzo[*d*]thiazol-4-yl)-*N*-(2,5-dimethyl-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-methyl-6-(3-methyl-2-oxo-2,3-dihydro-1*H*-imidazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(2,5-diethyl-6-(2*H*-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-*a*]pyridin-5-yl)-5-(trifluoromethyl)-1*H*-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-(difluoromethyl)quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylbenzo[d]oxazol-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methoxyquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-5-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-cyanoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(2-methylimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 1-(2-chloroquinolin-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-chloroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-(tetrahydrofuran-2-yl)quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 5-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbonyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)quinoline-2-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1H-pyrazolo[3,4-d]pyrimidin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1,6-naphthyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1-hydroxyethyl)isoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d]thiazol-4-yl)-N-(5-cyano-2-methyl-4-(2H-1,2,3-triazol-2-yl)phenyl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-(tetrahydrofuran-2-yl)quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2-oxopyrrolidin-1-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(1-methyl-1H-pyrazolo[3,4-b]pyridin-5-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methyl-1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(5-cyano-1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 2-(2-chloro-4-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)phenyl)-2H-1,2,3-triazole-4-carboxylic acid;
 N-(1H-pyrazolo[3,4-b]pyridin-5-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyridin-8-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1-hydroxyethyl)isoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(2-methylpyridin-4-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylthieno[3,2-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-(azetidin-3-yl)isoquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,5-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-1H-1,2,3-triazole-4-carboxylic acid;
 N-(5-methoxy-6-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-oxo-1,2-dihydroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(4-aminobutyl)-3-cyano-5-(1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)picolinamide;
 N-(4-(4-(aminomethyl)-1H-pyrazol-1-yl)-3-methylphenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(2-aminoquinolin-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-1H-indazol-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-5-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-methyl-6-(1-methyl-1H-tetrazol-5-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-1H-pyrazolo[3,4-b]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-ethoxyisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-(azetidin-2-yl)isoquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(2-aminoquinolin-5-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-acetylisquinolin-5-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(4-(difluoromethyl)quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(pyrrolidin-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(difluoromethoxy)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-b]pyridazin-6-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(2,5-dimethyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methoxyisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(2-aminoquinolin-5-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 2-(2-chloro-4-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)phenyl)-2H-1,2,3-triazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(methylthio)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-3-fluoro-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylbenzo[d]thiazol-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-1H-1,2,3-triazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-cyano-1-(quinolin-5-yl)-1H-pyrazole-4-carboxamide;
 1-(7-methylpyrazolo[1,5-a]pyridin-4-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 N-(6-(2H-[1,2,3]triazolo[4,5-c]pyridin-2-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(2-acetylquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylbenzo[d]thiazol-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(5-(aminomethyl)-1H-1,2,3-triazol-1-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(2-(azetidin-2-yl)quinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1-ethoxyethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 methyl 1-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-1H-1,2,3-triazole-4-carboxylate
 1-(imidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-ethyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-(difluoromethyl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyrimidin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-methoxy-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methoxyquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-chloro-2-methyl-6-(1H-pyrazol-1-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(2,5-dimethyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d]thiazol-4-yl)-N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(5-(methoxymethyl)-1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(2H-[1,2,3]triazolo[4,5-b]pyridin-2-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methyl-[1,2,4]triazolo[1,5-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 3-(3-cyano-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-1-methyl-1H-pyrazole-5-carboxylic acid;
 1-(benzo[d]thiazol-4-yl)-N-(5-cyano-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-methyl-6-(1-methyl-1H-pyrazol-3-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(3H-[1,2,3]triazolo[4,5-b]pyridin-3-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 methyl 2-(2-chloro-4-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)phenyl)-2H-1,2,3-triazole-4-carboxylate;
 N-(5-cyano-6-(2-methyl-2H-1,2,3-triazol-4-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(3-chloro-4-(5-oxo-4,5-dihydro-1H-1,2,4-triazol-3-yl)phenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 methyl 3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)picolinate;
 N-(6-(1H-[1,2,3]triazolo[4,5-c]pyridin-1-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyanopyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-1H-pyrazolo[3,4-c]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-methyl-6-(1H-pyrazol-1-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(dimethylamino)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-(difluoromethyl)quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(4-oxotetrahydrofuran-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylfuro[3,2-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(difluoromethyl)isoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-1H-indazol-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(6-fluoroimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(5-fluoroquinolin-8-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1H-pyrazolo[4,3-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(4-fluoroisoquinolin-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 5-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)isoquinoline-1-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(methylamino)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1-hydroxyethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1,1-difluoroethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 5-chloro-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-1H-pyrazole-4-carboxamide;

1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-methyl-4-(2H-1,2,3-triazol-2-yl)phenyl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methoxyisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

(*S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(4-oxotetrahydrofuran-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

(*S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(tetrahydrofuran-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-1H-pyrazolo[3,4-b]pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-1H-indazol-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(5-oxopyrrolidin-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

methyl 3-(3-cyano-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-1-methyl-1H-pyrazole-5-carboxylate;

N-(5-cyano-6-(1-methyl-1H-pyrazol-3-yl)pyridin-3-yl)-1-(8-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1,5-naphthyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(5-((dimethylamino)methyl)-1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylbenzo[d]oxazol-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(6-(4-(aminomethyl)-2H-1,2,3-triazol-2-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(1-methyl-1H-pyrazol-3-yl)pyridin-3-yl)-1-(8-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(1-aminoisoquinolin-4-yl)-N-(5-cyano-2-methyl-4-(2H-1,2,3-triazol-2-yl)phenyl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-chloro-2-fluoro-4-(2H-1,2,3-triazol-2-yl)phenyl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-([1,2,4]triazolo[1,5-a]pyridin-5-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-((N-methylformamido)methyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyrazin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1,7-naphthyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(1H-pyrazol-1-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(2-aminobenzo[d]thiazol-7-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isothiazolo[5,4-b]pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(1H-pyrrol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methoxyisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(2-aminobenzo[d]thiazol-7-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(6-(1H-1,2,3-triazol-1-yl)-5-(trifluoromethyl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(benzo[d]isoxazol-3-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoro-1-(methylamino)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

5-bromo-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-cyanoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-chloroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(pyrazolo[1,5-a]pyridin-4-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-N-(5-(trifluoromethyl)pyridin-3-yl)-1H-pyrazole-4-carboxamide;

1-(1-(1,4-dioxan-2-yl)isoquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1H-indazol-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)quinoline-2-carboxamide;

N-(5-chloro-6-(5-(hydroxymethyl)-1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(4-oxotetrahydrofuran-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(6-(4-amino-2H-1,2,3-triazol-2-yl)-5-chloropyridin-3-yl)-1-(benzo[d]thiazol-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(2-amino-[1,2,4]triazolo[1,5-a]pyridin-5-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

(*R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(tetrahydrofuran-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-bromo-6-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(8-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-methoxypyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(difluoromethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(methoxymethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-(1-hydroxyethyl)quinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-methylpyrazolo[1,5-a]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-fluoro-4-(2H-1,2,3-triazol-2-yl)phenyl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d]isothiazol-3-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(furo[2,3-d]pyrimidin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbonyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)thieno[2,3-c]pyridine 6-oxide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-chloro-6-(1-methyl-1H-pyrazol-3-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thiazolo[5,4-d]pyrimidin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methylimidazo[1,2-a]pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-methoxypyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(1-methyl-1H-pyrazol-3-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinazolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1-hydroxyethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-cyanoisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-fluoro-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1-hydroxyethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-2-methyl-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-methyl-1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-methyl-6-(2-methyl-2H-tetrazol-5-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(difluoromethyl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(tetrahydrofuran-2-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-(methoxymethyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(4-(4-(aminomethyl)-1H-pyrazol-1-yl)-3-chlorophenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-cyano-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(benzo[d]thiazol-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-hydroxyisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-tetrazol-5-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-(difluoromethyl)quinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoro-1-(methylamino)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-4-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-fluoro-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-2-oxo-1,2-dihydroquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

(*R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(3-hydroxypyrrolidin-1-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(hydroxymethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(3-methylthieno[3,2-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(benzo[d]oxazol-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(4-fluoronaphthalen-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(3-chloro-4-(4-(hydroxymethyl)-1H-pyrazol-1-yl)phenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(8-aminoquinolin-5-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)quinoline 1-oxide;

N-(5-cyano-6-(4-(hydroxymethyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

methyl 2-cyano-4-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)benzoate;

N-(6-(5-amino-1H-1,2,3-triazol-1-yl)-5-chloropyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(4-cyano-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-cyano-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(6-(5-amino-1-methyl-1H-pyrazol-3-yl)-5-cyanopyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(4-(hydroxymethyl)-1H-pyrazol-1-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(3-methylimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(6-(5-amino-1-methyl-1H-pyrazol-3-yl)-5-chloropyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[3,2-d]pyrimidin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoro-1-hydroxyisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(benzo[d]thiazol-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrrolo[1,2-a]pyrazin-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(2H-1,2,3-triazol-2-yl)-5-(trifluoromethyl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)isoquinoline-1-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(imidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrrolo[1,2-a]pyrazin-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2-methyl-2H-tetrazol-5-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1,7-naphthyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 2-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-2H-1,2,3-triazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrazolo[1,5-a]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-c]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-d]pyrimidin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(1,3,4-oxadiazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrazolo[1,5-a]pyrazin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(1-hydroxyethyl)thieno[2,3-
 c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrrolo[2,1-f][1,2,4]triazin-4-
 yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(1-methyl-1H-pyrazol-3-yl)pyridin-3-yl)-1-(1-oxo-1,2-
 dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 methyl2-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-
 carboxamido)pyridin-2-yl)-2H-1,2,3-triazole-4-carboxylate;
 N-(5-chloro-6-(4-((dimethylamino)methyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-
 (quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-bromo-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-
 (trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-4-yl)-5-
 (trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-
 yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-cyanoisoquinolin-5-yl)-5-
 (trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-(hydroxymethyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-
 yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-(hydroxymethyl)-1H-pyrazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-
 (trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrazolo[1,5-a]pyrazin-4-yl)-5-
 (trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-
 yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(4-amino-2H-1,2,3-triazol-2-yl)-5-chloropyridin-3-yl)-1-(1-oxo-1,2-
 dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(4-amino-2H-1,2,3-triazol-2-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-
 (trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-amino-8-fluoroisoquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-
 yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-
 (trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(3-cyano-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-oxo-1,2-dihydroquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(4-aminonaphthalen-1-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(1-aminoisoquinolin-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(4-fluoro-2-methoxyphenyl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-Dquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-D-quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(3-chloro-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[3,2-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-bromo-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrazolo[1,5-a]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-b]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(4-methyl-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(5-fluoronaphthalen-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-hydroxyisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d]thiazol-7-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-(hydroxymethyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d]thiazol-7-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-amino-8-fluoroisoquinolin-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 2-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-2H-1,2,3-triazole-4-carboxylic acid;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(furo[3,2-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbonyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)thieno[2,3-c]pyridine-7-carboxamide;
 1-(7-(3-hydroxyazetidin-1-yl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-bromo-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(4-methyl-1H-1,2,3-triazol-1-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-5-(trifluoromethyl)-N-(5-(trifluoromethyl)pyridin-3-yl)-1H-pyrazole-4-carboxamide;

1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-methyl-6-(4-methyl-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-ethynyl-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(4-methyl-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methyl-1-oxo-1,2-dihydroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(3-hydroxypyrrolidin-1-yl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-chlorothieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(3-hydroxypyrrolidin-1-yl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-cyanothieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(3-hydroxyazetidin-1-yl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 4-(4-((5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)thieno[2,3-c]pyridine-7-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-cyclopropylthieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-methylthieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-cyanothieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)-N-methylthieno[2,3-c]pyridine-7-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(3-hydroxyazetidin-1-yl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-chlorothieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;

1-(1-aminoisoquinolin-4-yl)-N-(2-cyanopyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloropyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 1-(8-fluoroimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 N-(6-cyano-5-(trifluoromethyl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 methyl 3-chloro-5-(1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)picolinate;
 1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;
 N-(2-cyanopyridin-4-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(2-(2-methoxyethoxy)-5-(trifluoromethyl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-oxo-1,2-dihydroquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-(tetrahydrofuran-2-yl)quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

~~or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.~~

~~20. A compound selected from the group consisting of:~~

~~N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-1H-pyrazole-4-carboxamide;~~

~~N (5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-1H-pyrazole-4-carboxamide;~~
~~N-(2-methyl-1-oxo-1,2-dihydroisoquinolin-7-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;~~
~~N-(5-cyano-6-(4-methylpiperazin-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;~~
~~2-cyano-4-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)benzoic acid;~~
~~N-(2-morpholinopyridin-4-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;~~
~~N-(2-methoxypyridin-4-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;~~
~~N-(6-methyl-5-(trifluoromethyl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;~~
~~1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-N-(pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;~~
~~N-(2-cyclopropylpyridin-4-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;~~
~~3-chloro-N,N-dimethyl-5-(1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)picolinamide;~~
~~3-chloro-N-methyl-5-(1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)picolinamide;~~
~~1-(1-aminoisoquinolin-4-yl)-N-(6-methyl-5-(trifluoromethyl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;~~
~~N-(5-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;~~

~~or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.~~

or an enantiomer, solvate or pharmaceutically acceptable salt form thereof.

24. ~~The~~21. A compound of claim 1923, wherein the compound is selected from the group consisting of:

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(naphthalen-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzofuran-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(3-chloro-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[3,2-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(furo[3,2-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(furo[2,3-c]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 methyl 2-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-2H-1,2,3-triazole-4-carboxylate;
 2-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-2H-1,2,3-triazole-4-carboxylic acid;
 1-(1-amino-8-fluoroisoquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-amino-8-fluoroisoquinolin-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d]thiazol-7-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-(hydroxymethyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-hydroxyisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d][1,2,3]thiadiazol-7-yl)-N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(5-fluoronaphthalen-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(8-fluoroisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-methyl-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-b]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(oxazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[3,2-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(3-chloro-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-D-quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-D-quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(4-aminonaphthalen-1-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(3-cyano-4-(2H-1,2,3-triazol-2-yl)phenyl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(4-amino-2H-1,2,3-triazol-2-yl)-5-chloropyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-(hydroxymethyl)-1H-pyrazol-1-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-(hydroxymethyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(4-((dimethylamino)methyl)-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-bromo-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrrolo[2,1-f][1,2,4]triazin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrazolo[1,5-a]pyrazin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-d]pyrimidin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-c]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 2-(3-chloro-5-(1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)pyridin-2-yl)-2H-1,2,3-triazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1,7-naphthyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrrolo[1,2-a]pyrazin-1-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2-methyl-2H-tetrazol-5-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(furo[3,2-b]pyridin-7-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(4-fluoro-2-methoxyphenyl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(benzo[d]thiazol-7-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(6-(4-amino-2H-1,2,3-triazol-2-yl)-5-chloropyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-cyano-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(1-methyl-1H-pyrazol-3-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-bromo-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(1,3,4-oxadiazol-2-yl)pyridin-3-yl)-1-(quinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrazolo[1,5-a]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(pyrazolo[1,5-a]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(3-chloroimidazo[1,2-a]pyridin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 1-(1-aminoisoquinolin-4-yl)-N-(5-chloro-2-methyl-6-(4-methyl-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

1-(1-aminoisoquinolin-4-yl)-N-(5-bromo-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

methyl 3-chloro-5-(1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamido)picolinate;

N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-oxo-1,2-dihydroquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-2-methyl-6-(4-methyl-2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(1-hydroxyethyl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)isoquinoline-1-carboxamide;

4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)thieno[2,3-c]pyridine-7-carboxamide;

4-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)-N-methylthieno[2,3-c]pyridine-7-carboxamide;

4-(4-((5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)thieno[2,3-c]pyridine-7-carboxamide;

5-(4-((5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)carbamoyl)-5-(trifluoromethyl)-1H-pyrazol-1-yl)isoquinoline 2-oxide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-cyanoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-cyanoisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methyl-2-oxo-1,2-dihydroquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(2-methoxyquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-methoxyisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-ethoxyisoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;


N-(5-chloro-2-methyl-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-chlorothieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

(R)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(3-hydroxypyrrolidin-1-yl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-cyano-6-methoxypyridin-3-yl)-1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(methylthio)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(3-hydroxyazetidin-1-yl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(7-(3-hydroxypyrrolidin-1-yl)thieno[2,3-c]pyridin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 (*S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(1-(1-hydroxyethyl)isoquinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(isoquinolin-5-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-1-(quinolin-4-yl)-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;
 and
 1-(1-oxo-1,2-dihydroisoquinolin-5-yl)-5-(trifluoromethyl)-N-(2-(trifluoromethyl)pyridin-4-yl)-1H-pyrazole-4-carboxamide;

or an enantiomer, ~~diastereomer~~, solvate or pharmaceutically acceptable salt form thereof.

22


25. The compound of claim 21 ~~that is~~ 24, wherein the compound is



~~or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.~~


23. or a solvate or pharmaceutically acceptable salt form thereof.

26. The compound of claim ~~21~~ 24, wherein the compound is




or an enantiomer, diastereomer, a solvate or pharmaceutically acceptable salt form thereof.

~~24~~27. The compound of claim ~~21~~ 24, wherein the compound is



or an enantiomer, diastereomer, a solvate or pharmaceutically acceptable salt form thereof.

~~25~~28. The compound of claim ~~21~~ 23, wherein the compound is




29.

N#Cc1ccc2c(c1)c(c3ccccc23)N4C(=O)C(F)(F)C(=O)N4c5cc(Cl)cc(cc5n5nn6ccccc6n5)n5

~~30. solvate or pharmaceutically acceptable salt form thereof.~~

28

~~29.~~ 32. The compound that according to claim 1, wherein the compound is:



822


~~33. solvate or pharmaceutically acceptable salt form thereof.~~

~~30.~~ The compound of claim ~~29~~32, wherein the compound is a solvate.

~~31~~

34. The compound of claim ~~30~~33, wherein the compound is a hydrate.

35. The compound of claim 32, wherein the compound is:



36. ~~32~~The compound according to claim 1, wherein R₁ is selected from the group consisting of 1-oxo-1,2-dihydroisoquinolin-5-yl and 1-hydroxyisoquinolin-5-yl.

37. A pharmaceutical composition comprising a compound of claim ~~1 to 31~~5 and at least one of a pharmaceutically acceptable carrier, a pharmaceutically acceptable excipient, and a pharmaceutically acceptable diluent.

~~33~~

38. The pharmaceutical composition of claim ~~32~~37, wherein the composition is a solid oral dosage form.

~~34~~

39. The pharmaceutical composition of claim ~~32~~37, wherein the composition is a syrup, an elixir or a suspension.

40. ~~The~~35. A compound of ~~any one of claims 1 to 31~~claim 5 for use in treating a disease, syndrome, condition, or disorder, wherein said disease, syndrome, condition, or disorder is affected by the inhibition of MALT1.

~~41. The, comprising administering to a subject in need thereof a therapeutically effective amount of the compound compound of claim 1;5~~

~~36. The compound of claim 35~~ for use in treating a disease, syndrome, condition or disorder, wherein said disease, syndrome, condition, or disorder is selected from the group consisting of diffuse large B-cell lymphoma (DLBCL), mantle cell lymphoma (MCL), follicular lymphoma (FL), and mucosa-associated lymphoid tissue (MALT) lymphoma rheumatoid arthritis (RA), psoritic arthritis (PsA), psoriasis (Pso), ulcerative colitis (UC), Crohn's disease, systemic lupus erythematosus (SLE), asthma, and chonic obstructive pulmonary disease (COPD).


~~37. A42. The pharmaceutical composition of claim 32~~any of claims 37-39, for use in treating a disease, syndrome, condition, or disorder selected from the group consisting of diffuse large B-cell lymphoma (DLBCL), mantle cell lymphoma (MCL), follicular lymphoma (FL), and mucosa-associated lymphoid tissue (MALT) lymphoma rheumatoid arthritis (RA), psoritic arthritis (PsA), psoriasis (Pso), ulcerative colitis (UC), Crohn's disease, systemic lupus erythematosus (SLE), asthma, and chonic obstructive pulmonary disease (COPD), ~~comprising administering to a subject in need thereof a therapeutically effective amount of the composition of claim 32.~~

~~38. A compound of any one of claims 1 to 31 for use in treating a disorder selected from the group consisting of diffuse large B cell lymphoma (DLBCL), mantle cell lymphoma (MCL), follicular lymphoma (FL), and mucosa associated lymphoid tissue (MALT) lymphoma rheumatoid arthritis (RA), psoritic arthritis (PsA), psoriasis (Pso), ulcerative colitis (UC), Crohn's disease, systemic lupus erythematosus (SLE), asthma, and chronic obstructive pulmonary disease (COPD), in a subject in need thereof.~~

~~39. A therapeutically effective amount of (a) a MALT1 inhibitor and (b) a pharmaceutical agent for use in treating a disease, syndrome, condition, or disorder, wherein said disease, syndrome, condition, or disorder is affected by the inhibition of MALT1, comprising administering to a subject in need thereof a therapeutically effective amount of (a) a MALT1 inhibitor, and (b) a pharmaceutical agent selected from the group consisting of a BTK inhibitor, a SYK inhibitor, a PKC inhibitor, a PI3K pathway inhibitor, a BCL family inhibitor, a JAK inhibitor, a PIM kinase inhibitor, a~~

B cell antigen binding antibody, an immune cell redirection agent, an immunomodulatory agent, an anti PD1 antibody, and an anti PD L1 antibody; and

wherein said MALT1 inhibitor is a compound of Formula (I)



Formula (I)

wherein

R₁ is selected from the group consisting of

i) naphthalen-1-yl, optionally substituted with a fluoro or amino substituent;

and

ii) a heteroaryl of nine to ten members containing one to four heteroatoms selected from the group consisting of O, N, and S; such that no more than one heteroatom is O or S; wherein said heteroaryl of ii) is optionally independently substituted with one or two substituents selected from deuterium, methyl, ethyl, propyl, isopropyl, trifluoromethyl, cyclopropyl, methoxymethyl, difluoromethyl, 1,1-difluoroethyl, hydroxymethyl, 1-hydroxyethyl, 1-ethoxyethyl, hydroxy, methoxy, ethoxy, fluoro, chloro, bromo, methylthio, cyano, amino, methylamino, dimethylamino, 4-oxotetrahydrofuran-2-yl, 5-oxopyrrolidin-2-yl, 1,4-dioxanyl, aminocarbonyl, methylcarbonyl, methylaminocarbonyl, oxo, 1-(t-butoxycarbonyl)azetidin-2-yl, N-(methyl)formamidomethyl, tetrahydrofuran-2-yl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidinyl, azetidin-3-yl, or azetidin-2-yl;

R₂ is selected from the group consisting of C₁₋₄alkyl, 1-methoxy-ethyl, difluoromethyl, fluoro, chloro, bromo, cyano, and trifluoromethyl;

G₁ is N or C(R₄);

G₂ is N or C(R₃); such that only one of G₁ and G₂ are N in any instance;

~~R₃ is independently selected from the group consisting of trifluoromethyl, cyano, C₁₋₄alkyl, fluoro, chloro, bromo, methylcarbonyl, methylthio, methylsulfinyl, and methanesulfonyl; or, when G₄ is N, R₃ is further selected from C₁₋₄alkoxycarbonyl;~~

~~———— R₄ is selected from the group consisting of~~

~~i) ——— hydrogen, when G₂ is N;~~

~~ii) ——— C₁₋₄alkoxy;~~

~~iii) ——— cyano;~~

~~iv) ——— cyclopropyloxy;~~

~~v) ——— a heteroaryl selected from the group consisting of triazolyl, oxazolyl, isoxazolyl, pyrazolyl, pyrrolyl, thiazolyl, tetrazolyl, oxadiazolyl, imidazolyl, 2-amino-pyrimidin-4-yl, 2H-[1,2,3]triazolo[4,5-c]pyridin-2-yl, 2H-[1,2,3]triazolo[4,5-b]pyridin-2-yl, 3H-[1,2,3]triazolo[4,5-b]pyridin-3-yl, 1H-[1,2,3]triazolo[4,5-c]pyridin-1-yl, wherein the heteroaryl is optionally substituted with one or two substituents independently selected from oxo, C₁₋₄alkyl, carboxy, methoxycarbonyl, aminocarbonyl, hydroxymethyl, aminomethyl, (dimethylamino)methyl, amino, methoxymethyl, trifluoromethyl, amino(C₂₋₄alkyl)amino, or cyano;~~

~~vi) ——— 1-methyl-piperidin-4-yloxy;~~

~~vii) ——— 4-methyl-piperazin-1-ylcarbonyl;~~

~~viii) ——— (4-aminobutyl)aminocarbonyl;~~

~~ix) ——— (4-amino)butoxy;~~

~~x) ——— 4-(4-aminobutyl)-piperazin-1-ylcarbonyl;~~

~~xi) ——— methoxycarbonyl;~~

~~xii) ——— 5-chloro-6-(methoxycarbonyl)pyridin-3-ylaminocarbonyl;~~

~~xiii) ——— 1,1-dioxo-isothiazolidin-2-yl;~~

~~xiv) ——— 3-methyl-2-oxo-2,3-dihydro-1H-imidazol-1-yl;~~

~~xv) ——— 2-oxopyrrolidin-1-yl;~~

~~xvi) ——— (E)-(4-aminobut-1-en-1-yl)aminocarbonyl;~~

~~xvii) ——— difluoromethoxy;~~

~~and~~

~~xviii) ——— morpholin-4-ylcarbonyl;~~

~~————~~

~~R₅ is independently selected from the group consisting of hydrogen, chloro, fluoro, bromo, methoxy, methylsulfonyl, cyano, C₁₋₄ alkyl, ethynyl, morpholin-4-yl, trifluoromethyl, hydroxyethyl, methylcarbonyl, methylsulfinyl, 3-hydroxy-pyrrolidin-1-yl, pyrrolidin-2-yl, 3-hydroxyazetidiny, azetidin-3-yl, azetidin-2-yl, methylthio, and 1,1-difluoroethyl;~~

~~or R₄ and R₅ may be taken together to form 8-chloro-4-methyl-3-oxo-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl, 8-chloro-3-oxo-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl, 2-methyl-1-oxo-1,2,3,4-tetrahydroisoquinolin-7-yl, 4-methyl-3-oxo-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl, 3-oxo-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl, 1-methyl-1H-pyrazolo[3,4-b]pyridin-5-yl, 1H-pyrazolo[3,4-b]pyridin-5-yl, 2,3-dihydro-[1,4]dioxino[2,3-b]pyridin-5-yl, 1,3-dioxolo[4,5]pyridine-5-yl, 1-oxo-1,3-dihydroisobenzofuran-5-yl, 2,2-dimethylbenzo[d][1,3]dioxol-5-yl, 2,3-dihydrobenzo[b][1,4]dioxin-6-yl, 1-oxoisindolin-5-yl, or 2-methyl-1-oxoisindolin-5-yl, 1H-indazol-5-yl;~~

~~R₆ is hydrogen, C₁₋₄ alkyl, fluoro, 2-methoxy-ethoxy, chloro, cyano, or trifluoromethyl;~~

~~R₇ is hydrogen or fluoro;~~

~~provided that a compound of Formula (I) is other than~~
~~a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₄ is C(R₄)~~
~~wherein R₄ is 2H-1,2,3-triazol-2-yl, G₂ is N, and R₅ is hydrogen;~~
~~a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₄ is C(R₄)~~
~~wherein R₄ is 1H-imidazol-1-yl, G₂ is N, and R₅ is chloro;~~
~~a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₄ is C(R₄)~~
~~wherein R₄ is 1H-1,2,3-triazol-1-yl, G₂ is N, and R₅ is hydrogen;~~
~~a compound wherein R₁ is isoquinolin-8-yl, R₂ is trifluoromethyl, G₄ is C(R₄)~~
~~wherein R₄ is hydrogen, G₂ is N, and R₅ is fluoro;~~


~~or an enantiomer, diastereomer, solvate or pharmaceutically acceptable salt form thereof.~~

~~40. The therapeutically effective amount of (a) a MALT1 inhibitor and (b) a pharmaceutical agent of claim 39 for use in treating a disease, syndrome, condition, or disorder, wherein said disease, syndrome, condition, or disorder is affected by the inhibition of MALT1 wherein the BTK inhibitor is ibrutinib.~~

~~41. The therapeutically effective amount of (a) a MALT1 inhibitor and (b) a pharmaceutical agent of claim 39 for use in treating a disease, syndrome, condition, or disorder, wherein said disease, syndrome, condition, or disorder is affected by the inhibition of MALT1 wherein the B cell antigen-binding antibody is rituximab.~~


~~42. The therapeutically effective amount of (a) a MALT1 inhibitor and (b) a pharmaceutical agent of claim 39 for use in treating a disease, syndrome, condition, or disorder, wherein said disease, syndrome, condition, or disorder is affected by the inhibition of MALT1 wherein the immunomodulatory agent is daratumumab.~~

~~43. A process for the preparation of a compound that is~~




~~comprising the steps of:~~

~~(i)~~




~~reacting (112a) with intermediate (Y1) to yield (112b); then oxidizing (112b) with mCPBA to yield (112c);~~

~~(ii)~~




converting (112c) to (112d);) in the presence of POCl_3 ; subsequently treating (112d) with concentrated hydrochloric acid; to yield (112e);

(iii)



reacting (112e) with (Y2), in the presence of POCl_3 and an organic solvent; to yield compound 158.

44. ~~AA process for the preparation of a compound of Formula (Ia)~~




Formula (Ia)

wherein R_1 is 1-oxo-1,2-dihydroisoquinolin-5-yl; R_2 is CF_3 ; G_1 is N; G_2 is $\text{C}(\text{R}_3)$ wherein R_3 is trifluoromethyl; and R_5 , R_6 and R_7 are hydrogen;


— prepared by a process comprising the steps of:

— (i)




- reacting an intermediate of formula x1 (wherein X is bromo, chloro, or iodo) with benzophenone hydrazine, in the presence of a palladium catalyst, a ligand, and a base, to afford a hydrazine of formula x2;

(ii)




- acidic hydrolysis of a hydrazine of formula x2 to afford a hydrazine of formula x3;

(iii)



- reacting an intermediate of formula x4 (wherein R' is C₁₋₄ alkyl and W is OEt or NMe₂) with a hydrazine of formula x3 to afford a pyrazole of formula x5;

(iv)



- hydrolysis of a pyrazole of formula x5; then conversion to a compound of Formula (Ia) via coupling with an intermediate of formula x6.