



(51) International Patent Classification:
A61L 27/38 (2006.01)

(21) International Application Number:
PCT/EP2013/053361

(22) International Filing Date:
20 February 2013 (20.02.2013)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
12157470.1 29 February 2012 (29.02.2012) EP

(71) Applicant: **TECHNISCHE UNIVERSITÄT BERLIN**
[DE/DE]; Straße des 17. Juni 135, 10623 Berlin (DE).

(72) Inventors: **LAUSTER, Roland**; Stephanstraße 9, 10559
Berlin (DE). **MARX, Uwe**; Markgrafenstraße 18, 15528
Spreehagen (DE). **BINDER, Jennifer**; Am Finkenherd 24,
13589 Berlin (DE). **ROSOWSKI, Mark**; Föhrer Straße
13, 13353 Berlin (DE).

AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY,
BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM,
DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT,
HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP,
KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD,
ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI,
NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU,
RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ,
TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA,
ZM, ZW.

(84) Designated States (*unless otherwise indicated, for every
kind of regional protection available*): ARIPO (BW, GH,
GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ,
UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ,
TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK,
EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV,
MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM,
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,
ML, MR, NE, SN, TD, TG).

Published:

(81) Designated States (*unless otherwise indicated, for every
kind of national protection available*): AE, AG, AL, AM, — with international search report (Art. 21(3))

(54) Title: METHOD OF PREPARING AN ARTIFICIAL TOOTH PRIMORDIUM IN VITRO AND ARTIFICIAL TOOTH PRIMORDIUM DERIVED THEREFROM

(57) Abstract: The present invention is directed to a method of preparing an artificial tooth primordium in vitro, comprising the steps: a) providing isolated mesenchymal dental pulp cells; and b) culturing the mesenchymal dental pulp cells under non-adherent conditions to form a cell aggregate representing an artificial tooth primordium; as well as to an artificial tooth primordium derived therefrom.

