







1/13

*FIG. 1**FIG. 2*



2/13

*FIG. 3**FIG. 4*



3/13

***FIG. 5******FIG. 6***



4/13

**FIG. 7****FIG. 8**



5/13

*FIG. 9**FIG. 10*




6/13

*FIG. 11**FIG. 12*




7/13

***FIG. 13******FIG. 14***



8/13

FIG. 15*FIG. 16**FIG. 17*



9/13

FIG. 18*FIG. 19**FIG. 20*


10/13

*FIG. 21**FIG. 22*

11/13

**FIG. 23****FIG. 24**

12/13

**FIG. 25**

13/13

	IL-12p40			IL-1 β			IL-6			TNF- α		
	Average	Sign. Effect	% change	Average	Sign. Effect	% change	Average	Sign. Effect	% change	Average	Sign. Effect	% change
No Sample	2074.78			390.34			15926.39			8922.91		
Extensively hydrolyzed casein non-sterile filtered	758.52	↓	63.44	258.42	↓	33.80	11851.96			6461.56		
Extensively hydrolyzed casein	882.27	↓	57.48	198.27	↓	49.21	8124.46	↓	48.99	4310.24		
>500Da fraction	1124.63			309.98						5682.15	↓	36.32

FIG. 26