


R⁴ is selected from substituted or unsubstituted C₁₋₇alkyl, alkoxy, alkoxy-(C₁₋₄)alkyl, aryl or C₃₋₇cycloalkyl each of which is optionally substituted by heterocycle, nitrile, heteroarylalkyl or heteroaryl and wherein

R⁵ is selected from aromatic, bicyclic heterocycle, aryl, heteroaryl, each of which is optionally substituted by one or more substituents independently selected from halogen, hydroxyl, amino, C₁₋₆alkyl, di-(C₁₋₆)alkylamino, C₁₋₆alkylamino, C₁₋₆alkyl, C₁₋₆alkoxy, C₃₋₆cycloalkyl, carboxylic acid, carboxylic ester, carboxylic amide, heterocycle, aryl, alkenyl, alkynyl, arylalkyl, heteroaryl, heteroarylalkyl or nitrile.

2. A compound of formula (I) according to claim 1 wherein R¹ is butyl and wherein A, B, and X are as ~~specified above~~ defined in claim 1.

3. A compound of formula (I) according to claim 1 wherein R¹ is C₄₋₈alkyl substituted with hydroxyl, and wherein A, B, and X are as ~~specified above~~ defined in claim 1.

4. A compound of formula (I) according to claim 3 wherein R¹, being C₄₋₈alkyl substituted with hydroxyl, is one of the following



5. A compound of formula (I) according to claim 1 wherein X is CH₂ and wherein A, and B are as ~~specified above~~ defined in claim 1.

6. A compound of formula (I) according to claim 1 wherein X is CH₂ and wherein A is CH₂ and B is as ~~specified above~~ defined in claim 1.

7. A compound of formula (I) according to claim 1 wherein R² is one of the following examples that can be further substituted with C₁₋₃alkyl, hydroxyl, alkoxy, nitrile, heterocycle, carboxylic ester, or carboxylic amide: