

1/9




FIG. 1A

2/9




FIG. 1B




FIG. 1C

3/9




FIG. 1D




FIG. 1E

4/9




FIG. 2




FIG. 3

5/9




FIG. 4




FIG. 5

6/9




FIG. 6





FIG. 7

7/9




ID	m1	m2	m3	mean	SD	%CV
mg/kg	30	30	30	30		
C_{max} , µg/mL	17.16	13.26	22.1	17.51	4.43	25.31
T_{max} , hr	0.5	0.5	0.5	0.50	0.00	0.00
AUCinf, µg/mL.hr	28.02	28.02	50.13	35.58	12.61	35.44
$T_{1/2}$, hr	2.49	2.97	1.94	2.47	0.52	20.89
MRT, hr	2.38	2.75	2.81	2.65	0.23	8.80
CL L/hr/kg	1.07	1.05	0.6	0.91	0.27	29.31

FIG. 8A

SUBSTITUTE SHEET (RULE 26)

8/9



ID	m1	m2	m3	mean	SD	%CV
mg/kg	15	15	15			
C_{max} , µg/mL	11.75	11.89	17.71	13.78	3.40	24.68
T_{max} , hr	0.5	0.5	0.5	0.50	0.00	0.00
AUCinf, µg/mL.hr	12.26	12.5	17.89	14.22	3.18	22.39
$T_{1/2}$, hr	1.79	3	1.89	2.23	0.67	30.16
MRT, hr	1.45	1.87	1.48	1.60	0.23	14.64
CLL/hr/kg	1.22	1.2	0.84	1.09	0.21	19.68

Fig. 8B

9/9




FIG. 9




FIG. 10