

PHOSPHORUS SUBSTITUTED METALLOCENE COMPOUNDS
FOR OLEFIN POLYMERIZATION

Field

[0001] A series of novel phosphorus substituted metallocene transition metal compounds have been synthesized, and when activated, have been shown to be useful as olefin polymerization catalysts.

Background

[0002] Various processes and catalysts exist for the homopolymerization or copolymerization of olefins. For many applications, it is desirable for a polyolefin to have a high weight average molecular weight while having a relatively narrow molecular weight distribution. A high weight average molecular weight, when accompanied by a narrow molecular weight distribution, provides a polyolefin with, among other things, high strength properties.

[0003] Traditional Ziegler-Natta catalysts systems--a transition metal compound co-catalyzed by an aluminum alkyl--are typically capable of producing polyolefins having a high molecular weight, but with a broad molecular weight distribution.


[0004] More recently a catalyst system has been developed wherein the transition metal compound has two or more cyclopentadienyl ring ligands-- such transition metal compound being referred to herein as a "metallocene"--which catalyzes the production of olefin monomers to polyolefins. Accordingly, titanocenes, zirconocenes and hafnocenes, have been utilized as the transition metal component in such "metallocene" containing catalyst system for the production of polyolefins and ethylene-alpha-olefin copolymers.

[0005] Organometallics 1998, 17, 4897 discloses *exo,exo*-bis(isodicyclopentadienyl)titanium and zirconium dichloride derivatives with PR_2 substitutions on the Cp ring. The paper includes use of the compounds as olefin polymerization catalysts.

[0006] WO 98/07760 discloses *bis*(1-diphenylphosphanylindenyl)zirconium dichloride.

Summary of the Invention

[0007] Therefore, in accordance with an aspect of the present invention, there are provided metallocene compounds represented by formula (1):



wherein

M is a group 3, 4, 5 or 6 transition metal atom, or a lanthanide metal atom, or actinide metal atom;

E is an indenyl ligand that is substituted with a PR_2 group in the two position of the indenyl ligand, where each R is, independently a hydrocarbyl, substituted hydrocarbyl, halocarbyl, or substituted halocarbyl substituent, and additionally, E may be substituted with 0, 1, 2, 3, 4, 5 or 6 R^n where each R^n is, independently, a hydrocarbyl, substituted hydrocarbyl, halocarbyl, substituted halocarbyl, silylcarbyl, substituted silylcarbyl, germylcarbyl, or substituted germylcarbyl substituent, and optionally, two or more adjacent R^n substituents may join together to form a substituted or unsubstituted, saturated, partially unsaturated, or aromatic cyclic or polycyclic substituent;

A is a substituted or unsubstituted cyclopentadienyl ligand, a substituted or unsubstituted heterocyclopentadienyl ligand, a substituted or unsubstituted indenyl ligand, a substituted or unsubstituted heteroindenyl ligand, a substituted or unsubstituted fluorenyl ligand, a substituted or unsubstituted heterofluorenyl ligand, or other mono-anionic ligand, or A may, independently, be defined as E or

as X;

X are, independently, univalent anionic ligands, or both X are joined and bound to the metal atom to form a metallocycle ring, or both X join to form a chelating ligand, a diene ligand, or an alkylidene ligand.

[0008] This invention further relates to a catalyst system comprised of the above metallocenes combined with an activator and to a process to polymerize unsaturated monomers using such catalyst system.

Brief Description of the Drawings

[0009] Figure 1 is a representation of the molecular structure of compound 22.

Definitions

As used herein, the numbering scheme for the Periodic Table Groups is the new notation as set out in CHEMICAL AND ENGINEERING NEWS, 63(5), 27 (1985).

[0011] As used herein, Me is methyl, t-Bu and ^tBu are tertiary butyl, s-Bu and ^sBu is sec-butyl, i-Bu and ⁱBu are isobutyl, iPr and ⁱPr are isopropyl, Cy is cyclohexyl, and Ph is phenyl.

[0012] The terms "hydrocarbyl radical," "hydrocarbyl" and "hydrocarbyl group" are used interchangeably throughout this document. Likewise the terms "group," "radical," and "substituent" are also used interchangeably in this document. For purposes of this disclosure, "hydrocarbyl radical" is defined to be C₁-C₁₀₀ radicals, that may be linear, branched, or cyclic, and when cyclic, aromatic or non-aromatic, and include substituted hydrocarbyl radicals, halocarbyl radicals, and substituted halocarbyl radicals, silylcarbyl radicals, and germylcarbyl radicals as these terms are defined below. When referring to a hydrogen substituent, the terms "hydrogen" and "hydrogen radical" are used interchangeably.

[0013] Substituted hydrocarbyl radicals are radicals in which at least one hydrogen atom has been substituted with at least one functional group such as

NR^*_2 , OR^* , SeR^* , TeR^* , PR^*_2 , AsR^*_2 , SbR^*_2 , SR^* , BR^*_2 , SiR^*_3 , GeR^*_3 , SnR^*_3 , PbR^*_3 and the like or where at least one non-hydrocarbon atom or group has been inserted within the hydrocarbonyl radical, such as $-\text{O}-$, $-\text{S}-$, $-\text{Se}-$, $-\text{Te}-$, $-\text{N}(\text{R}^*)-$, $=\text{N}-$, $-\text{P}(\text{R}^*)-$, $=\text{P}-$, $-\text{As}(\text{R}^*)-$, $=\text{As}-$, $-\text{Sb}(\text{R}^*)-$, $=\text{Sb}-$, $-\text{B}(\text{R}^*)-$, $=\text{B}-$, $-\text{Si}(\text{R}^*)_2-$, $-\text{Ge}(\text{R}^*)_2-$, $-\text{Sn}(\text{R}^*)_2-$, $-\text{Pb}(\text{R}^*)_2-$ and the like, where R^* is independently a hydrocarbonyl or halocarbonyl radical, and two or more R^* may join together to form a substituted or unsubstituted saturated, partially unsaturated or aromatic cyclic or polycyclic ring structure.

[0014] Halocarbonyl radicals are radicals in which one or more hydrocarbonyl hydrogen atoms have been substituted with at least one halogen (e.g. F, Cl, Br, I) or halogen-containing group (e.g. CF_3).

[0015] Substituted halocarbonyl radicals are radicals in which at least one halocarbonyl hydrogen or halogen atom has been substituted with at least one functional group such as NR^*_2 , OR^* , SeR^* , TeR^* , PR^*_2 , AsR^*_2 , SbR^*_2 , SR^* , BR^*_2 , SiR^*_3 , GeR^*_3 , SnR^*_3 , PbR^*_3 and the like or where at least one non-carbon atom or group has been inserted within the halocarbonyl radical such as $-\text{O}-$, $-\text{S}-$, $-\text{Se}-$, $-\text{Te}-$, $-\text{N}(\text{R}^*)-$, $=\text{N}-$, $-\text{P}(\text{R}^*)-$, $=\text{P}-$, $-\text{As}(\text{R}^*)-$, $=\text{As}-$, $-\text{Sb}(\text{R}^*)-$, $=\text{Sb}-$, $-\text{B}(\text{R}^*)-$, $=\text{B}-$, $-\text{Si}(\text{R}^*)_2-$, $-\text{Ge}(\text{R}^*)_2-$, $-\text{Sn}(\text{R}^*)_2-$, $-\text{Pb}(\text{R}^*)_2-$ and the like, where R^* is independently a hydrocarbonyl or halocarbonyl radical provided that at least one halogen atom remains on the original halocarbonyl radical. Additionally, two or more R^* may join together to form a substituted or unsubstituted saturated, partially unsaturated or aromatic cyclic or polycyclic ring structure.

[0016] Silylcarbonyl radicals (also called silylcarbonyls) are groups in which the silyl functionality is bonded directly to the indicated atom or atoms. Examples include SiH_3 , SiH_2R^* , SiHR^*_2 , SiR^*_3 , $\text{SiH}_2(\text{OR}^*)$, $\text{SiH}(\text{OR}^*)_2$, $\text{Si}(\text{OR}^*)_3$, $\text{SiH}_2(\text{NR}^*_2)$, $\text{SiH}(\text{NR}^*_2)_2$, $\text{Si}(\text{NR}^*_2)_3$, and the like where R^* is independently a hydrocarbonyl or halocarbonyl radical and two or more R^* may join together to form a substituted or unsubstituted saturated, partially unsaturated or aromatic cyclic or polycyclic ring structure.

[0017] Germylecarbonyl radicals (also called germylecarbonyls) are groups in which the germyle functionality is bonded directly to the indicated atom or atoms. Examples include GeH_3 , GeH_2R^* , GeHR^*_2 , GeR^*_3 , $\text{GeH}_2(\text{OR}^*)$, $\text{GeH}(\text{OR}^*)_2$,

$\text{Ge}(\text{OR}^*)_3$, $\text{GeH}_2(\text{NR}^*_2)$, $\text{GeH}(\text{NR}^*_2)_2$, $\text{Ge}(\text{NR}^*_2)_3$, and the like where R^* is independently a hydrocarbyl or halocarbyl radical and two or more R^* may join together to form a substituted or unsubstituted saturated, partially unsaturated or aromatic cyclic or polycyclic ring structure.


[0018] Polar radicals or polar groups are groups in which the heteroatom functionality is bonded directly to the indicated atom or atoms. They include heteroatoms of groups 1-17 of the periodic table either alone or connected to other elements by covalent or other interactions such as ionic, van der Waals forces, or hydrogen bonding. Examples of functional groups include carboxylic acid, acid halide, carboxylic ester, carboxylic salt, carboxylic anhydride, aldehyde and their chalcogen (Group 14) analogues, alcohol and phenol, ether, peroxide and hydroperoxide, carboxylic amide, hydrazide and imide, amidine and other nitrogen analogues of amides, nitrile, amine and imine, azo, nitro, other nitrogen compounds, sulfur acids, selenium acids, thiols, sulfides, sulfoxides, sulfones, phosphines, phosphates, other phosphorus compounds, silanes, boranes, borates, alanes, aluminates. Functional groups may also be taken broadly to include organic polymer supports or inorganic support material such as alumina, and silica. Preferred examples of polar groups include NR^*_2 , OR^* , SeR^* , TeR^* , PR^*_2 , AsR^*_2 , SbR^*_2 , SR^* , BR^*_2 , SnR^*_3 , PbR^*_3 and the like where R^* is independently a hydrocarbyl, substituted hydrocarbyl, halocarbyl or substituted halocarbyl radical as defined above and two R^* may join together to form a substituted or unsubstituted saturated, partially unsaturated or aromatic cyclic or polycyclic ring structure.

[0019] In using the terms "substituted or unsubstituted cyclopentadienyl ligand", "substituted or unsubstituted heterocyclopentadienyl ligand", "substituted or unsubstituted indenyl ligand", "substituted or unsubstituted heteroindenyl ligand", "substituted or unsubstituted fluorenyl ligand", "substituted or unsubstituted heterofluorenyl ligand", "substituted or unsubstituted pentadienyl ligand", "substituted or unsubstituted allyl ligand", and "substituted or unsubstituted boratabenzene ligand", the substitution to the aforementioned ligand may be hydrocarbyl, substituted hydrocarbyl, halocarbyl, substituted halocarbyl, silylcarbyl, or germlylcarbyl.

[0020] In some embodiments, the hydrocarbyl radical is independently selected from methyl, ethyl, ethenyl and isomers of propyl, butyl, pentyl, hexyl, heptyl, octyl, nonyl, decyl, undecyl, dodecyl, tridecyl, tetradecyl, pentadecyl, hexadecyl, heptadecyl, octadecyl, nonadecyl, eicosyl, heneicosyl, docosyl, tricosyl, tetracosyl, pentacosyl, hexacosyl, heptacosyl, octacosyl, nonacosyl, triacontyl, propenyl, butenyl, pentenyl, hexenyl, heptenyl, octenyl, nonenyl, decenyl, undecenyl, dodecenyl, tridecenyl, tetradecenyl, pentadecenyl, hexadecenyl, heptadecenyl, octadecenyl, nonadecenyl, eicosenyl, heneicosenyl, docosenyl, tricosenyl, tetracosenyl, pentacosenyl, hexacosenyl, heptacosenyl, octacosenyl, nonacosenyl, triacontenyl, propynyl, butynyl, pentynyl, hexynyl, heptynyl, octynyl, nonynyl, decynyl, undecynyl, dodecynyl, tridecynyl, tetradecynyl, pentadecynyl, hexadecynyl, heptadecynyl, octadecynyl, nonadecynyl, eicosynyl, heneicosynyl, docosynyl, tricosynyl, tetracosynyl, pentacosynyl, hexacosynyl, heptacosynyl, octacosynyl, nonacosynyl, triacontynyl, butadienyl, pentadienyl, hexadienyl, heptadienyl, octadienyl, nonadienyl, and decadienyl. Also included are isomers of saturated, partially unsaturated and aromatic cyclic and polycyclic structures wherein the radical may additionally be subjected to the types of substitutions described above. Examples include phenyl, methylphenyl, dimethylphenyl, ethylphenyl, diethylphenyl, propylphenyl, dipropylphenyl, benzyl, methylbenzyl, naphthyl, anthracenyl, cyclopentyl, cyclopentenyl, cyclohexyl, cyclohexenyl, methylcyclohexyl, cycloheptyl, cycloheptenyl, norbornyl, norbornenyl, adamantyl and the like. For this disclosure, when a radical is listed, it indicates that radical type and all other radicals formed when that radical type is subjected to the substitutions defined above. Alkyl, alkenyl and alkynyl radicals listed include all isomers including where appropriate cyclic isomers, for example, butyl includes *n*-butyl, 2-methylpropyl, 1-methylpropyl, *tert*-butyl, and cyclobutyl (and analogous substituted cyclopropyls); pentyl includes *n*-pentyl, cyclopentyl, 1-methylbutyl, 2-methylbutyl, 3-methylbutyl, 1-ethylpropyl, and neopentyl (and analogous substituted cyclobutyls and cyclopropyls); butenyl includes E and Z forms of 1-butenyl, 2-butenyl, 3-butenyl, 1-methyl-1-propenyl, 1-methyl-2-propenyl, 2-methyl-1-propenyl and 2-methyl-2-propenyl (and cyclobutenyls and

cyclopropenyls). Cyclic compound having substitutions include all isomer forms, for example, methylphenyl would include ortho-methylphenyl, meta-methylphenyl and para-methylphenyl; dimethylphenyl would include 2,3-dimethylphenyl, 2,4-dimethylphenyl, 2,5-dimethylphenyl, 2,6-diphenylmethyl, 3,4-dimethylphenyl, and 3,5-dimethylphenyl.

[0021] Examples of cyclopentadienyl, indenyl and fluorenyl rings are illustrated below as anionic ligands. The ring numbering scheme is also illustrated.





Cyclopentadienyl

Indenyl

Fluorenyl

[0022] A similar nomenclature scheme is used for heteroindenyl and heterofluorenyl rings as illustrated below where Z and Q independently represent the heteroatoms O, S, Se, or Te, or heteroatom groups, NR', PR', AsR', or SbR' where R' is hydrogen, or a hydrocarbyl, substituted hydrocarbyl, halocarbyl, substituted halocarbyl, silylcarbyl, or germlylcarbyl substituent. The numbering scheme begins at a heteroatom and proceeds in the direction that gives the lowest set of locants to the heteroatoms.












Examples include:

Cyclopenta[*b*]thienyl (Z=S)
 Cyclopenta[*b*]furanyl (Z=O)
 Cyclopenta[*b*]selenophenyl (Z=Se)
 Cyclopenta[*b*]tellurophenyl (Z=Te)
 6-Methyl-cyclopenta[*b*]pyrrolyl (Z=N-Me)
 6-Methyl-cyclopenta[*b*]phospholyl (Z=P-Me)
 6-Methyl-cyclopenta[*b*]arsolyl (Z=As-Me)
 6-Methyl-cyclopenta[*b*]stibolyl (Z=Sb-Me)


Examples include:

Cyclopenta[*c*]thienyl (Z=S)
 Cyclopenta[*c*]furanyl (Z=O)
 Cyclopenta[*c*]selenophenyl (Z=Se)
 Cyclopenta[*c*]tellurophenyl (Z=Te)
 5-Methyl-cyclopenta[*c*]pyrrolyl (Z=N-Me)
 5-Methyl-cyclopenta[*c*]phospholyl (Z=P-Me)
 5-Methyl-cyclopenta[*c*]arsolyl (Z=As-Me)
 5-Methyl-cyclopenta[*c*]stibolyl (Z=Sb-Me)



heterofluorenyl ligands

[0023] A similar nomenclature scheme is used for heterocyclopentadienyl rings as illustrated below where G and J independently represent the heteroatoms N, P, As, Sb or B. The numbering scheme begins at a heteroatom and proceeds in the direction that gives the lowest set of locants to the heteroatoms.



Examples include:

Azacyclopentadiene ($G = N$)


Phosphacyclopentadiene ($G = P$)

Stibacyclopentadiene ($G = Sb$)

Arsacyclopentadiene ($G = As$)

Boracyclopentadiene ($G = B$)

[0024] Below, the prefixes, "1,3" and "1,2", are used to illustrate the position of the heteroatoms relative to one another.



Examples include:

1,3-Diazacyclopentadiene ($G = J = N$)

1,3-Diphosphacyclopentadiene ($G = J = P$)

1,3-Distibacyclopentadiene ($G = J = Sb$)

1,3-Diarsacyclopentadiene ($G = J = As$)

1,3-Diboracyclopentadiene ($G = J = B$)

1,3-Azaphosphacyclopentadiene ($G = N; J = P$)

1,3-Azastibacyclopentadiene ($G = N; J = Sb$)

1,3-Azarsacyclopentadiene ($G = N; J = As$)

1,3-Azaboracyclopentadiene ($G = N; J = B$)

1,3-Arsaphosphacyclopentadiene ($G = As; J = P$)

1,3-Arsastibacyclopentadiene ($G = As; J = Sb$)

1,3-Arsaboracyclopentadiene ($G = As; J = B$)

1,3-Boraphosphacyclopentadiene ($G = B; J = P$)

1,3-Borastibacyclopentadiene ($G = B; J = Sb$)

1,3-Phosphastibacyclopentadiene ($G = P; J = Sb$)

Examples include:

1,2-Diazacyclopentadiene ($G = J = N$)

1,2-Diphosphacyclopentadiene ($G = J = P$)

1,2-Distibacyclopentadiene ($G = J = Sb$)

1,2-Diarsacyclopentadiene ($G = J = As$)

1,2-Diboracyclopentadiene ($G = J = B$)

1,2-Azaphosphacyclopentadiene ($G = N; J = P$)

1,2-Azastibacyclopentadiene ($G = N; J = Sb$)

1,2-Azarsacyclopentadiene ($G = N; J = As$)

1,2-Azaboracyclopentadiene ($G = N; J = B$)

1,2-Arsaphosphacyclopentadiene ($G = As; J = P$)

1,2-Arsastibacyclopentadiene ($G = As; J = Sb$)


1,2-Arsaboracyclopentadiene ($G = As; J = B$)

1,2-Boraphosphacyclopentadiene ($G = B; J = P$)

1,2-Borastibacyclopentadiene ($G = B; J = Sb$)

1,2-Phosphastibacyclopentadiene ($G = P; J = Sb$)

[0025] A "ring heteroatom" is a heteroatom that is within a cyclic ring structure. A "heteroatom substituent" is heteroatom containing group that is directly bonded to a ring structure through the heteroatom. The terms "ring heteroatom" and "heteroatom substituent" are illustrated below where Z and R' are as defined above.



[0026] A "ring carbon atom" is a carbon atom that is part of a cyclic ring structure. By this definition, an indenyl ligand has nine ring carbon atoms.

[0027] A "bondable ring position" is a ring position that is capable of bearing a substituent. For example, cyclopenta[*b*]thienyl has five bondable ring positions (at the carbon atoms) and one non-bondable ring position (the sulfur atom); cyclopenta[*b*]pyrrolyl has six bondable ring positions (at the carbon atoms and at the nitrogen atom).

[0028] In the context of this document, "homopolymerization" would produce a polymer made from one monomer. For example, homopolymerization of propylene would produce homopolypropylene. Homopolymerization of ethylene would produce homopolyethylene. Likewise, "copolymerization" would produce polymers with more than one monomer type. For example, ethylene copolymers include polymers of ethylene with α -olefins, cyclic olefins and diolefins, vinylaromatic olefins, α -olefinic diolefins, substituted α -olefins, and/or acetylenically unsaturated monomers. Non-limiting examples of α -olefins include propylene, 1-butene, 1-pentene, 1-hexene, 1-heptene, 1-octene, 1-nonene, 1-decene, 1-undecene 1-dodecene, 1-tridecene, 1-tetradecene, 1-pentadecene, 1-hexadecene, 1-heptadecene, 1-octadecene, 1-nonadecene, 1-eicosene, 1-heneicosene, 1-docosene, 1-tricosene, 1-tetracosene, 1-pentacosene, 1-hexacosene, 1-heptacosene, 1-octacosene, 1-nonacosene, 1-triacontene, 4-methyl-1-pentene, 3-methyl-1-pentene, 5-methyl-1-nonene, 3,5,5-trimethyl-1-hexene, vinylcyclohexane, and vinylnorbornane. Non-limiting examples of cyclic olefins and diolefins include cyclobutene, cyclopentene, cyclohexene, cycloheptene, cyclooctene, cyclononene, cyclodecene, norbornene, 4-methylnorbornene, 2-

methylcyclopentene, 4-methylcyclopentene, vinylcyclohexane, norbornadiene, dicyclopentadiene, 5-ethylidene-2-norbornene, vinylcyclohexene, 5-vinyl-2-norbornene, 1,3-divinylcyclopentane, 1,2-divinylcyclohexane, 1,3-divinylcyclohexane, 1,4-divinylcyclohexane, 1,5-divinylcyclooctane, 1-allyl-4-vinylcyclohexane, 1,4-diallylcyclohexane, 1-allyl-5-vinylcyclooctane, and 1,5-diallylcyclooctane. Non-limiting examples of vinylaromatic olefins include styrene, *para*-methylstyrene, *para*-*t*-butylstyrene, vinylnaphthylene, vinyltoluene, and divinylbenzene. Non-limiting examples of α -olefinic dienes include 1,4-hexadiene, 1,5-hexadiene, 1,5-heptadiene, 1,6-heptadiene, 6-methyl-1,6-heptadiene, 1,7-octadiene, 7-methyl-1,7-octadiene, 1,9-decadiene, 1,11-dodecene, 1,13-tetradecene and 9-methyl-1,9-decadiene. Substituted α -olefins (also called functional group containing α -olefins) include those containing at least one non-carbon Group 13 to 17 atom bound to a carbon atom of the substituted α -olefin where such substitution if silicon may be adjacent to the double bond or terminal to the double bond, or anywhere in between, and where inclusion of non-carbon and non-silicon atoms such as for example B, O, S, Se, Te, N, P, Ge, Sn, Pb, As, F, Cl, Br, or I, are contemplated, where such non-carbon or non-silicon moieties are sufficiently far removed from the double bond so as not to interfere with the coordination polymerization reaction with the catalyst and so to retain the generally hydrocarbyl characteristic. By sufficiently far removed from the double bond we intend that the number of carbon atoms, or the number of carbon and silicon atoms, separating the double bond and the non-carbon or non-silicon moiety may be 6 or greater, e.g. 7, or 8, or 9, or 10, or 11, or 12, or 13, or 14 or more. The number of such carbon atoms, or carbon and silicon atoms, is counted from immediately adjacent to the double bond to immediately adjacent to the non-carbon or non-silicon moiety. Examples include allyltrimethylsilane, divinylsilane, 8,8,8-trifluoro-1-octene, 8-methoxyoct-1-ene, 8-methylsulfanyloct-1-ene, 8-dimethylaminooct-1-ene, or combinations thereof. The use of functional group-containing α -olefins where the functional group is closer to the double bond is also within the scope of embodiments of the invention when such olefins

may be incorporated in the same manner as are their α -olefin analogs. See, "Metallocene Catalysts and Borane Reagents in The Block/Graft Reactions of Polyolefins", T.C. Chung, *et al*, *Polym. Mater. Sci. Eng.*, v. 73, p. 463 (1995), and the masked α -olefin monomers of US 5,153,282. Such monomers permit the preparation of both functional-group containing copolymers capable of subsequent derivatization, and of functional macromers which may be used as graft and block type polymeric segments. Copolymerization can also incorporate α -olefinic macromonomers of up to 2000 mer units.

[0029] For purposes of this disclosure, the term oligomer refers to compositions having 2-75 mer units and the term polymer refers to compositions having 76 or more mer units. A mer is defined as a unit of an oligomer or polymer that originally corresponded to the olefin(s) used in the oligomerization or polymerization reaction. For example, the mer of polyethylene would be ethylene.

[0030] The term "catalyst system" is defined to mean a catalyst precursor/activator pair. When "catalyst system" is used to describe such a pair before activation, it means the unactivated catalyst (precatalyst) together with an activator and, optionally, a co-activator. When it is used to describe such a pair after activation, it means the activated catalyst and the activator or other charge-balancing moiety.

[0031] The transition metal compound may be neutral as in a precatalyst, or a charged species with a counter ion as in an activated catalyst system.

[0032] Catalyst precursor is also often referred to as precatalyst, catalyst, catalyst precursor and transition metal compound or complex. These words are used interchangeably. Activator and cocatalyst are also used interchangeably. A scavenger is a compound that is typically added to facilitate oligomerization or polymerization by scavenging impurities. Some scavengers may also act as activators and may be referred to as co-activators. A co-activator, that is not a scavenger, may also be used in conjunction with an activator in order to form an active catalyst. In some embodiments a co-activator can be pre-mixed with the transition metal compound to form an alkylated transition metal compound, also referred to as an alkylated invention compound.


[0033] Noncoordinating anion (NCA) is defined to mean an anion either that does not coordinate to the catalyst metal cation or that does coordinate to the metal cation, but only weakly. An NCA coordinates weakly enough that a neutral Lewis base, such as an olefinically or acetylenically unsaturated monomer can displace it from the catalyst center. Any metal or metalloid that can form a compatible, weakly coordinating complex may be used or contained in the noncoordinating anion. Suitable metals include, but are not limited to, aluminum, gold, and platinum. Suitable metalloids include, but are not limited to, boron, aluminum, phosphorus, and silicon.

[0034] A stoichiometric activator can be either neutral or ionic. The terms ionic activator, and stoichiometric ionic activator can be used interchangeably. Likewise, the terms neutral stoichiometric activator, and Lewis acid activator can be used interchangeably.

Detailed Description of the Invention

[0035] The metallocene compounds according to the invention can be used as a catalyst component for the production of homopolymers, such as homopolyethylene or homopolypropylene, and for copolymers, such as copolymers of ethylene with other olefins including alpha-olefins or copolymers of propylene with other olefins including alpha-olefins.

[0036] In a preferred embodiment this invention relates to transition metal compounds represented by formula (2):



where:

M is a group 3, 4, 5 or 6 transition metal atom, or a lanthanide metal atom, or actinide metal atom, preferably a Group 4 transition metal atom selected from titanium, zirconium or hafnium;

R¹ is PR₂, where P is phosphorous and each R group is, independently, a hydrocarbyl, substituted hydrocarbyl, halocarbyl, or substituted halocarbyl substituent, and optionally, both R groups may join together to form a substituted or unsubstituted, saturated or partially unsaturated cyclic or polycyclic substituent, but not an aromatic cyclic or polycyclic substituent;


each R², R³, R⁴, R⁵, R⁶, and R⁷ is, independently, hydrogen, or a hydrocarbyl, substituted hydrocarbyl, halocarbyl, substituted halocarbyl, silylcarbyl, substituted silylcarbyl, germylcarbyl, or substituted germylcarbyl substituent, and optionally, adjacent R², R³, R⁴, R⁵, R⁶, or R⁷ groups may join together to form a substituted or unsubstituted, saturated, partially unsaturated, or aromatic cyclic or polycyclic substituent;

A is a substituted or unsubstituted cyclopentadienyl ligand, a substituted or unsubstituted heterocyclopentadienyl ligand, a substituted or unsubstituted indenyl ligand, a substituted or unsubstituted heteroindenyl ligand, a substituted or unsubstituted fluorenyl ligand, or a substituted or unsubstituted heterofluorenyl ligand; or A is a mono-anionic ligand such as a substituted or unsubstituted pentadienyl ligand, a substituted or unsubstituted allyl ligand, or a substituted or unsubstituted boratabenzene ligand; and

X are, independently, hydride radicals, hydrocarbyl radicals, substituted hydrocarbyl radicals, halocarbyl radicals, substituted halocarbyl radicals, silylcarbyl radicals, substituted silylcarbyl radicals, germylcarbyl radicals, or substituted germylcarbyl radicals; or both X are joined and bound to the metal atom to form a metallacycle ring containing from about 3 to about 20 carbon atoms; or both together can be an olefin, diolefin or aryne ligand; or when Lewis-acid activators, such as methylalumoxane, which are capable of donating an X ligand as described above to the transition metal component are used, both X may, independently, be a halogen, alkoxide, aryloxide, amide, phosphide or other univalent anionic ligand or both X can also be joined to form a anionic chelating ligand.

[0037] Some embodiments of the invention allow A, independently, to be defined as E or as X.

[0038] This invention relates to compounds represented by formula (3):



where

M is a group 3, 4, 5 or 6 transition metal atom, or a lanthanide metal atom, or actinide metal atom, preferably a Group 4 transition metal atom selected from titanium, zirconium or hafnium;

each R^1 and R^8 is, independently, PR_2 , where P is phosphorous, and each R group is, independently, a hydrocarbyl, substituted hydrocarbyl, halocarbyl, or substituted halocarbyl substituent, and optionally, both R groups may join together to form a substituted or unsubstituted, saturated or partially unsaturated cyclic or polycyclic substituent, but not an aromatic cyclic or polycyclic substituent;

each $R^2, R^3, R^4, R^5, R^6, R^7, R^9, R^{10}, R^{11}, R^{12}, R^{13}$, and R^{14} is, independently, a hydrogen, or a hydrocarbyl, substituted hydrocarbyl, halocarbyl, substituted halocarbyl, silylcarbyl, substituted silylcarbyl, germylcarbyl, or substituted germylcarbyl substituent, and optionally adjacent $R^2, R^3, R^4, R^5, R^6, R^7, R^9, R^{10}$,

R^{11} , R^{12} , R^{13} , and R^{14} may join together to form a substituted or unsubstituted, saturated, partially unsaturated, or aromatic cyclic or polycyclic substituent;

X are, independently, hydride radicals, hydrocarbyl radicals, substituted hydrocarbyl radicals, halocarbyl radicals, substituted halocarbyl radicals, silylcarbyl radicals, substituted silylcarbyl radicals, germylcarbyl radicals, or substituted germylcarbyl radicals; or both X are joined and bound to the metal atom to form a metallacycle ring containing from about 3 to about 20 carbon atoms; or both together can be an olefin, diolefin or aryne ligand; or when Lewis-acid activators, such as methylalumoxane, which are capable of donating an X ligand as described above to the transition metal component are used, both X may, independently, be a halogen, alkoxide, aryloxy, amide, phosphide or other univalent anionic ligand or both X can also be joined to form an anionic chelating ligand.

[0039] Examples of specific preferred embodiments are tabulated below in Table 1, where some representative components are listed. Not listed, is M which is defined above; M is, preferably, titanium, zirconium, or hafnium. When alkyl, alkenyl and alkynyl radicals are disclosed in this application the term includes all isomers and all substitution types, as previously described, unless otherwise stated. Listings for the ligand "A" include all bondable ring positions and all possible isomers. For example, a listing under "A" of methylindenyl would include 1-methylindenyl, 2-methylindenyl, 3-methylindenyl, 4-methylindenyl, 5-methylindenyl, 6-methylindenyl, and 7-methylindenyl. When more than one substituent is listed, for example, propylphenylindenyl, propyl and phenyl are each substituents on the indenyl ring, as compared to (propylphenyl)indenyl where propyl is a substituent on the phenyl ring which in turn is a substituent on the indenyl ring. The column labeled " R^2 , R^3 , R^4 , R^5 , R^6 , R^7 , R^9 , R^{10} , R^{11} , R^{12} , R^{13} , or R^{14} " shows some examples of substituents that can serve as R^2 , R^3 , R^4 , R^5 , R^6 , R^7 , R^9 , R^{10} , R^{11} , R^{12} , R^{13} , R^{14} . The selection of one substituent is independent of the selection of any other substituent. In other words, the invention allows $R^2 = R^3 = R^4 = R^5 = R^6 = R^7 = R^9 = R^{10} = R^{11} = R^{12} = R^{13} = R^{14}$, but does not demand it. Likewise, the column labeled " R^1 or R^8 " shows some examples of substituents that

can serve as R^1 or R^8 . The selection of one substituent is independent of the selection any other substituent. In other words, the invention allows $R^1 = R^8$, but does not demand it. Likewise, each X may be chosen independently of one another. To illustrate members of the transition metal component, select a transition metal, and select any combination of the species listed in Table 1 for either formulae 2 or 3. For example, using formula 2, zirconium as the transition metal, and the substituents/ligands in the first row of Table 1, the compound (2-dimethylphosphanylindenyl)(cyclopenta[*b*]thienyl)zirconium dihydride is illustrated. Any combination of components may be selected using the above formulae 2 or 3, and any Group 3, 4, 5 or 6 transition metal atom (preferably Ti, Zr or Hf).

Additional examples illustrated would include:

(2-diphenylphosphanylindenyl)(indenyl)zirconium dichloride,
(2-diethylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dimethyl,
bis(2-dicyclohexylphosphanylindenyl)zirconium dichloride,
bis(2-methylphenylphosphanylindenyl)titanium butadiene,
bis(2-dimethylphosphanyl-4-phenylindenyl)zirconium dibenzyl,
(2-methylhexylphosphanylindenyl)(cyclopenta[*c*]thienyl)hafnium methyl chloride,
(2-phospholanylindenyl)(2-dipropylphosphanyl-4,7-dimethylindenyl)hafnium dichloride, *bis*(2-phosphinanylindenyl)zirconium *bis*(dimethylamido), and the like.

Table 1.

A	R ¹ or R ⁸	R ² , R ³ , R ⁴ , R ⁵ , R ⁶ , R ⁷ , R ⁹ , R ¹⁰ , R ¹¹ , R ¹² , R ¹³ , or R ¹⁴	X
cyclopenta[b]thienyl	dimethylphosphanyl	hydrogen	hydride
cyclopenta[b]furyl	diethylphosphanyl	methyl	fluoride
cyclopenta[b]selenophenyl	dipropylphosphanyl	ethyl	chloride
cyclopenta[b]tellurophenyl	dibutylphosphanyl	propyl	bromide
cyclopenta[b]pyrrolyl	dipentylphosphanyl	butyl	iodide
cyclopenta[b]phospholyl	diethylphosphanyl	pentyl	methyl
cyclopenta[b]arsolyl	diheptylphosphanyl	hexyl	ethyl
cyclopenta[b]stibolyl	dioctylphosphanyl	heptyl	propyl
methylcyclopenta[b]thienyl	dinonylphosphanyl	octyl	butyl
methylcyclopenta[b]furyl	didecylphosphanyl	nonyl	pentyl
methylcyclopenta[b]selenophenyl	diundecylphosphanyl	decyl	hexyl
methylcyclopenta[b]tellurophenyl	didodecylphosphanyl	undecyl	heptyl
methylcyclopenta[b]pyrrolyl	ditridecylphosphanyl	dodecyl	octyl
methylcyclopenta[b]phospholyl	ditetradecylphosphanyl	tridecyl	nonyl
methylcyclopenta[b]arsolyl	dipentadecylphosphanyl	tetradecyl	decyl
methylcyclopenta[b]stibolyl	dihexadecylphosphanyl	pentadecyl	undecyl
dimethylcyclopenta[b]thienyl	dihexadecylphosphanyl	hexadecyl	dodecyl
dimethylcyclopenta[b]furyl	diheptadecylphosphanyl	heptadecyl	tridecyl
dimethylcyclopenta[b]pyrrolyl	dioctadecylphosphanyl	octadecyl	tetradecyl
dimethylcyclopenta[b]phospholyl	dinonadecylphosphanyl	nonadecyl	pentadecyl
trimethylcyclopenta[b]thienyl	dicicosylphosphanyl	eicosyl	hexadecyl
trimethylcyclopenta[b]furyl	diheneicosylphosphanyl	heneicosyl	heptadecyl
trimethylcyclopenta[b]pyrrolyl	didocosylphosphanyl	docosyl	octadecyl
trimethylcyclopenta[b]phospholyl	ditricosylphosphanyl	tricosyl	nonadecyl
tetramethylcyclopenta[b]thienyl	ditetracosylphosphanyl	tetracosyl	eicosyl
tetramethylcyclopenta[b]furyl	dipentacosylphosphanyl	pentacosyl	heneicosyl
tetramethylcyclopenta[b]pyrrolyl	dihexacosylphosphanyl	hexacosyl	docosyl
tetramethylcyclopenta[b]phospholyl	dihexacosylphosphanyl	heptacosyl	tricosyl
pentamethylcyclopenta[b]pyrrolyl	dinonacosylphosphanyl	nonacosyl	tetracosyl
pentamethylcyclopenta[b]phospholyl	ditriacontylphosphanyl	triacontyl	pentacosyl
ethylcyclopenta[b]thienyl	divinylphosphanyl	vinyl	hexacosyl
ethylcyclopenta[b]furyl	dipropenylphosphanyl	propenyl	heptacosyl
ethylcyclopenta[b]pyrrolyl	dibutenylphosphanyl		octacosyl

ethylcyclopenta[b]phospholyl	dipentenylphosphanyl	butenyl	nonacosyl
diethylcyclopenta[b]thienyl	dihexenylphosphanyl	pentenyl	triacontyl
diethylcyclopenta[b]furanyl	dihexenylphosphanyl	hexenyl	vinyl
diethylcyclopenta[b]pyrrolyl	dihexenylphosphanyl	heptenyl	propenyl
diethylcyclopenta[b]phospholyl	dioctenylphosphanyl	octenyl	butenyl
triethylcyclopenta[b]thienyl	dioctenylphosphanyl	nonenyl	pentenyl
triethylcyclopenta[b]furanyl	diundecenylphosphanyl	decenyl	hexenyl
triethylcyclopenta[b]pyrrolyl	didodecenylphosphanyl	undecenyl	heptenyl
triethylcyclopenta[b]phospholyl	ditridecenylphosphanyl	dodecenyl	octenyl
propylcyclopenta[b]thienyl	ditetradecenylphosphanyl	tridecenyl	nonenyl
propylcyclopenta[b]furanyl	dipentadecenylphosphanyl	tetradecenyl	decenyl
propylcyclopenta[b]pyrrolyl	dihexadecenylphosphanyl	pentadecenyl	undecenyl
propylcyclopenta[b]phospholyl	dihexadecenylphosphanyl	hexadecenyl	dodecenyl
dipropylcyclopenta[b]thienyl	dioctadecenylphosphanyl	heptadecenyl	tridecenyl
dipropylcyclopenta[b]furanyl	dinonadecenylphosphanyl	octadecenyl	tetradecenyl
dipropylcyclopenta[b]pyrrolyl	dieicosenylphosphanyl	nonadecenyl	pentadecenyl
dipropylcyclopenta[b]phospholyl	diheneicosenylphosphanyl	eicosenyl	hexadecenyl
tripropylcyclopenta[b]thienyl	didocosenylphosphanyl	heneicosenyl	heptadecenyl
tripropylcyclopenta[b]furanyl	ditricosenylphosphanyl	docosenyl	octadecenyl
tripropylcyclopenta[b]pyrrolyl	ditetracosenylphosphanyl	tricosenyl	nonadecenyl
tripropylcyclopenta[b]phospholyl	dipentacosenylphosphanyl	tetracosenyl	eicosenyl
butylcyclopenta[b]thienyl	dihexacosenylphosphanyl	pentacosenyl	heneicosenyl
butylcyclopenta[b]furanyl	dihexacosenylphosphanyl	hexacosenyl	docosenyl
butylcyclopenta[b]pyrrolyl	dioctacosenylphosphanyl	heptacosenyl	tricosenyl
butylcyclopenta[b]phospholyl	dinonacosenylphosphanyl	octacosenyl	tetracosenyl
dibutylcyclopenta[b]thienyl	ditriacontenylphosphanyl	nonacosenyl	pentacosenyl
dibutylcyclopenta[b]furanyl	dipropynylphosphanyl	triacontenyl	hexacosenyl
dibutylcyclopenta[b]pyrrolyl	dibutynylphosphanyl	propynyl	heptacosenyl
dibutylcyclopenta[b]phospholyl	dipentynylphosphanyl	butynyl	octacosenyl
tributylcyclopenta[b]thienyl	dihexynylphosphanyl	pentynyl	nonacosenyl
tributylcyclopenta[b]furanyl	dihexynylphosphanyl	hexynyl	triacontenyl
tributylcyclopenta[b]pyrrolyl	dioctynylphosphanyl	heptynyl	propynyl
tributylcyclopenta[b]phospholyl	dinonynylphosphanyl	octynyl	butynyl
ethylmethylcyclopenta[b]thienyl	didecynylphosphanyl	nonynyl	pentynyl
ethylmethylcyclopenta[b]furanyl	diundecynylphosphanyl	decynyl	hexynyl
ethylmethylcyclopenta[b]pyrrolyl	didodecynylphosphanyl	undecynyl	heptynyl
ethylmethylcyclopenta[b]phospholyl	ditridecynylphosphanyl	dodecynyl	octynyl
methylpropylcyclopenta[b]thienyl	ditetradecynylphosphanyl	tridecynyl	nonynyl

methylpropylcyclopentylbifuranyl	dipentadecynylphosphanyl	tetradecynyl	decynyl
methylpropylcyclopentylbipyrryl	dihexadecynylphosphanyl	pentadecynyl	undecynyl
methylpropylcyclopentylbiphospholyl	dihexadecynylphosphanyl	hexadecynyl	dodecynyl
butylmethylcyclopentylbithienyl	dioctadecynylphosphanyl	heptadecynyl	tridecynyl
butylmethylcyclopentylbifuranyl	dinonadecynylphosphanyl	octadecynyl	tetradecynyl
butylmethylcyclopentylbipyrryl	dietacosynylphosphanyl	nonadecynyl	pentadecynyl
butylmethylcyclopentylbiphospholyl	diheneicosynylphosphanyl	eicosynyl	hexadecynyl
cyclopentylcithienyl	didocosynylphosphanyl	heneicosynyl	heptadecynyl
cyclopentylcfuranyl	ditricosynylphosphanyl	docosynyl	octadecynyl
cyclopentylcselenophenyl	dipentacosynylphosphanyl	tricosynyl	nonadecynyl
cyclopentylctellurophenyl	dihexacosynylphosphanyl	tetradecynyl	eicosynyl
cyclopentylcipyrryl	dihexacosynylphosphanyl	pentacosynyl	heneicosynyl
cyclopentylciphospholyl	dihexacosynylphosphanyl	hexacosynyl	docosynyl
cyclopentylcibiphenyl	dioctacosynylphosphanyl	heptacosynyl	tricosynyl
cyclopentylcibiphenyl	dinonacosynylphosphanyl	octacosynyl	tetradecynyl
methylcyclopentylcithienyl	ditriacontynylphosphanyl	nonacosynyl	pentacosynyl
methylcyclopentylcfuranyl	dicyclopropylphosphanyl	triacontynyl	hexacosynyl
methylcyclopentylcselenophenyl	dicyclobutylphosphanyl	cyclopropyl	heptacosynyl
methylcyclopentylctellurophenyl	dicyclopentylphosphanyl	cyclobutyl	octacosynyl
methylcyclopentylcipyrryl	dicyclohexylphosphanyl	cyclopentyl	nonacosynyl
methylcyclopentylciphospholyl	dicycloheptylphosphanyl	cyclohexyl	triacontynyl
methylcyclopentylcibiphenyl	dicyclooctylphosphanyl	cycloheptyl	cyclopropyl
dimethylcyclopentylcibiphenyl	dicyclodecylphosphanyl	cyclooctyl	cyclobutyl
dimethylcyclopentylcfuranyl	dicycloundecylphosphanyl	cyclononyl	cyclopentyl
dimethylcyclopentylcibiphenyl	dicyclododecylphosphanyl	cyclodecyl	cyclohexyl
dimethylcyclopentylciphospholyl	dicyclotetradecylphosphanyl	cycloundecyl	cycloheptyl
trimethylcyclopentylcithienyl	dicyclopentenylphosphanyl	cyclododecyl	cyclooctyl
trimethylcyclopentylcfuranyl	dicyclohexenylphosphanyl	cyclotetradecyl	cyclononyl
trimethylcyclopentylcibiphenyl	dicycloheptenylphosphanyl	cyclopentenyl	cyclodecyl
trimethylcyclopentylciphospholyl	dicyclooctenylphosphanyl	cyclohexenyl	cycloundecyl
tetramethylcyclopentylcibiphenyl	dicyclododecylphosphanyl	cycloheptenyl	cyclododecyl
tetramethylcyclopentylcfuranyl	diphenylphosphanyl	cyclooctenyl	cyclotetradecyl
tetramethylcyclopentylcibiphenyl	ditolylphosphanyl	cyclodecyl	cyclopentenyl
pentamethylcyclopentylcibiphenyl	dimethylphosphanyl	cyclododecyl	cyclohexenyl
pentamethylcyclopentylciphospholyl	dibenzylphosphanyl	methylcyclohexyl	cycloheptenyl
ethylcyclopentylcithienyl	diphenethylphosphanyl	ethylcyclohexyl	cyclooctenyl
		propylcyclohexyl	cyclodecyl
		dimethylcyclohexyl	cyclododecyl

ethylcyclopentyl	dinaphthyl	diethylphosphanyl	diethylcyclohexyl	methylcyclohexyl
ethylcyclopentyl	di(trifluoromethyl)	phosphanyl	dipropylcyclohexyl	ethylcyclohexyl
ethylcyclopentyl	di(fluoromethyl)	phosphanyl	phenyl	propylcyclohexyl
diethylcyclopentyl	di(fluoroethyl)	phosphanyl	tolyl	dimethylcyclohexyl
diethylcyclopentyl	di(fluoropropyl)	phosphanyl	mesityl	diethylcyclohexyl
diethylcyclopentyl	di(fluorobutyl)	phosphanyl	ethylphenyl	dipropylcyclohexyl
diethylcyclopentyl	di(fluoropentyl)	phosphanyl	propylphenyl	phenyl
triethylcyclopentyl	di(fluorohexyl)	phosphanyl	butylphenyl	tolyl
triethylcyclopentyl	methyl	ethylphosphanyl	hexylphenyl	mesityl
triethylcyclopentyl	methyl	propylphosphanyl	hexylphenyl	ethylphenyl
triethylcyclopentyl	methyl	butylphosphanyl	dimethylphenyl	propylphenyl
propylcyclopentyl	methyl	pentylphosphanyl	trimethylphenyl	butylphenyl
propylcyclopentyl	methyl	hexylphosphanyl	diethylphenyl	pentylphenyl
propylcyclopentyl	methyl	heptylphosphanyl	diethylmethylphenyl	hexylphenyl
propylcyclopentyl	methyl	octylphosphanyl	dipropylphenyl	dimethylphenyl
dipropylcyclopentyl	methyl	nonylphosphanyl	dipropylmethylphenyl	trimethylphenyl
dipropylcyclopentyl	methyl	decylphosphanyl	benzyl	diethylphenyl
dipropylcyclopentyl	methyl	undecylphosphanyl	phenethyl	diethylmethylphenyl
dipropylcyclopentyl	methyl	dodecylphosphanyl	naphthyl	dipropylphenyl
tripropylcyclopentyl	methyl	vinylphosphanyl	norbornyl	dipropylmethylphenyl
tripropylcyclopentyl	methyl	propenylphosphanyl	adamantyl	benzyl
tripropylcyclopentyl	methyl	butenylphosphanyl	trifluoromethyl	phenethyl
tripropylcyclopentyl	methyl	pentenylphosphanyl	methyltrifluoromethyl	naphthyl
butylcyclopentyl	methyl	hexenylphosphanyl	trimethylsilyl	trifluoromethyl
butylcyclopentyl	methyl	cyclopropylphosphanyl	trimethylgermyl	methoxy
butylcyclopentyl	methyl	cyclobutylphosphanyl	trimethylsilylmethyl	ethoxy
butylcyclopentyl	methyl	cyclopentylphosphanyl	trimethylgermylmethyl	propoxy
dibutylcyclopentyl	methyl	cyclohexylphosphanyl	perfluoroethyl	butoxy
dibutylcyclopentyl	methyl	cycloheptylphosphanyl	perfluoropropyl	dimethylamido
dibutylcyclopentyl	methyl	cyclooctylphosphanyl	perfluorobutyl	diethylamido
dibutylcyclopentyl	methyl	cyclononylphosphanyl	perfluoropentyl	methyl
tributylcyclopentyl	methyl	cyclodecylphosphanyl	perfluoroethyl	phenoxy
tributylcyclopentyl	methyl	cycloundecylphosphanyl	perfluoroheptyl	benzoxy
tributylcyclopentyl	methyl	cyclododecylphosphanyl	perfluorooctyl	allyl
ethylmethylcyclopentyl	methyl	phenylphosphanyl	perfluorononyl	1,1-dimethyl allyl
ethylmethylcyclopentyl	methyl	tolylphosphanyl	perfluorodecyl	acetylacetate
ethylmethylcyclopentyl	methyl	mesitylphosphanyl	perfluoroundecyl	1,1,1,5,5-hexa-fluoroacetylacetate

ethylmethylcyclopentylcyclopentyl	methylbenzylphosphanyl	perfluorododecyl	1,1,1-trifluoro-acetylacetonate
ethylmethylcyclopentylcyclopentyl	methylphenethylphosphanyl	perfluorotridecyl	2-carboxymethyl allyl
methylpropylcyclopentylcyclopentyl	methylphenethylphosphanyl	perfluorotetradecyl	1,1,1-trifluoro-5,5-di-methylacetylacetonate
methylpropylcyclopentylcyclopentyl	methyltrifluoromethylphosphanyl	perfluoropentadecyl	methoxymethyl
methylpropylcyclopentylcyclopentyl	ethylpropylphosphanyl	perfluorohexadecyl	ethoxymethyl
methylpropylcyclopentylcyclopentyl	ethylbutylphosphanyl	perfluoroheptadecyl	propoxymethyl
butylmethylcyclopentylcyclopentyl	ethylpentylphosphanyl	perfluorooctadecyl	butoxymethyl
butylmethylcyclopentylcyclopentyl	ethylhexylphosphanyl	perfluorononadecyl	phenoxymethyl
butylmethylcyclopentylcyclopentyl	ethylheptylphosphanyl	perfluoroeicosyl	methylsulfanyl
butylmethylcyclopentylcyclopentyl	ethylloctylphosphanyl	fluoromethyl	ethylsulfanyl
indanyl	ethylnonylphosphanyl	fluoroethyl	propylsulfanyl
methylindanyl	ethyldecylphosphanyl	fluoropropyl	butylsulfanyl
dimethylindanyl	ethylundecylphosphanyl	fluorobutyl	phenylsulfanyl
trimethylindanyl	ethyldodecylphosphanyl	fluoropentyl	dimethylaminomethyl
tetramethylindanyl	ethylvinylphosphanyl	fluorohexyl	dimethylaminoethyl
pentamethylindanyl	ethylpropenylphosphanyl	fluoroheptyl	diphenylaminomethyl
hexamethylindanyl	ethylbutenylphosphanyl	fluorooctyl	diphenylaminoethyl
heptamethylindanyl	ethylpentenylphosphanyl	fluorononyl	phenylaminomethyl
ethylindanyl	ethylhexenylphosphanyl	fluorodecyl	phenylaminoethyl
diethylindanyl	ethylcyclopropylphosphanyl	fluoroundecyl	methylaminomethyl
triethylindanyl	ethylcyclobutylphosphanyl	fluorododecyl	dimethylphosphinomethyl
propylindanyl	ethylcyclopentylphosphanyl	fluorotridecyl	dimethylphosphinoethyl
dipropylindanyl	ethylcyclohexylphosphanyl	fluorotetradecyl	diphenylphosphinomethyl
tripropylindanyl	ethylcycloheptylphosphanyl	fluoropentadecyl	phenylphosphinoethyl
butylindanyl	ethylcyclooctylphosphanyl	fluorohexadecyl	methylphosphinomethyl
dibutylindanyl	ethylcyclononylphosphanyl	fluoroheptadecyl	trimethylsilylmethyl
tributylindanyl	ethylcyclodecylphosphanyl	fluorooctadecyl	trimethylgermylmethyl
pentylindanyl	ethylcycloundecylphosphanyl	fluorononadecyl	trimethylstannylmethyl
dipentylindanyl	ethylcyclododecylphosphanyl	fluoroicosyl	fluoromethyl
tripentylindanyl	ethylphenylphosphanyl	fluorophenyl	fluoroethyl
hexylindanyl	ethyltolylphosphanyl	difluorophenyl	fluoropropyl
dihexylindanyl	ethylmesitylphosphanyl	trifluorophenyl	fluorobutyl
trihexylindanyl	ethylbenzylphosphanyl	tetrafluorophenyl	fluoropentyl
heptylindanyl	ethylphenethylphosphanyl	pentafluorophenyl	fluorohexyl
octylindanyl	ethylnaphthylphosphanyl	trifluoromethylphenyl	fluoroheptyl
nonylindanyl	ethyltrifluoromethylphosphanyl	fluorobenzyl	fluorooctyl
decylindanyl	propylbutylphosphanyl	difluorobenzyl	fluorononyl

phenylindenyl	propylpentylphosphanyl	trifluorobenzyl	fluorodecyl
methylphenylindenyl	propylhexylphosphanyl	tetrafluorobenzyl	fluoroundecyl
ethylphenylindenyl	propylheptylphosphanyl	pentafluorobenzyl	fluorododecyl
propylphenylindenyl	propylloctylphosphanyl	trifluoromethylbenzyl	fluorotridecyl
butylphenylindenyl	propylnonylphosphanyl		fluorotetradecyl
pentylphenylindenyl	propyldecylphosphanyl		fluoropentadecyl
hexylphenylindenyl	propylundecylphosphanyl		fluorohexadecyl
heptylphenylindenyl	propyldodecylphosphanyl		fluoroheptadecyl
octylphenylindenyl	propylvinylphosphanyl		fluorooctadecyl
nonylphenylindenyl	propylpropenylphosphanyl		fluorononadecyl
decylphenylindenyl	propylbutenylphosphanyl		fluoroicosyl
dimethylphenylindenyl	propylpentenylphosphanyl		fluorobenzyl
trimethylphenylindenyl	propylhexenylphosphanyl		difluorobenzyl
dipropylphenylindenyl	propylcyclopropylphosphanyl		trifluorobenzyl
methylpropylphenylindenyl	propylcyclobutylphosphanyl		tetrafluorobenzyl
tolylindenyl	propylcyclopentylphosphanyl		pentafluorobenzyl
methyltolylindenyl	propylcyclohexylphosphanyl		trifluoromethylbenzyl
ethyltolylindenyl	propylcycloheptylphosphanyl		
propyltolylindenyl	propylcyclooctylphosphanyl		
butyltolylindenyl	propylcyclohexylphosphanyl		Both X
pentyltolylindenyl	propylcyclooctylphosphanyl		methylidene
hexyltolylindenyl	propylcyclodecylphosphanyl		ethylidene
heptyltolylindenyl	propylcycloundecylphosphanyl		propylidene
octyltolylindenyl	propylcyclohexylphosphanyl		tetramethylene
nonyltolylindenyl	propyltolylphosphanyl		pentamethylene
decyltolylindenyl	propylmesitylphosphanyl		hexamethylene
dimethyltolylindenyl	propylbenzylphosphanyl		butadiene
trimethyltolylindenyl	propylphenethylphosphanyl		methylbutadiene
dipropyltolylindenyl	propylphenethylphosphanyl		dimethylbutadiene
methylpropyltolylindenyl	propyltrifluoromethylphosphanyl		pentadiene
naphthylindenyl	butylpentylphosphanyl		methylpentadiene
methylnaphthylindenyl	butylhexylphosphanyl		dimethylpentadiene
ethylnaphthylindenyl	butylheptylphosphanyl		hexadiene
propylnaphthylindenyl	butylloctylphosphanyl		methylhexadiene
butylnaphthylindenyl	butylnonylphosphanyl		dimethylhexadiene
pentylnaphthylindenyl	butyldecylphosphanyl		propandiy
hexylnaphthylindenyl	butylundecylphosphanyl		butandiy
heptylnaphthylindenyl	butyldodecylphosphanyl		pentandiy

octyl naphthyl indenyl	butyl vinyl phosphanyl	hexandyl
nonyl naphthyl indenyl	butyl propenyl phosphanyl	heptandyl
decyl naphthyl indenyl	butyl butenyl phosphanyl	octandyl
dimethyl naphthyl indenyl	butyl pentenyl phosphanyl	nonandyl
trimethyl naphthyl indenyl	butyl hexenyl phosphanyl	decandyl
dipropyl naphthyl indenyl	butyl cyclopropyl phosphanyl	dodecandyl
methyl propyl naphthyl indenyl	butyl cyclobutyl phosphanyl	tetradecandyl
(propyl phenyl) indenyl	butyl cyclopentyl phosphanyl	hexadecandyl
methyl (propyl phenyl) indenyl	butyl cyclohexyl phosphanyl	octadecandyl
ethyl (propyl phenyl) indenyl	butyl cycloheptyl phosphanyl	azapropandyl
propyl (propyl phenyl) indenyl	butyl cyclooctyl phosphanyl	azabutandyl
butyl (propyl phenyl) indenyl	butyl cyclononyl phosphanyl	azapentandyl
dimethyl (propyl phenyl) indenyl	butyl cyclodecyl phosphanyl	azahexandyl
trimethyl (propyl phenyl) indenyl	butyl cycloundecyl phosphanyl	azaheptandyl
methyl propyl (propyl phenyl) indenyl	butyl cyclododecyl phosphanyl	azaoctandyl
(dipropyl phenyl) indenyl	butyl phenyl phosphanyl	azanonandyl
methyl (dipropyl phenyl) indenyl	butyl tolyl phosphanyl	azadecandyl
ethyl (dipropyl phenyl) indenyl	butyl mesityl phosphanyl	azadodecandyl
propyl (dipropyl phenyl) indenyl	butyl benzyl phosphanyl	phosphapropandyl
butyl (dipropyl phenyl) indenyl	butyl phenethyl phosphanyl	phosphabutandyl
dimethyl (dipropyl phenyl) indenyl	butyl naphthyl phosphanyl	phosphapentandyl
trimethyl (dipropyl phenyl) indenyl	butyl trifluoromethyl phosphanyl	thiaprobandyl
methyl propyl (dipropyl phenyl) indenyl	pentyl hexyl phosphanyl	thiabutandyl
(dimethyl phenyl) indenyl	pentyl heptyl phosphanyl	thiapentandyl
methyl (dimethyl phenyl) indenyl	pentyl octyl phosphanyl	catecholate
ethyl (dimethyl phenyl) indenyl	pentyl nonyl phosphanyl	butyl catecholate
propyl (dimethyl phenyl) indenyl	pentyl decyl phosphanyl	diazabutandyl
butyl (dimethyl phenyl) indenyl	pentyl undecyl phosphanyl	diazapentandyl
trimethyl (dimethyl phenyl) indenyl	pentyl dodecyl phosphanyl	diazahexandyl
trimethyl (dimethyl phenyl) indenyl	pentyl vinyl phosphanyl	dioxabutandyl
methyl propyl (dimethyl phenyl) indenyl	pentyl propenyl phosphanyl	dioxapentandyl
(trimethyl phenyl) indenyl	pentyl butenyl phosphanyl	dioxahexandyl
methyl (trimethyl phenyl) indenyl	pentyl pentenyl phosphanyl	
ethyl (trimethyl phenyl) indenyl	pentyl hexenyl phosphanyl	
propyl (trimethyl phenyl) indenyl	pentyl cyclopropyl phosphanyl	
butyl (trimethyl phenyl) indenyl	pentyl cyclobutyl phosphanyl	
dimethyl (trimethyl phenyl) indenyl	pentyl cyclopentyl phosphanyl	
trimethyl (trimethyl phenyl) indenyl	pentyl cyclohexyl phosphanyl	

methy/propyl(trimethylphenyl)indenyl	pentylcycloheptylphosphanyl		
trimethylsilylindenyl	pentylcyclooctylphosphanyl		
trifluoromethylindenyl	pentylcycloonylphosphanyl		
trifluoromethylphenylindenyl	pentylcyclodecylphosphanyl		
(benzothiophenyl)indenyl	pentylcycloundecylphosphanyl		
(benzofuranyl)indenyl	pentylcyclodecylphosphanyl		
(fluorophenyl)indenyl	pentylphenylphosphanyl		
(difluorophenyl)indenyl	pentyltolylphosphanyl		
(trifluorophenyl)indenyl	pentylmesitylphosphanyl		
(tetrafluorophenyl)indenyl	pentylbenzylphosphanyl		
(pentafluorophenyl)indenyl	pentylphenethylphosphanyl		
(trifluoromethylphenyl)indenyl	pentylinaphthylphosphanyl		
(thienyl)indenyl	pentyltrifluoromethylphosphanyl		
(furanyl)indenyl	hexylheptylphosphanyl		
(pyrrolyl)indenyl	hexyloctylphosphanyl		
(phosphoryl)indenyl	hexylonylphosphanyl		
(methylthienyl)indenyl	hexyldecylphosphanyl		
(methylfuranyl)indenyl	hexylundecylphosphanyl		
(methylpyrrolyl)indenyl	hexyldodecylphosphanyl		
(methylphosphoryl)indenyl	hexylvinylphosphanyl		
(dimethylthienyl)indenyl	hexylpropenylphosphanyl		
(dimethylfuranyl)indenyl	hexylbutenylphosphanyl		
(dimethylpyrrolyl)indenyl	hexylpentenylphosphanyl		
(dimethylphosphoryl)indenyl	hexylhexenylphosphanyl		
(ethylthienyl)indenyl	hexylcyclopropylphosphanyl		
(ethylfuranyl)indenyl	hexylcyclobutylphosphanyl		
(ethylpyrrolyl)indenyl	hexylcyclopentylphosphanyl		
(ethylphosphoryl)indenyl	hexylcyclohexylphosphanyl		
(propylthienyl)indenyl	hexylcycloheptylphosphanyl		
(propylfuranyl)indenyl	hexylcyclooctylphosphanyl		
(propylpyrrolyl)indenyl	hexylcycloonylphosphanyl		
(propylphosphoryl)indenyl	hexylcyclodecylphosphanyl		
(butylthienyl)indenyl	hexylcycloundecylphosphanyl		
(butylfuranyl)indenyl	hexylcyclodecylphosphanyl		
(butylpyrrolyl)indenyl	hexylphenylphosphanyl		
(butylphosphoryl)indenyl	hexyltolylphosphanyl		
methyl(benzothiophenyl)indenyl	hexylmesitylphosphanyl		
methyl(benzofuranyl)indenyl	hexylbenzylphosphanyl		

methyl(fluorophenyl)indenyl	hexylphenethylphosphanyl	
methyl(difluorophenyl)indenyl	hexylphenethylphosphanyl	
methyl(trifluorophenyl)indenyl	hexyltrifluoromethylphosphanyl	
methyl(tetrafluorophenyl)indenyl	heptyloctylphosphanyl	
methyl(pentafluorophenyl)indenyl	heptylnonylphosphanyl	
methyl(trifluoromethylphenyl)indenyl	heptyldecylphosphanyl	
methyl(thienyl)indenyl	heptylundecylphosphanyl	
methyl(furanyl)indenyl	heptyldodecylphosphanyl	
methyl(pyrrolyl)indenyl	heptylvinylphosphanyl	
methyl(phosphoryl)indenyl	heptylpropenylphosphanyl	
methyl(methylthienyl)indenyl	heptylbutenylphosphanyl	
methyl(methylfuranyl)indenyl	heptylpentenylphosphanyl	
methyl(methylpyrrolyl)indenyl	heptylhexenylphosphanyl	
methyl(methylphosphoryl)indenyl	heptylcyclopropylphosphanyl	
methyl(dimethylthienyl)indenyl	heptylcyclobutylphosphanyl	
methyl(dimethylfuranyl)indenyl	heptylcyclopentylphosphanyl	
methyl(dimethylpyrrolyl)indenyl	heptylcyclohexylphosphanyl	
methyl(dimethylphosphoryl)indenyl	heptylcycloheptylphosphanyl	
methyl(ethylthienyl)indenyl	heptylcyclooctylphosphanyl	
methyl(ethylfuranyl)indenyl	heptylcyclononylphosphanyl	
methyl(ethylpyrrolyl)indenyl	heptylcyclodecylphosphanyl	
methyl(ethylphosphoryl)indenyl	heptylcycloundecylphosphanyl	
methyl(propylthienyl)indenyl	heptylcyclododecylphosphanyl	
methyl(propylfuranyl)indenyl	heptylphenylphosphanyl	
methyl(propylpyrrolyl)indenyl	heptyltolylphosphanyl	
methyl(propylphosphoryl)indenyl	heptylmesitylphosphanyl	
methyl(butylthienyl)indenyl	heptylbenzylphosphanyl	
methyl(butylfuranyl)indenyl	heptylphenethylphosphanyl	
methyl(butylpyrrolyl)indenyl	heptylphenethylphosphanyl	
methyl(butylphosphoryl)indenyl	heptylphenethylphosphanyl	
propyl(benzothiophenyl)indenyl	heptyltrifluoromethylphosphanyl	
propyl(benzofuranyl)indenyl	octynonylphosphanyl	
propyl(fluorophenyl)indenyl	octyldecylphosphanyl	
propyl(difluorophenyl)indenyl	octylundecylphosphanyl	
propyl(trifluorophenyl)indenyl	octylododecylphosphanyl	
propyl(tetrafluorophenyl)indenyl	octylvinylphosphanyl	
propyl(pentafluorophenyl)indenyl	octylpropenylphosphanyl	
propyl(trifluoromethylphenyl)indenyl	octylbutenylphosphanyl	
	octylpentenylphosphanyl	

propyl(thienyl)indenyl	octylhexenylphosphanyl	
propyl(furanyl)indenyl	octylcyclopropylphosphanyl	
propyl(pyrryl)indenyl	octylcyclobutylphosphanyl	
propyl(phospholyl)indenyl	octylcyclopentylphosphanyl	
propyl(methylthienyl)indenyl	octylcyclohexylphosphanyl	
propyl(methylfuranyl)indenyl	octylcycloheptylphosphanyl	
propyl(methylpyrryl)indenyl	octylcyclooctylphosphanyl	
propyl(methylphospholyl)indenyl	octylcyclononylphosphanyl	
propyl(dimethylthienyl)indenyl	octylcyclodecylphosphanyl	
propyl(dimethylfuranyl)indenyl	octylcycloundecylphosphanyl	
propyl(dimethylpyrryl)indenyl	octylcyclododecylphosphanyl	
propyl(dimethylphospholyl)indenyl	octylphenylphosphanyl	
propyl(ethylthienyl)indenyl	octyltolylphosphanyl	
propyl(ethylfuranyl)indenyl	octylmesitylphosphanyl	
propyl(ethylpyrryl)indenyl	octylbenzylphosphanyl	
propyl(ethylphospholyl)indenyl	octylphenethylphosphanyl	
propyl(propylthienyl)indenyl	octylinaphthylphosphanyl	
propyl(propylfuranyl)indenyl	octyltrifluoromethylphosphanyl	
propyl(propylpyrryl)indenyl	nonyldecylphosphanyl	
propyl(propylphospholyl)indenyl	nonylundecylphosphanyl	
propyl(butylthienyl)indenyl	nonyldodecylphosphanyl	
propyl(butylfuranyl)indenyl	nonylvinylphosphanyl	
propyl(butylpyrryl)indenyl	nonylpropenylphosphanyl	
propyl(butylphospholyl)indenyl	nonylbutenylphosphanyl	
tetrahydroindenyl	nonylpentenylphosphanyl	
methyltetrahydroindenyl	nonylhexenylphosphanyl	
dimethyltetrahydroindenyl	nonylcyclopropylphosphanyl	
trimethyltetrahydroindenyl	nonylcyclobutylphosphanyl	
tetramethyltetrahydroindenyl	nonylcyclopentylphosphanyl	
pentamethyltetrahydroindenyl	nonylcyclohexylphosphanyl	
hexamethyltetrahydroindenyl	nonylcycloheptylphosphanyl	
ethyltetrahydroindenyl	nonylcyclooctylphosphanyl	
propyltetrahydroindenyl	nonylcyclononylphosphanyl	
butyltetrahydroindenyl	nonylcyclodecylphosphanyl	
penyltetrahydroindenyl	nonylcycloundecylphosphanyl	
hexyltetrahydroindenyl	nonylcyclododecylphosphanyl	
heptyltetrahydroindenyl	nonylphenylphosphanyl	
octyltetrahydroindenyl	nonyltolylphosphanyl	

nonyl/tetrahydroindenyl	nonyl/mesityl/phosphanyl	
decyl/tetrahydroindenyl	nonyl/benzyl/phosphanyl	
phenyl/tetrahydroindenyl	nonyl/phenethyl/phosphanyl	
methyl/phenyl/tetrahydroindenyl	nonyl/naphthyl/phosphanyl	
ethyl/phenyl/tetrahydroindenyl	nonyl/trifluoromethyl/phosphanyl	
propyl/phenyl/tetrahydroindenyl	decyl/undecyl/phosphanyl	
butyl/phenyl/tetrahydroindenyl	decyl/dodecyl/phosphanyl	
pentyl/phenyl/tetrahydroindenyl	decyl/vinyl/phosphanyl	
hexyl/phenyl/tetrahydroindenyl	decyl/propenyl/phosphanyl	
heptyl/phenyl/tetrahydroindenyl	decyl/butenyl/phosphanyl	
octyl/phenyl/tetrahydroindenyl	decyl/pentenyl/phosphanyl	
nonyl/phenyl/tetrahydroindenyl	decyl/hexenyl/phosphanyl	
decyl/phenyl/tetrahydroindenyl	decyl/cyclopropyl/phosphanyl	
dimethyl/phenyl/tetrahydroindenyl	decyl/cyclobutyl/phosphanyl	
trimethyl/phenyl/tetrahydroindenyl	decyl/cyclopentyl/phosphanyl	
dipropyl/phenyl/tetrahydroindenyl	decyl/cyclohexyl/phosphanyl	
methyl/propyl/phenyl/tetrahydroindenyl	decyl/cycloheptyl/phosphanyl	
tolyl/tetrahydroindenyl	decyl/cyclooctyl/phosphanyl	
methyl/tolyl/tetrahydroindenyl	decyl/cyclononyl/phosphanyl	
ethyl/tolyl/tetrahydroindenyl	decyl/cyclodecyl/phosphanyl	
propyl/tolyl/tetrahydroindenyl	decyl/cycloundecyl/phosphanyl	
butyl/tolyl/tetrahydroindenyl	decyl/cyclododecyl/phosphanyl	
dimethyl/tolyl/tetrahydroindenyl	decyl/phenyl/phosphanyl	
trimethyl/tolyl/tetrahydroindenyl	decyl/tolyl/phosphanyl	
dipropyl/tolyl/tetrahydroindenyl	decyl/mesityl/phosphanyl	
methyl/propyl/tolyl/tetrahydroindenyl	decyl/benzyl/phosphanyl	
naphthyl/tetrahydroindenyl	decyl/phenethyl/phosphanyl	
methyl/naphthyl/tetrahydroindenyl	decyl/naphthyl/phosphanyl	
ethyl/naphthyl/tetrahydroindenyl	decyl/trifluoromethyl/phosphanyl	
propyl/naphthyl/tetrahydroindenyl	undecyl/dodecyl/phosphanyl	
butyl/naphthyl/tetrahydroindenyl	undecyl/vinyl/phosphanyl	
dimethyl/naphthyl/tetrahydroindenyl	undecyl/propenyl/phosphanyl	
trimethyl/naphthyl/tetrahydroindenyl	undecyl/butenyl/phosphanyl	
dipropyl/naphthyl/tetrahydroindenyl	undecyl/pentenyl/phosphanyl	
methyl/propyl/naphthyl/tetrahydroindenyl	undecyl/hexenyl/phosphanyl	
(propyl/phenyl)/tetrahydroindenyl	undecyl/cyclopropyl/phosphanyl	
methyl/(propyl/phenyl)/tetrahydroindenyl	undecyl/cyclobutyl/phosphanyl	
ethyl/(propyl/phenyl)/tetrahydroindenyl	undecyl/cyclopentyl/phosphanyl	

propyl(propylphenyl)tetrahydroindenyl	undecylcyclohexylphosphanyl	
butyl(propylphenyl)tetrahydroindenyl	undecylcycloheptylphosphanyl	
dimethyl(propylphenyl)tetrahydroindenyl	undecylcyclooctylphosphanyl	
trimethyl(propylphenyl)tetrahydroindenyl	undecylcyclononylphosphanyl	
methylpropyl(propylphenyl)tetrahydroindenyl	undecylcyclodecylphosphanyl	
(dipropylphenyl)tetrahydroindenyl	undecylcycloundecylphosphanyl	
methyl(dipropylphenyl)tetrahydroindenyl	undecylcyclododecylphosphanyl	
ethyl(dipropylphenyl)tetrahydroindenyl	undecylphenylphosphanyl	
propyl(dipropylphenyl)tetrahydroindenyl	undecyltolylphosphanyl	
butyl(dipropylphenyl)tetrahydroindenyl	undecylmesitylphosphanyl	
dimethyl(dipropylphenyl)tetrahydroindenyl	undecylbenzylphosphanyl	
trimethyl(dipropylphenyl)tetrahydroindenyl	undecylphenethylphosphanyl	
methylpropyl(dipropylphenyl)tetrahydroindenyl	undecylphenethylphosphanyl	
(dimethylphenyl)tetrahydroindenyl	undecyltrifluoromethylphosphanyl	
methyl(dimethylphenyl)tetrahydroindenyl	dodecylvinylphosphanyl	
ethyl(dimethylphenyl)tetrahydroindenyl	dodecylpropenylphosphanyl	
propyl(dimethylphenyl)tetrahydroindenyl	dodecylbutenylphosphanyl	
butyl(dimethylphenyl)tetrahydroindenyl	dodecylpentenylphosphanyl	
trimethyl(dimethylphenyl)tetrahydroindenyl	dodecylhexenylphosphanyl	
trimethyl(dimethylphenyl)tetrahydroindenyl	dodecylcyclopropylphosphanyl	
methylpropyl(dimethylphenyl)tetrahydroindenyl	dodecylcyclobutylphosphanyl	
(trimethylphenyl)tetrahydroindenyl	dodecylcyclopentylphosphanyl	
methyl(trimethylphenyl)tetrahydroindenyl	dodecylcyclohexylphosphanyl	
ethyl(trimethylphenyl)tetrahydroindenyl	dodecylcycloheptylphosphanyl	
propyl(trimethylphenyl)tetrahydroindenyl	dodecylcyclooctylphosphanyl	
butyl(trimethylphenyl)tetrahydroindenyl	dodecylcyclononylphosphanyl	
dimethyl(trimethylphenyl)tetrahydroindenyl	dodecylcyclodecylphosphanyl	
trimethyl(trimethylphenyl)tetrahydroindenyl	dodecylcycloundecylphosphanyl	
methylpropyl(trimethylphenyl)tetrahydroindenyl	dodecylcyclododecylphosphanyl	
cyclopentadienyl	dodecylphenylphosphanyl	
methylcyclopentadienyl	dodecyltolylphosphanyl	
dimethylcyclopentadienyl	dodecylmesitylphosphanyl	
trimethylcyclopentadienyl	dodecylbenzylphosphanyl	
tetramethylcyclopentadienyl	dodecylphenethylphosphanyl	

pentamethylcyclopentadienyl	dodecylphenylphosphanyl	
ethylcyclopentadienyl	dodecyltrifluoromethylphosphanyl	
diethylcyclopentadienyl	cyclopropylcyclobutylphosphanyl	
triethylcyclopentadienyl	cyclopropylcyclopentylphosphanyl	
tetraethylcyclopentadienyl	cyclopropylcyclohexylphosphanyl	
pentaethylcyclopentadienyl	cyclopropylcycloheptylphosphanyl	
propylcyclopentadienyl	cyclopropylcyclooctylphosphanyl	
dipropylcyclopentadienyl	cyclopropylcyclohexylphosphanyl	
tripropylcyclopentadienyl	cyclopropylcyclooctylphosphanyl	
tetrapropylcyclopentadienyl	cyclopropylcycloundecylphosphanyl	
pentapropylcyclopentadienyl	cyclopropylcyclohexylphosphanyl	
butylcyclopentadienyl	cyclopropylphenylphosphanyl	
dibutylcyclopentadienyl	cyclopropyltolylphosphanyl	
tributylcyclopentadienyl	cyclopropylmesitylphosphanyl	
tetrabutylcyclopentadienyl	cyclopropylbenzylphosphanyl	
pentabutylcyclopentadienyl	cyclopropylphenethylphosphanyl	
pentylcyclopentadienyl	cyclopropylphenethylphosphanyl	
dipentylcyclopentadienyl	cyclopropylphenethylphosphanyl	
tripentylcyclopentadienyl	cyclopropyltrifluoromethylphosphanyl	
tetrapentylcyclopentadienyl	cyclobutylcyclopentylphosphanyl	
pentapentylcyclopentadienyl	cyclobutylcyclohexylphosphanyl	
hexylcyclopentadienyl	cyclobutylcycloheptylphosphanyl	
diethylcyclopentadienyl	cyclobutylcyclooctylphosphanyl	
triethylcyclopentadienyl	cyclobutylcyclohexylphosphanyl	
tetraethylcyclopentadienyl	cyclobutylcyclooctylphosphanyl	
pentaethylcyclopentadienyl	cyclobutylcyclohexylphosphanyl	
heptylcyclopentadienyl	cyclobutylcyclooctylphosphanyl	
diheptylcyclopentadienyl	cyclobutylphenylphosphanyl	
octylcyclopentadienyl	cyclobutyltolylphosphanyl	
diethylcyclopentadienyl	cyclobutylmesitylphosphanyl	
nonylcyclopentadienyl	cyclobutylbenzylphosphanyl	
dinonylcyclopentadienyl	cyclobutylphenethylphosphanyl	
decylcyclopentadienyl	cyclobutylphenethylphosphanyl	
didecylcyclopentadienyl	cyclobutyltrifluoromethylphosphanyl	
undecylcyclopentadienyl	cyclopentylcyclohexylphosphanyl	
dodecylcyclopentadienyl	cyclopentylcycloheptylphosphanyl	
	cyclopentylcyclooctylphosphanyl	

tridecyl/cyclopentadienyl	cyclopentyl/cyclononylphosphanyl		
tetradecyl/cyclopentadienyl	cyclopentyl/cyclodecylphosphanyl		
pentadecyl/cyclopentadienyl	cyclopentyl/cycloundecylphosphanyl		
hexadecyl/cyclopentadienyl	cyclopentyl/cyclododecylphosphanyl		
heptadecyl/cyclopentadienyl	cyclopentylphenylphosphanyl		
octadecyl/cyclopentadienyl	cyclopentyltolylphosphanyl		
nonadecyl/cyclopentadienyl	cyclopentylmesitylphosphanyl		
eicosyl/cyclopentadienyl	cyclopentylbenzylphosphanyl		
heneicosyl/cyclopentadienyl	cyclopentylphenethylphosphanyl		
docosyl/cyclopentadienyl	cyclopentylnaphthylphosphanyl		
tricosyl/cyclopentadienyl	cyclopentyltrifluoromethylphosphanyl		
tetracosyl/cyclopentadienyl	cyclohexyl/cycloheptylphosphanyl		
pentacosyl/cyclopentadienyl	cyclohexyl/cyclooctylphosphanyl		
hexacosyl/cyclopentadienyl	cyclohexyl/cyclononylphosphanyl		
heptacosyl/cyclopentadienyl	cyclohexyl/cyclodecylphosphanyl		
octacosyl/cyclopentadienyl	cyclohexyl/cycloundecylphosphanyl		
nonacosyl/cyclopentadienyl	cyclohexyl/cyclododecylphosphanyl		
triacontyl/cyclopentadienyl	cyclohexylphenylphosphanyl		
vinyl/cyclopentadienyl	cyclohexyltolylphosphanyl		
allyl/cyclopentadienyl	cyclohexylmesitylphosphanyl		
propenyl/cyclopentadienyl	cyclohexylbenzylphosphanyl		
butenyl/cyclopentadienyl	cyclohexylphenethylphosphanyl		
propynyl/cyclopentadienyl	cyclohexylnaphthylphosphanyl		
butynyl/cyclopentadienyl	cyclohexyltrifluoromethylphosphanyl		
cyclopropyl/cyclopentadienyl	cycloheptyl/cyclooctylphosphanyl		
cyclobutyl/cyclopentadienyl	cycloheptyl/cyclononylphosphanyl		
cyclopentyl/cyclopentadienyl	cycloheptyl/cyclodecylphosphanyl		
cyclohexyl/cyclopentadienyl	cycloheptyl/cycloundecylphosphanyl		
phenyl/cyclopentadienyl	cycloheptyl/cyclododecylphosphanyl		
(dimethylphenyl)/cyclopentadienyl	cycloheptylphenylphosphanyl		
tolyl/cyclopentadienyl	cycloheptyltolylphosphanyl		
benzyl/cyclopentadienyl	cycloheptylmesitylphosphanyl		
phenethyl/cyclopentadienyl	cycloheptylbenzylphosphanyl		
trimethylsilyl/cyclopentadienyl	cycloheptylphenethylphosphanyl		
trimethylgermyl/cyclopentadienyl	cycloheptylnaphthylphosphanyl		
trimethylstannyl/cyclopentadienyl	cycloheptyltrifluoromethylphosphanyl		

triethylsilylcyclopentadienyl	yl	cyclooctylcyclohexylphosphanyl		
dimethylsilylcyclopentadienyl		cyclooctylcyclohexylphosphanyl		
biphenylcyclopentadienyl		cyclooctylcyclohexylphosphanyl		
pyrenylcyclopentadienyl		cyclooctylcyclohexylphosphanyl		
trifluoromethylcyclopentadienyl		cyclooctylphenylphosphanyl		
trifluoromethylmethylcyclopentadienyl		cyclooctyltolylphosphanyl		
norbornylcyclopentadienyl		cyclooctylmesitylphosphanyl		
methylcyclopentadienyl		cyclooctylbenzylphosphanyl		
methylpropylcyclopentadienyl		cyclooctylphenethylphosphanyl		
methylbutylcyclopentadienyl		cyclooctylphenethylphosphanyl		
methylphenylcyclopentadienyl		cyclooctyltrifluoromethylphosphanyl		
methylcyclohexylcyclopentadienyl		cyclohexylcyclohexylphosphanyl		
methyltolylcyclopentadienyl		cyclohexylcyclohexylphosphanyl		
trimethylsilylmethylcyclopentadienyl		cyclohexylcyclohexylphosphanyl		
methylbenzylcyclopentadienyl		cyclohexylphenylphosphanyl		
methylphenethylcyclopentadienyl		cyclohexyltolylphosphanyl		
methylvinylcyclopentadienyl		cyclohexylmesitylphosphanyl		
methylallylcyclopentadienyl		cyclohexylbenzylphosphanyl		
(benzothienophenyl)cyclopentadienyl		cyclohexylphenethylphosphanyl		
(benzofuranyl)cyclopentadienyl		cyclohexylphenethylphosphanyl		
(fluorophenyl)cyclopentadienyl		cyclohexylphenethylphosphanyl		
		cyclohexyltrifluoromethylphosphanyl		
(difluorophenyl)cyclopentadienyl		yl		
(trifluorophenyl)cyclopentadienyl		cyclohexylcyclohexylphosphanyl		
(tetrafluorophenyl)cyclopentadienyl		cyclohexylcyclohexylphosphanyl		
(pentafluorophenyl)cyclopentadienyl		cyclohexylphenylphosphanyl		
(trifluoromethylphenyl)cyclopentadienyl		cyclohexyltolylphosphanyl		
(thienyl)cyclopentadienyl		cyclohexylmesitylphosphanyl		
(furanyl)cyclopentadienyl		cyclohexylbenzylphosphanyl		
(pyrrolyl)cyclopentadienyl		cyclohexylphenethylphosphanyl		
(phosphoryl)cyclopentadienyl		cyclohexylphenethylphosphanyl		
		cyclohexyltrifluoromethylphosphanyl		
(methylthienyl)cyclopentadienyl		cyclohexylcyclohexylphosphanyl		
		yl		
(methylfuranyl)cyclopentadienyl		cyclohexylphenylphosphanyl		
(methylpyrrolyl)cyclopentadienyl		cyclohexyltolylphosphanyl		

(methylphospholy)cyclopentadienyl	cycloundecylmesitylphosphanyl	
(dimethylthienyl)cyclopentadienyl	cycloundecylbenzylphosphanyl	
(dimethylfuranyl)cyclopentadienyl	cycloundecylphenethylphosphanyl	
(dimethylpyrrolyl)cyclopentadienyl	cycloundecylinaphthylphosphanyl	
(dimethylphospholy)cyclopentadienyl	cycloundecyltrifluoromethylphosphanyl	
methyl(benzothiophenyl)cyclopentadienyl	cyclododecylphenylphosphanyl	
methyl(benzofuranyl)cyclopentadienyl	cyclododecyltolylphosphanyl	
methyl(fluorophenyl)cyclopentadienyl	cyclododecylmesitylphosphanyl	
methyl(difluorophenyl)cyclopentadienyl	cyclododecylbenzylphosphanyl	
methyl(trifluorophenyl)cyclopentadienyl	cyclododecylphenethylphosphanyl	
methyl(tetrafluorophenyl)cyclopentadienyl	cyclododecylinaphthylphosphanyl	
methyl(pentafluorophenyl)cyclopentadienyl	cyclododecyltrifluoromethylphosphanyl	
methyl(trifluoromethylphenyl)cyclopentadienyl	phenyltolylphosphanyl	
methyl(thienyl)cyclopentadienyl	phenylmesitylphosphanyl	
methyl(furanyl)cyclopentadienyl	phenylbenzylphosphanyl	
methyl(pyrrolyl)cyclopentadienyl	phenylphenethylphosphanyl	
methyl(phospholy)cyclopentadienyl	phenylinaphthylphosphanyl	
methyl(methylthienyl)cyclopentadienyl	phenyltrifluoromethylphosphanyl	
methyl(methylfuranyl)cyclopentadienyl	tolylmesitylphosphanyl	
methyl(methylpyrrolyl)cyclopentadienyl	tolylbenzylphosphanyl	
methyl(methylphospholy)cyclopentadienyl	tolylphenethylphosphanyl	
methyl(dimethylthienyl)cyclopentadienyl	tolylinaphthylphosphanyl	
methyl(dimethylfuranyl)cyclopentadienyl	tolyltrifluoromethylphosphanyl	
methyl(dimethylpyrrolyl)cyclopentadienyl	mesitylbenzylphosphanyl	
methyl(dimethylphospholy)cyclopentadienyl	mesitylphenethylphosphanyl	
fluorenyl	mesitylinaphthylphosphanyl	
methylfluorenyl	mesityltrifluoromethylphosphanyl	
dimethylfluorenyl	benzylphenethylphosphanyl	
trimethylfluorenyl	benzylinaphthylphosphanyl	
tetramethylfluorenyl	benzyltrifluoromethylphosphanyl	
ethylfluorenyl	phenethylinaphthylphosphanyl	
diethylfluorenyl	phenethyltrifluoromethylphosphanyl	
triethylfluorenyl	naphthyltrifluoromethylphosphanyl	
tetraethylfluorenyl	di(trimethylsilyl)phosphanyl	
propylfluorenyl	di(trimethylsilyl)phosphanyl	

dipropylfluorenyl	di(tripropylsilyl)phosphanyl		
tripropylfluorenyl	di(tributylsilyl)phosphanyl		
tetrapropylfluorenyl	di(tripentylsilyl)phosphanyl		
butylfluorenyl	di(trihexylsilyl)phosphanyl		
dibutylfluorenyl	di(triphenylsilyl)phosphanyl		
tributylfluorenyl	di(trimethylsilylmethyl)phosphanyl		
tetrabutylfluorenyl	di(trimethylgermyl)phosphanyl		
pentylfluorenyl	di(triethylgermyl)phosphanyl		
dipentylfluorenyl	di(tripropylgermyl)phosphanyl		
tripentylfluorenyl	di(tributylgermyl)phosphanyl		
tetrapentylfluorenyl	di(tripentylgermyl)phosphanyl		
hexylfluorenyl	di(trihexylgermyl)phosphanyl		
dihexylfluorenyl	di(triphenylgermyl)phosphanyl		
trihexylfluorenyl	di(trimethylgermylmethyl)phosphanyl		
tetrahexylfluorenyl	methyl(trimethylsilyl)phosphanyl		
heptylfluorenyl	methyl(triethylsilyl)phosphanyl		
diheptylfluorenyl	methyl(tripropylsilyl)phosphanyl		
octylfluorenyl	methyl(tributylsilyl)phosphanyl		
dioctylfluorenyl	methyl(tripentylsilyl)phosphanyl		
nonylfluorenyl	methyl(trihexylsilyl)phosphanyl		
dinonylfluorenyl	methyl(triphenylsilyl)phosphanyl		
decylfluorenyl	methyl(trimethylsilylmethyl)phosphanyl		
didecylfluorenyl	phospholanyl		
dodecylfluorenyl	phosphinanyl		
didodecylfluorenyl	phosphepanyl		
trifluoromethylfluorenyl			
bis(trifluoromethyl)fluorenyl			
trimethylsilylfluorenyl			
bis(trimethylsilyl)fluorenyl			
cyclohexylfluorenyl			
bis(cyclohexyl)fluorenyl			
phenylfluorenyl			
diphenylfluorenyl			
tolylfluorenyl			
bis(tolyl)fluorenyl			
octahydrofluorenyl			

methyloctahydrofluorenyl			
dimethyloctahydrofluorenyl			
trimethyloctahydrofluorenyl			
tetramethyloctahydrofluorenyl			
ethyloctahydrofluorenyl			
diethyloctahydrofluorenyl			
propyloctahydrofluorenyl			
dipropyloctahydrofluorenyl			
butyloctahydrofluorenyl			
dibutyloctahydrofluorenyl			
pentyloctahydrofluorenyl			
dipentyloctahydrofluorenyl			
hexyloctahydrofluorenyl			
dihexyloctahydrofluorenyl			
heptyloctahydrofluorenyl			
dihexyloctahydrofluorenyl			
octyloctahydrofluorenyl			
dioctyloctahydrofluorenyl			
methyloctahydrodibenzyl[b, h]fluorenyl			
dimethyloctahydrodibenzyl[b, h]fluorenyl			
trimethyloctahydrodibenzyl[b, h]fluorenyl			
tetramethyloctahydrodibenzyl[b, h]fluorenyl			
pentamethyloctahydrodibenzyl[b, h]fluorenyl			
hexamethyloctahydrodibenzyl[b, h]fluorenyl			
heptamethyloctahydrodibenzyl[b, h]fluorenyl			
octamethyloctahydrodibenzyl[b, h]fluorenyl			
(benzothienophenyl)fluorenyl			
(benzofuranyl)fluorenyl			
(fluorophenyl)fluorenyl			
(difluorophenyl)fluorenyl			
(trifluorophenyl)fluorenyl			
(tetrafluorophenyl)fluorenyl			
(pentafluorophenyl)fluorenyl			
(trifluoromethylphenyl)fluorenyl			
(thienyl)fluorenyl			
(furyl)fluorenyl			
(pyrrolyl)fluorenyl			
(phosphoryl)fluorenyl			

(methylthienyl)fluorenyl			
(methylfuranyl)fluorenyl			
(methylpyrrolyl)fluorenyl			
(methylphospholyl)fluorenyl			
(dimethylthienyl)fluorenyl			
(dimethylfuranyl)fluorenyl			
(dimethylpyrrolyl)fluorenyl			
(dimethylphospholyl)fluorenyl			
bis(benzothiophenyl)fluorenyl			
bis(benzofuranyl)fluorenyl			
bis(fluorophenyl)fluorenyl			
bis(difluorophenyl)fluorenyl			
bis(trifluorophenyl)fluorenyl			
bis(tetrafluorophenyl)fluorenyl			
bis(pentafluorophenyl)fluorenyl			
bis(trifluoromethylphenyl)fluorenyl			
bis(thienyl)fluorenyl			
bis(furanyl)fluorenyl			
bis(pyrrolyl)fluorenyl			
bis(phospholyl)fluorenyl			
bis(methylthienyl)fluorenyl			
bis(methylfuranyl)fluorenyl			
bis(methylpyrrolyl)fluorenyl			
bis(methylphospholyl)fluorenyl			
bis(dimethylthienyl)fluorenyl			
bis(dimethylfuranyl)fluorenyl			
bis(dimethylpyrrolyl)fluorenyl			
bis(dimethylphospholyl)fluorenyl			
azacyclopentadienyl			
phosphacyclopentadienyl			
stibacyclopentadienyl			
arsacyclopentadienyl			
boracyclopentadienyl			
methylazacyclopentadienyl			
methylphosphacyclopentadienyl			
methylstibacyclopentadienyl			
methylarsacyclopentadienyl			
methylboracyclopentadienyl			

1,2-diazacyclopentadienyl			
1,2-diphosphacyclopentadienyl			
1,2-distibacyclopentadienyl			
1,2-diarsacyclopentadienyl			
1,2-diboracyclopentadienyl			
1,2-azaphosphacyclopentadienyl			
1,2-azastibacyclopentadienyl			
1,2-azarsacyclopentadienyl			
1,2-azaboracyclopentadienyl			
1,2-arsaphosphacyclopentadienyl			
1,2-arsastibacyclopentadienyl			
1,2-arsaboracyclopentadienyl			
1,2-boraphosphacyclopentadienyl			
1,2-borastibacyclopentadienyl			
1,2-phosphastibacyclopentadienyl			
1,3-diazacyclopentadienyl			
1,3-diphosphacyclopentadienyl			
1,3-distibacyclopentadienyl			
1,3-diarsacyclopentadienyl			
1,3-diboracyclopentadienyl			
1,3-azaphosphacyclopentadienyl			
1,3-azastibacyclopentadienyl			
1,3-azarsacyclopentadienyl			
1,3-azaboracyclopentadienyl			
1,3-arsaphosphacyclopentadienyl			
1,3-arsastibacyclopentadienyl			
1,3-arsaboracyclopentadienyl			
1,3-boraphosphacyclopentadienyl			
1,3-borastibacyclopentadienyl			
1,3-phosphastibacyclopentadienyl			
pentadienyl			
methylpentadienyl			
dimethylpentadienyl			
trimethylpentadienyl			
tetramethylpentadienyl			
pentamethylpentadienyl			
hexamethylpentadienyl			
allyl			

methyllallyl				
dimethyllallyl				
trimethyllallyl				
tetramethyllallyl				
boratabenzene				
methyllboratabenzene				
phenyllboratabenzene				
N,N-dimethylaminoboratabenzene				
N,N-diethylaminoboratabenzene				
N,N-dipropylaminoboratabenzene				

[0040] In a preferred embodiment of formula 2, A is the same as the indenyl ligand bonded to M.

[0041] Particularly preferred embodiments of formula 2 include compounds where:

each R^2 , R^3 , R^4 , R^5 , R^6 , and R^7 is, independently, selected from hydrogen or from the group consisting of C1 to C30 hydrocarbyls, preferably methyl, ethyl, propyl, butyl, pentyl, hexyl, heptyl, octyl, nonyl, decyl, undecyl, dodecyl, phenyl, C7 to C30 substituted phenyls, and all isomers thereof; more preferably each R^2 , R^3 , R^4 , R^5 , R^6 , and R^7 is, independently, selected from hydrogen or from the group consisting of methyl, ethyl, *n*-propyl, *iso*-propyl, *n*-butyl, *s*-butyl, *i*-butyl, *t*-butyl, *n*-hexyl, cyclohexyl, phenyl, tolyl, mesityl, and naphthyl; and/or

2) R^1 is PR_2 where each R is, independently, selected from the group consisting of C1 to C30 hydrocarbyls, preferably methyl, ethyl, propyl, butyl, pentyl, hexyl, heptyl, octyl, nonyl, decyl, undecyl, dodecyl, phenyl, tolyl, benzyl, and cyclohexyl; and/or

3) X is, independently, selected from the group consisting of chloride, bromide, fluoride, iodide, hydride, and C1 to C30 hydrocarbyls, preferably methyl, ethyl, propyl, butyl, pentyl, hexyl, phenyl, benzyl, and all isomers thereof, or two X together are selected from C4-C10 dienes, preferably butadiene, methylbutadiene, pentadiene, methylpentadiene, dimethylpentadiene, hexadiene, methylhexadiene, dimethylhexadiene, or from C1-C10 alkylidenes, preferably methyldiene, ethyldiene, propyldiene, or from C3-C10 alkylidiyls, preferably propandiyl, butandiyl, pentandiyl, and hexandiyl; and/or

4) M is Ti, Zr, or Hf; and/or

5) A is selected from the group consisting of substituted or unsubstituted indenyl, substituted or unsubstituted fluorenyl and substituted or unsubstituted cyclopentadienyl, more preferably, indenyl, methyindenyl, dimethyindenyl, methylphenyindenyl, methyltolylindenyl, methyl(dipropylphenyl)indenyl, methyl(dimethylphenyl)indenyl, methylnaphthylindenyl, tetrahydroindenyl, fluorenyl, octahydrofluorenyl, dibutylfluorenyl, cyclopentadienyl, methylcyclopentadienyl, ethylcyclopentadienyl, propylcyclopentadienyl,

butylcyclopentadienyl, methylpropylcyclopentadienyl, methylbutylcyclopentadienyl, dimethylcyclopentadienyl, trimethylcyclopentadienyl, tetramethylcyclopentadienyl, and pentamethylcyclopentadienyl.

[0042] Particularly preferred embodiments of formula 3 include compounds where:

- 1) each R^2 , R^3 , R^4 , R^5 , R^6 , R^7 , R^9 , R^{10} , R^{11} , R^{12} , R^{13} , and R^{14} is, independently, selected from hydrogen or from the group consisting of C1 to C30 hydrocarbyls, preferably methyl, ethyl, propyl, butyl, pentyl, hexyl, heptyl, octyl, nonyl, decyl, undecyl, dodecyl, phenyl, C7 to C30 substituted phenyls, and all isomers thereof; more preferably each R^2 , R^3 , R^4 , R^5 , R^6 , R^7 , R^9 , R^{10} , R^{11} , R^{12} , R^{13} , and R^{14} is, independently, selected from hydrogen or from the group consisting of methyl, ethyl, *n*-propyl, *iso*-propyl, *n*-butyl, *s*-butyl, *i*-butyl, *t*-butyl, *n*-hexyl, cyclohexyl, phenyl, tolyl, mesityl, and naphthyl; and/or
- 2) each R^1 and R^8 is, independently, PR_2 where each R is, independently, selected from the group consisting of C1 to C30 hydrocarbyls, preferably methyl, ethyl, propyl, butyl, pentyl, hexyl, heptyl, octyl, nonyl, decyl, undecyl, dodecyl, phenyl, tolyl, benzyl, and cyclohexyl; and/or
- 3) X is, independently, selected from the group consisting of chloride, bromide, fluoride, iodide, hydride, and C1 to C30 hydrocarbyls, preferably methyl, ethyl, propyl, butyl, pentyl, hexyl, phenyl, benzyl, and all isomers thereof, or two X together are selected from C4-C10 dienes, preferably butadiene, methylbutadiene, pentadiene, methylpentadiene, dimethylpentadiene, hexadiene, methylhexadiene, dimethylhexadiene, or from C1-C10 alkylidenes, preferably methylenidene, ethylenidene, propylenidene, or from C3-C10 alkylidiyls, preferably propandiyl, butandiyl, pentandiyl, and hexandiyl; and/or
- 4) M is Ti, Zr, or Hf.

[0043] A set of exemplary catalyst precursors is set out below. These are by way of example only and are not intended to list every catalyst precursor that is

within the scope of the invention. Particularly preferred transition metal compounds include:

bis(2-diphenylphosphanylindenyl)zirconium dichloride,
bis(2-dimethylphosphanylindenyl)zirconium dichloride,
bis(2-di-*n*-propylphosphanylindenyl)zirconium dichloride,
bis(2-di-*iso*-propylphosphanylindenyl)zirconium dichloride,
bis(2-di-*n*-butylphosphanylindenyl)zirconium dichloride,
bis(2-di-*sec*-butylphosphanylindenyl)zirconium dichloride,
bis(2-di-*iso*-butylphosphanylindenyl)zirconium dichloride,
bis(2-di-*tert*-butylphosphanylindenyl)zirconium dichloride,
bis(2-dihexylphosphanylindenyl)zirconium dichloride,
bis(2-dicyclohexylphosphanylindenyl)zirconium dichloride,
bis(2-methylphenylphosphanylindenyl)zirconium dichloride,
bis(2-diphenylphosphanyl-4,7-dimethylindenyl)zirconium dichloride,
bis(2-dimethylphosphanyl-4,7-dimethylindenyl)zirconium dichloride,
bis(2-di-*n*-propylphosphanyl-4,7-dimethylindenyl)zirconium dichloride,
bis(2-di-*iso*-propylphosphanyl-4,7-dimethylindenyl)zirconium dichloride,
bis(2-di-*n*-butylphosphanyl-4,7-dimethylindenyl)zirconium dichloride,
bis(2-di-*sec*-butylphosphanyl-4,7-dimethylindenyl)zirconium dichloride,
bis(2-di-*iso*-butylphosphanyl-4,7-dimethylindenyl)zirconium dichloride,
bis(2-di-*tert*-butylphosphanyl-4,7-dimethylindenyl)zirconium dichloride,
bis(2-dihexylphosphanyl-4,7-dimethylindenyl)zirconium dichloride,
bis(2-dicyclohexylphosphanyl-4,7-dimethylindenyl)zirconium dichloride,
bis(2-diphenylphosphanyl-4-phenylindenyl)zirconium dichloride,
bis(2-dimethylphosphanyl-4-phenylindenyl)zirconium dichloride,
bis(2-di-*n*-propylphosphanyl-4-phenylindenyl)zirconium dichloride,
bis(2-di-*iso*-propylphosphanyl-4-phenylindenyl)zirconium dichloride,
bis(2-di-*n*-butylphosphanyl-4-phenylindenyl)zirconium dichloride,
bis(2-di-*sec*-butylphosphanyl-4-phenylindenyl)zirconium dichloride,
bis(2-di-*iso*-butylphosphanyl-4-phenylindenyl)zirconium dichloride,
bis(2-di-*tert*-butylphosphanyl-4-phenylindenyl)zirconium dichloride,
bis(2-dihexylphosphanyl-4-phenylindenyl)zirconium dichloride,

bis(2-dicyclohexylphosphanyl-4-phenylindenyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(2-diphenylphosphanylindenyl)zirconium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*n*-propylphosphanylindenyl)zirconium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*iso*-propylphosphanylindenyl)zirconium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)zirconium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)zirconium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)zirconium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)zirconium
dichloride,
(2-dimethylphosphanylindenyl)(2-dihexylphosphanylindenyl)zirconium
dichloride,
(2-dimethylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)zirconium
dichloride,
(2-diphenylphosphanylindenyl)(2-di-*n*-propylphosphanylindenyl)zirconium
dichloride,
(2-diphenylphosphanylindenyl)(2-di-*iso*-propylphosphanylindenyl)zirconium
dichloride,
(2-diphenylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)zirconium
dichloride,
(2-diphenylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)zirconium
dichloride,
(2-diphenylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)zirconium
dichloride,
(2-diphenylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)zirconium
dichloride,

(2-diphenylphosphanylindenyl)(2-dihexylphosphanylindenyl)zirconium
dichloride,
(2-diphenylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)zirconium
dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*iso*-propylphosphanylindenyl)zirconium
dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)zirconium
dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)zirconium
dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)zirconium
dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)zirconium
dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-dihexylphosphanylindenyl)zirconium
dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)zirconium
dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)zirconium
dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)zirconium
dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)zirconium
dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)zirconium
dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-dihexylphosphanylindenyl)zirconium
dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)zirconium
dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)zirconium
dichloride,

(2-di-*n*-butylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)zirconium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)zirconium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)zirconium dichloride,
(2-dihexylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dichloride,

(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dichloride,
(2-dihexylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dichloride,
(2-dicyclohexylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-dihexylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-dicyclohexylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(indenyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(indenyl)zirconium dichloride,
(2-methylphenylphosphanylindenyl)(indenyl)zirconium dichloride,

(2-di-*n*-propylphosphanylindenyl)(indenyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(indenyl)zirconium dichloride,
(2-dihexylphosphanylindenyl)(indenyl)zirconium dichloride,
(2-dicyclohexylphosphanylindenyl)(indenyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(indenyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(indenyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(indenyl)zirconium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(indenyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-methylphenylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-dihexylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-dicyclohexylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,
(2-dihexylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,
(2-dicyclohexylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,

(2-methylphenylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,
(2-dihexylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,
(2-dicyclohexylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dichloride,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium
dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium
dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium
dichloride,
(2-dihexylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dichloride,
(2-dicyclohexylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium
dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium
dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium
dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium
dichloride,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,

(2-dihexylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,
(2-dicyclohexylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dichloride,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dichloride,
(2-dihexylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dichloride,
(2-dicyclohexylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dichloride,
bis(2-diphenylphosphanylindenyl)zirconium dimethyl,
bis(2-dimethylphosphanylindenyl)zirconium dimethyl,
bis(2-di-*n*-propylphosphanylindenyl)zirconium dimethyl,
bis(2-di-*iso*-propylphosphanylindenyl)zirconium dimethyl,
bis(2-di-*n*-butylphosphanylindenyl)zirconium dimethyl,

bis(2-di-*sec*-butylphosphanylindenyl)zirconium dimethyl,
bis(2-di-*iso*-butylphosphanylindenyl)zirconium dimethyl,
bis(2-di-*tert*-butylphosphanylindenyl)zirconium dimethyl,
bis(2-dihexylphosphanylindenyl)zirconium dimethyl,
bis(2-dicyclohexylphosphanylindenyl)zirconium dimethyl,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dimethyl,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dimethyl,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dimethyl,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)zirconium dimethyl,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)zirconium dimethyl,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)zirconium dimethyl,
(2-diphenylphosphanylindenyl)(indenyl)zirconium dimethyl,
(2-dimethylphosphanylindenyl)(indenyl)zirconium dimethyl,
(2-methylphenylphosphanylindenyl)(indenyl)zirconium dimethyl,
(2-diphenylphosphanylindenyl)(fluorenyl)zirconium dimethyl,
(2-dimethylphosphanylindenyl)(fluorenyl)zirconium dimethyl,
(2-methylphenylphosphanylindenyl)(fluorenyl)zirconium dimethyl,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)zirconium dimethyl,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)zirconium dimethyl,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)zirconium dimethyl,
(2-diphenylphosphanylindenyl)(2-methylindenyl)zirconium dimethyl,
(2-dimethylphosphanylindenyl)(2-methylindenyl)zirconium dimethyl,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)zirconium dimethyl,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dimethyl,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dimethyl,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dimethyl,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dimethyl,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dimethyl,

(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dimethyl,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dimethyl,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dimethyl,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium
dimethyl,
bis(2-diphenylphosphanylindenyl)zirconium difluoride,
bis(2-dimethylphosphanylindenyl)zirconium difluoride,
bis(2-di-*n*-propylphosphanylindenyl)zirconium difluoride,
bis(2-di-*iso*-propylphosphanylindenyl)zirconium difluoride,
bis(2-di-*n*-butylphosphanylindenyl)zirconium difluoride,
bis(2-di-*sec*-butylphosphanylindenyl)zirconium difluoride,
bis(2-di-*iso*-butylphosphanylindenyl)zirconium difluoride,
bis(2-di-*tert*-butylphosphanylindenyl)zirconium difluoride,
bis(2-dihexylphosphanylindenyl)zirconium difluoride,
bis(2-dicyclohexylphosphanylindenyl)zirconium difluoride,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium
difluoride,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium
difluoride,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium
difluoride,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)zirconium difluoride,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)zirconium difluoride,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)zirconium difluoride,
(2-diphenylphosphanylindenyl)(indenyl)zirconium difluoride,
(2-dimethylphosphanylindenyl)(indenyl)zirconium difluoride,
(2-methylphenylphosphanylindenyl)(indenyl)zirconium difluoride,
(2-diphenylphosphanylindenyl)(fluorenyl)zirconium difluoride,
(2-dimethylphosphanylindenyl)(fluorenyl)zirconium difluoride,
(2-methylphenylphosphanylindenyl)(fluorenyl)zirconium difluoride,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)zirconium difluoride,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)zirconium difluoride,

(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)zirconium difluoride,
(2-diphenylphosphanylindenyl)(2-methylindenyl)zirconium difluoride,
(2-dimethylphosphanylindenyl)(2-methylindenyl)zirconium difluoride,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)zirconium difluoride,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium difluoride,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium difluoride,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium
difluoride,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)zirconium difluoride,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)zirconium difluoride,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)zirconium difluoride,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium
difluoride,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium
difluoride,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium
difluoride,
bis(2-diphenylphosphanylindenyl)zirconium dibenzyl,
bis(2-dimethylphosphanylindenyl)zirconium dibenzyl,
bis(2-di-*n*-propylphosphanylindenyl)zirconium dibenzyl,
bis(2-di-*iso*-propylphosphanylindenyl)zirconium dibenzyl,
bis(2-di-*n*-butylphosphanylindenyl)zirconium dibenzyl,
bis(2-di-*sec*-butylphosphanylindenyl)zirconium dibenzyl,
bis(2-di-*iso*-butylphosphanylindenyl)zirconium dibenzyl,
bis(2-di-*tert*-butylphosphanylindenyl)zirconium dibenzyl,
bis(2-dihexylphosphanylindenyl)zirconium dibenzyl,
bis(2-dicyclohexylphosphanylindenyl)zirconium dibenzyl,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dibenzyl,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dibenzyl,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium
dibenzyl,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)zirconium dibenzyl,

(2-dimethylphosphanylindenyl)(cyclopentadienyl)zirconium dibenzyl,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)zirconium dibenzyl,
(2-diphenylphosphanylindenyl)(indenyl)zirconium dibenzyl,
(2-dimethylphosphanylindenyl)(indenyl)zirconium dibenzyl,
(2-methylphenylphosphanylindenyl)(indenyl)zirconium dibenzyl,
(2-diphenylphosphanylindenyl)(fluorenyl)zirconium dibenzyl,
(2-dimethylphosphanylindenyl)(fluorenyl)zirconium dibenzyl,
(2-methylphenylphosphanylindenyl)(fluorenyl)zirconium dibenzyl,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)zirconium dibenzyl,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)zirconium dibenzyl,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)zirconium dibenzyl,
(2-diphenylphosphanylindenyl)(2-methylindenyl)zirconium dibenzyl,
(2-dimethylphosphanylindenyl)(2-methylindenyl)zirconium dibenzyl,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)zirconium dibenzyl,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dibenzyl,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dibenzyl,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium
dibenzyl,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dibenzyl,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dibenzyl,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dibenzyl,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dibenzyl,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dibenzyl,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium
dibenzyl,
bis(2-diphenylphosphanylindenyl)zirconium pentadiene,
bis(2-dimethylphosphanylindenyl)zirconium pentadiene,
bis(2-di-*n*-propylphosphanylindenyl)zirconium pentadiene,
bis(2-di-*iso*-propylphosphanylindenyl)zirconium pentadiene,
bis(2-di-*n*-butylphosphanylindenyl)zirconium pentadiene,
bis(2-di-*sec*-butylphosphanylindenyl)zirconium pentadiene,
bis(2-di-*iso*-butylphosphanylindenyl)zirconium pentadiene,

bis(2-di-*tert*-butylphosphanylindenyl)zirconium pentadiene,
bis(2-dihexylphosphanylindenyl)zirconium pentadiene,
bis(2-dicyclohexylphosphanylindenyl)zirconium pentadiene,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium
pentadiene,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium
pentadiene,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium
pentadiene,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)zirconium pentadiene,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)zirconium pentadiene,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)zirconium pentadiene,
(2-diphenylphosphanylindenyl)(indenyl)zirconium pentadiene,
(2-dimethylphosphanylindenyl)(indenyl)zirconium pentadiene,
(2-methylphenylphosphanylindenyl)(indenyl)zirconium pentadiene,
(2-diphenylphosphanylindenyl)(fluorenyl)zirconium pentadiene,
(2-dimethylphosphanylindenyl)(fluorenyl)zirconium pentadiene,
(2-methylphenylphosphanylindenyl)(fluorenyl)zirconium pentadiene,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)zirconium pentadiene,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)zirconium pentadiene,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)zirconium pentadiene,
(2-diphenylphosphanylindenyl)(2-methylindenyl)zirconium pentadiene,
(2-dimethylphosphanylindenyl)(2-methylindenyl)zirconium pentadiene,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)zirconium pentadiene,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium pentadiene,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium pentadiene,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium
pentadiene,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)zirconium pentadiene,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)zirconium pentadiene,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)zirconium pentadiene,

(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium pentadiene,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium pentadiene,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium pentadiene,
bis(2-diphenylphosphanylindenyl)hafnium dichloride,
bis(2-dimethylphosphanylindenyl)hafnium dichloride,
bis(2-di-*n*-propylphosphanylindenyl)hafnium dichloride,
bis(2-di-*iso*-propylphosphanylindenyl)hafnium dichloride,
bis(2-di-*n*-butylphosphanylindenyl)hafnium dichloride,
bis(2-di-*sec*-butylphosphanylindenyl)hafnium dichloride,
bis(2-di-*iso*-butylphosphanylindenyl)hafnium dichloride,
bis(2-di-*tert*-butylphosphanylindenyl)hafnium dichloride,
bis(2-dihexylphosphanylindenyl)hafnium dichloride,
bis(2-dicyclohexylphosphanylindenyl)hafnium dichloride,
bis(2-methylphenylphosphanylindenyl)hafnium dichloride,
bis(2-diphenylphosphanyl-4,7-dimethylindenyl)hafnium dichloride,
bis(2-dimethylphosphanyl-4,7-dimethylindenyl)hafnium dichloride,
bis(2-di-*n*-propylphosphanyl-4,7-dimethylindenyl)hafnium dichloride,
bis(2-di-*iso*-propylphosphanyl-4,7-dimethylindenyl)hafnium dichloride,
bis(2-di-*n*-butylphosphanyl-4,7-dimethylindenyl)hafnium dichloride,
bis(2-di-*sec*-butylphosphanyl-4,7-dimethylindenyl)hafnium dichloride,
bis(2-di-*iso*-butylphosphanyl-4,7-dimethylindenyl)hafnium dichloride,
bis(2-di-*tert*-butylphosphanyl-4,7-dimethylindenyl)hafnium dichloride,
bis(2-dihexylphosphanyl-4,7-dimethylindenyl)hafnium dichloride,
bis(2-dicyclohexylphosphanyl-4,7-dimethylindenyl)hafnium dichloride,
bis(2-diphenylphosphanyl-4-phenylindenyl)hafnium dichloride,
bis(2-dimethylphosphanyl-4-phenylindenyl)hafnium dichloride,
bis(2-di-*n*-propylphosphanyl-4-phenylindenyl)hafnium dichloride,
bis(2-di-*iso*-propylphosphanyl-4-phenylindenyl)hafnium dichloride,
bis(2-di-*n*-butylphosphanyl-4-phenylindenyl)hafnium dichloride,

bis(2-di-*sec*-butylphosphanyl-4-phenylindenyl)hafnium dichloride,
bis(2-di-*iso*-butylphosphanyl-4-phenylindenyl)hafnium dichloride,
bis(2-di-*tert*-butylphosphanyl-4-phenylindenyl)hafnium dichloride,
bis(2-dihexylphosphanyl-4-phenylindenyl)hafnium dichloride,
bis(2-dicyclohexylphosphanyl-4-phenylindenyl)hafnium dichloride,
(2-dimethylphosphanylindenyl)(2-diphenylphosphanylindenyl)hafnium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*n*-propylphosphanylindenyl)hafnium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*iso*-propylphosphanylindenyl)hafnium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)hafnium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)hafnium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)hafnium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)hafnium
dichloride,
(2-dimethylphosphanylindenyl)(2-dihexylphosphanylindenyl)hafnium dichloride,
(2-dimethylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)hafnium
dichloride,
(2-diphenylphosphanylindenyl)(2-di-*n*-propylphosphanylindenyl)hafnium
dichloride,
(2-diphenylphosphanylindenyl)(2-di-*iso*-propylphosphanylindenyl)hafnium
dichloride,
(2-diphenylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)hafnium
dichloride,
(2-diphenylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)hafnium
dichloride,
(2-diphenylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)hafnium
dichloride,

(2-diphenylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(2-dihexylphosphanylindenyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*iso*-propylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-dihexylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-dihexylphosphanylindenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)hafnium dichloride,

(2-di-*n*-butylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)hafnium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)hafnium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)hafnium dichloride,
(2-dihexylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,

(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,
(2-dihexylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,
(2-dicyclohexylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-dihexylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-dicyclohexylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(indenyl)hafnium dichloride,
(2-dimethylphosphanylindenyl)(indenyl)hafnium dichloride,
(2-methylphenylphosphanylindenyl)(indenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(indenyl)hafnium dichloride,

(2-di-*iso*-propylphosphanylindenyl)(indenyl)hafnium dichloride,
(2-dihexylphosphanylindenyl)(indenyl)hafnium dichloride,
(2-dicyclohexylphosphanylindenyl)(indenyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(indenyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(indenyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(indenyl)hafnium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(indenyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-dimethylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-methylphenylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-dihexylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-dicyclohexylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-dihexylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-dicyclohexylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,
(2-dimethylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,

(2-di-*n*-propylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,
(2-dihexylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,
(2-dicyclohexylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dichloride,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dichloride,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium
dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium
dichloride,
(2-dihexylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dichloride,
(2-dicyclohexylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium
dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,
(2-dihexylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,
(2-dicyclohexylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,

(2-di-*tert*-butylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dichloride,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dichloride,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium
dichloride,
(2-di-*n*-propylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium
dichloride,
(2-di-*iso*-propylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium
dichloride,
(2-diethylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dichloride,
(2-dicyclohexylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium
dichloride,
(2-di-*n*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium
dichloride,
(2-di-*sec*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium
dichloride,
(2-di-*iso*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium
dichloride,
(2-di-*tert*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium
dichloride,
bis(2-diphenylphosphanylindenyl)hafnium dimethyl,
bis(2-dimethylphosphanylindenyl)hafnium dimethyl,
bis(2-di-*n*-propylphosphanylindenyl)hafnium dimethyl,
bis(2-di-*iso*-propylphosphanylindenyl)hafnium dimethyl,
bis(2-di-*n*-butylphosphanylindenyl)hafnium dimethyl,
bis(2-di-*sec*-butylphosphanylindenyl)hafnium dimethyl,
bis(2-di-*iso*-butylphosphanylindenyl)hafnium dimethyl,
bis(2-di-*tert*-butylphosphanylindenyl)hafnium dimethyl,
bis(2-diethylphosphanylindenyl)hafnium dimethyl,
bis(2-dicyclohexylphosphanylindenyl)hafnium dimethyl,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dimethyl,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dimethyl,

(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dimethyl,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)hafnium dimethyl,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)hafnium dimethyl,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)hafnium dimethyl,
(2-diphenylphosphanylindenyl)(indenyl)hafnium dimethyl,
(2-dimethylphosphanylindenyl)(indenyl)hafnium dimethyl,
(2-methylphenylphosphanylindenyl)(indenyl)hafnium dimethyl,
(2-diphenylphosphanylindenyl)(fluorenyl)hafnium dimethyl,
(2-dimethylphosphanylindenyl)(fluorenyl)hafnium dimethyl,
(2-methylphenylphosphanylindenyl)(fluorenyl)hafnium dimethyl,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)hafnium dimethyl,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)hafnium dimethyl,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)hafnium dimethyl,
(2-diphenylphosphanylindenyl)(2-methylindenyl)hafnium dimethyl,
(2-dimethylphosphanylindenyl)(2-methylindenyl)hafnium dimethyl,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)hafnium dimethyl,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dimethyl,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dimethyl,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dimethyl,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dimethyl,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dimethyl,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dimethyl,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dimethyl,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dimethyl,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dimethyl,
bis(2-diphenylphosphanylindenyl)hafnium difluoride,
bis(2-dimethylphosphanylindenyl)hafnium difluoride,
bis(2-di-*n*-propylphosphanylindenyl)hafnium difluoride,
bis(2-di-*iso*-propylphosphanylindenyl)hafnium difluoride,

bis(2-di-*n*-butylphosphanylindenyl)hafnium difluoride,
bis(2-di-*sec*-butylphosphanylindenyl)hafnium difluoride,
bis(2-di-*iso*-butylphosphanylindenyl)hafnium difluoride,
bis(2-di-*tert*-butylphosphanylindenyl)hafnium difluoride,
bis(2-dihexylphosphanylindenyl)hafnium difluoride,
bis(2-dicyclohexylphosphanylindenyl)hafnium difluoride,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium difluoride,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium difluoride,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium difluoride,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)hafnium difluoride,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)hafnium difluoride,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)hafnium difluoride,
(2-diphenylphosphanylindenyl)(indenyl)hafnium difluoride,
(2-dimethylphosphanylindenyl)(indenyl)hafnium difluoride,
(2-methylphenylphosphanylindenyl)(indenyl)hafnium difluoride,
(2-diphenylphosphanylindenyl)(fluorenyl)hafnium difluoride,
(2-dimethylphosphanylindenyl)(fluorenyl)hafnium difluoride,
(2-methylphenylphosphanylindenyl)(fluorenyl)hafnium difluoride,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)hafnium difluoride,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)hafnium difluoride,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)hafnium difluoride,
(2-diphenylphosphanylindenyl)(2-methylindenyl)hafnium difluoride,
(2-dimethylphosphanylindenyl)(2-methylindenyl)hafnium difluoride,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)hafnium difluoride,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium difluoride,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium difluoride,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium difluoride,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)hafnium difluoride,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)hafnium difluoride,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)hafnium difluoride,

(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium difluoride,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium difluoride,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium difluoride,

bis(2-diphenylphosphanylindenyl)hafnium dibenzyl,

bis(2-dimethylphosphanylindenyl)hafnium dibenzyl,

bis(2-di-*n*-propylphosphanylindenyl)hafnium dibenzyl,

bis(2-di-*iso*-propylphosphanylindenyl)hafnium dibenzyl,

bis(2-di-*n*-butylphosphanylindenyl)hafnium dibenzyl,

bis(2-di-*sec*-butylphosphanylindenyl)hafnium dibenzyl,

bis(2-di-*iso*-butylphosphanylindenyl)hafnium dibenzyl,

bis(2-di-*tert*-butylphosphanylindenyl)hafnium dibenzyl,

bis(2-dihexylphosphanylindenyl)hafnium dibenzyl,

bis(2-dicyclohexylphosphanylindenyl)hafnium dibenzyl,

(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dibenzyl,

(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dibenzyl,

(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dibenzyl,

(2-diphenylphosphanylindenyl)(cyclopentadienyl)hafnium dibenzyl,

(2-dimethylphosphanylindenyl)(cyclopentadienyl)hafnium dibenzyl,

(2-methylphenylphosphanylindenyl)(cyclopentadienyl)hafnium dibenzyl,

(2-diphenylphosphanylindenyl)(indenyl)hafnium dibenzyl,

(2-dimethylphosphanylindenyl)(indenyl)hafnium dibenzyl,

(2-methylphenylphosphanylindenyl)(indenyl)hafnium dibenzyl,

(2-diphenylphosphanylindenyl)(fluorenyl)hafnium dibenzyl,

(2-dimethylphosphanylindenyl)(fluorenyl)hafnium dibenzyl,

(2-methylphenylphosphanylindenyl)(fluorenyl)hafnium dibenzyl,

(2-diphenylphosphanylindenyl)(tetrahydroindenyl)hafnium dibenzyl,

(2-dimethylphosphanylindenyl)(tetrahydroindenyl)hafnium dibenzyl,

(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)hafnium dibenzyl,

(2-diphenylphosphanylindenyl)(2-methylindenyl)hafnium dibenzyl,

(2-dimethylphosphanylindenyl)(2-methylindenyl)hafnium dibenzyl,

(2-methylphenylphosphanylindenyl)(2-methylindenyl)hafnium dibenzyl,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dibenzyl,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dibenzyl,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dibenzyl,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dibenzyl,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dibenzyl,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dibenzyl,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dibenzyl,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dibenzyl,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium
dibenzyl,
bis(2-diphenylphosphanylindenyl)hafnium pentadiene,
bis(2-dimethylphosphanylindenyl)hafnium pentadiene,
bis(2-di-*n*-propylphosphanylindenyl)hafnium pentadiene,
bis(2-di-*iso*-propylphosphanylindenyl)hafnium pentadiene,
bis(2-di-*n*-butylphosphanylindenyl)hafnium pentadiene,
bis(2-di-*sec*-butylphosphanylindenyl)hafnium pentadiene,
bis(2-di-*iso*-butylphosphanylindenyl)hafnium pentadiene,
bis(2-di-*tert*-butylphosphanylindenyl)hafnium pentadiene,
bis(2-dihexylphosphanylindenyl)hafnium pentadiene,
bis(2-dicyclohexylphosphanylindenyl)hafnium pentadiene,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium
pentadiene,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium
pentadiene,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium
pentadiene,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)hafnium pentadiene,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)hafnium pentadiene,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)hafnium pentadiene,
(2-diphenylphosphanylindenyl)(indenyl)hafnium pentadiene,
(2-dimethylphosphanylindenyl)(indenyl)hafnium pentadiene,

(2-methylphenylphosphanylindenyl)(indenyl)hafnium pentadiene,
(2-diphenylphosphanylindenyl)(fluorenyl)hafnium pentadiene,
(2-dimethylphosphanylindenyl)(fluorenyl)hafnium pentadiene,
(2-methylphenylphosphanylindenyl)(fluorenyl)hafnium pentadiene,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)hafnium pentadiene,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)hafnium pentadiene,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)hafnium pentadiene,
(2-diphenylphosphanylindenyl)(2-methylindenyl)hafnium pentadiene,
(2-dimethylphosphanylindenyl)(2-methylindenyl)hafnium pentadiene,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)hafnium pentadiene,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium pentadiene,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium pentadiene,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium
pentadiene,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)hafnium pentadiene,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)hafnium pentadiene,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)hafnium pentadiene,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium pentadiene,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium
pentadiene,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium
pentadiene,
bis(2-diphenylphosphanylindenyl)titanium dichloride,
bis(2-dimethylphosphanylindenyl)titanium dichloride,
bis(2-di-*n*-propylphosphanylindenyl)titanium dichloride,
bis(2-di-*iso*-propylphosphanylindenyl)titanium dichloride,
bis(2-di-*n*-butylphosphanylindenyl)titanium dichloride,
bis(2-di-*sec*-butylphosphanylindenyl)titanium dichloride,
bis(2-di-*iso*-butylphosphanylindenyl)titanium dichloride,
bis(2-di-*tert*-butylphosphanylindenyl)titanium dichloride,
bis(2-dihexylphosphanylindenyl)titanium dichloride,
bis(2-dicyclohexylphosphanylindenyl)titanium dichloride,

bis(2-methylphenylphosphanylindenyl)titanium dichloride,
bis(2-diphenylphosphanyl-4,7-dimethylindenyl)titanium dichloride,
bis(2-dimethylphosphanyl-4,7-dimethylindenyl)titanium dichloride,
bis(2-di-*n*-propylphosphanyl-4,7-dimethylindenyl)titanium dichloride,
bis(2-di-*iso*-propylphosphanyl-4,7-dimethylindenyl)titanium dichloride,
bis(2-di-*n*-butylphosphanyl-4,7-dimethylindenyl)titanium dichloride,
bis(2-di-*sec*-butylphosphanyl-4,7-dimethylindenyl)titanium dichloride,
bis(2-di-*iso*-butylphosphanyl-4,7-dimethylindenyl)titanium dichloride,
bis(2-di-*tert*-butylphosphanyl-4,7-dimethylindenyl)titanium dichloride,
bis(2-dihexylphosphanyl-4,7-dimethylindenyl)titanium dichloride,
bis(2-dicyclohexylphosphanyl-4,7-dimethylindenyl)titanium dichloride,
bis(2-diphenylphosphanyl-4-phenylindenyl)titanium dichloride,
bis(2-dimethylphosphanyl-4-phenylindenyl)titanium dichloride,
bis(2-di-*n*-propylphosphanyl-4-phenylindenyl)titanium dichloride,
bis(2-di-*iso*-propylphosphanyl-4-phenylindenyl)titanium dichloride,
bis(2-di-*n*-butylphosphanyl-4-phenylindenyl)titanium dichloride,
bis(2-di-*sec*-butylphosphanyl-4-phenylindenyl)titanium dichloride,
bis(2-di-*iso*-butylphosphanyl-4-phenylindenyl)titanium dichloride,
bis(2-di-*tert*-butylphosphanyl-4-phenylindenyl)titanium dichloride,
bis(2-dihexylphosphanyl-4-phenylindenyl)titanium dichloride,
bis(2-dicyclohexylphosphanyl-4-phenylindenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(2-diphenylphosphanylindenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(2-di-*n*-propylphosphanylindenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(2-di-*iso*-propylphosphanylindenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)titanium dichloride,

(2-dimethylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(2-dihexylphosphanylindenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(2-di-*n*-propylphosphanylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(2-di-*iso*-propylphosphanylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(2-dihexylphosphanylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*iso*-propylphosphanylindenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)titanium dichloride,

(2-di-*n*-propylphosphanylindenyl)(2-dihexylphosphanylindenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-dihexylphosphanylindenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)titanium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)titanium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)titanium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)titanium dichloride,

(2-di-*sec*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)titanium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)titanium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)titanium dichloride,
(2-dihexylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,
(2-dihexylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,
(2-dicyclohexylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,

(2-di-*tert*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-dihexylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-dicyclohexylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(indenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(indenyl)titanium dichloride,
(2-methylphenylphosphanylindenyl)(indenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(indenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(indenyl)titanium dichloride,
(2-dihexylphosphanylindenyl)(indenyl)titanium dichloride,
(2-dicyclohexylphosphanylindenyl)(indenyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(indenyl)titanium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(indenyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(indenyl)titanium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(indenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(fluorenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(fluorenyl)titanium dichloride,
(2-methylphenylphosphanylindenyl)(fluorenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(fluorenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(fluorenyl)titanium dichloride,
(2-dihexylphosphanylindenyl)(fluorenyl)titanium dichloride,
(2-dicyclohexylphosphanylindenyl)(fluorenyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(fluorenyl)titanium dichloride,

(2-di-*sec*-butylphosphanylindenyl)(fluorenyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(fluorenyl)titanium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(fluorenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-dihexylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-dicyclohexylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-dihexylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-dicyclohexylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dichloride,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium
dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium
dichloride,

(2-dihexylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dichloride,
(2-dicyclohexylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium
dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-dihexylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-dicyclohexylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium dichloride,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium
dichloride,
(2-di-*n*-propylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium
dichloride,
(2-di-*iso*-propylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium
dichloride,
(2-dihexylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium dichloride,
(2-dicyclohexylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium
dichloride,
(2-di-*n*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium
dichloride,

(2-di-*sec*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium dichloride,
bis(2-diphenylphosphanylindenyl)titanium dimethyl,
bis(2-dimethylphosphanylindenyl)titanium dimethyl,
bis(2-di-*n*-propylphosphanylindenyl)titanium dimethyl,
bis(2-di-*iso*-propylphosphanylindenyl)titanium dimethyl,
bis(2-di-*n*-butylphosphanylindenyl)titanium dimethyl,
bis(2-di-*sec*-butylphosphanylindenyl)titanium dimethyl,
bis(2-di-*iso*-butylphosphanylindenyl)titanium dimethyl,
bis(2-di-*tert*-butylphosphanylindenyl)titanium dimethyl,
bis(2-dihexylphosphanylindenyl)titanium dimethyl,
bis(2-dicyclohexylphosphanylindenyl)titanium dimethyl,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dimethyl,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dimethyl,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dimethyl,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)titanium dimethyl,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)titanium dimethyl,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)titanium dimethyl,
(2-diphenylphosphanylindenyl)(indenyl)titanium dimethyl,
(2-dimethylphosphanylindenyl)(indenyl)titanium dimethyl,
(2-methylphenylphosphanylindenyl)(indenyl)titanium dimethyl,
(2-diphenylphosphanylindenyl)(fluorenyl)titanium dimethyl,
(2-dimethylphosphanylindenyl)(fluorenyl)titanium dimethyl,
(2-methylphenylphosphanylindenyl)(fluorenyl)titanium dimethyl,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)titanium dimethyl,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)titanium dimethyl,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)titanium dimethyl,

(2-diphenylphosphanylindenyl)(2-methylindenyl)titanium dimethyl,
(2-dimethylphosphanylindenyl)(2-methylindenyl)titanium dimethyl,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)titanium dimethyl,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dimethyl,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dimethyl,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dimethyl,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)titanium dimethyl,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)titanium dimethyl,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)titanium dimethyl,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium dimethyl,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium dimethyl,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium dimethyl,
bis(2-diphenylphosphanylindenyl)titanium difluoride,
bis(2-dimethylphosphanylindenyl)titanium difluoride,
bis(2-di-*n*-propylphosphanylindenyl)titanium difluoride,
bis(2-di-*iso*-propylphosphanylindenyl)titanium difluoride,
bis(2-di-*n*-butylphosphanylindenyl)titanium difluoride,
bis(2-di-*sec*-butylphosphanylindenyl)titanium difluoride,
bis(2-di-*iso*-butylphosphanylindenyl)titanium difluoride,
bis(2-di-*tert*-butylphosphanylindenyl)titanium difluoride,
bis(2-dihexylphosphanylindenyl)titanium difluoride,
bis(2-dicyclohexylphosphanylindenyl)titanium difluoride,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium difluoride,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium difluoride,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium difluoride,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)titanium difluoride,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)titanium difluoride,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)titanium difluoride,
(2-diphenylphosphanylindenyl)(indenyl)titanium difluoride,

(2-dimethylphosphanylindenyl)(indenyl)titanium difluoride,
(2-methylphenylphosphanylindenyl)(indenyl)titanium difluoride,
(2-diphenylphosphanylindenyl)(fluorenyl)titanium difluoride,
(2-dimethylphosphanylindenyl)(fluorenyl)titanium difluoride,
(2-methylphenylphosphanylindenyl)(fluorenyl)titanium difluoride,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)titanium difluoride,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)titanium difluoride,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)titanium difluoride,
(2-diphenylphosphanylindenyl)(2-methylindenyl)titanium difluoride,
(2-dimethylphosphanylindenyl)(2-methylindenyl)titanium difluoride,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)titanium difluoride,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium difluoride,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium difluoride,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium difluoride,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)titanium difluoride,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)titanium difluoride,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)titanium difluoride,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium difluoride,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium difluoride,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium difluoride,
bis(2-diphenylphosphanylindenyl)titanium dibenzyl,
bis(2-dimethylphosphanylindenyl)titanium dibenzyl,
bis(2-di-*n*-propylphosphanylindenyl)titanium dibenzyl,
bis(2-di-*iso*-propylphosphanylindenyl)titanium dibenzyl,
bis(2-di-*n*-butylphosphanylindenyl)titanium dibenzyl,
bis(2-di-*sec*-butylphosphanylindenyl)titanium dibenzyl,
bis(2-di-*iso*-butylphosphanylindenyl)titanium dibenzyl,
bis(2-di-*tert*-butylphosphanylindenyl)titanium dibenzyl,
bis(2-dihexylphosphanylindenyl)titanium dibenzyl,
bis(2-dicyclohexylphosphanylindenyl)titanium dibenzyl,

(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dibenzyl,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dibenzyl,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium
dibenzyl,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)titanium dibenzyl,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)titanium dibenzyl,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)titanium dibenzyl,
(2-diphenylphosphanylindenyl)(indenyl)titanium dibenzyl,
(2-dimethylphosphanylindenyl)(indenyl)titanium dibenzyl,
(2-methylphenylphosphanylindenyl)(indenyl)titanium dibenzyl,
(2-diphenylphosphanylindenyl)(fluorenyl)titanium dibenzyl,
(2-dimethylphosphanylindenyl)(fluorenyl)titanium dibenzyl,
(2-methylphenylphosphanylindenyl)(fluorenyl)titanium dibenzyl,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)titanium dibenzyl,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)titanium dibenzyl,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)titanium dibenzyl,
(2-diphenylphosphanylindenyl)(2-methylindenyl)titanium dibenzyl,
(2-dimethylphosphanylindenyl)(2-methylindenyl)titanium dibenzyl,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)titanium dibenzyl,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dibenzyl,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dibenzyl,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dibenzyl,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)titanium dibenzyl,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)titanium dibenzyl,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)titanium dibenzyl,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium dibenzyl,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium dibenzyl,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium
dibenzyl,
bis(2-diphenylphosphanylindenyl)titanium pentadiene,
bis(2-dimethylphosphanylindenyl)titanium pentadiene,
bis(2-di-*n*-propylphosphanylindenyl)titanium pentadiene,

bis(2-di-*iso*-propylphosphanylindenyl)titanium pentadiene,
bis(2-di-*n*-butylphosphanylindenyl)titanium pentadiene,
bis(2-di-*sec*-butylphosphanylindenyl)titanium pentadiene,
bis(2-di-*iso*-butylphosphanylindenyl)titanium pentadiene,
bis(2-di-*tert*-butylphosphanylindenyl)titanium pentadiene,
bis(2-dihexylphosphanylindenyl)titanium pentadiene,
bis(2-dicyclohexylphosphanylindenyl)titanium pentadiene,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium
pentadiene,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium
pentadiene,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium
pentadiene,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)titanium pentadiene,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)titanium pentadiene,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)titanium pentadiene,
(2-diphenylphosphanylindenyl)(indenyl)titanium pentadiene,
(2-dimethylphosphanylindenyl)(indenyl)titanium pentadiene,
(2-methylphenylphosphanylindenyl)(indenyl)titanium pentadiene,
(2-diphenylphosphanylindenyl)(fluorenyl)titanium pentadiene,
(2-dimethylphosphanylindenyl)(fluorenyl)titanium pentadiene,
(2-methylphenylphosphanylindenyl)(fluorenyl)titanium pentadiene,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)titanium pentadiene,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)titanium pentadiene,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)titanium pentadiene,
(2-diphenylphosphanylindenyl)(2-methylindenyl)titanium pentadiene,
(2-dimethylphosphanylindenyl)(2-methylindenyl)titanium pentadiene,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)titanium pentadiene,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium pentadiene,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium pentadiene,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium
pentadiene,

(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)titanium pentadiene,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)titanium pentadiene,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)titanium pentadiene,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium pentadiene,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium
pentadiene,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium
pentadiene, and the like.

Mixed Catalysts

[0044] Mixed catalyst systems can also be used, for example, the invention catalyst can be used in conjunction with a "second catalyst" in the same reactor or in a series of reactors where the invention catalyst produces oligomers, macromers, or polymers with olefinic end-groups, and the "second catalyst" incorporates these oligomers, macromers, or polymers into a polymer backbone as a copolymer with other monomers, such as ethylene, propylene, butene, and other C2 to C20 olefins. Alternatively, the invention catalyst can be used in conjunction with a second catalyst in the same reactor or in a series of reactors where the second catalyst produces oligomers, macromers, or polymers with olefinic end-groups, and the invention catalyst incorporates these oligomers, macromers, or polymers into a polymer backbone as a copolymer with other monomers, such as ethylene, propylene, butene, and other C2 to C20 olefins. The "second catalyst" can be of the same family as the invention catalyst, or can be from a completely different catalyst family. Likewise, the invention catalyst can be used in conjunction with a "second catalyst" in the same reactor or in a series of reactors where the invention catalyst and the "second catalyst" produces mixtures or blends of polymers.

[0045] Invention polymerization catalyst systems can comprise additional olefin polymerization catalysts, sometimes referred to as the "second catalyst". These additional olefin polymerization catalysts are any of those well known in the art to catalyze the olefin to polyolefin reaction. Some invention catalysts systems include Group-4-6 metallocenes as additional olefin polymerization

catalysts. Metallocenes include (un)bridged compounds containing one (mono(cyclopentadienyl) metallocenes) or two (bis(cyclopentadienyl) metallocenes) (un)substituted cyclopentadienyl ligand(s). In bridged metallocenes, a single, cyclopentadienyl ligand connects to a heteroatom ligand with both coordinating to the metal center, or two cyclopentadienyl ligands connect together with both cyclopentadienyl ligands coordinating to the metal center. Typical catalysts and their precursors are well known in the art. Suitable description appears in the patent literature, for example U. S. Patents 4,871,705, 4,937,299, 5,324,800, EP-A-0418044, EP-A-0591756, WO-A-92/00333 and WO-A-94/01471. Some embodiments select the metallocene compounds from mono- or bis-cyclopentadienyl-substituted, Group-4, -5, and -6 metals in which cyclopentadienyls are (un)substituted with one or more groups or are bridged to each other or to a metal-coordinated heteroatom. Some embodiments select similar metallocene compounds except they are not necessarily bridged to each other or to a metal-coordinated heteroatom. See U.S. Patents 5,278,264 and 5,304,614.

[0046] Some invention catalysts systems include the following additional olefin polymerization catalysts. Metallocene compounds suitable for linear polyethylene or ethylene-containing copolymer production (where copolymer means comprising at least two different monomers) are essentially those disclosed in WO-A-92/00333, WO 97/44370 and U.S. Patents 5,001,205, 5,057,475, 5,198,401, 5,304,614, 5,308,816 and 5,324,800. Selection of metallocene compounds for isotactic or syndiotactic polypropylene blend production, and their syntheses, are well-known in the patent and academic literature, e.g. Journal of Organometallic Chemistry **369**, 359-370 (1989). Typically, those catalysts are stereorigid, asymmetric, chiral, or bridged-chiral metallocenes. Invention activators are suited for activating these types of catalyst precursors.

[0047] Likewise, some invention catalysts systems include the following additional olefin polymerization catalysts: monocyclopentadienyl metallocenes with Group-15 or -16 heteroatoms connected, through a bridging group, to a cyclopentadienyl-ligand ring carbon. Both the cyclopentadienyl Cp-ligand and the heteroatom connect to a transition metal. Some embodiments select a Group-4

transition metal. Additionally, unbridged monocyclopentadienyl, heteroatom-containing Group-4 components of WO 97/22639 will function with this invention. Moreover, transition metal systems with high-oxidation-state, Group-5-10 transition-metal centers are known and can serve as the additional olefin polymerization catalysts with invention catalyst systems. Invention catalyst systems can use non-cyclopentadienyl, Group-4-5 precursor compounds as the additional olefin polymerization catalysts. Non-cyclopentadienyl, Group-4-5 precursor compounds are activable to stable, discrete cationic complexes include those containing bulky, chelating, diamide ligands, such as described in U. S. Patent 5,318,935 and "Conformationally Rigid Diamide Complexes: Synthesis and Structure of Tantalum (III) Alkyne Derivatives", D. H. McConville, et al, *Organometallics* **1995**, 14, 3154-3156. U.S. Patent 5,318,935 describes bridged and unbridged, bis-amido catalyst compounds of Group-4 metals capable of α -olefins polymerization. Bridged bis(arylamido) Group-4 compounds for olefin polymerization are described by D. H. McConville, et al., in *Organometallics* 1995, 14, 5478-5480. Synthetic methods and compound characterization are presented. Further work appearing in D. H. McConville, et al, *Macromolecules* 1996, 29, 5241-5243, describes bridged bis(arylamido) Group-4 compounds that are polymerization catalysts for 1-hexene. Additional invention-suitable transition-metal compounds include those described in WO 96/40805. Cationic Group-3- or Lanthanide olefin polymerization complexes are disclosed in copending U.S. Application Ser. No. 09/408050, filed 29 September 1999, and its equivalent PCT/US99/22690. A monoanionic bidentate ligand and two monoanionic ligands stabilize those catalyst precursors; they are activable with this invention' ionic cocatalysts. Other suitable Group-4-5 non-metallocene catalysts are bimetallocyclic catalyst compounds comprising two independently selected Group-4-5 metal atoms directly linked through two bridging groups to form cyclic compounds.

[0048] Invention catalyst systems can use transition metal catalyst precursors that have a 2+ oxidation state as the additional olefin polymerization catalyst. Typical Ni^{2+} and Pd^{2+} complexes are diimines, see "New Pd(II)- and Ni(II)- Based Catalysts for Polymerization of Ethylene and α -Olefins", M.

Brookhart, et al, J. Am. Chem. Soc., 1995, 117, 6414-6415, WO 96/23010 and WO 97/02298. See additionally the related bis(imino) Group-8 and -9 organometallic compounds described by V. C. Gibson and others in "Novel olefin polymerization catalysts based on iron and cobalt", Chem. Commun., 849-850, 1998.

[0049] For a review of other potential catalysts used in combination or series with the invention catalysts, see S. D. Ittel and L. K. Johnson, Chem. Rev. 2000, 1000, 1169 and V. C. Gibson and S. K. Spitzmesser, Chem. Rev. 2003, 103, 283.

Activators and Catalyst Activation

[0050] The catalyst precursors, when activated by a commonly known activator such as methyl alumoxane, form active catalysts for the polymerization or oligomerization of olefins. Activators that may be used include alumoxanes such as methyl alumoxane, modified methyl alumoxane, ethyl alumoxane, *iso*-butyl alumoxane and the like; Lewis acid activators include triphenyl boron, tris-perfluorophenyl boron, tris-perfluorophenyl aluminum and the like; Ionic activators include dimethylanilinium tetrakis perfluorophenyl borate, triphenyl carbonium tetrakis perfluorophenyl borate, dimethylanilinium tetrakis perfluorophenyl aluminate, and the like.

[0051] A co-activator is a compound capable of alkylating the transition metal complex, such that when used in combination with an activator, an active catalyst is formed. Co-activators include alumoxanes such as methyl alumoxane, modified alumoxanes such as modified methyl alumoxane, and aluminum alkyls such trimethyl aluminum, tri-isobutyl aluminum, triethyl aluminum, and tri-isopropyl aluminum. Co-activators are typically only used in combination with Lewis acid activators and ionic activators when the pre-catalyst is not a dihydrocarbyl or dihydride complex.

[0052] The alumoxane component useful as an activator typically is an oligomeric aluminum compound represented by the general formula $(R^x-Al-O)_n$, which is a cyclic compound, or $R^x(R^x-Al-O)_nAlR^x_2$, which is a linear compound. In the general alumoxane formula, R^x is independently a C_1 - C_{20} alkyl radical, for

example, methyl, ethyl, propyl, butyl, pentyl, isomers thereof, and the like, and "n" is an integer from 1-50. Most preferably, R^x is methyl and "n" is at least 4. Methyl alumoxane and modified methyl alumoxanes are most preferred. For further descriptions see, EP 0 279 586, EP 0 594 218, EP 0 561 476, WO94/10180 and US Pat. Nos. 4,665,208, 4,874,734, 4,908,463, 4,924,018, 4,952,540, 4,968,827, 5,041,584, 5,091,352, 5,103,031, 5,157,137, 5,204,419, 5,206,199, 5,235,081, 5,248,801, 5,329,032, 5,391,793, and 5,416,229.

[0053] When an alumoxane or modified alumoxane is used, the catalyst-precursor-to-activator molar ratio is from about 1:3000 to 10:1; alternatively, 1:2000 to 10:1; alternatively 1:1000 to 10:1; alternatively, 1:500 to 1:1; alternatively 1:300 to 1:1; alternatively 1:200 to 1:1; alternatively 1:100 to 1:1; alternatively 1:50 to 1:1; alternatively 1:10 to 1:1. When the activator is an alumoxane (modified or unmodified), some embodiments select the maximum amount of activator at a 5000-fold molar excess over the catalyst precursor (per metal catalytic site). The preferred minimum activator-to-catalyst-precursor ratio is 1:1 molar ratio.

[0054] Ionic activators (at times used in combination with a co-activator) may be used in the practice of this invention. Preferably, discrete ionic activators such as [Me₂PhNH][B(C₆F₅)₄], [Ph₃C][B(C₆F₅)₄], [Me₂PhNH][B((C₆H₃-3,5-(CF₃)₂)₄)], [Ph₃C][B((C₆H₃-3,5-(CF₃)₂)₄)], [NH₄][B(C₆H₅)₄] or Lewis acidic activators such as B(C₆F₅)₃ or B(C₆H₅)₃ can be used. Preferred co-activators, when used, are alumoxanes such as methyl alumoxane, modified alumoxanes such as modified methyl alumoxane, and aluminum alkyls such as tri-isobutyl aluminum, and trimethyl aluminum.

[0055] It is within the scope of this invention to use an ionizing or stoichiometric activator, neutral or ionic, such as tri (n-butyl) ammonium tetrakis (pentafluorophenyl) borate, a trisperfluorophenyl boron metalloid precursor or a trisperfluoronaphthyl boron metalloid precursor, polyhalogenated heteroborane anions (WO 98/43983), boric acid (U.S. Patent No. 5,942,459) or combination thereof.

[0056] Examples of neutral stoichiometric activators include tri-substituted boron, tellurium, aluminum, gallium and indium or mixtures thereof.

The three substituent groups are each independently selected from alkyls, alkenyls, halogen, substituted alkyls, aryls, arylhalides, alkoxy and halides. Preferably, the three groups are independently selected from halogen, mono or multicyclic (including halosubstituted) aryls, alkyls, and alkenyl compounds and mixtures thereof, preferred are alkenyl groups having 1 to 20 carbon atoms, alkyl groups having 1 to 20 carbon atoms, alkoxy groups having 1 to 20 carbon atoms and aryl groups having 3 to 20 carbon atoms (including substituted aryls). More preferably, the three groups are alkyls having 1 to 4 carbon groups, phenyl, naphthyl or mixtures thereof. Even more preferably, the three groups are halogenated, preferably fluorinated, aryl groups. Most preferably, the neutral stoichiometric activator is tris(perfluorophenyl) boron or tris(perfluoronaphthyl) boron.


[0057] Ionic stoichiometric activator compounds may contain an active proton, or some other cation associated with, but not coordinated to, or only loosely coordinated to, the remaining ion of the ionizing compound. Such compounds and the like are described in European publications EP-A-0 570 982, EP-A-0 520 732, EP-A-0 495 375, EP-B1-0 500 944, EP-A-0 277 003 and EP-A-0 277 004, and U.S. Patent Nos. 5,153,157, 5,198,401, 5,066,741, 5,206,197, 5,241,025, 5,384,299 and 5,502,124 and U.S. Patent Application Serial No. 08/285,380, filed August 3, 1994, all of which are herein fully incorporated by reference.

[0058] Ionic catalysts can be prepared by reacting a transition metal compound with an activator, such as $B(C_6F_5)_3$, which upon reaction with the hydrolyzable ligand (X) of the transition metal compound forms an anion, such as $[B(C_6F_5)_3(X)]^-$, which stabilizes the cationic transition metal species generated by the reaction. The catalysts can be, and preferably are, prepared with activator components which are ionic compounds or compositions. However preparation of activators utilizing neutral compounds is also contemplated by this invention.

[0059] Compounds useful as an activator component in the preparation of the ionic catalyst systems used in the process of this invention comprise a cation, which is preferably a Bronsted acid capable of donating a proton, and a compatible non-coordinating anion which anion is relatively large (bulky),

capable of stabilizing the active catalyst species which is formed when the two compounds are combined and said anion will be sufficiently labile to be displaced by olefinic diolefinic and acetylenically unsaturated substrates or other neutral Lewis bases such as ethers, nitriles and the like. Two classes of compatible non-coordinating anions have been disclosed in EPA 277,003 and EPA 277,004 published 1988: 1) anionic coordination complexes comprising a plurality of lipophilic radicals covalently coordinated to and shielding a central charge-bearing metal or metalloid core, and 2) anions comprising a plurality of boron atoms such as carboranes, metallacarboranes and boranes.

[0060] In a preferred embodiment, the stoichiometric activators include a cation and an anion component, and may be represented by the following formula:



wherein L^{**} is a neutral Lewis base;

H is hydrogen;

$(L^{**}-H)^+$ is a Bronsted acid

A^{d-} is a non-coordinating anion having the charge d-

d is an integer from 1 to 3.

[0061] The cation component, $(L^{**}-H)_d^+$ may include Bronsted acids such as protons or protonated Lewis bases or reducible Lewis acids capable of protonating or abstracting a moiety, such as an alkyl or aryl, from the precatalyst after alkylation.

The activating cation $(L^{**}-H)_d^+$ may be a Bronsted acid, capable of donating a proton to the alkylated transition metal catalytic precursor resulting in a transition metal cation, including ammoniums, oxoniums, phosphoniums, silyliums, and mixtures thereof, preferably ammoniums of methylamine, aniline, dimethylamine, diethylamine, N-methylaniline, diphenylamine, trimethylamine, triethylamine, N,N-dimethylaniline, methyldiphenylamine, pyridine, p-bromo N,N-dimethylaniline, p-nitro-N,N-dimethylaniline, phosphoniums from triethylphosphine, triphenylphosphine, and diphenylphosphine, oxoniums from ethers such as dimethyl ether, diethyl ether, tetrahydrofuran and dioxane, sulfoniums from thioethers, such as diethyl thioethers and tetrahydrothiophene, and mixtures thereof. The activating cation $(L^{**}-H)_d^+$ may also be a moiety such

as silver, tropylium, carbeniums, ferroceniums and mixtures, preferably carboniums and ferroceniums; most preferably triphenyl carbonium.

[0062] The anion component A^{d-} include those having the formula $[M^{k+}Q_n]^{d-}$ wherein k is an integer from 1 to 3; n is an integer from 2-6; $n - k = d$; M is an element selected from Group 13 of the Periodic Table of the Elements, preferably boron or aluminum, and Q is independently a hydride, bridged or unbridged dialkylamido, halide, alkoxide, aryloxy, hydrocarbyl, substituted hydrocarbyl, halocarbyl, substituted halocarbyl, and halosubstituted-hydrocarbyl radicals, said Q having up to 20 carbon atoms with the proviso that in not more than one occurrence is Q a halide. Preferably, each Q is a fluorinated hydrocarbyl group having 1 to 20 carbon atoms, more preferably each Q is a fluorinated aryl group, and most preferably each Q is a pentafluorophenyl group. Examples of suitable A^{d-} also include diboron compounds as disclosed in U.S. Pat. No. 5,447,895, which is fully incorporated herein by reference.

[0063] Illustrative, but not limiting examples of boron compounds which may be used as an activating cocatalyst in combination with a co-activator in the preparation of the improved catalysts of this invention are tri-substituted ammonium salts such as: trimethylammonium tetraphenylborate, triethylammonium tetraphenylborate, tripropylammonium tetraphenylborate, tri(*n*-butyl)ammonium tetraphenylborate, tri(*tert*-butyl)ammonium tetraphenylborate, N,N-dimethylanilinium tetraphenylborate, N,N-diethylanilinium tetraphenylborate, N,N-dimethyl-(2,4,6-trimethylanilinium) tetraphenylborate, trimethylammonium tetrakis(pentafluorophenyl)borate, triethylammonium tetrakis(pentafluorophenyl)borate, tripropylammonium tetrakis(pentafluorophenyl)borate, tri(*n*-butyl)ammonium tetrakis(pentafluorophenyl)borate, tri(*sec*-butyl)ammonium tetrakis(pentafluorophenyl)borate, N,N-dimethylanilinium tetrakis(pentafluorophenyl)borate, N,N-diethylanilinium tetrakis(pentafluorophenyl)borate, N,N-dimethyl-(2,4,6-trimethylanilinium) tetrakis(pentafluorophenyl)borate, trimethylammonium tetrakis-(2,3,4,6-tetrafluorophenyl) borate, triethylammonium tetrakis-(2,3,4,6-tetrafluorophenyl)borate, tripropylammonium tetrakis-(2,3,4,6-

tetrafluorophenyl)borate, tri(*n*-butyl)ammonium tetrakis-(2,3,4,6-tetrafluorophenyl)borate, dimethyl(*tert*-butyl)ammonium tetrakis-(2,3,4,6-tetrafluorophenyl)borate, N,N-dimethylanilinium tetrakis-(2,3,4,6-tetrafluorophenyl)borate, N,N-diethylanilinium tetrakis-(2,3,4,6-tetrafluorophenyl)borate, N,N-dimethyl-(2,4,6-trimethylanilinium) tetrakis-(2,3,4,6-tetrafluorophenyl)borate, trimethylammonium tetrakis(perfluoronaphthyl)borate, triethylammonium tetrakis(perfluoronaphthyl)borate, tripropylammonium tetrakis(perfluoronaphthyl)borate, tri(*n*-butyl)ammonium tetrakis(perfluoronaphthyl)borate, tri(*tert*-butyl)ammonium tetrakis(perfluoronaphthyl)borate, N,N-dimethylanilinium tetrakis(perfluoronaphthyl)borate, N,N-diethylanilinium tetrakis(perfluoronaphthyl)borate, N,N-dimethyl-(2,4,6-trimethylanilinium) tetrakis(perfluoronaphthyl)borate, trimethylammonium tetrakis(perfluorobiphenyl)borate, triethylammonium tetrakis(perfluorobiphenyl)borate, tripropylammonium tetrakis(perfluorobiphenyl)borate, tri(*n*-butyl)ammonium tetrakis(perfluorobiphenyl)borate, tri(*tert*-butyl)ammonium tetrakis(perfluorobiphenyl)borate, N,N-dimethylanilinium tetrakis(perfluorobiphenyl)borate, N,N-diethylanilinium tetrakis(perfluorobiphenyl)borate, N,N-dimethyl-(2,4,6-trimethylanilinium) tetrakis(perfluorobiphenyl)borate, trimethylammonium tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, triethylammonium tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, tripropylammonium tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, tri(*n*-butyl)ammonium tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, tri(*tert*-butyl)ammonium tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, N,N-dimethylanilinium tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, N,N-diethylanilinium tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, N,N-dimethyl-(2,4,6-trimethylanilinium) tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, and dialkyl ammonium salts such as: di-(*iso*-propyl)ammonium tetrakis(pentafluorophenyl)borate, and dicyclohexylammonium tetrakis(pentafluorophenyl)borate; and other salts such as

tri(o-tolyl)phosphonium tetrakis(pentafluorophenyl)borate, tri(2,6-dimethylphenyl)phosphonium tetrakis(pentafluorophenyl)borate, tropillium tetraphenylborate, triphenylcarbenium tetraphenylborate, triphenylphosphonium tetraphenylborate, triethylsilylium tetraphenylborate, benzene(diazonium)tetraphenylborate, tropillium tetrakis(pentafluorophenyl)borate, triphenylcarbenium tetrakis(pentafluorophenyl)borate, triphenylphosphonium tetrakis(pentafluorophenyl)borate, triethylsilylium tetrakis(pentafluorophenyl)borate, benzene(diazonium) tetrakis(pentafluorophenyl)borate, tropillium tetrakis-(2,3,4,6-tetrafluorophenyl)borate, triphenylcarbenium tetrakis-(2,3,4,6-tetrafluorophenyl)borate, triphenylphosphonium tetrakis-(2,3,4,6-tetrafluorophenyl)borate, triethylsilylium tetrakis-(2,3,4,6-tetrafluorophenyl)borate, benzene(diazonium) tetrakis-(2,3,4,6-tetrafluorophenyl)borate, tropillium tetrakis(perfluoronaphthyl)borate, triphenylcarbenium tetrakis(perfluoronaphthyl)borate, triphenylphosphonium tetrakis(perfluoronaphthyl)borate, triethylsilylium tetrakis(perfluoronaphthyl)borate, benzene(diazonium) tetrakis(perfluoronaphthyl)borate, tropillium tetrakis(perfluorobiphenyl)borate, triphenylcarbenium tetrakis(perfluorobiphenyl)borate, triphenylphosphonium tetrakis(perfluorobiphenyl)borate, triethylsilylium tetrakis(perfluorobiphenyl)borate, benzene(diazonium) tetrakis(perfluorobiphenyl)borate, tropillium tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, triphenylcarbenium tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, triphenylphosphonium tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, triethylsilylium tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, and benzene(diazonium) tetrakis(3,5-bis(trifluoromethyl)phenyl)borate.

[0064] Most preferably, the ionic stoichiometric activator $(L^{**}-H)_d^+ (A^{d-})$ is N,N-dimethylanilinium tetrakis(perfluorophenyl)borate, N,N-dimethylanilinium tetrakis(perfluoronaphthyl)borate, N,N-dimethylanilinium tetrakis(perfluorobiphenyl)borate, N,N-dimethylanilinium tetrakis(3,5-

bis(trifluoromethyl)phenyl)borate, triphenylcarbenium
tetrakis(perfluoronaphthyl)borate, triphenylcarbenium
tetrakis(perfluorobiphenyl)borate, triphenylcarbenium tetrakis(3,5-
bis(trifluoromethyl)phenyl)borate, or triphenylcarbenium
tetra(perfluorophenyl)borate.

[0065] Invention catalyst precursors can also be activated with cocatalysts or activators that comprise non-coordinating anions containing metalloid-free cyclopentadienide ions. These are described in U.S. Patent Publication 2002/0058765 A1, published on 16 May 2002, and for the instant invention, require the addition of a co-activator to the catalyst pre-cursor.

[0066] The term "non-coordinating anion" (NCA) means an anion that does not coordinate to the catalyst metal cation or that does coordinate to the metal cation, but only weakly. An NCA coordinates weakly enough that a neutral Lewis base, such as an olefinically or acetylenically unsaturated monomer can displace it from the catalyst center. "Compatible" non-coordinating anions are those which are not degraded to neutrality when the initially formed complex decomposes. Further, the anion will not transfer an anionic substituent or fragment to the cation so as to cause it to form a neutral transition metal compound and a neutral by-product from the anion. Non-coordinating anions useful in accordance with this invention are those that are compatible, stabilize the transition metal complex cation in the sense of balancing its ionic charge at +1, yet retain sufficient lability to permit displacement by an ethylenically or acetylenically unsaturated monomer during polymerization. These types of cocatalysts sometimes use scavengers such as but not limited to tri-*iso*-butyl aluminum, tri-*n*-octyl aluminum, tri-*n*-hexyl aluminum, triethylaluminum or trimethylaluminum.

[0067] Invention process also can employ cocatalyst compounds or activator compounds that are initially neutral Lewis acids but form a cationic metal complex and a noncoordinating anion, or a zwitterionic complex upon reaction with the alkylated transition metal compounds. The alkylated invention compound is formed from the reaction of the catalyst pre-cursor and the co-activator. For example, tris(pentafluorophenyl) boron or aluminum act to abstract

a hydrocarbyl ligand to yield an invention cationic transition metal complex and stabilizing noncoordinating anion, see EP-A-0 427 697 and EP-A-0 520 732 for illustrations of analogous Group-4 metallocene compounds. Also, see the methods and compounds of EP-A-0 495 375. For formation of zwitterionic complexes using analogous Group 4 compounds, see U.S. Patents 5,624,878; 5,486,632; and 5,527,929.

[0068] Additional neutral Lewis-acids are known in the art and are suitable for abstracting formal anionic ligands. See in particular the review article by E. Y.-X. Chen and T.J. Marks, "Cocatalysts for Metal-Catalyzed Olefin Polymerization: Activators, Activation Processes, and Structure-Activity Relationships", *Chem. Rev.*, *100*, 1391-1434 (2000).

When the cations of noncoordinating anion precursors are Bronsted acids such as protons or protonated Lewis bases (excluding water), or reducible Lewis acids such as ferrocenium or silver cations, or alkali or alkaline earth metal cations such as those of sodium, magnesium or lithium, the catalyst-precursor-to-activator molar ratio may be any ratio. Combinations of the described activator compounds may also be used for activation.

[0069] When an ionic or neutral stoichiometric activator is used, the catalyst-precursor-to-activator molar ratio is from 1:10 to 1:1; 1:10 to 10:1; 1:10 to 2:1; 1:10 to 3:1; 1:10 to 5:1; 1:2 to 1.2:1; 1:2 to 10:1; 1:2 to 2:1; 1:2 to 3:1; 1:2 to 5:1; 1:3 to 1.2:1; 1:3 to 10:1; 1:3 to 2:1; 1:3 to 3:1; 1:3 to 5:1; 1:5 to 1:1; 1:5 to 10:1; 1:5 to 2:1; 1:5 to 3:1; 1:5 to 5:1; 1:1 to 1:1.2. The catalyst-precursor-to-co-activator molar ratio is from 1:100 to 100:1; 1:75 to 75:1; 1:50 to 50:1; 1:25 to 25:1; 1:15 to 15:1; 1:10 to 10:1; 1:5 to 5:1; 1:2 to 2:1; 1:100 to 1:1; 1:75 to 1:1; 1:50 to 1:1; 1:25 to 1:1; 1:15 to 1:1; 1:10 to 1:1; 1:5 to 1:1; 1:2 to 1:1; 1:10 to 2:1.

[0070] Preferred activators and activator/co-activator combinations include methylalumoxane, modified methylalumoxane, mixtures of methylalumoxane with dimethylanilinium tetrakis(pentafluorophenyl)borate or tris(pentafluorophenyl)boron, and mixtures of trimethyl aluminum with dimethylanilinium tetrakis(pentafluorophenyl)borate or tris(pentafluorophenyl)boron

[0071] In some embodiments, scavenging compounds are used with stoichiometric activators. Typical aluminum or boron alkyl components useful as scavengers are represented by the general formula R^xJZ_2 where J is aluminum or boron, R^x is as previously defined above, and each Z is independently R^x or a different univalent anionic ligand such as halogen (Cl, Br, I), alkoxide (OR^x) and the like. Most preferred aluminum alkyls include triethylaluminum, diethylaluminum chloride, tri-*iso*-butylaluminum, tri-*n*-octylaluminum, tri-*n*-hexylaluminum, trimethylaluminum and the like. Preferred boron alkyls include triethylboron. Scavenging compounds may also be alumoxanes and modified alumoxanes including methylalumoxane and modified methylalumoxane.

Supported Catalysts

[0072] The solubility of invention catalyst precursors allows for the ready preparation of supported catalysts. To prepare uniform supported catalysts, the catalyst precursor preferably dissolves in the chosen solvent. The term "uniform supported catalyst" means that the catalyst precursor, the activator and or the activated catalyst approach uniform distribution upon the support's accessible surface area, including the interior pore surfaces of porous supports. Some embodiments of supported catalysts prefer uniform supported catalysts; other embodiments show no such preference.

[0073] Invention supported catalyst systems may be prepared by any method effective to support other coordination catalyst systems, effective meaning that the catalyst so prepared can be used for oligomerizing or polymerizing olefin in a heterogenous process. The catalyst precursor, activator, co-activator if needed, suitable solvent, and support may be added in any order or simultaneously.

[0074] By one method, the activator, dissolved in an appropriate solvent such as toluene may be stirred with the support material for 1 minute to 10 hours. The total solution volume may be greater than the pore volume of the support, but some embodiments limit the total solution volume below that needed to form a gel or slurry (about 90% to 400 %, preferably about 100-200% of the pore volume). The mixture is optionally heated from 30-200 °C during this time. The catalyst

precursor may be added to this mixture as a solid, if a suitable solvent is employed in the previous step, or as a solution. Or alternatively, this mixture can be filtered, and the resulting solid mixed with a catalyst precursor solution. Similarly, the mixture may be vacuum dried and mixed with a catalyst precursor solution. The resulting catalyst mixture is then stirred for 1 minute to 10 hours, and the catalyst is either filtered from the solution and vacuum dried or evaporation alone removes the solvent.

[0075] Alternatively, the catalyst precursor and activator may be combined in solvent to form a solution. Then the support is added, and the mixture is stirred for 1 minute to 10 hours. The total solution volume may be greater than the pore volume of the support, but some embodiments limit the total solution volume below that needed to form a gel or slurry (about 90% to 400 %, preferably about 100-200% of the pore volume). After stirring, the residual solvent is removed under vacuum, typically at ambient temperature and over 10-16 hours. But greater or lesser times and temperatures are possible. The catalyst precursor may also be supported absent the activator; in that case, the activator (and co-activator if needed) is added to a slurry process's liquid phase. For example, a solution of catalyst precursor may be mixed with a support material for a period of about 1 minute to 10 hours. The resulting precatalyst mixture may be filtered from the solution and dried under vacuum, or evaporation alone removes the solvent. The total, catalyst-precursor-solution volume may be greater than the support's pore volume, but some embodiments limit the total solution volume below that needed to form a gel or slurry (about 90% to 400 %, preferably about 100-200% of the pore volume).

[0076] Additionally, two or more different catalyst precursors may be placed on the same support using any of the support methods disclosed above. Likewise, two or more activators or an activator and co-activator may be placed on the same support.

[0077] Suitable solid particle supports are typically comprised of polymeric or refractory oxide materials, each being preferably porous. Any support material that has an average particle size greater than 10 μm is suitable for use in this invention. Various embodiments select a porous support material, such

as for example, talc, inorganic oxides, inorganic chlorides, for example magnesium chloride and resinous support materials such as polystyrene polyolefin or polymeric compounds or any other organic support material and the like. Some embodiments select inorganic oxide materials as the support material including Group-2, -3, -4, -5, -13, or -14 metal or metalloid oxides. Some embodiments select the catalyst support materials to include silica, alumina, silica-alumina, and their mixtures. Other inorganic oxides may serve either alone or in combination with the silica, alumina, or silica-alumina. These are magnesia, titania, zirconia, and the like. Lewis acidic materials such as montmorillonite and similar clays may also serve as a support. In this case, the support can optionally double as the activator component. But additional activator may also be used.

[0078] The support material may be pretreated by any number of methods. For example, inorganic oxides may be calcined, chemically treated with dehydroxylating agents such as aluminum alkyls and the like, or both.

[0079] As stated above, polymeric carriers will also be suitable in accordance with the invention, see for example the descriptions in WO 95/15815 and U.S. patent 5,427,991. The methods disclosed may be used with the catalyst complexes, activators or catalyst systems of this invention to adsorb or absorb them on the polymeric supports, particularly if made up of porous particles, or may be chemically bound through functional groups bound to or in the polymer chains.

[0080] Invention catalyst carriers may have a surface area of from 10-700 m²/g, a pore volume of 0.1-4.0 cc/g and an average particle size of 10-500 μm. Some embodiments select a surface area of 50-500 m²/g, a pore volume of 0.5-3.5 cc/g, or an average particle size of 20-200 μm. Other embodiments select a surface area of 100-400 m²/g, a pore volume of 0.8-3.0 cc/g, and an average particle size of 30-100 μm. Invention carriers typically have a pore size of 10-1000 Angstroms, alternatively 50-500 Angstroms, or 75-350 Angstroms.

[0081] Invention catalysts are generally deposited on the support at a loading level of 10-100 micromoles of catalyst precursor per gram of solid support; alternately 20-80 micromoles of catalyst precursor per gram of solid support; or 40-60 micromoles of catalyst precursor per gram of support. But

greater or lesser values may be used provided that the total amount of solid catalyst precursor does not exceed the support's pore volume.

[0082] Invention catalysts can be supported for gas-phase, bulk, or slurry polymerization, or otherwise as needed. Numerous support methods are known for catalysts in the olefin polymerization art, particularly alumoxane-activated catalysts; all are suitable for this invention's broadest practice. See, for example, U.S. Patents 5,057,475 and 5,227,440. An example of supported ionic catalysts appears in WO 94/03056. U.S. Patent 5,643,847 and WO 96/04319A describe a particularly effective method. A bulk or slurry process using this invention's supported metal complexes activated with alumoxane can be used for ethylene-propylene rubber as described in U.S. Patents 5,001,205 and 5,229,478. Additionally, those processes suit this invention's catalyst systems. Both polymers and inorganic oxides may serve as supports, as is known in the art. See U.S. Patents 5,422,325, 5,427,991, 5,498,582 and 5,466,649, and international publications WO 93/11172 and WO 94/07928.

Monomers

[0083] In a preferred embodiment the catalyst compounds of this invention are used to polymerize or oligomerize any unsaturated monomer or monomers. Preferred monomers include C₂ to C₁₀₀ olefins, preferably C₂ to C₆₀ olefins, preferably C₂ to C₄₀ olefins preferably C₂ to C₂₀ olefins, preferably C₂ to C₁₂ olefins. In some embodiments preferred monomers include linear, branched or cyclic alpha-olefins, preferably C₂ to C₁₀₀ alpha-olefins, preferably C₂ to C₆₀ alpha-olefins, preferably C₂ to C₄₀ alpha-olefins preferably C₂ to C₂₀ alpha-olefins, preferably C₂ to C₁₂ alpha-olefins. Preferred olefin monomers may be one or more of ethylene, propylene, butene, pentene, hexene, heptene, octene, nonene, decene, dodecene, 4-methylpentene-1, 3-methylpentene-1, 3,5,5-trimethylhexene-1, and 5-ethylnonene-1.

[0084] In another embodiment the polymer produced herein is a copolymer of one or more linear or branched C₃ to C₃₀ prochiral alpha-olefins or C₅ to C₃₀ ring containing olefins or combinations thereof capable of being polymerized by either stereospecific and non-stereospecific catalysts. Prochiral,

as used herein, refers to monomers that favor the formation of isotactic or syndiotactic polymer when polymerized using stereospecific catalyst(s).

[0085] Preferred monomers may also include aromatic-group-containing monomers containing up to 30 carbon atoms. Suitable aromatic-group-containing monomers comprise at least one aromatic structure, preferably from one to three, more preferably a phenyl, indenyl, fluorenyl, or naphthyl moiety. The aromatic-group-containing monomer further comprises at least one polymerizable double bond such that after polymerization, the aromatic structure will be pendant from the polymer backbone. The aromatic-group containing monomer may further be substituted with one or more hydrocarbyl groups including but not limited to C₁ to C₁₀ alkyl groups. Additionally two adjacent substitutions may be joined to form a ring structure. Preferred aromatic-group-containing monomers contain at least one aromatic structure appended to a polymerizable olefinic moiety. Particularly preferred aromatic monomers include styrene, alpha-methylstyrene, para-alkylstyrenes, vinyltoluenes, vinylnaphthalene, allyl benzene, and indene, especially styrene, para-methylstyrene, 4-phenyl-1-butene and allyl benzene.

[0086] Non aromatic cyclic group containing monomers are also preferred. These monomers can contain up to 30 carbon atoms. Suitable non-aromatic cyclic group containing monomers preferably have at least one polymerizable olefinic group that is either pendant on the cyclic structure or is part of the cyclic structure. The cyclic structure may also be further substituted by one or more hydrocarbyl groups such as, but not limited to, C₁ to C₁₀ alkyl groups. Preferred non-aromatic cyclic group containing monomers include vinylcyclohexane, vinylcyclohexene, cyclopentadiene, cyclopentene, 4-methylcyclopentene, cyclohexene, 4-methylcyclohexene, cyclobutene, vinyladamantane, norbornene, 5-methylnorbornene, 5-ethylnorbornene, 5-propylnorbornene, 5-butylnorbornene, 5-pentylnorbornene, 5-hexylnorbornene, 5-heptylnorbornene, 5-octylnorbornene, 5-nonylnorbornene, 5-decylnorbornene, 5-phenylnorbornene, vinylnorbornene, ethylidene norbornene, 5,6-dimethylnorbornene, 5,6-dibutylnorbornene and the like.

[0087] Preferred diolefin monomers useful in this invention include any hydrocarbon structure, preferably C₄ to C₃₀, having at least two unsaturated bonds,

wherein at least one, typically two, of the unsaturated bonds are readily incorporated into a polymer by either a stereospecific or a non-stereospecific catalyst(s). It is further preferred that the diolefin monomers be selected from alpha-omega-diene monomers (i.e. di-vinyl monomers). More preferably, the diolefin monomers are linear di-vinyl monomers, most preferably those containing from 4 to 30 carbon atoms. Examples of preferred dienes include butadiene, pentadiene, hexadiene, heptadiene, octadiene, nonadiene, decadiene, undecadiene, dodecadiene, tridecadiene, tetradecadiene, pentadecadiene, hexadecadiene, heptadecadiene, octadecadiene, nonadecadiene, icosadiene, heneicosadiene, docosadiene, tricosadiene, tetracosadiene, pentacosadiene, hexacosadiene, heptacosadiene, octacosadiene, nonacosadiene, triacontadiene, particularly preferred dienes include 1,6-heptadiene, 1,7-octadiene, 1,8-nonadiene, 1,9-decadiene, 1,10-undecadiene, 1,11-dodecadiene, 1,12-tridecadiene, 1,13-tetradecadiene, and low molecular weight polybutadienes (Mw less than 1000 g/mol). Preferred cyclic dienes include cyclopentadiene, vinylnorbornene, norbornadiene, ethylidene norbornene, divinylbenzene, dicyclopentadiene or higher ring containing diolefins with or without substituents at various ring positions.

[0088] In an embodiment herein, the process described herein is used to produce an oligomer of any of the monomers listed above. Preferred oligomers include oligomers of any C₂ to C₂₀ olefins, preferably C₂ to C₁₂ alpha-olefins, most preferably oligomers comprising ethylene, propylene and or butene are prepared. A preferred feedstock for the oligomerization process is the alpha-olefin, ethylene. But other alpha-olefins, including but not limited to propylene and 1-butene, may also be used alone or combined with ethylene. Preferred alpha-olefins include any C₂ to C₄₀ alpha-olefin, preferably and C₂ to C₂₀ alpha-olefin, preferably any C₂ to C₁₂ alpha-olefin, preferably ethylene, propylene, and butene, most preferably ethylene. Dienes may be used in the processes described herein, preferably alpha-omega-dienes are used alone or in combination with mono-alpha olefins.

[0089] In a preferred embodiment the process described herein may be used to produce homopolymers or copolymers. (For the purposes of this

invention and the claims thereto a copolymer may comprise two, three, four or more different monomer units.) Preferred polymers produced herein include homopolymers or copolymers of any of the above monomers. In a preferred embodiment the polymer is a homopolymer of any C₂ to C₁₂ alpha-olefin. Preferably the polymer is a homopolymer of ethylene or a homopolymer of propylene. In another embodiment the polymer is a copolymer comprising ethylene and one or more of any of the monomers listed above. In another embodiment the polymer is a copolymer comprising propylene and one or more of any of the monomers listed above. In another preferred embodiment the homopolymers or copolymers described, additionally comprise one or more diolefin comonomers, preferably one or more C₄ to C₄₀ diolefins.

[0090] In another preferred embodiment the polymer produced herein is a copolymer of ethylene and one or more C₃ to C₂₀ linear, branched or cyclic monomers, preferably one or more C₃ to C₁₂ linear, branched or cyclic alpha-olefins. Preferably the polymer produced herein is a copolymer of ethylene and one or more of propylene, butene, pentene, hexene, heptene, octene, nonene, decene, dodecene, 4-methylpentene-1, 3-methylpentene-1, 3,5,5-trimethylhexene-1, cyclopentene, 4-methylcyclopentene, cyclohexene, and 4-methylcyclohexene.

[0091] In another preferred embodiment the polymer produced herein is a copolymer of propylene and one or more C₂ or C₄ to C₂₀ linear, branched or cyclic monomers, preferably one or more C₂ or C₄ to C₁₂ linear, branched or cyclic alpha-olefins. Preferably the polymer produced herein is a copolymer of propylene and one or more of ethylene, butene, pentene, hexene, heptene, octene, nonene, decene, dodecene, 4-methylpentene-1, 3-methylpentene-1, and 3,5,5-trimethylhexene-1.

[0092] In a preferred embodiment the copolymers described herein comprise at least 50 mole% of a first monomer and up to 50 mole% of other monomers.

[0093] In another embodiment, the polymer comprises:

[0094] a first monomer present at from 40 to 95 mole%, preferably 50 to 90 mole%, preferably 60 to 80 mole %, and

[0095] a comonomer present at from 5 to 60 mole%, preferably 10 to 40 mole%, more preferably 20 to 40 mole%, and

[0096] a termonomer present at from 0 to 10 mole%, more preferably from 0.5 to 5 mole%, more preferably 1 to 3 mole%.

[0097] In a preferred embodiment the first monomer comprises one or more of any C₃ to C₈ linear branched or cyclic alpha-olefins, including propylene, butene, (and all isomers thereof), pentene (and all isomers thereof), hexene (and all isomers thereof), heptene (and all isomers thereof), and octene (and all isomers thereof). Preferred monomers include propylene, 1-butene, 1-hexene, 1-octene, cyclopentene, cyclohexene, cyclooctene, hexadiene, cyclohexadiene and the like.

[0098] In a preferred embodiment the comonomer comprises one or more of any C₂ to C₄₀ linear, branched or cyclic alpha-olefins (provided ethylene, if present, is present at 5 mole% or less), including ethylene, propylene, butene, pentene, hexene, heptene, and octene, nonene, decene, undecene, dodecene, hexadecene, butadiene, hexadiene, heptadiene, pentadiene, octadiene, nonadiene, decadiene, dodecadiene, styrene, 3,5,5-trimethylhexene-1, 3-methylpentene-1, 4-methylpentene-1, cyclopentadiene, and cyclohexene.

[0099] In a preferred embodiment the termonomer comprises one or more of any C₂ to C₄₀ linear, branched or cyclic alpha-olefins, (provided ethylene, if present, is present at 5 mole% or less), including ethylene, propylene, butene, pentene, hexene, heptene, and octene, nonene, decene, undecene, dodecene, hexadecene, butadiene, hexadiene, heptadiene, pentadiene, octadiene, nonadiene, decadiene, dodecadiene, styrene, 3,5,5-trimethylhexene-1, 3-methylpentene-1, 4-methylpentene-1, cyclopentadiene, and cyclohexene.

[00100] In a preferred embodiment the polymers described above further comprise one or more dienes at up to 10 weight%, preferably at 0.00001 to 1.0 weight%, preferably 0.002 to 0.5 weight%, even more preferably 0.003 to 0.2 weight%, based upon the total weight of the composition. In some embodiments 500 ppm or less of diene is added to the polymerization, preferably 400 ppm or less, preferably or 300 ppm or less. In other embodiments at least 50 ppm of diene is added to the polymerization, or 100 ppm or more, or 150 ppm or more.

Polymerization Processes

[00101] Invention catalyst complexes are useful in polymerizing unsaturated monomers conventionally known to undergo metallocene-catalyzed polymerization such as solution, slurry, gas-phase, and high-pressure polymerization. Typically one or more transition metal compounds, one or more activators, and one or more monomers are contacted to produce polymer. These catalysts may be supported and as such will be particularly useful in the known, fixed-bed, moving-bed, fluid-bed, slurry, solution, or bulk operating modes conducted in single, series, or parallel reactors.

[00102] One or more reactors in series or in parallel may be used in the present invention. The transition metal compound, activator and when required, co-activator, may be delivered as a solution or slurry, either separately to the reactor, activated in-line just prior to the reactor, or preactivated and pumped as an activated solution or slurry to the reactor. Polymerizations are carried out in either single reactor operation, in which monomer, comonomers, catalyst/activator/co-activator, optional scavenger, and optional modifiers are added continuously to a single reactor or in series reactor operation, in which the above components are added to each of two or more reactors connected in series. The catalyst components can be added to the first reactor in the series. The catalyst component may also be added to both reactors, with one component being added to first reaction and another component to other reactors. In one preferred embodiment, the precatalyst is activated in the reactor in the presence of olefin.

[00103] Ethylene-alpha-olefin (including ethylene-cyclic olefin and ethylene-alpha-olefin-diolefin) elastomers of high molecular weight and low crystallinity can be prepared utilizing the catalysts of the invention under traditional solution processes or by introducing ethylene gas into a slurry utilizing the alpha-olefin or cyclic olefin or mixture thereof with other monomers, polymerizable and not, as a polymerization diluent in which the catalyst suspension is suspended. Typical ethylene pressures will be between 10 and 1000 psig (69-6895 kPa) and the polymerization diluent temperature will typically be between -10 and 160 °C. The process can be carried out in a stirred tank reactor or a tubular reactor, or more than one reactor operated in series or in parallel. See

the general disclosure of U.S. patent 5,001,205 for general process conditions. All documents are incorporated by reference for description of polymerization processes, ionic activators and useful scavenging compounds.

[00104] The invention catalyst compositions can be used individually or can be mixed with other known polymerization catalysts to prepare polymer blends. Monomer and catalyst selection allows polymer blend preparation under conditions analogous to those using individual catalysts. Polymers having increased MWD for improved processing and other traditional benefits available from polymers made with mixed catalyst systems can thus be achieved.

[00105] Generally, when using invention catalysts, particularly when they are immobilized on a support, the complete catalyst system will additionally comprise one or more scavenging compounds. Here, the term scavenging compound means a compound that removes polar impurities from the reaction environment. These impurities adversely affect catalyst activity and stability. Typically, purifying steps are usually used before introducing reaction components to a reaction vessel. But such steps will rarely allow polymerization without using some scavenging compounds. Normally, the polymerization process will still use at least small amounts of scavenging compounds. Typically, the scavenging compound will be an organometallic compound such as the Group-13 organometallic compounds of U.S. Patents 5,153,157, 5,241,025 and WO-A-91/09882, WO-A-94/03506, WO-A-93/14132, and that of WO 95/07941. Exemplary compounds include triethyl aluminum, triethyl borane, tri-*iso*-butyl aluminum, methyl alumoxane, *iso*-butyl alumoxane, and tri-*n*-octyl aluminum. Those scavenging compounds having bulky or C₆-C₂₀ linear hydrocarbyl substituents connected to the metal or metalloid center usually minimize adverse interaction with the active catalyst. Examples include triethylaluminum, but more preferably, bulky compounds such as tri-*iso*-butyl aluminum, tri-*iso*-prenyl aluminum, and long-chain linear alkyl-substituted aluminum compounds, such as tri-*n*-hexyl aluminum, tri-*n*-octyl aluminum, or tri-*n*-dodecyl aluminum. When alumoxane is used as the activator, any excess over that needed for activation will scavenge impurities and additional scavenging compounds may be unnecessary. Alumoxanes also may be added in scavenging

quantities with other activators, e.g., methylalumoxane, $[\text{Me}_2\text{HNPh}]^+[\text{B}(\text{pfp})_4]^-$ or $\text{B}(\text{pfp})_3$ (perfluorophenyl = pfp = C_6F_5).

[00106] In terms of polymer density, the polymers capable of production in accordance the invention, can range from about 0.85 to about 0.95, preferably from 0.87 to 0.93, more preferably 0.89 to 0.920. Polymer molecular weights can range from about 3000 Mn to about 2,000,000 Mn or greater. Molecular weight distributions can range from about 1.1 to about 50.0, with molecular weight distributions from 1.2 to about 5.0 being more typical. Pigments, antioxidants and other additives, as is known in the art, may be added to the polymer.

Gas phase polymerization

[00107] Generally, in a fluidized gas bed process used for producing polymers, a gaseous stream containing one or more monomers is continuously cycled through a fluidized bed in the presence of a catalyst under reactive conditions. The gaseous stream is withdrawn from the fluidized bed and recycled back into the reactor. Simultaneously, polymer product is withdrawn from the reactor and fresh monomer is added to replace the polymerized monomer. (See for example U.S. Patent Nos. 4,543,399, 4,588,790, 5,028,670, 5,317,036, 5,352,749, 5,405,922, 5,436,304, 5,453,471, 5,462,999, 5,616,661 and 5,668,228 all of which are fully incorporated herein by reference.)

[00108] The reactor pressure in a gas phase process may vary from about 10 psig (69 kPa) to about 500 psig (3448 kPa), preferably from about 100 psig (690 kPa) to about 500 psig (3448 kPa), preferably in the range of from about 200 psig (1379 kPa) to about 400 psig (2759 kPa), more preferably in the range of from about 250 psig (1724 kPa) to about 350 psig (2414 kPa).

[00109] The reactor temperature in the gas phase process may vary from about 30 °C to about 120°C, preferably from about 60 °C to about 115 °C, more preferably in the range of from about 70 °C to 110 °C, and most preferably in the range of from about 70 °C to about 95°C. In another embodiment when high density polyethylene is desired then the reactor temperature is typically between 70 and 105 °C.

[00110] The productivity of the catalyst or catalyst system in a gas phase system is influenced by the partial pressure of the main monomer. The preferred

mole percent of the main monomer, ethylene or propylene, preferably ethylene, is from about 25 to 90 mole percent and the comonomer partial pressure is in the range of from about 138 kPa to about 517 kPa, preferably about 517 kPa to about 2069 kPa, which are typical conditions in a gas phase polymerization process. Also in some systems the presence of comonomer can increase productivity.

[00111] In a preferred embodiment, the reactor utilized in the present invention is capable of producing more than 500 lbs of polymer per hour (227 Kg/hr) to about 200,000 lbs/hr (90,900 Kg/hr) or higher, preferably greater than 1000 lbs/hr (455 Kg/hr), more preferably greater than 10,000 lbs/hr (4540 Kg/hr), even more preferably greater than 25,000 lbs/hr (11,300 Kg/hr), still more preferably greater than 35,000 lbs/hr (15,900 Kg/hr), still even more preferably greater than 50,000 lbs/hr (22,700 Kg/hr) and preferably greater than 65,000 lbs/hr (29,000 Kg/hr) to greater than 100,000 lbs/hr (45,500 Kg/hr), and most preferably over 100,000 lbs/hr (45,500 Kg/hr).

[00112] Other gas phase processes contemplated by the process of the invention include those described in U.S. Patent Nos. 5,627,242, 5,665,818 and 5,677,375, and European publications EP-A- 0 794 200, EP-A- 0 802 202 and EP-B- 634 421 all of which are herein fully incorporated by reference.

[00113] In another preferred embodiment the catalyst system is in liquid form and is introduced into the gas phase reactor into a resin particle lean zone. For information on how to introduce a liquid catalyst system into a fluidized bed polymerization into a particle lean zone, please see US 5,693,727, which is incorporated by reference herein.

Slurry phase polymerization

[00114] A slurry polymerization process generally operates between 1 to about 50 atmosphere pressure range (15 psig to 735 psig, 103 kPa to 5068 kPa) or even greater and temperatures in the range of 0 °C to about 120 °C. In a slurry polymerization, a suspension of solid, particulate polymer is formed in a liquid polymerization diluent medium to which monomer and comonomers along with catalyst are added. The suspension including diluent is intermittently or continuously removed from the reactor where the volatile components are

separated from the polymer and recycled, optionally after a distillation, to the reactor. The liquid diluent employed in the polymerization medium is typically an alkane having from 3 to 7 carbon atoms, preferably a branched alkane. The medium employed should be liquid under the conditions of polymerization and relatively inert. When a propane medium is used the process should be operated above the reaction diluent critical temperature and pressure. Preferably, a hexane or an isobutane medium is employed.

[00115] In one embodiment, a preferred polymerization technique of the invention is referred to as a particle form polymerization, or a slurry process where the temperature is kept below the temperature at which the polymer goes into solution. Such technique is well known in the art, and described in for instance U.S. Patent No. 3,248,179 which is fully incorporated herein by reference. The preferred temperature in the particle form process is within the range of about 85 °C to about 110 °C. Two preferred polymerization methods for the slurry process are those employing a loop reactor and those utilizing a plurality of stirred reactors in series, parallel, or combinations thereof. Non-limiting examples of slurry processes include continuous loop or stirred tank processes. Also, other examples of slurry processes are described in U.S. Patent No. 4,613,484, which is herein fully incorporated by reference.

[00116] In another embodiment, the slurry process is carried out continuously in a loop reactor. The catalyst, as a slurry in isobutane or as a dry free flowing powder, is injected regularly to the reactor loop, which is itself filled with circulating slurry of growing polymer particles in a diluent of isobutane containing monomer and comonomer. Hydrogen, optionally, may be added as a molecular weight control. The reactor is maintained at a pressure of 3620 kPa to 4309 kPa and at a temperature in the range of about 60 °C to about 104 °C depending on the desired polymer melting characteristics. Reaction heat is removed through the loop wall since much of the reactor is in the form of a double-jacketed pipe. The slurry is allowed to exit the reactor at regular intervals or continuously to a heated low pressure flash vessel, rotary dryer and a nitrogen purge column in sequence for removal of the isobutane diluent and all unreacted

monomer and comonomers. The resulting hydrocarbon free powder is then compounded for use in various applications.

[00117] In another embodiment, the reactor used in the slurry process of the invention is capable of and the process of the invention is producing greater than 2000 lbs of polymer per hour (907 Kg/hr), more preferably greater than 5000 lbs/hr (2268 Kg/hr), and most preferably greater than 10,000 lbs/hr (4540 Kg/hr). In another embodiment the slurry reactor used in the process of the invention is producing greater than 15,000 lbs of polymer per hour (6804 Kg/hr), preferably greater than 25,000 lbs/hr (11,340 Kg/hr) to about 100,000 lbs/hr (45,500 Kg/hr).

[00118] In another embodiment in the slurry process of the invention the total reactor pressure is in the range of from 400 psig (2758 kPa) to 800 psig (5516 kPa), preferably 450 psig (3103 kPa) to about 700 psig (4827 kPa), more preferably 500 psig (3448 kPa) to about 650 psig (4482 kPa), most preferably from about 525 psig (3620 kPa) to 625 psig (4309 kPa).

[00119] In yet another embodiment in the slurry process of the invention the concentration of predominant monomer in the reactor liquid medium is in the range of from about 1 to 10 weight percent, preferably from about 2 to about 7 weight percent, more preferably from about 2.5 to about 6 weight percent, most preferably from about 3 to about 6 weight percent.

[00120] Another process of the invention is where the process, preferably a slurry or gas phase process is operated in the absence of or essentially free of any scavengers, such as triethylaluminum, trimethylaluminum, tri-*iso*-butylaluminum and tri-*n*-hexylaluminum and diethyl aluminum chloride, dibutyl zinc and the like. This process is described in PCT publication WO 96/08520 and U.S. Patent No. 5,712,352, which are herein fully incorporated by reference.

[00121] In another embodiment the process is run with scavengers. Typical scavengers include trimethyl aluminum, tri-*iso*-butyl aluminum and an excess of alumoxane or modified alumoxane.

Homogeneous, bulk or solution phase polymerization

[00122] The catalysts described herein can be used advantageously in homogeneous solution processes. Generally this involves polymerization in a

continuous reactor in which the polymer formed and the starting monomer and catalyst materials supplied, are agitated to reduce or avoid concentration gradients. Suitable processes operate above the melting point of the polymers at high pressures, from 1 to 3000 bar (10-30,000 MPa), in which the monomer acts as diluent or in solution polymerization using a solvent.

Temperature control in the reactor is obtained by balancing the heat of polymerization and with reactor cooling by reactor jackets or cooling coils to cool the contents of the reactor, auto refrigeration, pre-chilled feeds, vaporization of liquid medium (diluent, monomers or solvent) or combinations of all three.

Adiabatic reactors with pre-chilled feeds may also be used. The reactor temperature depends on the catalyst used. In general, the reactor temperature preferably can vary between about 0 °C and about 160 °C, more preferably from about 10 °C to about 140 °C, and most preferably from about 40 °C to about 120 °C. In series operation, the second reactor temperature is preferably higher than the first reactor temperature. In parallel reactor operation, the temperatures of the two reactors are independent. The pressure can vary from about 1 mm Hg to 2500 bar (25,000 MPa), preferably from 0.1 bar to 1600 bar (1-16,000 MPa), most preferably from 1.0 to 500 bar (10-5000MPa).

[00123] Each of these processes may also be employed in single reactor, parallel or series reactor configurations. The liquid processes comprise contacting olefin monomers with the above described catalyst system in a suitable diluent or solvent and allowing said monomers to react for a sufficient time to produce the desired polymers. Hydrocarbon solvents are suitable, both aliphatic and aromatic. Alkanes, such as hexane, pentane, isopentane, and octane, are preferred.

[00124] The process can be carried out in a continuous stirred tank reactor, batch reactor, or plug flow reactor, or more than one reactor operated in series or parallel. These reactors may have or may not have internal cooling and the monomer feed may or may not be refrigerated. See the general disclosure of U.S. patent 5,001,205 for general process conditions. See also, international application WO 96/33227 and WO 97/22639.

Medium and High Pressure Polymerizations

[00125] In the high pressure process for the polymerization of ethylene alone or in combination with C₃ to C₁₀ alpha-olefins and optionally other copolymerizable olefins, the temperature of the medium within which the polymerization reaction occurs is at least 120 °C and preferably above 140 °C and may range to 350 °C, but below the decomposition temperature of said polymer product, typically from 310 °C to 325 °C. Preferably, the polymerization is completed at a temperature within the range of 130 °C to 230 °C. The polymerization is completed at a pressure above 200 bar (20 MPa), and generally at a pressure within the range of 500 bar (50 MPa) to 3500 bar (350 MPa). Preferably, the polymerization is completed at a pressure within the range from 800 bar (80 MPa) to 2500 bar (250 MPa).

[00126] For medium pressure process, the temperature within which the polymerization reaction occurs is at least 80 °C and ranges from 80 °C to 250 °C, preferably from 100 °C to 220 °C, and should for a given polymer in the reactor, be above the melting point of said polymer so as to maintain the fluidity of the polymer-rich phase. The pressure can be varied between 100 and 1000 bar for ethylene homopolymers and from 30 bar (3 MPa) to 1000 bar (100 MPa), especially 50 bar (5 MPa) to 500 bar (50 MPa) for processes producing ethylene copolymers containing C₃ to C₁₀ olefins and optionally other copolymerizable olefins.

[00127] More recently, polymerization conditions for high pressure and or temperature polymerizations to prepare propylene homopolymers and copolymers of propylene with C₃ to C₁₀ olefins and optionally other copolymerizable olefins have been reported. See US patent applications 60/431,185 filed December 5, 2002; 60/431,077, filed December 5, 2002; and 60/412,541, filed September 20, 2002.

[00128] After polymerization and deactivation of the catalyst, the polymer product can be recovered by processes well known in the art. Any excess reactants may be flashed off from the polymer and the polymer obtained extruded into water and cut into pellets or other suitable comminuted shapes. . For general process conditions, see the general disclosure of U.S. patents 5,084,534, 5,408,017, 6,127,497, 6,255,410, which are incorporated herein by reference.

Experimental – Synthesis of Pre-catalysts


[00129] All manipulations with air and moisture sensitive compounds were performed either in an atmosphere of thoroughly purified argon using a standard Schlenk technique or in a controlled atmosphere Glove Box (Vacuum Atmospheres Co.). Tetrahydrofuran (THF, Merck = Merck KGaA, Darmstadt, Germany) and diethyl ether (ether, Merck) for synthesis were purified by distillation over LiAlH_4 , and stored over sodium benzophenone ketyl under an inert atmosphere; prior to use, the solvents were distilled from the benzophenone ketyl. Hydrocarbon solvents such as benzene (Merck), toluene (Merck) and hexanes (Merck) were typically distilled over CaH_2 , and were stored over Na/K alloy under an inert atmosphere; prior to use, the solvents were distilled from the Na/K alloy. Methylene chloride- d_2 was distilled and stored over CaH_2 under an inert atmosphere; prior to use, the solvent was distilled from the CaH_2 . Chloroform- d was distilled over P_4O_{10} and stored over molecular sieves (3Å). Indene, tech. (Acros = Acros Organics), Ph_2PH (Strem = Strem Chemical Co), Cy_2PH (Strem, Cy = cyclohexyl), triethyl phosphite (Acros), LiAlH_4 (Aldrich = Aldrich Chemical Co.), CuCN (Merck), PCl_5 (Merck), HSiCl_3 (Aldrich), Cp^*ZrCl_3 (Cp^* = pentamethylcyclopentadienyl, Strem or Aldrich), NiCl_2 (Alfa Aesar), $n\text{BuLi}$ in hexanes (Chemetall = Chemetall Chemical Products), MeLi in ether (Aldrich), $i\text{BuLi}$ in pentane (Acros), and $i\text{BuMgCl}$ in ether (Aldrich) were used as obtained. Triethylamine (Acros) was dried with CaH_2 , then was distilled from sodium. 2-Bromo-1*H*-indene [1,2], $\text{PdCl}_2(\text{MeCN})_2$ [3], $\text{Pd}(\text{PPh}_3)_4$ [4], $\text{ZrCl}_4(\text{THF})_2$ [5], $i\text{Pr}_2\text{PH}$ [6], $\text{Ph}_2\text{PSiMe}_3$ [8], and 1*H*-inden-2-yl trifluoromethanesulfonate [9] were prepared according to the published methods ([1]. McEwen, I.; Rönnqvist, M.; Ahlberg, P. *J. Am. Chem. Soc.* 1993, 115, 3989; [2]. Halterman, R. L.; Fahey, D. R.; Bailly, E. F.; Dockter, D. W.; Stenzel, O.; Shipman, J. L.; Khan, M. A.; Dechert, S.; Schumann, H. *Organometallics* 2000, 19, 5464; [3]. Hartley, F. R.; Murray, S. G.; McAuliffe, C. A. *Inorg. Chem.* 1979, 18, 1394; [4]. Coulson, D. R. *Inorg. Synth.* 1972, 13, 121; [5]. Manzer, L. E. *Inorg. Synth.* 1982, 22, 135; [6]. Hoff, M. C.; Hill, P. *J. Org. Chem.* 1959, 24, 56;

[8]. Tunney, S. E.; Stille, J. K. *J. Org. Chem.* 1987, 52, 748; [9]. Radivoy, G.; Yus, M.; Alonso, F. *Tetrahedron* 1999, 55, 14479).

[00130] Analytical and semi-preparative liquid chromatography was performed using *Waters* Delta 600 HPLC system including 996 Photodiode Array Detector, Nova-Pack C18 or HR Silica (60A, 6 μ m, 3.9 and 19 x 300 mm) and Symmetry C18 (5 μ m, 4.6 x 250 mm) columns. MPHPLC was performed using MPHPLC glass columns and fittings (Ace Glass), PD5130 pump drive equipped with J1 gear-well pump head (Heidolph), 996 Photodiode Array Detector and Fraction Collector II (Waters Corp.).


[00131] ^1H , ^{13}C , and ^{31}P spectra were recorded with a Bruker DPX-300 for 1-10% solutions in deuterated solvents. Chemical shifts for ^1H and ^{13}C were measured relatively to tetramethylsilane (TMS). Chemical shifts for ^{31}P were measured relatively to H_3PO_4 . In ^1H NMR spectra, the assignment was made on the evidence of double resonance and Nuclear Overhauser Effect (NOE) experiments. C, H microanalyses were done using CHN-O-Rapid analyzer (Heraecus Ltd., Banau, Germany).

Trichloro(1H-inden-2-yl)phosphonium hexachlorophosphate(1-) (1).



[00132] To a suspension of 154 g (0.74 mol) of PCl_5 in 200 ml of toluene, a solution of 48.2 ml (43.0 g, 0.37 mol) of indene (tech., 90%) in 30 ml of toluene was added by vigorous stirring (mechanical stirrer) for 30 min at 0°C . The resulted mixture was stirred for 10 h at ambient temperature. Then, the precipitate was filtered off (G3), washed with 3 x 50 ml of hexanes, and dried in vacuum. Yield 165 g (90%) of white solid, which was further used without an additional purification.

1H-Inden-2-ylphosphonous dichloride (2).



[00133] To a suspension of 4.96 g (10 mmol) of **1** in 50 ml of toluene, 2.22 ml (2.98 g, 22 mmol) of HSiCl_3 was added at ambient temperature. This mixture was refluxed for 6 h to form clear yellow solution. Volatile components were distilled off at 50°C , and the yellow oil formed was dried in vacuum at this temperature. The crystalline material formed is pure 1*H*-Inden-2-ylphosphonous dichloride, **2**. Yield 2.17 g (99%).


[00134] Anal. calc. for $\text{C}_9\text{H}_7\text{Cl}_2\text{P}$: C, 49.81; H, 3.25. Found: C, 49.67; H, 3.18.

[00135] ^1H NMR (C_6D_6): δ 7.14-7.17 (m, 4H, 4,5,6,7-H), 6.92 (dt, $J = 8.1$ Hz, $J = 1.7$ Hz, 1H, 3-H), 3.61 (d, $J = 1.7$ Hz, 2H, 1,1'-H).

[00136] $^{13}\text{C}\{^1\text{H}\}$ NMR (C_6D_6): δ 147.2 (d, $J = 54.9$ Hz), 145.9 (d, $J = 2.8$ Hz), 144.1 (d, $J = 54.9$ Hz), 142.2 (d, $J = 12.2$ Hz), 127.8, 127.0, 124.3, 123.2, 37.9.

[00137] $^{31}\text{P}\{^1\text{H}\}$ NMR (C_6D_6): δ 151.4.

1*H*-Inden-2-yl(diphenyl)phosphine (3).




[00138] Method A. To 5.18 g (0.026 mol) of 2-bromo-1*H*-indene and 1.02 g (0.88 mmol) of $\text{Pd(PPh}_3)_4$ in 20 ml of toluene, 4.2 ml (3.05 g, 0.030 mol) of Et_3N and, then, 4.93 g (0.027 mol) of Ph_2PH were added. This mixture was refluxed for 17 hours, cooled to room temperature, and passed through short column with Silica Gel using 350 ml of toluene as eluent. The resulted solution was evaporated to dryness. The crude product was crystallized from ethanol. Yield 6.20 g (76%) of white crystals of 1*H*-Inden-2-yl(diphenyl)phosphine, **3**.

[00139] Anal. calc. for $\text{C}_{21}\text{H}_{17}\text{P}$: C, 83.98; H, 5.71. Found: C, 83.90; H, 5.63.

[00140] ^1H NMR (CDCl_3): δ 7.30-7.47 (m, 13H, 4,5,7-H in indenyl and PPh_2), 7.24 (m, 1H, 6-H in indenyl), 7.15 (dt, $J = 7.3$ Hz, $J = 1.2$ Hz, 1H, 3-H in indenyl), 3.43 (m, 2H, 1,1'-H in indenyl).

[00141] $^{13}\text{C}\{^1\text{H}\}$ NMR (CDCl_3): δ 146.1 (d, $J = 6.1$ Hz), 145.2 (d, $J = 12.2$ Hz), 144.6 (d, $J = 7.6$ Hz), 140.6 (d, $J = 16.8$ Hz), 136.8 (d, $J = 9.2$ Hz), 133.6 (d, $J = 19.8$ Hz), 128.7 (d, $J = 27.5$ Hz), 128.5, 126.5, 125.1, 123.6, 121.0, 42.0 (d, $J = 13.7$ Hz).


[00142] $^{31}\text{P}\{^1\text{H}\}$ NMR (CDCl_3): δ 0.3.



[00143] Method B. To a mixture of 5.18 g (26.0 mmol) of 2-bromo-1H-indene and 0.20 g (0.78 mmol) of $\text{Pd}(\text{MeCN})_2\text{Cl}_2$ in 20 ml of toluene, 7.23 g (28.0 mmol) of $\text{Ph}_2\text{PSiMe}_3$ was added at ambient temperature. This mixture was refluxed for 20 hours, then cooled to ambient temperature, and evaporated to dryness in vacuum. The residue was re-crystallized from hot ethanol. Yield 5.07 g (65%) of colorless crystalline product, 1H-Inden-2-yl(diphenyl)phosphine, 3.

[00144] Anal. found: C, 83.72; H, 5.59.

1H-Inden-2-yl(diisopropyl)phosphine (4).



[00145] Following the procedure described for the synthesis of 3 (method A), 15.81 g (0.081 mol) of 2-bromo-1H-indene, 9.54 g (0.081 mol) of $i\text{Pr}_2\text{PH}$, 13.9 ml (10.09 g, 0.100 mol) of Et_3N , and 2.95 g (2.55 mmol) of $\text{Pd}(\text{PPh}_3)_4$ in 60 ml of toluene gave 1H-Inden-2-yl(diisopropyl)phosphine. The crude product was distilled in vacuum (104-106°C / 2 mm). Yield 14.8 g (80%) of colorless oil of 1H-Inden-2-yl(diisopropyl)phosphine, 4.


[00146] Anal. calc. for $C_{15}H_{21}P$: C, 77.55; H, 9.11. Found: C, 77.68; H, 9.18.

[00147] ^1H NMR (C_6D_6): δ 7.35 (m, 1H, 7-H in indenyl), 7.31 (m, 1H, 4-H in indenyl), 7.22 (m, 1H, 5-H in indenyl), 7.17 (m, 1H, 6-H in indenyl), 7.15 (dt, $J = 7.3$ Hz, $J = 1.2$ Hz, 3-H in indenyl), 3.35 (m, 2H, 1,1'-H in indenyl), 1.89 (d-sept, $J = 7.0$ Hz, $J = 2.3$ Hz, 2H, $CHMe_2$), 1.10 (dd, $J = 14.7$ Hz, $J = 7.0$ Hz, 6H, $CHMe_2$), 0.97 (dd, $J = 11.7$ Hz, $J = 7.0$ Hz, 6H, $CHMe_2$).

[00148] $^{13}C\{^1H\}$ NMR (C_6D_6): δ 146.1 (d, $J = 3.1$ Hz), 145.0 (d, $J = 10.7$ Hz), 144.7 (d, $J = 24.4$ Hz), 142.4 (d, $J = 25.9$ Hz), 126.7, 125.2, 123.8, 121.2, 42.8 (d, $J = 4.6$ Hz), 23.8 (d, $J = 12.2$ Hz), 20.4 (d, $J = 18.3$ Hz), 20.0 (d, $J = 10.7$ Hz).

[00149] $^{31}P\{^1H\}$ NMR (C_6D_6): δ 14.9.

Dicyclohexyl(1H-inden-2-yl)phosphine (5).




[00150] Method A. Following the procedure described for the synthesis of **3** (method A), 13.02 g (0.067 mol) of 2-bromo-1H-indene, 12.84 g (0.065 mol) of Cy_2PH , 10.3 ml (7.48 g, 0.074 mol) of Et_3N , and 1.55 g (1.34 mmol) of $Pd(PPh_3)_4$ in 50 ml of toluene gave the title compound. The crude product was crystallized from ethanol. Yield 15.33 g (76%) of yellowish crystals of dicyclohexyl(1H-inden-2-yl)phosphine, **5**.

[00151] Anal. calc. for $C_{21}H_{29}P$: C, 80.73; H, 9.36. Found: C, 80.41; H, 9.45.

[00152] ^1H NMR (C_6D_6): δ 7.33 (m, 1H, 7-H in indenyl), 7.28 (m, 1H, 4-H in indenyl), 7.15-7.23 (m, 2H, 5,6-H in indenyl), 7.12 (dt, $J = 7.3$ Hz, $J = 1.2$ Hz, 1H, 3-H in indenyl), 3.38 (m, 2H, 1,1'-H in indenyl), 1.02-1.98 (m, 20H, PCy_2).

[00153] $^{13}C\{^1H\}$ NMR (C_6D_6): δ 146.2, 145.2 (d, $J = 10.7$ Hz), 144.7 (d, $J = 24.4$ Hz), 142.8 (d, $J = 29.0$ Hz), 126.8, 125.2, 123.8, 121.2, 42.9 (d, $J = 3.1$ Hz),


33.8 (d, $J = 11.8$ Hz), 30.9 (d, $J = 15.3$ Hz), 30.4 (d, $J = 9.2$ Hz), 27.5 (d, $J = 12.0$ Hz), 27.4 (d, $J = 7.6$ Hz). $^{31}\text{P}\{^1\text{H}\}$ NMR (C_6D_6): δ 5.7.



[00154] Method B. Compound 5 was prepared also via Pd-catalyzed phosphination of 1*H*-inden-2-yl trifluoromethanesulfonate. Following the procedure described for the synthesis of 3 from Ph_2PH , 6.60 g (0.025 mol) of 1*H*-inden-2-yl trifluoromethanesulfonate, 4.98 g (0.025 mol) of Cy_2PH , 3.9 ml (2.82 g, 0.027 mol) of Et_3N , and 0.72 g (0.62 mmol) of $\text{Pd}(\text{PPh}_3)_4$ in 50 ml of toluene gave dicyclohexyl(1*H*-inden-2-yl)phosphine, 5. Yield 7.81 g (82%).

[00155] Anal. found: C, 80.63; H, 9.31.

Diethyl 1*H*-inden-2-ylphosphonate (9).




[00156] To 91.0 g (0.467 mol) of 2-bromo-1*H*-indene and 3.02 g (0.023 mol) of NiCl_2 in 250 ml flask equipped with a distillation head, 85.0 ml (82.4 g, 0.496 mol) of $(\text{EtO})_3\text{P}$ were added. This black mixture was heated in the oil bath at 185-190°C for 3 hours. During this procedure, argon gas was bubbled through the mixture to eliminate ethyl bromide formed. The crude product was distilled in vacuum (171-175°C / 1 mm). Yield 102.4 g (87%) of colorless oil of diethyl 1*H*-inden-2-ylphosphonate, 9.

[00157] Anal. calc. for $\text{C}_{13}\text{H}_{17}\text{O}_3\text{P}$: C, 61.90; H, 6.79. Found: C, 62.03; H, 6.82.

[00158] ^1H NMR (CDCl_3): δ 7.63 (m, 1H, 3-H), 7.51 (m, 2H, 4,7-H), 7.32 (m, 2H, 5,6-H), 4.07-4.23 (m, 4H, OCH_2Me), 3.65 (m, 2H 1,1'-H in indenyl), 1.35 (t, $J = 7.0$ Hz, 6H, Me). $^{31}\text{P}\{^1\text{H}\}$ NMR (CDCl_3): δ 31.2.

1*H*-Inden-2-yl(dimethyl)phosphine oxide (13).




[00159] To a solution of 12.6 g (50 mmol) of **9** in 100 ml of diethyl ether, 81.5 ml of 1.84 M MeLi (150 mmol) in ether was added dropwise at vigorous stirring for 2 hours at -30°C . The resulted mixture was stirred overnight at ambient temperature; then, 20 ml of 10% HCl was added. The resulted mixture was additionally stirred for 1 hour. The ether layer was separated, dried over anhydrous Na_2SO_4 , and evaporated to dryness. Yellow-brown oil obtained was re-crystallized from chloroform. Yield 3.70 g (30%) of 1*H*-inden-2-yl(dimethyl)phosphine oxide compound as mono-solvate with H_2O and HCl.

[00160] Anal. calc. for $\text{C}_{11}\text{H}_{13}\text{OP}$: C, 68.74; H, 6.82. Found: C, 68.98; H, 6.90.

[00161] ^1H NMR (CDCl_3): δ 7.44-7.53 (m, 3H, 3,5,7-H), 7.24-7.36 (m, 2H, 4,6-H), 3.63 (m, 2H, 1,1'-H in indenyl), 2.30 (br.s, 3H, H_2O and HCl), 1.70 (d, J =13.0 Hz, 6H, Me).

[00162] $^{13}\text{C}\{^1\text{H}\}$ NMR δ 145.0 (d, J =7.6 Hz), 142.9 (d, J =16.8 Hz), 141.9 (d, J =10.7 Hz), 140.6 (d, J =103.8 Hz), 127.0, 126.9, 124.0, 122.6, 30.5 (d, J =12.2 Hz), 17.7 (d, J =73.2 Hz). $^{31}\text{P}\{^1\text{H}\}$ NMR (CDCl_3): δ 44.5.

1*H*-Inden-2-yl(dimethyl)phosphine (7).




[00163] Method A. To a solution of 3.40 g (13.8 mmol) of **13**• H_2O •HCl in 100 ml of CH_2Cl_2 5.61 g (4.18 ml, 41.4 mmol) of HSiCl_3 was added at 0°C . The reaction mixture was stirred for 24 h at room temperature and then evaporated to dryness. The crude product, 1*H*-inden-2-yl(dimethyl)phosphine, was purified by flash chromatography on Silica Gel 60 (d 30 mm, l 50 mm; eluent: benzene). Yield 2.33 g (96%).

[00164] Anal. calc. for $C_{11}H_{13}P$: C, 74.98; H, 7.44. Found: C, 75.22; H, 7.51.

[00165] ^1H NMR ($CDCl_3$): δ 7.38 (m, 1H, 7-H), 7.29 (m, 1H, 4-H), 7.21 (m, 1H, 5-H), 7.10 (m, 1H, 6-H), 6.86 (m, 1H, 3-H), 3.41 (m, 2H, 1,1'-H in indenyl), 1.24 (d, 6H, $J = 2.3$ Hz, Me).

[00166] $^{13}C\{^1H\}$ NMR ($CDCl_3$): δ 150.7 (d, $J = 15.3$ Hz), 145.0 (d, $J = 4.6$ Hz), 144.8 (d, $J = 6.1$ Hz), 134.5 (d, $J = 14.3$ Hz), 126.2, 124.3, 123.3, 120.2, 40.3 (d, $J = 12.2$ Hz), 29.5, 13.4 (d, $J = 12.2$ Hz).


[00167] $^{31}P\{^1H\}$ NMR ($CDCl_3$): δ -56.0.



[00168] Method B. To a solution of 2.17 g (10 mmol) of **2** in 60 ml of diethyl ether-hexanes (1:1, vol.), 10.9 ml of 1.84 M MeLi (20 mmol) in ether was added dropwise at vigorous stirring for 2 h at -90°C . The reaction mixture was slowly warmed to ambient temperature, stirred overnight, and then filtered through glass frit (G4). The precipitate was additionally washed with 10 ml of ether. The combined extract was evaporated to dryness, and the residue was dried in vacuum. Yield 1.76 g (99%) of colorless crystalline solid.

[00169] Anal. found: C, 75.19; H, 7.50.

tert-Butyl(1H-inden-2-yl)phosphinous chloride (8).



[00170] To a solution of 1.09 g (5.0 mmol) of **2** in 40 ml of diethyl ether - hexanes (1:1, vol.), 4.7 ml of 1.06 M $t\text{BuMgCl}$ in ether was added dropwise at vigorous stirring for 2 hours at -90°C . The resulted mixture was slowly warmed to ambient temperature, stirred overnight, and filtered through glass frit (G3). The precipitate was additionally washed with 3 x 15 ml of ether. The combined filtrate

was evaporated to dryness, and the residue was dried in vacuum. Yield 1.19 g (99%) of colorless solid.


[00171] Anal. calc. for $C_{13}H_{16}ClP$: C, 65.41; H, 6.76. Found: C, 65.62; H, 7.85.

[00172] ^1H NMR (C_6D_6): δ 7.15-7.34 (m, 5H, 3,4,5,6,7-H), 3.43-3.68 (m, 1,1'-H in indenyl), 1.11 (d, J = 14.0 Hz, 9H, t Bu).

[00173] $^{13}C\{^1H\}$ NMR (C_6D_6): δ 146.1, 144.5 (d, J = 45.8 Hz), 144.1 (d, J = 10.7 Hz), 142.9 (d, J = 35.1 Hz), 126.9, 126.2, 124.0, 121.9, 42.6 (d, J = 6.1 Hz), 34.8 (d, J = 29.0 Hz), 25.8 (d, J = 18.3 Hz).

[00174] $^{31}P\{^1H\}$ NMR (C_6D_6): δ 104.5.

Di(tert-butyl)(1H-inden-2-yl)phosphine (6).




[00175] To 40 ml of THF, 12.4 ml of 1.70 M t BuLi (21 mmol) in pentane, and then 1.88 g (21 mmol) of CuCN were added. The resulted mixture was warmed at vigorous stirring for 30 min to -70°C . Then, 5.00 g (21 mmol) of **8** in 40 ml of THF was added in one portion. The mixture was slowly (ca. 5 h) warmed to ambient temperature, stirred for 24 hours, and then evaporated to dryness. The product was extracted with 3 x 50 ml of toluene. The combined toluene extract was filtered through glass frit (G4) and evaporated to dryness. High-vacuum sublimation (0.01 mm Hg, 150 - 190°C) gave 1.49 g (27%) of **6**.

[00176] Anal. calc. for $C_{17}H_{25}P$: C, 78.42; H, 9.68. Found: C, 78.23; H, 9.56.

[00177] ^1H NMR (C_6D_6): δ 7.44 (m, 1H, 7-H), 7.39 (m, 1H, 4-H), 7.22-7.35 (m, 2H, 5,6-H), 6.12 (dt, J = 7.3 Hz, J = 1.5 Hz, 1H, 3-H), 3.66 (m, 2H, 1,1'-H in indenyl), 1.27 (d, J = 1.5 Hz, 18H, t Bu).

[00178] $^{13}\text{C}\{^1\text{H}\}$ NMR (C_6D_6): δ 146.3 (d, $J = 2.3$ Hz), 145.5 (d, $J = 32.9$ Hz), 144.5 (d, $J = 12.0$ Hz), 127.0 (d, $J = 7.5$ Hz), 126.7, 125.6, 123.7, 121.4, 44.7 (d, $J = 3.8$ Hz), 32.5 (d, $J = 18.7$ Hz), 27.5 (d, $J = 14.2$ Hz).

[00179] $^{31}\text{P}\{^1\text{H}\}$ NMR (C_6D_6): δ 22.8 (br.s).



Bis(η^5 -2-diphenylphosphanylindenyl)zirconium chloride - Complex 19.

[00180] To a solution of 5.12 g (17.0 mmol) of **3** in 100 ml of ether, 9.3 ml (17.0 mmol) of 1.83 M MeLi in ether were added at -90°C . This mixture was stirred for 4 hours at ambient temperature, then, 3.13 g (8.3 mmol) of $\text{ZrCl}_4(\text{THF})_2$ was added at -90°C . It was stirred for 24 hours at room temperature, then, filtered through a glass frit (G4). The precipitate was washed with 300 ml of hot toluene. To this toluene extract, 300 ml of hexanes was added. The formed precipitate was separated by filtration (G3), washed with 3 x 20 ml of hexanes, and dried in vacuum. Yield 3.75 g (58%) of yellow crystalline solid of **19**.

[00181] Anal. calc. for $\text{C}_{42}\text{H}_{32}\text{Cl}_2\text{P}_2\text{Zr}$: C, 66.31; H, 4.24. Found: C, 66.17; H, 4.18.

[00182] ^1H NMR (CD_2Cl_2): δ 7.43 -7.48 (dd, $J = 6.4$ Hz, $J = 3.1$ Hz, 4H, 5,6-H in indenyl), 7.26-7.37 (m, 20H, C_6H_5), 7.07-7.13 (dd, $J = 6.4$ Hz, $J = 3.1$ Hz, 4H, 4,7-H in indenyl), 6.21 (s, 4H, 1,3-H in indenyl).

[00183] $^{13}\text{C}\{^1\text{H}\}$ NMR (CD_2Cl_2): δ 138.6 (d, $J = 4.6$ Hz), 138.5 (d, $J = 4.6$ Hz), 136.1 (d, $J = 7.7$ Hz), 136.0 (d, $J = 10.7$ Hz), 135.9 (d, $J = 10.7$ Hz), 135.8 (d, $J = 7.7$ Hz), 130.9, 130.1 (d, $J = 3.0$ Hz), 130.0 (d, $J = 3.0$ Hz), 129.8 (d, $J = 1.5$ Hz), 127.9, 126.4, 112.3 (d, $J = 6.1$ Hz), 112.2 (d, $J = 6.1$ Hz).

[00184] $^{31}\text{P}\{^1\text{H}\}$ NMR (CD_2Cl_2): δ -16.4.

Bis(η^5 -2-dimethylphosphanylindenyl)zirconium chloride - Complex 20.

[00185] To a solution of 7.05 g (40 mmol) of **7** in 100 ml of diethyl ether, 21.8 ml of 1.84 M (40 mmol) MeLi in ether was added dropwise at vigorous stirring at -90°C . The reaction mixture was slowly warmed to ambient temperature and stirred for 4 hours. To this solution cooled to -90°C , 7.55 g (20 mmol) of $\text{ZrCl}_4(\text{THF})_2$ was added. The resulting mixture was stirred for 12 hours at ambient temperature, evaporated to dryness; then 50 ml of toluene was added. This suspension was stirred for 12 hours and then filtered through glass frit (G4). The precipitate was additionally washed by 3 x 100 ml of hot toluene. The combined extracts were evaporated to ca. 100 ml, and 150 ml of hexanes was added. Crystals that precipitated from this solution at -30°C were collected, washed by 20 ml of cold toluene and 3 x 20 ml of hexanes, and dried in vacuum. Yield 12.5 g (61%).

[00186] Anal. calc. for $\text{C}_{22}\text{H}_{24}\text{Cl}_2\text{P}_2\text{Zr}$: C, 51.56; H, 4.72. Found: C, 51.42; H, 4.64.

[00187] ^1H NMR (CD_2Cl_2): δ 7.45-7.51 (dd, J = 6.4 Hz, J = 3.1 Hz, 4H, 5,6-H), 7.12-7.18 (dd, J = 6.4 Hz, J = 3.1 Hz, 4H, 4,7-H), 6.44 (s, 4H, 1,3-H in indenyl), 1.25 (d, J = 1.8 Hz, 6H, Me), 1.24 (d, J = 1.8 Hz, 6H, Me').

[00188] $^{13}\text{C}\{^1\text{H}\}$ NMR (CD_2Cl_2): δ 130.5, 130.0, 127.6, 126.3, 110.4 (d, J = 6.1 Hz), 110.3 (d, J = 6.1 Hz), 16.1 (d, J = 3.8 Hz), 16.0 (d, J = 3.8 Hz).

[00189] $^{31}\text{P}\{^1\text{H}\}$ NMR (CD_2Cl_2): δ -48.8.

Bis(η^5 -2-di-iso-propylphosphanylindenyl)zirconium chloride - Complex 21.

[00190] To a solution of 5.02 g (21.6 mmol) of **4** in 70 ml of ether, 10.8 ml (21.6 mmol) of 2.00 M MeLi in ether was added at -90°C . This mixture was stirred for 4 hours at ambient temperature, then, 4.02 g (10.6 mmol) of $\text{ZrCl}_4(\text{THF})_2$ was added at -90°C . The reaction mixture was stirred for 18 hours at room temperature and then evaporated to dryness. The residue was washed with 100 ml of ether. The resulted yellow solution was filtered (G4), and evaporated to

ca. 2/3 of volume. Crystallization of this solution at -30°C gave orange crystals of **21**, which were separated, washed with 5 ml of cold ether, and dried in vacuum. Yield 2.91 g (43%).

[00191] Anal. calc. for $\text{C}_{30}\text{H}_{40}\text{Cl}_2\text{P}_2\text{Zr}$: C, 57.68; H, 6.45. Found: C, 57.83; H, 6.52.

[00192] ^1H NMR (CD_2Cl_2): δ 7.46-7.52 (dd, $J = 6.4$ Hz, $J = 3.1$ Hz, 4H, 5,6-H), 7.13-7.19 (dd, $J = 6.4$ Hz, $J = 3.1$ Hz, 4H, 4,7 H), 6.46 (s, 4H, 1,3-H in indenyl), 2.05 (d-sept, 4H, $J = 6.9$ Hz, $J = 1.5$ Hz, CHMe_2), 1.18 (dd, $J = 13.4$ Hz, $J = 7.0$ Hz, 12H, CHMe_2), 0.98 (dd, $J = 12.8$ Hz, $J = 6.9$ Hz, 12H, CHMe_2').

[00193] $^{13}\text{C}\{^1\text{H}\}$ NMR (CD_2Cl_2): δ 135.5, 135.2, 129.9, 128.0, 126.4, 112.2 (d, $J = 7.6$ Hz), 112.1 (d, $J = 7.6$ Hz), 25.9, 25.7, 21.9 (d, $J = 13.6$ Hz), 21.5 (d, $J = 15.3$ Hz). $^{31}\text{P}\{^1\text{H}\}$ NMR (CD_2Cl_2): δ 4.6.

Bis(η^5 -2-dicyclohexylphosphanylindenyl)zirconium chloride - Complex 22.

[00194] To a solution of 4.14 g (13.0 mmol) of **5** in 70 ml of ether, 5.3 ml (13.0 mmol) of 2.50 M $n\text{BuLi}$ in hexanes was added at -90°C . This mixture was stirred for 5 hours at ambient temperature, then, 2.41 g (6.4 mmol) of $\text{ZrCl}_4(\text{THF})_2$ was added at -90°C . The reaction mixture was stirred for 48 hours at room temperature, then, filtered through glass frit (G4). The precipitate was washed with 200 ml of hot toluene. The toluene extract was evaporated to ca. 100 ml, then, 100 ml of hexanes were added. The formed precipitate was separated by filtration (G3), washed with 15 ml of hexanes, and dried in vacuum. Yield 2.41 g (47%) of yellow crystalline solid of **22**.

[00195] Anal. calc. for $\text{C}_{42}\text{H}_{56}\text{Cl}_2\text{P}_2\text{Zr}$: C, 64.26; H, 7.19. Found: C, 64.45; H, 7.26. ^1H NMR (C_6D_6): δ 7.48-7.54 (dd, $J = 6.5$ Hz, $J = 3.1$ Hz, 4H, 5,6-H in indenyl), 6.95-7.02 (dd, $J = 6.5$ Hz, $J = 3.1$ Hz, 4H, 4,7-H in indenyl), 6.83 (s, 4H, 1,3-H in indenyl), 1.00-2.11 (m, 44H, Cy).

[00196] $^{13}\text{C}\{^1\text{H}\}$ NMR (C_6D_6): δ 136.3, 128.7, 126.9, 125.1, 111.1 (d, $J = 8.2$ Hz), 111.0 (d, $J = 8.2$ Hz), 34.7, 34.5, 31.5 (d, $J = 13.7$ Hz), 30.8 (d, $J = 12.2$ Hz), 27.6 (d, $J = 11.7$ Hz), 27.5 (d, $J = 11.7$ Hz), 26.7.

[00197] $^{31}\text{P}\{^1\text{H}\}$ NMR (C_6D_6): δ 12.8.

[00198] A representation of the molecular structure of complex **22** is shown in Figure 2.

Bis(η^5 -2-di-tert-butylphosphanylindenyl)zirconium chloride - Complex 23.


[00199] To a solution of 850 mg (3.26 mmol) of **6** in 35 ml of diethyl ether, 1.30 ml of 2.5 M (3.25 mmol) of n BuLi in hexanes was added dropwise with vigorous stirring at -30°C . The resulting mixture was slowly warmed to ambient temperature and stirred for 3 hours. To this solution cooled to -30°C , 615 mg (1.63 mmol) of $\text{ZrCl}_4(\text{THF})_2$ was added. The mixture was stirred for 24 hours at room temperature and then evaporated to dryness. The product was extracted with 30 ml of toluene. This toluene solution was filtered through glass frit (G4). Crystals precipitated at -30°C from the filtrate were collected, washed with 10 ml of cold toluene and 3 x 30 ml of hexanes, and dried in vacuum. Yield 712 mg (64%).

[00200] Anal. calc. for $\text{C}_{34}\text{H}_{48}\text{Cl}_2\text{P}_2\text{Zr}$: C, 59.98; H, 7.11. Found: C, 60.19; H, 7.20.

[00201] ^1H NMR (C_6D_6): δ 7.53-7.59 (dd, $J = 6.5$ Hz, $J = 3.0$ Hz, 4H, 5,6-H in indenyl), 7.135 (s, 2H, 1/3-H in indenyl), 7.130 (s, 2H, 3/1-H in indenyl), 7.06-7.11 (dd, $J = 6.5$ Hz, $J = 3.0$ Hz, 4H, 4,7-H in indenyl), 1.30 (d, $J = 11.2$ Hz, 36H, t Bu).

[00202] $^{31}\text{P}\{^1\text{H}\}$ NMR (C_6D_6): δ 34.6.

(η^5 -2-dicyclohexylphosphanylindenyl)(η^5 -pentamethylcyclopentadienyl)zirconium dichloride - Complex 24.



[00203] To a solution of 1.50 g (4.80 mmol) of **5** in 35 ml of toluene, 1.92 ml of 2.5 M (4.80 mmol) of n BuLi in hexanes was added at ambient temperature. This mixture was stirred for 12 hours at this temperature, then, 1.60 g (4.80 mmol) of Cp^*ZrCl_3 was added. The resulted mixture was stirred for 12 hours at ambient temperature, 12 hours at 90°C, and then filtered through Celite 503. The filtrate was evaporated to ca. 20 ml. Crystals precipitated at -30°C were collected, washed with 3 x 20 ml of hexanes, and dried in vacuum. Yield 2.01 g (67%).

[00204] Anal. calc. for $\text{C}_{31}\text{H}_{43}\text{Cl}_2\text{PZr}$: C, 61.16; H, 7.12. Found: C, 60.92; H, 7.04.

[00205] ^1H NMR (CD_2Cl_2): δ 7.58-7.64 (dd, $J = 6.5$ Hz, $J = 3.0$ Hz, 2H, 5,6-H in indenyl), 7.28-7.34 (dd, $J = 6.5$ Hz, $J = 3.0$ Hz, 2H, 4,7-H in indenyl), 6.79 (s, 2H, 1,3-H in indenyl), 2.21 (s, 15H, C_5Me_5), 2.29-2.41, 1.84-2.08, and 1.33-1.67 (m, 22H, Cy).

[00206] $^{13}\text{C}\{^1\text{H}\}$ NMR (CD_2Cl_2): δ 135.7, 129.5, 126.3, 125.2, 124.3, 109.0 (d, $J = 9.2$ Hz), 34.4 (d, $J = 15.3$ Hz), 34.7 (d, $J = 18.3$ Hz), 31.5 (d, $J = 9.2$ Hz), 28.2 (d, $J = 12.2$ Hz), 28.0 (d, $J = 9.2$ Hz), 27.0, 13.2.

[00207] $^{31}\text{P}\{^1\text{H}\}$ NMR (CD_2Cl_2): δ -8.9.

Experimental - Polymerizations

[00208] In the following experiments pressure is reported in atmospheres and pounds per square inch. The conversion factors to S. I. Units are; 1 psi equals 6.894757 kPa and 1 atm equals 101.325 kPa.

[00209] Transition metal compound or complex (TMC) solutions were typically prepared using toluene (ExxonMobil Chemical – anhydrous, stored under N_2) (98%). Unless otherwise mentioned, TMC solutions are 0.2 mmol/L for C_2 and C_2/C_8 (co)polymerizations.

[00210] Solvents, polymerization grade toluene and hexanes were supplied by ExxonMobil Chemical Co. and thoroughly dried and degassed prior to use.

[00211] 1-octene (98%) was purchased from Aldrich Chemical Company and dried by stirring over NaK overnight followed by filtration through basic alumina (Aldrich Chemical Company, Brockman Basic 1).

[00212] Polymerization grade ethylene was used and further purified by passing it through a series of columns: 500 cc Oxyclear cylinder from Labclear (Oakland, CA) followed by a 500 cc column packed with dried 3 Å mole sieves purchased from Aldrich Chemical Company, and a 500 cc column packed with dried 5 Å mole sieves purchased from Aldrich Chemical Company.

[00213] Polymerization grade propylene was used without further purification.

[00214] MAO (methylalumoxane, 10 wt% in toluene) was purchased from Albemarle Corporation and was used as a 1 wt% or 2 wt% in toluene solution.

[00215] Reactor Description and Preparation: Polymerizations were conducted in an inert atmosphere (N₂) drybox using autoclaves equipped with an external heater for temperature control, glass inserts (internal volume of reactor = 23.5 mL for C2 and C2/C8 runs; 22.5 mL for C3 and C2/C3 runs), septum inlets, regulated supply of nitrogen, ethylene and propylene, and equipped with disposable PEEK mechanical stirrers (800 RPM). The autoclaves were prepared by purging with dry nitrogen at 110°C or 115°C for 5 hours and then at 25°C for 5 hours.

[00216] Ethylene Polymerization or Ethylene/1-octene Copolymerization: The reactor was prepared as described above, and then purged with ethylene. Toluene, 1-octene, and MAO, were added via syringe at room temperature and atmospheric pressure. The reactor was then brought to process temperature (80°C) and charged with ethylene to process pressure (75 psig = 517.1 kPa) while stirring at 800 RPM. The TMC (0.02 μmol) was added via syringe with the reactor at process conditions. Amounts of reagents not specified above are given in Tables 2 and 4. Ethylene was allowed to enter (through the use of computer controlled solenoid valves) the autoclaves during polymerization to maintain reactor gauge pressure (+/- 2 psig). Reactor temperature was monitored and typically maintained within +/- 1°C. Polymerizations were halted by addition of approximately 50 psid O₂/Ar (5 mole% O₂) gas mixture to the autoclaves for approximately 30 seconds. The polymerizations were quenched after a predetermined cumulative amount of ethylene had been added or for a maximum

of 20 minutes polymerization time. The final conversion (in psi) of ethylene added/consumed is reported in the Tables 2 and 4, in addition to the quench time for each run. The reactors were cooled and vented. The polymer was isolated after the solvent was removed *in-vacuo*. Yields reported include total weight of polymer and residual catalyst. Catalyst activity is reported as grams of polymer per mmol transition metal compound per atmosphere ethylene per hour of reaction time (g/mmol•hr•atm).

Polymer characterization:

[00217] Polymer characterization results for polyethylene samples are reported in Table 3.

[00218] For analytical testing, polymer sample solutions were prepared by dissolving polymer in 1,2,4-trichlorobenzene (TCB, 99+% purity from Sigma-Aldrich) containing 2,6-di-*tert*-butyl-4-methylphenol (BHT, 99% from Aldrich) at 160°C in a shaker oven for approximately 3 hours. The typical concentration of polymer in solution is between 0.4 to 0.9 mg/mL with a BHT concentration of 1.25 mg BHT/mL of TCB. Samples are cooled to 135°C for testing.

[00219] Molecular weights (weight average molecular weight (Mw) and number average molecular weight (Mn)) and molecular weight distribution (MWD = Mw/Mn), which is also sometimes referred to as the polydispersity (PDI) of the polymer, were measured by Gel Permeation Chromatography using a Symyx Technology GPC equipped with evaporative light scattering detector and calibrated using polystyrene standards (Polymer Laboratories: Polystyrene Calibration Kit S-M-10: Mp (peak Mw) between 5000 and 3,390,000). Samples were run in TCB at (135°C sample temperatures, 160°C oven/columns) using three Polymer Laboratories: PLgel 10µm Mixed-B 300 x 7.5mm columns in series. No column spreading corrections were employed. Numerical analyses were performed using Epoch® software available from Symyx Technologies.

Table 2. Ethylene Polymerization Runs - Part 1.

Ex#	TMC	Activator (μmol)	Total Toluene (mL)	Final Conversion (psi)	Quench Time (sec)	Polymer Yield (g)	Activity (g/mmol $\cdot$ hr $\cdot$ atm)
PE-1	19	10.00	5.00	10.7	1200.1	0.0204	600
PE-2	19	10.00	5.00	6.4	1201.2	0.0067	197
PE-3	19	10.00	5.00	5.6	1200.6	0.0072	212
PE-4	19	10.00	5.00	6.4	1200.1	0.0062	182
PE-5	20	10.00	5.00	5.6	1201.3	0.0100	294
PE-6	20	10.00	5.00	2.9	1200.6	0.0052	153
PE-7	20	10.00	5.00	4.6	1200.9	0.0055	162
PE-8	20	10.00	5.00	6.1	1200.1	0.0048	141
PE-9	21	10.00	5.00	7.9	1200.9	0.0086	253
PE-10	21	10.00	5.00	9.0	1200.9	0.0081	238
PE-11	21	10.00	5.00	10.7	1201.5	0.0184	540
PE-12	21	10.00	5.00	7.0	1200.8	0.0202	593
PE-13	22	9.98	3.80	2.3	1200.6	0.0090	264
PE-14	22	9.98	3.80	4.7	1200.9	0.0110	323
PE-15	22	9.98	3.80	2.4	1200.5	0.0030	88
PE-16	22	9.98	3.80	2.6	1200.6	0.0030	88
PE-17	23	10.00	5.00	3.8	1200.5	0.0052	153
PE-18	23	10.00	5.00	2.6	1200.0	0.0034	100
PE-19	23	10.00	5.00	4.6	1201.5	0.0031	91
PE-20	23	10.00	5.00	4.9	1201.2	0.0033	97
PE-21	24	10.00	5.00	6.3	1200.6	0.0078	229
PE-22	24	10.00	5.00	6.0	1200.0	0.0040	118
PE-23	24	10.00	5.00	6.9	1200.7	0.0096	282
PE-24	24	10.00	5.00	2.3	1201.5	0.0045	132

Table 3. Ethylene Polymerization Runs - Part 2.

Ex#	TMC	Mw	Mn	PDI
PE-1	19	532,401	239,350	2.2
PE-2	19	-	-	-
PE-3	19	-	-	-
PE-4	19	-	-	-
PE-5	20	-	-	-
PE-6	20	-	-	-
PE-7	20	-	-	-
PE-8	20	-	-	-
PE-9	21	-	-	-
PE-10	21	-	-	-
PE-11	21	1,374,234	484,282	2.8
PE-12	21	702,332	377,792	1.9
PE-13	22	-	-	-
PE-14	22	-	-	-
PE-15	22	-	-	-
PE-16	22	-	-	-
PE-17	23	-	-	-
PE-18	23	-	-	-
PE-19	23	-	-	-
PE-20	23	-	-	-
PE-21	24	-	-	-
PE-22	24	-	-	-
PE-23	24	-	-	-
PE-24	24	-	-	-

Table 4. Ethylene-1-Octene Polymerization Runs

Ex#	TMC	Activator (μ mol)	1-Octene (μ mol)	Total Toluene (mL)	Final Conversion (psi)	Quench Time (sec)	Polymer Yield (g)	Activity (g/mmol •hr•atm)
EO-1	19	10.00	637.1	4.90	7.6	1200.5	0.0123	361
EO-2	19	10.00	637.1	4.90	7.6	1200.7	0.0063	185
EO-3	19	10.00	637.1	4.90	6.1	1200.7	0.0063	185
EO-4	19	10.00	637.1	4.90	6.6	1200.4	0.0059	173
EO-5	20	10.00	637.1	4.90	5.2	1201.6	0.0057	167
EO-6	20	10.00	637.1	4.90	6.0	1200.7	0.0033	97
EO-7	20	10.00	637.1	4.90	5.0	1201.2	0.0036	106
EO-8	20	10.00	637.1	4.90	5.3	1201.1	0.0035	103
EO-9	21	10.00	637.1	4.90	5.2	1201.1	0.0050	147
EO-10	21	10.00	637.1	4.90	5.2	1201.2	0.0053	156
EO-11	21	10.00	637.1	4.90	10.1	1200.8	0.0103	303
EO-12	21	10.00	637.1	4.90	11.3	1200.8	0.0102	300
EO-13	22	9.98	638.1	3.80	3.2	1200.9	0.0080	235
EO-14	22	9.98	638.1	3.80	5.6	1200.4	0.0100	294
EO-15	22	9.98	638.1	3.80	5.2	1201.0	0.0020	59
EO-16	22	9.98	638.1	3.80	3.2	1200.8	0.0030	88
EO-17	23	10.00	637.1	4.90	4.3	1200.5	0.0040	118
EO-18	23	10.00	637.1	4.90	2.7	1200.9	0.0021	62
EO-19	23	10.00	637.1	4.90	6.4	1200.4	0.0033	97
EO-20	23	10.00	637.1	4.90	3.4	1200.9	0.0028	82
EO-21	24	10.00	637.1	4.90	6.0	1200.1	0.0047	138
EO-22	24	10.00	637.1	4.90	2.7	1200.7	0.0035	103
EO-23	24	10.00	637.1	4.90	8.1	1201.3	0.0061	179
EO-24	24	10.00	637.1	4.90	5.3	1200.5	0.0039	115

[00220] While certain representative embodiments and details have been shown to illustrate the invention, it will be apparent to skilled artisans that various process and product changes from those disclosed in this application may be made without departing from this invention's scope, which the appended claims define.


[00221] All cited patents, test procedures, priority documents, and other cited documents are fully incorporated by reference to the extent that this material is consistent with this specification and for all jurisdictions in which such incorporation is permitted.

[00222] Certain features of the present invention are described in terms of a set of numerical upper limits and a set of numerical lower limits. This specification discloses all ranges formed by any combination of these limits. All

combinations of these limits are within the scope of the invention unless otherwise indicated.

Claims:

1. A metallocene compound represented by formula (1):



wherein


M is a group 3, 4, 5 or 6 transition metal atom, or a lanthanide metal atom, or actinide metal atom;

E is an indenyl ligand that is substituted with a PR_2 group in the two position of the indenyl ligand, where each R is, independently a hydrocarbyl, substituted hydrocarbyl, halocarbyl, or substituted halocarbyl substituent, and additionally, E may be substituted with 0, 1, 2, 3, 4, 5 or 6 R^n where each R^n is, independently, a hydrocarbyl, substituted hydrocarbyl, halocarbyl, substituted halocarbyl, silylcarbyl, substituted silylcarbyl, germylcarbyl, or substituted germylcarbyl substituent, and optionally, two or more adjacent R^n substituents may join together to form a substituted or unsubstituted, saturated, partially unsaturated, or aromatic cyclic or polycyclic substituent;

A is a substituted or unsubstituted cyclopentadienyl ligand, a substituted or unsubstituted heterocyclopentadienyl ligand, a substituted or unsubstituted indenyl ligand, a substituted or unsubstituted heteroindenyl ligand, a substituted or unsubstituted fluorenyl ligand, a substituted or unsubstituted heterofluorenyl ligand, or other mono-anionic ligand, or A may, independently, be defined as E or as X;

each X is, independently, an univalent anionic ligand, or both X are joined and bound to the metal atom to form a metallocycle ring, or both X join to form a chelating ligand, a diene ligand, or an alkylidene ligand.

2. The compound of claim 1 wherein the compound is further represented by the formula:




where:

M, A and X are as defined in claim 1;

R¹ is PR₂, where P is phosphorous and each R group is, independently, a hydrocarbyl, substituted hydrocarbyl, halocarbyl, or substituted halocarbyl substituent, and optionally, both R groups may join together to form a substituted or unsubstituted, saturated or partially unsaturated cyclic or polycyclic substituent, but not an aromatic cyclic or polycyclic substituent; and each R², R³, R⁴, R⁵, R⁶, and R⁷ is, independently, hydrogen, or a hydrocarbyl, substituted hydrocarbyl, halocarbyl, substituted halocarbyl, silylcarbyl, substituted silylcarbyl, germylcarbyl, or substituted germylcarbyl substituent, and optionally, adjacent R², R³, R⁴, R⁵, R⁶, or R⁷ groups may join together to form a substituted or unsubstituted, saturated, partially unsaturated, or aromatic cyclic or polycyclic substituent

3. The compound of claim 1 wherein the compound is further represented by the formula:



where

M and X are as defined in claim 1;

each R^1 and R^8 is, independently, PR_2 , where P is phosphorous, and each R group is, independently a hydrocarbyl, substituted hydrocarbyl, halocarbyl, or substituted halocarbyl substituent, and optionally, both R groups may join together to form a substituted or unsubstituted, saturated or partially unsaturated cyclic or polycyclic substituent, but not an aromatic cyclic or polycyclic substituent; and each R^2 , R^3 , R^4 , R^5 , R^6 , R^7 , R^9 , R^{10} , R^{11} , R^{12} , R^{13} , and R^{14} is, independently, a hydrogen, or a hydrocarbyl, substituted hydrocarbyl, halocarbyl, substituted halocarbyl, silylcarbyl, substituted silylcarbyl, germylcarbyl, or substituted germylcarbyl substituent, and optionally adjacent R^2 , R^3 , R^4 , R^5 , R^6 , R^7 , R^9 , R^{10} , R^{11} , R^{12} , R^{13} , and R^{14} may join together to form a substituted or unsubstituted, saturated, partially unsaturated, or aromatic cyclic or polycyclic substituent.

4. The compound of claim 1 or 2 wherein A is selected from the group consisting of substituted or unsubstituted indenyl, substituted or unsubstituted fluorenyl and substituted or unsubstituted cyclopentadienyl,
5. The compound of claim 1 or 2 wherein A is selected from the group consisting of indenyl, methylindenyl, dimethylindenyl, methylphenylindenyl, methyltolylindenyl, methyl(dipropylphenyl)indenyl, methyl(dimethylphenyl)indenyl, methyl(naphthyl)indenyl, tetrahydroindenyl, fluorenyl, octahydrofluorenyl, dibutylfluorenyl, cyclopentadienyl, methylcyclopentadienyl, ethylcyclopentadienyl, propylcyclopentadienyl, butylcyclopentadienyl, methylpropylcyclopentadienyl, methylbutylcyclopentadienyl, dimethylcyclopentadienyl, trimethylcyclopentadienyl, tetramethylcyclopentadienyl, and pentamethylcyclopentadienyl.
6. The compound of claim 1 or 2 wherein A is the same as the indenyl ligand bonded to M.
7. The compound of claim 3 wherein each R^9 , R^{10} , R^{11} , R^{12} , R^{13} , and R^{14} is, independently, selected from hydrogen or from the group consisting of C1 to C30 hydrocarbyls.
8. The compound of claim 3 wherein each R^9 , R^{10} , R^{11} , R^{12} , R^{13} , and R^{14} is, independently, selected from hydrogen or from the group consisting of methyl, ethyl, propyl, butyl, pentyl, hexyl, heptyl, octyl, nonyl, decyl, undecyl, dodecyl, phenyl, cyclohexyl, tolyl, mesityl, naphthyl, and all isomers thereof.
9. The compound of claim 2, 3, 4, 5, 6, 7 or 8 wherein each R^2 , R^3 , R^4 , R^5 , R^6 , and R^7 is, independently, selected from hydrogen or from the group consisting of C1 to C30 hydrocarbyls.

10. The compound of claim 2, 3, 4, 5, 6, 7, or 8 wherein each R^2 , R^3 , R^4 , R^5 , R^6 , and R^7 is, independently, selected from hydrogen or from the group consisting of methyl, ethyl, propyl, butyl, pentyl, hexyl, heptyl, octyl, nonyl, decyl, undecyl, dodecyl, phenyl, cyclohexyl, tolyl, mesityl, naphthyl, and all isomers thereof.
11. The compound of claim 2, 3, 4, 5, 6, 7, 8, 9, or 10 wherein each R of the PR_2 group is, independently, selected from the group consisting of C1 to C30 hydrocarbyls.
12. The compound of claim 2, 3, 4, 5, 6, 7, 8, 9, or 10 wherein each R of the PR_2 group is, independently, selected from the group consisting of methyl, ethyl, propyl, butyl, pentyl, hexyl, heptyl, octyl, nonyl, decyl, undecyl, dodecyl, phenyl, tolyl, benzyl, cyclohexyl, and all isomers thereof.
13. The compound of any of the above claims wherein each X is, independently, selected from the group consisting of chloride, bromide, fluoride, iodide, hydride, and C1 to C30 hydrocarbyls.
14. The compound of any of claims 1 to 13 wherein each X is, independently, selected from the group consisting of chloride, bromide, fluoride, iodide, hydride, methyl, ethyl, propyl, butyl, pentyl, hexyl, phenyl, benzyl, and all isomers thereof.
15. The compound of any of claims 1 to 13 wherein two X together are selected from the group consisting of C4-C10 dienes, C1-C10 alkylidenes, and C3-C10 alkylidiyls.
16. The compound of any of claims 1 to 13 wherein two X together are selected from the group consisting of butadiene, methylbutadiene, pentadiene, methylpentadiene, dimethylpentadiene, hexadiene, methylhexadiene, dimethylhexadiene, methyldiene, ethyldiene, propyldiene, propandiyl, butandiyl, pentandiyl, and hexandiyl.

17. The compound of any of claims 1 to 16 where M is titanium.
18. The compound of any of claims 1 to 16 where M is zirconium.
19. The compound of any of claims 1 to 16 where M is hafnium.
20. The compound of claim 1 wherein the compound is one or more of
bis(2-methylphenylphosphanylindenyl)zirconium dichloride,
bis(2-diphenylphosphanyl-4,7-dimethylindenyl)zirconium dichloride,
bis(2-dimethylphosphanyl-4,7-dimethylindenyl)zirconium dichloride,
bis(2-di-*n*-propylphosphanyl-4,7-dimethylindenyl)zirconium dichloride,
bis(2-di-*iso*-propylphosphanyl-4,7-dimethylindenyl)zirconium dichloride,
bis(2-di-*n*-butylphosphanyl-4,7-dimethylindenyl)zirconium dichloride,
bis(2-di-*sec*-butylphosphanyl-4,7-dimethylindenyl)zirconium dichloride,
bis(2-di-*iso*-butylphosphanyl-4,7-dimethylindenyl)zirconium dichloride,
bis(2-di-*tert*-butylphosphanyl-4,7-dimethylindenyl)zirconium dichloride,
bis(2-dihexylphosphanyl-4,7-dimethylindenyl)zirconium dichloride,
bis(2-dicyclohexylphosphanyl-4,7-dimethylindenyl)zirconium dichloride,
bis(2-diphenylphosphanyl-4-phenylindenyl)zirconium dichloride,
bis(2-dimethylphosphanyl-4-phenylindenyl)zirconium dichloride,
bis(2-di-*n*-propylphosphanyl-4-phenylindenyl)zirconium dichloride,
bis(2-di-*iso*-propylphosphanyl-4-phenylindenyl)zirconium dichloride,
bis(2-di-*n*-butylphosphanyl-4-phenylindenyl)zirconium dichloride,
bis(2-di-*sec*-butylphosphanyl-4-phenylindenyl)zirconium dichloride,
bis(2-di-*iso*-butylphosphanyl-4-phenylindenyl)zirconium dichloride,
bis(2-di-*tert*-butylphosphanyl-4-phenylindenyl)zirconium dichloride,
bis(2-dihexylphosphanyl-4-phenylindenyl)zirconium dichloride,
bis(2-dicyclohexylphosphanyl-4-phenylindenyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(2-diphenylphosphanylindenyl)zirconium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*n*-propylphosphanylindenyl)zirconium
dichloride,

(2-dimethylphosphanylindenyl)(2-di-*iso*-propylphosphanylindenyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(2-dihexylphosphanylindenyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(2-di-*n*-propylphosphanylindenyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(2-di-*iso*-propylphosphanylindenyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(2-dihexylphosphanylindenyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*iso*-propylphosphanylindenyl)zirconium dichloride,

(2-di-*n*-propylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-dihexylphosphanylindenyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-dihexylphosphanylindenyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)zirconium dichloride,

(2-di-*n*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)zirconium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)zirconium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)zirconium dichloride,
(2-dihexylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dichloride,
(2-dihexylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dichloride,
(2-dicyclohexylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dichloride,

(2-di-*sec*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-dihexylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-dicyclohexylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(indenyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(indenyl)zirconium dichloride,
(2-dihexylphosphanylindenyl)(indenyl)zirconium dichloride,
(2-dicyclohexylphosphanylindenyl)(indenyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(indenyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(indenyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(indenyl)zirconium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(indenyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-dihexylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-dicyclohexylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,

(2-dihexylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,
(2-dicyclohexylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,
(2-dihexylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,
(2-dicyclohexylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dichloride,
(2-dihexylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dichloride,
(2-dicyclohexylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,
(2-dihexylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,
(2-dicyclohexylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,

(2-di-*n*-butylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,
(2-di-*n*-propylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dichloride,
(2-dihexylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dichloride,
(2-dicyclohexylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dichloride,
(2-di-*n*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dichloride,
bis(2-diphenylphosphanylindenyl)zirconium dibenzyl,
bis(2-dimethylphosphanylindenyl)zirconium dibenzyl,
bis(2-di-*n*-propylphosphanylindenyl)zirconium dibenzyl,
bis(2-di-*iso*-propylphosphanylindenyl)zirconium dibenzyl,
bis(2-di-*n*-butylphosphanylindenyl)zirconium dibenzyl,
bis(2-di-*sec*-butylphosphanylindenyl)zirconium dibenzyl,
bis(2-di-*iso*-butylphosphanylindenyl)zirconium dibenzyl,
bis(2-di-*tert*-butylphosphanylindenyl)zirconium dibenzyl,
bis(2-dihexylphosphanylindenyl)zirconium dibenzyl,
bis(2-dicyclohexylphosphanylindenyl)zirconium dibenzyl,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dibenzyl,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dibenzyl,

(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dibenzyl,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)zirconium dibenzyl,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)zirconium dibenzyl,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)zirconium dibenzyl,
(2-diphenylphosphanylindenyl)(indenyl)zirconium dibenzyl,
(2-dimethylphosphanylindenyl)(indenyl)zirconium dibenzyl,
(2-methylphenylphosphanylindenyl)(indenyl)zirconium dibenzyl,
(2-diphenylphosphanylindenyl)(fluorenyl)zirconium dibenzyl,
(2-dimethylphosphanylindenyl)(fluorenyl)zirconium dibenzyl,
(2-methylphenylphosphanylindenyl)(fluorenyl)zirconium dibenzyl,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)zirconium dibenzyl,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)zirconium dibenzyl,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)zirconium dibenzyl,
(2-diphenylphosphanylindenyl)(2-methylindenyl)zirconium dibenzyl,
(2-dimethylphosphanylindenyl)(2-methylindenyl)zirconium dibenzyl,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)zirconium dibenzyl,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dibenzyl,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dibenzyl,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dibenzyl,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dibenzyl,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dibenzyl,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dibenzyl,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dibenzyl,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dibenzyl,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dibenzyl,
bis(2-diphenylphosphanylindenyl)zirconium pentadiene,
bis(2-dimethylphosphanylindenyl)zirconium pentadiene,
bis(2-di-*n*-propylphosphanylindenyl)zirconium pentadiene,
bis(2-di-*iso*-propylphosphanylindenyl)zirconium pentadiene,

bis(2-di-*n*-butylphosphanylindenyl)zirconium pentadiene,
bis(2-di-*sec*-butylphosphanylindenyl)zirconium pentadiene,
bis(2-di-*iso*-butylphosphanylindenyl)zirconium pentadiene,
bis(2-di-*tert*-butylphosphanylindenyl)zirconium pentadiene,
bis(2-dihexylphosphanylindenyl)zirconium pentadiene,
bis(2-dicyclohexylphosphanylindenyl)zirconium pentadiene,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium
pentadiene,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium
pentadiene,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium
pentadiene,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)zirconium pentadiene,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)zirconium pentadiene,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)zirconium pentadiene,
(2-diphenylphosphanylindenyl)(indenyl)zirconium pentadiene,
(2-dimethylphosphanylindenyl)(indenyl)zirconium pentadiene,
(2-methylphenylphosphanylindenyl)(indenyl)zirconium pentadiene,
(2-diphenylphosphanylindenyl)(fluorenyl)zirconium pentadiene,
(2-dimethylphosphanylindenyl)(fluorenyl)zirconium pentadiene,
(2-methylphenylphosphanylindenyl)(fluorenyl)zirconium pentadiene,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)zirconium pentadiene,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)zirconium pentadiene,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)zirconium pentadiene,
(2-diphenylphosphanylindenyl)(2-methylindenyl)zirconium pentadiene,
(2-dimethylphosphanylindenyl)(2-methylindenyl)zirconium pentadiene,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)zirconium pentadiene,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium pentadiene,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium pentadiene,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium
pentadiene,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)zirconium pentadiene,

(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)zirconium pentadiene,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)zirconium pentadiene,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium
pentadiene,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium
pentadiene,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium
pentadiene,
bis(2-diphenylphosphanylindenyl)hafnium dichloride,
bis(2-dimethylphosphanylindenyl)hafnium dichloride,
bis(2-di-*n*-propylphosphanylindenyl)hafnium dichloride,
bis(2-di-*iso*-propylphosphanylindenyl)hafnium dichloride,
bis(2-di-*n*-butylphosphanylindenyl)hafnium dichloride,
bis(2-di-*sec*-butylphosphanylindenyl)hafnium dichloride,
bis(2-di-*iso*-butylphosphanylindenyl)hafnium dichloride,
bis(2-di-*tert*-butylphosphanylindenyl)hafnium dichloride,
bis(2-dihexylphosphanylindenyl)hafnium dichloride,
bis(2-dicyclohexylphosphanylindenyl)hafnium dichloride,
bis(2-methylphenylphosphanylindenyl)hafnium dichloride,
bis(2-diphenylphosphanyl-4,7-dimethylindenyl)hafnium dichloride,
bis(2-dimethylphosphanyl-4,7-dimethylindenyl)hafnium dichloride,
bis(2-di-*n*-propylphosphanyl-4,7-dimethylindenyl)hafnium dichloride,
bis(2-di-*iso*-propylphosphanyl-4,7-dimethylindenyl)hafnium dichloride,
bis(2-di-*n*-butylphosphanyl-4,7-dimethylindenyl)hafnium dichloride,
bis(2-di-*sec*-butylphosphanyl-4,7-dimethylindenyl)hafnium dichloride,
bis(2-di-*iso*-butylphosphanyl-4,7-dimethylindenyl)hafnium dichloride,
bis(2-di-*tert*-butylphosphanyl-4,7-dimethylindenyl)hafnium dichloride,
bis(2-dihexylphosphanyl-4,7-dimethylindenyl)hafnium dichloride,
bis(2-dicyclohexylphosphanyl-4,7-dimethylindenyl)hafnium dichloride,
bis(2-diphenylphosphanyl-4-phenylindenyl)hafnium dichloride,
bis(2-dimethylphosphanyl-4-phenylindenyl)hafnium dichloride,
bis(2-di-*n*-propylphosphanyl-4-phenylindenyl)hafnium dichloride,

bis(2-di-*iso*-propylphosphanyl-4-phenylindenyl)hafnium dichloride,
bis(2-di-*n*-butylphosphanyl-4-phenylindenyl)hafnium dichloride,
bis(2-di-*sec*-butylphosphanyl-4-phenylindenyl)hafnium dichloride,
bis(2-di-*iso*-butylphosphanyl-4-phenylindenyl)hafnium dichloride,
bis(2-di-*tert*-butylphosphanyl-4-phenylindenyl)hafnium dichloride,
bis(2-dihexylphosphanyl-4-phenylindenyl)hafnium dichloride,
bis(2-dicyclohexylphosphanyl-4-phenylindenyl)hafnium dichloride,
(2-dimethylphosphanylindenyl)(2-diphenylphosphanylindenyl)hafnium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*n*-propylphosphanylindenyl)hafnium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*iso*-propylphosphanylindenyl)hafnium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)hafnium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)hafnium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)hafnium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)hafnium
dichloride,
(2-dimethylphosphanylindenyl)(2-dihexylphosphanylindenyl)hafnium dichloride,
(2-dimethylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)hafnium
dichloride,
(2-diphenylphosphanylindenyl)(2-di-*n*-propylphosphanylindenyl)hafnium
dichloride,
(2-diphenylphosphanylindenyl)(2-di-*iso*-propylphosphanylindenyl)hafnium
dichloride,
(2-diphenylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)hafnium
dichloride,
(2-diphenylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)hafnium
dichloride,

(2-diphenylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(2-dihexylphosphanylindenyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*iso*-propylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-dihexylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-dihexylphosphanylindenyl)hafnium dichloride,

(2-di-*iso*-propylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)hafnium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)hafnium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)hafnium dichloride,
(2-dihexylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,

(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,
(2-dihexylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,
(2-dicyclohexylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-dihexylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-dicyclohexylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(cyclopentadienyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(indenyl)hafnium dichloride,
(2-dimethylphosphanylindenyl)(indenyl)hafnium dichloride,
(2-methylphenylphosphanylindenyl)(indenyl)hafnium dichloride,

(2-di-*n*-propylphosphanylindenyl)(indenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(indenyl)hafnium dichloride,
(2-dihexylphosphanylindenyl)(indenyl)hafnium dichloride,
(2-dicyclohexylphosphanylindenyl)(indenyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(indenyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(indenyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(indenyl)hafnium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(indenyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-dimethylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-methylphenylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-dihexylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-dicyclohexylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(fluorenyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-dihexylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-dicyclohexylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(tetrahydroindenyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,
(2-dimethylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,

(2-methylphenylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,
(2-dihexylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,
(2-dicyclohexylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-methylindenyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dichloride,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dichloride,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium
dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium
dichloride,
(2-dihexylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dichloride,
(2-dicyclohexylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium
dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,
(2-dihexylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,
(2-dicyclohexylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,

(2-di-*iso*-butylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dichloride,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dichloride,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dichloride,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dichloride,
(2-di-*n*-propylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dichloride,
(2-dihexylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dichloride,
(2-dicyclohexylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dichloride,
(2-di-*n*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dichloride,
bis(2-diphenylphosphanylindenyl)hafnium dimethyl,
bis(2-dimethylphosphanylindenyl)hafnium dimethyl,
bis(2-di-*n*-propylphosphanylindenyl)hafnium dimethyl,
bis(2-di-*iso*-propylphosphanylindenyl)hafnium dimethyl,
bis(2-di-*n*-butylphosphanylindenyl)hafnium dimethyl,
bis(2-di-*sec*-butylphosphanylindenyl)hafnium dimethyl,
bis(2-di-*iso*-butylphosphanylindenyl)hafnium dimethyl,
bis(2-di-*tert*-butylphosphanylindenyl)hafnium dimethyl,
bis(2-dihexylphosphanylindenyl)hafnium dimethyl,
bis(2-dicyclohexylphosphanylindenyl)hafnium dimethyl,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dimethyl,

(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dimethyl,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dimethyl,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)hafnium dimethyl,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)hafnium dimethyl,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)hafnium dimethyl,
(2-diphenylphosphanylindenyl)(indenyl)hafnium dimethyl,
(2-dimethylphosphanylindenyl)(indenyl)hafnium dimethyl,
(2-methylphenylphosphanylindenyl)(indenyl)hafnium dimethyl,
(2-diphenylphosphanylindenyl)(fluorenyl)hafnium dimethyl,
(2-dimethylphosphanylindenyl)(fluorenyl)hafnium dimethyl,
(2-methylphenylphosphanylindenyl)(fluorenyl)hafnium dimethyl,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)hafnium dimethyl,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)hafnium dimethyl,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)hafnium dimethyl,
(2-diphenylphosphanylindenyl)(2-methylindenyl)hafnium dimethyl,
(2-dimethylphosphanylindenyl)(2-methylindenyl)hafnium dimethyl,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)hafnium dimethyl,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dimethyl,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dimethyl,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dimethyl,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dimethyl,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dimethyl,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dimethyl,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dimethyl,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dimethyl,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dimethyl,
bis(2-diphenylphosphanylindenyl)hafnium difluoride,
bis(2-dimethylphosphanylindenyl)hafnium difluoride,
bis(2-di-*n*-propylphosphanylindenyl)hafnium difluoride,

bis(2-di-*iso*-propylphosphanylindenyl)hafnium difluoride,
bis(2-di-*n*-butylphosphanylindenyl)hafnium difluoride,
bis(2-di-*sec*-butylphosphanylindenyl)hafnium difluoride,
bis(2-di-*iso*-butylphosphanylindenyl)hafnium difluoride,
bis(2-di-*tert*-butylphosphanylindenyl)hafnium difluoride,
bis(2-dihexylphosphanylindenyl)hafnium difluoride,
bis(2-dicyclohexylphosphanylindenyl)hafnium difluoride,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium difluoride,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium difluoride,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium difluoride,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)hafnium difluoride,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)hafnium difluoride,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)hafnium difluoride,
(2-diphenylphosphanylindenyl)(indenyl)hafnium difluoride,
(2-dimethylphosphanylindenyl)(indenyl)hafnium difluoride,
(2-methylphenylphosphanylindenyl)(indenyl)hafnium difluoride,
(2-diphenylphosphanylindenyl)(fluorenyl)hafnium difluoride,
(2-dimethylphosphanylindenyl)(fluorenyl)hafnium difluoride,
(2-methylphenylphosphanylindenyl)(fluorenyl)hafnium difluoride,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)hafnium difluoride,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)hafnium difluoride,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)hafnium difluoride,
(2-diphenylphosphanylindenyl)(2-methylindenyl)hafnium difluoride,
(2-dimethylphosphanylindenyl)(2-methylindenyl)hafnium difluoride,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)hafnium difluoride,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium difluoride,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium difluoride,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium difluoride,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)hafnium difluoride,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)hafnium difluoride,

(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)hafnium difluoride,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium difluoride,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium difluoride,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium difluoride,
bis(2-diphenylphosphanylindenyl)hafnium dibenzyl,
bis(2-dimethylphosphanylindenyl)hafnium dibenzyl,
bis(2-di-*n*-propylphosphanylindenyl)hafnium dibenzyl,
bis(2-di-*iso*-propylphosphanylindenyl)hafnium dibenzyl,
bis(2-di-*n*-butylphosphanylindenyl)hafnium dibenzyl,
bis(2-di-*sec*-butylphosphanylindenyl)hafnium dibenzyl,
bis(2-di-*iso*-butylphosphanylindenyl)hafnium dibenzyl,
bis(2-di-*tert*-butylphosphanylindenyl)hafnium dibenzyl,
bis(2-dihexylphosphanylindenyl)hafnium dibenzyl,
bis(2-dicyclohexylphosphanylindenyl)hafnium dibenzyl,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dibenzyl,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dibenzyl,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium dibenzyl,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)hafnium dibenzyl,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)hafnium dibenzyl,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)hafnium dibenzyl,
(2-diphenylphosphanylindenyl)(indenyl)hafnium dibenzyl,
(2-dimethylphosphanylindenyl)(indenyl)hafnium dibenzyl,
(2-methylphenylphosphanylindenyl)(indenyl)hafnium dibenzyl,
(2-diphenylphosphanylindenyl)(fluorenyl)hafnium dibenzyl,
(2-dimethylphosphanylindenyl)(fluorenyl)hafnium dibenzyl,
(2-methylphenylphosphanylindenyl)(fluorenyl)hafnium dibenzyl,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)hafnium dibenzyl,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)hafnium dibenzyl,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)hafnium dibenzyl,
(2-diphenylphosphanylindenyl)(2-methylindenyl)hafnium dibenzyl,

(2-dimethylphosphanylindenyl)(2-methylindenyl)hafnium dibenzyl,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)hafnium dibenzyl,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dibenzyl,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dibenzyl,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium dibenzyl,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dibenzyl,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dibenzyl,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)hafnium dibenzyl,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dibenzyl,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium dibenzyl,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium
dibenzyl,
bis(2-diphenylphosphanylindenyl)hafnium pentadiene,
bis(2-dimethylphosphanylindenyl)hafnium pentadiene,
bis(2-di-*n*-propylphosphanylindenyl)hafnium pentadiene,
bis(2-di-*iso*-propylphosphanylindenyl)hafnium pentadiene,
bis(2-di-*n*-butylphosphanylindenyl)hafnium pentadiene,
bis(2-di-*sec*-butylphosphanylindenyl)hafnium pentadiene,
bis(2-di-*iso*-butylphosphanylindenyl)hafnium pentadiene,
bis(2-di-*tert*-butylphosphanylindenyl)hafnium pentadiene,
bis(2-di-hexylphosphanylindenyl)hafnium pentadiene,
bis(2-dicyclohexylphosphanylindenyl)hafnium pentadiene,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium
pentadiene,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium
pentadiene,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)hafnium
pentadiene,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)hafnium pentadiene,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)hafnium pentadiene,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)hafnium pentadiene,
(2-diphenylphosphanylindenyl)(indenyl)hafnium pentadiene,

(2-dimethylphosphanylindenyl)(indenyl)hafnium pentadiene,
(2-methylphenylphosphanylindenyl)(indenyl)hafnium pentadiene,
(2-diphenylphosphanylindenyl)(fluorenyl)hafnium pentadiene,
(2-dimethylphosphanylindenyl)(fluorenyl)hafnium pentadiene,
(2-methylphenylphosphanylindenyl)(fluorenyl)hafnium pentadiene,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)hafnium pentadiene,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)hafnium pentadiene,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)hafnium pentadiene,
(2-diphenylphosphanylindenyl)(2-methylindenyl)hafnium pentadiene,
(2-dimethylphosphanylindenyl)(2-methylindenyl)hafnium pentadiene,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)hafnium pentadiene,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium pentadiene,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium pentadiene,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)hafnium
pentadiene,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)hafnium pentadiene,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)hafnium pentadiene,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)hafnium pentadiene,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium pentadiene,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium
pentadiene,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)hafnium
pentadiene,
bis(2-diphenylphosphanylindenyl)titanium dichloride,
bis(2-dimethylphosphanylindenyl)titanium dichloride,
bis(2-di-*n*-propylphosphanylindenyl)titanium dichloride,
bis(2-di-*iso*-propylphosphanylindenyl)titanium dichloride,
bis(2-di-*n*-butylphosphanylindenyl)titanium dichloride,
bis(2-di-*sec*-butylphosphanylindenyl)titanium dichloride,
bis(2-di-*iso*-butylphosphanylindenyl)titanium dichloride,
bis(2-di-*tert*-butylphosphanylindenyl)titanium dichloride,
bis(2-dihexylphosphanylindenyl)titanium dichloride,

bis(2-dicyclohexylphosphanylindenyl)titanium dichloride,
bis(2-methylphenylphosphanylindenyl)titanium dichloride,
bis(2-diphenylphosphanyl-4,7-dimethylindenyl)titanium dichloride,
bis(2-dimethylphosphanyl-4,7-dimethylindenyl)titanium dichloride,
bis(2-di-*n*-propylphosphanyl-4,7-dimethylindenyl)titanium dichloride,
bis(2-di-*iso*-propylphosphanyl-4,7-dimethylindenyl)titanium dichloride,
bis(2-di-*n*-butylphosphanyl-4,7-dimethylindenyl)titanium dichloride,
bis(2-di-*sec*-butylphosphanyl-4,7-dimethylindenyl)titanium dichloride,
bis(2-di-*iso*-butylphosphanyl-4,7-dimethylindenyl)titanium dichloride,
bis(2-di-*tert*-butylphosphanyl-4,7-dimethylindenyl)titanium dichloride,
bis(2-dihexylphosphanyl-4,7-dimethylindenyl)titanium dichloride,
bis(2-dicyclohexylphosphanyl-4,7-dimethylindenyl)titanium dichloride,
bis(2-diphenylphosphanyl-4-phenylindenyl)titanium dichloride,
bis(2-dimethylphosphanyl-4-phenylindenyl)titanium dichloride,
bis(2-di-*n*-propylphosphanyl-4-phenylindenyl)titanium dichloride,
bis(2-di-*iso*-propylphosphanyl-4-phenylindenyl)titanium dichloride,
bis(2-di-*n*-butylphosphanyl-4-phenylindenyl)titanium dichloride,
bis(2-di-*sec*-butylphosphanyl-4-phenylindenyl)titanium dichloride,
bis(2-di-*iso*-butylphosphanyl-4-phenylindenyl)titanium dichloride,
bis(2-di-*tert*-butylphosphanyl-4-phenylindenyl)titanium dichloride,
bis(2-dihexylphosphanyl-4-phenylindenyl)titanium dichloride,
bis(2-dicyclohexylphosphanyl-4-phenylindenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(2-diphenylphosphanylindenyl)titanium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*n*-propylphosphanylindenyl)titanium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*iso*-propylphosphanylindenyl)titanium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)titanium
dichloride,
(2-dimethylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)titanium
dichloride,

(2-dimethylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(2-dihexylphosphanylindenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(2-di-*n*-propylphosphanylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(2-di-*iso*-propylphosphanylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(2-dihexylphosphanylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*iso*-propylphosphanylindenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)titanium dichloride,

(2-di-*n*-propylphosphanylindenyl)(2-dihexylphosphanylindenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*n*-butylphosphanylindenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-dihexylphosphanylindenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-di-*sec*-butylphosphanylindenyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)titanium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-di-*iso*-butylphosphanylindenyl)titanium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)titanium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)titanium dichloride,

(2-di-*sec*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-di-*tert*-butylphosphanylindenyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)titanium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-dihexylphosphanylindenyl)titanium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)titanium dichloride,
(2-dihexylphosphanylindenyl)(2-dicyclohexylphosphanylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,
(2-dihexylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,
(2-dicyclohexylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,

(2-di-*tert*-butylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-dihexylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-dicyclohexylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(cyclopentadienyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(indenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(indenyl)titanium dichloride,
(2-methylphenylphosphanylindenyl)(indenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(indenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(indenyl)titanium dichloride,
(2-dihexylphosphanylindenyl)(indenyl)titanium dichloride,
(2-dicyclohexylphosphanylindenyl)(indenyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(indenyl)titanium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(indenyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(indenyl)titanium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(indenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(fluorenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(fluorenyl)titanium dichloride,
(2-methylphenylphosphanylindenyl)(fluorenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(fluorenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(fluorenyl)titanium dichloride,
(2-dihexylphosphanylindenyl)(fluorenyl)titanium dichloride,
(2-dicyclohexylphosphanylindenyl)(fluorenyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(fluorenyl)titanium dichloride,

(2-di-*sec*-butylphosphanylindenyl)(fluorenyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(fluorenyl)titanium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(fluorenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-dihexylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-dicyclohexylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(tetrahydroindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-dihexylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-dicyclohexylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-methylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dichloride,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium
dichloride,
(2-di-*n*-propylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium
dichloride,

(2-dihexylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dichloride,
(2-dicyclohexylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium
dichloride,
(2-di-*n*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-di-*n*-propylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-di-*iso*-propylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-dihexylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-dicyclohexylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-di-*n*-butylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-di-*sec*-butylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(4,7-dimethylindenyl)titanium dichloride,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium dichloride,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium dichloride,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium
dichloride,
(2-di-*n*-propylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium
dichloride,
(2-di-*iso*-propylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium
dichloride,
(2-dihexylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium dichloride,
(2-dicyclohexylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium
dichloride,
(2-di-*n*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium
dichloride,

(2-di-*sec*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium dichloride,
(2-di-*iso*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium dichloride,
(2-di-*tert*-butylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium dichloride,
bis(2-diphenylphosphanylindenyl)titanium dimethyl,
bis(2-dimethylphosphanylindenyl)titanium dimethyl,
bis(2-di-*n*-propylphosphanylindenyl)titanium dimethyl,
bis(2-di-*iso*-propylphosphanylindenyl)titanium dimethyl,
bis(2-di-*n*-butylphosphanylindenyl)titanium dimethyl,
bis(2-di-*sec*-butylphosphanylindenyl)titanium dimethyl,
bis(2-di-*iso*-butylphosphanylindenyl)titanium dimethyl,
bis(2-di-*tert*-butylphosphanylindenyl)titanium dimethyl,
bis(2-dihexylphosphanylindenyl)titanium dimethyl,
bis(2-dicyclohexylphosphanylindenyl)titanium dimethyl,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dimethyl,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dimethyl,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dimethyl,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)titanium dimethyl,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)titanium dimethyl,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)titanium dimethyl,
(2-diphenylphosphanylindenyl)(indenyl)titanium dimethyl,
(2-dimethylphosphanylindenyl)(indenyl)titanium dimethyl,
(2-methylphenylphosphanylindenyl)(indenyl)titanium dimethyl,
(2-diphenylphosphanylindenyl)(fluorenyl)titanium dimethyl,
(2-dimethylphosphanylindenyl)(fluorenyl)titanium dimethyl,
(2-methylphenylphosphanylindenyl)(fluorenyl)titanium dimethyl,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)titanium dimethyl,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)titanium dimethyl,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)titanium dimethyl,

(2-diphenylphosphanylindenyl)(2-methylindenyl)titanium dimethyl,
(2-dimethylphosphanylindenyl)(2-methylindenyl)titanium dimethyl,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)titanium dimethyl,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dimethyl,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dimethyl,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium
dimethyl,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)titanium dimethyl,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)titanium dimethyl,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)titanium dimethyl,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium dimethyl,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium dimethyl,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium
dimethyl,
bis(2-diphenylphosphanylindenyl)titanium difluoride,
bis(2-dimethylphosphanylindenyl)titanium difluoride,
bis(2-di-*n*-propylphosphanylindenyl)titanium difluoride,
bis(2-di-*iso*-propylphosphanylindenyl)titanium difluoride,
bis(2-di-*n*-butylphosphanylindenyl)titanium difluoride,
bis(2-di-*sec*-butylphosphanylindenyl)titanium difluoride,
bis(2-di-*iso*-butylphosphanylindenyl)titanium difluoride,
bis(2-di-*tert*-butylphosphanylindenyl)titanium difluoride,
bis(2-dihexylphosphanylindenyl)titanium difluoride,
bis(2-dicyclohexylphosphanylindenyl)titanium difluoride,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium difluoride,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium difluoride,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium
difluoride,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)titanium difluoride,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)titanium difluoride,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)titanium difluoride,
(2-diphenylphosphanylindenyl)(indenyl)titanium difluoride,

(2-dimethylphosphanylindenyl)(indenyl)titanium difluoride,
(2-methylphenylphosphanylindenyl)(indenyl)titanium difluoride,
(2-diphenylphosphanylindenyl)(fluorenyl)titanium difluoride,
(2-dimethylphosphanylindenyl)(fluorenyl)titanium difluoride,
(2-methylphenylphosphanylindenyl)(fluorenyl)titanium difluoride,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)titanium difluoride,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)titanium difluoride,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)titanium difluoride,
(2-diphenylphosphanylindenyl)(2-methylindenyl)titanium difluoride,
(2-dimethylphosphanylindenyl)(2-methylindenyl)titanium difluoride,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)titanium difluoride,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium difluoride,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium difluoride,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium difluoride,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)titanium difluoride,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)titanium difluoride,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)titanium difluoride,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium difluoride,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium difluoride,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium difluoride,
bis(2-diphenylphosphanylindenyl)titanium dibenzyl,
bis(2-dimethylphosphanylindenyl)titanium dibenzyl,
bis(2-di-*n*-propylphosphanylindenyl)titanium dibenzyl,
bis(2-di-*iso*-propylphosphanylindenyl)titanium dibenzyl,
bis(2-di-*n*-butylphosphanylindenyl)titanium dibenzyl,
bis(2-di-*sec*-butylphosphanylindenyl)titanium dibenzyl,
bis(2-di-*iso*-butylphosphanylindenyl)titanium dibenzyl,
bis(2-di-*tert*-butylphosphanylindenyl)titanium dibenzyl,
bis(2-dihexylphosphanylindenyl)titanium dibenzyl,
bis(2-dicyclohexylphosphanylindenyl)titanium dibenzyl,

(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dibenzyl,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium dibenzyl,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium
dibenzyl,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)titanium dibenzyl,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)titanium dibenzyl,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)titanium dibenzyl,
(2-diphenylphosphanylindenyl)(indenyl)titanium dibenzyl,
(2-dimethylphosphanylindenyl)(indenyl)titanium dibenzyl,
(2-methylphenylphosphanylindenyl)(indenyl)titanium dibenzyl,
(2-diphenylphosphanylindenyl)(fluorenyl)titanium dibenzyl,
(2-dimethylphosphanylindenyl)(fluorenyl)titanium dibenzyl,
(2-methylphenylphosphanylindenyl)(fluorenyl)titanium dibenzyl,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)titanium dibenzyl,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)titanium dibenzyl,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)titanium dibenzyl,
(2-diphenylphosphanylindenyl)(2-methylindenyl)titanium dibenzyl,
(2-dimethylphosphanylindenyl)(2-methylindenyl)titanium dibenzyl,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)titanium dibenzyl,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dibenzyl,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dibenzyl,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium dibenzyl,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)titanium dibenzyl,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)titanium dibenzyl,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)titanium dibenzyl,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium dibenzyl,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium dibenzyl,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium
dibenzyl,
bis(2-diphenylphosphanylindenyl)titanium pentadiene,
bis(2-dimethylphosphanylindenyl)titanium pentadiene,
bis(2-di-*n*-propylphosphanylindenyl)titanium pentadiene,

bis(2-di-*iso*-propylphosphanylindenyl)titanium pentadiene,
bis(2-di-*n*-butylphosphanylindenyl)titanium pentadiene,
bis(2-di-*sec*-butylphosphanylindenyl)titanium pentadiene,
bis(2-di-*iso*-butylphosphanylindenyl)titanium pentadiene,
bis(2-di-*tert*-butylphosphanylindenyl)titanium pentadiene,
bis(2-dihexylphosphanylindenyl)titanium pentadiene,
bis(2-dicyclohexylphosphanylindenyl)titanium pentadiene,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium
pentadiene,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium
pentadiene,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)titanium
pentadiene,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)titanium pentadiene,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)titanium pentadiene,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)titanium pentadiene,
(2-diphenylphosphanylindenyl)(indenyl)titanium pentadiene,
(2-dimethylphosphanylindenyl)(indenyl)titanium pentadiene,
(2-methylphenylphosphanylindenyl)(indenyl)titanium pentadiene,
(2-diphenylphosphanylindenyl)(fluorenyl)titanium pentadiene,
(2-dimethylphosphanylindenyl)(fluorenyl)titanium pentadiene,
(2-methylphenylphosphanylindenyl)(fluorenyl)titanium pentadiene,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)titanium pentadiene,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)titanium pentadiene,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)titanium pentadiene,
(2-diphenylphosphanylindenyl)(2-methylindenyl)titanium pentadiene,
(2-dimethylphosphanylindenyl)(2-methylindenyl)titanium pentadiene,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)titanium pentadiene,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium pentadiene,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium pentadiene,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)titanium
pentadiene,

(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)titanium pentadiene,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)titanium pentadiene,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)titanium pentadiene,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium pentadiene,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium
pentadiene, or
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)titanium
pentadiene.

21. The compound of claim 1 wherein the compound is selected from the group consisting of:

bis(2-diphenylphosphanylindenyl)zirconium dichloride,
bis(2-dimethylphosphanylindenyl)zirconium dichloride,
bis(2-di-*n*-propylphosphanylindenyl)zirconium dichloride,
bis(2-di-*iso*-propylphosphanylindenyl)zirconium dichloride,
bis(2-di-*n*-butylphosphanylindenyl)zirconium dichloride,
bis(2-di-*sec*-butylphosphanylindenyl)zirconium dichloride,
bis(2-di-*iso*-butylphosphanylindenyl)zirconium dichloride,
bis(2-di-*tert*-butylphosphanylindenyl)zirconium dichloride,
bis(2-dihexylphosphanylindenyl)zirconium dichloride,
bis(2-dicyclohexylphosphanylindenyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium
dichloride,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium
dichloride,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium
dichloride,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(indenyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(indenyl)zirconium dichloride,

(2-methylphenylphosphanylindenyl)(indenyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-methylphenylphosphanylindenyl)(fluorenyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dichloride,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium
dichloride,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dichloride,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium
dichloride,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium
dichloride,
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium
dichloride,
bis(2-diphenylphosphanylindenyl)zirconium dimethyl,
bis(2-dimethylphosphanylindenyl)zirconium dimethyl,
bis(2-di-*n*-propylphosphanylindenyl)zirconium dimethyl,
bis(2-di-*iso*-propylphosphanylindenyl)zirconium dimethyl,
bis(2-di-*n*-butylphosphanylindenyl)zirconium dimethyl,
bis(2-di-*sec*-butylphosphanylindenyl)zirconium dimethyl,
bis(2-di-*iso*-butylphosphanylindenyl)zirconium dimethyl,
bis(2-di-*tert*-butylphosphanylindenyl)zirconium dimethyl,
bis(2-dihexylphosphanylindenyl)zirconium dimethyl,

bis(2-dicyclohexylphosphanylindenyl)zirconium dimethyl,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dimethyl,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dimethyl,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium dimethyl,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)zirconium dimethyl,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)zirconium dimethyl,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)zirconium dimethyl,
(2-diphenylphosphanylindenyl)(indenyl)zirconium dimethyl,
(2-dimethylphosphanylindenyl)(indenyl)zirconium dimethyl,
(2-methylphenylphosphanylindenyl)(indenyl)zirconium dimethyl,
(2-diphenylphosphanylindenyl)(fluorenyl)zirconium dimethyl,
(2-dimethylphosphanylindenyl)(fluorenyl)zirconium dimethyl,
(2-methylphenylphosphanylindenyl)(fluorenyl)zirconium dimethyl, .
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)zirconium dimethyl,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)zirconium dimethyl,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)zirconium dimethyl,
(2-diphenylphosphanylindenyl)(2-methylindenyl)zirconium dimethyl,
(2-dimethylphosphanylindenyl)(2-methylindenyl)zirconium dimethyl,
(2-methylphenylphosphanylindenyl)(2-methylindenyl)zirconium dimethyl,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dimethyl,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dimethyl,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium dimethyl,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dimethyl,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dimethyl,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)zirconium dimethyl,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dimethyl,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dimethyl,

(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium dimethyl,
bis(2-diphenylphosphanylindenyl)zirconium difluoride,
bis(2-dimethylphosphanylindenyl)zirconium difluoride,
bis(2-di-*n*-propylphosphanylindenyl)zirconium difluoride,
bis(2-di-*iso*-propylphosphanylindenyl)zirconium difluoride,
bis(2-di-*n*-butylphosphanylindenyl)zirconium difluoride,
bis(2-di-*sec*-butylphosphanylindenyl)zirconium difluoride,
bis(2-di-*iso*-butylphosphanylindenyl)zirconium difluoride,
bis(2-di-*tert*-butylphosphanylindenyl)zirconium difluoride,
bis(2-dihexylphosphanylindenyl)zirconium difluoride,
bis(2-dicyclohexylphosphanylindenyl)zirconium difluoride,
(2-diphenylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium difluoride,
(2-dimethylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium difluoride,
(2-methylphenylphosphanylindenyl)(pentamethylcyclopentadienyl)zirconium difluoride,
(2-diphenylphosphanylindenyl)(cyclopentadienyl)zirconium difluoride,
(2-dimethylphosphanylindenyl)(cyclopentadienyl)zirconium difluoride,
(2-methylphenylphosphanylindenyl)(cyclopentadienyl)zirconium difluoride,
(2-diphenylphosphanylindenyl)(indenyl)zirconium difluoride,
(2-dimethylphosphanylindenyl)(indenyl)zirconium difluoride,
(2-methylphenylphosphanylindenyl)(indenyl)zirconium difluoride,
(2-diphenylphosphanylindenyl)(fluorenyl)zirconium difluoride,
(2-dimethylphosphanylindenyl)(fluorenyl)zirconium difluoride,
(2-methylphenylphosphanylindenyl)(fluorenyl)zirconium difluoride,
(2-diphenylphosphanylindenyl)(tetrahydroindenyl)zirconium difluoride,
(2-dimethylphosphanylindenyl)(tetrahydroindenyl)zirconium difluoride,
(2-methylphenylphosphanylindenyl)(tetrahydroindenyl)zirconium difluoride,
(2-diphenylphosphanylindenyl)(2-methylindenyl)zirconium difluoride,
(2-dimethylphosphanylindenyl)(2-methylindenyl)zirconium difluoride,

(2-methylphenylphosphanylindenyl)(2-methylindenyl)zirconium difluoride,
(2-diphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium difluoride,
(2-dimethylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium difluoride,
(2-methylphenylphosphanylindenyl)(2-methyl-4-phenylindenyl)zirconium
difluoride,
(2-diphenylphosphanylindenyl)(4,7-dimethylindenyl)zirconium difluoride,
(2-dimethylphosphanylindenyl)(4,7-dimethylindenyl)zirconium difluoride,
(2-methylphenylphosphanylindenyl)(4,7-dimethylindenyl)zirconium difluoride,
(2-diphenylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium
difluoride,
(2-dimethylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium
difluoride, and
(2-methylphenylphosphanylindenyl)(methylbutylcyclopentadienyl)zirconium
difluoride.

22. A catalyst system comprising the composition of any of the above claims and an activator.

23. The catalyst system of claim 22 wherein the activator comprises an alumoxane.

24. The catalyst system of claim 22 or 23 wherein the activator comprises a non-coordinating anion.

25. The catalyst system of claim 22 wherein the activator is selected from the group consisting of trimethylammonium tetraphenylborate, triethylammonium tetraphenylborate, tripropylammonium tetraphenylborate, tri(*n*-butyl)ammonium tetraphenylborate, tri(*tert*-butyl)ammonium tetraphenylborate, N,N-dimethylanilinium tetraphenylborate, N,N-diethylanilinium tetraphenylborate, N,N-dimethyl-(2,4,6-trimethylanilinium) tetraphenylborate, trimethylammonium tetrakis(pentafluorophenyl)borate, triethylammonium tetrakis(pentafluorophenyl)borate, tripropylammonium

tetrakis(pentafluorophenyl)borate, tri(*n*-butyl)ammonium
tetrakis(pentafluorophenyl)borate, tri(*sec*-butyl)ammonium
tetrakis(pentafluorophenyl)borate, N,N-dimethylanilinium
tetrakis(pentafluorophenyl)borate, N,N-diethylanilinium
tetrakis(pentafluorophenyl)borate, N,N-dimethyl-(2,4,6-trimethylanilinium)
tetrakis(pentafluorophenyl)borate, trimethylammonium tetrakis-(2,3,4,6-
tetrafluorophenyl) borate, triethylammonium tetrakis-(2,3,4,6-
tetrafluorophenyl)borate, tripropylammonium tetrakis-(2,3,4,6-
tetrafluorophenyl)borate, tri(*n*-butyl)ammonium tetrakis-(2,3,4,6-
tetrafluorophenyl)borate, dimethyl(*tert*-butyl)ammonium tetrakis-(2,3,4,6-
tetrafluorophenyl)borate, N,N-dimethylanilinium tetrakis-(2,3,4,6-
tetrafluorophenyl)borate, N,N-diethylanilinium tetrakis-(2,3,4,6-
tetrafluorophenyl)borate, N,N-dimethyl-(2,4,6-trimethylanilinium) tetrakis-
(2,3,4,6-tetrafluorophenyl)borate, trimethylammonium
tetrakis(perfluoronaphthyl)borate, triethylammonium
tetrakis(perfluoronaphthyl)borate, tripropylammonium
tetrakis(perfluoronaphthyl)borate, tri(*n*-butyl)ammonium
tetrakis(perfluoronaphthyl)borate, tri(*tert*-butyl)ammonium
tetrakis(perfluoronaphthyl)borate, N,N-dimethylanilinium
tetrakis(perfluoronaphthyl)borate, N,N-diethylanilinium
tetrakis(perfluoronaphthyl)borate, N,N-dimethyl-(2,4,6-trimethylanilinium)
tetrakis(perfluoronaphthyl)borate, trimethylammonium
tetrakis(perfluorobiphenyl)borate, triethylammonium
tetrakis(perfluorobiphenyl)borate, tripropylammonium
tetrakis(perfluorobiphenyl)borate, tri(*n*-butyl)ammonium
tetrakis(perfluorobiphenyl)borate, tri(*tert*-butyl)ammonium
tetrakis(perfluorobiphenyl)borate, N,N-dimethylanilinium
tetrakis(perfluorobiphenyl)borate, N,N-diethylanilinium
tetrakis(perfluorobiphenyl)borate, N,N-dimethyl-(2,4,6-trimethylanilinium)
tetrakis(perfluorobiphenyl)borate, trimethylammonium tetrakis(3,5-
bis(trifluoromethyl)phenyl)borate, triethylammonium tetrakis(3,5-
bis(trifluoromethyl)phenyl)borate, tripropylammonium tetrakis(3,5-

bis(trifluoromethyl)phenyl)borate, tri(*n*-butyl)ammonium tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, tri(*tert*-butyl)ammonium tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, N,N-dimethylanilinium tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, N,N-diethylanilinium tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, N,N-dimethyl-(2,4,6-trimethylanilinium) tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, di(*iso*-propyl)ammonium tetrakis(pentafluorophenyl)borate, and dicyclohexylammonium tetrakis(pentafluorophenyl)borate; tri(*o*-tolyl)phosphonium tetrakis(pentafluorophenyl)borate, tri(2,6-dimethylphenyl)phosphonium tetrakis(pentafluorophenyl)borate, tropillium tetraphenylborate, triphenylcarbenium tetraphenylborate, triphenylphosphonium tetraphenylborate, triethylsilylium tetraphenylborate, benzene(diazonium)tetraphenylborate, tropillium tetrakis(pentafluorophenyl)borate, triphenylcarbenium tetrakis(pentafluorophenyl)borate, triphenylphosphonium tetrakis(pentafluorophenyl)borate, triethylsilylium tetrakis(pentafluorophenyl)borate, benzene(diazonium) tetrakis(pentafluorophenyl)borate, tropillium tetrakis-(2,3,4,6-tetrafluorophenyl)borate, triphenylcarbenium tetrakis-(2,3,4,6-tetrafluorophenyl)borate, triphenylphosphonium tetrakis-(2,3,4,6-tetrafluorophenyl)borate, triethylsilylium tetrakis-(2,3,4,6-tetrafluorophenyl)borate, benzene(diazonium) tetrakis-(2,3,4,6-tetrafluorophenyl)borate, tropillium tetrakis(perfluoronaphthyl)borate, triphenylcarbenium tetrakis(perfluoronaphthyl)borate, triphenylphosphonium tetrakis(perfluoronaphthyl)borate, triethylsilylium tetrakis(perfluoronaphthyl)borate, benzene(diazonium) tetrakis(perfluoronaphthyl)borate, tropillium tetrakis(perfluorobiphenyl)borate, triphenylcarbenium tetrakis(perfluorobiphenyl)borate, triphenylphosphonium tetrakis(perfluorobiphenyl)borate, triethylsilylium tetrakis(perfluorobiphenyl)borate, benzene(diazonium) tetrakis(perfluorobiphenyl)borate, tropillium tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, triphenylcarbenium tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, triphenylphosphonium tetrakis(3,5-

bis(trifluoromethyl)phenyl)borate, triethylsilylium tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, and benzene(diazonium) tetrakis(3,5-bis(trifluoromethyl)phenyl)borate.

26. The catalyst system of claim 22 wherein the activator is selected from the group consisting of N,N-dimethylanilinium tetrakis(perfluorophenyl)borate, N,N-dimethylanilinium tetrakis(perfluoronaphthyl)borate, N,N-dimethylanilinium tetrakis(perfluorobiphenyl)borate, N,N-dimethylanilinium tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, triphenylcarbenium tetrakis(perfluoronaphthyl)borate, triphenylcarbenium tetrakis(perfluorobiphenyl)borate, triphenylcarbenium tetrakis(3,5-bis(trifluoromethyl)phenyl)borate, and triphenylcarbenium tetra(perfluorophenyl)borate.

27. A method to polymerize monomers comprising contacting the compound of any of claims 1 to 21 with unsaturated monomers.

28. A method to polymerize monomers comprising contacting the catalyst system of any of claims 22 to 26 with unsaturated monomers.

29. A method to polymerize olefins comprising contacting the catalyst system of any of claims 22 to 26 with one or more olefins.

30. The method of claim 29 wherein the olefins comprise ethylene.

31. The method of claim 29 or 30 wherein the olefins comprise propylene.

32. The method of claim 29 or 30 wherein the olefins comprise ethylene and or propylene and one or more comonomers selected from the group consisting of 1-butene, 1-pentene, 1-hexene, 1-heptene, 1-octene, 1-nonene, 1-decene, 1-undecene, 1-dodecene, 1-tridecene, 1-tetradecene, 1-pentadecene, 1-hexadecene, 1-heptadecene, 1-octadecene, 1-nonadecene, 1-eicosene, 1-heneicosene, 1-docosene,

1-tricosene, 1-tetracosene, 1-pentacosene, 1-hexacosene, 1-heptacosene, 1-octacosene, 1-nonacosene, 1-triacontene, 4-methyl-1-pentene, 3-methyl-1-pentene, 5-methyl-1-nonene, 3,5,5-trimethyl-1-hexene, vinylcyclohexane, vinylnorbornane, cyclobutene, cyclopentene, cyclohexene, cycloheptene, cyclooctene, cyclononene, cyclodecene, norbornene, 4-methylnorbornene, 2-methylcyclopentene, 4-methylcyclopentene, vinylcyclohexane, norbornadiene, dicyclopentadiene, 5-ethylidene-2-norbornene, vinylcyclohexene, 5-vinyl-2-norbornene, 1,3-divinylcyclopentane, 1,2-divinylcyclohexane, 1,3-divinylcyclohexane, 1,4-divinylcyclohexane, 1,5-divinylcyclooctane, 1-allyl-4-vinylcyclohexane, 1,4-diallylcyclohexane, 1-allyl-5-vinylcyclooctane, 1,5-diallylcyclooctane, styrene, *para*-methylstyrene, *para*-*t*-butylstyrene, vinylnaphthylene, vinyltoluene, divinylbenzene, 1,4-hexadiene, 1,5-hexadiene, 1,5-heptadiene, 1,6-heptadiene, 6-methyl-1,6-heptadiene, 1,7-octadiene, 7-methyl-1,7-octadiene, 1,9-decadiene, 1,11-dodecene, 1,13-tetradecene and 9-methyl-1,9-decadiene.

33. A polymer produced by the method of any of claims 29-32.

34. An article of manufacture comprising the polymer of claim 33.