

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
6 December 2007 (06.12.2007)

PCT

(10) International Publication Number
WO 2007/137867 A1

(51) International Patent Classification:

G01N 33/574 (2006.01) C07K 1/04 (2006.01)
C12Q 1/48 (2006.01) G01N 33/68 (2006.01)

(21) International Application Number:

PCT/EP2007/004880

(22) International Filing Date: 1 June 2007 (01.06.2007)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

06011409.7 1 June 2006 (01.06.2006) EP

(71) Applicant (for all designated States except US): **CELL-ZOME AG** [DE/DE]; Meyerhofstrasse 1, 69117 Heidelberg (DE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **KRUSE, Ulrich** [DE/DE]; Frankenweg 32, 69221 Dossenheim (DE). **RAMSDEN, Nigel** [GB/GB]; Sparrows Lodge, Green Lane, Fowlmere, Royston, Herts SG8 7QP (GB). **DREWES, Gerard** [NL/DE]; Burgstrasse 13, 69121 Heidelberg (DE). **EBERHARD, Dirk** [DE/DE]; Wehräcker Weg 6, 69256 Mauer (DE).(74) Agent: **HUHN, Michael**; Isenbruck Bösl Hörschler Wichmann Huhn, Patentanwälte, 68165 Mannheim (DE).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM,

AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- with sequence listing part of description published separately in electronic form and available upon request from the International Bureau

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHODS FOR THE IDENTIFICATION OF ZAP-70 INTERACTING MOLECULES AND FOR THE PURIFICATION OF ZAP-70



(57) Abstract: The invention provides in a first aspect a method for the identification of an ZAP-70 interacting compound, comprising the steps of a) providing a protein preparation containing phosphorylated ZAP-70, b) contacting the protein preparation with aminopyrido-pyrimidine ligand 24 immobilized on a solid support under conditions allowing the formation of an aminopyrido-pyrimidine ligand 24 - phosphorylated ZAP-70 complex, c) incubating the aminopyrido-pyrimidine ligand 24 — phosphorylated ZAP-70 complex with a given compound, and d) determining whether the compound is able to separate phosphorylated ZAP-70

from the immobilized aminopyrido-pyrimidine ligand 24. In a second aspect, the present invention relates to A method for the identification of an ZAP-70 interacting compound, comprising the steps of a) providing a protein preparation containing phosphorylated ZAP-70, b) contacting the protein preparation with ligand aminopyrido-pyrimidine ligand 24 immobilized on a solid support and with a given compound under conditions allowing the formation of an aminopyrido-pyrimidine ligand 24 - phosphorylated ZAP-70 complex, and c) detecting the aminopyrido-pyrimidine ligand 24 - phosphorylated ZAP-70 complex formed in step b). In a third aspect, the invention provides a method for the identification of an ZAP-70 interacting compound, comprising the steps of: a) providing two aliquots of a protein preparation containing phosphorylated ZAP-70, b) contacting one aliquot with aminopyrido-pyrimidine ligand 24 immobilized on a solid support under conditions allowing the formation of an aminopyrido-pyrimidine ligand 24 - phosphorylated ZAP-70 complex, c) contacting the other aliquot with aminopyrido-pyrimidine ligand 24 immobilized on a solid support and with a given compound under conditions allowing the formation of an aminopyrido-pyrimidine ligand 24 - phosphorylated ZAP-70 complex, and d) determining the amount of aminopyrido-pyrimidine ligand 24 - phosphorylated ZAP-70 complex formed in steps b) and c). In a fourth aspect, the invention relates to a method for the identification of an ZAP-70 interacting compound, comprising the steps of: a) providing two aliquots comprising each at least one cell containing phosphorylated ZAP-70, b) incubating one aliquot with a given compound, c) harvesting the cells of each aliquot, d) lysing the cells in order to obtain protein preparations, e) contacting the protein preparations with aminopyrido-pyrimidine ligand 24 immobilized on a solid support under conditions allowing the formation of an aminopyrido-pyrimidine ligand 24 - phosphorylated ZAP-70 complex, and f) determining the amount of aminopyrido-pyrimidine ligand 24 - phosphorylated ZAP-70 complex formed in each aliquot in step e).

WO 2007/137867 A1