



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶: C07D 213/22, 405/10, 213/69, 317/50, C07C 231/12, 303/22, C07F 5/04	A1	(11) International Publication Number: WO 98/45265 (43) International Publication Date: 15 October 1998 (15.10.98)
(21) International Application Number: PCT/AU98/00245 (22) International Filing Date: 9 April 1998 (09.04.98) (30) Priority Data: PO 6096 9 April 1997 (09.04.97) AU PO 7479 20 June 1997 (20.06.97) AU PO 8675 20 August 1997 (20.08.97) AU (71) Applicant (for all designated States except US): COMMON-WEALTH SCIENTIFIC AND INDUSTRIAL RESEARCH ORGANISATION [AU/AU]; Limestone Avenue, Campbell, ACT 2601 (AU). (72) Inventors; and (75) Inventors/Applicants (for US only): MARCUCCIO, Sebastian, Mario [AU/AU]; 5 Spring Court, Endeavour Hills, VIC 3802 (AU). RODOPOULOS, Mary [AU/AU]; 583B High-bury Road, Burwood East, VIC 3151 (AU). WEINGOLD, Helmut [AU/AU]; 54 Leeds Road, Mount Waverley, VIC 3149 (AU). (74) Agents: CORBETT, Terence, G. et al.; Davies Collison Cave, 1 Little Collins Street, Melbourne, VIC 3000 (AU).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KB, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: PROCESS FOR COVALENTLY COUPLING ORGANIC COMPOUNDS UTILIZING DIBORON DERIVATIVES		
(57) Abstract The invention provides a process for covalently coupling organic compounds which comprises reacting an aromatic ring compound having a halogen or halogen-like substituent at a coupling position with a diboron derivative in the presence of a Group VIII metal catalyst and a suitable base. The invention also provides useful arylboron intermediates.		