
What is claimed is:

1. A compound having formula (I):



I

or a pharmaceutically acceptable salt, solvate, clathrate or hydrate thereof, wherein

X is O or $S(O)_t$;

R^a is O or S;

each R^1 is independently selected from (i) or (ii) below:

i) each R^1 is independently selected from a group consisting of halo, nitro, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, heteroaralkyl, $-R^6OR^7$, $-R^6SR^7$, $-R^6S(O)_tR^8$, $-R^6N(R^7)_2$, $-R^6OR^9OR^7$, $-R^6OR^9SR^7$, $-R^6OR^9S(O)_tR^8$, $-R^6OR^9S(O)_tN(R^7)_2$, $-R^6OR^9N(R^7)_2$, $-R^6SR^9OR^7$, $-R^6SR^9SR^7$, $-R^6SR^9N(R^7)_2$, $-R^6N(R^7)R^9N(R^7)_2$, $-R^6N(R^7)R^9OR^7$, $-R^6N(R^7)R^9SR^7$, $-R^6CN$, $-R^6C(O)R^7$, $-R^6C(O)OR^7$, $-R^6C(O)OR^9OR^7$, $-R^6C(O)N(R^7)_2$, $-R^6C(O)N(R^7)OR^7$, $-R^6C(NR^7)N(R^7)_2$, $-R^6C(O)N(R^7)R^9N(R^7)_2$, $-R^6C(O)N(R^7)R^9OR^7$, $-R^6C(O)N(R^7)R^9SR^7$, $-R^6C(O)SR^8$, $-R^6S(O)_tOR^7$, $-R^6S(O)_tN(R^7)_2$, $-R^6S(O)_tN(R^7)N(R^7)_2$, $-R^6S(O)_tN(R^7)N=C(R^7)_2$, $-R^6S(O)_tN(R^7)C(O)R^8$, $-R^6S(O)_tN(R^7)C(O)N(R^7)_2$, $-R^6S(O)_tN(R^7)C(NR^7)N(R^7)_2$, $-R^6N(R^7)C(O)R^8$, $-R^6N(R^7)C(O)OR^8$, $-R^6N(R^7)C(O)N(R^7)_2$, $-R^6N(R^7)C(NR^7)N(R^7)_2$, $-R^6N(R^7)C(S)N(R^7)_2$, and $-R^6N(R^7)S(O)_tR^8$, or

ii) any two adjacent R^1 groups together form an alkylenedioxy group;

each R^6 is independently a direct bond, alkylene chain or alkenylene chain;

each R^7 is independently selected from (i) or (ii) below:

(i) each R^7 is selected from a group consisting of hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl and heteroaralkyl, or

(ii) two R^7 groups together with the N atom to which they are attached form a heterocyclyl or heteroaryl;

each R^8 is independently selected from a group consisting of alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl and heteroaralkyl;

each R^9 is independently an alkylene chain or an alkenylene chain;

R^2 is hydrogen, halo, alkyl , amino or alkylamino;

R^3 is halo or alkyl;

R^4 and R^5 are selected as follows:

a) R^4 and R^5 are each independently hydrogen or alkyl, or

b)R^4 and R^5, together with the N atom to which they are attached, form an oxo-substituted heterocyclyl;

R^{11} is aryl, heteroaryl or heterocyclyl;

m is an integer from 0 to 4;

n is an integer from 0 to 4;

t is an integer from 0 to 2;

R^1, R^2, R^3, R^4, R^5, R^6, R^7, R^8, R^9 and R^{11} are optionally subtituted with one, two or three substituents independently selected from Q^1, wherein Q^1 is nitro, halo, azido, cyano, oxo, thioxo, imino, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heteroaryl, heteroaralkyl, heterocyclyl, heterocyclylalkyl, $-R^uOR^x$, $-R^uOR^uOR^x$, $-R^uOR^uN(R^y)(R^z)$, $-R^uN(R^y)(R^z)$, $-R^uSR^x$, $-R^uC(J)R^x$, $-R^uC(J)OR^x$, $-R^uC(J)N(R^y)(R^z)$, $-R^uC(J)SR^x$, $-R^uS(O)_tR^w$, $-R^uOC(J)R^x$, $-R^uOC(J)OR^x$, $-R^uOC(J)N(R^y)(R^z)$, $-R^uOC(J)SR^x$, $-R^uN(R^x)C(J)R^x$, $-R^uN(R^x)C(J)OR^x$, $-R^uN(R^x)C(J)N(R^y)(R^z)$, $-R^uN(R^x)C(J)SR^x$, $-R^uSi(R^w)_3$, $-R^uN(R^x)S(O)_tR^w$, $-R^uN(R^x)R^uS(O)_2R^w$, $-R^uN(R^x)S(O)_2N(R^y)(R^z)$, $-R^uS(O)_2N(R^y)(R^z)$, $-R^uP(O)(R^v)_2$, $-R^uOP(O)(R^v)_2$, $-R^uC(J)N(R^x)S(O)_2R^w$, $-R^uC(J)N(R^x)N(R^x)S(O)_2R^w$, $-R^uC(R^x)=N(OR^x)$ and $-R^uC(R^x)=NN(R^y)(R^z)$;

when Q^1 is alkyl, alkenyl or alkynyl, each Q^1 is optionally substituted with halo, cyano, hydroxy or alkoxy;

when Q^1 is cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heteroaryl, heteroaralkyl, heterocyclyl, or heterocyclylalkyl, each Q^1 is optionally substituted with halo, alkyl, haloalkyl, hydroxyalkyl, alkoxyalkyl, cyanoalkyl, alkoxy or hydroxyl;

each R^u is independently alkylene or a direct bond;

each R^v is independently alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, heteroaralkyl, hydroxy,$-OR^x$ or $-N(R^y)(R^z)$;

R^w is alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, or heteroaralkyl;


each R^x is independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, or heteroaralkyl;

R^y and R^z are each independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, or heteroaralkyl;

R^y and R^z, together with the nitrogen atom to which they are attached, form a heterocyclyl or heteroaryl; and

J is O, NR^x or S.

2. The compound of claim 1 having formula (II):



II

or a pharmaceutically acceptable salt, solvate or hydrate thereof, wherein

X is O, S, S(O) or SO_2;

each R^1 is independently selected from (i) or (ii) below:

i) each R^1 is independently selected from the group consisting of halo, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, heteroaralkyl, $-R^6OR^7$, $-R^6SR^7$, $-R^6S(O)_tR^8$, $-R^6N(R^7)_2$, $-R^6OR^9OR^7$, $-R^6OR^9SR^7$, $-R^6OR^9S(O)_tR^8$, $-R^6OR^9S(O)_tN(R^7)_2$, $-R^6OR^9N(R^7)_2$, $-R^6SR^9OR^7$, $-R^6SR^9SR^7$, $-R^6SR^9N(R^7)_2$, $-R^6N(R^7)R^9N(R^7)_2$, $-R^6N(R^7)R^9OR^7$, $-R^6N(R^7)R^9SR^7$, $-R^6CN$, $-R^6C(O)R^7$, $-R^6C(O)OR^7$, $-R^6C(O)OR^9OR^7$, $-R^6C(O)N(R^7)_2$, $-R^6C(O)N(R^7)OR^7$, $-R^6C(O)N(R^7)R^9OR^7$, $-R^6C(O)N(R^7)R^9SR^7$, $-R^6C(O)SR^8$, $-R^6S(O)_tOR^7$, $-R^6S(O)_tN(R^7)_2$; or

ii) any two adjacent R^1 groups together form an alkylenedioxy group;

each R^6 is independently a direct bond, alkylene chain or alkenylene chain;

each R^7 is independently selected from (i) or (ii) below:

(i) each R^7 is selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl and heteroaralkyl, or

(ii) two R^7 groups together with the N atom to which they are attached form a heterocyclyl or heteroaryl;

each R^9 is independently an alkylene chain or an alkenylene chain;

R^3 is halo or alkyl;

R^4 and R^5 are each independently hydrogen or alkyl;

R^{11} is aryl or heteroaryl;

m is an integer from 0 to 4;

n is an integer from 0 to 4,

R^1, R^2, R^3, R^4, R^5, R^6, R^7, R^8, R^9 and R^{11} are optionally subtituted with one, two or three substituents independently selected from Q^1, wherein Q^1 is nitro, halo, azido, cyano, oxo, thioxo, imino, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl, heteroaralkyl, $-R^uOR^x$, $-R^uOR^uOR^x$, $-R^uOR^uN(R^y)(R^z)$, $-R^u N(R^y)(R^z)$, $-R^u SR^x$, $-R^u C(J)R^x$, $-R^uC(J)OR^x$, $-R^uC(J)N(R^y)(R^z)$, $-R^uC(J)SR^x$, $-R^uS(O)_tR^w$, $-R^uOC(J)R^x$, $-R^uOC(J)OR^x$, $-R^uOC(J)N(R^y)(R^z)$, $-R^uOC(J)SR^x$, $-R^u N(R^x)C(J)R^x$, $-R^uN(R^x)C(J)OR^x$, $-R^uN(R^x)C(J)N(R^y)(R^z)$, $-R^uN(R^x)C(J)SR^x$, $-R^uSi(R^w)_3$, $-R^uN(R^x)S(O)_2R^w$, $-R^uN(R^x)\ R^uS(O)_2R^w$, $-R^uN(R^x)S(O)_2N(R^y)(R^z)$, $-R^uS(O)_2N(R^y)(R^z)$, $-R^uP(O)(R^v)_2$, $-R^uOP(O)(R^v)_2$, $-R^uC(J)N(R^x)S(O)_2R^w$, $-R^uC(J)N(R^x)N(R^x)S(O)_2R^w$, $-R^uC(R^x)=N(OR^x)$ and $-R^uC(R^x)=NN(R^y)(R^z)$;

when Q^1 is alkyl, alkenyl or alkynyl, each Q^1 is optionally substituted with halo, cyano, hydroxy or alkoxy;

when Q^1 is cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heteroaryl, heteroaralkyl, heterocyclyl, or heterocyclylalkyl, each Q^1 is optionally substituted with halo, alkyl, haloalkyl, hydroxyalkyl, alkoxyalkyl, cyanoalkyl, alkoxy, hydroxyl, oxo or cyano;

each R^u is independently alkylene or a direct bond;

each R^v is independently alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, heteroaralkyl, hydroxy,$-OR^x$ or $-N(R^y)(R^z)$;

R^w is alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, or heteroaralkyl;

each R^x is independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, or heteroaralkyl;

R^y and R^z are each independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, or heteroaralkyl;

R^y and R^z, together with the nitrogen atom to which they are attached, form a heterocycle or heteroaryl;

t is an integer from 0 to 2; and

J is O, NR^x or S.

3. The compound of claims 1 or 2, wherein the compound is a pharmaceutically acceptable salt of the compound of formula (I).


4. The compound of claims 1 or 2, wherein the compound is a solvate of the compound of formula (I).

5. The compound of claims 1 or 2, wherein the compound is a hydrate of the compound of formula (I).

6. The compound of any of claims 1-5, wherein X is O or S.

7. The compound of any of claims 1-6, wherein R^3 is methyl, chloro or fluoro.


8. The compound of any of claims 1-7, wherein the compound has formula III:



III,

or a pharmaceutically acceptable salt, solvate or hydrate thereof.


9. The compound of any of claims 1-7, wherein the compound has formula IV:



IV,


or a pharmaceutically acceptable salt, solvate or hydrate thereof.

10. The compound of any of claims 1 -9, wherein R^{11} is selected from the group consisting of:




and each R^{10} is independently selected from hydrogen, halo, alkyl, haloalkyl, alkoxy, haloalkoxy, cycloalkyl, alkoxyalkoxy, aryl, heterocyclyl, heterocyclylcarbonyl, alkoxycarbonyl and heteroaryl, where the alkyl, aryl, heteroaryl and heterocyclyl groups are optionally substituted with 1 to 5 groups selected from halo, cyano, hydroxy, alkoxy, cycloalkyl, heterocyclyl, alkylcarbonyl and alkoxycarbonyl.

11. The compound of any of claims 1-9, wherein R^{11} is




where R^{10} is hydrogen, alkyl, hydroxyalkyl, cyanoalkyl, cycloalkyl, cycloalkylalkyl, haloalkyl, alkoxyalkyl, aryl or heteroaryl.

12. The compound of any of claims 1-11, wherein R^{11} is




13. The compound of claim 10, wherein R^{11} is




where R^{10} is hydrogen, halo, alkyl, aryl, heterocyclyl, heteroaryl, cycloalkyl or cycloalkylalkyl; R^{10a} is hydrogen, halo or alkyl, where alkyl, aryl, heterocyclyl and heteroaryl groups are optionally substituted with 1-3 groups selected from halo, cyano, hydroxyl and alkoxy.

14. The compound of any of claims 1-11, wherein wherein R^{11} is




where R^{10} is hydrogen, halo, alkyl, aryl, heterocyclyl, heteroaryl, cycloalkyl or cycloalkylalkyl; where alkyl, aryl, heterocyclyl and heteroaryl groups are optionally substituted with 1-3 groups selected from halo, cyano, hydroxyl and alkoxy.

15. The compound of any of claims 1-9, wherein R^{11} is



where R^{10} is hydrogen, halo, alkyl, aryl, heterocyclyl, heteroaryl, cycloalkyl or cycloalkylalkyl; where alkyl, aryl, heterocyclyl and heteroaryl groups are optionally substituted with 1-3 groups selected from halo, cyano, hydroxyl and alkoxy.

16. The compound of claim 15, wherein at least one R^{10} is hydrogen and the other two R^{10} are each independently selected from –F, Cl, $C(CH_3)_3$, $-CH(CH_3)_2$, $-C(CH_3)_2CN$, $-C(CH_3)_2CF_3$, $-CF(CH_3)_2$, $-CF_2(CH_3)$, $C(CH_3)(CH_2F)_2$, $-C(CH_3)_2CH_2OCH_3$, $-C(CH_3)_2CH_2OH$, CF_3, $-OCH_3$, $-O(CH_2)_2OCH_3$,  $-O(CH_2)_2CH(CH_3)_2OCH_3$, morpholinomethyl, phenyl, cyclopentyl or , where q is an integer from 1 - 5.

17. The compound of any of claims 1-16, wherein each R^1 is selected as follows:

i) each R^1 is independently selected from the group consisting of hydrogen, halo, nitro, amino, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, heteroaralkyl, $-R^6OR^7$, $-R^6SR^7$, $-R^6N(R^7)_2$, $-R^6OR^9OR^7$, $-R^6OR^9SR^7$, $-R^6SR^9OR^7$, $-R^6SR^9SR^7$, $-R^6OR^9N(R^7)_2$, $-R^6SR^9N(R^7)_2$, $-R^6CN$, $-R^6C(O)R^7$, $-R^6C(O)OR^7$, $-R^6C(O)OR^9OR^7$, $-R^6C(O)N(R^7)_2$ and $-R^6N(R^7)C(O)R^8$; or

ii) any two adjacent R^1 groups together form an alkylenedioxy group;

each R^6 is independently a direct bond, alkylene chain or alkenylene chain;

each R^7 is independently selected from (i) or (ii) below:


(i) each R^7 is selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl and heteroaralkyl, or

(ii) two R^7 groups together with the N atom to which they are attached form a heterocyclyl or heteroaryl;

each R^9 is independently an alkylene chain or an alkenylene chain,

wherein R^1, R^6, R^7 and R^9 groups are optionally substituted with one, two or three Q^1 groups, wherein each Q^1 is independently haloalkyl, alkyl, $-R^uOR^x$, $-R^uC(J)OR^x$, $-R^uS(O)_2R^w$, $-R^uN(R^x)S(O)_2R^w$ or $-R^uN(R^x)R^uS(O)_2R^w$, wherein R^u is direct bond or alkylene, R^x is hydrogen or alkyl; R^w is alkyl and J is O, S or NR^x, such that at least one R^1 is other than hydrogen.

18. The compound of any of claims 1-17 having formula XII:




XII

or a pharmaceutically acceptable salt, solvate or hydrate thereof, wherein R^a is O or S;

X is O or S;

R^{1a} and R^{1b} are selected as follows:

i) R^{1a} and R^{1b} are each independently selected from hydrogen, halo, amino, alkyl, aryl, heteroaryl, alkoxy, hydroxy, alkoxyalkoxy, cycloalkylcarbonylamino and a group of formula:



where each K is independently a direct bond or alkylene;

A is N or CR^{16};

Y is –O, -S, -S(O), $-S(O)_2$, $-N(R^{14})$, $-C(H)R^{15}$, or -C(O);

p is an integer from 0 to 2;

R^{14} is hydrogen, alkyl, haloalkyl, hydroxyalkyl, cycloalkyl, heteroarylalkyl, arylalkyl, $S(O)_tR^{13}$ or $-C(O)R^{12}$;

R^{15} is hydrogen, halo, alkyl, hydroxyalkyl or $-OR^{12}$;

R^{16} is hydrogen or alkyl;

t is 1 or 2;


each R^{12} is independently selected from the group consisting of hydrogen and alkyl;

R^{13} is alkyl;

each K is optionally substituted with one, two or three hydroxy or alkyl groups; or

ii) R^{1a} and R^{1b} groups together form an alkylenedioxy group.

19. The compound of any of claims 1-18 having formula XVII:




XVII,

or a pharmaceutically acceptable salt, solvate or hydrate thereof,

wherein X is O or S;

R^{1a} and R^{1b} are selected as follows:

i) R^{1a} and R^{1b} are each independently alkoxy, alkoxyalkoxy, alkylsulfonylalkoxy or a group of formula



where K is a direct bond or alkylene, optionally substituted with a hydroxy group;

A is N or CH;

Y is –O, $-S(O)_2$, $-N(R^{14})$ or $-C(H)R^{15}$;

p is 0 or 1;

R^{14} is hydrogen, alkyl, haloalkyl, hydroxyalkyl or $S(O)_tR^{13}$;

R^{15} is hydrogen, halo, alkyl, hydroxyalkyl or $-OR^{12}$;

t is 1 or 2;


R^{12} is hydrogen or alkyl; and

R^{13} is alkyl; or

ii) R^{1a} and R^{1b} groups together form an alkylenedioxy group; and

R^{10} is hydrogen, halo, alkyl, aryl, heterocyclyl, heteroaryl, cycloalkyl or cycloalkylalkyl; where alkyl, aryl, heterocyclyl and heteroaryl groups are optionally substituted with 1-3 groups selected from halo, cyano, hydroxyl and alkoxy.

20. The compound of any of claims 1-18 having formula XIX:




XIX

or a pharmaceutically acceptable salt, solvate or hydrate thereof,

wherein X is O or S;

R^{1a} and R^{1b} are selected as follows:

i) R^{1a} and R^{1b} are each independently methoxy, methoxyethoxy, methylsulfonylpropyloxy, or a group of formula:



where K is ethylene or propylene, optionally substituted with a hydroxy group;

A is N or CH;

Y is –O, -$S(O)_2$, -$N(R^{14})$ or -$C(H)R^{15}$;

p is 1;


R^{14} is hydrogen, methyl, hydroxyethyl, or methylsulfonyl;

R^{15} is hydrogen, hydroxymethyl, hydroxyethyl or hydroxy; or

ii) R^{1a} and R^{1b} groups together with the carbon atoms on which they are substituted form an ethylenedioxy group; and

R^{10} is hydrogen, halo, alkyl, aryl, heterocyclyl, heteroaryl, cycloalkyl or cycloalkylalkyl; where alkyl, aryl, heterocyclyl and heteroaryl groups are optionally substituted with 1-3 groups selected from halo, cyano, hydroxyl and alkoxy.

21. The compound of any of claims 1-18 having formula XX:



XX,


or a pharmaceutically acceptable salt, solvate or hydrate thereof, wherein each R^{10} is independently selected from hydrogen, halo, alkyl, haloalkyl, hydroxyalkyl, alkoxy, haloalkoxy, cycloalkyl, alkoxyalkoxy, aryl, heterocyclylalkyl and

heterocyclylcarbonyl, where the alkyl, aryl, heteroaryl, heterocyclyl groups are optionally substituted with 1 or 2 groups selected from halo, hydroxy, alkoxy, cycloalkyl, heterocyclyl, alkylcarbonyl and alkoxycarbonyl; and r is an integer from 0 to 3.

22. The compound of claim 21, wherein X is O or S;

R^{1a} and R^{1b} are selected as follows:

i) R^{1a} and R^{1b} are each independently alkoxy, alkoxyalkoxy or a group of formula:



where K is a direct bond or alkylene, optionally substituted with a hydroxy group;

A is N or CH;

Y is –O, $-S(O)_2$, $-N(R^{14})$ or $-C(H)R^{15}$;

p is an integer from 0 to 2;

R^{14} is hydrogen, alkyl, haloalkyl, hydroxyalkyl or $S(O)_tR^{13}$;

R^{15} is hydrogen, halo, alkyl, hydroxyalkyl or $-OR^{12}$;

t is 1 or 2;


R^{12} is hydrogen or alkyl; and

R^{13} is alkyl; or

ii) R^{1a} and R^{1b} groups together form an alkylenedioxy group; and

r is 0, 1, 2 or 3.

23. The compound of any of claims 1-18 having formula XXI:




XXI,

or a pharmaceutically acceptable salt, solvate or hydrate thereof,

wherein X is O or S;

R^{1a} and R^{1b} are selected as follows:

i) R^{1a} and R^{1b} are each independently alkoxy, alkoxyalkoxy, alkylsulfonylalkoxy or a group of formula:



where K is a direct bond or alkylene, optionally substituted with a hydroxy group;

A is N or CH;

Y is –O, $-S(O)_2$, $-N(R^{14})$ or $-C(H)R^{15}$;

p is 0 or 1;

R^{14} is hydrogen, alkyl, haloalkyl, hydroxyalkyl or $S(O)_tR^{13}$;

R^{15} is hydrogen, halo, alkyl, hydroxyalkyl or $-OR^{12}$;

t is 1 or 2;


R^{12} is hydrogen or alkyl; and

R^{13} is alkyl; or

ii) R^{1a} and R^{1b} groups together form an alkylenedioxy group; and

each R^{10} is hydrogen, halo, alkyl, aryl, alkylaryl, heterocyclyl, heteroaryl, cycloalkyl or cycloalkylalkyl; where alkyl, aryl, heterocyclyl and heteroaryl groups are optionally substituted with 1-3 groups selected from halo, cyano, hydroxyl and alkoxy.

24. The compound of any of claims 1-18 having formula XXII:




XXII,

or a pharmaceutically acceptable salt, solvate or hydrate thereof,

wherein X is O or S;

R^{1a} and R^{1b} are selected as follows:

i) R^{1a} and R^{1b} are each independently alkoxy, alkoxyalkoxy, alkylsulfonylalkoxy or a group of formula:



where K is a direct bond or alkylene, optionally substituted with a hydroxy group;

A is N or CH;

Y is –O, $-S(O)_2$, $-N(R^{14})$ or $-C(H)R^{15}$;

p is 0 or 1;

R^{14} is hydrogen, alkyl, haloalkyl, hydroxyalkyl or $S(O)_tR^{13}$;

R^{15} is hydrogen, halo, alkyl, hydroxyalkyl or $-OR^{12}$;

t is 1 or 2;

R^{12} is hydrogen or alkyl; and

R^{13} is alkyl; or

ii) R^{1a} and R^{1b} groups together form an alkylenedioxy group; and each R^{10} is hydrogen, halo, alkyl, alkyl aryl, aryl, heterocyclyl, heteroaryl, cycloalkyl or cycloalkylalkyl; where alkyl, aryl, heterocyclyl and heteroaryl groups are optionally substituted with 1-3 groups selected from halo, cyano, hydroxyl and alkoxy.

25. The compound of claim 1 selected from

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl) urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxyquinazolin-4-yloxyphenyl) urea:

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxyquinazolin-4-yloxy)phenyl) urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6,7-difluoroquinazolin-4-yloxy)phenyl) urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(5-methylquinazolin-4-yloxy)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-[3-(7-ethoxy-6-methoxyquinazolin-4-yloxy) phenyl] urea hydrochloride;

1-(5-tert-Butylisoxazol-3-yl)-3-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy]phenyl}urea hydrochloride;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methylquinazolin-4-yloxy)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)-4-fluorophenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(4-chloro-3-(6,7-dimethoxyquinazolin-4-yl

oxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-ethoxy-7-methoxyquinazolin-4-yloxy)phenyl)urea;
1-{3-[6,7-bis(2-methoxyethoxy)quinazolin-4-yloxy]phenyl}-3-(5-tert-butylisoxazol-3-yl)urea hydrochloride;
1-(5-tert-Butylisoxazol-3-yl)-3-[3-(6,7-diethoxyquinazolin-4-yloxy)phenyl]urea hydrochloride;
1-(5-tert-Butylisoxazol-3-yl)-3-[3-(7,8-dihydro-[1,4]dioxino[2,3-g]quinazolin-4-yloxy)
phenyl]urea hydrochloride;
1-(5-tert-butylisoxazol-3-yl)-3-{3-[7-methoxy-6-(2-methoxyethoxy)quinazolin-4-yloxy]phenyl}urea hydrochloride;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(2-(piperidin-1-yl)ethoxy)quinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(2-(4-(hydroxymethyl)piperidin-1-yl)ethoxy)-7-methoxyquinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(2-(4-methylpiperazin-1-yl)ethoxy)quinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(2-(4-(2-hydroxyethyl)piperazin-1-yl)ethoxy)-7-methoxyquinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(2-morpholinoethoxy)quinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-(4-methyl piperazin-1-yl)propoxy)quinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-morpholinopropoxy)quinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-(piperidin-1-yl)propoxy)quinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(3-(4-(hydroxymethyl)piperidin-1-yl)propoxy)-7-methoxyquinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-(4-(methylsulfonyl)piperazin-1-yl)propoxy)quinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butyl-isoxazol-3-yl)-3-(3-{6-[3-(1,1-dioxo-thiomorpholin-4-yl)-propoxy]-7-methoxy-quinazolin-4-yloxy}-phenyl)-urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(3-morpholinopropoxy)quinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(3-(4-methylpiperazin-1-yl)propoxy)quinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(3-(4-hydroxymethyl) piperidin-1-yl)propoxy)-6-methoxyquinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(3-(4-(2-hydroxyethyl) piperazin-1-yl)propoxy)-6-methoxyquinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butyl-isoxazol-3-yl)-3-(3-{7-[3-(3-hydroxy-pyrrolidin-1-yl)-propoxy]-6-methoxy-quinazolin-4-yloxy}-phenyl)-urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(3-(4-(methyl sulfonyl)piperazin-1-yl)propoxy)quinazolin-4-yloxy)phenyl)urea;
(S)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(3-(3-hydroxypyrrolidin-1-yl)propoxy)-6-methoxyquinazolin-4-yloxy)phenyl)urea;
(R)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(3-(3-hydroxypyrrolidin-1-yl)propoxy)-6-methoxyquinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-morpholinoethoxy)quinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-(4-methyl piperazin-1-yl)ethoxy)quinazolin-4-yloxy)phenyl)urea;
1-(5-tert-Butyl-isoxazol-3-yl)-3-(3-{7-[2-(4-hydroxymethyl-piperidin-1-yl)-ethoxy]-6-methoxy-quinazolin-4-yloxy}-phenyl)-urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(2-(4-(2-hydroxyethyl)piperazin-1-yl) ethoxy)-6 methoxyquinazolin-4yloxy)phenyl)urea;
1-(5-tert-Butyl-isoxazol-3-yl)-3-(3-{7-[2-(1,1-dioxo-116-thiomorpholin-4-yl)-ethoxy]-6-methoxy-quinazolin-4-yloxy}-phenyl)-urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea
1-(5-tert-Butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-(methylsulfonyl)propoxy)quinazolin-4-ylthio)phenyl)urea;
1-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)-3-(3-(7-methoxy-6-(3-(methylsulfonyl)propoxy)quinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl) urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-(methylsulfonyl)propoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(2-methoxyethoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl) urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6,7-difluoroquinazolin-4-ylthio)phenyl) urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxyquinazolin-4-ylthio)phenyl) urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxyquinazolin-4-ylthio)phenyl) urea;
1-(5-tert-Butylisoxazol-3-yl)-3-[3-(7-ethoxy-6-methoxyquinazolin-4-ylthio)phenyl] urea;
1-(5-tert-butylisoxazol-3-yl)-3-[3-(6,7-diethoxyquinazolin-4-ylthio)phenyl] urea;
1-(5-tert-butylisoxazol-3-yl)-3-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio]phenyl}urea hydrochloride;
1-{3-[6,7-bis(2-methoxyethoxy)quinazolin-4-ylthio]phenyl}-3-(5-tert-butylisoxazol-3-yl)urea hydrochloride;
1-(5-tert-butylisoxazol-3-yl)-3-[3-(7,8-dihydro-[1,4]dioxino[2,3-g]quinazolin-4-ylthio)
phenyl]urea hydrochloride;
1-(5-tert-Butylisoxazol-3-yl)-3-{3-[7-methoxy-5-(tetrahydro-2H-pyran-4-ylthio)quinazolin-4-yloxy]phenyl}urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-ethoxy-7-methoxyquinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-(piperidin-1-yl)propoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(3-(4-(hydroxymethyl)piperidin-1-yl)propoxy)-7-methoxyquinazolin-4-ylthio)phenyl)urea;
1-(5-tert-Butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-(4-methylpiperazin-1-yl)propoxy) quinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-(4-(methylsulfonyl)piperazin-1-yl)propoxy)quinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(3-(4-(2-hydroxyethyl)piperazin-1-yl)propoxy)-7-methoxyquinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butyl-isoxazol-3-yl)-3-(3-{6-[3-(1,1-dioxo-thiomorpholin-4-yl)-propoxy]-7-methoxy-quinazolin-4-ylsulfanyl}-phenyl)-urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-morpholinopropoxy)quinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-(methylsulfonyl)propoxy) quinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(2-(piperidin-1-yl)ethoxy) quinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(2-(4-(hydroxymethyl)piperidin-1-yl)ethoxy)-7-methoxyquinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(2-(4-methylpiperazin-1-yl)ethoxy)quinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(2-(4-(2-hydroxyethyl)piperazin-1-yl)ethoxy)-7-methoxyquinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(2-(4-(methylsulfonyl)piperazin-1-yl)ethoxy)quinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(2-morpholinoethoxy)quinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butyl-isoxazol-3-yl)-3-(3-{6-[2-(1,1-dioxo-thiomorpholin-4-yl)-ethoxy]-7-methoxy-quinazolin-4-ylsulfanyl}-phenyl)-urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-morpholinoethoxy) quinazolin-4-ylthio) phenyl) urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(3-(4-methylpiperazin-1-yl)propoxy)quinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(3-(4-(hydroxylmethyl)piperidin-1-yl)propoxy) -6-methoxyquinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(3-(4-(2-hydroxyethyl)piperazin-1-yl)propoxy)-6-methoxyquinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(3-(piperidin-1-yl)propoxy)quinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(3-(4-(methylsulfonyl)piperazin-1-yl)propoxy)quinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-morpholinoethoxy) quinazolin-4-ylthio) phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-(piperidin-1-yl)ethoxy) quinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-(4-(methylsulfonyl)piperazin-1-yl)ethoxy)quinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-(4-methylpiperazin-1-yl)ethoxy)quinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(2-(4-(2-hydroxyethyl)piperazin-1-yl)ethoxy)-6-methoxyquinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(2-(4-(hydroxymethyl)piperidin-1-yl)ethoxy)-6-methoxyquinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(2-methoxyethoxy)quinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(2-(methylsulfonyl)ethoxy)quinazolin-4-ylthio)phenylurea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(2-chloro-6,7-dimethoxyquinazolin-4-ylthio) phenyl)urea;

1-(5-tert-Butyl-isoxazol-3-yl)-3-(3-{6-[3-(1,1-dioxo--thiomorpholin-4-yl)-propoxy]-quinazolin-4-ylsulfanyl}-phenyl)-urea;

1-(5-tert-Butyl-isoxazol-3-yl)-3-(3-{6-[2-(1,1-dioxo-116-thiomorpholin-4-yl)-ethoxy]-7-methoxy-quinazolin-4-yloxy}-phenyl)-urea;

1-(5-tert-butylisoxazol-3-yl)-3-{3-[6-(5-{[2-(methylsulfonyl)ethylamino]methyl}furan-2-yl)quinazolin-4-yloxy]phenyl}urea;

1-(5-tert-butylisoxazol-3-yl)-3-{3-[7-methoxy-5-(tetrahydro-2H-pyran-4-yloxy)quinazolin-4-yloxy]phenyl}urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-hydroxy-6-methoxyquinazolin-4-yloxy)phenyl) urea;

(S)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(pyrrolidin-3-yloxy) quinazolin-4-yloxy)phenyl)urea;

(S)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(1-methylpyrrolidin-3-yloxy) quinazolin-4-yloxy)phenyl);

urea mono acetate;
(R)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(pyrrolidin-3-yloxy) quinazolin-4-yloxy)phenyl)urea;
(R)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(1-methylpyrrolidin-3-yloxy) quinazolin-4-yloxy)phenyl)urea mono acetate;
(R)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(2-hydroxy-3-(4-methylpiperazin-1-yl)propoxy)-6-methoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-tert-Butylisoxazol-5-yl)-3-(3-(6-methoxy-7-(piperidin-4-ylmethoxy)quinazolin-4-yloxy)phenyl)urea;
1-(3-tert-butylisoxazol-5-yl)-3-(3-(6-methoxy-7-((1-methylpiperidin-4-yl)methoxy)quinazolin-4-yloxy)phenyl)urea;
(S)-1-(5-tert-butylisoxazol-3-yl)-3-(3-{7-[1-(2,2-difluoroethyl)pyrrolidin-3-yloxy]-6-methoxyquinazolin-4-yloxy}phenyl)urea;
(S)-1-(5-tert-Butylisoxazol-3-yl)-3-(3-{6-methoxy-7-[1-(2,2,2-trifluoroethyl)pyrrolidin-3-yloxy]quinazolin-4-yloxy}phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-{7-[1-(2,2-difluoroethyl)piperidin-4-yloxy]-6-methoxyquinazolin-4-yloxy}phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-hydroxy-7-methoxyquinazolin-4-yloxy)phenyl) urea;
(S)-tert-butyl 3-(4-(3-(3-(5-tert-butylisoxazole-3-yl)ureido)phenoxy)-7-methoxyquinazolin-6-yloxy)pyrrolidine-1-carboxylate;
(S)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(1-methylpyrrolidin-3-yloxy)quinazolin-4-yloxy)phenyl)urea;
(S)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(1-(2,2-difluoroethyl)pyrrolidin-3-yloxy)-7-methoxyquinazolin-4-yloxy)phenyl)urea;
(S)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(2-hydroxy-3-(4methylpiperazin -1-yl)propoxy)-7-methoxyquinazolin-4-yloxy)phenyl)urea;
(R)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(2-hydroxy-3-(4methylpiperazin -1-yl)propoxy)-7-methoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(5-phenylisoxazol-3-yl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(3-methoxy-5-(trifluoromethyl)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-methoxy-5-(trifluoromethyl)phenyl)urea;

1-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)-3-(3-(2-methoxyethoxy)-5-(trifluoromethyl)phenyl)urea;
1-(3-tert-butylphenyl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)
urea;
1-(3-tert-butylphenyl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)
urea;
1-(3-tert-butylphenyl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)
urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-isopropylisoxazol-5-yl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-(tetrahydro-2H-pyran-4-yl)isoxazol-5-yl)urea;
1-(3-cyclopropylisoxazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)
urea;
1-(3-(2-cyanopropan-2-yl)isoxazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)
urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(5-(1-methylcyclopropyl)isoxazol-3-yl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-(2-methoxyethoxy)-5-(trifluoromethyl)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(5-(1-hydroxy-2-methylpropan-2-yl)isoxazol-3-yl)urea;
1-(3-tert-butylisoxazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(5-isopropylisoxazol-3-yl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(5-isopropylisoxazol-3-yl)urea;
1-(5-cyclopentylisoxazol-3-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(5-(2-fluoropropan-2-yl)isoxazol-3-yl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(1-phenyl-3-(1-(trifluoro methyl)cyclopropyl)-1H-pyrazol-5-yl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(4-methoxy-3-(trifluoro

methyl)phenyl)urea;
1-(4-methoxy-3-(trifluoromethyl)phenyl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;
1-(3-chloro-5-(trifluoromethyl)phenyl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(4-(trifluoromethyl)pyridin-2-yl)urea;
1-(2-chloro-5-(trifluoromethyl)phenyl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)
urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(4-(trifluoromethyl)pyrimidin-2-yl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-isopropylphenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(6-(trifluoromethyl)pyrimidin-4-yl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-(2-methoxyethoxy)-4-(trifluoromethyl)phenyl)urea;
1-(3-(6,7-Dimethoxyquinazolin-4-ylthio)phenyl)-3-(3-(2-methoxyethoxy)-4-(trifluoromethyl)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-(morpholine-4-carbonyl)-5-(trifluoromethyl)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-fluoro-4-(trifluoromethyl)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-(morpholinomethyl)-5-(trifluoromethyl)phenyl)urea;
1-(3-(1,1-difluoroethyl)isoxazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-tert-butyl-1-phenyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-tert-butyl-1-phenyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-(1-(trifluoromethyl)cyclobutyl)isoxazol-5-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(3-(1-(trifluoromethyl)cyclobutyl)isoxazol-5-yl)urea;

1-(3-tert-butyl-1-methyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-tert-butyl-1-methyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-[3-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-5-yl]-3-[3-(6,7-dimethoxyquinazolin-4-yloxy]phenyl)urea;

1-[3-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-5-yl]-3-[3-(6,7-dimethoxyquinazolin-4-ylthio]phenyl)urea;

1-[3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl]-3-[1-phenyl-3-(trifluoromethyl)-1H-pyrazol-5-yl]urea;

1-[5-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-3-yl]-3-[3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl]urea;

1-(3-cyclopentylisoxazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-[3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl]-3-[1-methyl-3-(trifluoromethyl)-1H-pyrazol-5-yl]urea;

1-[3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl]-3-[1-methyl-5-(trifluoromethyl)-1H-pyrazol-3-yl]urea;

ethyl 2-(3-tert-butyl-5-{3-[3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl] ureido}-1H-pyrazol-1-yl)acetate;

1-[3-(1,3-difluoro-2-methylpropan-2-yl)-1-phenyl-1H-pyrazol-5-yl]-3-[3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl]urea;

1-[3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl]-3-[3-(2-ethoxypropan-2-yl)-1-phenyl-1H-pyrazol-5-yl]urea;

1-[3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl]-3-[1-phenyl-5-(trifluoromethyl)-1H-pyrazol-3-yl]urea;

1-[3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl]-3-[1-phenyl-5-(trifluoromethyl)-1H-pyrazol-3-yl]urea;

1-[3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl]-3-[1-(4-fluorophenyl)-3-(trifluoromethyl)-1H-pyrazol-5-yl]urea;

1-[3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl]-3-[1-p-tolyl-3-(trifluoromethyl)-1H-pyrazol-5-yl]urea;

1-(4-tert-butylphenyl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(4-tert-butylphenyl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;
1-(4-chlorophenyl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;
1-(4-chloro-3-(trifluoromethyl)phenyl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(4-(trifluoromethoxy)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-methoxyphenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-ethoxyphenyl)urea;
1-(3-chloro-4-methoxyphenyl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-(trifluoromethyl)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-phenylurea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(4-(trifluoromethyl)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(4-(trifluoromethyl)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(3-(trifluoromethyl)phenyl)urea;
1-(4-chloro-3-(trifluoromethyl)phenyl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)
urea;
1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(3-fluoro-4-(trifluoromethyl)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(3-(morpholinomethyl)-5-(trifluoromethyl)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(3-methoxy-4-(trifluoromethyl)phenyl)urea;
1-[5-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-3-yl]-3-[3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl]urea;
1-[3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl]-3-[1-phenyl-3-(trifluoromethyl)-1H-pyrazol-5-yl]urea;
1-[3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl]-3-[1-methyl-3-(trifluoromethyl)-1H-pyrazol-5-yl]urea;
1-[3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl]-3-[1-methyl-5-(trifluoromethyl)-1H-pyrazol-3-yl]urea;
ethyl 2-(3-tert-butyl-5-{3-[3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl]ureido}-1H-pyrazol-1-yl)acetate;

1-[3-(1,3-difluoro-2-methylpropan-2-yl)-1-phenyl-1H-pyrazol-5-yl]-3-[3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl]urea;

1-[3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl]-3-[3-(2-ethoxypropan-2-yl)-1-phenyl-1H-pyrazol-5-yl]urea;

1-[3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl]-3-[1-(4-fluorophenyl)-3-(trifluoromethyl)-1H-pyrazol-5-yl]urea;

1-[3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl]-3-[1-p-tolyl-3-(trifluoromethyl)-1H-pyrazol-5-yl]urea;

1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(3-(2-methoxyethoxy)-5-(trifluoromethyl)phenyl)urea;

1-(5-cyclopentylisoxazol-3-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl) urea;

1-(3-tert-butylisoxazol-5-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;

1-(3-(6-Methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)-3-(5-phenylisoxazol-3-yl)urea;

1-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)-3-(3-(morpholine-4-carbonyl)-5-(trifluoromethyl)phenyl)urea;

1-(5-isopropylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;

1-(3-cyclopentylisoxazol-5-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;

1-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy]phenyl}-3-[1-methyl-5-(trifluoromethyl)-1H-pyrazol-3-yl]urea;

1-(3-tert-butyl-1-methyl-1H-pyrazol-5-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-phenyl-1H-pyrazol-5-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;

1-(3-(1,1-difluoroethyl)isoxazol-5-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;

1-[3-(2-ethoxypropan-2-yl)-1-phenyl-1H-pyrazol-5-yl]-3-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy]phenyl}urea;

1-[5-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-3-yl]-3-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy]phenyl}urea;

1-(3-cyclopropylisoxazol-5-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;
1-(3-isopropylisoxazol-5-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;
1-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)-3-(3-(tetrahydro-2H-pyran-4-yl)isoxazol-5-yl)urea;
1-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;
1-(5-cyclopentylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;
1-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy]phenyl}-3-[1-methyl-3-(trifluoromethyl)-1H-pyrazol-5-yl]urea;
1-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy]phenyl}-3-[1-phenyl-3-(trifluoromethyl)-1H-pyrazol-5-yl]urea;
1-(3-fluoro-4-(trifluoromethyl)phenyl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;
1-(3-methoxy-4-(trifluoromethyl)phenyl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;
ethyl 2-[3-tert-butyl-5-(3-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy]phenyl}ureido)-1H-pyrazol-1-yl]acetate hydrochloride;
1-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy]phenyl}-3-[1-phenyl-5-(trifluoromethyl)-1H-pyrazol-3-yl]urea;
1-[1-(4-fluorophenyl)-3-(trifluoro
methyl)-1H-pyrazol-5-yl]-3-{3-[6-methoxy-7-(2-methoxy
ethoxy)quinazolin-4-yloxy]phenyl}urea;
1-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy]phenyl}-3-[1-p-tolyl-3-(trifluoromethyl)-1H-pyrazol-5-yl]urea;
1-[3-(1,3-difluoro-2-methylpropan-2-yl)-1-phenyl-1H-pyrazol-5-yl]-3-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy]phenyl}urea;
1-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)-3-(3-(trifluoromethyl)isoxazol-5-yl)urea;
1-[5-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-3-yl]-3-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio]phenyl}urea;

1-(3-fluoro-4-(trifluoromethyl)phenyl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-isopropylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-methoxy ethoxy)quinazolin-4-ylthio)phenyl)urea;
1-(3-methoxy-4-(trifluoromethyl)phenyl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio)phenyl)urea;
1-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-cyclopentylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio)phenyl)urea;
1-(3-tert-butyl-1-phenyl-1H-pyrazol-5-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio)phenyl)urea;
ethyl 2-[3-tert-butyl-5-(3-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio]phenyl}ureido)-1H-pyrazol-1-yl]acetate;
1-[3-(1,3-difluoro-2-methylpropan-2-yl)-1-phenyl-1H-pyrazol-5-yl]-3-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio]phenyl}urea;
1-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio]phenyl}-3-[1-methyl-3-(trifluoromethyl)-1H-pyrazol-5-yl]urea;
1-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio]phenyl}-3-[1-methyl-3-(trifluoromethyl)-1H-pyrazol-5-yl]urea;
1-[3-(2-ethoxypropan-2-yl)-1-phenyl-1H-pyrazol-5-yl]-3-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio]phenyl}urea;
1-[1-(4-fluorophenyl)-3-(trifluoromethyl)-1H-pyrazol-5-yl]-3-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio]phenyl}urea;
1-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio]phenyl}-3-[1-p-tolyl-3-(trifluoromethyl)-1H-pyrazol-5-yl]urea;
1-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio]phenyl}-3-[1-phenyl-5-(trifluoromethyl)-1H-pyrazol-3-yl]urea;
1-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)-3-(3-(7-methoxy-6-(4,4-dioxo-3-thiomorpholinopropoxy)quinazolin-4-ylthio)phenyl)urea;
1-(4-methoxy-3-(trifluoromethyl)phenyl)-3-(3-(7-methoxy-6-(3-(4,4-dioxothiomorpholino)propoxy)quinazolin-4-ylthio)phenyl)urea;
1-(3-(6,7-bis(2-Methoxyethoxy)quinazolin-4-ylthio)phenyl)-3-(3-tert-butylisoxazol-5-yl)urea;

1-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)-3-(3-(6-methoxy-7-(2-morpholinoethoxy)quinazolin-4-ylthio)phenyl)urea;

1-(4-methoxy-3-(trifluoromethyl)phenyl)-3-(3-(6-methoxy-7-(2-morpholinoethoxy)quinazolin-4-ylthio)phenyl)urea;

1-(4-methoxy-3-(trifluoromethyl)phenyl)-3-(3-(6-methoxy-7-(2-morpholinoethoxy)quinazolin-4-yloxy)phenyl)urea;

1-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)-3-(3-(6-methoxy-7-(2-morpholinoethoxy)quinazolin-4-yloxy)phenyl)urea;

1-(1-tert-butyl-1H-pyrazol-4-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylsulfinyl)phenyl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-(trifluoromethyl)isoxazol-5-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-(1-hydroxy-2-methylpropan-2-yl)isoxazol-5-yl)urea;

1-(5-tert-butyl-isoxazol-3-yl)-3-(3-{7-[3-(1,1-dioxo-thiomorpholin-4-yl)-propoxy]-6-methoxy-quinazolin-4-yloxy}-phenyl)-urea;

1-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)-3-(3-(7-hydroxy-6-methoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)-3-(3-(6-hydroxy-7-methoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)urea;

1-(3-(6-ethoxy-7-methoxyquinazolin-4-yloxy)phenyl)-3-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)urea;

1-(3-(6-ethoxy-7-methoxyquinazolin-4-ylthio)phenyl)-3-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)urea;

1-(3-(7-hydroxy-6-methoxyquinazolin-4-yloxy)phenyl)-3-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)urea;

1-(3-(6-hydroxy-7-methoxyquinazolin-4-yloxy)phenyl)-3-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)-2-fluorophenyl)-3-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)-4-fluorophenyl)-3-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-5-yl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(3-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-5-yl)urea; and
1-(5-(6,7-dimethoxyquinazolin-4-yloxy)-2,4-difluorophenyl)-3-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)urea,
or a pharmaceutically acceptable salt, solvate or hydrate thereof.

26. The compound of claim 1 selected from
1-(5-tert-butylisoxazol-3-yl)-3-(5-(6,7-dimethoxyquinazolin-4-yloxy)-2,4-difluorophenyl)urea ;
1-(5-(6,7-dimethoxyquinazolin-4-yloxy)-2,4-difluorophenyl)-3-(1-phenyl-3-(trifluoromethyl)-1H-pyrazol-5-yl)urea;
1-(3-tert-butyl-1-p-tolyl-1H-pyrazol-5-yl)-3-(5-(6,7-dimethoxyquinazolin-4-yloxy)-2,4-difluorophenyl)urea;
1-(3-tert-butyl-1-phenyl-1H-pyrazol-5-yl)-3-(5-(6,7-dimethoxyquinazolin-4-yloxy)-2,4-difluorophenyl)urea;
1-(3-tert-butyl-1-p-tolyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-tert-butyl-1-p-tolyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;
1-(3-tert-butyl-1-p-tolyl-1H-pyrazol-5-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;
1-(3-tert-Butyl-1-p-tolyl-1H-pyrazol-5-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio)phenyl)urea;
1-(3-(2-cyanopropan-2-yl)phenyl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-(2-cyanopropan-2-yl)phenyl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-(2-cyanopropan-2-yl)phenyl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;

1-(3-(2-cyanopropan-2-yl)phenyl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio)phenyl)urea;

1-(3-tert-butyl-1-(2,4-dimethylphenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-(2,4-dimethylphenyl)-1H-pyrazol-5-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio)phenyl)urea;

1-(3-tert-butyl-1-(2,4-dimethylphenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-tert-butyl-1-m-tolyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-m-tolyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-tert-butyl-1-m-tolyl-1H-pyrazol-5-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio)phenyl)urea;

1-(3-tert-butyl-1-p-tolyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)-2-methylphenyl)urea;

1-(3-tert-butyl-1-phenyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)-2-methylphenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)-2-methylphenyl)urea;

1-(3-(6,7-Dimethoxyquinazolin-4-yloxy)-2-methylphenyl)-3-(1-phenyl-3-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)-2-methylphenyl)-3-(5-(2-fluoropropan-2-yl)isoxazol-3-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)-4-fluorophenyl)-3-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)urea;

1-(5-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-3-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)-4-fluorophenyl)urea;

1-(3-tert-butyl-1-phenyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)-2-fluorophenyl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)-2-fluorophenyl)-3-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)urea;

1-(5-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-3-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)-2-fluorophenyl)urea;

1-(3-tert-butyl-1-p-tolyl-1H-pyrazol-5-yl)-3-(2-chloro-5-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(2-chloro-5-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(2-Chloro-5-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(1-phenyl-3-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-(3-tert-butyl-1-phenyl-1H-pyrazol-5-yl)-3-(2-chloro-5-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(5-(2-methyl-1-morpholinopropan-2-yl)isoxazol-3-yl)urea;

1-(3-tert-butyl-1-(4-methylpyridin-3-yl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-(pyridin-3-yl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-(perfluoroethyl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-tert-butyl-1-(2-methylpyridin-3-yl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(1-phenyl-3-(1,1,1-trifluoro-2-methylpropan-2-yl)-1H-pyrazol-5-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(1-phenyl-3-(1,1,1-trifluoro-2-methylpropan-2-yl)-1H-pyrazol-5-yl)urea;

1-(3-(2-cyanopropan-2-yl)-1-phenyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-(2-cyanopropan-2-yl)-1-phenyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(2-chloro-6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-(1,1-difluoroethyl)-1-(pyridin-3-yl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-(6-methylpyridin-3-yl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-(2-oxo-1,2-dihydropyridin-4-yl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(1-(5-fluoropyridin-3-yl)-3-isopropyl-1H-pyrazol-5-yl)urea;
1-(3-(1,1-difluoroethyl)-1-(4-methoxyphenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-(1,1-difluoroethyl)-1-(5-fluoropyridin-3-yl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-tert-butyl-1-(6-oxo-1,6-dihydropyridin-3-yl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-(1,1-difluoroethyl)-1-phenyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-(1,1-difluoroethyl)-1-phenyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;
1-(3-tert-butyl-1-(2-methylpyridin-4-yl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-tert-butyl-1-ethyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;
1-(3-tert-butyl-1-(pyridin-3-yl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-tert-butyl-1-(pyridin-3-yl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-isopropyl-1-phenyl-1H-pyrazol-5-yl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(3-isopropyl-1-phenyl-1H-pyrazol-5-yl)urea;
1-(3-tert-butyl-1-(5-fluoropyridin-3-yl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-tert-butyl-1-(6-fluoropyridin-3-yl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;
1-(3-tert-butyl-1-(4-cyanophenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-tert-butyl-1-(4-cyanophenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-tert-butyl-1-cyclohexyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-cyclohexyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-tert-butyl-1-isobutyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-isobutyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-tert-butyl-1-isopropyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-isopropyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-tert-butyl-1-(pyridin-4-yl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-(pyridin-4-yl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(1-m-tolyl-3-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(1-m-tolyl-3-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-(3-tert-butyl-1-(2-chlorophenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-(2-chlorophenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-tert-butyl-1-o-tolyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-o-tolyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-tert-butyl-1-(pyridin-2-yl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-(pyridin-2-yl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(1-p-tolyl-3-(1-(trifluoromethyl)cyclopropyl)-1H-pyrazol-5-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(1-p-tolyl-3-(1-(trifluoromethyl)cyclopropyl)-1H-pyrazol-5-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-isopropyl-1-(4-methoxyphenyl)-1H-pyrazol-5-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(3-isopropyl-1-(4-methoxyphenyl)-1H-pyrazol-5-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-isopropyl-1-(pyridin-3-yl)-1H-pyrazol-5-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(3-isopropyl-1-(pyridin-3-yl)-1H-pyrazol-5-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-ethyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-cyclopropyl-1-phenyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-cyclopropyl-1-phenyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-cyclobutyl-1-phenyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-cyclobutyl-1-phenyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(1-benzyl-3-tert-butyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(1-benzyl-3-tert-butyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-tert-butyl-1-(3-fluorophenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-(3-fluorophenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-tert-butyl-1-(4-methoxyphenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-(4-methoxyphenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-tert-butyl-1-(3-chlorophenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-(3-chlorophenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-tert-butyl-1-(4-chlorophenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-(4-chlorophenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(5-(6,7-dimethoxyquinazolin-4-yloxy)-2-fluorophenyl)urea;

1-(3-tert-butyl-1-phenyl-1H-pyrazol-5-yl)-3-(5-(6,7-dimethoxyquinazolin-4-yloxy)-2-fluorophenyl)urea;

1-(3-tert-butyl-1-(4-tert-butylphenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-(4-tert-butylphenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-tert-butyl-1-(2-fluorophenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-tert-butyl-1-(2-fluorophenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-(4-(trifluoromethyl)phenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-(4-(trifluoromethyl)phenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-tert-butyl-1-(2-(trifluoromethyl)phenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-tert-butyl-1-(2-(trifluoromethyl)phenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)urea;

1-(3-tert-butyl-1-(3-(trifluoromethyl)phenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-(3-(trifluoromethyl)phenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-(2-cyanopropan-2-yl)isoxazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(3-(trifluoromethyl)isoxazol-5-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(1-phenyl-3-(1-(trifluoromethyl)cyclopropyl)-1H-pyrazol-5-yl)urea;

1-(3-(7-ethoxy-6-methoxyquinazolin-4-yloxy)phenyl)-3-(1-phenyl-3-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-(3-(7-ethoxy-6-methoxyquinazolin-4-yloxy)phenyl)-3-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)urea;

1-(5-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-3-yl)-3-(3-(7-ethoxy-6-methoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butyl-1-phenyl-1H-pyrazol-5-yl)-3-(3-(7-ethoxy-6-methoxyquinazolin-4-yloxy)phenyl)urea;

1-(5-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-3-yl)-3-(3-(7-ethoxy-6-methoxyquinazolin-4-ylthio)phenyl)urea;

1-(3-(7-ethoxy-6-methoxyquinazolin-4-ylthio)phenyl)-3-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)urea;

1-(3-tert-butyl-1-phenyl-1H-pyrazol-5-yl)-3-(3-(6-ethoxy-7-methoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-(6-ethoxy-7-methoxyquinazolin-4-yloxy)phenyl)-3-(1-phenyl-3-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-(3-(6-ethoxy-7-methoxyquinazolin-4-yloxy)phenyl)-3-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)urea;

1-(5-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-3-yl)-3-(3-(6-ethoxy-7-methoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-(6-ethoxy-7-methoxyquinazolin-4-ylthio)phenyl)-3-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)urea;

1-(5-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-3-yl)-3-(3-(6-ethoxy-7-methoxyquinazolin-4-ylthio)phenyl)urea;

(1-(3-(6-methoxy-7-(2-morpholinoethoxy)quinazolin-4-yloxy)phenyl)-3-(1-phenyl-3-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-(3-(6,7-Dimethoxyquinazolin-4-yloxy)-4-fluorophenyl)-3-(1-phenyl-3-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-(3-tert-butyl-1-(4-methoxyphenyl)-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea; and
1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(3-ethyl-1-phenyl-1H-pyrazol-5-yl)urea;
or a pharmaceutically acceptable salt, solvate or hydrate thereof.

27. A composition comprising the compound of any of claims 1-25 and a pharmaceutically acceptable carrier, excipient or diluent.

28. The composition of claim 26 further comprising a second therapeutic agent selected from a chemotherapeutic agent, an anti-proliferative agent, an anti-inflammatory agent, an immunomodulatory agent or an immunosuppressive agent.

29. A method of treating a cancer in a patient comprising administrating to the patient a therapeutically effective amount of the compound of any of claims 1-25.

30. The method of claim 28, wherein the cancer is melanoma, papillary thyroid carcinoma, colorectal, ovarian, breast cancer, endometrial cancer, liver cancer, sarcoma, stomach cancer, Barret's adenocarcinoma, glioma, small cell lung cancer, non small cell lung cancer, head and neck cancer, acute lymphoblastic leukemia or non-Hodgkin's lymphoma.


31. A method of treating an inflammatory disease in a patient comprising administrating to the patient a therapeutically effective amount of the compound of any of claims 1-25.

32. The method of claim 30, wherein the inflammatory disease is immune dysfunction, immunodeficiency, immunomodulation, autoimmune disease, tissue transplant rejection, graft-versus-host disease, wound healing, kidney disease, multiple sclerosis, thyroiditis, type 1 diabetes, sarcoidosis, allergic rhinitis, inflammatory bowel disease, systemic lupus erythematosis, arthritis, osteoarthritis, rheumatoid arthritis, osteoporosis, asthma or chronic obstructive pulmonary disease.

33. A method of modulating an activity of BRAF kinase by administering the compound of any of claims 1-25.

What is claimed is:

1. A compound having formula (I):



I

or a pharmaceutically acceptable salt, solvate, clathrate or hydrate thereof, wherein

X is O or $S(O)_t$;

R^a is O or S;

each R^1 is independently selected from (i) or (ii) below:

i) each R^1 is independently selected from a group consisting of halo, nitro, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, heteroaralkyl, $—R^6OR^7$, $—R^6SR^7$, $—R^6S(O)_tR^8$, $—R^6N(R^7)_2$, $—R^6OR^9OR^7$, $—R^6OR^9SR^7$, $—R^6OR^9S(O)_tR^8$, $—R^6OR^9S(O)_tN(R^7)_2$, $—R^6OR^9N(R^7)_2$, $—R^6SR^9OR^7$, $—R^6SR^9SR^7$, $—R^6SR^9N(R^7)_2$, $—R^6N(R^7)R^9N(R^7)_2$, $—R^6N(R^7)R^9OR^7$, $—R^6N(R^7)R^9SR^7$, $—R^6CN$, $—R^6C(O)R^7$, $—R^6C(O)OR^7$, $—R^6C(O)OR^9OR^7$, $—R^6C(O)N(R^7)_2$, $—R^6C(O)N(R^7)OR^7$, $—R^6C(NR^7)N(R^7)_2$, $—R^6C(O)N(R^7)R^9N(R^7)_2$, $—R^6C(O)N(R^7)R^9OR^7$, $—R^6C(O)N(R^7)R^9SR^7$, $—R^6C(O)SR^8$, $—R^6S(O)_tOR^7$, $—R^6S(O)_tN(R^7)_2$, $—R^6S(O)_tN(R^7)N(R^7)_2$, $—R^6S(O)_tN(R^7)$

$N{=}C(R^7)_2$, $—R^6S(O)_tN(R^7)C(O)R^8$, $—R^6S(O)_tN(R^7)C(O)N(R^7)_2$, $—R^6S(O)_tN(R^7)C(NR^7)N(R^7)_2$, $—R^6N(R^7)C(O)R^8$, $—R^6N(R^7)C(O)OR^8$, $—R^6N(R^7)C(O)N(R^7)_2$, $—R^6N(R^7)C(NR^7)N(R^7)_2$, $—R^6N(R^7)C(S)N(R^7)_2$, and $—R^6N(R^7)S(O)_tR^8$, or

ii) any two adjacent R^1 groups together form an alkylenedioxy group;

each R^6 is independently a direct bond, alkylene chain or alkenylene chain;

each R^7 is independently selected from (i) or (ii) below:

(i) each R^7 is selected from a group consisting of hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl and heteroaralkyl, or

(ii) two R^7 groups together with the N atom to which they are attached form a heterocyclyl or heteroaryl;

each R^8 is independently selected from a group consisting of alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl and heteroaralkyl;

each R^9 is independently an alkylene chain or an alkenylene chain;

R^2 is hydrogen, halo, alkyl, amino or alkylamino;

R^3 is halo or alkyl;

R^4 and R^5 are selected as follows:

a) R^4 and R^5 are each independently hydrogen or alkyl, or

b) R^4 and R^5, together with the N atom to which they are attached, form an oxo-substituted heterocyclyl;

R^{11} is isoxazolyl;

m is an integer from 0 to 4;

n is an integer from 0 to 4;

t is an integer from 0 to 2;

R^1, R^2, R^3, R^4, R^5, R^6, R^7, R^8, R^9 and R^{11} are optionally substituted with one, two or three substituents independently selected from Q^1, wherein Q^1 is nitro, halo, azido, cyano, oxo, thioxo, imino, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heteroaryl, heteroaralkyl, heterocyclyl, heterocyclylalkyl, $—R^uOR^x$, $—R^uOR^uOR^x$, $—R^uOR^uN(R^y)(R^z)$, $—R^u N(R^y)(R^z)$, $—R^uSR^x$, $—R^uC(J)R^x$, $—R^uC(J)OR^x$, $—R^uC(J)N(R^y)(R^z)$, $—R^uC(J)SR^x$, $—R^uS(O)_tR^w$, $—R^uOC(J)R^x$, $—R^uOC(J)OR^x$, $—R^uOC(J)N(R^y)(R^z)$, $—R^uOC(J)SR^x$, $—R^uN(R^x)C(J)R^x$, $—R^uN(R^x)C(J)OR^x$, $—R^uN(R^x)C(J)N(R^y)(R^z)$, $—R^uN(R^x)C(J)SR^x$, $—R^uSi(R^w)_3$, $—R^uN(R^x)S(O)_tR^w$, $—R^uN(R^x)R^uS(O)_2R^w$, $—R^uN(R^x)S(O)_2N(R^y)(R^z)$, $—R^uS(O)_2N(R^y)(R^z)$, $—R^uP(O)(R^v)_2$, $—R^uOP(O)(R^v)_2$, $—R^uC(J)N(R^x)S(O)_2R^w$, $—R^uC(J)N(R^x)N(R^x)S(O)_2R^w$, $—R^uC(R^x)=N(OR^x)$ or $—R^uC(R^x)=NN(R^y)(R^z)$;

when Q^1 is alkyl, alkenyl or alkynyl, each Q^1 is optionally substituted with halo, cyano, hydroxy or alkoxy;

when Q^1 is cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heteroaryl, heteroaralkyl, heterocyclyl, or heterocyclylalkyl, each Q^1 is optionally substituted with halo, alkyl, haloalkyl, hydroxyalkyl, alkoxyalkyl, cyanoalkyl, alkoxy or hydroxyl;

each R^u is independently alkylene or a direct bond;

each R^v is independently alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, heteroaralkyl, hydroxy, $—OR^x$ or $—N(R^y)(R^z)$;

R^w is alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, or heteroaralkyl;

each R^x is independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, or heteroaralkyl;


R^y and R^z are each independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, or heteroaralkyl;

R^y and R^z, together with the nitrogen atom to which they are attached, form a heterocyclyl or heteroaryl; and

J is O, NR^x or S.

2. The compound of claim **1** having formula (II):

II



or a pharmaceutically acceptable salt, solvate or hydrate thereof, wherein

X is O, S, S(O) or SO_2;

each R^1 is independently selected from (i) or (ii) below:

i) each R^1 is independently selected from the group consisting of halo, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, heteroaralkyl, $—R^6OR^7$, $—R^6SR^7$, $—R^6S(O)_tR^8$, $—R^6N(R^7)_2$, $—R^6OR^9OR^7$, $—R^6OR^9SR^7$, $—R^6OR^9S(O)_tR^8$, $—R^6OR^9S(O)_tN(R^7)_2$, $—R^6OR^9N(R^7)_2$, $—R^6SR^9OR^7$, $—R^6SR^9SR^7$,

—$R^6SR^9N(R^7)_2$, —$R^6N(R^7)R^9N(R^7)_2$, —$R^6N(R^7)R^9OR^7$, —$R^6N(R^7)R^9SR^7$, —R^6CN, —$R^6C(O)R^7$, —$R^6C(O)OR^7$, —$R^6C(O)OR^9OR^7$, —$R^6C(O)N(R^7)_2$, —$R^6C(O)N(R^7)OR^7$, —$R^6C(O)N(R^7)R^9OR^7$, —$R^6C(O)N(R^7)R^9SR^7$, —$R^6C(O)SR^8$, —$R^6S(O)_tOR^7$, and —$R^6S(O)_tN(R^7)_2$; or

ii) any two adjacent R^1 groups together form an alkylenedioxy group;

each R^6 is independently a direct bond, alkylene chain or alkenylene chain;

each R^7 is independently selected from (i) or (ii) below:

(i) each R^7 is selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl and heteroaralkyl, or

(ii) two R^7 groups together with the N atom to which they are attached form a heterocyclyl or heteroaryl;

each R^9 is independently an alkylene chain or an alkenylene chain;

R^3 is halo or alkyl;

R^4 and R^5 are each independently hydrogen or alkyl;

R^{11} is isoxazolyl;

m is an integer from 0 to 4;

n is an integer from 0 to 4,

R^1, R^2, R^3, R^4, R^5, R^6, R^7, R^8, R^9 and R^{11} are optionally substituted with one, two or three substituents independently selected from Q^1, wherein Q^1 is nitro, halo, azido, cyano, oxo, thioxo, imino, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl, heteroaralkyl, —R^uOR^x, —$R^uOR^uOR^x$, —$R^uOR^uN(R^y)(R^z)$, —$R^uN(R^y)(R^z)$, —R^uSR^x, —$R^uC(J)R^x$, —$R^uC(J)OR^x$, —$R^uC(J)N(R^y)(R^z)$, —$R^uC(J)SR^x$, —$R^uS(O)_tR^w$, —$R^uOC(J)R^x$, —$R^uOC(J)OR^x$, —$R^uOC(J)N(R^y)(R^z)$, —$R^uOC(J)SR^x$, —$R^uN(R^x)C(J)R^x$, —$R^uN(R^x)C(J)OR^x$, —$R^uN(R^x)C$

(J)N(R^y)(R^z), —R^uN(R^x)C(J)SR^x, —R^uSi(R^w)$_3$, —R^uN(R^x)S(O)$_2R^w$, —R^uN(R^x)R^uS(O)$_2R^w$, —R^uN(R^x)S(O)$_2$N(R^y)(R^z), —R^uS(O)$_2$N(R^y)(R^z), —R^uP(O)(R^v)$_2$, —R^uOP(O)(R^v)$_2$, —R^uC(J)N(R^x)S(O)$_2R^w$, —R^uC(J)N(R^x)N(R^x)S(O)$_2R^w$, —R^uC(R^x)=N(OR^x) or —R^uC(R^x)=NN(R^y)(R^z);

when Q^1 is alkyl, alkenyl or alkynyl, each Q^1 is optionally substituted with halo, cyano, hydroxy or alkoxy;

when Q^1 is cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heteroaryl, heteroaralkyl, heterocyclyl, or heterocyclylalkyl, each Q^1 is optionally substituted with halo, alkyl, haloalkyl, hydroxyalkyl, alkoxyalkyl, cyanoalkyl, alkoxy, hydroxyl, oxo or cyano;

each R^u is independently alkylene or a direct bond;

each R^v is independently alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, heteroaralkyl, hydroxy, —OR^x or —N(R^y)(R^z);

R^w is alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, or heteroaralkyl;

each R^x is independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, or heteroaralkyl;

R^y and R^z are each independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, or heteroaralkyl;

R^y and R^z, together with the nitrogen atom to which they are attached, form a heterocycle or heteroaryl;

t is an integer from 0 to 2; and

J is O, NR^x or S.

3. The compound of claim 1, wherein the compound is a pharmaceutically acceptable salt of the compound of formula (I).

4. The compound of claim 1, wherein the compound is a solvate of the compound of formula (I).


5. The compound of claim 1, wherein the compound is a hydrate of the compound of formula (I).

6. The compound of claim 1, wherein X is O or S.

7. The compound of claim 1, wherein R^3 is methyl, chloro or fluoro.

8. The compound of claim 1, wherein the compound has formula III:


III



or a pharmaceutically acceptable salt, solvate or hydrate thereof.


9. The compound of claim 1, wherein the compound has formula IV:


IV




or a pharmaceutically acceptable salt, solvate or hydrate thereof.

10. The compound of claim **1**, wherein R^{11} is selected from the group consisting of:






and




and each R^{10} is independently selected from hydrogen, halo, alkyl, haloalkyl, alkoxy, haloalkoxy, cycloalkyl, alkoxyalkoxy, aryl, heterocyclyl, heterocyclylcarbonyl, alkoxycarbonyl and heteroaryl, where the alkyl, aryl, heteroaryl and heterocyclyl groups are optionally substituted with 1 to 5 groups selected from halo, cyano, hydroxy, alkoxy, cycloalkyl, heterocyclyl, alkylcarbonyl and alkoxycarbonyl.

11. The compound of claim **1**, wherein R^{11} is



where R^{10} is hydrogen, alkyl, hydroxyalkyl, cyanoalkyl, cycloalkyl, cycloalkylalkyl, haloalkyl, alkoxyalkyl, aryl or heteroaryl.

12. The compound of claim **1**, wherein R^{11} is



13. The compound of claim **1**, wherein each R^1 is selected as follows:

i) each R^1 is independently selected from the group consisting of hydrogen, halo, nitro, amino, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, heteroaralkyl, $—R^6OR^7$, $—R^6SR^7$, $—R^6N(R^7)_2$, $—R^6OR^9OR^7$, $—R^6OR^9SR^7$, $—R^6SR^9OR^7$, $—R^6SR^9SR^7$, $—R^6OR^9N(R^7)_2$, $—R^6SR^9N(R^7)_2$, $—R^6CN$, $—R^6C(O)R^7$, $—R^6C(O)OR^7$, $—R^6C(O)OR^9OR^7$, $—R^6C(O)N(R^7)_2$ and $—R^6N(R^7)C(O)R^8$; or

ii) any two adjacent R^1 groups together form an alkylenedioxy group;

each R^6 is independently a direct bond, alkylene chain or alkenylene chain;

each R^7 is independently selected from (i) or (ii) below:

(i) each R^7 is selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl and heteroaralkyl, or


(ii) two R^7 groups together with the N atom to which they are attached form a heterocyclyl or heteroaryl;

each R^9 is independently an alkylene chain or an alkenylene chain,

wherein R^1, R^6, R^7 and R^9 groups are optionally substituted with one, two or three Q^1 groups, wherein each Q^1 is independently haloalkyl, alkyl, $—R^uOR^x$, $—R^uC(J)OR^x$, $—R^uS(O)_2R^w$, $—R^uN(R^x)S(O)_2R^w$ or $—R^uN(R^x)R^uS(O)_2R^w$, wherein R^u is direct bond or alkylene, R^x is hydrogen or alkyl; R^w is alkyl and J is O, S or NR^x, such that at least one R^1 is other than hydrogen.

14. The compound of claim **1** having formula XII:

XII




or a pharmaceutically acceptable salt, solvate or hydrate thereof, wherein R^a is O or S;

X is O or S;

R^{1a} and R^{1b} are selected as follows:

i) R^{1a} and R^{1b} are each independently selected from hydrogen, halo, amino, alkyl, aryl, heteroaryl, alkoxy, hydroxy, alkoxyalkoxy, cycloalkylcarbonylamino and a group of formula:



where each K is independently a direct bond or alkylene;

A is N or CR^{16};

Y is —O, —S, —S(O), —$S(O)_2$, —$N(R^{14})$, —$C(H)R^{15}$, or —C(O);

p is an integer from 0 to 2;

R^{14} is hydrogen, alkyl, haloalkyl, hydroxyalkyl, cycloalkyl, heteroarylalkyl, arylalkyl, $S(O)_tR^{13}$ or —$C(O)R^{12}$;

R^{15} is hydrogen, halo, alkyl, hydroxyalkyl or —OR^{12};

R^{16} is hydrogen or alkyl;

t is 1 or 2;

each R^{12} is independently selected from the group consisting of hydrogen and alkyl;


R^{13} is alkyl;

each K is optionally substituted with one, two or three hydroxy or alkyl groups; or

ii) R^{1a} and R^{1b} groups together form an alkylenedioxy group.

15. The compound of claim **1** having formula XVII:

XVII




or a pharmaceutically acceptable salt, solvate or hydrate thereof,

wherein X is O or S;

R^{1a} and R^{1b} are selected as follows:

i) R^{1a} and R^{1b} are each independently alkoxy, alkoxy-alkoxy, alkylsulfonylalkoxy or a group of formula:



where K is a direct bond or alkylene, optionally substituted with a hydroxy group;

A is N or CH;

Y is —O, —$S(O)_2$, —$N(R^{14})$ or —$C(H)R^{15}$;

p is 0 or 1;

R^{14} is hydrogen, alkyl, haloalkyl, hydroxyalkyl or $S(O)_t$ R^{13};

R^{15} is hydrogen, halo, alkyl, hydroxyalkyl or —OR^{12};

t is 1 or 2;

R^{12} is hydrogen or alkyl; and


R^{13} is alkyl; or

ii) R^{1a} and R^{1b} groups together form an alkylenedioxy group; and

R^{10} is hydrogen, halo, alkyl, aryl, heterocyclyl, heteroaryl, cycloalkyl or cycloalkylalkyl; where alkyl, aryl, heterocyclyl and heteroaryl groups are optionally substituted with 1-3 groups selected from halo, cyano, hydroxyl and alkoxy.

16. The compound of claim **1** having formula XIX:

XIX




or a pharmaceutically acceptable salt, solvate or hydrate thereof,

wherein X is O or S;

R^{1a} and R^{1b} are selected as follows:

i) R^{1a} and R^{1b} are each independently methoxy, methoxyethoxy, methylsulfonylpropyloxy, or a group of formula:



where K is ethylene or propylene, optionally substituted with a hydroxy group;

A is N or CH;

Y is —O, —$S(O)_2$, —$N(R^{14})$ or —$C(H)R^{15}$;

p is 1;

R^{14} is hydrogen, methyl, hydroxyethyl, or methylsulfonyl;

R^{15} is hydrogen, hydroxymethyl, hydroxyethyl or hydroxy; or

ii) R^{1a} and R^{1b} groups together with the carbon atoms on which they are substituted form an ethylenedioxy group; and

R^{10} is hydrogen, halo, alkyl, aryl, heterocyclyl, heteroaryl, cycloalkyl or cycloalkylalkyl; where alkyl, aryl, heterocyclyl and heteroaryl groups are optionally substituted with 1-3 groups selected from halo, cyano, hydroxyl and alkoxy.

17. The compound of claim **1** selected from

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxyquinazolin-4-yloxyphenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxyquinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6,7-difluoroquinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(5-methylquinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-[3-(7-ethoxy-6-methoxyquinazolin-4-yloxy)phenyl]urea hydrochloride;
1-(5-tert-Butylisoxazol-3-yl)-3-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy]phenyl}urea hydrochloride;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methylquinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)-4-fluorophenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(4-chloro-3-(6,7-dimethoxyquinazolin-4-yl oxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-ethoxy-7-methoxyquinazolin-4-yloxy)phenyl)urea;
1-{3-[6,7-bis(2-methoxyethoxy)quinazolin-4-yloxy]phenyl}-3-(5-tert-butylisoxazol-3-yl)urea hydrochloride;
1-(5-tert-Butylisoxazol-3-yl)-3-[3-(6,7-diethoxyquinazolin-4-yloxy)phenyl]urea hydrochloride;
1-(5-tert-Butylisoxazol-3-yl)-3-[3-(7,8-dihydro-[1,4]dioxino[2,3-g]quinazolin-4-yloxy)phenyl]urea hydrochloride;
1-(5-tert-butylisoxazol-3-yl)-3-{3-[7-methoxy-6-(2-methoxyethoxy)quinazolin-4-yloxy]phenyl}urea hydrochloride;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(2-(piperidin-1-yl)ethoxy)quinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(2-(4-(hydroxymethyl)piperidin-1-yl)ethoxy)-7-methoxyquinazolin-4-yloxy)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(2-(4-methylpiperazin-1-yl)ethoxy)quinazolin-4-yloxy)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(2-(4-(2-hydroxyethyl)piperazin-1-yl)ethoxy)-7-methoxyquinazolin-4-yloxy)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(2-morpholinoethoxy)quinazolin-4-yloxy)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-(4-methyl piperazin-1-yl)propoxy)quinazolin-4-yloxy) phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-morpholinopropoxy)quinazolin-4-yloxy)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-(piperidin-1-yl)propoxy)quinazolin-4-yloxy)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(3-(4-(hydroxymethyl)piperidin-1-yl)propoxy)-7-methoxyquinazolin-4-yloxy)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-(4-(methylsulfonyl)piperazin-1-yl)propoxy)quinazolin-4-yloxy)phenyl)urea;

1-(5-tert-butyl-isoxazol-3-yl)-3-(3-{6-[3-(1,1-dioxo-thiomorpholin-4-yl)-propoxy]-7-methoxy-quinazolin-4-yloxy}-phenyl)-urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(3-morpholinopropoxy)quinazolin-4-yloxy)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(3-(4-methylpiperazin-1-yl)propoxy)quinazolin-4-yloxy) phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(3-(4-hydroxymethyl)piperidin-1-yl)propoxy)-6-methoxyquinazolin-4-yloxy)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(3-(4-(2-hydroxyethyl)piperazin-1-yl)propoxy)-6-methoxyquinazolin-4-yloxy)phenyl)urea;

1-(5-tert-butyl-isoxazol-3-yl)-3-(3-{7-[3-(3-hydroxy-pyrrolidin-1-yl)-propoxy]-6-methoxy-quinazolin-4-yloxy}-phenyl)-urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(3-(4-(methyl sulfonyl)piperazin-1-yl)propoxy)quinazolin-4-yloxy)phenyl)urea;

(S)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(3-(3-hydroxypyrrolidin-1-yl)propoxy)-6-methoxyquinazolin-4-yloxy)phenyl)urea;

(R)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(3-(3-hydroxypyrrolidin-1-yl)propoxy)-6-methoxyquinazolin-4-yloxy)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-morpholinoethoxy)quinazolin-4-yloxy)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-(4-methyl piperazin-1-yl)ethoxy)quinazolin-4-yloxy)phenyl)urea;

1-(5-tert-Butyl-isoxazol-3-yl)-3-(3-{7-[2-(4-hydroxymethyl-piperidin-1-yl)-ethoxy]-6-methoxy-quinazolin-4-yloxy}-phenyl)-urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(2-(4-(2-hydroxyethyl)piperazin-1-yl)ethoxy)-6methoxyquinazolin-4-yloxy)phenyl)urea;

1-(5-tert-Butyl-isoxazol-3-yl)-3-(3-{7-[2-(1,1-dioxo-116-thiomorpholin-4-yl)-ethoxy]-6-methoxy-quinazolin-4-yloxy}-phenyl)-urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(2-methoxyethoxy) quinazolin-4-yloxy)phenyl)urea

1-(5-tert-Butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-(methylsulfonyl)propoxy)quinazolin-4-ylthio)phenyl)urea;

1-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)-3-(3-(7-methoxy-6-(3-(methylsulfonyl)propoxy)quinazolin-4-yloxy)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(2-methoxyethoxy) quinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-(methylsulfonyl)propoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(2-methoxyethoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6,7-difluoroquinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxyquinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxyquinazolin-4-ylthio)phenyl)urea;
1-(5-tert-Butylisoxazol-3-yl)-3-[3-(7-ethoxy-6-methoxyquinazolin-4-ylthio)phenyl]urea;
1-(5-tert-butylisoxazol-3-yl)-3-[3-(6,7-diethoxyquinazolin-4-ylthio)phenyl]urea;
1-(5-tert-butylisoxazol-3-yl)-3-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio]phenyl}urea hydrochloride;
1-{3-[6,7-bis(2-methoxyethoxy)quinazolin-4-ylthio]phenyl}-3-(5-tert-butylisoxazol-3-yl)urea hydrochloride;
1-(5-tert-butylisoxazol-3-yl)-3-[3-(7,8-dihydro-[1,4]dioxino[2,3-g]quinazolin-4-ylthio) phenyl]urea hydrochloride;
1-(5-tert-Butylisoxazol-3-yl)-3-{3-[7-methoxy-5-(tetrahydro-2H-pyran-4-ylthio)quinazolin-4-yloxy] phenyl}urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-ethoxy-7-methoxyquinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-(piperidin-1-yl)propoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(3-(4-(hydroxymethyl)piperidin-1-yl)propoxy)-7-methoxyquinazolin-4-ylthio)phenyl)urea;
1-(5-tert-Butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-(4-methylpiperazin-1-yl)propoxy) quinazolin-4-ylthio) phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-(4-(methylsulfonyl)piperazin-1-yl)propoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(3-(4-(2-hydroxyethyl)piperazin-1-yl)propoxy)-7-methoxyquinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butyl-isoxazol-3-yl)-3-(3-{6-[3-(1,1-dioxo-thiomorpholin-4-yl)-propoxy]-7-methoxy-quinazolin-4-yl-sulfanyl}-phenyl)-urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-morpholinopropoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(3-(methylsulfonyl)propoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(2-(piperidin-1-yl)ethoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(2-(4-(hydroxymethyl)piperidin-1-yl)ethoxy)-7-methoxyquinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(2-(4-methylpiperazin-1-yl)ethoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(2-(4-(2-hydroxyethyl)piperazin-1-yl)ethoxy)-7-methoxyquinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(2-(4-(methylsulfonyl)piperazin-1-yl)ethoxy)quinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(2-morpholinoethoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butyl-isoxazol-3-yl)-3-(3-{6-[2-(1,1-dioxo-thiomorpholin-4-yl)-ethoxy]-7-methoxy-quinazolin-4-ylsulfanyl}-phenyl)-urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-morpholinoethoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(3-(4-methylpiperazin-1-yl)propoxy)quinazolin-4-ylthio) phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(3-(4-(hydroxylmethyl)piperidin-1-yl)propoxy)-6-methoxyquinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(3-(4-(2-hydroxyethyl)piperazin-1-yl)propoxy)-6-methoxyquinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(3-(piperidin-1-yl)propoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(3-(4-(methylsulfonyl)piperazin-1-yl)propoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-morpholinoethoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-(piperidin-1-yl)ethoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-(4-(methylsulfonyl)piperazin-1-yl)ethoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-(4-methylpiperazin-1-yl)ethoxy)quinazolin-4-ylthio)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(2-(4-(2-hydroxyethyl)piperazin-1-yl)ethoxy)-6-methoxyquinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(2-(4-(hydroxymethyl)piperidin-1-yl)ethoxy)-6-methoxyquinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(2-methoxyethoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(2-(methylsulfonyl)ethoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(2-chloro-6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;
1-(5-tert-Butyl-isoxazol-3-yl)-3-(3-{6-[3-(1,1-dioxo-thiomorpholin-4-yl)-propoxy]-quinazolin-4-ylsulfanyl}-phenyl)-urea;
1-(5-tert-Butyl-isoxazol-3-yl)-3-(3-{6-[2-(1,1-dioxo-116-thiomorpholin-4-yl)-ethoxy]-7-methoxy-quinazolin-4-yloxy}-phenyl)-urea;
1-(5-tert-butylisoxazol-3-yl)-3-{3-[6-(5-{[2-(methylsulfonyl)ethylamino]methyl}furan-2-yl)quinazolin-4-yloxy]phenyl}urea;
1-(5-tert-butylisoxazol-3-yl)-3-{3-[7-methoxy-5-(tetrahydro-2H-pyran-4-yloxy)quinazolin-4-yloxy]phenyl}urea;
1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-hydroxy-6-methoxyquinazolin-4-yloxy)phenyl)urea;
(S)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(pyrrolidin-3-yloxy)quinazolin-4-yloxy)phenyl)urea;
(S)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(1-methylpyrrolidin-3-yloxy)quinazolin-4-yloxy)phenyl);
urea mono acetate;
(R)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(pyrrolidin-3-yloxy)quinazolin-4-yloxy)phenyl)urea;
(R)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-methoxy-7-(1-methylpyrrolidin-3-yloxy)quinazolin-4-yloxy)phenyl)
urea mono acetate;

(R)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-(2-hydroxy-3-(4-methylpiperazin-1-yl)propoxy)-6-methoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-tert-Butylisoxazol-5-yl)-3-(3-(6-methoxy-7-(piperidin-4-ylmethoxy)quinazolin-4-yloxy)phenyl)urea;

1-(3-tert-butylisoxazol-5-yl)-3-(3-(6-methoxy-7-((1-methylpiperidin-4-yl)methoxy)quinazolin-4-yloxy)phenyl)urea;

(S)-1-(5-tert-butylisoxazol-3-yl)-3-(3-{7-[1-(2,2-difluoroethyl)pyrrolidin-3-yloxy]-6-methoxyquinazolin-4-yloxy}phenyl)urea;

(S)-1-(5-tert-Butylisoxazol-3-yl)-3-(3-{6-methoxy-7-[1-(2,2,2-trifluoroethyl)pyrrolidin-3-yloxy]quinazolin-4-yloxy}phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-{7-[1-(2,2-difluoroethyl)piperidin-4-yloxy]-6-methoxyquinazolin-4-yloxy}phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-hydroxy-7-methoxyquinazolin-4-yloxy)phenyl)urea;

(S)-tert-butyl 3-(4-(3-(3-(5-tert-butylisoxazole-3-yl)ureido)phenoxy)-7-methoxyquinazolin-6-yloxy)pyrrolidine-1-carboxylate;

(S)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(7-methoxy-6-(1-methylpyrrolidin-3-yloxy)quinazolin-4-yloxy)phenyl) urea;

(S)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(1-(2,2-difluoroethyl)pyrrolidin-3-yloxy)-7-methoxyquinazolin-4-yloxy)phenyl)urea;

(S)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(2-hydroxy-3-(4-methylpiperazin-1-yl)propoxy)-7-methoxyquinazolin-4-yloxy)phenyl)urea;

(R)-1-(5-tert-butylisoxazol-3-yl)-3-(3-(6-(2-hydroxy-3-(4-methylpiperazin-1-yl)propoxy)-7-methoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(5-phenylisoxazol-3-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-isopropylisoxazol-5-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-(tetrahydro-2H-pyran-4-yl)isoxazol-5-yl)urea;

1-(3-cyclopropylisoxazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-(2-cyanopropan-2-yl)isoxazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(5-(1-methylcyclopropyl)isoxazol-3-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(5-(1-hydroxy-2-methylpropan-2-yl)isoxazol-3-yl)urea;

1-(3-tert-butylisoxazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(5-isopropylisoxazol-3-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(5-isopropylisoxazol-3-yl)urea;

1-(5-cyclopentylisoxazol-3-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(5-(2-fluoropropan-2-yl)isoxazol-3-yl)urea;

1-(3-(1,1-difluoroethyl)isoxazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-(1-(trifluoromethyl)cyclobutyl)isoxazol-5-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(3-(1-(trifluoromethyl)cyclobutyl)isoxazol-5-yl)urea;

1-(3-tert-butyl-1-methyl-1H-pyrazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;
1-[3-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-5-yl]-3-[3-(6,7-dimethoxyquinazolin-4-yloxy]phenyl)urea;
1-[3-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-5-yl]-3-[3-(6,7-dimethoxyquinazolin-4-ylthio]phenyl)urea;
1-[5-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-3-yl]-3-[3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl]urea;
1-(3-cyclopentylisoxazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)urea;
1-[5-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-3-yl]-3-[3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl]urea;
1-(5-cyclopentylisoxazol-3-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;
1-(3-tert-butylisoxazol-5-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;
1-(3-(6-Methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)-3-(5-phenylisoxazol-3-yl)urea;
1-(5-isopropylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;
1-(3-cyclopentylisoxazol-5-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;
1-(3-(1,1-difluoroethyl)isoxazol-5-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;
1-[5-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-3-yl]-3-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy]phenyl}urea;
1-(3-cyclopropylisoxazol-5-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;

1-(3-isopropylisoxazol-5-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;
1-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)-3-(3-(tetrahydro-2H-pyran-4-yl)isoxazol-5-yl)urea;
1-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;
1-(5-cyclopentylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)urea;
1-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-yloxy)phenyl)-3-(3-(trifluoromethyl)isoxazol-5-yl)urea;
1-[5-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-3-yl]-3-{3-[6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio]phenyl}urea;
1-(5-isopropylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio)phenyl)urea;
1-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio)phenyl)urea;
1-(5-cyclopentylisoxazol-3-yl)-3-(3-(6-methoxy-7-(2-methoxyethoxy)quinazolin-4-ylthio)phenyl)urea;
1-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)-3-(3-(7-methoxy-6-(4,4-dioxo-3-thiomorpholinopropoxy)quinazolin-4-ylthio)phenyl)urea;
1-(3-(6,7-bis(2-Methoxyethoxy)quinazolin-4-ylthio)phenyl)-3-(3-tert-butylisoxazol-5-yl)urea;
1-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)-3-(3-(6-methoxy-7-(2-morpholinoethoxy)quinazolin-4-ylthio)phenyl)urea;
1-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)-3-(3-(6-methoxy-7-(2-morpholinoethoxy)quinazolin-4-yloxy)phenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylsulfinyl)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-(trifluoromethyl)isoxazol-5-yl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-(1-hydroxy-2-methylpropan-2-yl)isoxazol-5-yl)urea;
1-(5-tert-butyl-isoxazol-3-yl)-3-(3-{7-[3-(1,1-dioxo-thiomorpholin-4-yl)-propoxy]-6-methoxy-quinazolin-4-yloxy}-phenyl)-urea;
1-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)-3-(3-(7-hydroxy-6-methoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)-3-(3-(6-hydroxy-7-methoxyquinazolin-4-yloxy)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)urea;
1-(3-(6-ethoxy-7-methoxyquinazolin-4-yloxy)phenyl)-3-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)urea;
1-(3-(6-ethoxy-7-methoxyquinazolin-4-ylthio)phenyl)-3-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)urea;
1-(3-(7-hydroxy-6-methoxyquinazolin-4-yloxy)phenyl)-3-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)urea;
1-(3-(6-hydroxy-7-methoxyquinazolin-4-yloxy)phenyl)-3-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)-2-fluorophenyl)-3-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)-4-fluorophenyl)-3-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(3-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-5-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(3-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-5-yl)urea; and

1-(5-(6,7-dimethoxyquinazolin-4-yloxy)-2,4-difluorophenyl)-3-(3-(2-fluoropropan-2-yl)isoxazol-5-yl) urea,

or a pharmaceutically acceptable salt, solvate or hydrate thereof.

18. The compound of claim **1** selected from

1-(5-tert-butylisoxazol-3-yl)-3-(5-(6,7-dimethoxyquinazolin-4-yloxy)-2,4-difluorophenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)-2-methylphenyl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)-2-methylphenyl)-3-(5-(2-fluoropropan-2-yl)isoxazol-3-yl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)-4-fluorophenyl)-3-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)urea;

1-(5-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-3-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)-4-fluorophenyl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)-2-fluorophenyl)-3-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)urea;

1-(5-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-3-yl)-3-(3-(6,7-dimethoxyquinazolin-4-yloxy)-2-fluorophenyl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(2-chloro-5-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;

1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(5-(2-methyl-1-morpholinopropan-2-yl)isoxazol-3-yl)urea;

1-(5-tert-butylisoxazol-3-yl)-3-(3-(2-chloro-6,7-dimethoxyquinazolin-4-yloxy)phenyl)urea;
1-(5-tert-butylisoxazol-3-yl)-3-(5-(6,7-dimethoxyquinazolin-4-yloxy)-2-fluorophenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-yloxy)phenyl)-3-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)urea;
1-(3-(2-cyanopropan-2-yl)isoxazol-5-yl)-3-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)urea;
1-(3-(6,7-dimethoxyquinazolin-4-ylthio)phenyl)-3-(3-(trifluoromethyl)isoxazol-5-yl)urea;
1-(3-(7-ethoxy-6-methoxyquinazolin-4-yloxy)phenyl)-3-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)urea;
1-(5-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-3-yl)-3-(3-(7-ethoxy-6-methoxyquinazolin-4-yloxy)phenyl) urea;
1-(5-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-3-yl)-3-(3-(7-ethoxy-6-methoxyquinazolin-4-ylthio)phenyl) urea;
1-(3-(7-ethoxy-6-methoxyquinazolin-4-ylthio)phenyl)-3-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)urea;
1-(3-(6-ethoxy-7-methoxyquinazolin-4-yloxy)phenyl)-3-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)urea;
1-(5-(1,3-difluoro-2-methylpropan-2-yl)isoxazol-3-yl)-3-(3-(6-ethoxy-7-methoxyquinazolin-4-yloxy)phenyl) urea;
1-(3-(6-ethoxy-7-methoxyquinazolin-4-ylthio)phenyl)-3-(3-(2-fluoropropan-2-yl)isoxazol-5-yl)urea;
or a pharmaceutically acceptable salt, solvate or hydrate thereof.

19. A composition comprising the compound of claim **1** and a pharmaceutically acceptable carrier, excipient or diluent.

20. The composition of claim **19** further comprising a second therapeutic agent selected from a chemotherapeutic agent, an anti-proliferative agent, an anti-inflammatory agent, an immunomodulatory agent or an immunosuppressive agent.

21. A method of treating a cancer in a patient a therapeutically effective amount of the compound of claim **1** wherein the cancer is melanoma, thyroid carcinoma, colorectal, ovarian, breast cancer, endometrial cancer, liver cancer, sarcoma, stomach cancer, Barret's adenocarcinoma, glioma, small cell lung cancer, non-small cell lung cancer, head and neck cancer, acute lymphoblastic leukemia or non-Hodgkin's lymphoma.

22. A method of treating an inflammatory disease in a patient comprising administrating to the patient a therapeutically effective amount of the compound of claim **1** wherein the inflammatory disease is immune dysfunction, immunodeficiency, immunomodulation, autoimmune disease, tissue transplant rejection, graft-versus-host disease, wound healing, kidney disease, multiple sclerosis, thyroiditis, type 1 diabetes, sarcoidosis, allergic rhinitis, inflammatory bowel

disease, systemic lupus erythematosis, arthritis, osteoarthritis, rheumatoid arthritis, osteoporosis, asthma or chronic obstructive pulmonary disease.

23. The method of claim **21** further comprising administering a second therapeutic agent selected from a chemotherapeutic agent, an anti-proliferative agent, an anti-inflammatory agent, an immunomodulatory agent or an immunosuppressive agent.

24. The method of claim **23**, wherein the second therapeutic agent is selected from an anti-metabolite, a topoisomerase inhibitor and platinum agent.

25. The method of claim **23**, wherein the second therapeutic agent is selected from 5-fluoro-uracil, methotrexate, fludarabine, vincristine, vinblastine, paclitaxel, docetaxel, cyclophosphamide, melphalan, carmustine, bischloroethylnitrosurea, hydroxyurea, cisplatin, carboplatin, oxaliplatin, satraplatin, CI-973, doxorubicin, daunorubicin, mitomycin, idarubicin, adriamycin, daunomycin, etoposide, camptothecins, sorafenib, bevacizumab, estramustine phosphate and prednimustine.

26. The method of claim **21**, wherein the cancer is papillary thyroid carcinoma.