
Patent Claims

1. Compounds of the formula I



I

in which

R^1 denotes Hal, CF_3, OA, Het^1, $COOR^3$ or $CON(R^3)_2$,

R^2 denotes H, Hal or CN,

R^3 denotes H or A,

X denotes phenylene, pyridin-diyl, 1,3-thiazol-diyl or pyrazol-diyl, each of which is unsubstituted or mono-, di- or trisubstituted by Hal and/or A,

Y is absent or denotes CO, $O[C(R^3)_2]_n$, NR^3CO, $CONR^3$, $CONR^3[C(R^3)_2]_n$, $CONHCH_2C(CH_3)_2$, SO_2, $SO_2N(R^3)$, -N= or S(=O,=NR^3),

Z denotes H, A, Hal, OA, $[C(R^3)_2]_nHet^2$ or $N=S(=O)A_2$,

A denotes unbranched or branched alkyl with 1-10 C-atoms, wherein one or two non-adjacent CH- and/or CH_2-groups may be replaced by O-atoms and wherein 1-7 H-atoms may be replaced by R^5,
or denotes $(CH_2)_nCyc$,

Cyc denotes cyclic alkyl having 3-7 C atoms,

R^5 denotes F, Cl, OH, SO_2A or $N(R^3)_2$,

Het^1 denotes pyrazolyl which may be mono- or disubstituted by A,

Het^2 denotes a 4- to 7-membered monocyclic aromatic, unsaturated or saturated heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono-, di- or trisubstituted by A,

Hal, CN, OR^3, $[C(R^3)_2]_nN(R^3)_2$, $[C(R^3)_2]_nSO_2A$, $[C(R^3)_2]_nNR^3SO_2A$, Het^3, $=NR^3$ and/or =O,

or

denotes a 7- to 10-membered bicyclic aromatic, unsaturated or saturated heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono-, di- or trisubstituted by A, Hal, CN, OR^3, $[C(R^3)_2]_nN(R^3)_2$, $[C(R^3)_2]_nSO_2A$, $[C(R^3)_2]_nNR^3SO_2A$, Het^3, $=NR^3$ and/or =O,

Het^3 denotes a 4- to 7-membered monocyclic aromatic, unsaturated or saturated heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by A, Hal, OR^3, oxetanyl and/or =O,

or

denotes a 7- to 10-membered bicyclic aromatic, unsaturated or saturated heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by A, Hal, OR^3, oxetanyl and/or =O,

Hal denotes F, Cl, Br or I,

n denotes 0, 1, 2 or 3,

and pharmaceutically acceptable solvates, salts, tautomers and stereoisomers thereof, including mixtures thereof in all ratios.

2. Compounds according to Claim 1 in which

Het^2 denotes pyrrolidinyl, piperazinyl, piperidinyl, triazolyl, azetidinyl, morpholinyl, thiomorpholinyl, 2-oxa-6-azaspiro[3.3]heptane-6-yl, 6-oxa-2-azaspiro[3.4]octane-2-yl, 1-oxa-6-azaspiro[3.3]heptane-6-yl, 2,6-diazaspiro[3.3]heptane-2-yl, octahydropyrrolo[3,4-b]pyrrolyl, octahydropyrrolo[3,2-b]pyrrolyl, 1,4-diazepanyl, pyridinyl, 1H-pyridinyl, 2H-pyridazinyl, 2,3-dihydropyridazinyl, octahydro-1H-pyrrolo[3.2-b]pyridinyl, 3-thia-6-azabicyclo[3.1.1]heptanyl, 6-oxa-1-azaspiro[3.3]heptane-1-yl, 1H-pyrazolyl, thiazolidinyl, 2-oxa-7-azaspiro[3.5]nonane-7-yl, 1,4-

oxazepanyl, 2-thia-6-azaspiro[3.3]heptane-6-yl, 2,8-dioxa-5-azaspiro[3.5]nonane-5-yl, 1H-1,3-benzodiazol-2-yl, 2-oxa-7-azaspiro[4.4]nonane-7-yl, 2-oxa-6-azaspiro[3.4]octane-6-yl, 8-oxa-2-azaspiro[4.5]decane-2-yl, 2,6-diazaspiro[3.4]octane-6-yl, 6-oxa-3-azabicyclo[3.1.1]heptane-3-yl, 2-oxa-5-azabicyclo[2.2.1]heptane-5-yl, 7-oxa-2-azaspiro[3.5]nonane-2-yl, 6-oxa-1-azaspiro[3.3]heptane-1-yl, 2,7-diazaspiro[3.5]nonane-7-yl, 3-oxa-6-azabicyclo[3.1.1]heptane-6-yl, 1H,2H,3H-pyrrolo[3,4-c]pyridine-2-yl, 2,7-diazaspiro[3.5]nonane-2-yl, hexahydro-1H-furo[3,4-c]pyrrole-5-yl, octahydropyrrolo[2,3-c]pyrrole-5-yl, 5H,6H,7H-pyrrolo[3,4-d]pyrimidine-6-yl, 1H, 4H, 5H,6H-pyrrolo[3,4-c]pyrazole-5-yl, octahydropyrano[3,4-c]pyrrole-2-yl, octahydrofuro[3,4-c]pyridine-5-yl, octahydropyrrolo[3,4-c]pyrrole-2-yl, hexahydro-1H-2lambda6-thieno[3,4-c]pyrrole-5-yl or tetrahydrofuro[3,4-c]pyrrole-5-yl, each of which may be unsubstituted or mono-, di- or trisubstituted by A, Hal, CN, OR^3, $[C(R^3)_2]_nN(R^3)_2$, $[C(R^3)_2]_nSO_2A$, $[C(R^3)_2]_nNR^3SO_2A$, Het^3, $=NR^3$ and/or =O,

and pharmaceutically acceptable solvates, salts, tautomers and stereoisomers thereof, including mixtures thereof in all ratios.

3. Compounds according to Claim 1 or 2, in which

Het^3 denotes morpholinyl, 1H-pyrazolyl, 1lambda6-thiomorpholinyl, imidazolyl, azetidinyl, piperazinyl, piperidinyl, pyridinyl, oxetanyl, 1,2,4-oxadiazolyl, pyrimidinyl, oxolanyl, pyrrolidinyl, 2-oxa-6-azaspiro[3.3]heptane-6-yl, oxan-4-yl, 1,2,3-triazolyl or 1,2,4-triazolyl, each of which may be unsubstituted or mono- or disubstituted by A, Hal, OR^3, oxetanyl and/or =O,

and pharmaceutically acceptable salts, tautomers and stereoisomers thereof, including mixtures thereof in all ratios.

4. Compounds according to Claim 1, in which

R^1	denotes Hal, CF_3, OCH_3, $OCH_2CH_2OCH_3$, OCH_2CH_2OH, 1-methyl-1H-pyrazol-4-yl, $COOCH_3$, $CONH_2$, $CONHCH_3$ or $CONHCH_2CH_2OCH_3$,
R^2	denotes H, Hal or CN,
R^3	denotes H or CH_3,
X	denotes 1,4-phenylene, 1,3-phenylene, 2-fluoro-1,4-phenylene, 2-methyl-1,4-phenylene, pyridine-3,6-diyl, 1,3-thiazol-3,5-diyl, 1,3-thiazol-2,4-diyl, 1,3-thiazol-2,5-diyl or pyrazol-1,4-diyl, each of which is unsubstituted or mono-, di- or trisubstituted by Hal and/or A,
Y	is absent or denotes CO, SO_2, NHCO, NCH_3, $CONH(CH_2)_n$, $CONHCH_2C(CH_3)_2$, $CON(CH_3)(CH_2)_n$, O, OCH_2, OCH_2CH_2, S(=O)(=NH), -N= or $SO_2N(CH_3)$,
Z	denotes H, A, Hal, OA, $[C(R^3)_2]_nHet^2$ or $N=S(=O)A_2$,
A	denotes unbranched or branched alkyl with 1-10 C-atoms, wherein one or two non-adjacent CH- and/or CH_2-groups may be replaced by O-atoms and wherein 1-7 H-atoms may be replaced by R^5, or denotes $(CH_2)_nCyc$,
Cyc	denotes cyclic alkyl having 3-7 C atoms,
R^5	denotes F, Cl, OH, SO_2A or $N(R^3)_2$,
Het^1	denotes pyrazolyl which may be mono- or disubstituted by A,
Het^2	denotes pyrrolidinyl, piperazinyl, piperidinyl, triazolyl, azetidinyl, morpholinyl, thiomorpholinyl, 2-oxa-6-azaspiro[3.3]heptane-6-yl, 6-oxa-2-azaspiro[3.4]octane-2-yl, 1-oxa-6-azaspiro[3.3]heptane-6-yl, 2,6-diazaspiro[3.3]heptane-2-yl, octahydropyrrolo[3,4-b]pyrrolyl, octahydropyrrolo[3,2-b]pyrrolyl, 1,4-diazepanyl, pyridinyl, 1H-pyridinyl, 2H-pyridazinyl, 2,3-dihydropyridazinyl, octahydro-1H-pyrrolo[3.2-b]pyridinyl, 3-thia-6-azabicyclo[3.1.1]heptanyl, 6-oxa-1-azaspiro[3.3]heptane-1-yl, 1H-pyrazolyl, thiazolidinyl, 2-oxa-7-azaspiro[3.5]nonane-7-yl, 1,4-oxazepanyl, 2-thia-6-azaspiro[3.3]heptane-6-yl, 2,8-dioxa-5-

azaspiro[3.5]nonane-5-yl, 1H-1,3-benzodiazol-2-yl, 2-oxa-7-azaspiro[4.4]nonane-7-yl, 2-oxa-6-azaspiro[3.4]octane-6-yl, 8-oxa-2-azaspiro[4.5]decane-2-yl, 2,6-diazaspiro[3.4]octane-6-yl, 6-oxa-3-azabicyclo[3.1.1]heptane-3-yl, 2-oxa-5-azabicyclo[2.2.1]heptane-5-yl, 7-oxa-2-azaspiro[3.5]nonane-2-yl, 6-oxa-1-azaspiro[3.3]heptane-1-yl, 2,7-diazaspiro[3.5]nonane-7-yl, 3-oxa-6-azabicyclo[3.1.1]heptane-6-yl, 1H,2H,3H-pyrrolo[3,4-c]pyridine-2-yl, 2,7-diazaspiro[3.5]nonane-2-yl, hexahydro-1H-furo[3,4-c]pyrrole-5-yl, octahydropyrrolo[2,3-c]pyrrole-5-yl, 5H,6H,7H-pyrrolo[3,4-d]pyrimidine-6-yl, 1H, 4H, 5H,6H-pyrrolo[3,4-c]pyrazole-5-yl, octahydropyrano[3,4-c]pyrrole-2-yl, octahydrofuro[3,4-c]pyridine-5-yl, octahydropyrrolo[3,4-c]pyrrole-2-yl, hexahydro-1H-2lambda6-thieno[3,4-c]pyrrole-5-yl or tetrahydrofuro[3,4-c]pyrrole-5-yl, each of which may be unsubstituted or mono-, di- or trisubstituted by A, Hal, CN, OR^3, $[C(R^3)_2]_nN(R^3)_2$, $[C(R^3)_2]_nSO_2A$, $[C(R^3)_2]_nNR^3SO_2A$, Het^3, $=NR^3$ and/or =O,


Het^3 denotes morpholinyl, 1H-pyrazolyl, 1lambda6-thiomorpholinyl, imidazolyl, azetidinyl, piperazinyl, piperidinyl, pyridinyl, oxetanyl, 1,2,4-oxadiazolyl, pyrimidinyl, oxolanyl, pyrrolidinyl, 2-oxa-6-azaspiro[3.3]heptane-6-yl, oxan-4-yl, 1,2,3-triazolyl or 1,2,4-triazolyl, each of which may be unsubstituted or mono- or disubstituted by A, Hal, OR^3, oxetanyl and/or =O,

Hal denotes F, Cl, Br or I,

n denotes 0, 1, 2 or 3,

and pharmaceutically acceptable salts, tautomers and stereoisomers thereof, including mixtures thereof in all ratios.

5. Compounds according to Claim 1 of the formula Ib



Ib

in which

R^1	denotes Hal, CF_3, OCH_3, $OCH_2CH_2OCH_3$, OCH_2CH_2OH, 1-methyl-1H-pyrazol-4-yl, $COOCH_3$, $CONH_2$, $CONHCH_3$ or $CONHCH_2CH_2OCH_3$,
R^2	denotes H, Hal or CN,
R^3	denotes H or CH_3,
X	denotes 1,4-phenylen, 1,3-phenylen, 2-fluoro-1,4-phenylen, 2-methyl-1,4-phenylen, pyridine-3,6-diyl, 1,3-thiazol-3,5-diyl, 1,3-thiazol-2,4-diyl, 1,3-thiazol-2,5-diyl or pyrazol-1,4-diyl, each of which is unsubstituted or mono-, di- or trisubstituted by Hal and/or A,
Y	is absent or denotes CO, SO_2, NHCO, NCH_3, $CONH(CH_2)_n$, $CONHCH_2C(CH_3)_2$, $CON(CH_3)(CH_2)_n$, O, OCH_2, OCH_2CH_2, S(=O)(=NH), -N= or $SO_2N(CH_3)$,
Z	denotes H, A, Hal, OA, $[C(R^3)_2]_nHet^2$ or $N=S(=O)A_2$,
A	denotes unbranched or branched alkyl with 1-10 C-atoms, wherein one or two non-adjacent CH- and/or CH_2-groups may be replaced by O-atoms and wherein 1-7 H-atoms may be replaced by R^5, or denotes $(CH_2)_nCyc$,
Cyc	denotes cyclic alkyl having 3-7 C atoms,
R^5	denotes F, Cl, OH, SO_2A or $N(R^3)_2$,
Het^1	denotes pyrazolyl which may be mono- or disubstituted by A,
Het^2	denotes pyrrolidinyl, piperazinyl, piperidinyl, triazolyl, azetidinyl, morpholinyl, thiomorpholinyl, 2-oxa-6-azaspiro[3.3]heptane-6-yl, 6-oxa-2-azaspiro[3.4]octane-2-yl, 1-oxa-6-azaspiro[3.3]heptane-

6-yl, 2,6-diazaspiro[3.3]heptane-2-yl, octahydropyrrolo[3,4-b]pyrrolyl, octahydropyrrolo[3,2-b]pyrrolyl, 1,4-diazepanyl, pyridinyl, 1H-pyridinyl, 2H-pyridazinyl, 2,3-dihydropyridazinyl, octahydro-1H-pyrrolo[3.2-b]pyridinyl, 3-thia-6-azabicyclo[3.1.1]heptanyl, 6-oxa-1-azaspiro[3.3]heptane-1-yl, 1H-pyrazolyl, thiazolidinyl, 2-oxa-7-azaspiro[3.5]nonane-7-yl, 1,4-oxazepanyl, 2-thia-6-azaspiro[3.3]heptane-6-yl, 2,8-dioxa-5-azaspiro[3.5]nonane-5-yl, 1H-1,3-benzodiazol-2-yl, 2-oxa-7-azaspiro[4.4]nonane-7-yl, 2-oxa-6-azaspiro[3.4]octane-6-yl, 8-oxa-2-azaspiro[4.5]decane-2-yl, 2,6-diazaspiro[3.4]octane-6-yl, 6-oxa-3-azabicyclo[3.1.1]heptane-3-yl, 2-oxa-5-azabicyclo[2.2.1]heptane-5-yl, 7-oxa-2-azaspiro[3.5]nonane-2-yl, 6-oxa-1-azaspiro[3.3]heptane-1-yl, 2,7-diazaspiro[3.5]nonane-7-yl, 3-oxa-6-azabicyclo[3.1.1]heptane-6-yl, 1H,2H,3H-pyrrolo[3,4-c]pyridine-2-yl, 2,7-diazaspiro[3.5]nonane-2-yl, hexahydro-1H-furo[3,4-c]pyrrole-5-yl, octahydropyrrolo[2,3-c]pyrrole-5-yl, 5H,6H,7H-pyrrolo[3,4-d]pyrimidine-6-yl, 1H, 4H, 5H,6H-pyrrolo[3,4-c]pyrazole-5-yl, octahydropyrano[3,4-c]pyrrole-2-yl, octahydrofuro[3,4-c]pyridine-5-yl, octahydropyrrolo[3,4-c]pyrrole-2-yl, hexahydro-1H-2lambda6-thieno[3,4-c]pyrrole-5-yl or tetrahydrofuro[3,4-c]pyrrole-5-yl, each of which may be unsubstituted or mono-, di- or trisubstituted by A, Hal, CN, OR^3, $[C(R^3)_2]_nN(R^3)_2$, $[C(R^3)_2]_nSO_2A$, $[C(R^3)_2]_nNR^3SO_2A$, Het^3, $=NR^3$ and/or =O,

Het^3 denotes morpholinyl, 1H-pyrazolyl, 1lambda6-thiomorpholinyl, imidazolyl, azetidinyl, piperazinyl, piperidinyl, pyridinyl, oxetanyl, 1,2,4-oxadiazolyl, pyrimidinyl, oxolanyl, pyrrolidinyl, 2-oxa-6-azaspiro[3.3]heptane-6-yl, oxan-4-yl, 1,2,3-triazolyl or 1,2,4-triazolyl, each of which may be unsubstituted or mono- or disubstituted by A, Hal, OR^3, oxetanyl and/or =O,

Hal denotes F, Cl, Br or I,

n denotes 0, 1, 2 or 3,

and pharmaceutically acceptable salts, tautomers and stereoisomers thereof, including mixtures thereof in all ratios.

6. Compounds according to Claim 1, selected from the group

No.	Name
“A1”	2-[1-(4-{5-[6-(trifluoromethyl)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)pyrrolidin-2-yl]propan-2-ol
“A2”	2-[(2R)-1-(4-{5-[6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)pyrrolidin-2-yl]propan-2-ol
“A3”	3-(3-{4-[(2S)-2,4-dimethylpiperazine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-5-fluoro-6-(2-methoxyethoxy)-1H-indazole
“A4”	{4-[5-(6-bromo-1H-indazol-3-yl)-isoxazol-3-yl]-phenyl}-[(S)-2-(1-hydroxy-1-methyl-ethyl)-pyrrolidin-1-yl]-methanone
“A5”	2-[(2S)-1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)pyrrolidin-2-yl]propan-2-ol
“A6”	4-{5-[5-cyano-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}-N,N-dimethylbenzamide
“A7”	5-fluoro-3-(3-{4-[(2S)-2-(methanesulfonylmethyl)pyrrolidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-6-(2-methoxyethoxy)-1H-indazole
“A8”	2-[(2R)-1-(4-{5-[6-(1-methyl-1H-pyrazol-4-yl)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)pyrrolidin-2-yl]propan-2-ol
“A9”	3-(3-{4-[(2S)-2,4-dimethylpiperazine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-6-(1-methyl-1H-pyrazol-4-yl)-1H-indazole
“A10”	5-chloro-3-(5-{4-[(2S)-2,4-dimethylpiperazine-1-carbonyl]phenyl}-1,2-oxazol-3-yl)-6-(2-methoxyethoxy)-1H-indazole
“A11”	3-(5-{4-[(2S)-2,4-dimethylpiperazine-1-carbonyl]phenyl}-1,2-oxazol-3-yl)-6-(2-methoxyethoxy)-1H-indazole-5-carbonitrile
“A12”	4-{5-[5-chloro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}-N,N-dimethylbenzamide

“A13”	5-chloro-6-(2-methoxyethoxy)-3-[3-(6-methylpyridin-3-yl)-1,2-oxazol-5-yl]-1H-indazole
“A14”	5-chloro-6-(2-methoxyethoxy)-3-{3-[4-(1H-1,2,4-triazol-1-yl)phenyl]-1,2-oxazol-5-yl}-1H-indazole
“A15”	5-chloro-3-[3-(4-methanesulfonylphenyl)-1,2-oxazol-5-yl]-6-(2-methoxyethoxy)-1H-indazole
“A16”	5-fluoro-3-[3-(4-methanesulfonylphenyl)-1,2-oxazol-5-yl]-6-(2-methoxyethoxy)-1H-indazole
“A17”	N-(4-{5-[5-chloro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}phenyl)acetamide
“A18”	N-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}phenyl)acetamide
“A19”	methyl 3-{3-[4-(dimethylcarbamoyl)phenyl]-1,2-oxazol-5-yl}-1H-indazole-6-carboxylate
“A20”	4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}-N,N-dimethylbenzamide
“A21”	5-fluoro-6-(2-methoxyethoxy)-3-{3-[4-(1H-1,2,4-triazol-1-yl)phenyl]-1,2-oxazol-5-yl}-1H-indazole
“A22”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(6-methylpyridin-3-yl)-1,2-oxazol-5-yl]-1H-indazole
“A23”	N-(2-methoxyethyl)-3-(3-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole-6-carboxamide
“A24”	3-[3-(4-dimethylcarbamoyl-phenyl)-isoxazol-5-yl]-1H-indazole-6-carboxylic acid methylamide
“A25”	3-{3-[4-(dimethylcarbamoyl)phenyl]-1,2-oxazol-5-yl}-N-(2-methoxyethyl)-1H-indazole-6-carboxamide
“A26”	5-fluoro-3-{3-[4-(3-fluoroazetidine-1-carbonyl)phenyl]-1,2-oxazol-5-yl}-6-(2-methoxyethoxy)-1H-indazole
“A27”	5-fluoro-3-(3-{4-[(3R)-3-fluoropyrrolidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-6-(2-methoxyethoxy)-1H-indazole

“A28”	1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)azetidine-3-carbonitrile
“A29”	5-fluoro-3-{3-[4-(3-methanesulfonylazetidine-1-carbonyl)phenyl]-1,2-oxazol-5-yl}-6-(2-methoxyethoxy)-1H-indazole
“A30”	4-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-1lambda6-thiomorpholine-1,1-dione
“A31”	N-cyclopropyl-4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}-N-methylbenzamide
“A32”	5-fluoro-3-(3-{4-[(3S)-3-fluoropyrrolidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-6-(2-methoxyethoxy)-1H-indazole
“A33”	5-fluoro-3-{3-[4-(3-methoxyazetidine-1-carbonyl)phenyl]-1,2-oxazol-5-yl}-6-(2-methoxyethoxy)-1H-indazole
“A34”	1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-3-methylazetidin-3-ol
“A35”	N-[dimethyl(oxo)-lambda6-sulfanylidene]-4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzamide
“A36”	5-fluoro-6-(2-methoxyethoxy)-3-{3-[4-(4-methylpiperazine-1-carbonyl)phenyl]-1,2-oxazol-5-yl}-1H-indazole
“A37”	5-fluoro-6-(2-methoxyethoxy)-3-{3-[4-(4-methylpiperazin-1-yl)phenyl]-1,2-oxazol-5-yl}-1H-indazole
“A38”	3-[3-(6-ethoxypyridin-3-yl)-1,2-oxazol-5-yl]-5-fluoro-6-(2-methoxyethoxy)-1H-indazole
“A39”	5-fluoro-6-(2-methoxyethoxy)-3-{3-[6-(4-methylpiperazin-1-yl)pyridin-3-yl]-1,2-oxazol-5-yl}-1H-indazole
“A40”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[2-(morpholin-4-yl)ethoxy]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A41”	1-(4-{5-[5-Fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-phenyl)-1H-pyridin-2-one
“A42”	3-{3-[4-(1,4-diazepan-1-yl)phenyl]-1,2-oxazol-5-yl}-5-fluoro-6-(2-methoxyethoxy)-1H-indazole

“A43”	(4-{3-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-5-yl}-phenyl)-morpholin-4-yl-methanone
“A44”	5-fluoro-6-(2-methoxyethoxy)-3-{3-[4-(1,4-oxazepane-4-carbonyl)phenyl]-1,2-oxazol-5-yl}-1H-indazole
“A45”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[4-(oxetan-3-yl)piperazine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A46”	5-fluoro-6-(2-methoxyethoxy)-3-{3-[4-(piperazine-1-carbonyl)phenyl]-1,2-oxazol-5-yl}-1H-indazole
“A47”	[(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}phenyl)imino]dimethyl-lambda6-sulfanone
“A48”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(1,3-thiazol-5-yl)-1,2-oxazol-5-yl]-1H-indazole
“A49”	4-{5-[5-fluoro-6-(3-hydroxy-2-methoxypropoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}-N,N-dimethylbenzamide
“A50”	3-(3-{4-[(2S)-2,4-dimethylpiperazine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-6-(trifluoromethyl)-1H-indazole
“A51”	[(2S)-1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)pyrrolidin-2-yl]methanol
“A52”	[(2R)-1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)pyrrolidin-2-yl]methanol
“A53”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[3-(morpholin-4-yl)azetidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A54”	[1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-4-methylpiperazin-2-yl]methanol
“A55”	5-fluoro-3-(3-{4-[(2R)-2-(methanesulfonylmethyl)pyrrolidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-6-(2-methoxyethoxy)-1H-indazole
“A56”	1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-3-methylazetidin-3-amine

“A57”	4-[1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)azetidin-3-yl]-1lambda6-thiomorpholine-1,1-dione
“A58”	2-[(2R)-1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)azetidin-2-yl]propan-2-ol
“A59”	2-[(2S)-1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)azetidin-2-yl]propan-2-ol
“A60”	7-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-2-oxa-7-azaspiro[3.5]nonane
“A61”	5-fluoro-6-methoxy-3-(3-{4-[3-(morpholin-4-yl)azetidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A62”	(5-{5-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-pyridin-2-yl)-((R)-2-hydroxymethyl-pyrrolidin-1-yl)-methanone
“A63”	(5-{5-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-pyridin-2-yl)-((S)-2-hydroxymethyl-pyrrolidin-1-yl)-methanone
“A64”	(4-{5-[5-chloro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-phenyl)-(3-morpholin-4-yl-azetidin-1-yl)-methanone
“A65”	(4-{5-[5-chloro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-phenyl)-[3-(4-methyl-piperazin-1-yl)-azetidin-1-yl]-methanone
“A66”	(4-{5-[5-chloro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-phenyl)-((S)-3-hydroxymethyl-morpholin-4-yl)-methanone
“A67”	(4-{5-[5-chloro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-phenyl)-((R)-3-hydroxymethyl-morpholin-4-yl)-methanone
“A68”	(5-{5-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-pyridin-2-yl)-(4-oxetan-3-yl-piperazin-1-yl)-methanone
“A69”	(5-{5-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-pyridin-2-yl)-(3-morpholin-4-yl-azetidin-1-yl)-methanone
“A70”	(4-{5-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-2-methyl-phenyl)-(cis)-tetrahydro-furo[3,4-c]pyrrol-5-yl-methanone

“A71”	(2-fluoro-4-{5-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-phenyl)-(cis)-tetrahydro-furo[3,4-c]pyrrol-5-yl-methanone
“A72”	N-[2-(dimethylamino)ethyl]-4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzamide
“A73”	4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}-N-(1-methylazetidin-3-yl)benzamide
“A74”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(4-{2-oxa-6-azaspiro[3.3]heptane-6-carbonyl}phenyl)-1,2-oxazol-5-yl]-1H-indazole
“A75”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[3-(1H-pyrazol-1-yl)azetidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A76”	1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-N,N-dimethylazetidin-3-amine
“A77”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(4-{6-oxa-2-azaspiro[3.4]octane-2-carbonyl}phenyl)-1,2-oxazol-5-yl]-1H-indazole
“A78”	4-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-1lambda4-thiomorpholin-1-one
“A79”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(4-{1-oxa-6-azaspiro[3.3]heptane-6-carbonyl}phenyl)-1,2-oxazol-5-yl]-1H-indazole
“A80”	4-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-1-imino-1lambda6-thiomorpholin-1-one
“A81”	5-fluoro-3-{3-[5-(3-fluoroazetidine-1-carbonyl)pyridin-2-yl]-1,2-oxazol-5-yl}-6-(2-methoxyethoxy)-1H-indazole
“A82”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{5-[3-(morpholin-4-yl)azetidine-1-carbonyl]pyridin-2-yl}-1,2-oxazol-5-yl)-1H-indazole
“A83”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{5-[3-(morpholin-4-yl)azetidine-1-carbonyl]-1,3-thiazol-2-yl}-1,2-oxazol-5-yl)-1H-indazole

“A84”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[3-(morpholin-4-yl)azetidine-1-carbonyl]-1,3-thiazol-2-yl}-1,2-oxazol-5-yl)-1H-indazole
“A85”	5-fluoro-3-(3-{4-[3-(1H-imidazol-1-yl)azetidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-6-(2-methoxyethoxy)-1H-indazole
“A86”	5-fluoro-3-{3-[5-(3-fluoroazetidine-1-carbonyl)-1,3-thiazol-2-yl]-1,2-oxazol-5-yl}-6-(2-methoxyethoxy)-1H-indazole
“A87”	5-fluoro-3-{3-[4-(3-fluoroazetidine-1-carbonyl)-1,3-thiazol-2-yl]-1,2-oxazol-5-yl}-6-(2-methoxyethoxy)-1H-indazole
“A88”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(4-{6-methyl-2,6-diazaspiro[3.3]heptane-2-carbonyl}phenyl)-1,2-oxazol-5-yl]-1H-indazole
“A89”	(cis)-1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-octahydropyrrolo[3,4-b]pyrrol-6-one
“A90”	N-{[(2S)-1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)pyrrolidin-2-yl]methyl}methanesulfonamide
“A91”	6-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}-N,N-dimethylpyridine-3-carboxamide
“A92”	2-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}-N,N-dimethyl-1,3-thiazole-5-carboxamide
“A93”	2-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}-N,N-dimethyl-1,3-thiazole-4-carboxamide
“A94”	N-{[(2R)-1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)pyrrolidin-2-yl]methyl}methanesulfonamide
“A95”	[(2S)-1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)azetidin-2-yl]methan
“A96”	1-(5-{5-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-pyridine-2-carbonyl)-azetidine-3-carbonitrile
“A97”	[(2R)-1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)azetidin-2-yl]methanol

“A98”	(3-fluoro-azetidin-1-yl)-(5-{5-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-pyridin-2-yl)-methanone
“A99”	5-{5-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-pyridine-2-carboxylic acid dimethylamide
“A100”	5-fluoro-3-(3-{6-[(3R)-3-fluoropyrrolidine-1-carbonyl]pyridin-3-yl}-1,2-oxazol-5-yl)-6-(2-methoxyethoxy)-1H-indazole
“A101”	5-fluoro-3-[3-(4-{3-fluoro-[1,3'-biazetidine]-1'-carbonyl}phenyl)-1,2-oxazol-5-yl]-6-(2-methoxyethoxy)-1H-indazole
“A102”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[3-(4-methylpiperazin-1-yl)azetidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A103”	1-[1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)azetidin-3-yl]piperidin-4-ol
“A104”	5-fluoro-6-(2-methoxyethoxy)-3-{3-[4-(morpholine-4-carbonyl)phenyl]-1,2-oxazol-5-yl}-1H-indazole
“A105”	[(3R)-4-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)morpholin-3-yl]methanol
“A106”	[(3S)-4-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)morpholin-3-yl]methanol
“A107”	2-[(2S)-1-(5-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}pyridine-2-carbonyl)pyrrolidin-2-yl]propan-2-ol
“A108”	6-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-3lambda6-thia-6-azabicyclo[3.1.1]heptane-3,3-dione
“A109”	(5-{5-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-pyridin-2-yl)-[(R)-2-(1-hydroxy-1-methyl-ethyl)-pyrrolidin-1-yl]-methanone
“A110”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[(3S)-3-(methoxymethyl)morpholine-4-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A111”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[(3R)-3-(methoxymethyl)morpholine-4-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole

“A112”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(4-{6-oxa-1-azaspiro[3.3]heptane-1-carbonyl}phenyl)-1,2-oxazol-5-yl]-1H-indazole
“A113”	(4-{3-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-5-yl}-phenyl)-(4-methyl-piperazin-1-yl)-methanone
“A114”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[(3R)-3-methylmorpholine-4-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A115”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[(3S)-3-methylmorpholine-4-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A116”	4-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-1-methylpiperazin-2-one
“A117”	5-fluoro-3-(3-{4-[(2S)-2-(methanesulfonylmethyl)pyrrolidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-6-methoxy-1H-indazole
“A118”	(5-{5-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-pyridin-2-yl)-[(S)-2-(1-hydroxy-1-methyl-ethyl)-azetidin-1-yl]-methanone
“A119”	(5-{5-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-pyridin-2-yl)-[(R)-2-(1-hydroxy-1-methyl-ethyl)-azetidin-1-yl]-methanone
“A120”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[3-(pyridin-4-yl)azetidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A121”	4-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-3-methyl-1lambda6-thiomorpholine-1,1-dione
“A122”	4-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}phenyl)-1lambda6-thiomorpholine-1,1-dione
“A123”	5-fluoro-6-(2-methoxyethoxy)-3-{3-[4-(4-methyl-1,4-diazepan-1-yl)phenyl]-1,2-oxazol-5-yl}-1H-indazole
“A124”	3-(3-{4-[(cis)-4-methyl-octahydro-1H-pyrrolo[3,2-b]pyridin-1-yl]phenyl}-1,2-oxazol-5-yl)-5-fluoro-6-(2-methoxyethoxy)-1H-indazole

“A125”	3-(3-{4-[(cis)-4-methyl-octahydropyrrolo[3,2-b]pyrrol-1-yl]phenyl}-1,2-oxazol-5-yl)-5-fluoro-6-(2-methoxyethoxy)-1H-indazole
“A126”	3-(3-{4-[(trans)-4-methyl-octahydropyrrolo[3,2-b]pyrrol-1-yl]phenyl}-1,2-oxazol-5-yl)-5-fluoro-6-(2-methoxyethoxy)-1H-indazole
“A127”	4-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}phenyl)-1lambda4-thiomorpholin-1-one
“A128”	1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}phenyl)piperidin-4-ol
“A129”	1-[(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}phenyl)imino]-1lambda6-thiomorpholin-1-one
“A130”	5-fluoro-6-(2-methoxy-ethoxy)-3-[3-(6-methoxy-pyridin-3-yl)-isoxazol-5-yl]-1H-indazole
“A131”	4-(5-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}pyridin-2-yl)-1lambda6-thiomorpholine-1,1-dione
“A132”	4-[2-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}phenoxy)ethyl]-1lambda6-thiomorpholine-1,1-dione
“A133”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[2-(4-methylpiperazin-1-yl)ethoxy]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A134”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[2-(piperazin-1-yl)ethoxy]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A135”	3-{5-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-N,N-dimethyl-benzamide
“A136”	2-(4-{5-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-phenyl)-6-methyl-2H-pyridazin-3-one
“A137”	5-fluoro-6-(2-methoxy-ethoxy)-3-[3-(1-methyl-1H-pyrazol-4-yl)-isoxazol-5-yl]-1H-indazole
“A138”	2-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}phenyl)-1lambda6,2-thiazolidine-1,1-dione
“A139”	4-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}phenyl)morpholin-3-one

“A140”	4-(5-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}pyridin-2-yl)-1lambda4-thiomorpholin-1-one
“A141”	5-fluoro-6-(2-methoxyethoxy)-3-{3-[6-(morpholin-4-yl)pyridin-3-yl]-1,2-oxazol-5-yl}-1H-indazole
“A142”	2-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}phenyl)-2,3-dihydropyridazin-3-one
“A143”	5-fluoro-6-(2-methoxyethoxy)-3-{3-[4-(pyridin-2-yloxy)phenyl]-1,2-oxazol-5-yl}-1H-indazole
“A144”	4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}-N,N-dimethylbenzene-1-sulfonamide
“A145”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{6-[3-(morpholin-4-yl)azetidin-1-yl]pyridin-3-yl}-1,2-oxazol-5-yl)-1H-indazole
“A146”	(4-{3-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-5-yl}-phenyl)-(3-morpholin-4-yl-azetidin-1-yl)-methanone
“A147”	(4-{3-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-5-yl}-phenyl)-[(R)-2-(1-hydroxy-1-methyl-ethyl)-azetidin-1-yl]-methanone
“A148”	(4-{3-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-5-yl}-phenyl)-[(S)-2-(1-hydroxy-1-methyl-ethyl)-azetidin-1-yl]-methanone
“A149”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[3-(pyridin-2-yl)azetidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A150”	4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}-N-(2-methanesulfonylethyl)-N-methylbenzamide
“A151”	6-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-2lambda6-thia-6-azaspiro[3.3]heptane-2,2-dione
“A152”	5-fluoro-3-(3-{4-[(2S)-2-(methanesulfonylmethyl)azetidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-6-(2-methoxyethoxy)-1H-indazole
“A153”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[3-(morpholin-4-yl)pyrrolidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole

“A154”	5-fluoro-3-(3-{4-[(2R)-2-(methanesulfonylmethyl)azetidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-6-(2-methoxyethoxy)-1H-indazole
“A155”	5-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-2,8-dioxa-5-azaspiro[3.5]nonane
“A156”	N-[(1H-1,3-benzodiazol-2-yl)methyl]-4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzamide
“A157”	7-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-2-oxa-7-azaspiro[4.4]nonane
“A158”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(4-{2-oxa-6-azaspiro[3.4]octane-6-carbonyl}phenyl)-1,2-oxazol-5-yl]-1H-indazole
“A159”	2-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-8-oxa-2-azaspiro[4.5]decane
“A160”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(4-{2-methyl-2,6-diazaspiro[3.4]octane-6-carbonyl}phenyl)-1,2-oxazol-5-yl]-1H-indazole
“A161”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(4-{6-oxa-3-azabicyclo[3.1.1]heptane-3-carbonyl}phenyl)-1,2-oxazol-5-yl]-1H-indazole
“A162”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[(1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A163”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[(1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A164”	4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}-N-[2-methyl-2-(morpholin-4-yl)propyl]benzamide
“A165”	2-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-7-oxa-2-azaspiro[3.5]nonane

“A166”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[3-(3-methyl-1,2,4-oxadiazol-5-yl)azetidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A167”	(4-{5-[5-chloro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-phenyl)-(4-methyl-piperazin-1-yl)-methanone
“A168”	(2-fluoro-4-{5-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-phenyl)-(3-morpholin-4-yl-azetidin-1-yl)-methanone
“A169”	(4-{5-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-2-methyl-phenyl)-(6-oxa-1-aza-spiro[3.3]hept-1-yl)-methanone
“A170”	(2-fluoro-4-{5-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-phenyl)-(6-oxa-1-aza-spiro[3.3]hept-1-yl)-methanone
“A171”	(4-{5-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-2-methyl-phenyl)-(3-morpholin-4-yl-azetidin-1-yl)-methanone
“A172”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[3-(pyrimidin-4-yl)azetidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A173”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[3-(2-methylpyrimidin-4-yl)azetidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A174”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[2-methyl-4-(oxetan-3-yl)piperazine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A175”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[4-(oxolan-3-yl)piperazine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A176”	7-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-2-methyl-2,7-diazaspiro[3.5]nonane
“A177”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[3-(pyrrolidin-1-yl)azetidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A178”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[3-(pyrrolidin-1-yl)azetidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A179”	3-(3-{4-[4-(cyclopropylmethyl)piperazine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-5-fluoro-6-(2-methoxyethoxy)-1H-indazole

“A180”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[(2R)-2-methylmorpholine-4-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A181”	1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-N,N,3-trimethylazetidin-3-amine
“A182”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(4-{3-oxa-6-azabicyclo[3.1.1]heptane-6-carbonyl}phenyl)-1,2-oxazol-5-yl]-1H-indazole
“A183”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(4-{1H,2H,3H-pyrrolo[3,4-c]pyridine-2-carbonyl}phenyl)-1,2-oxazol-5-yl]-1H-indazole
“A184”	(4-{5-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-phenyl)-((R)-3-methanesulfonylmethyl-morpholin-4-yl)-methanone
“A185”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(4-{4-[(3R)-oxolan-3-yl]piperazine-1-carbonyl}phenyl)-1,2-oxazol-5-yl]-1H-indazole
“A186”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(4-{4-[(3S)-oxolan-3-yl]piperazine-1-carbonyl}phenyl)-1,2-oxazol-5-yl]-1H-indazole
“A187”	5-fluoro-6-(2-methoxyethoxy)-3-{3-[4-(3-{2-oxa-6-azaspiro[3.3]heptan-6-yl}azetidine-1-carbonyl)phenyl]-1,2-oxazol-5-yl}-1H-indazole
“A188”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[4-(oxan-4-yl)piperazine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A189”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[(2S)-2-methylmorpholine-4-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A190”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[(2R)-2-methyl-4-(oxetan-3-yl)piperazine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A191”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[(2S)-2-methyl-4-(oxetan-3-yl)piperazine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazo
“A192”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[3-(pyridin-3-yl)azetidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A193”	(4-{5-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-2-methyl-phenyl)-(4-oxetan-3-yl-piperazin-1-yl)-methanone

“A194”	(4-{5-[5-chloro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-phenyl)-(4-oxetan-3-yl-piperazin-1-yl)-methanone
“A195”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(4-{3-[4-(2-methoxyethyl)-4H-1,2,4-triazol-3-yl]azetidine-1-carbonyl}phenyl)-1,2-oxazol-5-yl]-1H-indazole
“A196”	(2-fluoro-4-{5-[5-fluoro-6-(2-methoxy-ethoxy)-1H-indazol-3-yl]-isoxazol-3-yl}-phenyl)-(4-oxetan-3-yl-piperazin-1-yl)-methanone
“A197”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(4-{3-[4-(oxetan-3-yl)piperazin-1-yl]azetidine-1-carbonyl}phenyl)-1,2-oxazol-5-yl]-1H-indazole
“A198”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[4-(oxetan-3-yl)-1,4-diazepane-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A199”	2-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-7-(oxetan-3-yl)-2,7-diazaspiro[3.5]nonane
“A200”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(4-{3-[(3S)-3-methylmorpholin-4-yl]azetidine-1-carbonyl}phenyl)-1,2-oxazol-5-yl]-1H-indazole
“A201”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(4-{3-[(3R)-3-methylmorpholin-4-yl]azetidine-1-carbonyl}phenyl)-1,2-oxazol-5-yl]-1H-indazole
“A202”	3-(3-{4-[(cis)-hexahydro-1H-furo[3,4-c]pyrrole-5-carbonyl]phenyl}-1,2-oxazol-5-yl)-5-fluoro-6-(2-methoxyethoxy)-1H-indazole
“A203”	(cis)-5-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-octahydropyrrolo[2,3-c]pyrrol-2-one
“A204”	4-[1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)azetidin-3-yl]morpholin-3-one
“A205”	2-{[5-fluoro-3-(3-{4-[4-(oxetan-3-yl)piperazine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazol-6-yl]oxy}ethan-1-ol
“A206”	1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-3-(pyridin-4-yl)azetidin-3-ol
“A207”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(4-{5H,6H,7H-pyrrolo[3,4-d]pyrimidine-6-carbonyl}phenyl)-1,2-oxazol-5-yl]-1H-indazole
“A208”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(4-{1H,4H,5H,6H-pyrrolo[3,4-c]pyrazole-5-carbonyl}phenyl)-1,2-oxazol-5-yl]-1H-indazole

“A209”	2-{[5-fluoro-3-(3-{4-[3-(morpholin-4-yl)azetidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazol-6-yl]oxy}ethan-1-ol
“A210”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(4-{3-[(2S)-2-methylmorpholin-4-yl]azetidine-1-carbonyl}phenyl)-1,2-oxazol-5-yl]-1H-indazole
“A211”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(4-{3-[(2R)-2-methylmorpholin-4-yl]azetidine-1-carbonyl}phenyl)-1,2-oxazol-5-yl]-1H-indazole
“A212”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[3-(pyrimidin-5-yl)azetidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A213”	5-fluoro-6-(2-methoxyethoxy)-3-[3-(4-{1-methyl-1H,4H,5H,6H-pyrrolo[3,4-c]pyrazole-5-carbonyl}phenyl)-1,2-oxazol-5-yl]-1H-indazole
“A214”	3-(3-{4-[(cis)-octahydropyrano[3,4-c]pyrrole-2-carbonyl]phenyl}-1,2-oxazol-5-yl)-5-fluoro-6-(2-methoxyethoxy)-1H-indazole
“A215”	3-(3-{4-[(cis)-octahydrofuro[3,4-c]pyridine-5-carbonyl]phenyl}-1,2-oxazol-5-yl)-5-fluoro-6-(2-methoxyethoxy)-1H-indazole
“A216”	3-(3-{4-[(cis)-5-(oxetan-3-yl)-octahydropyrrolo[3,4-c]pyrrole-2-carbonyl]phenyl}-1,2-oxazol-5-yl)-5-fluoro-6-(2-methoxyethoxy)-1H-indazole
“A217”	(cis)-5-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-hexahydro-1H-2lambda6-thieno[3,4-c]pyrrole-2,2-dione
“A218”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[3-(1-methyl-1H-pyrazol-4-yl)azetidine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A219”	{4-[5-(5-Fluoro-6-methoxy-1H-indazol-3-yl)-isoxazol-3-yl]-phenyl}-(4-oxetan-3-yl-piperazin-1-yl)-methanone
“A220”	{4-[5-(5-Fluoro-6-methoxy-1H-indazol-3-yl)-isoxazol-3-yl]-phenyl}-(cis)-tetrahydro-furo[3,4-c]pyrrol-5-yl-methanone
“A221”	1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)-3-(pyridin-3-yl)azetidin-3-ol
“A222”	{[1-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)pyrrolidin-2-yl]methyl}(methyl)amine

“A223”	3-(3-{4-[(cis)-octahydropyrrolo[3,4-c]pyrrole-2-carbonyl]phenyl}-1,2-oxazol-5-yl)-5-fluoro-6-(2-methoxyethoxy)-1H-indazole
“A224”	2-[(5-fluoro-3-{3-[4-(piperazine-1-carbonyl)phenyl]-1,2-oxazol-5-yl}-1H-indazol-6-yl)oxy]ethan-1-ol
“A225”	{4-[5-(5-fluoro-6-methoxy-1H-indazol-3-yl)-isoxazol-3-yl]-phenyl}-piperazin-1-yl-methanone
“A226”	(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}phenyl)(imino)methyl-lambda6-sulfanone
“A227”	5-fluoro-6-(2-methoxyethoxy)-3-{3-[4-(morpholine-4-sulfonyl)phenyl]-1,2-oxazol-5-yl}-1H-indazole
“A228”	2-[4-(4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoyl)piperazin-1-yl]propane-1,3-diol
“A229”	6-ethoxy-5-fluoro-3-(3-{4-[4-(oxetan-3-yl)piperazine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A230”	3-{3-[4-(3,3-dimethyl-piperidin-4-yl)-phenyl]-isoxazol-5-yl}-5-fluoro-6-(2-methoxy-ethoxy)-1H-indazole
“A231”	5-fluoro-6-(2-methoxy-ethoxy)-3-{3-[4-(1,3,3-trimethyl-piperidin-4-yl)-phenyl]-isoxazol-5-yl}-1H-indazole
“A232”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[(2,2,3,3,5,5,6,6-$^{2}H_{8}$)piperazine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A233”	5-fluoro-6-(2-methoxyethoxy)-3-(3-{4-[4-(oxetan-3-yl)(2,2,3,3,5,5,6,6-$^{2}H_{8}$)piperazine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazole
“A234”	2-{[5-fluoro-3-(3-{4-[4-(oxetan-3-yl)(2,2,3,3,5,5,6,6-^{2}H8)piperazine-1-carbonyl]phenyl}-1,2-oxazol-5-yl)-1H-indazol-6-yl]oxy}ethan-1-ol

and pharmaceutically acceptable solvates, salts, tautomers and stereoisomers thereof, including mixtures thereof in all ratios.

7. Process for the preparation of compounds of the formula I according to Claims 1-6 and pharmaceutically acceptable salts, solvates, tautomers and stereoisomers thereof, characterised in that

a) for the preparation of compounds of the formula I,

in which


X denotes phenylene,

Y denotes CO,

Z denotes $[C(R^3)_2]_nHet^2$ and

n denotes 0,

a compound of the formula II



II

in which R^1 and R^2 have the meanings indicated in Claim 1,

is reacted with a compound of formula III

Het^2 III

in which Het^2 has the meaning indicated in Claim 1,


or

b) for the preparation of compounds of the formula I,

in which

R^1 denotes Het^1,

a compound of the formula IV




IV

in which

R^2, X, Y and Z have the meanings indicated in Claim 1,

is reacted with a compound of formula V




V

in which Het^1 has the meanings indicated in Claim 1,

or

c) for the preparation of compounds of the formula Ia,




Ia

in which

R^1, R^2, X, Y and Z have the meanings indicated in Claim 1,

a compound of the formula VI




VI

in which

R^1 and R^2 have the meanings indicated in Claim 1,

is reacted with a compound of formula VII




VII

in which

X, Y and Z have the meanings indicated in Claim 1,

or

d) for the preparation of compounds of the formula Ib,




Ib

in which

R^1, R^2, X, Y and Z have the meanings indicated in Claim 1,

a compound of the formula VIII



VIII

in which

R^1 and R^2 have the meanings indicated in Claim 1,

is reacted with a compound of formula IX

HO-N=CH-X-Y-Z IX

in which

X, Y and Z have the meanings indicated in Claim 1,

and/or

a base or acid of the formula I is converted into one of its salts.

8. Medicaments comprising at least one compound of the formula I according to claim 1 and/or pharmaceutically acceptable salts, solvates, tautomers and stereoisomers thereof, including mixtures thereof in all ratios, and optionally an pharmaceutically acceptable carrier, excipient or vehicle.

9. Compounds for use of the formula I according to claim 1 and pharmaceutically acceptable salts, solvates, tautomers and stereoisomers thereof, including mixtures thereof in all ratios, for the treatment and/or prevention of cancer.

10. Compounds for use according to claim 10 for the treatment and/or prevention of cancer, wherein the cancer is a gastrointestinal stromal tumor.

11. Medicaments comprising at least one compound of the formula I according to claim 1 and/or pharmaceutically acceptable salts,

solvates and stereoisomers thereof, including mixtures thereof in all ratios, and at least one further medicament active ingredient.


12. Set (kit) consisting of separate packs of

(a) an effective amount of a compound of the formula I according to claim 1 and/or pharmaceutically acceptable salts, solvates, salts and stereoisomers thereof, including mixtures thereof in all ratios, and


(b) an effective amount of a further medicament active ingredient.

13. Intermediates selected from the group


~~2-bromo-5-fluoro-4-(2-methoxyethoxy)benzaldehyde~~




~~N'-[(1E)-[2-bromo-5-fluoro-4-(2-methoxyethoxy)phenyl]methylidene]-4-methylbenzene-1-sulfonohydrazide~~




~~5-fluoro-6-(2-methoxyethoxy)-1-(4-methylbenzenesulfonyl)-1H-indazole~~




~~5-fluoro-6-(2-methoxyethoxy)-1H-indazole~~




5-fluoro-3-iodo-6-(2-methoxyethoxy)-1H-indazole




tert-butyl 5-fluoro-3-iodo-6-(2-methoxyethoxy)-1H-indazole-1-carboxylate




tert-butyl 5-fluoro-6-(2-methoxyethoxy)-3-[2-(trimethylsilyl)ethynyl]-1H-indazole-1-carboxylate



3-ethynyl-5-fluoro-6-(2-methoxyethoxy)-1H-indazole




tert-butyl 3-ethynyl-5-fluoro-6-(2-methoxyethoxy)-1H-indazole-1-carboxylate




;

tert-butyl 5-fluoro-3-{3-[4-(methoxycarbonyl)phenyl]-1,2-oxazol-5-yl}-6-(2-methoxyethoxy)-1H-indazole-1-carboxylate




,

methyl 4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoate



,

4-{5-[5-fluoro-6-(2-methoxyethoxy)-1H-indazol-3-yl]-1,2-oxazol-3-yl}benzoic acid



.