SEQUENCE LISTING

<110> Academia Sinica

<120> Modified Antimicrobial Peptide Derived From An Arginine-Rich Domain

<130> 218048-0276PCT

<150> US 62/342,415
<151> 2016-05-27

<160> 28

<170> PatentIn version 3.5

<210> 1
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic polypeptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be 2 to 20 amino acids selected from arginine, lysine, and histidine

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any amino acid or absent

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be 2 to 20 amino acids selected from arginine, lysine, and histidine

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any amino acid or absent

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any amino acid or absent

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa can be 2-20 amino acids each selected from arginine, lysine, and histidine

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa can be any amino acid or absent

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa can be any amino acid or absent

<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> Xaa can be 2-20 amino acids each selected from arginine, lysine, and histidine

<400> 1

Xaa Gly Arg Xaa Pro Xaa Xaa Pro Xaa Pro Xaa Xaa Gln Xaa Pro Xaa
1 5 10 15

<210> 2
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic polypeptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be 2 to 20 amino acids selected from arginine, lysine, and histidine

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any amino acid or absent

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be 2 to 20 amino acids selected from arginine, lysine, and histidine

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any amino acid or absent

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any amino acid or absent

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa can be 2 to 20 amino acids selected from arginine, lysine, and histidine

<400> 2

Xaa Gly Arg Xaa Pro Xaa Xaa Pro Xaa Pro Xaa
1 5 10

<210> 3
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic polypeptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be 2 to 20 amino acids selected from arginine, lysine,
and histidine

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any amino acid or absent

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any amino acid or absent

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be 2 to 20 amino acids selected from arginine, lysine,
and histidine

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any amino acid or absent

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any amino acid or absent

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa can be 2 to 20 amino acids selected from arginine, lysine,
and histidine

<400> 3

Xaa Xaa Pro Xaa Pro Xaa Xaa Gln Xaa Pro Xaa
1 5 10

<210> 4
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic polypeptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be 2 to 20 amino acids selected from arginine, lysine,
and histidine

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any amino acid or absent

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be 2 to 20 amino acids selected from arginine, lysine,
and histidine

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any amino acid or absent

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any amino acid or absent

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa can be 2 to 20 amino acids selected from arginine, lysine, and histidine

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa can be any amino acid or absent

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa can be any amino acid or absent

<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> Xaa can be 2 to 20 amino acids selected from arginine, lysine, and histidine

<220>
<221> MISC_FEATURE
<222> (17)..(17)
<223> Xaa can be any amino acid or absent

<400> 4

Xaa Gly Arg Xaa Pro Xaa Xaa Pro Xaa Pro Xaa Xaa Gln Xaa Pro Xaa
1 5 10 15

Xaa Cys

<210> 5
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic polypeptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be 2 to 20 amino acids selected from arginine, lysine, and histidine

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any amino acid or absent

<220>

<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be 2 to 20 amino acids selected from arginine, lysine, and histidine

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any amino acid or absent

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any amino acid or absent

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa can be 2 to 20 amino acids selected from arginine, lysine, and histidine

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa can be any amino acid or absent

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa can be any amino acid or absent

<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> Xaa can be 2 to 20 amino acids selected from arginine, lysine, and histidine

<220>
<221> MISC_FEATURE
<222> (17)..(17)
<223> Xaa can be any amino acid or absent

<400> 5

Xaa Gly Arg Xaa Pro Xaa Xaa Pro Xaa Pro Xaa Xaa Gln Xaa Pro Xaa
1 5 10 15

Xaa Gln

<210> 6
<211> 37
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic polypeptide

<400> 6

Thr Val Val Arg Arg Arg Gly Arg Ser Pro Arg Arg Arg Thr Pro Ser
1 5 10 15

Pro Arg Arg Arg Arg Ser Gln Ser Pro Arg Arg Arg Arg Ser Gln Ser
20 25 30

Arg Glu Ser Gln Cys
35

<210> 7
<211> 28
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic polypeptide

<400> 7

Arg Arg Arg Gly Arg Ser Pro Arg Arg Arg Thr Pro Ser Pro Arg Arg
1 5 10 15

Arg Arg Ser Gln Ser Pro Arg Arg Arg Arg Ser Cys
20 25

<210> 8
<211> 28
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic polypeptide

<400> 8

Arg Arg Arg Gly Arg Ser Pro Arg Arg Arg Thr Pro Ser Pro Arg Arg
1 5 10 15

Arg Arg Ser Gln Ser Pro Arg Arg Arg Arg Ser Gln
20 25

<210> 9
<211> 22
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic polypeptide

<400> 9

Arg Arg Arg Gly Arg Pro Arg Arg Arg Pro Pro Arg Arg Arg Arg Gln
1 5 10 15

Pro Arg Arg Arg Arg Cys
20

<210> 10
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic polypeptide

<400> 10

Arg Arg Arg Gly Arg Ser Pro Arg Arg Arg Thr Pro Ser Pro Arg Arg
1 5 10 15

Arg Arg Cys

<210> 11
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic polypeptide

<400> 11

Arg Arg Arg Gly Arg Pro Arg Arg Arg Pro Pro Arg Arg Arg Arg Cys
1 5 10 15

<210> 12
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic polypeptide

<400> 12

Arg Arg Arg Thr Pro Ser Pro Arg Arg Arg Arg Ser Gln Ser Pro Arg
1 5 10 15

Arg Arg Arg Cys
20

<210> 13
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic polypeptide

<400> 13

Arg Arg Arg Pro Pro Arg Arg Arg Arg Gln Pro Arg Arg Arg Arg Cys
1 5 10 15

<210> 14
<211> 33
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic polypeptide

<400> 14

Arg Arg Arg Gly Arg Ser Pro Arg Arg Arg Thr Pro Ser Pro Arg Arg
1 5 10 15

Arg Arg Ser Gln Ser Pro Arg Arg Arg Arg Ser His His His His His

20 25 30

His

<210> 15
<211> 33
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic polypeptide

<400> 15

His His His His His His Arg Arg Arg Gly Arg Ser Pro Arg Arg Arg
1 5 10 15

Thr Pro Ser Pro Arg Arg Arg Arg Ser Gln Ser Pro Arg Arg Arg Arg
20 25 30

Ser

<210> 16
<211> 27
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic polypeptide

<400> 16

Arg Arg Arg Gly Arg Pro Arg Arg Arg Pro Pro Arg Arg Arg Arg Gln
1 5 10 15

Pro Arg Arg Arg Arg His His His His His His
20 25

<210> 17
<211> 27
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic polypeptide

<400> 17

His His His His His His Arg Arg Arg Gly Arg Pro Arg Arg Arg Pro
1 5 10 15

Pro Arg Arg Arg Arg Gln Pro Arg Arg Arg Arg
20 25

<210> 18
<211> 36
<212> PRT
<213> Wooly monkey HepB virus

<400> 18

Thr Val Val Arg Arg Arg Arg Pro Ser Gly Arg Arg Thr Pro Ser Pro
1 5 10 15

Arg Arg Arg Arg Ser Gln Ser Pro Arg Arg Arg Arg Ser Gln Ser Pro
20 25 30

Ala Ser Ser Cys
35

<210> 19
<211> 41
<212> PRT
<213> Ground squirrel HepB virus

<400> 19

Thr Val Ile Arg Arg Arg Gly Ser Ala Arg Val Val Arg Ser Pro Arg
1 5 10 15

Arg Arg Thr Pro Ser Pro Arg Arg Arg Arg Ser Gln Ser Pro Arg Arg
20 25 30

Arg Pro Gln Ser Pro Ala Ser Asn Cys
35 40

<210> 20
<211> 42
<212> PRT
<213> Woodchuck HepB virus

<400> 20

Thr Val Ile Arg Arg Arg Gly Gly Ala Arg Ala Ser Arg Ser Pro Arg
1 5 10 15

Arg Arg Thr Pro Ser Pro Arg Arg Arg Arg Ser Gln Ser Pro Arg Arg
20 25 30

Arg Arg Ser Gln Ser Pro Ser Ala Asn Cys
35 40

<210> 21
<211> 43
<212> PRT
<213> Bat HepB virus

<400> 21

Thr Ile Val Arg Arg Arg Gly Gly Ser Arg Ala Thr Arg Ser Pro Arg
1 5 10 15

Arg Arg Thr Pro Ser Pro Arg Arg Arg Arg Ser Gln Ser Pro Arg Arg
20 25 30

Arg Arg Ser Gln Ser Pro Ala Ser Ser Asn Cys

35 40

<210> 22
<211> 36
<212> PRT
<213> Duck HepB virus

<400> 22

Arg Lys Pro Arg Gly Leu Glu Pro Arg Arg Arg Lys Val Lys Thr Thr
1 5 10 15

Val Val Tyr Gly Arg Arg Arg Ser Lys Ser Arg Glu Arg Arg Ala Pro
20 25 30

Thr Pro Gln Arg
35

<210> 23
<211> 36
<212> PRT
<213> Heron HepB virus

<400> 23

Arg Lys Pro Arg Gly Leu Glu Pro Arg Arg Arg Lys Val Lys Thr Thr
1 5 10 15

Val Val Tyr Gly Arg Arg Arg Ser Lys Ser Arg Gly Arg Arg Ser Ser
20 25 30

Pro Ser Gln Arg
35

<210> 24
<211> 36
<212> PRT
<213> Parrot HepB virus

<400> 24

Arg Lys Pro Arg Gly Leu Glu Pro Arg Arg Arg Lys Val Lys Thr Thr
1 5 10 15

Val Val Tyr Gly Arg Arg Arg Ser Lys Ser Arg Glu Arg Ser Ser Ser
20 25 30

Ser Pro Gln Arg
35

<210> 25
<211> 36
<212> PRT
<213> Ross' Goose HepB virus

<400> 25

Arg Lys Pro Arg Gly Leu Glu Pro Arg Arg Arg Lys Val Lys Thr Thr
1 5 10 15

Val Val Tyr Gly Arg Arg Arg Ser Lys Ser Arg Glu Arg Arg Ala Pro
            20   25   30

Thr Pro Gln Arg
        35

<210> 26
<211> 36
<212> PRT
<213> Snow goose HepB virus

<400> 26

Arg Lys Pro Arg Gly Leu Glu Pro Arg Arg Arg Lys Val Lys Thr Thr
1   5   10   15

Val Val Tyr Gly Arg Arg Arg Ser Lys Ser Arg Glu Arg Arg Ala Ser
            20   25   30

Ser Pro Gln Arg
        35

<210> 27
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic polypeptide

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be arginine, lysine, or histidine

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be arginine, lysine, or histidine

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be arginine, lysine, or histidine or absent

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be arginine, lysine, or histidine or absent

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be arginine, lysine, or histidine or absent

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be arginine, lysine, or histidine or absent

<220>

<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be arginine, lysine, or histidine or absent

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be arginine, lysine, or histidine or absent

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be arginine, lysine, or histidine or absent

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be arginine, lysine, or histidine or absent

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa can be arginine, lysine, or histidine or absent

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa can be arginine, lysine, or histidine or absent

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> Xaa can be arginine, lysine, or histidine or absent

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa can be arginine, lysine, or histidine or absent

<220>
<221> MISC_FEATURE
<222> (15)..(15)
<223> Xaa can be arginine, lysine, or histidine or absent

<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> Xaa can be arginine, lysine, or histidine or absent

<220>
<221> MISC_FEATURE
<222> (17)..(17)
<223> Xaa can be arginine, lysine, or histidine or absent

<220>
<221> MISC_FEATURE
<222> (18)..(18)
<223> Xaa can be arginine, lysine, or histidine or absent

<220>
<221> MISC_FEATURE
<222> (19)..(19)
<223> Xaa can be arginine, lysine, or histidine or absent

<220>
<221> MISC_FEATURE
<222> (20)..(20)
<223> Xaa can be arginine, lysine, or histidine or absent

<400> 27

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

Xaa Xaa Xaa Xaa
20

<210> 28
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic polypeptide

<400> 28

Arg Arg Arg Arg Ser Gln Ser Pro Arg Arg Arg Arg Ser Cys
1 5 10