What is claimed is:

1. A connector unit which may be used for connecting one, two, three or more structures ~~wherein,~~ at least one of ~~the two or more structures being connected~~which is a ~~mobile~~moveable structure ~~validated~~previously certified for pharmaceutical manufacturing or patient care, ~~the connector unit~~ comprising:

~~an alignment system to precisely dock the two or more structures together;~~

~~a seal or seal system to create an air tight seal between two or more structures, or one or more structures and an environment; and~~

a aligning system that moves a ~~fixation system to affix the two or more structures and prevent unintentional movements~~first wall of ~~the two or more structures, or breakage~~a first structure and a second wall of ~~the seal or seal system, wherein the unit can be used to connect one, two, or more previously validated pharmaceutical manufacturing or patient care units.~~

~~2. The connector unit of~~ a second structure such that both structures are in mutual contact, and aligns openings in the first and second structures by the same movement that brings the walls of the first and second structures into mutual contact;

a seal or sealing system for sealing the openings in the two aligned structures from the environment by means of an airtight seal or airtight sealing system; and

a fastening system to prevent relative movement of the two or three or more structures in mutual contact or damage to the seals or sealing system.

2. A connector unit according to claim 1, wherein the ~~two or more structures being connected further comprise at least one of cleanrooms, isolation cubicles, containment cubicles, pods, modules, units, buildings, corridors, hallways, mobile structures, and access structures.~~

2, 3~~. The connector unit of claim 1, wherein the alignment system allows the two,~~ or more structures to be ~~pushed against each other and aligned in the same movement~~connected further include at least one of the following: a clean room, isolation cubicle, containment cubicle, pod, module, unit, building, corridor, hallway, mobile structure, and access structure.

~~4~~

3. The connector unit ~~of claim~~according to Claim 1 or 2, wherein (1) the connection between ~~the~~ two, three, or more structures ~~can be disconnected, separated~~is removable, separable, and ~~then reattached.~~

~~5. The connector unit of claim 1, wherein~~subsequently reconnectable; or

(2) the seal or ~~seal~~sealing system that seals the aligned openings between the two ~~or more structure, or one~~, three, or more structures ~~and~~from the environment is reversible.

~~6.~~

4. The connector unit according to any one of ~~claim~~claims 1 to 3, wherein the seal or ~~seal~~sealing system ~~between~~that seals the aligned openings between the two, three, or more structures ~~or one or more structures and~~from the environment further ~~comprise~~includes at least one of an induction ~~sealing,~~seal, a cap ~~sealing, adhesive sealant, bodok~~ seal, a BODOK seal, a Bridgman seal, a compression seal fitting, a diaphragm seal, ~~ferrofluidic~~a magnetic fluid seal, a gasket, a flange gasket, an o-ring, an o-ring boss seal, a glass-ceramic ~~to~~ and metal ~~seals,~~seal, a piston ring, a hose coupling, ~~hermetic~~an airtight seal, a hydrostatic seal, a hydrodynamic seal, ~~labyrintha~~ Labyrinth seal, an end face ~~seal,~~seals, a plug, a radial shaft seal, a siphon type trap, a split type mechanical seal, a wiper seal, a dry gas seal, ~~and exitex~~or an EXITEX seal.

~~7.~~

5. The connector unit according to any one of ~~claim~~claims 1 to 4, wherein the ~~fixation~~fastening system further ~~comprise~~includes at least one of ~~clamps,~~the following: a fastener, a spring ~~loads, bolts,~~load, a bolt, a magnetic coupling, a bayonet coupling, or ~~locks~~a fastener.

~~8. The~~

6. A connector unit according to any one of ~~claim~~claims 1 to 5, wherein ~~a~~ volume of ~~a~~the seal between ~~the~~ two, three, or more structures is ~~equal to or greater than a~~the same as volume of a groove on an opposite surface.

~~9. The~~

7. A connector unit according to any one of ~~claim~~claims 1 to 6, wherein the seal ~~surrounds~~encloses an opening between ~~the~~ two, three, or more structures ~~to provide a hermetic~~and provides an airtight seal.

~~10.~~

8. A method for connecting two, three, or more structures ~~with~~using a connector unit

~~wherein~~ which may be used for connecting one, two, three or more structures, at least one of the two, three, or more structures being ~~connected is~~ a ~~mobile~~moveable structure ~~validatable~~certifiable for pharmaceutical manufacturing or patient care, ~~the method~~ comprising:

~~aligning the two or more structures to precisely dock the two~~

a step of obtaining at least a first mobile structure of the two, three, or more structures ~~together;~~

~~sealing the two or more structures, or one or more structures and an environment air tight with a seal or a sealing system; and~~

~~affixing the two or more structures together solidly to prevent unintentional movements of the two or more structures, or breakage of the seal or seal system, wherein the unit can be used to connect one, two, or more previously validated~~, which is certifiable for pharmaceutical manufacturing or patient care ~~units.~~

~~11. The method~~, having a first opening in a first wall adapted to connect to a second opening in a second wall of ~~claim 10, wherein the two or more structures further comprise at least one~~a second structure of ~~cleanrooms, isolation cubicles, containment cubicles, pods, modules, units, buildings, corridors, hallways, mobile structures, and access structures.~~

~~12. The method~~the two, three or more structures;

a step of ~~claim 10, wherein the alignment system allows the two or more structures~~moving the first wall of the first structure and the second wall of the second structure to be ~~pushed against each other~~in mutual contact, and aligning the openings in the first and ~~aligned in~~ second structures by the same movement that moves the walls of the first and second structures into mutual contact, using a aligning system;

a step of attaching the two, three or more structures to prevent relative movement of the two, three or more structures or damage to the seals or sealing system; and

a step of sealing the openings in the two aligned structures from the environment by means of an airtight seal or airtight sealing system;

wherein connector units may be used to connect one, two, three or more already certified pharmaceutical manufacturing or patient care units.

~~13. The method of claim 10, wherein~~

9. The method according to claim 8, wherein the at least one of the two, three, or more

structures is a clean room, isolation cubicle, containment cubicle, pod, module, unit, building, corridor, hallway, mobile structure, or access structure.

10. The method according to Claim 8 or 9, wherein (1) the connection between the two, three, or more structures ~~can be disconnected, separated, and then reattached.~~

~~14. The method of claim 10, wherein the seal or seal system between the two or more structure, or one or more structures~~is removable, separable, and subsequently reconnectable; and
(2) the seal or sealing system that seals the aligned openings between the two, three, or more structures from the environment is reversible.
~~15.~~

11. The method according to any one of ~~claim~~claims 8 to 10, wherein the seal or ~~seal~~sealing system that seals the aligned openings between the two, three, or more structures ~~or one or more structures and~~from the environment further ~~comprise~~includes at least one of an induction ~~sealing,~~seal, a cap ~~sealing, adhesive sealant, bodok~~ seal, a BODOK seal, a Bridgman seal, a compression seal fitting, a diaphragm seal, ~~ferrofluidic~~a magnetic fluid seal, a gasket, a flange gasket, an o-ring, an o-ring boss seal, a glass-ceramic ~~to~~ and metal ~~seals,~~seal, a piston ring, a hose coupling, ~~hermetic~~an airtight seal, a hydrostatic seal, a hydrodynamic seal, ~~labyrinth~~a Labyrinth seal, an end face ~~seal,~~seals, a plug, a radial shaft seal, a siphon type trap, a split type mechanical seal, a wiper seal, a dry gas seal, ~~and exitex~~or an EXITEX seal.

~~16.~~
12. The method according to any one of ~~claim 10~~claims 8 to 11, wherein the ~~fixation~~fastening system further ~~comprise~~includes at least one of ~~clamps,~~the following: a fastener, a spring ~~loads, bolts,~~load, a bolt, a magnetic coupling, a bayonet coupling, or ~~locks.~~
~~17.~~ a retainer.

13. The method according to any one of ~~claim 10~~claims 8 to 12, wherein ~~a~~the volume of ~~a~~the seal between the two, three, or more structures is ~~equal to or greater than a~~the same as the volume of ~~a~~the groove on ~~an~~the opposite surface.

~~18.~~

14. The method ~~of claim 10~~according to any one of claims 8 to 13, wherein the seal ~~surrounds an~~encloses the opening between the two ~~or more structures to provide a hermetic seal.~~

~~19. A method for connecting two or more structures with a connector unit wherein at least one of the two or more structures being connected is a mobile structure validatable for pharmaceutical manufacturing or patient care, the method comprising:~~

~~aligning the two or more structures to precisely dock the two or more structures together, sealing the two or more structures, or one~~, three, or more structures and ~~an environment air tight with a seal or a sealing system, and~~

~~affixing the two or more structures together solidly to prevent unintentional movements of the two or more structures, or breakage of the seal or seal system.~~

~~20. The method of claim 19, wherein the two or more structures further comprise at least one of cleanrooms, isolation cubicles, containment cubicles, pods, modules, units, buildings, corridors, hallways, mobile structures, and access structures.~~

provides an airtight seal.