

DESCRIPTION

[Title of Invention]

INFORMATION PROCESSING SYSTEM, INFORMATION PROCESSING
5 METHOD AND STORAGE MEDIUM

[Technical Field]

[0001]

The present invention relates to an information processing system
and the like.

10 [Background Art]

[0002]

Monitoring system is a system intended to improve security at a
station, an airport, or the like. The monitoring system is configured to
include a sensor such as a camera and a microphone. The monitoring
15 system monitors occurrence of an abnormal condition by using a sensor
output and a monitoring rule. The monitoring rule is a conditional
expression representing what value of the sensor output causes a
determination of occurrence of an abnormal condition.

[0003]

20 For example, the monitoring rule is a conditional expression such
as “if a camera takes an image of a person putting down luggage, nobody
comes close to the luggage for a predetermined time, then issue a warning”.
When the conditional clause of this monitoring rule is satisfied, it can be
interpreted that an abnormal condition of “luggage abandonment” is
25 occurring, for example.

[0004]

PTL 1 discloses a monitoring system that monitors occurrence of an
abnormal condition by using a sensor output and a monitoring rule. PTL

1 discloses that occurrence of an abnormal condition is detected at a plurality of different places. PTL 1 discloses that monitoring rules to be set are different between a case of monitoring a store which manages merchandise by a Point Of Sale system (POS) and a case of monitoring a store which manages merchandise by a Radio Frequency IDentification (RFID) tag.

[0005]

PTL 2 discloses a technique of automatically generating a monitoring rule based on a database in which data concerning abnormal events are registered and a database in which data concerning normal events are registered.

[Citation List]

[Patent Literature]

[0006]

[PTL 1] Japanese Translation of PCT International Application Publication No. 2009-539182

[PTL 2] Japanese Laid-open Patent Publication No. 2013-003929

[Summary of Invention]

[Technical Problem]

[0007]

PTL 1 discloses that different monitoring rules are set in response to a place to be monitored (hereafter, referred to as “monitoring target place”). According to the technique disclosed in PTL 1, without special knowledge on the monitoring target place, an operator of the monitoring system is unable to set an appropriate monitoring rule. According to the technique disclosed in PTL 2, a monitoring rule in response to an environment to be monitored (hereafter, referred to as “monitoring target

environment”) cannot be generated.

[0008]

One of the objectives of the present invention is to support setting or verification of a monitoring rule in response to a monitoring target environment.

[Solution to Problem]

[0009]

A first aspect of the present invention is an information processing system including: a situation information receiving unit which receives an input of situation information indicating a situation in a monitoring target environment; a normal situation storage unit which stores environment information indicating the monitoring target environment in association with a set of situation information indicating a situation that is not abnormal in the monitoring target environment; and a retrieval unit which, in response to receiving the input of the situation information indicating the information in the monitoring target environment, refers to the normal situation storage unit and retrieves the environment information associated with the set of the situation information that does not include the input situation information.

[0010]

A second aspect of the present invention is an information processing method which is: performed by a computer that can access a normal situation storage unit which stores environment information indicating a monitoring target environment in association with a set of situation information indicating a situation that is not abnormal in the monitoring target information, the set of the situation information being selected out of pieces of situation information indicating a situation in the

monitoring target environment. The method includes: receiving an input of the situation information indicating a situation in the monitoring target information; and in response to receiving the input of the situation information, referring to the normal situation storage unit and retrieving environment information associated with a set of the situation information that does not include the input situation information.

[0011]

A third aspect of the present invention is a program that causes a computer that can access a normal situation storage unit which stores environment information indicating a monitoring target environment in association with a set of situation information indicating a situation that is not abnormal in the monitoring target information, the set of the situation information being selected out of pieces of situation information indicating a situation in the monitoring target environment, to execute: a process of receiving an input of the situation information indicating a situation in the monitoring target information; and a process of, in response to receiving the input of the situation information, referring to the normal situation storage unit and retrieving environment information associated with a set of the situation information that does not include the input situation information.

[0012]

Further, the objective of the present invention is achieved by a computer readable storage medium in which the program described above is stored.

[Advantageous Effects of Invention]

[0013]

The present invention can support setting or verification of a

monitoring rule in response to a monitoring target environment.

[Brief Description of Drawings]

[0014]

Fig. 1 is a block diagram illustrating a configuration of an
5 information processing system 1000 according to a first exemplary
embodiment of the present invention;

Fig. 2 is an example of information stored by a normal situation
storage unit 210 according to the first exemplary embodiment of the
present invention;

10 Fig. 3 is a diagram illustrating an example of a hardware
configuration that can realize the information processing system 1000 of
the present invention;

Fig. 4 is a flowchart illustrating an operation of the information
processing system 1000 according to the first exemplary embodiment of
15 the present invention;

Fig. 5 is a block diagram illustrating a configuration of an
information processing system 1000 according to a second exemplary
embodiment of the present invention;

Fig. 6 is a flowchart illustrating an operation of the information
20 processing system 1000 according to the second exemplary embodiment of
the present invention;

Fig. 7 is a block diagram illustrating a configuration of an
information processing system 1000 according to a third exemplary
embodiment of the present invention;

25 Fig. 8 is a flowchart illustrating an operation of the information
processing system 1000 according to the third exemplary embodiment of
the present invention;

Fig. 9 is a block diagram illustrating a configuration of an

information processing system 1000 according to a fourth exemplary embodiment of the present invention; and

Fig. 10 is a flowchart illustrating an operation of the information processing system 1000 according to the fourth exemplary embodiment of the present invention.

[Description of Embodiments]

[0015]

In order to facilitate the understanding of the invention, the problem to be solved by the present invention will be described in details.

[0016]

Monitoring systems can monitor various environments. For example, monitoring systems can monitor various places such as “stadium”, “airport”, or “kitchen”. When monitoring a stadium, a monitoring system can monitor various events such as “soccer game” or “rock live concert”. When monitoring the stadium where a soccer game is held, for example, the monitoring system can perform monitoring in various time slots such as “morning”, “before the game”, “during the game”, “after the game”, or “night”.

[0017]

In the followings, “place”, “event”, “time slot”, and the like are collectively described as “environment to be monitored” or “monitoring target environment”. Further, information indicating the monitoring target environment is described as “environment information”.

[0018]

In order for the monitoring system to perform appropriate monitoring, an operator of the monitoring system is required to set a monitoring rule in response to a monitoring target environment. When

the monitoring target environment is a piano concert, for example, it is appropriate to set a monitoring rule such as "if a person screams loudly, then issue an alarm". The situation where a person screams loudly at a piano concert is an abnormal situation. When a conditional expression of this monitoring rule is satisfied at a piano concert, it can be interpreted that some abnormal condition is occurring. However, when the monitoring target environment is a rock live concert, it is not appropriate to set the monitoring rule as described above. A situation where a person screams loudly at the rock live concert is not at all the abnormal situation. However, in the monitoring system in which this monitoring rule is set, an alarm is issued for such a usual situation that a person screams loudly.

[0019]

In order to set an appropriate monitoring rule in response to a monitoring target environment, the operator of the monitoring system is required to have special knowledge of the monitoring target environment. When the operator without the special knowledge sets a monitoring rule, an inappropriate monitoring rule is likely to be set by which the usual situation for the monitoring target environment can be determined as an abnormal condition.

[0020]

Further, setting different monitoring rules for every monitoring target environment is a complicated operation for the operator of the monitoring system. One of the devices for reducing man-hour in setting the monitoring rule is an expansion of a monitoring rule. The expansion of a monitoring rule is to divert a conditional clause of the monitoring rule set for monitoring a certain environment to a conditional clause of the monitoring rule for monitoring another environment. However, when the operator of the monitoring system expands the monitoring rule without

paying a special attention, an environment where an inappropriate monitoring rule may be set are likely to occur.

[0021]

<First Exemplary Embodiment>

5 Fig. 1 is a block diagram illustrating a configuration of an information processing system 1000 according to a first exemplary embodiment. As illustrated in Fig. 1, the information processing system 1000 according to the first exemplary embodiment includes a situation information receiving unit 110, a normal situation storage unit 210, a
10 retrieval unit 120, and an output unit 130. The information processing system 1000 is operated by an operator of a monitoring system, for example.

[0022]

The situation information receiving unit 110 receives an input of
15 situation information. The situation information is information indicating a situation in a monitoring target environment. For example, the situation information is information indicating an action by a person and the like in the monitoring target environment. The situation information may be information indicating a motion of a bicycle, a
20 motorcycle, a car, and the like driven by a person in the monitoring target environment, for example. The situation information may be information indicating a number of people per unit area in the monitoring target environment, for example. The situation information may be represented by a co-occurrence expression such as “a person is holding something like
25 a knife, and a person is shouting”, for example.

[0023]

The normal situation storage unit 210 stores environment

information indicating the environment in association with a set of situation information indicating situations that are not abnormal in the monitoring target environment.

[0024]

5 Fig. 2 is a diagram illustrating an example of information stored by the normal situation storage unit 210. As illustrated in Fig. 2, the normal situation storage unit 210 stores environment information such as “soccer stadium” in association with a set of situation information such as “a person is screaming loudly”, “a person is jumping”, and “a person is
10 cheering”. At a soccer stadium, the situations such as “a person is screaming loudly”, “a person is jumping”, and “a person is cheering” are the usual situations but not at all abnormal situations.

[0025]

15 In this way, the normal situation storage unit 210 stores the information in which the set of the situation information (“a person is screaming loudly”, “a person is jumping”, and “a person is cheering”) indicating situations that are not abnormal in the monitoring target environment (soccer stadium) is associated with the environment information (soccer stadium) indicating the environment.

20 [0026]

 Going back to Fig. 1, the retrieval unit 120 refers to the normal situation storage unit 210 to retrieve environment information associated with a set of situation information that does not include the situation information received by the situation information receiving unit 110.

25 [0027]

 For example, the situation information receiving unit 110 receives situation information such as “a person is holding something like a knife”.

The retrieval unit 120 refers to the normal situation storage unit 210 illustrated in Fig. 2 to retrieve environment information such as “soccer stadium”, “live concert”, and “airport” that are associated with a set of situation information which does not include the situation information such as “a person is holding something like a knife”.

[0028]

For example, the situation information receiving unit 110 receives an input of situation information expressed in a co-occurrence expression such as “a person is shouting, and a person is jumping”. The retrieval unit 120 refers to the normal situation storage unit 210 illustrated in Fig. 2 to retrieve environment information that is associated with a set of situation information which includes neither the situation information such as “a person is shouting” nor the situation information such as “a person is jumping”. That is, the retrieval unit 120 retrieves the environment information such as “airport” and “kitchen”.

[0029]

The output unit 130 outputs a list of the retrieved environment information.

[0030]

Fig. 3 is a diagram of a hardware configuration of the information processing system 1000 illustrated in Fig. 1. As illustrated in Fig. 3, the information processing system 1000 includes a Central Processing Unit (CPU) 10, a storage device 20, and a communication interface 30. The information processing system 1000 may include an input device 40 and an output device 50.

[0031]

Functions of the information processing system 1000 are realized

by the CPU 10 that executes a program read to the storage device 20, for example. The communication performed by the information processing system 1000 is realized by an application program that controls the communication interface 30 by using a function provided by an Operating System (OS), for example. The input device 40 is a keyboard, a mouse, or a touch panel, for example. The output device 50 is a display, for example.

[0032]

Note that the present invention exemplified by this exemplary embodiment and subsequent respective exemplary embodiments may be configured by a non-volatile storage medium 70 such as a compact disc and the like in which the program described above is stored. The program stored in the storage medium 70 is read by a drive device 60, for example.

[0033]

The information processing system 1000 may be configured such that two or more physically separated devices are connected by wire or wirelessly.

[0034]

Next, an operation of the information processing system 1000 illustrated in Fig. 1 will be described by using Fig. 4. Fig. 4 is a flowchart illustrating an example of the operation of the information processing system 1000.

[0035]

The situation information receiving unit 110 receives an input of situation information (S101). The retrieval unit 120 refers to the normal situation storage unit 210 and retrieves the environment information associated with the set of the situation information that does not include

the situation information of which input is received (S102). The output unit 130 outputs the environment information retrieved by the retrieval unit 120 (S103).

[0036]

5 The effect taken by the information processing system 1000 according to the first exemplary embodiment will be described.

[0037]

By confirming the information output by the output unit 130, the operator is able to recognize that the situation information received by the situation information receiving unit 110 is appropriate as the information to be described in a conditional clause of a monitoring rule for monitoring the environment indicated by the environment information output by the output unit 130. For example, the operator is able to recognize that the situation information such as “a person is holding something like a knife” is appropriate for the information to be described in the conditional clause of the monitoring rule for monitoring “soccer stadium”, “live concert”, and “airport”.

[0038]

It is assumed that the monitoring rule is expanded in order to reduce man-hour of the operator in setting the monitoring rule for a plurality of environments. The information processing system 1000 according to the first exemplary embodiment is able to output a list of the monitoring target environments that can be expanded for the situation information of which input is received. Therefore, when expanding the monitoring rule, the operator is not required to confirm, one by one, whether or not the monitoring rule is expandable. This allows for a reduction of man-hour of the operator in setting the monitoring rule to a plurality of environments

to be monitored.

[0039]

As described above, the information processing system 1000 according to the first exemplary embodiment can support the operator to
5 set a monitoring rule in response to a monitoring target environment.

[0040]

Note that the output unit 130 may output information in which the retrieved environment information is associated with the situation information of which input is received. Further, the output unit 130 may
10 additionally output information indicating that the situation indicated by the situation information of which input is received is the abnormal situation in the environment indicated by the output environment information. Such a configuration allows the information processing system 1000 to indicate more comprehensible information to the operator.
15 That is, the information processing system 1000 can indicate more directly to the operator that the environmental information output by the situation information of which input is received is appropriate for the information to be described in the conditional clause of the monitoring rule.

[0041]

20 Note that the information to be stored by the normal situation storage unit 210 may be generated manually or may be generated by the information processing system 1000. When manually generating the information to be stored in the normal situation storage unit 210, the operator generates information in which usual actions or expressions under
25 usual situations at a place or an event to be monitored are associated with the place or the event. It is assumed that the information processing system 1000 generates the information stored in the normal situation

storage unit 210. In this case, the information processing system 1000 may generate the information to be stored in the normal situation storage unit 210 by extracting the situation information from texts such as blogs written about the place or the event to be monitored. This is because
5 illegal acts, manner breach acts, and the like are less likely to be written in blogs and the like.

[0042]

When the information processing system 1000 arranges the information stored in the normal situation storage unit 210, a technique for
10 extracting a compound word of high appearance frequency may be utilized, as disclosed in Reference 1, for example.

[0043]

Reference 1

“Synonym Extraction Using Web Search Query and Click-through
15 Logs” by Kei Uchiumi and Mamoru Komachi, Transactions of Information Processing Society of Japan, Database, Vol. 6 (No. 1), Pages 16-28, Published on January 23, 2013

The information processing system 1000 according to the first exemplary embodiment outputs a list of the environments to be monitored
20 that can be expanded relative to the situation information of which input is received. However, the information processing system 1000 may output a list of the environments to be monitored which cannot be expanded relative to the situation information of which input is received.

[0044]

25 Note that the environment information is not limited to the information indicating a place, an event, a time slot, or the like. For example, information such as “environment with little traffic”,

“environment whose temperature is 25 degrees centigrade or higher and humidity is 80 % or higher”, and so on can be the environment information. The environment information may include actions by a person. For example, information such as “in the environment with a women having a bag”, “in the environment where a silver car stops”, “when a child is checking the left and right”, and so on can be the environment information.

[0045]

The situation information may be an action taken by a person in the environment to be monitored. In this case, the situation information can be rephrased by action information. The situation information receiving unit 110 receives an input of action information indicating an action by a person taken in the monitoring target environment. The normal situation storage unit 210 stores the environment information indicating the environment in association with a set of action information indicating actions that are not abnormal in the monitoring target environment. The retrieval unit 120 refers to the normal situation storage unit 210 and retrieves the environment information associated with the set of the action information that does not include the action information of which input is received.

[0046]

<Second Exemplary Embodiment>

Fig. 5 is a block diagram illustrating a configuration of an information processing system 2000 according to a second exemplary embodiment. The same reference numerals are provided to substantially the same components as those illustrated in Fig. 1. As illustrated in Fig. 5, the information processing system 2000 according to the second exemplary embodiment includes a second situation information receiving unit 140 and a situation information extracting unit 150 in addition to the

information processing system 1000 according to the first exemplary embodiment.

[0047]

The second situation information receiving unit 140 receives an
5 input of information including situation information. The information
including the situation information may be text data representing natural
sentence, or may be image data, audio data, or video data, for example.

[0048]

The situation information extracting unit 150 extracts the situation
10 information from the information including the situation information.
For example, it is assumed that the second situation information receiving
unit 140 receives an input of the following text. “A fifth grade boy
student of this school found an adult holding something like a knife and
shouting in a strange voice within 70 to 80 m behind him on the way home
15 after playing at a park. Because he thought he might be attacked, he
rushed home by bicycle and reported it.” The situation information
extracting unit 150 extracts the expressions representing the situation of
the monitoring target environment such as “an adult is holding something
like a knife” and “an adult is shouting in a strange voice” from the above
20 text. The situation information extracting unit 150 may extract a
co-occurrence expression such as “an adult is holding something like a
knife, and the adult is shouting in a strange voice”. The situation
information extracting unit 150 may extract a human action in the
monitoring target environment preferentially, for example.

25 [0049]

The situation information extracting unit 150 may determine the
entity of the action to utilize it for the extraction by using a method

disclosed in Reference 2, for example.

[0050]

Reference 2

“Morpheme, Construction, and Case Analysis Using JUMAN/KNP”,
5 by Daisuke Kawahara, Sadao Kurohashi, Academic Center for Computing
and Media Studies, Kyoto University, Media Information Processing
Specialized Course, “Natural Language Processing Technique”, held on
September 8 to September 10, 2008

[0051]

10 Next, an operation of the information processing system 2000
illustrated in Fig. 5 will be described by using Fig. 6. Fig. 6 is a
flowchart illustrating the operation of the information processing system
2000. The same reference numerals are provided to substantially the
same operations as those illustrated in the flowchart of Fig. 4.

15 [0052]

The second situation information receiving unit 140 receives an
input of information including situation information (S201). The
situation information extracting unit 150 extracts the situation information
from the information including the situation information (S202). The
20 situation information extracting unit 150 outputs the extracted situation
information to the situation information receiving unit 110 (S203). Since
the subsequent operations are the same as those by the information
processing system 1000 according to the first exemplary embodiment,
description thereof will be omitted.

25 [0053]

The information processing system 2000 according to the second
exemplary embodiment can support setting of a monitoring rule in response

to a monitoring target environment.

[0054]

<Third Exemplary Embodiment>

Fig. 7 is a block diagram illustrating a configuration of an
5 information processing system 3000 according to a third exemplary
embodiment. The same reference numerals are provided to substantially
the same components as those illustrated in Fig. 1. As illustrated in Fig.
7, the information processing system 3000 according to the third
exemplary embodiment includes an expression expansion unit 160 and a
10 synonym storage unit 220 in addition to the information processing system
1000 according to the first exemplary embodiment.

[0055]

In the synonym storage unit 220, different situation information
indicating the same or a similar situation is associated and stored for
15 respective situation information. For example, situation information
such as “a person is shouting loudly”, “a person is shrieking”, and “a
crowd is screaming loudly” is associated with the situation information
such as “a person is shouting loudly” and stored.

[0056]

20 The expression expansion unit 160 extracts, from the synonym
storage unit 220, a synonym(s) for the situation information received by a
situation information receiving unit 110.

[0057]

Next, an operation of the information processing system 3000
25 illustrated in Fig. 7 will be described by using Fig. 8. Fig. 8 is a
flowchart illustrating the operation of the information processing system
3000. The same reference numerals are provided to substantially the

same operations as those illustrated in the flowchart of Fig. 4.

[0058]

The situation information receiving unit 110 receives an input of situation information (S101). The expression expansion unit 160 extracts,
5 from the synonym storage unit 220, a synonym(s) for the situation information received by the situation information receiving unit 110 (S301). The retrieval unit 120 retrieves environment information associated with a set of situation information that includes neither the situation information received by the situation information receiving unit
10 110 nor the synonym extracted by the expression expansion unit 160 (S302). The output unit 130 outputs the environment information retrieved by the retrieval unit 120 (S103).

[0059]

The information processing system 3000 according to the third
15 exemplary embodiment can utilize the synonym extracted by the expression expansion unit 160 in addition to the situation information received by the situation information receiving unit 110. Therefore, setting of a monitoring rule in response to a monitoring target environment can be supported with higher accuracy.

20 [0060]

Fourth Exemplary Embodiment

Fig. 9 is a block diagram illustrating a configuration of an information processing system 4000 according to a fourth exemplary embodiment. As illustrated in Fig. 9, the information processing system
25 4000 according to the fourth exemplary embodiment includes a third situation information receiving unit 170, a verification unit 180, and a verified result output unit 190.

[0061]

The third situation information receiving unit 170 receives an input of information in which situation information is associated with environment information. The operator inputs the information in which
5 situation information is associated with environment information. The situation information is intended to be described as a conditional clause of a monitoring rule for monitoring an environment indicated by that environment information.

[0062]

10 For example, it is assumed that the operator considers describing the situation information such as “a person is screaming loudly” or “a person is holding something like a knife” as a conditional clause of a monitoring rule for monitoring a kitchen. In this case, the operator inputs, to the third situation information receiving unit 170, information in
15 which the environment information as “kitchen” is associated with the situation information as “a person is screaming loudly” (hereafter referred to as first information). Further, the operator inputs, to the third situation information receiving unit 170, information in which the environment information as “kitchen” is associated with the situation
20 information as “a person is holding something like a knife” (hereafter referred to as second information).

[0063]

The verification unit 180 refers to a normal situation storage unit 210 and compares a set of the situation information associated with the
25 environment information included in the information of which input is received with the situation information included in the information of which input is received. The verification unit 180 then verifies whether

or not there is matched situation information.

[0064]

In the example of the first information described above, the verification unit 180 refers to the normal situation storage unit 210
5 illustrated in Fig. 2. The verification unit 180 compares the set of the situation information (a person is holding something like a knife) associated with the environment information (kitchen) included in the first information with the situation information (a person is screaming loudly) included in the first information. The verification unit 180 verifies
10 whether or not there is matched situation information. In the example of the first information, there is no matched situation information.

[0065]

In the example of the second information described above, the verification unit 180 refers to the normal situation storage unit 210
15 illustrated in Fig. 2. The verification unit 180 compares the set of the situation information (a person is holding something like a knife) associated with the environment information (kitchen) included in the first information with the situation information (a person is holding something like a knife) included in the first information. The verification unit 180
20 verifies whether or not there is matched situation information. In the example of the second information, there is matched situation information such as “a person is holding something like a knife”.

[0066]

The verified result output unit 190 outputs a result of the
25 verification performed by the verification unit 180.

[0067]

Next, an operation of the information processing system 4000

illustrated in Fig. 9 will be described by using Fig. 10. Fig. 10 is a flowchart illustrating the operation of the information processing system 4000.

[0068]

5 The third situation information receiving unit 170 receives an input of the information in which the situation information is associated with the environment information (S401). The verification unit 180 refers to the normal situation storage unit 210 to compare the set of the situation information associated with the environment information included in the
10 information of which input is received with the situation information included in the information of which input is received. The verification unit 180 verifies whether or not there is situation information matched each other (S402). The verified result output unit 190 outputs the environment information retrieved by the verification unit 180 (S403).

15 [0069]

The effect taken by the information processing system 4000 according to the fourth exemplary embodiment will be described.

[0070]

20 The information processing system 4000 according to the fourth exemplary embodiment can determine whether or not the situation indicated by the situation information of which input is received is an abnormal situation in the environment indicated by the environment information of which input is received.

[0071]

25 The operator can verify whether or not the monitoring rule that the operator intends to set is appropriate for monitoring a monitoring target environment by confirming the verified result output by the verified result

output unit 190.

[0072]

In the example described above, the operator can notice that it is inappropriate to describe the situation information such as “holding
5 something like a knife” as the conditional clause of the monitoring rule for monitoring the kitchen.

[0073]

In this way, the information processing system 4000 according to the fourth exemplary embodiment can support to verify as to whether or
10 not a monitoring rule is appropriate.

[0074]

While some aspects have been described hererinabove for implementing the present invention, the exemplary embodiments described above are intended to facilitate the understanding of the present invention
15 and not intended to limit the present invention in its interpretation. The present invention may be modified and improved without departing from its spirits, and the equivalents thereof are included in the present invention.

[0075]

20 The present application claims priority to Japanese Patent Application No. 2013-090536 filed on April 23, 2013, and the entire disclosure of which is incorporated herein.

[0076]

[Industrial Applicability]

25 According to the present invention, setting or verification of a monitoring rule in response to a monitoring target environment can be supported.

[Reference signs List]

[0077]

	10	CPU
	20	storage device
5	30	communication interface
	40	input device
	50	output device
	60	drive device
	70	storage medium
10	110	situation information receiving unit
	120	retrieval unit
	130	output unit
	140	second situation information receiving unit
	150	situation information extracting unit
15	160	expression expansion unit
	170	third situation information receiving unit
	180	verification unit
	190	verified result output unit
	210	normal situation storage unit
20	220	synonym storage unit
	1000	information processing system
	2000	information processing system
	3000	information processing system
	4000	information processing system

CLAIMS

1. An information processing system comprising:

5 a situation information receiving unit which receives an input of situation information indicating a situation in a monitoring target environment;

a normal situation storage unit which stores environment information indicating the monitoring target environment in association with a set of situation information indicating a situation that is not abnormal in the monitoring target environment; and

10 a retrieval unit which, in response to receiving the input of the situation information indicating the information in the monitoring target environment, refers to the normal situation storage unit and retrieves the environment information associated with the set of the situation information that does not include the input situation information.

2. The information processing system according to claim 1 further comprising an output unit which outputs information in which the input situation information is associated with the retrieved environment information.

3. The information processing system according to claim 2, wherein the output unit further outputs information indicating that a situation indicated by the input situation information is an abnormal situation in the environment indicated by the output environment information.

4. The information processing system according to any one of

claims 1 to 3 further comprising:

a second situation information receiving unit which receives an input of information including the situation information; and

a situation information extracting unit which extracts situation
5 information from the information,

wherein the situation information receiving unit receives an input of the extracted situation information.

5. The information processing system according to any one of
10 claims 1 to 4 further comprising an expression expansion unit which extracts a synonym for a situation indicated by the input situation information, wherein the retrieval unit retrieves environment information associated with a set of the situation information which includes neither the input situation information nor the information extracted by the
15 expression expansion unit.

6. An information processing system comprising:

a third situation information receiving unit which receives an input of information in which environment information indicating a monitoring
20 target environment is associated with situation information indicating a situation in the monitoring target environment;

a normal situation storage unit which stores information in which the environment information indicating the monitoring target environment is associated with a set of situation information indicating a situation that
25 is not abnormal in the monitoring target environment; and

a verification unit which, in response to the input of the information being received by the third situation information receiving unit, refers to the normal situation storage unit, compares the set of the

situation information associated with environment information included in the input information to situation information included in the input information, and verifies whether or not there is matched situation information.

5

7. An information processing method comprising:

performed by a computer that can access a normal situation storage unit which stores environment information indicating a monitoring target environment in association with a set of situation information indicating a situation that is not abnormal in the monitoring target information, the set of the situation information being selected out of pieces of situation information indicating a situation in the monitoring target environment,

10

receiving an input of the situation information indicating a situation in the monitoring target information; and

15

in response to receiving the input of the situation information, referring to the normal situation storage unit and retrieving environment information associated with a set of the situation information that does not include the input situation information.

20

8. A computer readable storage medium storing a program that causes a computer that can access a normal situation storage unit which stores environment information indicating a monitoring target environment in association with a set of situation information indicating a situation that is not abnormal in the monitoring target information, the set of the situation information being selected out of pieces of situation information indicating a situation in the monitoring target environment, to execute:

25

a process of receiving an input of the situation information indicating a situation in the monitoring target information; and

a process of, in response to receiving the input of the situation information, referring to the normal situation storage unit and retrieving environment information associated with a set of the situation information that does not include the input situation information.

5

9. An information processing method comprising:

performed by a computer that can access a normal situation storage unit which stores environment information indicating a monitoring target environment in association with a set of situation information indicating a situation that is not abnormal in the monitoring target information, the set of the situation information being selected out of pieces of situation information indicating a situation in the monitoring target environment,

10

receiving an input of information in which environment information indicating the monitoring target environment is associated with situation information indicating a situation in the monitoring target environment, and

15

in response to receiving the input of the information, referring to the normal situation storage unit, comparing a set of situation information associated with environment information included in the input information to situation information included in the input information, and verifying whether or not there is matched situation information.

20

10. A computer readable storage medium storing a program that causes a computer that can access a normal situation storage unit which stores environment information indicating a monitoring target environment in association with a set of situation information indicating a situation that is not abnormal in the monitoring target information, the set of the situation information being selected out of pieces of situation information

25

indicating a situation in the monitoring target environment, to execute:

a process of receiving an input of information in which environment information indicating the monitoring target environment is associated with situation information indicating a situation in the monitoring target
5 environment, and

a process of, in response to receiving the input of the information, referring to the normal situation storage unit, comparing a set of situation information associated with environment information included in the input information to situation information included in the input information, and
10 verifying whether or not there is matched situation information.