

Description

The present invention relates to a portable parking meter device and to a method of operating the same.

It is customary for local authorities and parking lot owners to charge fees for allowing drivers the use of parking spaces, in covered or open areas or along streets and in parking lots. The problem arises, when parking in different cities or in parking areas belonging to different parking authorities, of charging each driver for his use of the parking space and making sure that the charges will be credited to the proper authority or parking lot owner. This invention is essentially directed to solve this problem in connection with local authorities, e.g., municipalities, and reference will be made to them; however, private parking lot owners might also benefit from it. Fixed parking meters which are operated by coins do not solve the aforesaid problem and are limited in use by their very nature. Another solution consists in selling to the drivers parking cards, each of which can be used only for one parking, and which has means for marking thereon a day and the period of time in which the parking occurs. This solution, however, has many drawbacks. Each municipality must sell its own parking cards and those are not interchangeably usable for various municipalities, except in case of special agreements between them, which are in practice very limited. Furthermore, the exact parking time cannot be reckoned and a certain latitude must be afforded to the driver in marking the time in which the parking begins. The use of electronic parking cards, embodying a timer, has been suggested, whereby the start and the end of each parking time can be registered exactly, but even in this case the use of each card is limited to a specific area within the district of a local authority.

The present invention solves all the problems which have not been solved by the previously known methods and devices, and specifically provides a parking device which permits the driver to be debited for the exact parking time, and which can be used anywhere, independent of the local authority, within an area in which suitable arrangements have been made for the use of the parking device. Furthermore, the invention permits to establish differentiated tariffs for different parking locations, even within the area pertaining to a single local authority, thus affording a much more rational management of the parking spaces.

The invention also provides a method for operating the aforesaid parking device, which permits the exact allocation of the parking fees between the various authorities.

The general purpose of the invention, therefore, is to permit a driver who parks a car to be debited for the said parking time, to establish differentiated tariffs for different parking locations, and to allocate the

parking fees between the various authorities according to the areas in which the actual parking has occurred.

It is another purpose of the invention to permit operation of a parking device with a minimum power consumption, so that the batteries which energize the parking device may have the maximum useful life.

It is a further purpose of this invention to provide means whereby the parking device user may fully exploit the parking time which he has purchased.

It is still a further purpose of this invention to provide means for preventing interference of the user with the proper operation of the device and assuring that the actual parking time is properly paid for.

It is still a further purpose of this invention to provide means whereby the cards, which form a part of the parking device, instead of being exchangeable, may be disposable, and yet the parking fees may be properly allotted among the various authorities.

Other purposes of the invention will appear as the description proceeds.

EP-A-0 034 570 discloses a parking meter device which comprises an apparatus adapted to receive a magnetic card on which a parking credit is received. The apparatus measures the actual time elapsed in each parking by means of an electronic oscillator. In order to apply different parking tariffs, an auxiliary circuit may be actuated to divide the frequency of the oscillator to change the amount of pulses registered as parking time.

The portable parking meter device according to the invention comprises, in combination, a portable registering device and an exchangeable card to be used in conjunction therewith, said registering device having means for transmitting thereto coded information defining the parking authority to which the parking fees are to be credited and the applicable parking tariff and means for measuring the elapsed parking time, and is characterized in that it comprises means for incrementally measuring, in each parking (lot), parking charges by sequentially multiplying elapsed time units by said applicable parking tariff, means in said card for storing, for each parking authority, a zone balance indicating the sum to be credited to it, and means for adjourning said balance at each parking by adding to it said incrementally measured parking charges.

Preferably, any information stored in said card cannot be erased by the user.

Preferably, each card is provided with a code authorizing its use, and means are provided whereby, in the absence of said code the device will not operate and, more preferably, it will signal that it does not operate.

More preferably, means are provided in the registering device for indicating when the same is in operation and showing, while in operation, the tariff, the maximum parking time required, the authority and

other pertinent information whereby to permit checking that the parking is carried out in a proper manner and the corresponding parking fee is registered.

In particular, each parking card accommodates a given accumulated parking time. Specifically, the registering device is a device selected from a magnetic registering device, a laser registering device and the computerized RAM system using a smart card or a chip card.

Preferably, means are provided for permitting the parking to continue even after the time period which is registered on the card as "time stored", and which has been paid for when purchasing the card, has been exhausted, and to apply the excess time to a fresh parking card which will be later used in conjunction with the same registering device.

Preferably the registering device thereof is provided with a buffer memory in which the elaborated data are stored during the parking, the data which must be stored in the card being registered therein only at the end of the parking.

Preferably, in the device according to the invention are provided means for reading new parking parameters, such as time and tariff for each zone, from the exchangeable card and for updating the charging program accordingly.

In particular, the above device is provided with means for enabling the reading of any desired data from the registering device and/or the parking card from outside the car, by means of a suitable remote device.

Specifically, the registering device comprises a keyboard, a CPU, a clock, a display, a memory, and a card reader and writer.

More specifically, the parking device comprises means for adjourning the zone balance at each parking by directly transmitting to the parking card the incrementally measured parking charges.

Further, the parking device comprises means for adjourning the zone balance at each parking, which means include a buffer memory in the registering device for temporarily storing the incrementally measured parking charges and transmitting them to the parking card at the end of each parking.

Still further, the parking device is provided with security means for signalling a number or all the possible irregularities in the operation of the device.

The parking device also comprises detachable timing means synchronized with the parking timer and provided with alarm means to alert the driver of the approaching expiration of the parking time.

At last the parking device is provided with means for actuating the same by remote control.

The invention in another aspect thereof provides a method for registering parking fees and apportioning them among various parking authorities, comprising transmitting to a registering device coded information defining the parking authority to which the

parking fees are to be credited and the applicable parking tariff and measuring for each parking the elapsed parking time, characterized in that comprises incrementally measuring, in each parking (lot), parking charges by sequentially multiplying elapsed time units by said applicable parking tariff, storing in an exchangeable parking card, for each parking authority, a zone balance indicating the sum to be credited to it, adjourning said balance at each parking by adding to it said incrementally measured parking charges.

Preferably, the method comprises setting the number of time units and parking time to zero, starting to measure the parking time intermittently checking the elapsed parking time against the value of one time unit, if such a value has not been reached, continuing the aforesaid operations, if said value has been reached, multiplying it by the parking tariff whereby to determine a time charged increment, storing said time charged increment, setting the number of parking units back to zero while keeping the parking time equal to its preceding value, and continuing the said operations until the parking time has reached or exceeded its maximum value.

Preferably, the method comprises adjourning the zone balance at each parking by directly transmitting to the parking card the incrementally measured parking charges.

At last, the method preferably comprises adjourning the zone balance at each parking by temporarily storing the incrementally measured parking charges in a buffer memory in the registering device and transmitting them to the parking card at the end of each parking.

Other features of the device and method according to preferred embodiments of the invention will be described hereinafter. The invention will be better understood from a description of preferred embodiments, with reference to the attached drawings, wherein:

Fig. 1 is a schematic illustration of a device according to an embodiment of the invention, seen in essentially vertical perspective view;

Fig. 2 is a flow chart illustrating the starting process of a device according to an embodiment of the invention;

Fig. 3 is a flow chart illustrating the phases of the operation of a device according to an embodiment of the invention;

Fig. 4 is a flow chart illustrating the phases of the operation of a device according to another embodiment of the invention;

Fig. 5 is a block diagram schematically illustrating the structure of a device according to a preferred embodiment of the invention; and

Fig. 6 is a schematic illustration of an operational network based on the use of devices according to the invention.

The parking device according to an embodiment

of the invention, as illustrated in Fig. 1, comprises a portable registering device 10 and a parking card 11. In the embodiment shown, the card 11 is introduced into a slot of the registering device 12; however it could be introduced in other ways, e.g. into a seat closed by a cover which protects both the card and the device from dust and contamination. Since the "time rate" (TR) is associated with each parking location and optionally to each period of the day in which the parking takes place, the number of parking hours shown on the parking card, hereinafter called "time stored" (TS), will correspond to a standard TR. Said standard TR will usually be 1, but need not be necessarily so.

The registration of the information may occur in various ways. The most conventional way is use of a magnetic card, on which information is stored in ways that are well known to persons skilled in the art and are currently applied in magnetic cards, and therefore need not be described. Alternatively, the information may be registered by means of laser beams, by using, e.g., the technique which is employed in compact discs and in other laser techniques, and which is also well known to persons skilled in the art. A third registering method is the computerized RAM system using a "smart card" or a "chip card" equipped with memory and means to communicate with the registering device.

The information registered with each parking, in the embodiment illustrated, comprises first of all a code number which indicates the local authority to which the parking fee is to be paid and another code number which indicates the tariff and the time limit associated with that particular parking space. But if provision is made for differentiated parking fees in various parts of the area pertaining to the same local authority, then more than one code number will be associated with each local authority and each code number will determine both the authority and the tariff to be applied to each particular parking space.

To begin operation of the parking meter (Fig. 2) the driver will first of all introduce the parking card into the registering device, if it has not been done before, and set the device into operation by pressing a starting key, which is the "ON" key indicated by 15 in Fig. 1. At this point, a light or other signal will preferably appear on the registering device to indicate that the same is in operation. At this moment the time screen (display) 19 will show whatever information it is desired to show. Such information will usually comprise the number of parking hours which are stored in the card at the time, viz. the "time stored" TS, or another value in its stead, as explained e.g. in connection with the embodiment of Fig. 4. Then the device will preferably display from the memory the fixed (or last) zone code, parking code and maximum parking time allowed in that zone, viz. the "time limit" TL. If the displayed parking details remain unchanged, the driver

must reconfirm this by again pressing the "ON" key and the device will run accordingly, displaying on all screens the codes, so that any parking attendant or local authority official may ascertain that the parking fee is being correctly registered. The time passed, hereinafter called "time parked" TP, may also be shown on the display, or may not be shown. Changes in parking details must be made before the reconfirmation. Pressing mode key 17 brings cursor to the desired digit. Adjust key 16 changes the code number of this particular digit. Alternatively the device will be equipped with a full keyboard, which will enable e.g. the driver to recall on the display the TS and the TL, when he so wishes, and to change easily said parking details.

The registering device will include a time indicator (clock, see Fig. 5), e.g., a crystal or quartz oscillator such as is used in quartz watches. However, the time which is registered on the card, hereinafter called "time charged" TC will not be, or will not always be, the real TP, but will be multiplied by a coefficient - the "time rate" TR - which corresponds to the tariff chosen. In other words, the time charged for the parking will be proportional but not equal to the real time. Any change in the parking code changes the tariff TR and the maximum allowed parking TL time simultaneously. Nevertheless, it is possible to change the TL, especially by reducing it and adjusting it to the driver's parking time estimation.

Choosing the proper zone code (local municipality) is very important as it influences the parking fees allocation among the participating parking authorities. After adjusting parking codes and other details, the "ON" key should again be pressed to reconfirm the codes and start operation of the meter.

Pressing residence key 20 gives zone residents a special parking fee. Key 20 should be pressed before reconfirmation. The device will store in its memory that this particular zone should be charged with the resident's fee, in all future parking. At this point the timer that is incorporated in the registering device will begin to count up the parking time from zero to the maximum parking time selected, as can be shown on the screen indicated by 19. A buzzer will sound every few minutes to remind the driver to stop the parking device in the event of an early return.

If the driver desires to stop the parking and to leave the card inside the registering device, he will deactivate the device by pressing "OFF" key 18. Otherwise, the parking will stop when the chosen parking time has elapsed and the timer has reached the time limit, or when the card is removed. At this point, desirably, the registering device will sound an alarm, or will activate a visual warning signal or stop the displays, and the parking attendant or authorized official will be able to see that the device is no longer operating, viz., that the allotted parking time has been exceeded. If the maximum parking time is not entirely

consumed, the registering device will register on the card the actual parking time, possibly rounded off to a certain fixed time, e.g., a minute or number of minutes.

The operation of the device according to the embodiment so far described is better illustrated by the flow chart of Fig. 3. It is assumed that at the beginning TS is greater than zero, otherwise the use of card will not be allowed. At the starting point TU and TP are both zeroed and the device begins to count up according to the actual time. When the time which has passed equals or exceeds a predetermined time unit TU, which may be one or more seconds, the device multiplies said TU by the applicable time rate TR and calculates thus a time charged TC, which is registered in the registering device. TC is then deducted from the time stored to produce an updated TS and is summed to the registered credit referring to the particular parking zone in which the parking takes place, viz. the "zone balance" ZB to produce an updated zone balance ZB. The said operations are repeated until the device is stopped, either because the time limit TL has been exceeded or because the user has actuated the OFF key.

According to a preferred embodiment of the device, the same may continue to operate even after the maximum parking time TL has elapsed. In this case, however, a higher time rate TR will apply as a penalty, or possibly, a number of different TRs will apply to successive periods of time. However parking will not generally be allowed beyond a maximum TL; and if this is exceeded, the parking meter will signal this fact in a suitable way, e.g. by an optical and/or acoustic "illegal parking" signal or by shutting off the display.

In the embodiment hereinbefore described, the parking meter will stop operating, and will signal this in any suitable way, when the time charged TC equals the time stored TS. However in another preferred embodiment of the invention, the parking meter may continue to operate and will then register the amount of time charged which exceeds the time stored, viz. TC-TS, as "time due" TD. This will remain in the parking meter's memory and when the next parking card is introduced therein, the operation described in the flow chart of Fig. 3 will start after the TD has been subtracted from the TS and added to the ZB which is to be credited for the parking which has produced the said TD.

According to another embodiment of the invention, the parking meter will check all the data that are relevant to the maximum parking time TL and to the time rate TR against the data that are registered on the card. If there is a difference, the data registered on the card will be introduced into the memory of the registering device and will be used from then on. In this way all changes in tariffs or other conditions of the various parking zones are automatically registered by the parking meter, since they will be embodied

in the parking cards issued after said changes have occurred.

It is possible to include in the registering device a watch and a calendar and to register all details of the parkings in the memory of the registering device, under the appropriate time periods. This may permit verification of parking violations with which the driver may have been erroneously charged or, at any rate, to provide a record that may be useful for a number of other reasons. Other instructions may thus be given to the meter, including changes in tariffs and other data, depending on the time of the day.

According to another preferred embodiment of the invention, the flow chart of which is illustrated schematically in Fig. 4, the registering device is provided with a buffer memory for storing temporarily all the data connected with the operation of the device, until the end of the parking is reached, at which time the pertinent data will be transferred to the parking card. The parking card has stored therein, besides the accumulated time charged TC' and the time stored TS, a number of time rates TR and time limits TL, which are grouped according to parking zones. More than one TR and/or TL may be stored in the card for each parking zone, for the following reasons. Firstly, TR and/or TL may change according to the time at which the parking starts; for instance, a lower TR may be attributed to night parking. Further, it may be desirable to vary the TR as the time parked TP increases. E.g., TR may have a certain value for TP up to 1 hour, a greater value for TP between 1 and 2 hours, and so on. For each zone there will generally be set a maximum allowable time, the time limit TL above which parking is not allowed even with increased TR.

In this embodiment, the time debt TD may be stored in the memory of the registering device. When this is started by depressing the ON key, the registering device will read from the card the accumulated TC' and will add to it the TD, if any, and the resulting value will be stored in the card in place of the original TC' to produce an "adjusted" TC' indicated herein-after as TC". If TC" is equal to or greater than TS, the registering device will cease operating and will signal, in any suitable way, that the card is empty, even though the original TS was greater than TC'. While adding TD to TC', the registering device will at the same time update the applicable ZB due to the zone to which the TD refers.

Before starting the registering device by confirming the setting, the driver will have entered the parking zone code, as in the previously described embodiment. The registering device will read from the card all the data relative to that code and store them in the buffer memory. Among those data will be the initial TR and the parking times TP at which the TR changes. In the embodiment described herein it will be assumed that there is only one such change, viz., there are only two possible values of TR, and the pas-

sage from one TR to the next, which will be indicated with TR', will occur when TP reaches a value which will be indicated by TP'. Apart from the change in the value of TR which may occur more than once, although in the embodiment described it is assumed to occur only once, the device will operate substantially as that of the previous embodiment and as illustrated in the flow charts of Figs. 2 and 3, except that no feedback to the card occurs until the parking time limit TL has been reached or the OFF key is depressed. When said event happens, the following operations occur automatically. If the TC is smaller than the TS, it is entered in the card. If it is greater, the registering device will enter in its memory the difference $TC' - TS = TD$ and will invalidate the card, e.g., by making $TS = 0$ in the same. The registering device will be provided with an additional mode in which it will read from the card the TS and the TC' and show on the display the adjusted TS, equal to $TS - TC' - TD$. Since the card will normally be kept inside the registering device until it is exhausted, the user may know at any moment how much parking time remains at his disposal in the card. Otherwise he will ascertain it at the beginning of the parking.

In this embodiment, therefore, the registering device's operation will not stop when the actual time stored is exhausted, but may continue, the negative difference TD being stored therein and subtracted automatically from the next parking card. A maximum allowable value of TD may be stored in the registering device's memory, and if it is exceeded, the device will signal in any suitable way that the parking has become illegal.

If the card is removed from the registering device while operating, the TC of the present parking will be stored in the buffer memory and marked as TD, and the registering device will signal an illegal parking or will stop operating. After the card has been returned and the registering device has been restarted, it will behave as described hereinbefore.

Fig. 5 is a block diagram illustrating the structure of a registering device according to a preferred embodiment of the invention. The registering device 10 is powered by batteries, not indicated, and essentially comprises a CPU, a keyboard, a clock, a display, a card reader and writer and a memory. It may of course comprise additional components.

The driver gives instructions to the CPU and directly to the display by means of the keyboard. The display may also receive data from the memory for the purpose of rendering them visible. The CPU controls the clock and receives impulses therefrom, and further receives data from the smart card and from the memory and transmits data to it. The smart card 11 receives data from the memory and transmits to it the required data. The aforesaid general schematic structure is adapted to a plurality of embodiments of the invention and can be made to perform according

to a variety of operative flow diagrams, by suitable adaptation and programming, which are well within the capabilities of persons skilled in the art.

Fig. 6 illustrates how the use of the parking meter is administered. A central authority produces and distributes the parking cards. The cards are purchased by the drivers and are used for parking, in connection with the parking service which is supplied by the competent authorities. By marking the zone code of the local authority during parking, the driver assigns to it the income which should accrue to it, the "potential income". When the card is exhausted, it is returned, the data registered on it are read, suitable calculations are made therefrom, and the income due to each authority is calculated and is finally allocated.

According to a preferred form of the invention, a central authority, which may operate on a state-wide basis, will produce the parking meter devices and the parking cards and provide for their distribution. Parking cards will be offered to the drivers at a certain price, which will reflect the amount of parking time stored on the card, but this price will be paid only for a substitute (refill) card, which will be obtained by returning the previous card. The price of the first card should naturally be higher to insure that the exhausted card is returned. The driver will use the card, and when it is exhausted will exchange it for a fresh one. The exhausted card will be read by a suitable reading device and parking times marked thereon will be divided among the various authorities by suitable organizational arrangements, to find the proportions in which the income from the sales of the parking cards will be shared by the participating parking authorities, taking into account that a number of cards are lost or destroyed, or otherwise not returned.

For economical reasons, it may be desirable to reuse the already-exhausted parking cards, viz., to erase their content and redistribute them. Now, in this case, means must be provided to prevent the driver from erasing the information registered on the card and using it repeatedly. This can be achieved by registering on the card a code which is only known to the proper authorities and in the absence of which the card will not be operative and a signal will be transmitted to the local registering device, so that this will show that the parking operations are not being carried out, and optionally sound an alarm.

Alternatively, the parking card may be such that it can be used only once, or in other words the information may be registered in an uneraseable way.

Certain optional features may be provided in a device according to the invention. For instance, a second twin removable small timer can be used, which will be set up simultaneously while setting the park timer and can be taken by the driver. This timer will sound an alarm some minutes before the parking time expires. The device may be provided with a remote control that will permit to operate it or to renew its op-

eration from a distance. The device may also be so arranged that the parking card may be removed from it, after the device is set in operation. In this case, a single card may be passed from driver to driver and may be used for different cars. In order to prevent counterfeiting of the parking cards, a suitable code may be provided thereon for authentication. The code may be sufficiently complex so that it will be known only to authorized officials. If a card is not provided with that code, the registering device will reject it or refuse to operate and show a suitable alarm signal. Furthermore, a personal code, e.g., a "password", can be included in the device, which can be changed at will by the user. Such a password may be useful, e.g., to avoid unauthorized use of the meter and to render it unattractive to steal the parking meter, as a stolen device cannot be utilized without knowledge of the password.

While some aspects of the invention and preferred embodiments have been illustrated, it will be obvious that the invention may be carried out in many other different ways, and with many modifications and adaptations within the capabilities of persons skilled in the art. For instance, the registering device and the exchangeable card may be joined into a single unit or piece, and time parking and zone codes can be marked in the memory until they fully fill it, and the unit can be then replaced by a new unit, the remainder of the process remaining unchanged. In another instance, the exchangeable card may be an electronic chip or card which can be removed from the main body of the unit and replaced. Many additional possible solutions within the scope of the claims will be apparent to the skilled person.

Claims

1. Portable parking device, comprising, in combination, a portable registering device (10) and an exchangeable card (11) to be used in conjunction therewith, said registering device having means (19) for transmitting thereto coded information defining the parking authority, to which the parking fees are to be credited, and the applicable parking tariff and means for measuring the elapsed parking time, characterized in that it comprises means for incrementally measuring, in each parking (lot), parking charges by sequentially multiplying elapsed time units by said applicable tariff, means in said card for storing, for each parking authority, a zone balance indicating the sum to be credited to it, and means for adjoining said balance at each parking by adding to it said incrementally measured parking charges.

2. Portable parking device according to claim 1,

wherein any information stored in said card cannot be erased by the user.

3. Parking device according to claim 1, wherein each card (11) is provided with a code authorizing its use, and means are provided whereby, in the absence of said code the device will not operate and preferably it will signal that it does not operate.

4. Parking device according to any one of the preceding claims, wherein means are provided in the registering device for indicating when the same is in operation and showing while in operation the tariff, the maximum parking time required, the authority and other pertinent information whereby to permit checking that the parking is being carried out in a proper manner and the corresponding parking fee is registered.

5. Parking device according to any one of the preceding claims, wherein each parking card accommodates a given accumulated parking time.

6. Parking device according to any one of the preceding claims, wherein the registering device is a device selected from a magnetic registering device, a laser registering device and the computerized RAM system using a smart card or a chip card.

7. Parking device according to any one of the preceding claims, characterized in that means are provided for permitting the parking to continue even after the time period which is registered on the card as "time stored", and which has been paid for when purchasing the card, has been exhausted, and to apply the excess time to a fresh parking card which will be later used in conjunction with the same registering device.

8. Parking device according to any one of the preceding claims, characterized in that the registering device thereof is provided with a buffer memory in which the elaborated data are stored during the parking, the data which must be stored in the card being registered therein only at the end of the parking.

9. Parking device according to claim 1, wherein means are provided for reading new parking parameters, such as time and tariff for each zone, from the exchangeable card and for updating the charging program accordingly.

10. Parking device according to any one of the preceding claims, characterized in that means are provided for enabling reading any desired data

eration from a distance. The device may also be so arranged that the parking card may be removed from it, after the device is set in operation. In this case, a single card may be passed from driver to driver and may be used for different cars. In order to prevent counterfeiting of the parking cards, a suitable code may be provided thereon for authentication. The code may be sufficiently complex so that it will be known only to authorized officials. If a card is not provided with that code, the registering device will reject it or refuse to operate and show a suitable alarm signal. Furthermore, a personal code, e.g., a "password", can be included in the device, which can be changed at will by the user. Such a password may be useful, e.g., to avoid unauthorized use of the meter and to render it unattractive to steal the parking meter, as a stolen device cannot be utilized without knowledge of the password.

While some aspects of the invention and preferred embodiments have been illustrated, it will be obvious that the invention may be carried out in many other different ways, and with many modifications and adaptations within the capabilities of persons skilled in the art. For instance, the registering device and the exchangeable card may be joined into a single unit or piece, and time parking and zone codes can be marked in the memory until they fully fill it, and the unit can be then replaced by a new unit, the remainder of the process remaining unchanged. In another instance, the exchangeable card may be an electronic chip or card which can be removed from the main body of the unit and replaced. Many additional possible solutions within the scope of the claims will be apparent to the skilled person.

Claims

1. Portable parking device, comprising, in combination, a portable registering device (10) and an exchangeable card (11) to be used in conjunction therewith, said registering device having means (19) for transmitting thereto coded information defining the parking authority, to which the parking fees are to be credited, and the applicable parking tariff and means for measuring the elapsed parking time, characterized in that it comprises means for incrementally measuring, in each parking (lot), parking charges by sequentially multiplying elapsed time units by said applicable tariff, means in said card for storing, for each parking authority, a zone balance indicating the sum to be credited to it, and means for ad-journing said balance at each parking by adding to it said incrementally measured parking charges.

2. Portable parking device according to claim 1,

wherein any information stored in said card cannot be erased by the user.

3. Parking device according to claim 1, wherein each card (11) is provided with a code authorizing its use, and means are provided whereby, in the absence of said code the device will not operate and preferably it will signal that it does not operate.

4. Parking device according to any one of the preceding claims, wherein means are provided in the registering device for indicating when the same is in operation and showing while in operation the tariff, the maximum parking time required, the authority and other pertinent information whereby to permit checking that the parking is being carried out in a proper manner and the corresponding parking fee is registered.

5. Parking device according to any one of the preceding claims, wherein each parking card accommodates a given accumulated parking time.

6. Parking device according to any one of the preceding claims, wherein the registering device is a device selected from a magnetic registering device, a laser registering device and the computerized RAM system using a smart card or a chip card.

7. Parking device according to any one of the preceding claims, characterized in that means are provided for permitting the parking to continue even after the time period which is registered on the card as "time stored", and which has been paid for when purchasing the card, has been exhausted, and to apply the excess time to a fresh parking card which will be later used in conjunction with the same registering device.

8. Parking device according to any one of the preceding claims, characterized in that the registering device thereof is provided with a buffer memory in which the elaborated data are stored during the parking, the data which must be stored in the card being registered therein only at the end of the parking.

9. Parking device according to claim 1, wherein means are provided for reading new parking parameters, such as time and tariff for each zone, from the exchangeable card and for updating the charging program accordingly.

10. Parking device according to any one of the preceding claims, characterized in that means are provided for enabling reading any desired data



from the registering device and/or the parking card from outside the car, by means a suitable remote device.

11. Parking device according to claim 1, characterized in that the registering device comprises a keyboard, a CPU, a clock, a display, a memory, and a card reader and writer. 5
12. Parking device according to claim 1, comprising means for adjourning the zone balance at each parking by directly transmitting to the parking card the incrementally measured parking charges. 10
13. Parking device according to claim 1, comprising means for adjourning the zone balance at each parking, which means include a buffer memory in the registering device for temporarily storing the incrementally measured parking charges and transmitting them to the parking card at the end of each parking. 15 20
14. Parking device according to any one of the claims 1 to 12, provided with security means for signalling a number or all the possible irregularities in the operation of the device. 25
15. Parking device according to any one of the claims 1 to 12, comprising detachable timing means synchronized with the parking timer and provided with alarm means to alert the driver of the approaching expiration of the parking time. 30
16. Parking device according to any one of the claims 1 to 12, provided with means for actuating the same by remote control. 35
17. Method for registering parking fees and apportioning them among various parking authorities, comprising transmitting to a registering device coded information defining the parking authority to which the parking fees are to be credited and the applicable parking tariff and measuring for each parking the elapsed parking time, characterized in that comprises incrementally measuring, in each parking (lot), parking charges by sequentially multiplying elapsed time units by said applicable parking tariff, storing in an exchangeable parking card, for each parking authority, a zone balance indicating the sum to be credited to it, adjourning said balance at each parking by adding to it said incrementally measured parking charges. 40 45 50
18. Method according to claim 17, comprising setting the number of time units and parking time to zero, starting to measure the parking time intermittent-

ly checking the elapsed parking time against the value of one time unit, if such a value has not been reached, multiplying it by the parking tariff whereby to determine a time charged increment, storing said time charged increment, setting the number of parking units back to zero while keeping the parking time equal to its preceding value, and continuing the said operations until the parking time has reached or exceeded its maximum value.

19. Method according to claim 17, comprising adjourning the zone balance at each parking by directly transmitting to the parking card the incrementally measured parking charges.

20. Method according to claim 17, comprising adjourning the zone balance at each parking by temporarily storing the incrementally measured parking charges in a buffer memory in the registering device and transmitting them to the parking card at the end of each parking.

Patentansprüche

1. Tragbare Parkvorrichtung umfassend in Kombination eine tragbare Registriervorrichtung (10) und eine austauschbare Karte (11), welche in Verbindung damit zu benutzen ist, wobei die Registriervorrichtung eine Einrichtung (19) hat zum Übertragen von kodierter Information dorthin zum Definieren der Parkbehörde, an die die Parkgebühren gutzuschreiben sind, und des anwendbaren Parktarifs und mit einer Einrichtung zum Messen der verstrichenen Parkzeit, dadurch gekennzeichnet, daß sie eine Einrichtung umfaßt zum inkrementalen Messen bei jedem Park(platz) von Parkgebühren durch sequentielles Multiplizieren verstrichener Zeiteinheiten mit dem anwendbaren Tarif, eine Einrichtung in der Karte zum Speichern für jede Parkbehörde einer Zonenbilanz zum Anzeigen der Summe, der für sie zu gutzuschreiben ist, und eine Einrichtung zum Anpassen der Bilanz bei jedem Parken durch Addieren der inkremental gemessenen Parkgebühren dazu.
2. Tragbare Parkvorrichtung nach Anspruch 1, dadurch gekennzeichnet, daß jegliche Information, die gespeichert ist auf der Karte, nicht durch den Benutzer ausgelöscht werden kann.
3. Parkvorrichtung nach Anspruch 1, dadurch gekennzeichnet, daß jede Karte (11) versehen ist mit einem Code zur Autorisierung ihrer Benutzung, und Einrichtungen vorgesehen sind, wodurch in Abwesenheit des Codes die Vorrichtung



nicht arbeiten wird und sie vorzugsweise signalisieren wird, daß sie nicht arbeitet.

4. Parkvorrichtung nach einem der vorliegenden Ansprüche, dadurch gekennzeichnet, daß Einrichtungen vorgesehen sind in der Registriervorrichtung zum Anzeigen, wenn dieselbe in Betrieb ist, und Zeigen während des Betriebs von dem Tarif, der maximal erforderlichen Parkzeit, der Behörde und anderer wichtiger Information, wodurch sie eine Prüfung zulässt, daß das Parken ausgeführt wird in einer geeigneten Art und Weise und die entsprechende Parkgebühr registriert wird.
5. Parkvorrichtung nach einem der vorhergehenden Ansprüche, dadurch gekennzeichnet, daß jede Parkkarte eine vorgegebene akkumulierte Parkzeit beherbergt.
6. Parkvorrichtung nach einem der vorhergehenden Ansprüche, dadurch gekennzeichnet, daß die Registriervorrichtung eine Vorrichtung ist, welche ausgewählt ist aus einer magnetischen Registriervorrichtung, einer Laseregistriervorrichtung und dem computerisierten RAM System unter Benutzung einer intelligenten Karte oder einer Chip-Karte.
7. Parkvorrichtung nach einem der vorhergehenden Ansprüche, dadurch gekennzeichnet, daß Einrichtungen vorgesehen sind zum Zulassen, daß Parken andauert, sogar nachdem die Zeitperiode, welche registriert ist auf der Karte als "Gespeicherte Zeit", und welche bezahlt worden ist beim Kauf der Karte, abgelaufen ist, und zum Anlegen der übermäßigen Zeit an eine frische Parkkarte, welche später benutzt werden wird in Zusammenhang mit der gleichen Registriervorrichtung.
8. Parkvorrichtung nach einem der vorhergehenden Ansprüche, dadurch gekennzeichnet, daß die Registriervorrichtung davon versehen ist mit einem Pufferspeicher in dem die ausgearbeiteten Daten gespeichert werden während des Parkens, wobei die Daten, welche gespeichert werden müssen in der Karte, nur am Ende des Parkens registriert werden.
9. Parkvorrichtung nach Anspruch 1, dadurch gekennzeichnet, daß eine Einrichtung vorgesehen ist zum Lesen neuer Parkparameter, wie z.B. Zeit und Tarif für jede Zone, von der austauschbaren Karte und zum Auffrischen des Ladeprogramms in dementsprechender Weise.
10. Parkvorrichtung nach einem der vorhergehenden

den Ansprüche, dadurch gekennzeichnet, daß eine Einrichtung vorgesehen ist zum Ermöglichen eines Lesens jeglicher erwünschter Daten von der Registriervorrichtung und/oder der Parkkarte von außerhalb des Kraftfahrzeuges mittels einer geeigneten entfernten Vorrichtung.

11. Parkvorrichtung nach Anspruch 1, dadurch gekennzeichnet, daß die Registriervorrichtung eine Tastatur, eine CPU, eine Zeittakteinrichtung, eine Anzeige, einen Speicher und einen Kartenleser und -schreiber umfaßt.
12. Parkvorrichtung nach Anspruch 1, gekennzeichnet durch eine Einrichtung zum Anpassen der Zonenbilanz bei jedem Parken durch direktes Übertragen der inkremental gemessenen Parkgebühren an die Parkkarte.
13. Parkvorrichtung nach Anspruch 1, gekennzeichnet durch eine Einrichtung zum Anpassen der Zonenbilanz nach jedem Parken, welche einen Pufferspeicher beinhaltet in der Registriervorrichtung zum temporären Speichern der inkremental gemessenen Parkgebühren und Übertragen davon an die Parkkarte am Ende jedes Parkens.
14. Parkvorrichtung nach einem der Ansprüche von 1 - 12, gekennzeichnet durch eine Sicherheitseinrichtung zum Signalisieren einer Anzahl oder aller möglicher Irregularitäten in dem Betrieb der Vorrichtung.
15. Parkvorrichtung nach einem der Ansprüche 1 - 12, gekennzeichnet durch eine abnehmbare Zeitgebereinrichtung, synchronisiert mit dem Parkzeitgeber und versehen mit einer Alarmeinrichtung zum Alarmieren des Fahrers über den annähernden Ablauf der Parkzeit.
16. Parkvorrichtung nach einem der Ansprüche 1 - 12, gekennzeichnet durch eine Einrichtung zum Betätigen derselben durch Fernsteuerung.
17. Verfahren zum Registrieren von Parkgebühren und Zuteilen davon an verschiedene Parkbehörden, umfassend Übertragen kodierter Information an eine Registriervorrichtung, welche die Parkbehörde definiert, an die die Parkgebühren gutzuschreiben sind, und den anwendbaren Parktarif und Messen für jedes Parken der verstrichenen Parkzeit, dadurch gekennzeichnet, daß es umfaßt: inkrementales Messen bei jedem Park(platz) von Parkgebühren durch sequentielles Multiplizieren verstrichener Zeiteinheiten mit dem anwendbaren Parktarif, Speichern in einer austauschbaren Parkkarte für jede Parkbehörde einer Zonenbi-



lanz zum Anzeigen der daran gutzuschreibenden Summe, Anpassen der Bilanz bei jedem Parken durch dazu Addieren der inkremental gemessenen Parkgebühren.

18. Verfahren nach Anspruch 17, gekennzeichnet durch Setzen der Anzahl der Zeiteinheiten und Parkzeit auf Null, Starten des Messens der Parkzeit unter intermittierendem Prüfen der verstrichenen Parkzeit gegen den Wert einer Zeiteinheit, falls solch ein Wert nicht erreicht worden ist, Multiplizieren davon mit dem Parktarif, um dadurch ein Zeitgebühreninkrement zu bestimmen, Speichern des Zeitgebühreninkrements, Setzen der Anzahl von Parkeinheiten zurück auf Null, während Behalten der Parkzeit gleich ihrem vorhergehenden Wert und Fortsetzen der Operationen, bis die Parkzeit ihren Maximalwert erreicht oder überschritten hat.
19. Verfahren nach Anspruch 17, gekennzeichnet durch Anpassen der Zonenbilanz bei jedem Parken durch direktes Übertragen der inkremental gemessenen Parkgebühren an die Parkkarte.
20. Verfahren nach Anspruch 17, gekennzeichnet durch Anpassen der Zonenbilanz bei jedem Parken durch temporäres Speichern der inkremental gemessenen Parkgebühren in einem Pufferspeicher der Registriervorrichtung und Übertragen davon an die Parkkarte bei dem Ende jedes Parkens.

Revendications

1. Dispositif portable de stationnement, comprenant, en combinaison, un dispositif portable d'enregistrement (10) et une carte échangeable (11) destinée à être utilisée avec celui-ci, ledit dispositif d'enregistrement disposant de moyens (19) pour lui transmettre des informations codées définissant l'organisme responsable du parking, à qui les droits de stationnement doivent être crédités, et le tarif de stationnement applicable et des moyens pour mesurer le temps de stationnement écoulé, caractérisé en ce qu'il comporte des moyens pour mesurer par incréments, dans chaque emplacement de stationnement, des droits de stationnement, par multiplication séquentielle d'unités de temps écoulé par ledit tarif applicable, des moyens dans ladite carte pour stocker, pour chaque organisme de parking, un solde par zone indiquant le montant devant lui être crédité, et des moyens pour reporter ledit solde pour chaque stationnement en l'additionnant auxdits droits de stationnement mesurés par incréments.

2. Dispositif portable de stationnement selon la revendication 1, dans lequel toute information stockée dans ladite carte ne peut être effacée par l'utilisateur.

3. Dispositif de stationnement selon la revendication 1, dans lequel chaque carte (11) est munie d'un code qui en autorise l'utilisation, et des moyens sont prévus grâce auxquels, en l'absence dudit code, le dispositif ne fonctionnera pas et, de préférence, signalera le fait qu'il ne fonctionne pas.

4. Dispositif de stationnement selon l'une quelconque des revendications précédentes, dans lequel il est prévu, dans le dispositif d'enregistrement, des moyens pour indiquer lorsque celui-ci fonctionne et pour montrer, durant le fonctionnement, le tarif, la durée maximum de stationnement requise, l'organisme responsable et toutes autres informations pertinentes permettant de vérifier que le stationnement se déroule d'une manière normale et que les droits de stationnement correspondants sont enregistrés.

5. Dispositif de stationnement selon l'une quelconque des revendications précédentes, dans lequel chaque carte de stationnement comporte une durée de stationnement cumulée prédéterminée.

6. Dispositif de stationnement selon l'une quelconque des revendications précédentes, dans lequel le dispositif d'enregistrement est un dispositif sélectionné parmi un dispositif d'enregistrement magnétique, un dispositif d'enregistrement à laser et le système informatique à mémoire RAM faisant appel à une carte à microprocesseur ou carte à puce.

7. Dispositif de stationnement selon l'une quelconque des revendications précédentes, caractérisé en ce qu'il est prévu des moyens pour permettre la continuation du stationnement même après l'épuisement de la durée enregistrée sur la carte en tant que "durée stockée" et qui a été acquittée lors de l'achat de la carte, et pour imputer la durée supplémentaire sur une nouvelle carte de stationnement qui sera utilisée par la suite conjointement avec le même dispositif d'enregistrement.

8. Dispositif de stationnement selon l'une quelconque des revendications précédentes, caractérisé en ce que le dispositif d'enregistrement de celui-ci comporte une mémoire tampon dans laquelle les données élaborées sont stockées pendant le stationnement, les données devant être stockées sur la carte n'y étant enregistrées qu'à la fin du stationnement.



* C L M S *

9. Dispositif de stationnement selon la revendication 1, caractérisé en ce qu'il est prévu des moyens pour lire de nouveaux paramètres de stationnement tels que la durée et le tarif par zone, à partir de la carte échangeable, et pour mettre à jour le programme de chargement en conséquence. 5
10. Dispositif de stationnement selon l'une quelconque des revendications précédentes, caractérisé en ce qu'il est prévu des moyens pour permettre la lecture de toutes données souhaitées sur le dispositif d'enregistrement et/ou la carte de stationnement depuis l'extérieur de la voiture, à l'aide d'un dispositif éloigné approprié. 10 15
11. Dispositif de stationnement selon la revendication 1, caractérisé en ce que le dispositif d'enregistrement comporte un clavier, une unité centrale, une horloge, un afficheur, une mémoire, et un moyen de lecture/écriture de carte. 20
12. Dispositif de stationnement selon la revendication 1, comportant des moyens pour reporter le solde par zone pour chaque stationnement par transmission directe à la carte de stationnement des droits de stationnement mesurés par incréments. 25
13. Dispositif de stationnement selon la revendication 1, comportant des moyens pour reporter le solde par zone pour chaque stationnement, lesquels moyens comprenant une mémoire tampon dans le dispositif d'enregistrement destinée à stocker temporairement les droits de stationnement mesurés par incréments et à les transmettre à la carte de stationnement après chaque stationnement. 30 35
14. Dispositif de stationnement selon l'une quelconque des revendications 1 à 12, comprenant des moyens de sécurité pour signaler un numéro ou toutes les anomalies possibles dans le fonctionnement du dispositif. 40
15. Dispositif de stationnement selon l'une quelconque des revendications 1 à 12, comprenant des moyens de chronométrage détachables synchronisés avec le chronomètre du parking et munis de moyens d'alarme destinés à prévenir le conducteur de l'expiration prochaine de la durée de stationnement. 45 50
16. Dispositif de stationnement selon l'une quelconque des revendications 1 à 12, comprenant des moyens destinés à activer les moyens ci-dessus par télécommande. 55
17. Méthode d'enregistrement de droits de stationnement et de répartition de ceux-ci entre différents organismes de parking, comportant la transmission, à un dispositif d'enregistrement, d'informations codées définissant l'organisme de parking à qui les droits de stationnement doivent être crédités et le tarif de stationnement applicable, et mesurant, pour chaque emplacement de parking, le temps de stationnement écoulé, caractérisé en ce qu'elle comporte la mesure par incréments, pour chaque emplacement de parking, de droits de stationnement par la multiplication séquentielle d'unités de temps écoulé par ledit tarif de stationnement applicable, le stockage, sur une carte de stationnement échangeable, pour chaque organisme de parking, d'un solde par zone indiquant le montant devant lui être crédité, le report dudit solde à chaque stationnement en l'additionnant auxdits droits de stationnement mesurés par incréments.
18. Méthode selon la revendication 17, comprenant la remise à zéro du nombre d'unités de temps et de la durée de stationnement, le commencement de la mesure de la durée de stationnement tout en vérifiant par intermittence le temps de stationnement écoulé par rapport à la valeur d'une unité de temps, si une telle valeur n'a pas été atteinte, la multiplication de celle-ci par le tarif de stationnement pour ainsi déterminer un incrément taxé en fonction de la durée, le stockage dudit incrément taxé en fonction de la durée, la remise à zéro du nombre d'unités de stationnement tout en maintenant la durée de stationnement égale à sa valeur précédente, et la continuation desdites opérations jusqu'à ce que la durée de stationnement atteigne ou dépasse sa valeur maximale.
19. Méthode selon la revendication 17, comprenant le report du solde par zone après chaque stationnement par transmission directe à la carte de stationnement des droits de stationnement mesurés par incréments. 45
20. Méthode selon la revendication 17, comprenant le report du solde par zone après chaque stationnement par stockage temporaire des droits de stationnement mesurés par incréments dans une mémoire tampon dans le dispositif d'enregistrement et transmission de ceux-ci à la carte de stationnement à la fin de chaque stationnement. 50

