

FIG. 1




FIG. 2




FIG. 3

DETECTION TIME	t1	t2	t3	t4	t5	...
HEIGHT INFORMATION	—	—	—	—	—	—
AMOUNT OF REFLECTED LIGHT	—	—	—	—	—	—

FIG. 4




FIG. 5

<INFORMATION RECEIVED FROM ENTRANCE-SIDE DETECTION DEVICE 21>

DETECTION TIME	...	t3	...	tn1	...	tn2	...	t11	...	t23	...	t30
HEIGHT INFORMATION	—	HEIGHT INFORMATION A1	—	—	—	—	—	HEIGHT INFORMATION B1	—	HEIGHT INFORMATION C1	—	ROAD SURFACE HEIGHT
AMOUNT OF REFLECTED LIGHT	—	AMOUNT OF REFLECTED LIGHT m1	—	AMOUNT OF REFLECTED LIGHT n1	—	AMOUNT OF REFLECTED LIGHT o1	—	—	—	—	—	—

<INFORMATION RECEIVED FROM EXIT-SIDE DETECTION DEVICE 22>

DETECTION TIME	...	tn3	...	tn4	...	tn5	...	tn6	...	tn7	...	tn8
HEIGHT INFORMATION	—	HEIGHT INFORMATION A1	—	—	—	—	—	HEIGHT INFORMATION B1	—	HEIGHT INFORMATION C1	—	ROAD SURFACE HEIGHT
AMOUNT OF REFLECTED LIGHT	—	AMOUNT OF REFLECTED LIGHT m1	—	AMOUNT OF REFLECTED LIGHT n1	—	AMOUNT OF REFLECTED LIGHT o1	—	—	—	—	—	—

FIG. 6




FIG. 7

