




FIG. 1

2/54




FIG. 2




FIG. 3




FIG. 4




FIG. 5

6/54




FIG. 6

7/54




FIG. 7

8/54




FIG. 8

9/54




FIG. 9

10/54





FIG. 10









FIG. 11

Digital quantitation and identification of cancer panel (100 targets) from FFPE tissues



12/54

Optical Barcode Pool 2

Color code	Sequence	Gene_ID	Counts
●●●●	ATC	ATM_5	1
●●●●	CGA	KIT_6	1
●●●●	GCT	PDGFRA_10	2
●●●●	ATA	PTEN_2	1

FIG. 12




FIG. 12 (Cont.)




FIG. 13




FIG. 14

16/54




FIG. 15





FIG. 15 (Cont.)




FIG. 16




FIG. 17

*As disclosed in US 2016-0194701, which is incorporated herein by reference in its entirety




FIG. 18

21/54






FIG. 19



Pixelated image to show dual-fluorescence signal

FIG. 21

24/54




FIG. 22

25/54




FIG. 23





FIG. 24






FIG. 26

29/54






FIG. 27






FIG. 28

Gene	Variant	Observed Freq. (%)	Expected Freq. (%)
BRAF	ref V600E	91.0% 9.0%	89.5% 10.5%
EGFR exon 18	ref G719S	88.1% 11.9%	75.5% 24.5%
EGFR exon 20	ref T790M	98.9% 1.1%	99.0% 1.0%
NRAS	ref Q61K	63.0% 37.0%	87.5% 12.5%
PICK3CA	ref H1047R	92.1% 7.9%	82.5% 17.5%
KRAS	ref G12D G13D	99.5% 0.46% 0.005%	79.0% 6.0% 15.0%



Base Coverage FIG. 28 (Cont.)


32/54



Multiplex of 11 DNA Target are captured
Variants of interest are listed

Gene	Variant	Sequencing Region 5' → 3'	SEQ ID NO
BRAF	V600E	GTCTAGCTACAGGAAATCTCGAT	3
	V600K		
EGFR	G719S	TCAAAGTGCTGGCTCCGGTGCG	4
	G12A		
KRAS	G12R	TAGTTGGAGCTGCGTAGGCAAGA	5
	G13D		
PIK3CA	H1047R	GAATGATGCACATCATGGTGGCT	6
EGFR	T790M	GCAGCTCATCAGCAGCTCATGC	7
NRAS	Q61K	ATACAGCTGGAAGAAGAGTAC	8
FLT3	ΔI836	TGGCTCGAGATATGAGTGATTG	9
IDH1	R132C	TCATCATAGGTGTCATGCTTAT	10
JAK2	V617F	ATGGAGTATGTTCTGTGGAGAC	11
MEK1	P124L	GTGCAACTCTCGTACATCGTGG	12
NOTCH1	L1601P	CAGCCGGTGCAGCACACCAACG	13

FIG. 29







FIG. 31

35/54



**Targeted multiplex capture with as little input
as 1-10 ng total RNA**




FIG. 32






FIG. 33



(a)



(b)

FIG. 34

38/54




FIG. 35

39/54




FIG. 36




FIG. 37





FIG. 38

Reporter Probe Unpurified Construct



Reporter Probe Purified Construct




FIG. 39




FIG. 40






FIG. 40 (Cont.)

45/54

15% EC at pH 6



15% formamide

**FIG. 41**




FIG. 42

47/54




FIG. 43




FIG. 44




FIG. 45




FIG. 46






FIG. 48




FIG. 49

Hyb & Seq Chemistry Using Dual-color Reporters has Low Raw Error Rate and the Source of Error can be Classified into Two Areas

Decoding Matrix									
○	⊗	⊙	⊖	⊕	⊗	⊙	⊖	⊕	⊗
TT CT GT CG CC TC AT CA									


	R1	R2	R3	Truth:
Barcode 1:	C	T	T	A
Barcode 2:	C	T	T	C
Barcode 3:	C	T	T	C
Barcode 4:	C	T	T	C

	R1	R2	R3
Barcode 5:	T	C	T
Barcode 6:	T	C	T
Barcode 7:	T	C	T
Barcode 8:	T	C	T

NRAS exon2

3' - ACCGTGACATGAGAGAACAGGTCGACATAGGTCAATAC - 5'

(SEQ ID NO: 1)



Average ~ 99.98% accuracy (with 3-pass reads)

FIG. 50