




Figure 1




Figure 2




Figure 3

	Commercial Name	INCI	Composition %	Supplier
Phase A	Covalip 94 WP	Paraffin, Isopropyl Palmitate, Ozokerite, Paraffinum liquidum, Copernicia Cerifa Cera, Candelilla Cera, Butyl Stearate, Ethylene/VA copolymer, Benzyl Alcohol, Dehydroacetic acid	33.95	Sensient Beauty
	Radia 7607	Butyrospermum Parkii (shea) butter	5.0	Oleon
	Eutanol G	Octyldodecanol	6.0	BASF
	DUB MDIS	Disostearyl Malate	8.0	Stearineries Dubois
	Lipocire A SG	C10-18 Triglycerides	2.0	Gattefosse
	Hailuscent ISDA	Polyglyceryl-2 Isostearate / Dimer Dinoleate Copolymer	5.0	HAI Kokyu Alcohol Kogyo
Phase B	Tocopheryl Acetate	Tocopheryl Acetate	0.05	DSM
Phase C	Crodamol IPP	Isopropyl Palmitate	20.0	Croda
	Natural color extract		20.0	Various Sources

Figure 3 a





	L*	a*	b*	C*	h	Powder Appearance	Lipstick Appearance	Application on Skin
Raw Material XFINE RR319	20.84	32.93	18.23	37.64	28.97			
Kunipia-F - RedRadish	41.75	58.21	43.17	72.47	36.54			
Moistnrite-S - RedRadish	33.56	53.29	37.82	65.35	35.37			
Moistnrite-U - RedRadish	33.86	54.16	35.21	64.60	33.02			
COSMETICO - RedRadish	36.02	56.11	36.85	67.13	33.30			
ArgileVerte-Grey - RedRadish	34.06	52.52	34.92	63.07	33.62			
ArgileVerte-Beige - RedRadish	28.50	48.24	31.11	57.40	32.81			
ArgileVerte-Red - RedRadish	34.51	51.94	32.95	61.50	32.39			

Figure 4





	L*	a*	b*	C*	h	Powder Appearance	Lipstick Appearance	Application on Skin
Raw Material XFINE RR319	22.10	34.07	18.73	38.88	28.81			
G30M – RedRadish	36.84	55.47	32.48	62.00	32.61			
ImerCare Opaque – RedRadish	36.89	56.18	32.56	64.93	30.09			

Figure 5




Figure 6

Samples	L*	a*	b*	C*	H*
RR319 lipstick	8.89	27.51	8.97	28.94	18.06
Kunipia-F-RedRadish lipstick	18.64	36.60	17.86	40.73	26.00
ImerCare opaque-RedRadish lipstick	22.25	39.67	16.98	43.16	23.17
RR319 lipstick applied on paper (Day 1)	33.53	35.39	13.46	37.86	20.82
Kunipia F-RedRadish lipstick applied on paper (Day 1)	46.19	51.58	27.75	56.59	29.36
ImerCare opaque-RedRadish lipstick applied on paper (Day 1)	47.52	51.83	15.04	53.97	16.18
RR319 lipstick applied on paper (Day 6)	36.10	26.62	1.93	26.69	4.14
Kunipia-F-RedRadish lipstick applied on paper (Day 6)	36.71	42.22	14.95	44.79	19.50
ImerCare opaque-RedRadish on paper (Day 6)	41.38	42.26	1.32	42.28	1.79

Figure 7




Figure 8

Samples	L*	a*	b*	c*	h
SP313 lipstick	6.29	8.33	-0.38	8.34	357.40
PSP lipstick	17.02	7.94	-0.35	7.95	357.48
Kunipia-F – PSP lipstick	17.09	28.99	8.78	30.29	16.85
PSP lipstick applied on paper (Day 1)	28.78	20.90	1.93	20.98	5.26
Kunipia-F – PSP lipstick applied on paper (Day 1)	46.84	51.50	6.90	51.96	7.64
PSP lipstick applied on paper (Day 6)	26.45	10.44	-3.02	10.87	343.89
Kunipia-F – PSP lipstick applied on paper (Day 6)	43.45	45.92	1.02	45.93	1.27

Figure 9




Figure 10




Figure 11