




FIG. 1A





FIG. 1B



CAPC (p)	m_p	$CW_{min,p}$	$CW_{max,p}$	$T_{merot,p}$	Allowed CW_p Sizes
1	1	3	7	2 ms	{3,7}
2	1	7	15	3 ms	{7,15}
3	3	15	63	8 or 10 ms	{15,31,63}
4	7	15	1023	8 or 10 ms	{15,31,63,127,255,511,1023}

FIG. 3

CAPC (p)	m_p	$CW_{min,p}$	$CW_{max,p}$	$T_{ulmerot,p}$	Allowed CW_p Sizes
1	2	3	7	2 ms	{3,7}
2	2	7	15	4 ms	{7,15}
3	3	15	1023	6 or 10 ms	{15,31,63,127,255,511,1023}
4	7	15	1023	6 or 10 ms	{15,31,63,127,255,511,1023}

FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14

Index	Buffer size value	Index	Buffer size value
0	0	8	≤ 102
1	≤ 10	9	≤ 142
2	≤ 14	10	≤ 198
3	≤ 20	11	≤ 276
4	≤ 28	12	≤ 384
5	≤ 38	13	≤ 535
6	≤ 53	14	≤ 745
7	≤ 74	15	≤ 1038

FIG. 15




FIG. 16




FIG. 17