CLAIMS

1. A combination of pharmaceutical compositions for co-administration to prevent or treat cancer, wherein the combination comprises: (i) a first pharmaceutical composition comprising, as an active ingredient, a compound represented by Formula 1 or a pharmaceutically acceptable salt thereof;

<Formula 1>



; and

(ii) a second pharmaceutical composition comprising, as an active ingredient, at least one anticancer drug.

2. The combination of claim 1, wherein the anticancer drug is selected from the group consisting of a chemotherapy drug, a targeted therapy drug, a immunotherapy drug, and a hormone therapy drug.

3. The combination of claim 2, wherein the chemotherapy drug is selected from the group consisting of an alkylating agent, an antimetabolite, an anti-tumor antibiotic, a Topoisomerase inhibitor and a Mitotic inhibitor.

4. The combination of claim 2, wherein the targeted therapy drug is selected from the group consisting of an angiogenesis inhibitor, a monoclonal antibody, a proteasome inhibitor and a signal transduction inhibitor.

5. The combination of claim 2, wherein the immunotherapy drug is selected from the group consisting of a checkpoint inhibitor, a chimeric antigen receptor(CAR) T-cell therapy and a cytokine.

6. The combination of claim 2, wherein the hormone therapy drug is selected from the group consisting of an aromatase inhibitor, a selective estrogen receptor modulators, an Estrogen receptor antagonist, a luteinizing hormone-releasing hormone agonist, an anti-androgen and a CYP17 inhibitor.

7. The combination of claim 1, wherein the anticancer drug is selected from irinotecan and oxaliplatin.

8. The combination of claim 1, wherein the anticancer drug is irinotecan.

9. The combination of claim 1, wherein the pharmaceutically acceptable salt is hydrochloride.

10. The combination of claim 1, wherein the pharmaceutical compositions for co-administration are administered in which the first pharmaceutical composition and the second pharmaceutical composition are in a form of a mixture.

11. The combination of claim 1, wherein the pharmaceutical compositions for co-administration are administered in which the first pharmaceutical composition and the second pharmaceutical composition are each formulated and administered simultaneously or sequentially.

12. The combination of claim 1, wherein the first pharmaceutical composition and the second pharmaceutical composition are each comprised in the form of a separate dosage form.

13. The combination of claim 1, wherein the first pharmaceutical composition is in an oral dosage form, and the second pharmaceutical composition is in an injection dosage form.

14. The combination of claim 1, wherein the first pharmaceutical composition is to be administered once daily.

15. The combination claim 1, wherein the first pharmaceutical composition comprises about 5 mg, about 10 mg, about 20 mg, about 30 mg, about 40 mg, or about 50 mg of the compound represented by Formula 1.

16. The combination of claim 1, wherein the first pharmaceutical composition is to be dosed at about 1 mg to about 180 mg per administration.

17. The combination of claim 1, wherein the first pharmaceutical composition is to be dosed at about 10 mg, about 20 mg, about 40 mg, about 80 mg, about 120 mg, or about 160 mg per administration.

18. The combination of claim 1, wherein the second pharmaceutical composition is to be intravenously dosed at about 30 mg/m^2 to about 120 mg/m^2.

19. The combination of claim 1, wherein the second pharmaceutical composition is to be intravenously dosed at about 50 mg/m^2, about 75 mg/m^2, or about 100 mg/m^2.

20. The combination of claim 1, wherein the first pharmaceutical composition is to be dosed as a cycle, wherein the cycle comprises administering the first pharmaceutical composition for about 14 days or about 21 days.

21. The combination of claim 1, wherein the second pharmaceutical composition is to be dosed as a cycle, wherein the cycle comprises administering the second pharmaceutical composition for about 14 days or about 21 days.

22. The combination of claim 1, wherein the second pharmaceutical composition is to be dosed as a cycle, wherein the cycle is repeated at least once.

23. The combination of claim 1, wherein the cancer is gastric cancer.

24. Use of the combination of any one of claims 1 to 9 in the manufacture of a medicament for preventing or treating cancer .

25. The use of claim 24, wherein the cancer is gastric cancer.

26. A kit for prevention or treatment of cancer, comprising the combination of claim 1, wherein the first pharmaceutical composition is to be administered simultaneously, separately, or sequentially.

27. The kit of claim 26, wherein the first pharmaceutical composition is present in a single dosage form and the second pharmaceutical composition is present in a separate dosage form.