

```

<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE ST26SequenceListing PUBLIC "-//WIPO//DTD Sequence Listing 1.3//EN"
"ST26SequenceListing_V1_3.dtd">
<ST26SequenceListing dtdVersion="V1_3" fileName="gbl-I23-0038-LY06.xml"
softwareName="WIPO Sequence" softwareVersion="2.3.0" productionDate="2023-07-31">
  <ApplicationIdentification>
    <IPOfficeCode>CN</IPOfficeCode>
    <ApplicationNumberText></ApplicationNumberText>
    <FilingDate></FilingDate>
  </ApplicationIdentification>
  <ApplicantFileReference>WP23-0088-LY06</ApplicantFileReference>
  <EarliestPriorityApplicationIdentification>
    <IPOfficeCode>CN</IPOfficeCode>
    <ApplicationNumberText>202210936491.5</ApplicationNumberText>
    <FilingDate>2022-08-05</FilingDate>
  </EarliestPriorityApplicationIdentification>
  <ApplicantName languageCode="zh">厦门甘宝利生物医药有限公司</ApplicantName>
  <ApplicantNameLatin>KYLONOVA (XIAMEN) BIOPHARMA CO.,
LTD.</ApplicantNameLatin>
  <InventionTitle languageCode="zh">一种抑制APOC3基因表达的RNA抑制剂及其应用
</InventionTitle>
  <SequenceTotalQuantity>86</SequenceTotalQuantity>
  <SequenceData sequenceIDNumber="1">
    <INSDSeq>
      <INSDSeq_length>23</INSDSeq_length>
      <INSDSeq_moltype>RNA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..23</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>other
RNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q2">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDFeature>
  </INSDSeq>
  <INSDFeature_key>misc_feature</INSDFeature_key>

```

```

<INSDFeature_location>22..23</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier id="q85">

<INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>t is
thymidine</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDSeq_feature-table>

<INSDSeq_sequence>ttacatgaagcagccaccaatt</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="2">
  <INSDSeq>
    <INSDSeq_length>23</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..23</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
      <INSDQualifier_value>other
RNA</INSDQualifier_value>
      </INSDQualifier>
    <INSDQualifier id="q86">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
<INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>22..23</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier id="q87">

<INSDQualifier_name>note</INSDQualifier_name>

```

```

thymidine</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>

<INSDSeq_sequence>ttggtggcgtgcttcattgaatt</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="3">
    <INSDSeq>
        <INSDSeq_length>23</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..23</INSDFeature_location>
                                <INSDFeature_qual>
                                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q88">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                <INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>22..23</INSDFeature_location>
                                <INSDFeature_qual>
                                    <INSDQualifier id="q89">

<INSDQualifier_name>note</INSDQualifier_name>
                                <INSDQualifier_value>t is
thymidine</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>

```

```

<INSDSeq_sequence>tctcagcttcacgcagggttatt</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="4">
  <INSDSeq>
    <INSDSeq_length>23</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..23</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier>
          <INSDQualifier_name>mol_type</INSDQualifier_name>
          <INSDQualifier_value>other
RNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q90">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>22..23</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier id="q91">

<INSDQualifier_name>note</INSDQualifier_name>
          <INSDQualifier_value>t is
thymidine</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>

<INSDSeq_sequence>taaccctgcacgaagctgagatt</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="5">
  <INSDSeq>

```

```

        <INSDSeq_length>23</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..23</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q92">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
            </INSDFeature>
            <INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>22..23</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier id="q93">

<INSDQualifier_name>note</INSDQualifier_name>
                                <INSDQualifier_value>t is
thymidine</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>

<INSDSeq_sequence>agactactggagcaccgттаatt</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="6">
    <INSDSeq>
        <INSDSeq_length>23</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

```

```

<INSDFeature_location>1..23</INSDFeature_location>
    <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
    <INSDQualifier_value>other
RNA</INSDQualifier_value>
    </INSDQualifier>
    <INSDQualifier id="q94">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
    </INSDQualifier>
    </INSDFeature_qual>
</INSDFeature>
<INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>22..23</INSDFeature_location>
    <INSDFeature_qual>
        <INSDQualifier id="q95">

<INSDQualifier_name>note</INSDQualifier_name>
    <INSDQualifier_value>t is
thymidine</INSDQualifier_value>
    </INSDQualifier>
    </INSDFeature_qual>
    </INSDFeature>
</INSDSeq_feature-table>

<INSDSeq_sequence>ttaacgggtgctccagtagtcttt</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="7">
    <INSDSeq>
        <INSDSeq_length>23</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..23</INSDFeature_location>
    <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

```

```

                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q96">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                <INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>22..23</INSDFeature_location>
                                <INSDFeature_qual>
                                <INSDQualifier id="q97">

<INSDQualifier_name>note</INSDQualifier_name>
                                <INSDQualifier_value>t is
thymidine</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>

<INSDSeq_sequence>ccgttaaggacaagttctctgtt</INSDSeq_sequence>
                                </INSDSeq>
                                </SequenceData>
                                <SequenceData sequenceIDNumber="8">
                                    <INSDSeq>
                                        <INSDSeq_length>23</INSDSeq_length>
                                        <INSDSeq_moltype>RNA</INSDSeq_moltype>
                                        <INSDSeq_division>PAT</INSDSeq_division>
                                        <INSDSeq_feature-table>
                                            <INSDFeature>
                                                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..23</INSDFeature_location>
                                <INSDFeature_qual>
                                <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q98">

<INSDQualifier_name>organism</INSDQualifier_name>

```

```

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                <INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>22..23</INSDFeature_location>
                                <INSDFeature_qual>
                                <INSDQualifier id="q99">

<INSDQualifier_name>note</INSDQualifier_name>
                                <INSDQualifier_value>t is
thymidine</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>

<INSDSeq_sequence>cagagaacttgctccttaacggtt</INSDSeq_sequence>
                                </INSDSeq>
                                </SequenceData>
                                <SequenceData sequenceIDNumber="9">
                                <INSDSeq>
                                <INSDSeq_length>23</INSDSeq_length>
                                <INSDSeq_moltype>RNA</INSDSeq_moltype>
                                <INSDSeq_division>PAT</INSDSeq_division>
                                <INSDSeq_feature-table>
                                <INSDFeature>
                                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..23</INSDFeature_location>
                                <INSDFeature_qual>
                                <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q100">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                <INSDFeature>

```

```

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>22..23</INSDFeature_location>
    <INSDFeature_qual>
        <INSDQualifier id="q101">

<INSDQualifier_name>note</INSDQualifier_name>
    <INSDQualifier_value>t is
thymidine</INSDQualifier_value>
    </INSDQualifier>
    </INSDFeature_qual>
    </INSDFeature>
    </INSDSeq_feature-table>

<INSDSeq_sequence>tggtgcctgagacctcaatatt</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="10">
    <INSDSeq>
        <INSDSeq_length>23</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..23</INSDFeature_location>
    <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
    <INSDQualifier_value>other
RNA</INSDQualifier_value>
    </INSDQualifier>
    <INSDQualifier id="q102">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
    </INSDQualifier>
    </INSDFeature_qual>
    </INSDFeature>
    <INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>22..23</INSDFeature_location>
    <INSDFeature_qual>
        <INSDQualifier id="q103">

```

```

<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>t is
thymidine</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>

<INSDSeq_sequence>tattgaggtctcaggcagccatt</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="11">
  <INSDSeq>
    <INSDSeq_length>23</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..23</INSDFeature_location>
<INSDFeature_qual>
  <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>other
RNA</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q104">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>22..23</INSDFeature_location>
<INSDFeature_qual>
  <INSDQualifier id="q105">

<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>t is
thymidine</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>

```

```

        </INSDFeature>
    </INSDSeq_feature-table>

<INSDSeq_sequence>cctgaggtcagaccaacttcatt</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="12">
    <INSDSeq>
        <INSDSeq_length>23</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..23</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q106">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
            </INSDFeature>
        </INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>22..23</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier id="q107">

<INSDQualifier_name>note</INSDQualifier_name>
                                <INSDQualifier_value>t is
thymidine</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>

<INSDSeq_sequence>tgaagttggtctgacctcaggtt</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>

```

```

<SequenceData sequenceIDNumber="13">
  <INSDSeq>
    <INSDSeq_length>23</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..23</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>other
            RNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q108">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDFeature_key>misc_feature</INSDFeature_key>
    <INSDFeature_location>22..23</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q234">
        <INSDQualifier_name>note</INSDQualifier_name>
        <INSDQualifier_value>t is
        thymidine</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>aaggacagtattctcagtgctt</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="14">
  <INSDSeq>
    <INSDSeq_length>23</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>

```

```

        <INSDFeature>
            <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..23</INSDFeature_location>
            <INSDFeature_qual>
                <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q235">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
        </INSDSeq_feature-table>

<INSDSeq_sequence>gcactgagaatactgtccctttt</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="15">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
            <INSDFeature_qual>
                <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q236">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
        </INSDSeq_feature-table>

```

```

        <INSDSeq_sequence>gggacagtattctcagtgcta</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="16">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q237">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>gcactgagaataactgtccctt</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="17">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q238">

```

```

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>tagggacagtattctcagtg</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="18">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
      <INSDQualifier_value>other
RNA</INSDQualifier_value>
      </INSDQualifier>
    <INSDQualifier id="q239">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>acactgagaatactgtcccta</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="19">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>

```

```

                                <INSDFeature_qual>
                                    <INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q240">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>
                                <INSDSeq_sequence>gcttaaaaggacagtattca</INSDSeq_sequence>
                                </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="20">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                                <INSDFeature_qual>
                                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q241">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>
                                <INSDSeq_sequence>tgaatactgtccctttaagc</INSDSeq_sequence>
                                </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="21">
    <INSDSeq>

```

```

        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q242">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>aaaggacagtattctcagtg</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="22">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q243">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>

```

```

        </INSDFeature_qual>
    </INSDFeature>
</INSDSeq_feature-table>
    <INSDSeq_sequence>ctgagaatactgtccctttta</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="23">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q244">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>aaggacagtattctcagtc</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="24">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other

```

```

RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q245">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>
                                <INSDSeq_sequence>actgagaatactgtcccttta</INSDSeq_sequence>
                                </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="25">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                                <INSDFeature_qual>
                                <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q246">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>
                                <INSDSeq_sequence>gcttaaaaggacagtattca</INSDSeq_sequence>
                                </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="26">
    <INSDSeq>
        <INSDSeq_length>22</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>

```

```

<INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..22</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
  <INSDQualifier_value>other
RNA</INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier id="q247">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
  </INSDQualifier>
  </INSDFeature_qual>
  </INSDFeature>
  </INSDSeq_feature-table>

<INSDSeq_sequence>taatactgtcccttttaagcaa</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="27">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
  <INSDQualifier_value>other
RNA</INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier id="q248">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
  </INSDQualifier>
  </INSDFeature_qual>
  </INSDFeature>
  </INSDSeq_feature-table>
  <INSDSeq_sequence>gtggctgcctgagacctcaat</INSDSeq_sequence>

```

```

        </INSDSeq>
    </SequenceData>
    <SequenceData sequenceIDNumber="28">
        <INSDSeq>
            <INSDSeq_length>21</INSDSeq_length>
            <INSDSeq_moltype>RNA</INSDSeq_moltype>
            <INSDSeq_division>PAT</INSDSeq_division>
            <INSDSeq_feature-table>
                <INSDFeature>
                    <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                    <INSDFeature_qual>
                        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q249">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                            </INSDSeq_feature-table>
                            <INSDSeq_sequence>tgaggtctcaggcagccacgg</INSDSeq_sequence>
                        </INSDSeq>
                    </SequenceData>
    <SequenceData sequenceIDNumber="29">
        <INSDSeq>
            <INSDSeq_length>21</INSDSeq_length>
            <INSDSeq_moltype>RNA</INSDSeq_moltype>
            <INSDSeq_division>PAT</INSDSeq_division>
            <INSDSeq_feature-table>
                <INSDFeature>
                    <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                    <INSDFeature_qual>
                        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q250">

```

```

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
      </INSDQualifier>
      </INSDFeature_qual>
    </INSDFeature>
  </INSDSeq_feature-table>
  <INSDSeq_sequence>aagtccacctgcctatccatc</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="30">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
      <INSDQualifier_value>other
RNA</INSDQualifier_value>
      </INSDQualifier>
      <INSDQualifier id="q251">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
      </INSDQualifier>
      </INSDFeature_qual>
    </INSDFeature>
  </INSDSeq_feature-table>
  <INSDSeq_sequence>tggataggcaggtggacttgg</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="31">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
      <INSDFeature_qual>

```

```

                                <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q252">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>
                                <INSDSeq_sequence>cacctgcctatccatcctgaa</INSDSeq_sequence>
                                </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="32">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                                <INSDFeature_qual>
                                <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q253">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>
                                <INSDSeq_sequence>caggatggataggcaggtgga</INSDSeq_sequence>
                                </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="33">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>

```

```

        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q254">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>gggacagtattctcagtgctt</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="34">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q255">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>

```

```

        </INSDFeature>
      </INSDSeq_feature-table>
      <INSDSeq_sequence>gcactgagaataactgtccctt</INSDSeq_sequence>
    </INSDSeq>
  </SequenceData>
  <SequenceData sequenceIDNumber="35">
    <INSDSeq>
      <INSDSeq_length>21</INSDSeq_length>
      <INSDSeq_moltype>RNA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>other
RNA</INSDQualifier_value>
            </INSDQualifier>
            <INSDQualifier id="q256">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
      </INSDSeq_feature-table>
      <INSDSeq_sequence>gacagtattctcagtgctctt</INSDSeq_sequence>
    </INSDSeq>
  </SequenceData>
  <SequenceData sequenceIDNumber="36">
    <INSDSeq>
      <INSDSeq_length>21</INSDSeq_length>
      <INSDSeq_moltype>RNA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>other
RNA</INSDQualifier_value>
            </INSDQualifier>
            <INSDQualifier id="q256">

```

```

</INSDQualifier>
<INSDQualifier id="q257">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>gagcactgagaatactgtccc</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="37">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
        <INSDQualifier_value>other
RNA</INSDQualifier_value>
      </INSDQualifier>
    </INSDQualifier id="q258">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>gagcgacagtattctcagtgt</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="38">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

```

```

<INSDFeature_location>1..21</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
      <INSDQualifier_value>other
RNA</INSDQualifier_value>
      </INSDQualifier>
      <INSDQualifier id="q259">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
      </INSDQualifier>
      </INSDFeature_qual>
    </INSDFeature>
  </INSDSeq_feature-table>
  <INSDSeq_sequence>acactgagaatactgtcgctc</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="39">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
      <INSDQualifier_value>other
RNA</INSDQualifier_value>
      </INSDQualifier>
      <INSDQualifier id="q260">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
      </INSDQualifier>
      </INSDFeature_qual>
    </INSDFeature>
  </INSDSeq_feature-table>
  <INSDSeq_sequence>aagcgacagtattctcagtg</INSDSeq_sequence>
</INSDSeq>
</SequenceData>

```

```

<SequenceData sequenceIDNumber="40">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
          <INSDQualifier_value>other
RNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q261">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>acactgagaatactgtcgctt</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="41">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
          <INSDQualifier_value>other
RNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q262">

<INSDQualifier_name>organism</INSDQualifier_name>

```

```

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>aaggacagtattctcagtga</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="42">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
      <INSDQualifier_value>other
RNA</INSDQualifier_value>
      </INSDQualifier>
    <INSDQualifier id="q263">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>tcactgagaatactgtccctt</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="43">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier>

```

```

<INSDQualifier_name>mol_type</INSDQualifier_name>
RNA</INSDQualifier_value>
<INSDQualifier_value>other
</INSDQualifier>
<INSDQualifier id="q264">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier id="q265">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 9, 10, 11 from
the 5' end of the sense strand is replaced by fluorine, 2' -OH of the
remaining nucleotides in the sense strand is replaced by methoxy group, and there
are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at
the 5' and 3' ends of the sense strand</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>ttacatgaagcagccaccaa</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="44">
<INSDSeq>
<INSDSeq_length>21</INSDSeq_length>
<INSDSeq_moltype>RNA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>other
RNA</INSDQualifier_value>

```

```

        </INSDQualifier>
        <INSDQualifier id="q266">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
        </INSDQualifier>
        </INSDFeature_qual>
</INSDFeature>
<INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
        <INSDFeature_qual>
        <INSDQualifier id="q267">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 2, 4, 6, 8, 14,
16 from the 5' end of the antisense strand is replaced by fluorine, 2'
-OH of the remaining nucleotides in the antisense strand is replaced by methoxy
group, and there are two consecutive phosphorothioate linkages between 3 adjacent
nucleotides at the 5' and 3' ends of the antisense
strand</INSDQualifier_value>
        </INSDQualifier>
        </INSDFeature_qual>
        </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>ttggtggcgtgcttcataa</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="45">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
        <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
        <INSDQualifier_value>other
RNA</INSDQualifier_value>
        </INSDQualifier>
        <INSDQualifier id="q268">

```

```

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier id="q269">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 9, 10, 11 from
the 5' end of the sense strand is replaced by fluorine, 2' -OH of the
remaining nucleotides in the sense strand is replaced by methoxy group, and there
are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at
the 5' and 3' ends of the sense strand</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>tctcagcttcattgcagggtta</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="46">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
      <INSDQualifier_value>other
RNA</INSDQualifier_value>
    </INSDQualifier>
    <INSDQualifier id="q270">

<INSDQualifier_name>organism</INSDQualifier_name>

```

```

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
<INSDFeature>
  <INSDFeature_key>misc_feature</INSDFeature_key>

  <INSDFeature_location>1..21</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q271">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 2, 4, 6, 8, 14,
16 from the 5' end of the antisense strand is replaced by fluorine, 2'
-OH of the remaining nucleotides in the antisense strand is replaced by methoxy
group, and there are two consecutive phosphorothioate linkages between 3 adjacent
nucleotides at the 5' and 3' ends of the antisense
strand</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>taaccctgcatgaagctgaga</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="47">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
      <INSDQualifier_value>other
RNA</INSDQualifier_value>
        </INSDQualifier>
      <INSDQualifier id="q272">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
      </INSDQualifier>

```

```

        </INSDFeature_qual>
    </INSDFeature>
</INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
    <INSDFeature_qual>
        <INSDQualifier id="q273">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 9, 10, 11 from
the 5' end of the sense strand is replaced by fluorine, 2' -OH of the
remaining nucleotides in the sense strand is replaced by methoxy group, and there
are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at
the 5' and 3' ends of the sense strand</INSDQualifier_value>
        </INSDQualifier>
    </INSDFeature_qual>
    </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>agactactggagcaccgttaa</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="48">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                    <INSDQualifier_value>other
RNA</INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q274">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        </INSDFeature>
    </INSDFeature>

```

```

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
    <INSDFeature_qual>
        <INSDQualifier id="q275">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 2, 4, 6, 8, 14,
16 from the 5' end of the antisense strand is replaced by fluorine, 2'
-OH of the remaining nucleotides in the antisense strand is replaced by methoxy
group, and there are two consecutive phosphorothioate linkages between 3 adjacent
nucleotides at the 5' and 3' ends of the antisense
strand</INSDQualifier_value>
            </INSDQualifier>
        </INSDFeature_qual>
    </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>ttaacggtgctccagtagtct</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="49">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
    <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
    <INSDQualifier_value>other
RNA</INSDQualifier_value>
    </INSDQualifier>
    <INSDQualifier id="q276">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
    </INSDQualifier>
    </INSDFeature_qual>
</INSDFeature>
<INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

```

```

<INSDFeature_location>1..21</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier id="q277">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 9, 10, 11 from
the 5' end of the sense strand is replaced by fluorine, 2' -OH of the
remaining nucleotides in the sense strand is replaced by methoxy group, and there
are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at
the 5' and 3' ends of the sense strand</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>ccgtaaaggacaagttctctg</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="50">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
      <INSDQualifier_value>other
RNA</INSDQualifier_value>
    </INSDQualifier>
    <INSDQualifier id="q278">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
      <INSDFeature_qual>

```

```

<INSDQualifier id="q279">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>2'; -OH of the nucleotides at positions 2, 4, 6, 8, 14,
16 from the 5'; end of the antisense strand is replaced by fluorine, 2';
-OH of the remaining nucleotides in the antisense strand is replaced by methoxy
group, and there are two consecutive phosphorothioate linkages between 3 adjacent
nucleotides at the 5'; and 3'; ends of the antisense
strand</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>cagagaacttgctccttaacgg</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="51">
<INSDSeq>
<INSDSeq_length>21</INSDSeq_length>
<INSDSeq_moltype>RNA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..21</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>other
RNA</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q280">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>misc_feature</INSDFeature_key>
<INSDFeature_location>1..21</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier id="q281">

```

```

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 9, 10, 11 from
the 5' end of the sense strand is replaced by fluorine, 2' -OH of the
remaining nucleotides in the sense strand is replaced by methoxy group, and there
are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at
the 5' and 3' ends of the sense strand</INSDQualifier_value>
    </INSDQualifier>
    </INSDFeature_qual>
    </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>tggctgcctgagacctcaata</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="52">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
          <INSDQualifier_value>other
RNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q282">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q283">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 2, 4, 6, 8, 14,

```

16 from the 5' end of the antisense strand is replaced by fluorine, 2' -OH of the remaining nucleotides in the antisense strand is replaced by methoxy group, and there are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at the 5' and 3' ends of the antisense strand

```

</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>tattgaggtctcaggcagcca</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="53">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..21</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>other
RNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q284">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDFeature>
    <INSDFeature_key>misc_feature</INSDFeature_key>
    <INSDFeature_location>1..21</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q285">
        <INSDQualifier_name>note</INSDQualifier_name>
        <INSDQualifier_value>2' -OH of the nucleotides at positions 9, 10, 11 from
the 5' end of the sense strand is replaced by fluorine, 2' -OH of the
remaining nucleotides in the sense strand is replaced by methoxy group, and there

```

are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at the 5' and 3' ends of the sense strand

```

</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>cctgaggtcagaccaacttca</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="54">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
          <INSDQualifier_value>other
RNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q286">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q287">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 2, 4, 6, 8, 14,
16 from the 5' end of the antisense strand is replaced by fluorine, 2'
-OH of the remaining nucleotides in the antisense strand is replaced by methoxy
group, and there are two consecutive phosphorothioate linkages between 3 adjacent
nucleotides at the 5' and 3' ends of the antisense
strand</INSDQualifier_value>

```

```

</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>tgaagttggtctgacctcagg</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="55">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
        <INSDQualifier_value>other
RNA</INSDQualifier_value>
      </INSDQualifier>
      <INSDQualifier id="q288">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
  <INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier id="q289">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 9, 10, 11 from
the 5' end of the sense strand is replaced by fluorine, 2' -OH of the
remaining nucleotides in the sense strand is replaced by methoxy group, and there
are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at
the 5' and 3' ends of the sense strand</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>

```

```

        </INSDSeq_feature-table>
        <INSDSeq_sequence>aaggacagtattctcagtg</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="56">
    <INSDSeq>
        <INSDSeq_length>23</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..23</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                    <INSDQualifier_value>other
RNA</INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q290">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        </INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..23</INSDFeature_location>
        <INSDFeature_qual>
            <INSDQualifier id="q291">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2'; -OH of the nucleotides at positions 2, 4, 6, 8, 14,
16 from the 5'; end of the antisense strand is replaced by fluorine, 2';
-OH of the remaining nucleotides in the antisense strand is replaced by methoxy
group, and there are two consecutive phosphorothioate linkages between 3 adjacent
nucleotides at the 5'; and 3'; ends of the antisense
strand</INSDQualifier_value>
            </INSDQualifier>
        </INSDFeature_qual>
    </INSDFeature>
</INSDSeq_feature-table>

```

```

<INSDSeq_sequence>gcactgagaataactgtccctttt</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="57">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
        <INSDQualifier_value>other
RNA</INSDQualifier_value>
      </INSDQualifier>
      <INSDQualifier id="q292">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
<INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q293">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 5, 7, 8, 9 from
the 5' end of the sense strand is replaced by fluorine, 2' -OH of the
remaining nucleotides in the sense strand is replaced by methoxy group, and there
are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at
the 5' and 3' ends of the sense strand</INSDQualifier_value>
  </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>gggacagtattctcagtgcta</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>

```

```

<SequenceData sequenceIDNumber="58">
  <INSDSeg>
    <INSDSeg_length>21</INSDSeg_length>
    <INSDSeg_moltype>RNA</INSDSeg_moltype>
    <INSDSeg_division>PAT</INSDSeg_division>
    <INSDSeg_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..21</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>other
            RNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q294">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>misc_feature</INSDFeature_key>
        <INSDFeature_location>1..21</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q295">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2' -OH of the nucleotides at positions 7, 12, 14 from
            the 5' end of the antisense strand is replaced by fluorine, 2' -OH of
            the remaining nucleotides in the antisense strand is replaced by methoxy group,
            and there are two consecutive phosphorothioate linkages between 3 adjacent
            nucleotides at the 5' and 3' ends of the antisense
            strand</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeg_feature-table>
    <INSDSeg_sequence>gcactgagaatactgtccctt</INSDSeg_sequence>
  </INSDSeg>
</SequenceData>
<SequenceData sequenceIDNumber="59">
  <INSDSeg>

```

```

        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q296">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
            </INSDFeature>
            <INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier id="q297">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 5, 7, 8, 9 from
the 5' end of the sense strand is replaced by fluorine, 2' -OH of the
remaining nucleotides in the sense strand is replaced by methoxy group, and there
are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at
the 5' and 3' ends of the sense strand</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
            </INSDFeature>
            <INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>15</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier id="q298">

<INSDQualifier_name>note</INSDQualifier_name>

```



```

                                </INSDQualifier>
                            </INSDFeature_qual>
                        </INSDFeature>
                    </INSDSeq_feature-table>
                <INSDSeq_sequence>acactgagaatactgtcccta</INSDSeq_sequence>
            </INSDSeq>
        </SequenceData>
        <SequenceData sequenceIDNumber="61">
            <INSDSeq>
                <INSDSeq_length>21</INSDSeq_length>
                <INSDSeq_moltype>RNA</INSDSeq_moltype>
                <INSDSeq_division>PAT</INSDSeq_division>
                <INSDSeq_feature-table>
                    <INSDFeature>
                        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                        <INSDFeature_qual>
                            <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                    <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                    </INSDQualifier>
                                    <INSDQualifier id="q301">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                    </INSDQualifier>
                                </INSDFeature_qual>
                            </INSDFeature>
                        <INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                                <INSDFeature_qual>
                                    <INSDQualifier id="q302">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 9, 10, 11 from
the 5' end of the sense strand is replaced by fluorine, 2' -OH of the
remaining nucleotides in the sense strand is replaced by methoxy group, and there
are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at
the 5' and 3' ends of the sense strand</INSDQualifier_value>
                                </INSDQualifier>
                            </INSDFeature_qual>
                        </INSDFeature>

```

```

        </INSDSeq_feature-table>
        <INSDSeq_sequence>gcttaaaagggacagtattca</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="62">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                    <INSDQualifier_value>other
RNA</INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q303">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        <INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier id="q304">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 2, 4, 6, 8, 10,
12, 14, 16, 18 from the 5' end of the antisense strand is replaced by
fluorine, 2' -OH of the remaining nucleotides in the antisense strand is
replaced by methoxy group, and there are two consecutive phosphorothioate linkages
between 3 adjacent nucleotides at the 5' and 3' ends of the antisense
strand</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>tgaatactgtcccttttaagc</INSDSeq_sequence>

```

```

        </INSDSeq>
    </SequenceData>
    <SequenceData sequenceIDNumber="63">
        <INSDSeq>
            <INSDSeq_length>21</INSDSeq_length>
            <INSDSeq_moltype>RNA</INSDSeq_moltype>
            <INSDSeq_division>PAT</INSDSeq_division>
            <INSDSeq_feature-table>
                <INSDFeature>
                    <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                    <INSDFeature_qual>
                        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q305">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                </INSDFeature>
                <INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                    <INSDFeature_qual>
                        <INSDQualifier id="q306">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 5, 7, 8, 9 from
the 5' end of the sense strand is replaced by fluorine, 2' -OH of the
remaining nucleotides in the sense strand is replaced by methoxy group, and there
are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at
the 5' and 3' ends of the sense strand</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                </INSDFeature>
            </INSDSeq_feature-table>
            <INSDSeq_sequence>aaagggacagtattctcagtg</INSDSeq_sequence>
        </INSDSeq>
    </SequenceData>
    <SequenceData sequenceIDNumber="64">

```

```

        <INSDSeq>
            <INSDSeq_length>21</INSDSeq_length>
            <INSDSeq_moltype>RNA</INSDSeq_moltype>
            <INSDSeq_division>PAT</INSDSeq_division>
            <INSDSeq_feature-table>
                <INSDFeature>
                    <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                    <INSDFeature_qual>
                        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                                </INSDQualifier>
                                                <INSDQualifier id="q307">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                                </INSDQualifier>
                                                </INSDFeature_qual>
                </INSDFeature>
                <INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                    <INSDFeature_qual>
                        <INSDQualifier id="q308">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 2, 4, 6, 8, 14,
16 from the 5' end of the antisense strand is replaced by fluorine, 2'
-OH of the remaining nucleotides in the antisense strand is replaced by methoxy
group, and there are two consecutive phosphorothioate linkages between 3 adjacent
nucleotides at the 5' and 3' ends of the antisense
strand</INSDQualifier_value>
                                                </INSDQualifier>
                    </INSDFeature_qual>
                </INSDFeature>
            </INSDSeq_feature-table>
            <INSDSeq_sequence>ctgagaatactgtccctttta</INSDSeq_sequence>
        </INSDSeq>
    </SequenceData>
    <SequenceData sequenceIDNumber="65">
        <INSDSeq>
            <INSDSeq_length>21</INSDSeq_length>

```

```

        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q309">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
            </INSDFeature>
            <INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier id="q310">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 5, 7, 8, 9 from
the 5' end of the sense strand is replaced by fluorine, 2' -OH of the
remaining nucleotides in the sense strand is replaced by methoxy group, and there
are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at
the 5' and 3' ends of the sense strand</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>aaggacagtattctcagtgc</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="66">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>

```

```

        <INSDFeature>
            <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
            <INSDFeature_qual>
                <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q311">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
        </INSDFeature>
    </INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
            <INSDFeature_qual>
                <INSDQualifier id="q312">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 7, 12, 14 from
the 5' end of the antisense strand is replaced by fluorine, 2' -OH of
the remaining nucleotides in the antisense strand is replaced by methoxy group,
and there are two consecutive phosphorothioate linkages between 3 adjacent
nucleotides at the 5' and 3' ends of the antisense
strand</INSDQualifier_value>
                                </INSDQualifier>
            </INSDFeature_qual>
        </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>actgagaatactgtcccttta</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="67">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

```

```

<INSDFeature_location>1..21</INSDFeature_location>
    <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
    <INSDQualifier_value>other
RNA</INSDQualifier_value>
    </INSDQualifier>
    <INSDQualifier id="q313">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
    </INSDQualifier>
    </INSDFeature_qual>
</INSDFeature>
<INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
    <INSDFeature_qual>
        <INSDQualifier id="q314">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 9, 10, 11 from
the 5' end of the sense strand is replaced by fluorine, 2' -OH of the
remaining nucleotides in the sense strand is replaced by methoxy group, and there
are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at
the 5' and 3' ends of the sense strand</INSDQualifier_value>
    </INSDQualifier>
    </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>gcttaaaaggacagtattca</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="68">
    <INSDSeq>
        <INSDSeq_length>22</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..22</INSDFeature_location>
    <INSDFeature_qual>

```

```

<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>other
RNA</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q315">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier id="q316">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 3, 5, 7, 9, 11,
13, 15, 17 from the 5' end of the antisense strand is replaced by fluorine,
2' -OH of the remaining nucleotides in the antisense strand is replaced by
methoxy group, and there are two consecutive phosphorothioate linkages between 3
adjacent nucleotides at the 5' and 3' ends of the antisense
strand</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>

<INSDSeq_sequence>taatactgtcccttttaagcaa</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="69">
<INSDSeq>
<INSDSeq_length>21</INSDSeq_length>
<INSDSeq_moltype>RNA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>

```

```

<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>other
RNA</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q317">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier id="q318">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 9, 10, 11 from
the 5' end of the sense strand is replaced by fluorine, 2' -OH of the
remaining nucleotides in the sense strand is replaced by methoxy group, and there
are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at
the 5' and 3' ends of the sense strand</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>gtggctgcctgagacctcaat</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="70">
<INSDSeq>
<INSDSeq_length>21</INSDSeq_length>
<INSDSeq_moltype>RNA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>other

```

```

RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q319">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                <INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                                <INSDFeature_qual>
                                <INSDQualifier id="q320">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 2, 4, 6, 8, 14,
16, 18, 20 from the 5' end of the antisense strand is replaced by fluorine,
2' -OH of the remaining nucleotides in the antisense strand is replaced by
methoxy group, and there are two consecutive phosphorothioate linkages between 3
adjacent nucleotides at the 5' and 3' ends of the antisense
strand</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>
                                <INSDSeq_sequence>tgaggtctcaggcagccacgg</INSDSeq_sequence>
                                </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="71">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                                <INSDFeature_qual>
                                <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>

```

```

<INSDQualifier id="q321">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
    </INSDQualifier>
    </INSDFeature_qual>
</INSDFeature>
<INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
    <INSDFeature_qual>
        <INSDQualifier id="q322">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 9, 10, 11 from
the 5' end of the sense strand is replaced by fluorine, 2' -OH of the
remaining nucleotides in the sense strand is replaced by methoxy group, and there
are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at
the 5' and 3' ends of the sense strand</INSDQualifier_value>
    </INSDQualifier>
    </INSDFeature_qual>
    </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>aagtcacacgtgcctatccatc</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="72">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
    <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
    <INSDQualifier_value>other
RNA</INSDQualifier_value>
    </INSDQualifier>
    <INSDQualifier id="q323">

<INSDQualifier_name>organism</INSDQualifier_name>

```

```

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
<INSDFeature>
  <INSDFeature_key>misc_feature</INSDFeature_key>

  <INSDFeature_location>1..21</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q324">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 2, 4, 6, 8, 14,
16, 18, 20 from the 5' end of the antisense strand is replaced by fluorine,
2' -OH of the remaining nucleotides in the antisense strand is replaced by
methoxy group, and there are two consecutive phosphorothioate linkages between 3
adjacent nucleotides at the 5' and 3' ends of the antisense
strand</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>tg gat aggc aggtgg acttgg</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="73">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
      <INSDQualifier_value>other
RNA</INSDQualifier_value>
      </INSDQualifier>
    <INSDQualifier id="q325">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>

```

```

        </INSDQualifier>
      </INSDFeature_qual>
    </INSDFeature>
  </INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q326">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 9, 10, 11 from
the 5' end of the sense strand is replaced by fluorine, 2' -OH of the
remaining nucleotides in the sense strand is replaced by methoxy group, and there
are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at
the 5' and 3' ends of the sense strand</INSDQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>cacctgcctatccatcctgaa</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="74">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
    <INSDQualifier_value>other
RNA</INSDQualifier_value>
    </INSDQualifier>
  </INSDQualifier id="q327">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>

```

```

<INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
    <INSDFeature_qual>
        <INSDQualifier id="q328">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 2, 4, 6, 8, 14,
16, 18, 20 from the 5' end of the antisense strand is replaced by fluorine,
2' -OH of the remaining nucleotides in the antisense strand is replaced by
methoxy group, and there are two consecutive phosphorothioate linkages between 3
adjacent nucleotides at the 5' and 3' ends of the antisense
strand</INSDQualifier_value>
            </INSDQualifier>
        </INSDFeature_qual>
    </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>caggatggataggcaggtgga</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="75">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                    <INSDQualifier_value>other
RNA</INSDQualifier_value>
                    </INSDQualifier>
                <INSDQualifier id="q329">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                </INSDQualifier>
            </INSDFeature_qual>
        </INSDFeature>
    </INSDFeature>

```

```

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
    <INSDFeature_qual>
        <INSDQualifier id="q330">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 9, 10, 11 from
the 5' end of the sense strand is replaced by fluorine, 2' -OH of the
remaining nucleotides in the sense strand is replaced by methoxy group, and there
are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at
the 5' and 3' ends of the sense strand</INSDQualifier_value>
        </INSDQualifier>
    </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>gggacagtattctcagtgctt</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="76">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
    <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
        <INSDQualifier_value>other
RNA</INSDQualifier_value>
    </INSDQualifier>
    <INSDQualifier id="q331">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
    </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>

```

```

        <INSDFeature_qual>
            <INSDQualifier id="q332">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 2, 4, 6, 8, 14,
16, 18, 20 from the 5' end of the antisense strand is replaced by fluorine,
2' -OH of the remaining nucleotides in the antisense strand is replaced by
methoxy group, and there are two consecutive phosphorothioate linkages between 3
adjacent nucleotides at the 5' and 3' ends of the antisense
strand</INSDQualifier_value>
            </INSDQualifier>
        </INSDFeature_qual>
    </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>gcactgagaataactgtccctt</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="77">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                    <INSDQualifier_value>other
RNA</INSDQualifier_value>
                </INSDQualifier>
            <INSDQualifier id="q333">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
            </INSDQualifier>
        </INSDFeature_qual>
    </INSDFeature>
<INSDFeature>
    <INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
    <INSDFeature_qual>
        <INSDQualifier id="q334">

```

```

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2'; -OH of the nucleotides at positions 9, 10, 11 from
the 5'; end of the sense strand is replaced by fluorine, 2'; -OH of the
remaining nucleotides in the sense strand is replaced by methoxy group, and there
are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at
the 5'; and 3'; ends of the sense strand</INSDQualifier_value>
    </INSDQualifier>
    </INSDFeature_qual>
    </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>gacagtattctcagtgtctctt</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="78">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
          <INSDQualifier_value>other
RNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q335">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q336">

<INSDQualifier_name>note</INSDQualifier_name>

```

```

<INSDQualifier_value>2' -OH of the nucleotides at positions 2, 4, 6, 8, 14,
16, 18, 20 from the 5' end of the antisense strand is replaced by fluorine,
2' -OH of the remaining nucleotides in the antisense strand is replaced by
methoxy group, and there are two consecutive phosphorothioate linkages between 3
adjacent nucleotides at the 5' and 3' ends of the antisense
strand</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>
                                <INSDSeq_sequence>gagcactgagaatactgtccc</INSDSeq_sequence>
                                </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="79">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                                <INSDFeature_qual>
                                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q337">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                <INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                                <INSDFeature_qual>
                                    <INSDQualifier id="q338">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 9, 10, 11 from
the 5' end of the sense strand is replaced by fluorine, 2' -OH of the

```

remaining nucleotides in the sense strand is replaced by methoxy group, and there are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at the 5' and 3' ends of the sense strand

```

        </INSDQualifier_value>
        </INSDQualifier>
    </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>gagcgacagtattctcagtgt</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="80">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                    <INSDQualifier_value>other
RNA</INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q339">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        </INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier id="q340">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 2, 4, 6, 8, 14,
16, 18, 20 from the 5' end of the antisense strand is replaced by fluorine,
2' -OH of the remaining nucleotides in the antisense strand is replaced by
methoxy group, and there are two consecutive phosphorothioate linkages between 3
adjacent nucleotides at the 5' and 3' ends of the antisense

```

```

strand</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>
                                <INSDSeq_sequence>acactgagaatactgtcgctc</INSDSeq_sequence>
                                </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="81">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                                <INSDFeature_qual>
                                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q341">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                <INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                                <INSDFeature_qual>
                                    <INSDQualifier id="q342">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 7, 9, 10, 11 from
the 5' end of the sense strand is replaced by fluorine, 2' -OH of the
remaining nucleotides in the sense strand is replaced by methoxy group, and there
are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at
the 5' and 3' ends of the sense strand</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>

```

```

        </INSDFeature>
      </INSDSeq_feature-table>
      <INSDSeq_sequence>gagcgacagtattctcagtg</INSDSeq_sequence>
    </INSDSeq>
  </SequenceData>
  <SequenceData sequenceIDNumber="82">
    <INSDSeq>
      <INSDSeq_length>21</INSDSeq_length>
      <INSDSeq_moltype>RNA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>other
RNA</INSDQualifier_value>
            </INSDQualifier>
            <INSDQualifier id="q343">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
      </INSDSeq_feature-table>

      <INSDFeature_key>misc_feature</INSDFeature_key>

      <INSDFeature_location>1..21</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q344">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 2, 4, 6, 8, 10,
14, 16, 18 from the 5' end of the antisense strand is replaced by fluorine,
2' -OH of the remaining nucleotides in the antisense strand is replaced by
methoxy group, and there are two consecutive phosphorothioate linkages between 3
adjacent nucleotides at the 5' and 3' ends of the antisense
strand</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>

```

```

        <INSDSeq_sequence>acactgagaatactgtcgctc</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="83">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                    <INSDQualifier_value>other
RNA</INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q345">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        </INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
        <INSDFeature_qual>
            <INSDQualifier id="q346">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 9, 10, 11 from
the 5' end of the sense strand is replaced by fluorine, 2' -OH of the
remaining nucleotides in the sense strand is replaced by methoxy group, and there
are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at
the 5' and 3' ends of the sense strand</INSDQualifier_value>
            </INSDQualifier>
        </INSDFeature_qual>
    </INSDFeature>
</INSDSeq_feature-table>
    <INSDSeq_sequence>aagcgacagtattctcagtgt</INSDSeq_sequence>
</INSDSeq>
</SequenceData>

```

```

<SequenceData sequenceIDNumber="84">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>RNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..21</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>other
            RNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q347">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>misc_feature</INSDFeature_key>
        <INSDFeature_location>1..21</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q348">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2' -OH of the nucleotides at positions 2, 4, 6, 8, 14,
            16, 18, 20 from the 5' end of the antisense strand is replaced by fluorine,
            2' -OH of the remaining nucleotides in the antisense strand is replaced by
            methoxy group, and there are two consecutive phosphorothioate linkages between 3
            adjacent nucleotides at the 5' and 3' ends of the antisense
            strand</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>acactgagaatactgtcgctt</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="85">
  <INSDSeq>

```

```

        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q349">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
            </INSDFeature>
            <INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier id="q350">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 5, 7, 8, 9 from
the 5' end of the sense strand is replaced by fluorine, 2' -OH of the
remaining nucleotides in the sense strand is replaced by methoxy group, and there
are two consecutive phosphorothioate linkages between 3 adjacent nucleotides at
the 5' and 3' ends of the sense strand</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>aaggacagtattctcagtga</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="86">
    <INSDSeq>
        <INSDSeq_length>21</INSDSeq_length>
        <INSDSeq_moltype>RNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>

```

```

        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>
                                <INSDQualifier_value>other
RNA</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q351">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
            </INSDFeature>
        </INSDFeature>

<INSDFeature_key>misc_feature</INSDFeature_key>

<INSDFeature_location>1..21</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier id="q352">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>2' -OH of the nucleotides at positions 7, 12, 14 from
the 5' end of the antisense strand is replaced by fluorine, 2' -OH of
the remaining nucleotides in the antisense strand is replaced by methoxy group,
and there are two consecutive phosphorothioate linkages between 3 adjacent
nucleotides at the 5' and 3' ends of the antisense
strand</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>tcactgagaatactgtccctt</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
</ST26SequenceListing>

```