



[Fig. 1]




Rule 26,
19.03.2024


[Fig. 2A]



[Fig. 2B]




[Fig. 2C]




Rule 26,
19.03.2024



[Fig. 2D]

Rule 26,
19.03.2024


[Fig. 2E]

Rule 26,
19.03.2024


[Fig. 3A Fig. 3B]

Rule 26,
19.03.2024


[Fig. 3C]




[Fig. 4A]




[Fig. 4B]




[Fig. 5A]

Rule 26,
19.03.2024

[Fig. 5B]


Rule 26,
19.03.2024

[Fig. 6]




Rule 26,
19.03.2024

[Fig. 7A]




Rule 26,
19.03.2024


[Fig. 7B]




[Fig. 8]




[Fig. 9]



[Fig. 10A]




[Fig. 10B]




Rule 26,
19.03.2024

[Fig. 11]




Rule 26,
19.03.2024


[Fig. 12A]




[Fig. 12B]




[Fig. 13A]

Rule 26,
19.03.2024Rule 26,
19.03.2024

[Fig. 13B]


Rule 26,
19.03.2024

[Fig. 14]

Rule 26,
19.03.2024


- a: 50ug NJ001-ICG/OA-Fe₃O₄@PLGA NIR irradiated 1 time
b: 50ug NJ001-ICG/OA-Fe₃O₄@PLGA NIR irradiated 2 times
c: 100ug NJ001-ICG/OA-Fe₃O₄@PLGA NIR irradiated 1 time
d: 100ug NJ001-ICG/OA-Fe₃O₄@PLGA NIR irradiated 2 times
e: 100ug ICG/OA-Fe₃O₄@PLGA NIR irradiated 2 times
f: Lung tumor free mice

[Fig. 15A]




- a: 50ug NJ001-ICG/OA-Fe₃O₄@PLGA NIR irradiated 1 time
- b: 50ug NJ001-ICG/OA-Fe₃O₄@PLGA NIR irradiated 2 times
- c: 100ug NJ001-ICG/OA-Fe₃O₄@PLGA NIR irradiated 1 time
- d: 100ug NJ001-ICG/OA-Fe₃O₄@PLGA NIR irradiated 2 times
- e: 100ug ICG/OA-Fe₃O₄@PLGA NIR irradiated 2 times
- f: Lung tumor free mice

[Fig. 15B]




- a: 50ug NJ001-ICG/OA-Fe₃O₄@PLGA NIR irradiated 1 time
- b: 50ug NJ001-ICG/OA-Fe₃O₄@PLGA NIR irradiated 2 times
- c: 100ug NJ001-ICG/OA-Fe₃O₄@PLGA NIR irradiated 1 time
- d: 100ug NJ001-ICG/OA-Fe₃O₄@PLGA NIR irradiated 2 times
- e: 100ug ICG/OA-Fe₃O₄@PLGA NIR irradiated 2 times
- f: Lung tumor free mice

[Fig. 16A]




- a: 50ug NJ001-ICG/OA-Fe₃O₄@PLGA NIR irradiated 1 time
b: 50ug NJ001-ICG/OA-Fe₃O₄@PLGA NIR irradiated 2 times
c: 100ug NJ001-ICG/OA-Fe₃O₄@PLGA NIR irradiated 1 time
d: 100ug NJ001-ICG/OA-Fe₃O₄@PLGA NIR irradiated 2 times
e: 100ug ICG/OA-Fe₃O₄@PLGA NIR irradiated 2 times
f: Lung tumor free mice

[Fig. 16B]




- a: 50ug NJ001-ICG/OA-Fe₃O₄@PLGA NIR irradiated 1 time
b: 50ug NJ001-ICG/OA-Fe₃O₄@PLGA NIR irradiated 2 times
c: 100ug NJ001-ICG/OA-Fe₃O₄@PLGA NIR irradiated 1 time
d: 100ug NJ001-ICG/OA-Fe₃O₄@PLGA NIR irradiated 2 times
e: 100ug ICG/OA-Fe₃O₄@PLGA NIR irradiated 2 times
f: Lung tumor free mice

[Fig. 17]

Rule 26,
19.03.2024

[Fig. 18]

Rule 26,
19.03.2024