

[illegible]

30

306

301 インタフェース部

302 目標温度設定部

303 温度取得部

304 流量取得部

305 熱負荷演算部

306 移行判定部

307 圧縮機制御部

308 膨張弁制御部

309 弁機構制御部

310 ポンプ制御部

311 設定値情報保持部


[図3]

基本式 : $F=aX+c$


T30

係数固有値テーブル		
目標温度候補値 (°C)	係数固有値	
	a	c
-40	●△	□■
-30	●□	□□
-20	□●	○
-10	△	●
0	□	◆
...	...	...
...	...	...


[図4]




[図5]



[図6]



[圖7]




[図8]


熱負荷 (Kw)						
	0以上1未満	1以上2未満	2以上3未満	3以上4未満	4以上5未満	
目標温度 候補値(℃)	0	●●Hz	●△Hz	●□Hz	●*Hz	●■Hz
	-10	△●Hz	△△Hz	△□Hz	△+Hz	△■Hz
	-20	■●Hz	◆△Hz	■□Hz	x x x	x x x
	-30	x x x	x x x	x x x	x x x	x x x
	-40	x x x	x x x	x x x	x x x	x x x
	-50	x x x	x x x	x x x	x x x	x x x

T20


[図9]




[図10]




[図11]




[図12]



[圖13]



[図14]



[図15]

