CLAIMS

1. A package, comprising:

a base material including a paper layer;

a film that covers a content set on the base material; and

an easy-peel structure that bonds the base material and the film to seal the content, wherein

the easy-peel structure corresponds to a portion where an innermost layer of the base material forms a seal with an innermost layer of the film, and

a combination of the innermost layer of the base material and the innermost layer of the film includes any one of:

a combination of (a) polyethylene corresponding to the innermost layer of the base material and (b) an ionomer resin corresponding to the innermost layer of the film;

a combination of (a) an easy-peel film including a mixture of polyethylene and polypropylene corresponding to the innermost layer of the base material and (b) polyethylene corresponding to the innermost layer of the film; and

a combination of (a) an easy-peel film including a mixture of polyethylene and polypropylene corresponding to the innermost layer of the film and (b) polyethylene corresponding to the innermost layer of the base material.

2. The package according to claim 1, wherein the easy-peel structure has a waterproof property.

3. The package according to claim 1 or 2, wherein

the base material includes a barrier layer formed on the paper layer, and

the barrier layer is formed from a material that excels in at least one of a gas-barrier property and a moisture-barrier property.

4. The package according to claim 3, wherein

the barrier layer is formed from a material that excels in at least the moisture-barrier property, and

the barrier layer is formed at a position closer to the content than the paper layer.

5. The package according to any one of claims 1 to 4, wherein the paper layer has a grammage included in a range of 100 g/m^2 or greater to less than 1000 g/m^2.

6. The package according to any one of claims 1 to 5, further comprising:

a waterproof layer formed on a side of the paper layer opposite to the content.

7. The package according to any one of claims 1 to 6, wherein the easy-peel structure is arranged at least in a range corresponding to a predetermined range that includes an edge of the base material and a predetermined range that includes an edge of the film.

8. The package according to any one of claims 1 to 7, wherein the easy-peel structure includes an easy-peel film arranged on the base material or the film.

9. The package according to any one of claims 1 to 8, wherein the easy-peel structure has a sealing strength in a range of 0.5 N/15 mm or greater to 5 N/15 mm or less.

10. The package according to any one of claims 1 to 9, further comprising: a content sealed in the base material and the film.