









CLAIMS


1. A compound of formula (I)




(I);


wherein R_1 and R_2 are selected from one of the following combinations:



(a) R_1 is $-OR_3$ and R_2 is selected from, , , , and , wherein R_7 is selected from $-C(=O)-O-R_8$, , , and ;



(b) R_1 is  and R_2 is selected from $-OR_3$ and ;



(c) R_1 is  and R_2 is selected from $-OR_3$;

(d) R_1 is  and R_2 is selected from $-OR_3$ and ;

(f) R_1 is , wherein R_7 is –C(=O)-O-R_8 and R_2 is OR_3 ;

(g) R_1 is , wherein R_7 is  and R_2 is is OR_3 ;

(h) R_1 is , wherein R_7 is  and R_2 is is OR_3 ;

(i) R_1 is , wherein R_7 is  and R_2 is is OR_3 ;

wherein:

n is an integer selected from 1, 2, 3, and 4;

m is an integer selected from 1, 2, 3, and 4;

p is an integer selected from 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, and 20;

q is an integer selected from 1,2,3,4, 5, 6, 7, 8, 9, and 10;

r is 1;

u is an integer selected from 1, 2, 3, and 4;

R_3 is H or C_1-C_6 straight-chain or branched unsubstituted or substituted alkyl;

R_4 is C_1-C_6 straight-chain or branched unsubstituted or substituted alkyl or –OR_5, wherein R_5 is C_1-C_6 straight-chain or branched unsubstituted or substituted alkyl;

R_6 is C_1-C_6 straight-chain or branched unsubstituted or substituted alkyl;

R_8 is C_1-C_6 straight-chain or branched unsubstituted or substituted alkyl;



R_9 is H or C_1-C_4 straight-chain or branched unsubstituted or substituted alkyl;



R_{10} is C_1-C_6 straight-chain or branched unsubstituted or substituted alkyl;


R_{11} and R_{12} are each independently H or a protecting group;


R_{13} is C_1-C_6 straight-chain or branched unsubstituted or substituted alkyl;
R_{14} is H or C_1-C_4 straight-chain or branched unsubstituted or substituted alkyl;
R_{15} is C_1-C_6 straight-chain or branched unsubstituted or substituted alkyl; and
R_{16} and R_{17} are each independently selected from H, C_1-C_4 straight-chain or branched unsubstituted or substituted alkyl, and a protecting group;
R_{18} is aryl;
R_{19} is C_1-C_4 straight-chain or branched unsubstituted or substituted alkyl;
R_{20} is H or C_1-C_4 straight-chain or branched unsubstituted or substituted alkyl; and
R_{21} is $–OR_{22}$, wherein R_{22} is C_1-C_6 straight-chain or branched unsubstituted or substituted alkyl or R_{21} is $–NR_{23}R_{24}$, wherein R_{23} and R_{24} are each independently H or C_1-C_4 straight-chain or branched unsubstituted or substituted alkyl;
and pharmaceutically acceptable salts thereof.



2. The compound of formula (I) of claim 1, wherein



(a) R_1 is $–OR_3$ and R_2 is selected from,  and ;



(b) R_1 is  and R_2 is selected from $–OR_3$ and ;

(c) R_1 is  and R_2 is selected from $–OR_3$;


(d) R_1 is , wherein R_7 is $–C(=O)-O-R_8$ and R_2 is OR_3 ;


(e) R_1 is , wherein R_7 is  and R_2 is OR_3 ;


(f) R_1 is , wherein R_7 is  and R_2 is is OR_3 ; and


(g) R_1 is , wherein R_7 is  and R_2 is is OR_3 .



3. The compound of formula (I) of claim 1, wherein



(a) R_1 is  and R_2 is $-OR_3$;



(b) R_1 is  and R_2 is$-OR_3$,

(c) R_1 is  and R_2 is$-OR_3$,

(d) R_1 is , wherein R_7 is –C(=O)-O-R_8 and R_2 is OR_3 ;

(e) R_1 is ,wherein R_7 is  and R_2 is OR_3;

(f) R_1 is , wherein R_7 is  R_2 is OR_3 ; and

(g) R_1 is , wherein R_7 is  and R_2 is OR_3 .








4. The compound according to claim 1, wherein R_3, R_4, R_5, R_6, R_8, R_{10}, R_{13}, R_{15}, and R_{22} are each independently selected from methyl, ethyl, n-propyl, isopropyl, n-butyl, sec-butyl, iso-butyl, t-butyl, pentyl, isopentyl, neopentyl, n-hexyl, 2-methylpentane, 3-methylpentane, 2,2-dimethylbutane, and 2,3-dimethylbutane.
























5. The compound according to claims 1, wherein R_9, R_{14}, R_{16}, R_{17}, R_{19}, R_{20}, R_{23}, and R_{24} are each independently selected from methyl, ethyl, n-propyl, isopropyl, n-butyl, sec-butyl, iso-butyl, and t-butyl.


6. The compound according to claim 1, wherein the protecting group is selected from tert-butoxycarbonyl (boc).

7. The compound according to claim 1, wherein R_{18} is phenyl.


















8. The compound according to claim 1, wherein the compound of formula (I) is selected from:

,
,
,
,
,
,
,








,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

and


; and pharmaceutically acceptable salts thereof.


9. The compound according to claims 1, wherein the compound of formula (I) is selected from:


,
,
,
,
,
,
,
,
,
,
,
,
,
,
,
, and
.


10.The compound according to claims 1, wherein the compound of formula (I) is selected from:

,
,
,
,
,
,



,


,


and

.

11 A pharmaceutical composition comprising a compound of formula (I) according to any of claims 1-10 and a pharmaceutically acceptable excipient.

12. The compound of any of claims 1-8 or the composition of claim 11 for use in therapy.

13. Use of a compound of formula (I) of claim 1 in the manufacture of a medicament for the treatment of inflammation in a subject.