

FIG. 1




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 1 (cont.)




FIG. 2

Table B-3

#	Solid phase assay		Proximity-based assay		#	Solid phase assay		Proximity-based assay	
	$\alpha\nu\beta_1$	$\alpha\nu\beta_6$	$\alpha\nu\beta_1$	$\alpha\nu\beta_6$		$\alpha\nu\beta_1$	$\alpha\nu\beta_6$	$\alpha\nu\beta_1$	$\alpha\nu\beta_6$
1	>1000	250-1000		50-250	41		<50		<50
2	>1000	250-1000		>1000	42	<50	<50		<50
3	>1000	50-250		250-1000	43		<50		
4	>1000	50-250	>1000	50-250	44	<50	<50		
5	<50	<50			45	50-250	<50		
6		50-250		<50	46		<50	<50	<50
7		<50		<50	47		<50		<50
8		50-250		<50	48		<50		<50
9		>1000		50-250	49		<50		<50
10	<50	<50			50		<50		<50
11	<50	<50		<50	51		<50		<50
12	<50	<50		<50	52		<50		<50
13		50-250		<50	53		<50	50-250	<50
14		<50		<50	54		<50		<50
15		<50		<50	55		<50		<50
16	<50	<50		<50	56		<50		<50
17		<50		<50	57		<50		<50
18		<50		<50	58		<50		<50
19		<50		<50	59		<50		<50
20		<50		<50	60		<50		<50
21		<50		<50	61		<50		<50
22	<50	<50		<50	62	<50	<50		<50
23	<50	<50		<50	63		<50	50-250	<50
24	250-1000	<50		<50	64		<50		<50
25	250-1000	<50	50-250	<50	65	<50	<50	<50	<50
26		<50		<50	66	<50	<50	<50	<50
27		<50		<50	67	<50	<50		
28	<50	<50		<50	68		<50		<50
29		<50		<50	69		<50		<50
30	50-250	<50		<50	70		<50		<50
31	50-250	<50		<50	71		<50		<50
32	50-250	<50		<50	72		<50		<50
33		<50		<50	73		<50		50-250
34		>1000		>1000	74		<50	<50	<50
35	<50	<50		<50	75		<50		<50
36		>1000		>1000	76		<50		<50
37		50-250		<50	77		<50		<50
38	<50	<50		<50	78		<50		<50
39	<50	<50		<50	79		<50	<50	<50
40	<50	<50		<50	80		<50		<50

FIG. 2 (cont.)

#	Solid phase assay		Proximity-based assay		#	Solid phase assay		Proximity-based assay	
	$\alpha\nu\beta_1$	$\alpha\nu\beta_6$	$\alpha\nu\beta_1$	$\alpha\nu\beta_6$		$\alpha\nu\beta_1$	$\alpha\nu\beta_6$	$\alpha\nu\beta_1$	$\alpha\nu\beta_6$
81		<50		<50	121		>1000		>1000
82		<50		<50	122		250-1000		250-1000
83		<50		<50	123		<50		<50
84		250-1000		50-250	124		<50		<50
85		250-1000		<50	125		50-250		<50
86		50-250		50-250	126		>1000		250-1000
87		250-1000		50-250	127		250-1000		50-250
88		>1000		>1000	128		>1000		50-250
89		<50		<50	129		<50	<50	<50
90		<50		<50	130		<50		<50
91		<50		<50	131		50-250		50-250
92		<50			132		50-250		50-250
93		<50			133		50-250		<50
94		<50			134		50-250		250-1000
95		>1000		>1000	135		50-250		50-250
96		>1000		>1000	136		<50		<50
97		>1000		>1000	137		<50		50-250
98		>1000		>1000	138		<50		<50
99		250-1000		250-1000	139		<50		<50
100		<50		<50	140		<50		<50
101		50-250		50-250	141		50-250		50-250
102		>1000		250-1000	142		>1000		
103		>1000		250-1000	143		50-250		
104		>1000		250-1000	144		50-250		
105		<50		<50	145		<50		50-250
106		<50		<50	146		>1000		>1000
107		250-1000		<50	147		50-250		<50
108		>1000		250-1000	149		50-250		250-1000
109		<50		<50	152		>1000		250-1000
110		<50		<50	154		>1000		250-1000
111		<50		<50	156		50-250		250-1000
112		250-1000		250-1000	158		>1000		250-1000
113		250-1000		50-250	159		>1000		50-250
114		<50		250-1000	162		<50		<50
115		50-250		250-1000	163		>1000		50-250
116		50-250		50-250	172		>1000		250-1000
117		<50		<50	178		>1000		250-1000
118		>1000		>1000	181	>1000	>1000		>1000
119		>1000			182	>1000	>1000		>1000
120	>1000	>1000		>1000	183	>1000	>1000		>1000

FIG. 2 (cont.)

#	Solid phase assay		Proximity-based assay		#	Solid phase assay		Proximity-based assay	
	$\alpha\nu\beta_1$	$\alpha\nu\beta_6$	$\alpha\nu\beta_1$	$\alpha\nu\beta_6$		$\alpha\nu\beta_1$	$\alpha\nu\beta_6$	$\alpha\nu\beta_1$	$\alpha\nu\beta_6$
185	>1000	>1000		>1000	264	250-1000	>1000		50-250
186	>1000	>1000		>1000	266	>1000	50-250		50-250
187	>1000	>1000		>1000	267		<50		
188	>1000	>1000		>1000	268		50-250		<50
190	>1000	>1000		>1000	269	<50	50-250		<50
191	>1000	>1000		>1000	270		<50		
192	>1000	>1000		50-250	272		250-1000		
193	>1000	>1000		>1000	273		50-250		
194	>1000	>1000		>1000	278		<50		<50
195		<50		<50	282		>1000		
196		>1000		50-250	284		<50		50-250
200		<50		<50	287	250-1000	250-1000		50-250
204	<50	<50		<50	288	50-250	<50		50-250
205		<50		<50	302		<50		<50
209		50-250		50-250	309		50-250		<50
210		<50			310		<50		<50
213		>1000		50-250	311		<50		<50
215		<50		<50	312	<50	50-250		<50
220		<50		<50	313	<50	<50		<50
222		50-250		<50	314		50-250		<50
224		>1000		50-250	315		<50		<50
228	<50	<50		<50	316		<50		<50
229		<50		<50	317	<50	<50		<50
230		<50		<50	318		<50		<50
231		<50		<50	319		<50		<50
232		<50		<50	320		<50		<50
233	>1000	>1000		>1000	321	<50	50-250		<50
236		<50			322	>1000	50-250		<50
243	250-1000	>1000		250-1000	323	<50	<50		<50
246	>1000	250-1000		50-250	324	<50	<50		<50
248		<50		<50	325	<50	<50		<50
250	>1000	50-250		50-250	326	<50	<50		<50
253		50-250		<50	327	<50	<50		<50
254	<50	<50		50-250	328	250-1000	50-250		<50
255		<50		<50	329	<50	<50		<50
256	>1000	50-250		<50	330	>1000	50-250		<50
257		50-250		50-250	332		50-250		<50
258		>1000		50-250	334		50-250		<50
261	>1000	>1000		50-250	335		<50		<50
263		<50		<50	336		50-250		<50

FIG. 2 (cont.)

#	Solid phase assay		Proximity-based assay		#	Solid phase assay		Proximity-based assay	
	$\alpha\nu\beta_1$	$\alpha\nu\beta_6$	$\alpha\nu\beta_1$	$\alpha\nu\beta_6$		$\alpha\nu\beta_1$	$\alpha\nu\beta_6$	$\alpha\nu\beta_1$	$\alpha\nu\beta_6$
340	>1000	50-250		<50	677		>1000		250-1000
341	>1000	>1000		<50	678		<50		<50
342		50-250		250-1000	679		<50		<50
343		50-250		<50	680			>1000	<50
344	250-1000	<50		<50	681			<50	<50
345	50-250	50-250		<50	682	<50	<50	<50	<50
346		250-1000		<50	683	50-250	<50		
347	50-250	>1000		<50	684	250-1000	<50		<50
348	>1000	250-1000		50-250	685	250-1000	>1000		250-1000
349	250-1000	50-250		<50	686	<50	<50		<50
350	>1000	>1000		250-1000	687	>1000	>1000		<50
352	>1000	>1000		<50	688	<50	<50		<50
353	>1000	>1000		50-250	689	<50	<50		<50
354		<50	<50	<50	690	<50	50-250		<50
357	>1000	>1000		50-250	691	<50	<50		<50
360	>1000	<50		<50	692	>1000	50-250		<50
362	>1000	>1000		50-250	693	50-250	50-250		<50
364		<50		<50	694	<50	<50		<50
365		50-250		50-250	695	250-1000	50-250		50-250
369		50-250		<50	696	50-250	50-250		50-250
371		50-250		50-250	697	50-250	50-250		<50
372		50-250		<50	698	250-1000	>1000		50-250
375		<50		<50	699	>1000	>1000		50-250
377		<50		<50	700	>1000	250-1000		50-250
379	<50	<50		<50	701	<50	<50		<50
381	<50	<50	<50	<50	702	50-250	<50		<50
382	<50	<50		<50	703	<50	<50		<50
383	<50	<50		<50	704	<50	<50		<50
384	>1000	250-1000		50-250	705	>1000	50-250		250-1000
666	50-250	<50			706	<50	<50		<50
667	50-250	<50			707	<50	<50		
668	<50	<50		<50	708	>1000	<50		
669	<50	<50	<50	<50	709	<50	<50		
670	>1000	50-250		<50	710	<50	<50	<50	<50
671	250-1000	50-250		<50	711	<50	<50	50-250	<50
672		<50			712	50-250	<50	50-250	<50
673		<50		<50	713	250-1000	<50	250-1000	50-250
674		<50			714	<50	<50	<50	<50
675	>1000	>1000		>1000	715	<50	<50	<50	<50
676		<50		<50	716	<50	50-250	50-250	<50

#	Solid phase assay		Proximity-based assay	
	$\alpha\gamma\beta_1$	$\alpha\gamma\beta_6$	$\alpha\gamma\beta_1$	$\alpha\gamma\beta_6$
717	<50	<50	50-250	<50
718	<50	<50	<50	<50
719	>1000	<50	250-1000	50-250
720	250-1000	<50	250-1000	<50
721	250-1000	<50	50-250	50-250
722	>1000	50-250	>1000	250-1000
723	>1000	50-250	>1000	<50
724	>1000	250-1000	>1000	250-1000
725	>1000	250-1000	250-1000	50-250
726	50-250	<50	50-250	<50
727	<50	<50		<50
728			>1000	50-250
729			<50	<50
730			250-1000	50-250
731			250-1000	<50
732			250-1000	<50
733			<50	<50
734			<50	<50
735			<50	<50
736			<50	<50
737			>1000	50-250
738			50-250	<50
739			<50	<50
740			250-1000	<50
741			250-1000	<50
742			50-250	<50
743				
744				
745			50-250	50-250
746			50-250	<50
747			50-250	<50
748			<50	<50
749			50-250	<50
750			250-1000	<50
751			50-250	<50
752			50-250	<50
753			<50	<50
754			<50	<50
755			<50	<50
756				




FIG. 3A




FIG. 3B




FIG. 4A

FIG. 4B




FIG. 4E

FIG. 4D

FIG. 4C







FIG. 4I

FIG. 4H

FIG. 4G

FIG. 4F




FIG. 4J

FIG. 4K




FIG. 5B




FIG. 5A

55/96




FIG. 6A




FIG. 6B




FIG. 6C




FIG. 6D





FIG. 6E

**FIG. 6F**




FIG. 7B




FIG. 7A




FIG. 8B

FIG. 8A




FIG. 8D

FIG. 8C






FIG. 8E

FIG. 8F

63/96

**FIG. 8G**

64/96

**FIG. 8H**





FIG. 9

66/96

**FIG. 10**




FIG. 11




FIG. 12

69/96




FIG. 13

70/96




FIG. 14

71/96




FIG. 15

72/96




FIG. 16

73/96




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22

79/96





FIG. 23

**FIG. 24**




FIG. 25




FIG. 26

83/96

FVC Change from Baseline at Week 12
mITT Population - SoC subgroup




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31

88/96

QLF Mean Percent Change from Baseline at Week 12
Per CT protocol population




FIG. 32

Compound 5 Reduced Serum Biomarkers of Collagen Synthesis
Change from Baseline at 4 and 12 Weeks vs. Placebo




FIG. 33

90/96




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39

Compound 5 Reduced Circulating Biomarkers ITGB6 and PRO-C3 Relative to Placebo



FIG. 40