

TEMPORARY FORMATTING AND CHARTING OF SELECTED DATA

BACKGROUND

5 [0001] Many individuals spend a lot of time trying to visualize data. Data is often presented in rows and columns of a spreadsheet as blocks of information without any visual graphical representation of the data. In order to understand the data, users spend time trying to figure out the best way to view the data and then create the charts that is needed to understand it. This process takes time and expertise in knowing how to use the visualization features of an application.

10 [0001A] It is desired to provide a method for temporarily formatting and charting data, a computer-readable storage medium, and a system for temporarily formatting and charting data, that alleviate one or more difficulties of the prior art, or to at least provide a useful alternative.

SUMMARY

15 [0001B] In accordance with some embodiment of the present invention, there is provided a method for temporarily formatting and charting data, comprising:
receiving a user selection of a portion of data from rows and columns of data that is currently displayed on a display;
determining values within the selected data;
automatically determining a single chart type based on the selected data;
20 automatically creating a chart of the single chart type; and
temporarily displaying the chart representing the values from the selected data.

[0001C] In accordance with some embodiment of the present invention, there is provided a computer-readable storage medium, excluding a signal, having computer-executable instructions for temporarily formatting and charting data, the instructions
25 executing on a processor of a computer, comprising:
receiving a user selection of data that is selected from a portion of data that is included within a table;
determining all of the values within the selected data;
automatically determining a single chart type to display the selection of data based
30 on the selection of data;
temporarily displaying a chart of the single chart type representing the values from the selected data; wherein the chart is automatically created and displayed upon receiving the selection of data.

[0001D] In accordance with some embodiment of the present invention, there is provided a system for temporarily formatting and charting data, comprising:
a central processing unit (CPU) and a computer-readable medium;
an operating environment stored on the computer-readable medium and executing
5 on the processor;
a productivity application and a visual manager operating on the CPU, and
configured to perform tasks, comprising:
receive a user selection of data that is selected from a portion of data that is
presented in rows and columns within the productivity application;
10 determine values of the selected data;
automatically determine a single chart type to display the selection of data; and
temporarily display a chart of the single chart type representing the values from the
selected data in response to the selection of data.

[0002] This Summary is provided to introduce a selection of concepts in a simplified
15 form that are further described below in the Detailed Description. This Summary is not
intended to identify key features or essential features of the claimed subject matter, nor is
it intended to be used as an aid in determining the scope of the claimed subject matter.

[0003] Selected data is temporarily formatted and charted to assist a user in
visualizing the selected data without the user having to manually create the display of the
20 charted data. Once the temporary formatting and charting is automatically applied to the
selected data, a user may interact with the visual formatting and charts to gain additional
information. For example, the chart may be formatted differently, reference lines may be
added, the chart may be sorted, the type of chart(s) displayed may be changed, the user
may graphically navigate over the chart to obtain more detailed information, and the like.
25 Once the user has completed interacting with the temporarily formatted and created
chart(s) the visualizations are removed from the display.

BRIEF DESCRIPTION OF THE DRAWINGS

[0003A] Some embodiments of the present invention are hereinafter described, by
way of example only, with reference to the accompanying drawings, wherein:

30 [0004] FIGURE 1 illustrates a computer architecture for a computer;

[0005] FIGURE 2 shows an example temporary formatting and charting system;

[0006] FIGURES 3-5 show exemplary user interfaces and displays for temporarily
formatting and charting selected data;

[0007] FIGURE 6 illustrates a process for temporarily charting selected data; and

[0008] FIGURE 7 shows a process for formatting temporarily displayed charts.

DETAILED DESCRIPTION

[0009] Referring now to the drawings, in which like numerals represent like elements, various embodiments will be described. In particular, FIGURE 1 and the
5 corresponding discussion are intended to provide a brief, general description of a suitable computing environment in which embodiments may be implemented.

[0010] Generally, program modules include routines, programs, components, data structures, and other types of structures that perform particular tasks or implement particular abstract data types. Other computer system configurations may also be used,
10 including multiprocessor systems, microprocessor-based or programmable consumer electronics, minicomputers, mainframe computers, and the like. Distributed computing environments may also be used where tasks are performed by remote processing devices that are linked through a communications network. In a distributed computing environment, program modules may be located in both local and remote memory storage
15 devices.

[0011] Referring now to FIGURE 1, an illustrative computer architecture for a computer 100 utilized in the various embodiments will be described. The computer architecture shown in FIGURE 1 may be configured as a desktop, a server, or mobile computer and includes a central processing unit 5 ("CPU"), a system memory 7, including
20 a random access memory 9 ("RAM") and a read-only memory ("ROM") 11 and a system bus 12 that couples the memory to the CPU 5. A basic input/output system containing the basic routines that help to transfer information between elements within the computer, such as during startup, is stored in the ROM 11. The computer 100 further includes a mass storage device 14 for storing an operating system 16, application programs, and other
25 program modules, which will be described in greater detail below.

[0012] The mass storage device 14 is connected to the CPU 5 through a mass storage controller (not shown) connected to the bus 12. The mass storage device 14 and its associated computer-readable media provide non-volatile storage for the computer 100. Although the description of computer-readable media contained herein refers to a mass
30 storage device, such as a hard disk or CD-ROM drive, the computer-readable media can be any available media that can be accessed by the computer 100.

[0013] By way of example, and not limitation, computer-readable media may comprise computer storage mediums and communication media. Computer storage mediums includes volatile and non-volatile, removable and non-removable media

implemented in any method or technology for storage of information such as computer-readable instructions, data structures, program modules or other data. Computer storage media includes, but is not limited to, RAM, ROM, EPROM, EEPROM, flash memory or other solid state memory technology, CD-ROM, digital versatile disks (“DVD”), or other optical storage, magnetic cassettes, magnetic tape, magnetic disk storage or other magnetic storage devices, or any other medium which can be used to store the desired information and which can be accessed by the computer 100.

[0014] According to various embodiments, computer 100 operates in a networked environment using logical connections to remote computers through a network 18, such as the Internet. The computer 100 may connect to the network 18 through a network interface unit 20 connected to the bus 12. The network connection may be wireless and/or wired. The network interface unit 20 may also be utilized to connect to other types of networks and remote computer systems. The computer 100 may also include an input/output controller 22 for receiving and processing input from a number of other devices, including a keyboard, mouse, or electronic stylus (not shown in FIGURE 1). Similarly, an input/output controller 22 may provide output to a display screen that includes a user interface 28, a printer, or other type of output device. User interface (UI) 28 is designed to provide a user with a visual way to interact with productivity application 24 that incorporates a temporary display of automatically formatted charts(s), as well as to interact with other functionality that is included on computing device 100.

[0015] As mentioned briefly above, a number of program modules and data files may be stored in the mass storage device 14 and RAM 9 of the computer 100, including an operating system 16 suitable for controlling the operation of a networked computer, such as the WINDOWS 7® operating system from MICROSOFT CORPORATION of Redmond, Washington. The mass storage device 14 and RAM 9 may also store one or more program modules. In particular, the mass storage device 14 and the RAM 9 may store one or more application programs. One of the application programs is a productivity application 24, such as one of the MICROSOFT EXCEL® or one of the other MICROSOFT OFFICE® programs. Generally, productivity application 24 is an application that a user utilizes when viewing and interacting with a block of data, such as within a spreadsheet and/or a table. Productivity application 24 is an application such as a spreadsheet program, a database program, a word-processing program, a presentation program and the like.

[0016] Visual manager 26 is configured to automatically temporarily format and chart selected data to assist a user in viewing and understanding the selected data. Since the charting is automatically performed on the charted data, the user does not have to manually create the display of the charted data. Once the temporary formatting and charting is automatically applied to the selected data, the user may interact with the visual formatting and charts to gain additional information. For example, the chart may be formatted differently, reference lines may be added, the chart may be sorted, the type of chart(s) displayed may be changed, the user may navigate over the chart to obtain more detailed information, and the like. Once the user has completed interacting with the temporarily formatted and created chart(s) they are removed from the display 28.

[0017] FIGURE 2 shows an example temporary formatting and charting system. As illustrated, system 200 includes display 28, visual manager 26, input 205, productivity application 24, data store 240, and other applications 230. Visual manager 26 may be implemented within presentation application 24 as shown in FIGURE 2 or may be implemented externally from application 24 as shown in FIGURE 1.

[0018] In order to facilitate communication with the visual manager 26, one or more callback routines, illustrated in FIGURE 2 as callback code 210, may be implemented. Through the use of the callback code 210, the visual manager 26 may query for additional information used in temporarily formatting and charting data selected from within productivity application 24. For example, visual manager 26 may request to be informed when a user selects data, selects a user interface element that is associated with one of the temporarily displayed charts and/or move and navigates over a displayed chart. Other information may also be provided that relate to the features of the application. As discussed above, visual manager 26 is configured to automatically format and create charts from data that is selected within productivity application 24 such that the selected data may be understood in a graphical manner.

[0019] Display 28 is configured to provide the user with a visual display of the temporarily formatted and displayed chart(s) based on the selected data (See FIGURES 3-5 for exemplary displays). Input 205 is configured to receive input from one or more input sources, such as a keyboard, mouse, a touch screen, and/or some other input device. For example, the input may be a mouse movement over a displayed chart, a selection of data, a selection of a menu item, hovering over an item, and the like. Data store 240 is configured to store data relating to productivity application 24. For example, data store 240 may be used to store the data that is displayed within the rows and columns of a spreadsheet.

[0020] Visual manager 26 may also coupled to other applications 230 such that data to be temporarily formatted and charted may be received from the other applications. For example, visual manager 26 may be coupled to another productivity application and/or a networking site that provides data that is used in temporarily formatting and creating

charts.

[0021] FIGURES 3-5 show exemplary user interfaces and displays for temporarily formatting and charting selected data. Referring now to FIGURE 3, display 310 shows a spreadsheet containing rows and columns of data. The data may be provided by a variety of sources. For example, the data may be obtained from a database, a file, another

application, a live data source, and the like. When a user would like to temporarily format and view data from the data source they enter a temporary charting mode and select the data they would like to be temporarily formatted and charted. In the current example, the user has selected the women's row and the men's row of data (315). The user may select as much data as they wish to view in a chart. For example, the user may select a single row, two rows, three rows, and the like. The user may also select as few or as many columns as they desire to view. For example, the user may select only a portion of the columns presented within the data.

[0022] The user may enter the temporary chart view in a variety of manners. In the current example, the user selects the selection option and the automatic option shown in user interface 320. Other user interfaces may be used to enter the mode. For example, the user could right click to bring up a context menu, select a menu option from a toolbar or menu, and the like. According to another embodiment, the chart may be automatically displayed upon the selection of data without first selecting a temporary charting option.

[0023] After entering the temporary formatting and charting mode, a selection of data, such as selection 315, displays the selected data in a chart form. As illustrated, display 330 shows chart 334 that displays a chart for the values in the selected women's row and chart 336 that displays a chart for the values in the selected men's row.

According to one embodiment, a separate chart is created for each row of data that is selected. According to another embodiment, a single chart is created using the data. In the current example, the chart type was set to be automatically selected based on the selected data. Many different types of charts may be displayed, such as, but not limited too: column; line; area; and pie charts. According to one embodiment, charts 334 and 336 share a common axis (337) such that the charts may be easily compared. According to another embodiment, each chart is individually created such that each axis depends on the

data within its selected row. As discussed above, when a user moves and navigates over the chart more information may be displayed to the user. In the current example, the user has moved over point 338 on line chart 334. In response to navigating to a point, a graphical representation of the corresponding value in the selected data is displayed. In the current example, point 338 corresponds to the May value in the Women's row which is \$7,071. In the current example, a corresponding graphical display is provided in the other displayed charts at the corresponding location to point 338. For example, in chart 336, point 338 in chart 334 corresponds to point 339 in chart 336. The value for point 339 is \$7,027 which is the May value from the Men's row. In addition to displaying the corresponding value from the other selected rows, a difference may also be graphically shown such that a direct comparison between the values of the charts may be readily determined. In the present example, the difference is \$44 (7,071-7,027). More formatting of the data may be provided to assist the user in visualizing the data. For example, different colors may be used within the display, different values may be highlighted within the data, some data may be hidden from view, and the like. In display 330 it can be seen that the rows of data that are not selected are hidden from view while the charts are temporarily displayed. According to another embodiment, the charts that are temporarily displayed may be presented in one or more different windows from the display of the data.

[0024] FIGURE 4 shows exemplary displays that illustrate different charting and formatting options.

[0025] Display 410 shows a display of a bar chart 412 for a women's row and a bar chart 414 for a men's row of data (416). The type of chart may be pre-configured, automatically selected based on the selected data (416) and/or changed from a default chart type. For example, a user may use a user interface such as user interface 320 that is displayed in FIGURE 3 to select the chart type.

[0026] Display 420 shows a reference line 422 that is added to the display of the charts 412 and 414. As illustrated, the reference line is set to a value of \$8,000. The reference line 422 spans across the displayed charts. According to one embodiment, values that fall below the reference line 422 are formatted differently from the values that are at or above the reference line 422. For example, the values below the reference line may be colored/shaded differently from the values that fall at or above the reference line. In the current example, values above the reference line are illustrated darker than the values at or below the reference line. The displayed values within data 424 may also be formatted based on the reference line 422 that is created.

[0027] Display 430 illustrates selecting a value in a displayed chart. As illustrated, a user has selected point 432. A user may select a point in different manners. For example, a user may navigate and hover over a point, click on the point, and the like. Point 432 corresponds to the December value for the women's row of data. When a point is selected, more information is provided to the user. According to one embodiment, the additional displayed information includes the value for the point as well as the difference between the point and the reference line. In the current example, the corresponding point is highlighted on the display of the other charts (in this case chart 414) and a corresponding display of information is presented. On the display of the men's chart 414, the value for the men's December value is presented along with the difference between the value and the reference line. Other information may also be included in the display. For example, a comparison could be made between the men's and women's data values and/or different formatting applied to the value that is larger/smaller than the selected point.

[0028] FIGURE 5 illustrates a display of a bar chart in which the displayed charts have been sorted.

[0029] As illustrated, display 510 shows a display of a men's chart 512 and a display of a women's chart 514. In addition to changing the formatting of displayed charts, a user may sort the displayed charts based on various criteria. For example, in the current example, the charts displayed in FIGURE 4 were sorted based on the chart title resulting in the display of the men's chart 512 to the left of the display of the women's chart 514. Spin control 516 is a control that may be used to sort the display of the charts. Other controls and/or user interfaces may also be used to control the sorting of the charts. Generally, spin control 516 is configured such that a user may cycle through a variety of options by selecting one of the displayed arrows on spin control 516. For example, the charts could be sorted based on downward trends, upward trends, chart title, low to high values, high to low values, average values, and the like. The selected option is illustrated within the display of spin control 516. In the current example, the current option selected is "Chart Title."

[0030] Referring now to FIGURES 6-7, illustrative processes for temporarily formatting and charting selected data is described.

[0031] When reading the discussion of the routines presented herein, it should be appreciated that the logical operations of various embodiments are implemented (1) as a sequence of computer implemented acts or program modules running on a computing system and/or (2) as interconnected machine logic circuits or circuit modules within the

computing system. The implementation is a matter of choice dependent on the performance requirements of the computing system implementing the invention. Accordingly, the logical operations illustrated and making up the embodiments described herein are referred to variously as operations, structural devices, acts or modules. These operations, structural devices, acts and modules may be implemented in software, in
5 firmware, in special purpose digital logic, and any combination thereof.

[0032] FIGURE 6 illustrates a process 600 for temporarily charting selected data.

[0033] After a start operation, the process flows to operation 610, where data to be temporarily formatted and charted is selected. A user may select as much or as little data
10 to view within a chart as desired. For example, a user may select one or more full or partial rows of data.

[0034] Moving to operation 620, the chart title and axis information is determined from the selected data. When the data selected does not include the title information for the selected rows and/or columns, the data is traversed until the corresponding title for the
15 row/column is obtained. For example, row data may be traversed from the right to the left until the title column for the row is reached. In the example illustrated above, each of the selected rows is traversed until the Women's title (Women) is obtained and the Men's title (Men) is obtained. Similarly, each column may be traversed to determine the title for each column. For example, for each selected column the data may be traversed until a title for
20 the column is determined. In the examples presented above, the column titles are the selected months (i.e. January – December). While the column titles may not be initially displayed in the charts, this information may be used when a point is selected within a displayed chart (e.g. see point 338 in FIGURE 3).

[0035] Flowing to operation 630, the axis information for the chart(s) to display is
25 determined. According to one embodiment, each displayed chart shares a common axis. The shared axis is determined from the range of the selected values.

[0036] Moving to operation 640, the chart type to display is determined. The chart type may be predetermined or the chart type may be determined based on a variety of factors such as: the number of values selected; the type of data selected; a range of values
30 selected, and the like. The chart type may also be selected by a user. For example, a user may select an option to enter the temporary charting mode and select the type of chart that they would like to display when data is selected.

[0037] Transitioning to operation 650, the chart(s) are displayed. According to one embodiment, a separate chart is displayed for each row of data that is selected. For

example, when one row is selected a single chart is displayed and when five rows are selected, five charts are displayed. According to one embodiment, a single chart may be used to display the selected data. In this embodiment, the data for each row may be visually formatted to distinguish the values from one row of selected data from another row of selected data. The charts may be displayed within the same window as the selected data or one or more different windows. For example, the charts may be displayed in a pop-up window over the displayed data. According to one embodiment, the data that is not selected is not displayed when the charts are displayed. According to another embodiment, the unselected data is displayed during the display of the charts. In addition to displaying the charts, the selected data may be formatted to further provide visual differences to the user.

[0038] The process then flows to an end operation and returns to processing other actions.

[0039] FIGURE 7 shows a process 700 for formatting temporarily displayed charts.

[0040] After a start operation, the process flows to operation 710, where the chart type is changed for the temporarily displayed charts. The chart type that is displayed may be different types of charts. For example, the chart type may be a line chart, an area chart, a column chart, a pie chart, and the like. In addition to changing the chart type, the user may also switch the rows/columns. According to one embodiment, each of the displayed charts is displayed using the selected type of chart. According to another embodiment, each chart that is displayed may be of a different type.

[0041] Moving to operation 720, one or more reference lines is added to the display of the charts. The reference line spans across each of the displayed charts and provides a user with a visualization of how the values within the displayed chart compare to the reference value. The formatting of the values within the chart are determined based on whether the currently displayed value is above or below the reference line. For example, the values above the reference line are formatted in one manner (i.e. a first shade) and values below the reference line are formatted in a different manner (i.e. a second shade). When more than one reference line is displayed, the values between the two reference lines may be displayed in a third manner (i.e. a third shade). In addition to changing the formatting of the values based on the reference line, the values within the selected data may also be changed.

[0042] Flowing to operation 730, additional information is displayed to a user in response to navigating over points of the displayed charts. For example, as the user

navigates over the chart, the current value of the navigated point may be displayed. According to one embodiment, the corresponding values in the other charts are also displayed. When a reference line is displayed, the current value of the navigated point may also be compared to the reference line.

5 **[0043]** Transitioning to operation 740, different sorting options may also be selected by a user. For example, the charts could be sorted based on downward trends, upward trends, chart title, low to high values, high to low values, average values, and the like.

10 **[0044]** Moving to operation 750, one or more of the charts may be saved for later display. The charts may be saved as a group or each chart may be individually selected for saving. The charts may be saved in many different ways. For example, the charts may be saved using a copy operation and saved to a clipboard, the charts may be saved as an image file, and the like.

[0045] The process then flows to an end operation and returns to processing other actions.

15 **[0046]** The above specification, examples and data provide a complete description of the manufacture and use of the composition of the invention. Since many embodiments of the invention can be made without departing from the spirit and scope of the invention, the invention resides in the claims hereinafter appended.

20 **[0047]** Throughout this specification and claims which follow, unless the context requires otherwise, the word “comprise”, and variations such as “comprises” and “comprising”, will be understood to imply the inclusion of a stated integer or step or group of integers or steps but not the exclusion of any other integer or step or group of integers or steps.

25 **[0048]** The reference in this specification to any prior publication (or information derived from it), or to any matter which is known, is not, and should not be taken as an acknowledgement or admission or any form of suggestion that that prior publication (or information derived from it) or known matter forms part of the common general knowledge in the field of endeavour to which this specification relates.

WHAT IS CLAIMED IS:

1. A method for temporarily formatting and charting data, comprising:
receiving a user selection of a portion of data from rows and columns of data that is currently displayed on a display;
5 determining values within the selected data;
automatically determining a single chart type based on the selected data;
automatically creating a chart of the single chart type; and
temporarily displaying ~~the~~^a chart representing the values from the selected data, including displaying a separate chart for each row or each column within the selected data; ~~wherein the chart is automatically created and displayed upon receiving the selection of data~~;
- 10 2. The method of Claim 1, further comprising ~~wherein temporarily displaying the chart comprises~~ displaying ~~each~~^a separate chart using a common axis ~~for each row or each column within the selected data~~.
- 15 3. The method of Claim 1 or 2, further comprising displaying the value of a point in the chart when the point in the chart is navigated.
4. The method of Claim 3~~4~~, further comprising comparing the value of the point that is navigated to each of the other displayed charts and providing an indication of a difference of the values between the charts.
- 20 5. The method of any one of Claims 1 to 4, further comprising determining labels for the charts by traversing the data until the labels are reached within the data from which the data is selected.
- 6~~5~~. The method of any one of Claims 1 to 5~~2~~, further comprising displaying a reference line across the charts and formatting values in relation to a value of the reference line.
- 25 7~~6~~. The method of Claim 6~~5~~, wherein ~~further comprising~~ selecting a point on one of the displayed charts displays ~~and displaying~~ information relating to a comparison of the reference line to a value of the selected point.
- 8~~7~~. A computer-readable storage medium, excluding a signal, having
30 computer-executable instructions for temporarily formatting and charting data, the instructions executing on a processor of a computer, comprising:
receiving a user selection of data that is selected from a portion ~~table~~ of data that is included within a table;
determining all of the values within the selected data;

automatically determining a single chart type to display the selection of data based on the selection of data;

temporarily displaying a chart of the single chart type representing the values from the selected data including displaying a separate chart for each row or column within the selected data; wherein the chart is automatically created and displayed upon receiving the selection of data.

9. The computer-readable storage medium of Claim 8, wherein each of the separate charts includes a common axis.

10. The computer-readable storage medium of Claim 8, further comprising removing a display of unselected data upon the temporary display of the chart.

11. The computer-readable storage medium of Claim 8 or 10, further comprising sorting the displayed charts and updating the display in response to the sorting.

12. The computer-readable storage medium of any one of Claims 8 to 11, further comprising comparing the value of a point that is navigated to each of the other displayed charts and providing an indication of a difference of the values between the charts.

13. The computer-readable storage medium of any one of Claims 8 to 12, further comprising determining labels for the charts by traversing the table of data until the labels are reached within the data from which the data is selected.

14. The computer-readable storage medium of any one of Claims 8 to 13, further comprising displaying a reference line across the charts and formatting values in relation to a value of the reference line.

15. The computer-readable storage medium of Claim 14, wherein selecting a point on one of the displayed charts displays information relating to a comparison of the reference line to a value of the selected point.

16. A system for temporarily formatting and charting data, comprising:
a central processing unit (CPU) ~~processor~~ and a computer-readable medium;

an operating environment stored on the computer-readable medium and executing on the processor;

a productivity application and a visual manager operating on the CPU, ~~processor~~; and configured to perform tasks, comprising:

receive a user selection of data that is selected from a portion of data that is presented in rows and columns within the productivity application;

determine values of the selected data;
automatically determine a single chart type to display the selection
of data; and

5 temporarily display a chart of the single chart type representing the
values from the selected data in response to the selection of data, including
displaying a separate chart for each row within the selected data.

179. The system of Claim 168, ~~wherein temporarily displaying the chart~~
~~comprises displaying a separate chart for each row within the selected data;~~ wherein each
of the separate charts includes a common axis; ~~and displaying a value of a point in the~~
10 ~~chart in response to a user navigating a pointing device over the value.~~

18. The system of Claim 16 or 17, further comprising displaying a value of a
point in the chart in response to a user navigating a pointing device over the value.

1910. The system of any one of Claims 16 to 188, further comprising
determining a label of the chart from the table of data by accessing a label row of the table
15 of data.

20. A method for temporarily formatting and charting data, a computer-
readable storage medium, or a system for temporarily formatting and charting data,
substantially as hereinbefore described with reference to the accompanying drawings.